

Appendix-B LTE Band 66

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
Band66	1.4MHz	QPSK	131979	1RB#0	24.19	25.3	30	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	23.7	24.81	30	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	23.6	24.71	30	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	23.24	24.35	30	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	24.07	25.18	30	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	23.66	24.77	30	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	23.54	24.65	30	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	23.14	24.25	30	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	24.08	25.19	30	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	23.61	24.72	30	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	23.64	24.75	30	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	23.12	24.23	30	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	23.35	24.46	30	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	23.31	24.42	30	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	23.42	24.53	30	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	22.28	23.39	30	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	23.45	24.56	30	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	23.62	24.73	30	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	23.39	24.5	30	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	22.24	23.35	30	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	23.26	24.37	30	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	23.41	24.52	30	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	23.24	24.35	30	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	22.31	23.42	30	PASS
Band66	1.4MHz	64QAM	131979	1RB#0	22.33	23.44	30	PASS
Band66	1.4MHz	64QAM	131979	1RB#2	22.46	23.57	30	PASS
Band66	1.4MHz	64QAM	131979	1RB#5	22.47	23.58	30	PASS
Band66	1.4MHz	64QAM	131979	6RB#0	21.15	22.26	30	PASS
Band66	1.4MHz	64QAM	132322	1RB#0	22.27	23.38	30	PASS
Band66	1.4MHz	64QAM	132322	1RB#2	22.23	23.34	30	PASS
Band66	1.4MHz	64QAM	132322	1RB#5	22.65	23.76	30	PASS
Band66	1.4MHz	64QAM	132322	6RB#0	21.12	22.23	30	PASS
Band66	1.4MHz	64QAM	132665	1RB#0	22.21	23.32	30	PASS
Band66	1.4MHz	64QAM	132665	1RB#2	22.14	23.25	30	PASS
Band66	1.4MHz	64QAM	132665	1RB#5	22.29	23.4	30	PASS
Band66	1.4MHz	64QAM	132665	6RB#0	21.13	22.24	30	PASS
Band66	1.4MHz	256QAM	131979	1RB#0	19.17	20.28	30	PASS

Band66	1.4MHz	256QAM	131979	1RB#2	19.51	20.62	30	PASS
Band66	1.4MHz	256QAM	131979	1RB#5	19.29	20.4	30	PASS
Band66	1.4MHz	256QAM	131979	6RB#0	19.2	20.31	30	PASS
Band66	1.4MHz	256QAM	132322	1RB#0	19.13	20.24	30	PASS
Band66	1.4MHz	256QAM	132322	1RB#2	19.19	20.3	30	PASS
Band66	1.4MHz	256QAM	132322	1RB#5	19.36	20.47	30	PASS
Band66	1.4MHz	256QAM	132322	6RB#0	19.18	20.29	30	PASS
Band66	1.4MHz	256QAM	132665	1RB#0	19.26	20.37	30	PASS
Band66	1.4MHz	256QAM	132665	1RB#2	19.2	20.31	30	PASS
Band66	1.4MHz	256QAM	132665	1RB#5	19.41	20.52	30	PASS
Band66	1.4MHz	256QAM	132665	6RB#0	19.21	20.32	30	PASS
Band66	3MHz	QPSK	131987	1RB#0	24.17	25.28	30	PASS
Band66	3MHz	QPSK	131987	1RB#8	23.64	24.75	30	PASS
Band66	3MHz	QPSK	131987	1RB#14	23.56	24.67	30	PASS
Band66	3MHz	QPSK	131987	15RB#0	23.28	24.39	30	PASS
Band66	3MHz	QPSK	132322	1RB#0	24.02	25.13	30	PASS
Band66	3MHz	QPSK	132322	1RB#8	23.62	24.73	30	PASS
Band66	3MHz	QPSK	132322	1RB#14	23.65	24.76	30	PASS
Band66	3MHz	QPSK	132322	15RB#0	23.17	24.28	30	PASS
Band66	3MHz	QPSK	132657	1RB#0	24.1	25.21	30	PASS
Band66	3MHz	QPSK	132657	1RB#8	23.69	24.8	30	PASS
Band66	3MHz	QPSK	132657	1RB#14	23.57	24.68	30	PASS
Band66	3MHz	QPSK	132657	15RB#0	23.23	24.34	30	PASS
Band66	3MHz	16QAM	131987	1RB#0	23.44	24.55	30	PASS
Band66	3MHz	16QAM	131987	1RB#8	23.61	24.72	30	PASS
Band66	3MHz	16QAM	131987	1RB#14	23.22	24.33	30	PASS
Band66	3MHz	16QAM	131987	15RB#0	22.24	23.35	30	PASS
Band66	3MHz	16QAM	132322	1RB#0	23.52	24.63	30	PASS
Band66	3MHz	16QAM	132322	1RB#8	23.09	24.2	30	PASS
Band66	3MHz	16QAM	132322	1RB#14	23.56	24.67	30	PASS
Band66	3MHz	16QAM	132322	15RB#0	22.27	23.38	30	PASS
Band66	3MHz	16QAM	132657	1RB#0	23.45	24.56	30	PASS
Band66	3MHz	16QAM	132657	1RB#8	23.58	24.69	30	PASS
Band66	3MHz	16QAM	132657	1RB#14	23.55	24.66	30	PASS
Band66	3MHz	16QAM	132657	15RB#0	22.22	23.33	30	PASS
Band66	3MHz	64QAM	131987	1RB#0	22.53	23.64	30	PASS
Band66	3MHz	64QAM	131987	1RB#8	22.39	23.5	30	PASS
Band66	3MHz	64QAM	131987	1RB#14	22.23	23.34	30	PASS
Band66	3MHz	64QAM	131987	15RB#0	21.24	22.35	30	PASS
Band66	3MHz	64QAM	132322	1RB#0	22.05	23.16	30	PASS
Band66	3MHz	64QAM	132322	1RB#8	22.19	23.3	30	PASS
Band66	3MHz	64QAM	132322	1RB#14	22.22	23.33	30	PASS
Band66	3MHz	64QAM	132322	15RB#0	21.21	22.32	30	PASS
Band66	3MHz	64QAM	132657	1RB#0	22.1	23.21	30	PASS
Band66	3MHz	64QAM	132657	1RB#8	22.13	23.24	30	PASS

Band66	3MHz	64QAM	132657	1RB#14	22.43	23.54	30	PASS
Band66	3MHz	64QAM	132657	15RB#0	21.19	22.3	30	PASS
Band66	3MHz	256QAM	131987	1RB#0	19.4	20.51	30	PASS
Band66	3MHz	256QAM	131987	1RB#8	19.52	20.63	30	PASS
Band66	3MHz	256QAM	131987	1RB#14	19.26	20.37	30	PASS
Band66	3MHz	256QAM	131987	15RB#0	19.28	20.39	30	PASS
Band66	3MHz	256QAM	132322	1RB#0	19.33	20.44	30	PASS
Band66	3MHz	256QAM	132322	1RB#8	19.48	20.59	30	PASS
Band66	3MHz	256QAM	132322	1RB#14	19.35	20.46	30	PASS
Band66	3MHz	256QAM	132322	15RB#0	19.22	20.33	30	PASS
Band66	3MHz	256QAM	132657	1RB#0	19.39	20.5	30	PASS
Band66	3MHz	256QAM	132657	1RB#8	19.22	20.33	30	PASS
Band66	3MHz	256QAM	132657	1RB#14	19.35	20.46	30	PASS
Band66	3MHz	256QAM	132657	15RB#0	19.2	20.31	30	PASS
Band66	5MHz	QPSK	131997	1RB#0	24.02	25.13	30	PASS
Band66	5MHz	QPSK	131997	1RB#12	23.68	24.79	30	PASS
Band66	5MHz	QPSK	131997	1RB#24	23.59	24.7	30	PASS
Band66	5MHz	QPSK	131997	25RB#0	23.31	24.42	30	PASS
Band66	5MHz	QPSK	132322	1RB#0	23.98	25.09	30	PASS
Band66	5MHz	QPSK	132322	1RB#12	23.68	24.79	30	PASS
Band66	5MHz	QPSK	132322	1RB#24	23.68	24.79	30	PASS
Band66	5MHz	QPSK	132322	25RB#0	23.24	24.35	30	PASS
Band66	5MHz	QPSK	132647	1RB#0	23.95	25.06	30	PASS
Band66	5MHz	QPSK	132647	1RB#12	23.77	24.88	30	PASS
Band66	5MHz	QPSK	132647	1RB#24	23.66	24.77	30	PASS
Band66	5MHz	QPSK	132647	25RB#0	23.19	24.3	30	PASS
Band66	5MHz	16QAM	131997	1RB#0	23.35	24.46	30	PASS
Band66	5MHz	16QAM	131997	1RB#12	23.63	24.74	30	PASS
Band66	5MHz	16QAM	131997	1RB#24	23.5	24.61	30	PASS
Band66	5MHz	16QAM	131997	25RB#0	22.25	23.36	30	PASS
Band66	5MHz	16QAM	132322	1RB#0	23.48	24.59	30	PASS
Band66	5MHz	16QAM	132322	1RB#12	23.18	24.29	30	PASS
Band66	5MHz	16QAM	132322	1RB#24	23.35	24.46	30	PASS
Band66	5MHz	16QAM	132322	25RB#0	22.17	23.28	30	PASS
Band66	5MHz	16QAM	132647	1RB#0	23.27	24.38	30	PASS
Band66	5MHz	16QAM	132647	1RB#12	23.47	24.58	30	PASS
Band66	5MHz	16QAM	132647	1RB#24	23.48	24.59	30	PASS
Band66	5MHz	16QAM	132647	25RB#0	22.24	23.35	30	PASS
Band66	5MHz	64QAM	131997	1RB#0	22.51	23.62	30	PASS
Band66	5MHz	64QAM	131997	1RB#12	22.41	23.52	30	PASS
Band66	5MHz	64QAM	131997	1RB#24	22.48	23.59	30	PASS
Band66	5MHz	64QAM	131997	25RB#0	21.22	22.33	30	PASS
Band66	5MHz	64QAM	132322	1RB#0	22.19	23.3	30	PASS
Band66	5MHz	64QAM	132322	1RB#12	22.56	23.67	30	PASS
Band66	5MHz	64QAM	132322	1RB#24	22.6	23.71	30	PASS

Band66	5MHz	64QAM	132322	25RB#0	21.18	22.29	30	PASS
Band66	5MHz	64QAM	132647	1RB#0	22.06	23.17	30	PASS
Band66	5MHz	64QAM	132647	1RB#12	22.3	23.41	30	PASS
Band66	5MHz	64QAM	132647	1RB#24	22.29	23.4	30	PASS
Band66	5MHz	64QAM	132647	25RB#0	21.15	22.26	30	PASS
Band66	5MHz	256QAM	131997	1RB#0	19.27	20.38	30	PASS
Band66	5MHz	256QAM	131997	1RB#12	19.36	20.47	30	PASS
Band66	5MHz	256QAM	131997	1RB#24	19.47	20.58	30	PASS
Band66	5MHz	256QAM	131997	25RB#0	19.3	20.41	30	PASS
Band66	5MHz	256QAM	132322	1RB#0	19.16	20.27	30	PASS
Band66	5MHz	256QAM	132322	1RB#12	18.96	20.07	30	PASS
Band66	5MHz	256QAM	132322	1RB#24	19.4	20.51	30	PASS
Band66	5MHz	256QAM	132322	25RB#0	19.23	20.34	30	PASS
Band66	5MHz	256QAM	132647	1RB#0	19.24	20.35	30	PASS
Band66	5MHz	256QAM	132647	1RB#12	19.41	20.52	30	PASS
Band66	5MHz	256QAM	132647	1RB#24	19.26	20.37	30	PASS
Band66	5MHz	256QAM	132647	25RB#0	19.17	20.28	30	PASS
Band66	10MHz	QPSK	132022	1RB#0	24.02	25.13	30	PASS
Band66	10MHz	QPSK	132022	1RB#24	23.62	24.73	30	PASS
Band66	10MHz	QPSK	132022	1RB#49	23.66	24.77	30	PASS
Band66	10MHz	QPSK	132022	50RB#0	23.3	24.41	30	PASS
Band66	10MHz	QPSK	132322	1RB#0	23.98	25.09	30	PASS
Band66	10MHz	QPSK	132322	1RB#24	23.65	24.76	30	PASS
Band66	10MHz	QPSK	132322	1RB#49	23.61	24.72	30	PASS
Band66	10MHz	QPSK	132322	50RB#0	23.17	24.28	30	PASS
Band66	10MHz	QPSK	132622	1RB#0	24.05	25.16	30	PASS
Band66	10MHz	QPSK	132622	1RB#24	23.6	24.71	30	PASS
Band66	10MHz	QPSK	132622	1RB#49	23.56	24.67	30	PASS
Band66	10MHz	QPSK	132622	50RB#0	23.21	24.32	30	PASS
Band66	10MHz	16QAM	132022	1RB#0	23.14	24.25	30	PASS
Band66	10MHz	16QAM	132022	1RB#24	23.44	24.55	30	PASS
Band66	10MHz	16QAM	132022	1RB#49	23.52	24.63	30	PASS
Band66	10MHz	16QAM	132022	50RB#0	22.14	23.25	30	PASS
Band66	10MHz	16QAM	132322	1RB#0	23.21	24.32	30	PASS
Band66	10MHz	16QAM	132322	1RB#24	23.16	24.27	30	PASS
Band66	10MHz	16QAM	132322	1RB#49	23.55	24.66	30	PASS
Band66	10MHz	16QAM	132322	50RB#0	22.26	23.37	30	PASS
Band66	10MHz	16QAM	132622	1RB#0	23.33	24.44	30	PASS
Band66	10MHz	16QAM	132622	1RB#24	23.37	24.48	30	PASS
Band66	10MHz	16QAM	132622	1RB#49	23.32	24.43	30	PASS
Band66	10MHz	16QAM	132622	50RB#0	22.19	23.3	30	PASS
Band66	10MHz	64QAM	132022	1RB#0	22.55	23.66	30	PASS
Band66	10MHz	64QAM	132022	1RB#24	22.36	23.47	30	PASS
Band66	10MHz	64QAM	132022	1RB#49	22.31	23.42	30	PASS
Band66	10MHz	64QAM	132022	50RB#0	21.15	22.26	30	PASS

Band66	10MHz	64QAM	132322	1RB#0	22.21	23.32	30	PASS
Band66	10MHz	64QAM	132322	1RB#24	22.37	23.48	30	PASS
Band66	10MHz	64QAM	132322	1RB#49	22.28	23.39	30	PASS
Band66	10MHz	64QAM	132322	50RB#0	21.18	22.29	30	PASS
Band66	10MHz	64QAM	132622	1RB#0	22.29	23.4	30	PASS
Band66	10MHz	64QAM	132622	1RB#24	21.98	23.09	30	PASS
Band66	10MHz	64QAM	132622	1RB#49	22.35	23.46	30	PASS
Band66	10MHz	64QAM	132622	50RB#0	20.98	22.09	30	PASS
Band66	10MHz	256QAM	132022	1RB#0	19.4	20.51	30	PASS
Band66	10MHz	256QAM	132022	1RB#24	19.48	20.59	30	PASS
Band66	10MHz	256QAM	132022	1RB#49	19.43	20.54	30	PASS
Band66	10MHz	256QAM	132022	50RB#0	19.18	20.29	30	PASS
Band66	10MHz	256QAM	132322	1RB#0	19.38	20.49	30	PASS
Band66	10MHz	256QAM	132322	1RB#24	19.49	20.6	30	PASS
Band66	10MHz	256QAM	132322	1RB#49	19.32	20.43	30	PASS
Band66	10MHz	256QAM	132322	50RB#0	19.24	20.35	30	PASS
Band66	10MHz	256QAM	132622	1RB#0	19.29	20.4	30	PASS
Band66	10MHz	256QAM	132622	1RB#24	19.51	20.62	30	PASS
Band66	10MHz	256QAM	132622	1RB#49	19.03	20.14	30	PASS
Band66	10MHz	256QAM	132622	50RB#0	19.14	20.25	30	PASS
Band66	15MHz	QPSK	132047	1RB#0	23.77	24.88	30	PASS
Band66	15MHz	QPSK	132047	1RB#38	23.41	24.52	30	PASS
Band66	15MHz	QPSK	132047	1RB#74	23.54	24.65	30	PASS
Band66	15MHz	QPSK	132047	75RB#0	23.11	24.22	30	PASS
Band66	15MHz	QPSK	132322	1RB#0	23.81	24.92	30	PASS
Band66	15MHz	QPSK	132322	1RB#38	23.37	24.48	30	PASS
Band66	15MHz	QPSK	132322	1RB#74	23.56	24.67	30	PASS
Band66	15MHz	QPSK	132322	75RB#0	23.14	24.25	30	PASS
Band66	15MHz	QPSK	132597	1RB#0	23.75	24.86	30	PASS
Band66	15MHz	QPSK	132597	1RB#38	23.52	24.63	30	PASS
Band66	15MHz	QPSK	132597	1RB#74	23.43	24.54	30	PASS
Band66	15MHz	QPSK	132597	75RB#0	23.13	24.24	30	PASS
Band66	15MHz	16QAM	132047	1RB#0	23.04	24.15	30	PASS
Band66	15MHz	16QAM	132047	1RB#38	23.48	24.59	30	PASS
Band66	15MHz	16QAM	132047	1RB#74	23.29	24.4	30	PASS
Band66	15MHz	16QAM	132047	75RB#0	22.07	23.18	30	PASS
Band66	15MHz	16QAM	132322	1RB#0	23.22	24.33	30	PASS
Band66	15MHz	16QAM	132322	1RB#38	23.35	24.46	30	PASS
Band66	15MHz	16QAM	132322	1RB#74	23.48	24.59	30	PASS
Band66	15MHz	16QAM	132322	75RB#0	22.12	23.23	30	PASS
Band66	15MHz	16QAM	132597	1RB#0	23.31	24.42	30	PASS
Band66	15MHz	16QAM	132597	1RB#38	23.29	24.4	30	PASS
Band66	15MHz	16QAM	132597	1RB#74	23.4	24.51	30	PASS
Band66	15MHz	16QAM	132597	75RB#0	21.98	23.09	30	PASS
Band66	15MHz	64QAM	132047	1RB#0	22.31	23.42	30	PASS

Band66	15MHz	64QAM	132047	1RB#38	22.3	23.41	30	PASS
Band66	15MHz	64QAM	132047	1RB#74	22.17	23.28	30	PASS
Band66	15MHz	64QAM	132047	75RB#0	21.07	22.18	30	PASS
Band66	15MHz	64QAM	132322	1RB#0	22.12	23.23	30	PASS
Band66	15MHz	64QAM	132322	1RB#38	22.34	23.45	30	PASS
Band66	15MHz	64QAM	132322	1RB#74	22.21	23.32	30	PASS
Band66	15MHz	64QAM	132322	75RB#0	20.99	22.1	30	PASS
Band66	15MHz	64QAM	132597	1RB#0	21.97	23.08	30	PASS
Band66	15MHz	64QAM	132597	1RB#38	22.31	23.42	30	PASS
Band66	15MHz	64QAM	132597	1RB#74	21.79	22.9	30	PASS
Band66	15MHz	64QAM	132597	75RB#0	20.91	22.02	30	PASS
Band66	15MHz	256QAM	132047	1RB#0	19.18	20.29	30	PASS
Band66	15MHz	256QAM	132047	1RB#38	19.41	20.52	30	PASS
Band66	15MHz	256QAM	132047	1RB#74	19.08	20.19	30	PASS
Band66	15MHz	256QAM	132047	75RB#0	19.16	20.27	30	PASS
Band66	15MHz	256QAM	132322	1RB#0	19.16	20.27	30	PASS
Band66	15MHz	256QAM	132322	1RB#38	18.93	20.04	30	PASS
Band66	15MHz	256QAM	132322	1RB#74	19.29	20.4	30	PASS
Band66	15MHz	256QAM	132322	75RB#0	19.06	20.17	30	PASS
Band66	15MHz	256QAM	132597	1RB#0	19.13	20.24	30	PASS
Band66	15MHz	256QAM	132597	1RB#38	19.18	20.29	30	PASS
Band66	15MHz	256QAM	132597	1RB#74	19.02	20.13	30	PASS
Band66	15MHz	256QAM	132597	75RB#0	19	20.11	30	PASS
Band66	20MHz	QPSK	132072	1RB#0	23.87	24.98	30	PASS
Band66	20MHz	QPSK	132072	1RB#49	23.43	24.54	30	PASS
Band66	20MHz	QPSK	132072	1RB#99	23.57	24.68	30	PASS
Band66	20MHz	QPSK	132072	100RB#0	23.1	24.21	30	PASS
Band66	20MHz	QPSK	132322	1RB#0	23.96	25.07	30	PASS
Band66	20MHz	QPSK	132322	1RB#49	23.47	24.58	30	PASS
Band66	20MHz	QPSK	132322	1RB#99	23.51	24.62	30	PASS
Band66	20MHz	QPSK	132322	100RB#0	23.08	24.19	30	PASS
Band66	20MHz	QPSK	132572	1RB#0	23.69	24.8	30	PASS
Band66	20MHz	QPSK	132572	1RB#49	23.4	24.51	30	PASS
Band66	20MHz	QPSK	132572	1RB#99	23.49	24.6	30	PASS
Band66	20MHz	QPSK	132572	100RB#0	23.1	24.21	30	PASS
Band66	20MHz	16QAM	132072	1RB#0	23.05	24.16	30	PASS
Band66	20MHz	16QAM	132072	1RB#49	23.45	24.56	30	PASS
Band66	20MHz	16QAM	132072	1RB#99	23.49	24.6	30	PASS
Band66	20MHz	16QAM	132072	100RB#0	22.02	23.13	30	PASS
Band66	20MHz	16QAM	132322	1RB#0	23.31	24.42	30	PASS
Band66	20MHz	16QAM	132322	1RB#49	23.05	24.16	30	PASS
Band66	20MHz	16QAM	132322	1RB#99	23.44	24.55	30	PASS
Band66	20MHz	16QAM	132322	100RB#0	22.14	23.25	30	PASS
Band66	20MHz	16QAM	132572	1RB#0	23.13	24.24	30	PASS
Band66	20MHz	16QAM	132572	1RB#49	23.27	24.38	30	PASS

Band66	20MHz	16QAM	132572	1RB#99	23.42	24.53	30	PASS
Band66	20MHz	16QAM	132572	100RB#0	22.08	23.19	30	PASS
Band66	20MHz	64QAM	132072	1RB#0	22.17	23.28	30	PASS
Band66	20MHz	64QAM	132072	1RB#49	22.15	23.26	30	PASS
Band66	20MHz	64QAM	132072	1RB#99	22.13	23.24	30	PASS
Band66	20MHz	64QAM	132072	100RB#0	21.02	22.13	30	PASS
Band66	20MHz	64QAM	132322	1RB#0	22.13	23.24	30	PASS
Band66	20MHz	64QAM	132322	1RB#49	22.02	23.13	30	PASS
Band66	20MHz	64QAM	132322	1RB#99	22.27	23.38	30	PASS
Band66	20MHz	64QAM	132322	100RB#0	20.94	22.05	30	PASS
Band66	20MHz	64QAM	132572	1RB#0	22.07	23.18	30	PASS
Band66	20MHz	64QAM	132572	1RB#49	22.33	23.44	30	PASS
Band66	20MHz	64QAM	132572	1RB#99	22.01	23.12	30	PASS
Band66	20MHz	64QAM	132572	100RB#0	21.01	22.12	30	PASS
Band66	20MHz	256QAM	132072	1RB#0	19.14	20.25	30	PASS
Band66	20MHz	256QAM	132072	1RB#49	19.27	20.38	30	PASS
Band66	20MHz	256QAM	132072	1RB#99	19.27	20.38	30	PASS
Band66	20MHz	256QAM	132072	100RB#0	19.11	20.22	30	PASS
Band66	20MHz	256QAM	132322	1RB#0	19.26	20.37	30	PASS
Band66	20MHz	256QAM	132322	1RB#49	19.22	20.33	30	PASS
Band66	20MHz	256QAM	132322	1RB#99	19.16	20.27	30	PASS
Band66	20MHz	256QAM	132322	100RB#0	19.08	20.19	30	PASS
Band66	20MHz	256QAM	132572	1RB#0	19.04	20.15	30	PASS
Band66	20MHz	256QAM	132572	1RB#49	18.87	19.98	30	PASS
Band66	20MHz	256QAM	132572	1RB#99	19.28	20.39	30	PASS
Band66	20MHz	256QAM	132572	100RB#0	19.08	20.19	30	PASS


Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dB)	Limit (dB)	Verdict
Band66	1.4MHz	QPSK	131979	6RB#0	4.84	13	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	4.94	13	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	4.91	13	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	5.71	13	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	5.75	13	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	5.78	13	PASS
Band66	1.4MHz	64QAM	131979	6RB#0	6.22	13	PASS
Band66	1.4MHz	64QAM	132322	6RB#0	6.31	13	PASS
Band66	1.4MHz	64QAM	132665	6RB#0	6.25	13	PASS
Band66	1.4MHz	256QAM	131979	6RB#0	6.66	13	PASS
Band66	1.4MHz	256QAM	132322	6RB#0	6.67	13	PASS
Band66	1.4MHz	256QAM	132665	6RB#0	6.65	13	PASS
Band66	3MHz	QPSK	131987	15RB#0	5.17	13	PASS
Band66	3MHz	QPSK	132322	15RB#0	5.25	13	PASS
Band66	3MHz	QPSK	132657	15RB#0	5.21	13	PASS
Band66	3MHz	16QAM	131987	15RB#0	5.94	13	PASS
Band66	3MHz	16QAM	132322	15RB#0	5.96	13	PASS
Band66	3MHz	16QAM	132657	15RB#0	5.93	13	PASS
Band66	3MHz	64QAM	131987	15RB#0	6.36	13	PASS
Band66	3MHz	64QAM	132322	15RB#0	6.41	13	PASS
Band66	3MHz	64QAM	132657	15RB#0	6.35	13	PASS
Band66	3MHz	256QAM	131987	15RB#0	6.67	13	PASS
Band66	3MHz	256QAM	132322	15RB#0	6.68	13	PASS
Band66	3MHz	256QAM	132657	15RB#0	6.66	13	PASS
Band66	5MHz	QPSK	131997	25RB#0	5.14	13	PASS
Band66	5MHz	QPSK	132322	25RB#0	5.24	13	PASS
Band66	5MHz	QPSK	132647	25RB#0	5.14	13	PASS
Band66	5MHz	16QAM	131997	25RB#0	5.92	13	PASS
Band66	5MHz	16QAM	132322	25RB#0	5.97	13	PASS
Band66	5MHz	16QAM	132647	25RB#0	5.90	13	PASS
Band66	5MHz	64QAM	131997	25RB#0	6.31	13	PASS
Band66	5MHz	64QAM	132322	25RB#0	6.36	13	PASS
Band66	5MHz	64QAM	132647	25RB#0	6.30	13	PASS
Band66	5MHz	256QAM	131997	25RB#0	6.63	13	PASS
Band66	5MHz	256QAM	132322	25RB#0	6.63	13	PASS
Band66	5MHz	256QAM	132647	25RB#0	6.61	13	PASS
Band66	10MHz	QPSK	132022	50RB#0	5.21	13	PASS
Band66	10MHz	QPSK	132322	50RB#0	5.26	13	PASS
Band66	10MHz	QPSK	132622	50RB#0	5.16	13	PASS


Band66	10MHz	16QAM	132022	50RB#0	5.96	13	PASS
Band66	10MHz	16QAM	132322	50RB#0	6.00	13	PASS
Band66	10MHz	16QAM	132622	50RB#0	5.90	13	PASS
Band66	10MHz	64QAM	132022	50RB#0	6.35	13	PASS
Band66	10MHz	64QAM	132322	50RB#0	6.36	13	PASS
Band66	10MHz	64QAM	132622	50RB#0	6.29	13	PASS
Band66	10MHz	256QAM	132022	50RB#0	6.62	13	PASS
Band66	10MHz	256QAM	132322	50RB#0	6.62	13	PASS
Band66	10MHz	256QAM	132622	50RB#0	6.61	13	PASS
Band66	15MHz	QPSK	132047	75RB#0	5.18	13	PASS
Band66	15MHz	QPSK	132322	75RB#0	5.19	13	PASS
Band66	15MHz	QPSK	132597	75RB#0	5.08	13	PASS
Band66	15MHz	16QAM	132047	75RB#0	5.98	13	PASS
Band66	15MHz	16QAM	132322	75RB#0	5.97	13	PASS
Band66	15MHz	16QAM	132597	75RB#0	5.90	13	PASS
Band66	15MHz	64QAM	132047	75RB#0	6.31	13	PASS
Band66	15MHz	64QAM	132322	75RB#0	6.30	13	PASS
Band66	15MHz	64QAM	132597	75RB#0	6.23	13	PASS
Band66	15MHz	256QAM	132047	75RB#0	6.50	13	PASS
Band66	15MHz	256QAM	132322	75RB#0	7.25	13	PASS
Band66	15MHz	256QAM	132597	75RB#0	6.45	13	PASS
Band66	20MHz	QPSK	132072	100RB#0	5.31	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	5.28	13	PASS
Band66	20MHz	QPSK	132572	100RB#0	5.18	13	PASS
Band66	20MHz	16QAM	132072	100RB#0	6.05	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	6.03	13	PASS
Band66	20MHz	16QAM	132572	100RB#0	5.93	13	PASS
Band66	20MHz	64QAM	132072	100RB#0	6.41	13	PASS
Band66	20MHz	64QAM	132322	100RB#0	6.40	13	PASS
Band66	20MHz	64QAM	132572	100RB#0	6.29	13	PASS
Band66	20MHz	256QAM	132072	100RB#0	6.66	13	PASS
Band66	20MHz	256QAM	132322	100RB#0	6.63	13	PASS
Band66	20MHz	256QAM	132572	100RB#0	6.59	13	PASS

Test Graphs






Band66-1.4MHz-64QAM-131979-6RB#0-PASS




Band66-1.4MHz-64QAM-132322-6RB#0-PASS




Band66-1.4MHz-64QAM-132665-6RB#0-PASS



Band66-1.4MHz-256QAM-131979-6RB#0-PASS




Band66-1.4MHz-256QAM-132322-6RB#0-PASS




Band66-1.4MHz-256QAM-132665-6RB#0-PASS



Band66-3MHz-QPSK-131987-15RB#0-PASS




Band66-3MHz-QPSK-132322-15RB#0-PASS



Band66-3MHz-QPSK-132657-15RB#0-PASS




Band66-3MHz-16QAM-131987-15RB#0-PASS



Band66-3MHz-16QAM-132322-15RB#0-PASS




Band66-3MHz-16QAM-132657-15RB#0-PASS




Band66-3MHz-64QAM-131987-15RB#0-PASS



Band66-3MHz-64QAM-132322-15RB#0-PASS



Band66-3MHz-64QAM-132657-15RB#0-PASS



Band66-3MHz-256QAM-131987-15RB#0-PASS



Band66-3MHz-256QAM-132322-15RB#0-PASS



Band66-3MHz-256QAM-132657-15RB#0-PASS



Band66-5MHz-QPSK-131997-25RB#0-PASS



Band66-5MHz-QPSK-132322-25RB#0-PASS



Band66-5MHz-QPSK-132647-25RB#0-PASS



Band66-5MHz-16QAM-131997-25RB#0-PASS




Band66-5MHz-16QAM-132322-25RB#0-PASS




Band66-5MHz-16QAM-132647-25RB#0-PASS




Band66-5MHz-64QAM-131997-25RB#0-PASS



Band66-5MHz-64QAM-132322-25RB#0-PASS



Band66-5MHz-64QAM-132647-25RB#0-PASS



Band66-5MHz-256QAM-131997-25RB#0-PASS



Band66-5MHz-256QAM-132322-25RB#0-PASS




Band66-5MHz-256QAM-132647-25RB#0-PASS




Band66-10MHz-QPSK-132022-50RB#0-PASS



Band66-10MHz-QPSK-132322-50RB#0-PASS



Band66-10MHz-QPSK-132622-50RB#0-PASS



Band66-10MHz-16QAM-132022-50RB#0-PASS



Band66-10MHz-16QAM-132322-50RB#0-PASS



Band66-10MHz-16QAM-132622-50RB#0-PASS







Band66-15MHz-QPSK-132047-75RB#0-PASS



Band66-15MHz-QPSK-132322-75RB#0-PASS



Band66-15MHz-QPSK-132597-75RB#0-PASS




Band66-15MHz-16QAM-132047-75RB#0-PASS




Band66-15MHz-16QAM-132322-75RB#0-PASS




Band66-15MHz-16QAM-132597-75RB#0-PASS



Band66-15MHz-64QAM-132047-75RB#0-PASS




Band66-15MHz-64QAM-132322-75RB#0-PASS




Band66-15MHz-64QAM-132597-75RB#0-PASS



Band66-15MHz-256QAM-132047-75RB#0-PASS



Band66-15MHz-256QAM-132322-75RB#0-PASS




Band66-15MHz-256QAM-132597-75RB#0-PASS




Band66-20MHz-QPSK-132072-100RB#0-PASS



Band66-20MHz-QPSK-132322-100RB#0-PASS



Band66-20MHz-QPSK-132572-100RB#0-PASS



Band66-20MHz-16QAM-132072-100RB#0-PASS




Band66-20MHz-16QAM-132322-100RB#0-PASS




Band66-20MHz-16QAM-132572-100RB#0-PASS




Band66-20MHz-64QAM-132072-100RB#0-PASS



Band66-20MHz-64QAM-132322-100RB#0-PASS



Band66-20MHz-64QAM-132572-100RB#0-PASS



Band66-20MHz-256QAM-132072-100RB#0-PASS



Band66-20MHz-256QAM-132322-100RB#0-PASS



Band66-20MHz-256QAM-132572-100RB#0-PASS


26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	OBW (MHz)	26dB EBW (MHz)	Verdict
Band66	1.4MHz	QPSK	131979	6RB#0	1.1006	1.360	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.1079	1.384	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.0997	1.347	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.1030	1.372	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.1017	1.332	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1.1007	1.385	PASS
Band66	1.4MHz	64QAM	131979	6RB#0	1.0961	1.321	PASS
Band66	1.4MHz	64QAM	132322	6RB#0	1.1005	1.348	PASS
Band66	1.4MHz	64QAM	132665	6RB#0	1.0944	1.329	PASS
Band66	1.4MHz	256QAM	131979	6RB#0	1.0983	1.333	PASS
Band66	1.4MHz	256QAM	132322	6RB#0	1.1007	1.333	PASS
Band66	1.4MHz	256QAM	132665	6RB#0	1.0965	1.370	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.7056	3.075	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.7024	3.053	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.7004	3.058	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.7035	3.023	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.7116	3.075	PASS
Band66	3MHz	16QAM	132657	15RB#0	2.7032	3.042	PASS
Band66	3MHz	64QAM	131987	15RB#0	2.6893	3.052	PASS
Band66	3MHz	64QAM	132322	15RB#0	2.6951	2.995	PASS
Band66	3MHz	64QAM	132657	15RB#0	2.6916	2.998	PASS
Band66	3MHz	256QAM	131987	15RB#0	2.7030	2.993	PASS
Band66	3MHz	256QAM	132322	15RB#0	2.6970	2.975	PASS
Band66	3MHz	256QAM	132657	15RB#0	2.6947	3.016	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.5225	5.212	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.5214	5.213	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.5164	5.197	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.5227	5.166	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.5218	5.140	PASS
Band66	5MHz	16QAM	132647	25RB#0	4.5248	5.149	PASS
Band66	5MHz	64QAM	131997	25RB#0	4.5031	5.127	PASS
Band66	5MHz	64QAM	132322	25RB#0	4.4917	5.066	PASS
Band66	5MHz	64QAM	132647	25RB#0	4.4882	5.050	PASS
Band66	5MHz	256QAM	131997	25RB#0	4.4868	5.096	PASS
Band66	5MHz	256QAM	132322	25RB#0	4.4916	5.067	PASS
Band66	5MHz	256QAM	132647	25RB#0	4.5023	5.085	PASS
Band66	10MHz	QPSK	132022	50RB#0	9.0049	10.04	PASS
Band66	10MHz	QPSK	132322	50RB#0	8.9896	10.08	PASS

Band66	10MHz	QPSK	132622	50RB#0	9.0140	9.997	PASS
Band66	10MHz	16QAM	132022	50RB#0	9.0074	10.13	PASS
Band66	10MHz	16QAM	132322	50RB#0	8.9976	9.952	PASS
Band66	10MHz	16QAM	132622	50RB#0	9.0022	10.08	PASS
Band66	10MHz	64QAM	132022	50RB#0	8.9836	9.955	PASS
Band66	10MHz	64QAM	132322	50RB#0	8.9893	9.960	PASS
Band66	10MHz	64QAM	132622	50RB#0	8.9737	9.961	PASS
Band66	10MHz	256QAM	132022	50RB#0	8.9663	10.04	PASS
Band66	10MHz	256QAM	132322	50RB#0	8.9804	9.905	PASS
Band66	10MHz	256QAM	132622	50RB#0	8.9736	9.964	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.517	14.96	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.475	14.99	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.490	15.12	PASS
Band66	15MHz	16QAM	132047	75RB#0	13.514	14.94	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.492	15.00	PASS
Band66	15MHz	16QAM	132597	75RB#0	13.493	14.83	PASS
Band66	15MHz	64QAM	132047	75RB#0	13.469	14.93	PASS
Band66	15MHz	64QAM	132322	75RB#0	13.483	14.81	PASS
Band66	15MHz	64QAM	132597	75RB#0	13.469	14.86	PASS
Band66	15MHz	256QAM	132047	75RB#0	13.450	14.88	PASS
Band66	15MHz	256QAM	132322	75RB#0	13.471	14.73	PASS
Band66	15MHz	256QAM	132597	75RB#0	13.445	14.70	PASS
Band66	20MHz	QPSK	132072	100RB#0	17.982	19.87	PASS
Band66	20MHz	QPSK	132322	100RB#0	17.973	19.76	PASS
Band66	20MHz	QPSK	132572	100RB#0	17.952	19.82	PASS
Band66	20MHz	16QAM	132072	100RB#0	18.020	19.97	PASS
Band66	20MHz	16QAM	132322	100RB#0	18.003	19.94	PASS
Band66	20MHz	16QAM	132572	100RB#0	17.989	19.72	PASS
Band66	20MHz	64QAM	132072	100RB#0	17.959	19.80	PASS
Band66	20MHz	64QAM	132322	100RB#0	17.917	19.50	PASS
Band66	20MHz	64QAM	132572	100RB#0	17.972	19.81	PASS
Band66	20MHz	256QAM	132072	100RB#0	17.908	19.54	PASS
Band66	20MHz	256QAM	132322	100RB#0	17.969	19.61	PASS
Band66	20MHz	256QAM	132572	100RB#0	17.931	19.47	PASS

Test Graphs





Band66-1.4MHz-64QAM-131979-6RB#0-PASS



Band66-1.4MHz-64QAM-132322-6RB#0-PASS



Band66-1.4MHz-64QAM-132665-6RB#0-PASS



Band66-1.4MHz-256QAM-131979-6RB#0-PASS



Band66-1.4MHz-256QAM-132322-6RB#0-PASS



Band66-1.4MHz-256QAM-132665-6RB#0-PASS



Band66-3MHz-QPSK-131987-15RB#0-PASS



Band66-3MHz-QPSK-132322-15RB#0-PASS



Band66-3MHz-QPSK-132657-15RB#0-PASS




Band66-3MHz-16QAM-131987-15RB#0-PASS



Band66-3MHz-16QAM-132322-15RB#0-PASS




Band66-3MHz-16QAM-132657-15RB#0-PASS



Band66-3MHz-64QAM-131987-15RB#0-PASS



Band66-3MHz-64QAM-132322-15RB#0-PASS




Band66-3MHz-64QAM-132657-15RB#0-PASS



Band66-3MHz-256QAM-131987-15RB#0-PASS



Band66-3MHz-256QAM-132322-15RB#0-PASS




Band66-3MHz-256QAM-132657-15RB#0-PASS



Band66-5MHz-QPSK-131997-25RB#0-PASS




Band66-5MHz-QPSK-132322-25RB#0-PASS



Band66-5MHz-QPSK-132647-25RB#0-PASS




Band66-5MHz-16QAM-131997-25RB#0-PASS



Band66-5MHz-16QAM-132322-25RB#0-PASS



Band66-5MHz-16QAM-132647-25RB#0-PASS



Band66-5MHz-64QAM-131997-25RB#0-PASS



Band66-5MHz-64QAM-132322-25RB#0-PASS



Band66-5MHz-64QAM-132647-25RB#0-PASS



Band66-5MHz-256QAM-131997-25RB#0-PASS



Band66-5MHz-256QAM-132322-25RB#0-PASS



Band66-5MHz-256QAM-132647-25RB#0-PASS



Band66-10MHz-QPSK-132022-50RB#0-PASS



Band66-10MHz-QPSK-132322-50RB#0-PASS




Band66-10MHz-QPSK-132622-50RB#0-PASS




Band66-10MHz-16QAM-132022-50RB#0-PASS



Band66-10MHz-16QAM-132322-50RB#0-PASS




Band66-10MHz-16QAM-132622-50RB#0-PASS



Band66-10MHz-64QAM-132022-50RB#0-PASS



Band66-10MHz-64QAM-132322-50RB#0-PASS



Band66-10MHz-64QAM-132622-50RB#0-PASS




Band66-10MHz-256QAM-132022-50RB#0-PASS



Band66-10MHz-256QAM-132322-50RB#0-PASS



Band66-10MHz-256QAM-132622-50RB#0-PASS



Band66-15MHz-QPSK-132047-75RB#0-PASS



Band66-15MHz-QPSK-132322-75RB#0-PASS



Band66-15MHz-QPSK-132597-75RB#0-PASS



Band66-15MHz-16QAM-132047-75RB#0-PASS



Band66-15MHz-16QAM-132322-75RB#0-PASS



Band66-15MHz-16QAM-132597-75RB#0-PASS



Band66-15MHz-64QAM-132047-75RB#0-PASS



Band66-15MHz-64QAM-132322-75RB#0-PASS




Band66-15MHz-64QAM-132597-75RB#0-PASS



Band66-15MHz-256QAM-132047-75RB#0-PASS



Band66-15MHz-256QAM-132322-75RB#0-PASS



Band66-15MHz-256QAM-132597-75RB#0-PASS



Band66-20MHz-QPSK-132072-100RB#0-PASS




Band66-20MHz-QPSK-132322-100RB#0-PASS



Band66-20MHz-QPSK-132572-100RB#0-PASS



Band66-20MHz-16QAM-132072-100RB#0-PASS



Band66-20MHz-16QAM-132322-100RB#0-PASS





Band66-20MHz-16QAM-132572-100RB#0-PASS



Band Edge

Test Graphs






Band66-3MHz-QPSK-132657-1RB#14-PASS




Band66-3MHz-QPSK-132657-15RB#0-PASS



Band66-5MHz-QPSK-131997-1RB#0-PASS




Band66-5MHz-QPSK-131997-25RB#0-PASS




Band66-5MHz-QPSK-132647-1RB#24-PASS




Band66-5MHz-QPSK-132647-25RB#0-PASS



Band66-10MHz-QPSK-132022-1RB#0-PASS



Band66-10MHz-QPSK-132022-50RB#0-PASS




Band66-10MHz-QPSK-132622-1RB#49-PASS



Band66-10MHz-QPSK-132622-50RB#0-PASS



Band66-15MHz-QPSK-132047-1RB#0-PASS





Band66-15MHz-QPSK-132047-75RB#0-PASS



Conducted Spurious Emission

Test Graphs






Band66-20MHz-QPSK-132322-1RB#0-0.15~30-PASS




Band66-20MHz-QPSK-132322-1RB#0-30~1000-PASS



Band66-20MHz-QPSK-132322-1RB#0-1000~3000-PASS



Band66-20MHz-QPSK-132322-1RB#0-3000~20000-PASS



Band66-20MHz-QPSK-132572-1RB#0-0.009~0.15-PASS




Band66-20MHz-QPSK-132572-1RB#0-0.15~30-PASS



Band66-20MHz-QPSK-132572-1RB#0-30~1000-PASS



Band66-20MHz-QPSK-132572-1RB#0-1000~3000-PASS



Band66-20MHz-QPSK-132572-1RB#0-3000~20000-PASS

Frequency Stability

Test Result

Voltage									
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
Band66	20MHz	QPSK	132322	100RB#0	VN	NT	-4.12	-0.002361	PASS
Band66	20MHz	QPSK	132322	100RB#0	VL	NT	-3.96	-0.002269	PASS
Band66	20MHz	QPSK	132322	100RB#0	VH	NT	-2.45	-0.001404	PASS

Temperature									
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
Band66	20MHz	QPSK	132322	100RB#0	NV	-30	6.32	0.003622	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	-20	-4.25	-0.002436	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	-10	-3.95	-0.002264	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	0	19.05	0.010917	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	10	3.73	0.002138	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	20	-30.68	-0.017582	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	30	5.38	0.003083	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	40	4.26	0.002441	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	50	-3.36	-0.001926	PASS

~The End~