

Appendix-C NR Band n2

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	BW	Modulation	CH	RB Config	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
n2	15	5	DFT-BPSK	L	Inner_1RB_Left	23.96	24.91	33	PASS
n2	15	5	DFT-BPSK	L	Inner_1RB_Right	23.87	24.82	33	PASS
n2	15	5	DFT-BPSK	L	Inner_Full	23.86	24.81	33	PASS
n2	15	5	DFT-BPSK	L	Outer_Full	23.11	24.06	33	PASS
n2	15	5	DFT-QPSK	L	Inner_1RB_Left	23.97	24.92	33	PASS
n2	15	5	DFT-QPSK	L	Inner_1RB_Right	23.87	24.82	33	PASS
n2	15	5	DFT-QPSK	L	Inner_Full	23.93	24.88	33	PASS
n2	15	5	DFT-QPSK	L	Outer_Full	23.4	24.35	33	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Left	23.46	24.41	33	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Right	23.2	24.15	33	PASS
n2	15	5	DFT-16QAM	L	Inner_Full	23.45	24.4	33	PASS
n2	15	5	DFT-16QAM	L	Outer_Full	22.48	23.43	33	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Left	22.13	23.08	33	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Right	21.97	22.92	33	PASS
n2	15	5	DFT-64QAM	L	Inner_Full	21.96	22.91	33	PASS
n2	15	5	DFT-64QAM	L	Outer_Full	21.88	22.83	33	PASS
n2	15	5	DFT-256QAM	L	Inner_1RB_Left	19.4	20.35	33	PASS
n2	15	5	DFT-256QAM	L	Inner_1RB_Right	19.21	20.16	33	PASS
n2	15	5	DFT-256QAM	L	Inner_Full	20	20.95	33	PASS
n2	15	5	DFT-256QAM	L	Outer_Full	19.85	20.8	33	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Left	23.98	24.93	33	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Right	23.98	24.93	33	PASS
n2	15	5	DFT-BPSK	M	Inner_Full	24.01	24.96	33	PASS
n2	15	5	DFT-BPSK	M	Outer_Full	24.05	25	33	PASS
n2	15	5	DFT-QPSK	M	Inner_1RB_Left	24.13	25.08	33	PASS
n2	15	5	DFT-QPSK	M	Inner_1RB_Right	24.03	24.98	33	PASS
n2	15	5	DFT-QPSK	M	Inner_Full	24.09	25.04	33	PASS
n2	15	5	DFT-QPSK	M	Outer_Full	23.45	24.4	33	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Left	23.58	24.53	33	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Right	23.53	24.48	33	PASS
n2	15	5	DFT-16QAM	M	Inner_Full	23.63	24.58	33	PASS
n2	15	5	DFT-16QAM	M	Outer_Full	22.55	23.5	33	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Left	22.22	23.17	33	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Right	22.16	23.11	33	PASS
n2	15	5	DFT-64QAM	M	Inner_Full	22.13	23.08	33	PASS
n2	15	5	DFT-64QAM	M	Outer_Full	22.07	23.02	33	PASS

n2	15	5	DFT-256QAM	M	Inner_1RB_Left	19.57	20.52	33	PASS
n2	15	5	DFT-256QAM	M	Inner_1RB_Right	19.44	20.39	33	PASS
n2	15	5	DFT-256QAM	M	Inner_Full	20.01	20.96	33	PASS
n2	15	5	DFT-256QAM	M	Outer_Full	20.03	20.98	33	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Left	23.93	24.88	33	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Right	23.8	24.75	33	PASS
n2	15	5	DFT-BPSK	H	Inner_Full	23.82	24.77	33	PASS
n2	15	5	DFT-BPSK	H	Outer_Full	23.87	24.82	33	PASS
n2	15	5	DFT-QPSK	H	Inner_1RB_Left	24.06	25.01	33	PASS
n2	15	5	DFT-QPSK	H	Inner_1RB_Right	23.89	24.84	33	PASS
n2	15	5	DFT-QPSK	H	Inner_Full	24.02	24.97	33	PASS
n2	15	5	DFT-QPSK	H	Outer_Full	23.4	24.35	33	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Left	23.46	24.41	33	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Right	23.31	24.26	33	PASS
n2	15	5	DFT-16QAM	H	Inner_Full	23.52	24.47	33	PASS
n2	15	5	DFT-16QAM	H	Outer_Full	22.46	23.41	33	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Left	22.14	23.09	33	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Right	22.08	23.03	33	PASS
n2	15	5	DFT-64QAM	H	Inner_Full	22.03	22.98	33	PASS
n2	15	5	DFT-64QAM	H	Outer_Full	21.92	22.87	33	PASS
n2	15	5	DFT-256QAM	H	Inner_1RB_Left	19.36	20.31	33	PASS
n2	15	5	DFT-256QAM	H	Inner_1RB_Right	19.33	20.28	33	PASS
n2	15	5	DFT-256QAM	H	Inner_Full	19.97	20.92	33	PASS
n2	15	5	DFT-256QAM	H	Outer_Full	19.89	20.84	33	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Left	24.04	24.99	33	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Right	23.78	24.73	33	PASS
n2	15	10	DFT-BPSK	L	Inner_Full	23.97	24.92	33	PASS
n2	15	10	DFT-BPSK	L	Outer_Full	24.02	24.97	33	PASS
n2	15	10	DFT-QPSK	L	Inner_1RB_Left	23.97	24.92	33	PASS
n2	15	10	DFT-QPSK	L	Inner_1RB_Right	23.84	24.79	33	PASS
n2	15	10	DFT-QPSK	L	Inner_Full	23.99	24.94	33	PASS
n2	15	10	DFT-QPSK	L	Outer_Full	23.38	24.33	33	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Left	23.48	24.43	33	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Right	23.31	24.26	33	PASS
n2	15	10	DFT-16QAM	L	Inner_Full	23.5	24.45	33	PASS
n2	15	10	DFT-16QAM	L	Outer_Full	22.37	23.32	33	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Left	22.21	23.16	33	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Right	21.96	22.91	33	PASS
n2	15	10	DFT-64QAM	L	Inner_Full	21.91	22.86	33	PASS
n2	15	10	DFT-64QAM	L	Outer_Full	21.96	22.91	33	PASS
n2	15	10	DFT-256QAM	L	Inner_1RB_Left	19.49	20.44	33	PASS
n2	15	10	DFT-256QAM	L	Inner_1RB_Right	19.29	20.24	33	PASS
n2	15	10	DFT-256QAM	L	Inner_Full	19.85	20.8	33	PASS
n2	15	10	DFT-256QAM	L	Outer_Full	19.92	20.87	33	PASS

n2	15	10	DFT-BPSK	M	Inner_1RB_Left	24.05	25	33	PASS
n2	15	10	DFT-BPSK	M	Inner_1RB_Right	23.98	24.93	33	PASS
n2	15	10	DFT-BPSK	M	Inner_Full	24.07	25.02	33	PASS
n2	15	10	DFT-BPSK	M	Outer_Full	24.02	24.97	33	PASS
n2	15	10	DFT-QPSK	M	Inner_1RB_Left	24.05	25	33	PASS
n2	15	10	DFT-QPSK	M	Inner_1RB_Right	24.08	25.03	33	PASS
n2	15	10	DFT-QPSK	M	Inner_Full	24.07	25.02	33	PASS
n2	15	10	DFT-QPSK	M	Outer_Full	23.49	24.44	33	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Left	23.62	24.57	33	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Right	23.49	24.44	33	PASS
n2	15	10	DFT-16QAM	M	Inner_Full	23.59	24.54	33	PASS
n2	15	10	DFT-16QAM	M	Outer_Full	22.53	23.48	33	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Left	22.2	23.15	33	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Right	22.24	23.19	33	PASS
n2	15	10	DFT-64QAM	M	Inner_Full	22.1	23.05	33	PASS
n2	15	10	DFT-64QAM	M	Outer_Full	22.12	23.07	33	PASS
n2	15	10	DFT-256QAM	M	Inner_1RB_Left	19.53	20.48	33	PASS
n2	15	10	DFT-256QAM	M	Inner_1RB_Right	19.44	20.39	33	PASS
n2	15	10	DFT-256QAM	M	Inner_Full	19.99	20.94	33	PASS
n2	15	10	DFT-256QAM	M	Outer_Full	20.04	20.99	33	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Left	23.95	24.9	33	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Right	23.95	24.9	33	PASS
n2	15	10	DFT-BPSK	H	Inner_Full	23.89	24.84	33	PASS
n2	15	10	DFT-BPSK	H	Outer_Full	23.99	24.94	33	PASS
n2	15	10	DFT-QPSK	H	Inner_1RB_Left	23.97	24.92	33	PASS
n2	15	10	DFT-QPSK	H	Inner_1RB_Right	23.97	24.92	33	PASS
n2	15	10	DFT-QPSK	H	Inner_Full	23.9	24.85	33	PASS
n2	15	10	DFT-QPSK	H	Outer_Full	23.46	24.41	33	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Left	23.45	24.4	33	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Right	23.44	24.39	33	PASS
n2	15	10	DFT-16QAM	H	Inner_Full	23.42	24.37	33	PASS
n2	15	10	DFT-16QAM	H	Outer_Full	22.43	23.38	33	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Left	22.12	23.07	33	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Right	22.18	23.13	33	PASS
n2	15	10	DFT-64QAM	H	Inner_Full	22.02	22.97	33	PASS
n2	15	10	DFT-64QAM	H	Outer_Full	21.95	22.9	33	PASS
n2	15	10	DFT-256QAM	H	Inner_1RB_Left	19.4	20.35	33	PASS
n2	15	10	DFT-256QAM	H	Inner_1RB_Right	19.36	20.31	33	PASS
n2	15	10	DFT-256QAM	H	Inner_Full	20	20.95	33	PASS
n2	15	10	DFT-256QAM	H	Outer_Full	19.94	20.89	33	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Left	24.12	25.07	33	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Right	23.91	24.86	33	PASS
n2	15	15	DFT-BPSK	L	Inner_Full	23.91	24.86	33	PASS
n2	15	15	DFT-BPSK	L	Outer_Full	23.96	24.91	33	PASS

n2	15	15	DFT-QPSK	L	Inner_1RB_Left	24.02	24.97	33	PASS
n2	15	15	DFT-QPSK	L	Inner_1RB_Right	23.82	24.77	33	PASS
n2	15	15	DFT-QPSK	L	Inner_Full	23.91	24.86	33	PASS
n2	15	15	DFT-QPSK	L	Outer_Full	23.44	24.39	33	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Left	23.57	24.52	33	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Right	23.36	24.31	33	PASS
n2	15	15	DFT-16QAM	L	Inner_Full	23.46	24.41	33	PASS
n2	15	15	DFT-16QAM	L	Outer_Full	22.51	23.46	33	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Left	22.23	23.18	33	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Right	22.09	23.04	33	PASS
n2	15	15	DFT-64QAM	L	Inner_Full	21.95	22.9	33	PASS
n2	15	15	DFT-64QAM	L	Outer_Full	21.95	22.9	33	PASS
n2	15	15	DFT-256QAM	L	Inner_1RB_Left	19.56	20.51	33	PASS
n2	15	15	DFT-256QAM	L	Inner_1RB_Right	19.38	20.33	33	PASS
n2	15	15	DFT-256QAM	L	Inner_Full	19.89	20.84	33	PASS
n2	15	15	DFT-256QAM	L	Outer_Full	19.86	20.81	33	PASS
n2	15	15	DFT-BPSK	M	Inner_1RB_Left	23.96	24.91	33	PASS
n2	15	15	DFT-BPSK	M	Inner_1RB_Right	23.95	24.9	33	PASS
n2	15	15	DFT-BPSK	M	Inner_Full	24.05	25	33	PASS
n2	15	15	DFT-BPSK	M	Outer_Full	24.07	25.02	33	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Left	23.97	24.92	33	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Right	24.03	24.98	33	PASS
n2	15	15	DFT-QPSK	M	Inner_Full	24.09	25.04	33	PASS
n2	15	15	DFT-QPSK	M	Outer_Full	23.65	24.6	33	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Left	23.48	24.43	33	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Right	23.43	24.38	33	PASS
n2	15	15	DFT-16QAM	M	Inner_Full	23.57	24.52	33	PASS
n2	15	15	DFT-16QAM	M	Outer_Full	22.63	23.58	33	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Left	22.1	23.05	33	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Right	22.15	23.1	33	PASS
n2	15	15	DFT-64QAM	M	Inner_Full	22.12	23.07	33	PASS
n2	15	15	DFT-64QAM	M	Outer_Full	22.12	23.07	33	PASS
n2	15	15	DFT-256QAM	M	Inner_1RB_Left	19.5	20.45	33	PASS
n2	15	15	DFT-256QAM	M	Inner_1RB_Right	19.46	20.41	33	PASS
n2	15	15	DFT-256QAM	M	Inner_Full	20.03	20.98	33	PASS
n2	15	15	DFT-256QAM	M	Outer_Full	19.96	20.91	33	PASS
n2	15	15	DFT-BPSK	H	Inner_1RB_Left	23.86	24.81	33	PASS
n2	15	15	DFT-BPSK	H	Inner_1RB_Right	23.98	24.93	33	PASS
n2	15	15	DFT-BPSK	H	Inner_Full	23.97	24.92	33	PASS
n2	15	15	DFT-BPSK	H	Outer_Full	23.95	24.9	33	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Left	24.02	24.97	33	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Right	23.93	24.88	33	PASS
n2	15	15	DFT-QPSK	H	Inner_Full	23.91	24.86	33	PASS
n2	15	15	DFT-QPSK	H	Outer_Full	23.45	24.4	33	PASS

n2	15	15	DFT-16QAM	H	Inner_1RB_Left	23.37	24.32	33	PASS
n2	15	15	DFT-16QAM	H	Inner_1RB_Right	23.39	24.34	33	PASS
n2	15	15	DFT-16QAM	H	Inner_Full	23.39	24.34	33	PASS
n2	15	15	DFT-16QAM	H	Outer_Full	22.52	23.47	33	PASS
n2	15	15	DFT-64QAM	H	Inner_1RB_Left	22.14	23.09	33	PASS
n2	15	15	DFT-64QAM	H	Inner_1RB_Right	22.05	23	33	PASS
n2	15	15	DFT-64QAM	H	Inner_Full	21.98	22.93	33	PASS
n2	15	15	DFT-64QAM	H	Outer_Full	22	22.95	33	PASS
n2	15	15	DFT-256QAM	H	Inner_1RB_Left	19.39	20.34	33	PASS
n2	15	15	DFT-256QAM	H	Inner_1RB_Right	19.39	20.34	33	PASS
n2	15	15	DFT-256QAM	H	Inner_Full	19.86	20.81	33	PASS
n2	15	15	DFT-256QAM	H	Outer_Full	19.91	20.86	33	PASS
n2	15	20	DFT-BPSK	L	Inner_1RB_Left	23.92	24.87	33	PASS
n2	15	20	DFT-BPSK	L	Inner_1RB_Right	23.84	24.79	33	PASS
n2	15	20	DFT-BPSK	L	Inner_Full	23.93	24.88	33	PASS
n2	15	20	DFT-BPSK	L	Outer_Full	23.9	24.85	33	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Left	24.01	24.96	33	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Right	23.86	24.81	33	PASS
n2	15	20	DFT-QPSK	L	Inner_Full	23.88	24.83	33	PASS
n2	15	20	DFT-QPSK	L	Outer_Full	23.44	24.39	33	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Left	23.51	24.46	33	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Right	23.36	24.31	33	PASS
n2	15	20	DFT-16QAM	L	Inner_Full	23.4	24.35	33	PASS
n2	15	20	DFT-16QAM	L	Outer_Full	22.46	23.41	33	PASS
n2	15	20	DFT-64QAM	L	Inner_1RB_Left	22.23	23.18	33	PASS
n2	15	20	DFT-64QAM	L	Inner_1RB_Right	22.06	23.01	33	PASS
n2	15	20	DFT-64QAM	L	Inner_Full	21.89	22.84	33	PASS
n2	15	20	DFT-64QAM	L	Outer_Full	21.95	22.9	33	PASS
n2	15	20	DFT-256QAM	L	Inner_1RB_Left	19.55	20.5	33	PASS
n2	15	20	DFT-256QAM	L	Inner_1RB_Right	19.34	20.29	33	PASS
n2	15	20	DFT-256QAM	L	Inner_Full	19.88	20.83	33	PASS
n2	15	20	DFT-256QAM	L	Outer_Full	19.95	20.9	33	PASS
n2	15	20	DFT-BPSK	M	Inner_1RB_Left	23.89	24.84	33	PASS
n2	15	20	DFT-BPSK	M	Inner_1RB_Right	23.95	24.9	33	PASS
n2	15	20	DFT-BPSK	M	Inner_Full	24.04	24.99	33	PASS
n2	15	20	DFT-BPSK	M	Outer_Full	24.01	24.96	33	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Left	23.94	24.89	33	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Right	23.97	24.92	33	PASS
n2	15	20	DFT-QPSK	M	Inner_Full	24.06	25.01	33	PASS
n2	15	20	DFT-QPSK	M	Outer_Full	23.49	24.44	33	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Left	23.34	24.29	33	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Right	23.44	24.39	33	PASS
n2	15	20	DFT-16QAM	M	Inner_Full	23.55	24.5	33	PASS
n2	15	20	DFT-16QAM	M	Outer_Full	22.49	23.44	33	PASS


n2	15	20	DFT-64QAM	M	Inner_1RB_Left	22.08	23.03	33	PASS
n2	15	20	DFT-64QAM	M	Inner_1RB_Right	22.09	23.04	33	PASS
n2	15	20	DFT-64QAM	M	Inner_Full	22.11	23.06	33	PASS
n2	15	20	DFT-64QAM	M	Outer_Full	22.1	23.05	33	PASS
n2	15	20	DFT-256QAM	M	Inner_1RB_Left	19.42	20.37	33	PASS
n2	15	20	DFT-256QAM	M	Inner_1RB_Right	19.41	20.36	33	PASS
n2	15	20	DFT-256QAM	M	Inner_Full	20.05	21	33	PASS
n2	15	20	DFT-256QAM	M	Outer_Full	20.05	21	33	PASS
n2	15	20	DFT-BPSK	H	Inner_1RB_Left	23.91	24.86	33	PASS
n2	15	20	DFT-BPSK	H	Inner_1RB_Right	23.89	24.84	33	PASS
n2	15	20	DFT-BPSK	H	Inner_Full	23.97	24.92	33	PASS
n2	15	20	DFT-BPSK	H	Outer_Full	23.96	24.91	33	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Left	23.95	24.9	33	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Right	23.91	24.86	33	PASS
n2	15	20	DFT-QPSK	H	Inner_Full	23.98	24.93	33	PASS
n2	15	20	DFT-QPSK	H	Outer_Full	23.46	24.41	33	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Left	23.5	24.45	33	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Right	23.45	24.4	33	PASS
n2	15	20	DFT-16QAM	H	Inner_Full	23.45	24.4	33	PASS
n2	15	20	DFT-16QAM	H	Outer_Full	22.46	23.41	33	PASS
n2	15	20	DFT-64QAM	H	Inner_1RB_Left	22.11	23.06	33	PASS
n2	15	20	DFT-64QAM	H	Inner_1RB_Right	22.12	23.07	33	PASS
n2	15	20	DFT-64QAM	H	Inner_Full	22.05	23	33	PASS
n2	15	20	DFT-64QAM	H	Outer_Full	21.99	22.94	33	PASS
n2	15	20	DFT-256QAM	H	Inner_1RB_Left	19.43	20.38	33	PASS
n2	15	20	DFT-256QAM	H	Inner_1RB_Right	19.43	20.38	33	PASS
n2	15	20	DFT-256QAM	H	Inner_Full	19.91	20.86	33	PASS
n2	15	20	DFT-256QAM	H	Outer_Full	19.95	20.9	33	PASS


Peak-to-Average Ratio for SA


Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (dB)	Limit (dB)	Verdict
n2	15	20	DFT-BPSK	L	Outer_Full	4.11	≤13	PASS
n2	15	20	DFT-QPSK	L	Outer_Full	5.32	≤13	PASS
n2	15	20	DFT-16QAM	L	Outer_Full	6.2	≤13	PASS
n2	15	20	DFT-64QAM	L	Outer_Full	6.35	≤13	PASS
n2	15	20	DFT-256QAM	L	Outer_Full	6.73	≤13	PASS
n2	15	20	CP-QPSK	L	Outer_Full	7.39	≤13	PASS
n2	15	20	CP-16QAM	L	Outer_Full	7.5	≤13	PASS
n2	15	20	CP-64QAM	L	Outer_Full	7.28	≤13	PASS
n2	15	20	CP-256QAM	L	Outer_Full	8.37	≤13	PASS
n2	15	20	DFT-BPSK	M	Outer_Full	4.14	≤13	PASS
n2	15	20	DFT-QPSK	M	Outer_Full	5.38	≤13	PASS
n2	15	20	DFT-16QAM	M	Outer_Full	6.35	≤13	PASS
n2	15	20	DFT-64QAM	M	Outer_Full	6.49	≤13	PASS
n2	15	20	DFT-256QAM	M	Outer_Full	6.76	≤13	PASS
n2	15	20	CP-QPSK	M	Outer_Full	7.33	≤13	PASS
n2	15	20	CP-16QAM	M	Outer_Full	7.45	≤13	PASS
n2	15	20	CP-64QAM	M	Outer_Full	7.88	≤13	PASS
n2	15	20	CP-256QAM	M	Outer_Full	7.28	≤13	PASS
n2	15	20	DFT-BPSK	H	Outer_Full	4.43	≤13	PASS
n2	15	20	DFT-QPSK	H	Outer_Full	5.68	≤13	PASS
n2	15	20	DFT-16QAM	H	Outer_Full	6.39	≤13	PASS
n2	15	20	DFT-64QAM	H	Outer_Full	6.5	≤13	PASS
n2	15	20	DFT-256QAM	H	Outer_Full	6.81	≤13	PASS
n2	15	20	CP-QPSK	H	Outer_Full	7.27	≤13	PASS
n2	15	20	CP-16QAM	H	Outer_Full	7.37	≤13	PASS
n2	15	20	CP-64QAM	H	Outer_Full	7.34	≤13	PASS
n2	15	20	CP-256QAM	H	Outer_Full	8.36	≤13	PASS


Test Graphs


















26dB Bandwidth and Occupied Bandwidth for SA**Test Result**


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
n2	15	5	DFT-BPSK	L	Outer_Full	4.4696	4.967	PASS
n2	15	5	DFT-QPSK	L	Outer_Full	4.4731	5.020	PASS
n2	15	5	DFT-16QAM	L	Outer_Full	4.4822	5.078	PASS
n2	15	5	DFT-64QAM	L	Outer_Full	4.4658	4.985	PASS
n2	15	5	DFT-256QAM	L	Outer_Full	4.4798	5.092	PASS
n2	15	5	CP-QPSK	L	Outer_Full	4.4682	5.114	PASS
n2	15	5	CP-16QAM	L	Outer_Full	4.4982	5.165	PASS
n2	15	5	CP-64QAM	L	Outer_Full	4.4801	5.099	PASS
n2	15	5	CP-256QAM	L	Outer_Full	4.4744	5.170	PASS
n2	15	5	DFT-BPSK	M	Outer_Full	4.4641	4.974	PASS
n2	15	5	DFT-QPSK	M	Outer_Full	4.4716	4.879	PASS
n2	15	5	DFT-16QAM	M	Outer_Full	4.4752	5.011	PASS
n2	15	5	DFT-64QAM	M	Outer_Full	4.4673	4.927	PASS
n2	15	5	DFT-256QAM	M	Outer_Full	4.4850	5.055	PASS
n2	15	5	CP-QPSK	M	Outer_Full	4.4872	5.147	PASS
n2	15	5	CP-16QAM	M	Outer_Full	4.5011	5.128	PASS
n2	15	5	CP-64QAM	M	Outer_Full	4.4797	5.070	PASS
n2	15	5	CP-256QAM	M	Outer_Full	4.4766	5.179	PASS
n2	15	5	DFT-BPSK	H	Outer_Full	4.4712	5.083	PASS
n2	15	5	DFT-QPSK	H	Outer_Full	4.4723	4.911	PASS
n2	15	5	DFT-16QAM	H	Outer_Full	4.4851	5.099	PASS
n2	15	5	DFT-64QAM	H	Outer_Full	4.4743	4.988	PASS
n2	15	5	DFT-256QAM	H	Outer_Full	4.4810	4.997	PASS
n2	15	5	CP-QPSK	H	Outer_Full	4.4934	5.040	PASS
n2	15	5	CP-16QAM	H	Outer_Full	4.4839	5.108	PASS
n2	15	5	CP-64QAM	H	Outer_Full	4.4830	5.085	PASS
n2	15	5	CP-256QAM	H	Outer_Full	4.4821	5.132	PASS
n2	15	10	DFT-BPSK	L	Outer_Full	8.9043	9.615	PASS
n2	15	10	DFT-QPSK	L	Outer_Full	8.9269	9.622	PASS
n2	15	10	DFT-16QAM	L	Outer_Full	8.9380	9.640	PASS
n2	15	10	DFT-64QAM	L	Outer_Full	8.9342	9.583	PASS
n2	15	10	DFT-256QAM	L	Outer_Full	8.9238	9.560	PASS
n2	15	10	CP-QPSK	L	Outer_Full	9.2819	10.05	PASS
n2	15	10	CP-16QAM	L	Outer_Full	9.2721	10.05	PASS
n2	15	10	CP-64QAM	L	Outer_Full	9.2793	10.05	PASS
n2	15	10	CP-256QAM	L	Outer_Full	9.3106	10.14	PASS
n2	15	10	DFT-BPSK	M	Outer_Full	8.9079	9.659	PASS
n2	15	10	DFT-QPSK	M	Outer_Full	8.9317	9.697	PASS
n2	15	10	DFT-16QAM	M	Outer_Full	8.9525	9.734	PASS


n2	15	10	DFT-64QAM	M	Outer_Full	8.9378	9.614	PASS
n2	15	10	DFT-256QAM	M	Outer_Full	8.9247	9.619	PASS
n2	15	10	CP-QPSK	M	Outer_Full	9.2875	10.14	PASS
n2	15	10	CP-16QAM	M	Outer_Full	9.2823	10.03	PASS
n2	15	10	CP-64QAM	M	Outer_Full	9.2796	10.04	PASS
n2	15	10	CP-256QAM	M	Outer_Full	9.3053	10.12	PASS
n2	15	10	DFT-BPSK	H	Outer_Full	8.9259	9.599	PASS
n2	15	10	DFT-QPSK	H	Outer_Full	8.9349	9.706	PASS
n2	15	10	DFT-16QAM	H	Outer_Full	8.9349	9.740	PASS
n2	15	10	DFT-64QAM	H	Outer_Full	8.9469	9.705	PASS
n2	15	10	DFT-256QAM	H	Outer_Full	8.9350	9.663	PASS
n2	15	10	CP-QPSK	H	Outer_Full	9.3047	10.19	PASS
n2	15	10	CP-16QAM	H	Outer_Full	9.2892	10.12	PASS
n2	15	10	CP-64QAM	H	Outer_Full	9.2865	10.02	PASS
n2	15	10	CP-256QAM	H	Outer_Full	9.2951	10.15	PASS
n2	15	15	DFT-BPSK	L	Outer_Full	13.399	14.33	PASS
n2	15	15	DFT-QPSK	L	Outer_Full	13.396	14.28	PASS
n2	15	15	DFT-16QAM	L	Outer_Full	13.408	14.23	PASS
n2	15	15	DFT-64QAM	L	Outer_Full	13.393	14.25	PASS
n2	15	15	DFT-256QAM	L	Outer_Full	13.427	14.33	PASS
n2	15	15	CP-QPSK	L	Outer_Full	14.089	14.97	PASS
n2	15	15	CP-16QAM	L	Outer_Full	14.105	14.99	PASS
n2	15	15	CP-64QAM	L	Outer_Full	14.116	15.06	PASS
n2	15	15	CP-256QAM	L	Outer_Full	14.110	14.99	PASS
n2	15	15	DFT-BPSK	M	Outer_Full	13.410	14.35	PASS
n2	15	15	DFT-QPSK	M	Outer_Full	13.401	14.26	PASS
n2	15	15	DFT-16QAM	M	Outer_Full	13.421	14.41	PASS
n2	15	15	DFT-64QAM	M	Outer_Full	13.401	14.25	PASS
n2	15	15	DFT-256QAM	M	Outer_Full	13.423	14.17	PASS
n2	15	15	CP-QPSK	M	Outer_Full	14.111	15.02	PASS
n2	15	15	CP-16QAM	M	Outer_Full	14.116	15.04	PASS
n2	15	15	CP-64QAM	M	Outer_Full	14.118	15.06	PASS
n2	15	15	CP-256QAM	M	Outer_Full	14.098	15.06	PASS
n2	15	15	DFT-BPSK	H	Outer_Full	13.421	14.40	PASS
n2	15	15	DFT-QPSK	H	Outer_Full	13.432	14.42	PASS
n2	15	15	DFT-16QAM	H	Outer_Full	13.439	14.26	PASS
n2	15	15	DFT-64QAM	H	Outer_Full	13.413	14.26	PASS
n2	15	15	DFT-256QAM	H	Outer_Full	13.445	14.32	PASS
n2	15	15	CP-QPSK	H	Outer_Full	14.106	15.03	PASS
n2	15	15	CP-16QAM	H	Outer_Full	14.128	15.06	PASS
n2	15	15	CP-64QAM	H	Outer_Full	14.142	15.11	PASS
n2	15	15	CP-256QAM	H	Outer_Full	14.139	15.11	PASS
n2	15	20	DFT-BPSK	L	Outer_Full	17.864	18.83	PASS
n2	15	20	DFT-QPSK	L	Outer_Full	17.846	18.85	PASS


n2	15	20	DFT-16QAM	L	Outer_Full	17.850	18.77	PASS
n2	15	20	DFT-64QAM	L	Outer_Full	17.855	18.80	PASS
n2	15	20	DFT-256QAM	L	Outer_Full	17.836	18.74	PASS
n2	15	20	CP-QPSK	L	Outer_Full	18.895	19.97	PASS
n2	15	20	CP-16QAM	L	Outer_Full	18.935	19.93	PASS
n2	15	20	CP-64QAM	L	Outer_Full	18.908	19.96	PASS
n2	15	20	CP-256QAM	L	Outer_Full	18.956	19.97	PASS
n2	15	20	DFT-BPSK	M	Outer_Full	17.894	18.94	PASS
n2	15	20	DFT-QPSK	M	Outer_Full	17.878	18.83	PASS
n2	15	20	DFT-16QAM	M	Outer_Full	17.875	18.82	PASS
n2	15	20	DFT-64QAM	M	Outer_Full	17.888	18.80	PASS
n2	15	20	DFT-256QAM	M	Outer_Full	17.862	18.76	PASS
n2	15	20	CP-QPSK	M	Outer_Full	18.925	20.07	PASS
n2	15	20	CP-16QAM	M	Outer_Full	18.944	19.96	PASS
n2	15	20	CP-64QAM	M	Outer_Full	18.945	19.96	PASS
n2	15	20	CP-256QAM	M	Outer_Full	18.985	20.02	PASS


Test Graphs























NTNV-n2-PC3-15-10-L-CP-QPSK-Outer_Full-Ant1-PASS




NTNV-n2-PC3-15-10-L-CP-16QAM-Outer_Full-Ant1-PASS





NTNV-n2-PC3-15-10-L-CP-64QAM-Outer_Full-Ant1-PASS





NTNV-n2-PC3-15-10-L-CP-256QAM-Outer_Full-Ant1-PASS



















NTNV-n2-PC3-15-15-L-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-n2-PC3-15-15-L-CP-64QAM-Outer_Full-Ant1-PASS




NTNV-n2-PC3-15-15-L-CP-256QAM-Outer_Full-Ant1-PASS




NTNV-n2-PC3-15-15-M-DFT-BPSK-Outer_Full-Ant1-PASS



NTVN-n2-PC3-15-15-M-DFT-QPSK-Outer_Full-Ant1-PASS




NTVN-n2-PC3-15-15-M-DFT-16QAM-Outer_Full-Ant1-PASS





NTVN-n2-PC3-15-15-M-DFT-64QAM-Outer_Full-Ant1-PASS





NTVN-n2-PC3-15-15-M-DFT-256QAM-Outer_Full-Ant1-PASS




















NTNV-n2-PC3-15-20-M-CP-16QAM-Outer_Full-Ant1-PASS



NTNV-n2-PC3-15-20-M-CP-64QAM-Outer_Full-Ant1-PASS



NTNV-n2-PC3-15-20-M-CP-256QAM-Outer_Full-Ant1-PASS