

Appendix-C NR Band n25

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	BW	Modulation	CH	RB Config	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
n25	15	5	DFT-BPSK	L	Inner_1RB_Left	24.35	25.3	33	PASS
n25	15	5	DFT-BPSK	L	Inner_1RB_Right	24.26	25.21	33	PASS
n25	15	5	DFT-BPSK	L	Inner_Full	24.33	25.28	33	PASS
n25	15	5	DFT-BPSK	L	Outer_Full	24.28	25.23	33	PASS
n25	15	5	DFT-QPSK	L	Inner_1RB_Left	24.43	25.38	33	PASS
n25	15	5	DFT-QPSK	L	Inner_1RB_Right	24.35	25.3	33	PASS
n25	15	5	DFT-QPSK	L	Inner_Full	24.31	25.26	33	PASS
n25	15	5	DFT-QPSK	L	Outer_Full	23.79	24.74	33	PASS
n25	15	5	DFT-16QAM	L	Inner_1RB_Left	23.88	24.83	33	PASS
n25	15	5	DFT-16QAM	L	Inner_1RB_Right	23.79	24.74	33	PASS
n25	15	5	DFT-16QAM	L	Inner_Full	23.89	24.84	33	PASS
n25	15	5	DFT-16QAM	L	Outer_Full	22.88	23.83	33	PASS
n25	15	5	DFT-64QAM	L	Inner_1RB_Left	22.55	23.5	33	PASS
n25	15	5	DFT-64QAM	L	Inner_1RB_Right	22.5	23.45	33	PASS
n25	15	5	DFT-64QAM	L	Inner_Full	22.25	23.2	33	PASS
n25	15	5	DFT-64QAM	L	Outer_Full	22.38	23.33	33	PASS
n25	15	5	DFT-256QAM	L	Inner_1RB_Left	19.88	20.83	33	PASS
n25	15	5	DFT-256QAM	L	Inner_1RB_Right	19.81	20.76	33	PASS
n25	15	5	DFT-256QAM	L	Inner_Full	20.26	21.21	33	PASS
n25	15	5	DFT-256QAM	L	Outer_Full	22.36	23.31	33	PASS
n25	15	5	DFT-BPSK	M	Inner_1RB_Left	24.54	25.49	33	PASS
n25	15	5	DFT-BPSK	M	Inner_1RB_Right	24.52	25.47	33	PASS
n25	15	5	DFT-BPSK	M	Inner_Full	24.4	25.35	33	PASS
n25	15	5	DFT-BPSK	M	Outer_Full	24.39	25.34	33	PASS
n25	15	5	DFT-QPSK	M	Inner_1RB_Left	24.45	25.4	33	PASS
n25	15	5	DFT-QPSK	M	Inner_1RB_Right	24.34	25.29	33	PASS
n25	15	5	DFT-QPSK	M	Inner_Full	24.5	25.45	33	PASS
n25	15	5	DFT-QPSK	M	Outer_Full	23.96	24.91	33	PASS
n25	15	5	DFT-16QAM	M	Inner_1RB_Left	23.9	24.85	33	PASS
n25	15	5	DFT-16QAM	M	Inner_1RB_Right	23.89	24.84	33	PASS
n25	15	5	DFT-16QAM	M	Inner_Full	23.92	24.87	33	PASS
n25	15	5	DFT-16QAM	M	Outer_Full	22.88	23.83	33	PASS
n25	15	5	DFT-64QAM	M	Inner_1RB_Left	22.64	23.59	33	PASS
n25	15	5	DFT-64QAM	M	Inner_1RB_Right	22.56	23.51	33	PASS
n25	15	5	DFT-64QAM	M	Inner_Full	22.46	23.41	33	PASS
n25	15	5	DFT-64QAM	M	Outer_Full	22.4	23.35	33	PASS

n25	15	5	DFT-256QAM	M	Inner_1RB_Left	19.85	20.8	33	PASS
n25	15	5	DFT-256QAM	M	Inner_1RB_Right	19.86	20.81	33	PASS
n25	15	5	DFT-256QAM	M	Inner_Full	20.42	21.37	33	PASS
n25	15	5	DFT-256QAM	M	Outer_Full	20.43	21.38	33	PASS
n25	15	5	DFT-BPSK	H	Inner_1RB_Left	24.26	25.21	33	PASS
n25	15	5	DFT-BPSK	H	Inner_1RB_Right	24.31	25.26	33	PASS
n25	15	5	DFT-BPSK	H	Inner_Full	24.24	25.19	33	PASS
n25	15	5	DFT-BPSK	H	Outer_Full	24.25	25.2	33	PASS
n25	15	5	DFT-QPSK	H	Inner_1RB_Left	24.25	25.2	33	PASS
n25	15	5	DFT-QPSK	H	Inner_1RB_Right	24.28	25.23	33	PASS
n25	15	5	DFT-QPSK	H	Inner_Full	24.28	25.23	33	PASS
n25	15	5	DFT-QPSK	H	Outer_Full	23.74	24.69	33	PASS
n25	15	5	DFT-16QAM	H	Inner_1RB_Left	23.78	24.73	33	PASS
n25	15	5	DFT-16QAM	H	Inner_1RB_Right	23.7	24.65	33	PASS
n25	15	5	DFT-16QAM	H	Inner_Full	23.95	24.9	33	PASS
n25	15	5	DFT-16QAM	H	Outer_Full	22.83	23.78	33	PASS
n25	15	5	DFT-64QAM	H	Inner_1RB_Left	22.51	23.46	33	PASS
n25	15	5	DFT-64QAM	H	Inner_1RB_Right	22.48	23.43	33	PASS
n25	15	5	DFT-64QAM	H	Inner_Full	22.4	23.35	33	PASS
n25	15	5	DFT-64QAM	H	Outer_Full	22.36	23.31	33	PASS
n25	15	5	DFT-256QAM	H	Inner_1RB_Left	19.85	20.8	33	PASS
n25	15	5	DFT-256QAM	H	Inner_1RB_Right	19.77	20.72	33	PASS
n25	15	5	DFT-256QAM	H	Inner_Full	20.29	21.24	33	PASS
n25	15	5	DFT-256QAM	H	Outer_Full	20.26	21.21	33	PASS
n25	15	10	DFT-BPSK	L	Inner_1RB_Left	24.48	25.43	33	PASS
n25	15	10	DFT-BPSK	L	Inner_1RB_Right	24.22	25.17	33	PASS
n25	15	10	DFT-BPSK	L	Inner_Full	24.42	25.37	33	PASS
n25	15	10	DFT-BPSK	L	Outer_Full	24.37	25.32	33	PASS
n25	15	10	DFT-QPSK	L	Inner_1RB_Left	24.44	25.39	33	PASS
n25	15	10	DFT-QPSK	L	Inner_1RB_Right	24.37	25.32	33	PASS
n25	15	10	DFT-QPSK	L	Inner_Full	24.41	25.36	33	PASS
n25	15	10	DFT-QPSK	L	Outer_Full	23.88	24.83	33	PASS
n25	15	10	DFT-16QAM	L	Inner_1RB_Left	23.78	24.73	33	PASS
n25	15	10	DFT-16QAM	L	Inner_1RB_Right	23.67	24.62	33	PASS
n25	15	10	DFT-16QAM	L	Inner_Full	23.77	24.72	33	PASS
n25	15	10	DFT-16QAM	L	Outer_Full	22.81	23.76	33	PASS
n25	15	10	DFT-64QAM	L	Inner_1RB_Left	22.52	23.47	33	PASS
n25	15	10	DFT-64QAM	L	Inner_1RB_Right	22.41	23.36	33	PASS
n25	15	10	DFT-64QAM	L	Inner_Full	22.31	23.26	33	PASS
n25	15	10	DFT-64QAM	L	Outer_Full	22.32	23.27	33	PASS
n25	15	10	DFT-256QAM	L	Inner_1RB_Left	19.76	20.71	33	PASS
n25	15	10	DFT-256QAM	L	Inner_1RB_Right	19.72	20.67	33	PASS
n25	15	10	DFT-256QAM	L	Inner_Full	20.38	21.33	33	PASS
n25	15	10	DFT-256QAM	L	Outer_Full	20.39	21.34	33	PASS

n25	15	10	DFT-BPSK	M	Inner_1RB_Left	24.35	25.3	33	PASS
n25	15	10	DFT-BPSK	M	Inner_1RB_Right	24.25	25.2	33	PASS
n25	15	10	DFT-BPSK	M	Inner_Full	24.4	25.35	33	PASS
n25	15	10	DFT-BPSK	M	Outer_Full	24.34	25.29	33	PASS
n25	15	10	DFT-QPSK	M	Inner_1RB_Left	24.39	25.34	33	PASS
n25	15	10	DFT-QPSK	M	Inner_1RB_Right	24.28	25.23	33	PASS
n25	15	10	DFT-QPSK	M	Inner_Full	24.39	25.34	33	PASS
n25	15	10	DFT-QPSK	M	Outer_Full	23.85	24.8	33	PASS
n25	15	10	DFT-16QAM	M	Inner_1RB_Left	23.94	24.89	33	PASS
n25	15	10	DFT-16QAM	M	Inner_1RB_Right	23.78	24.73	33	PASS
n25	15	10	DFT-16QAM	M	Inner_Full	23.99	24.94	33	PASS
n25	15	10	DFT-16QAM	M	Outer_Full	22.95	23.9	33	PASS
n25	15	10	DFT-64QAM	M	Inner_1RB_Left	22.6	23.55	33	PASS
n25	15	10	DFT-64QAM	M	Inner_1RB_Right	22.41	23.36	33	PASS
n25	15	10	DFT-64QAM	M	Inner_Full	13.07	14.02	33	PASS
n25	15	10	DFT-64QAM	M	Outer_Full	22.45	23.4	33	PASS
n25	15	10	DFT-256QAM	M	Inner_1RB_Left	19.85	20.8	33	PASS
n25	15	10	DFT-256QAM	M	Inner_1RB_Right	19.73	20.68	33	PASS
n25	15	10	DFT-256QAM	M	Inner_Full	20.33	21.28	33	PASS
n25	15	10	DFT-256QAM	M	Outer_Full	20.33	21.28	33	PASS
n25	15	10	DFT-BPSK	H	Inner_1RB_Left	24.26	25.21	33	PASS
n25	15	10	DFT-BPSK	H	Inner_1RB_Right	24.32	25.27	33	PASS
n25	15	10	DFT-BPSK	H	Inner_Full	24.29	25.24	33	PASS
n25	15	10	DFT-BPSK	H	Outer_Full	24.27	25.22	33	PASS
n25	15	10	DFT-QPSK	H	Inner_1RB_Left	24.3	25.25	33	PASS
n25	15	10	DFT-QPSK	H	Inner_1RB_Right	24.33	25.28	33	PASS
n25	15	10	DFT-QPSK	H	Inner_Full	24.36	25.31	33	PASS
n25	15	10	DFT-QPSK	H	Outer_Full	23.85	24.8	33	PASS
n25	15	10	DFT-16QAM	H	Inner_1RB_Left	23.83	24.78	33	PASS
n25	15	10	DFT-16QAM	H	Inner_1RB_Right	23.64	24.59	33	PASS
n25	15	10	DFT-16QAM	H	Inner_Full	23.89	24.84	33	PASS
n25	15	10	DFT-16QAM	H	Outer_Full	22.83	23.78	33	PASS
n25	15	10	DFT-64QAM	H	Inner_1RB_Left	22.35	23.3	33	PASS
n25	15	10	DFT-64QAM	H	Inner_1RB_Right	22.4	23.35	33	PASS
n25	15	10	DFT-64QAM	H	Inner_Full	22.3	23.25	33	PASS
n25	15	10	DFT-64QAM	H	Outer_Full	22.4	23.35	33	PASS
n25	15	10	DFT-256QAM	H	Inner_1RB_Left	19.72	20.67	33	PASS
n25	15	10	DFT-256QAM	H	Inner_1RB_Right	19.73	20.68	33	PASS
n25	15	10	DFT-256QAM	H	Inner_Full	20.28	21.23	33	PASS
n25	15	10	DFT-256QAM	H	Outer_Full	20.32	21.27	33	PASS
n25	15	15	DFT-BPSK	L	Inner_1RB_Left	24.45	25.4	33	PASS
n25	15	15	DFT-BPSK	L	Inner_1RB_Right	24.28	25.23	33	PASS
n25	15	15	DFT-BPSK	L	Inner_Full	24.36	25.31	33	PASS
n25	15	15	DFT-BPSK	L	Outer_Full	24.41	25.36	33	PASS

n25	15	15	DFT-QPSK	L	Inner_1RB_Left	24.48	25.43	33	PASS
n25	15	15	DFT-QPSK	L	Inner_1RB_Right	24.32	25.27	33	PASS
n25	15	15	DFT-QPSK	L	Inner_Full	24.29	25.24	33	PASS
n25	15	15	DFT-QPSK	L	Outer_Full	23.77	24.72	33	PASS
n25	15	15	DFT-16QAM	L	Inner_1RB_Left	23.92	24.87	33	PASS
n25	15	15	DFT-16QAM	L	Inner_1RB_Right	23.75	24.7	33	PASS
n25	15	15	DFT-16QAM	L	Inner_Full	23.9	24.85	33	PASS
n25	15	15	DFT-16QAM	L	Outer_Full	22.85	23.8	33	PASS
n25	15	15	DFT-64QAM	L	Inner_1RB_Left	22.59	23.54	33	PASS
n25	15	15	DFT-64QAM	L	Inner_1RB_Right	22.43	23.38	33	PASS
n25	15	15	DFT-64QAM	L	Inner_Full	22.38	23.33	33	PASS
n25	15	15	DFT-64QAM	L	Outer_Full	22.4	23.35	33	PASS
n25	15	15	DFT-256QAM	L	Inner_1RB_Left	19.9	20.85	33	PASS
n25	15	15	DFT-256QAM	L	Inner_1RB_Right	19.75	20.7	33	PASS
n25	15	15	DFT-256QAM	L	Inner_Full	20.27	21.22	33	PASS
n25	15	15	DFT-256QAM	L	Outer_Full	20.35	21.3	33	PASS
n25	15	15	DFT-BPSK	M	Inner_1RB_Left	24.49	25.44	33	PASS
n25	15	15	DFT-BPSK	M	Inner_1RB_Right	24.41	25.36	33	PASS
n25	15	15	DFT-BPSK	M	Inner_Full	24.47	25.42	33	PASS
n25	15	15	DFT-BPSK	M	Outer_Full	24.46	25.41	33	PASS
n25	15	15	DFT-QPSK	M	Inner_1RB_Left	24.51	25.46	33	PASS
n25	15	15	DFT-QPSK	M	Inner_1RB_Right	24.45	25.4	33	PASS
n25	15	15	DFT-QPSK	M	Inner_Full	24.45	25.4	33	PASS
n25	15	15	DFT-QPSK	M	Outer_Full	23.93	24.88	33	PASS
n25	15	15	DFT-16QAM	M	Inner_1RB_Left	23.99	24.94	33	PASS
n25	15	15	DFT-16QAM	M	Inner_1RB_Right	23.92	24.87	33	PASS
n25	15	15	DFT-16QAM	M	Inner_Full	24.05	25	33	PASS
n25	15	15	DFT-16QAM	M	Outer_Full	23	23.95	33	PASS
n25	15	15	DFT-64QAM	M	Inner_1RB_Left	22.69	23.64	33	PASS
n25	15	15	DFT-64QAM	M	Inner_1RB_Right	22.58	23.53	33	PASS
n25	15	15	DFT-64QAM	M	Inner_Full	22.56	23.51	33	PASS
n25	15	15	DFT-64QAM	M	Outer_Full	22.56	23.51	33	PASS
n25	15	15	DFT-256QAM	M	Inner_1RB_Left	19.89	20.84	33	PASS
n25	15	15	DFT-256QAM	M	Inner_1RB_Right	19.85	20.8	33	PASS
n25	15	15	DFT-256QAM	M	Inner_Full	20.49	21.44	33	PASS
n25	15	15	DFT-256QAM	M	Outer_Full	20.48	21.43	33	PASS
n25	15	15	DFT-BPSK	H	Inner_1RB_Left	24.38	25.33	33	PASS
n25	15	15	DFT-BPSK	H	Inner_1RB_Right	24.37	25.32	33	PASS
n25	15	15	DFT-BPSK	H	Inner_Full	24.33	25.28	33	PASS
n25	15	15	DFT-BPSK	H	Outer_Full	24.33	25.28	33	PASS
n25	15	15	DFT-QPSK	H	Inner_1RB_Left	24.35	25.3	33	PASS
n25	15	15	DFT-QPSK	H	Inner_1RB_Right	24.4	25.35	33	PASS
n25	15	15	DFT-QPSK	H	Inner_Full	24.39	25.34	33	PASS
n25	15	15	DFT-QPSK	H	Outer_Full	23.97	24.92	33	PASS

n25	15	15	DFT-16QAM	H	Inner_1RB_Left	23.9	24.85	33	PASS
n25	15	15	DFT-16QAM	H	Inner_1RB_Right	23.82	24.77	33	PASS
n25	15	15	DFT-16QAM	H	Inner_Full	23.83	24.78	33	PASS
n25	15	15	DFT-16QAM	H	Outer_Full	22.85	23.8	33	PASS
n25	15	15	DFT-64QAM	H	Inner_1RB_Left	22.41	23.36	33	PASS
n25	15	15	DFT-64QAM	H	Inner_1RB_Right	22.56	23.51	33	PASS
n25	15	15	DFT-64QAM	H	Inner_Full	22.42	23.37	33	PASS
n25	15	15	DFT-64QAM	H	Outer_Full	22.36	23.31	33	PASS
n25	15	15	DFT-256QAM	H	Inner_1RB_Left	19.71	20.66	33	PASS
n25	15	15	DFT-256QAM	H	Inner_1RB_Right	19.85	20.8	33	PASS
n25	15	15	DFT-256QAM	H	Inner_Full	20.27	21.22	33	PASS
n25	15	15	DFT-256QAM	H	Outer_Full	20.25	21.2	33	PASS
n25	15	20	DFT-BPSK	L	Inner_1RB_Left	24.31	25.26	33	PASS
n25	15	20	DFT-BPSK	L	Inner_1RB_Right	24.28	25.23	33	PASS
n25	15	20	DFT-BPSK	L	Inner_Full	24.34	25.29	33	PASS
n25	15	20	DFT-BPSK	L	Outer_Full	24.36	25.31	33	PASS
n25	15	20	DFT-QPSK	L	Inner_1RB_Left	24.36	25.31	33	PASS
n25	15	20	DFT-QPSK	L	Inner_1RB_Right	24.34	25.29	33	PASS
n25	15	20	DFT-QPSK	L	Inner_Full	24.27	25.22	33	PASS
n25	15	20	DFT-QPSK	L	Outer_Full	23.87	24.82	33	PASS
n25	15	20	DFT-16QAM	L	Inner_1RB_Left	23.8	24.75	33	PASS
n25	15	20	DFT-16QAM	L	Inner_1RB_Right	23.83	24.78	33	PASS
n25	15	20	DFT-16QAM	L	Inner_Full	23.75	24.7	33	PASS
n25	15	20	DFT-16QAM	L	Outer_Full	22.8	23.75	33	PASS
n25	15	20	DFT-64QAM	L	Inner_1RB_Left	22.56	23.51	33	PASS
n25	15	20	DFT-64QAM	L	Inner_1RB_Right	22.43	23.38	33	PASS
n25	15	20	DFT-64QAM	L	Inner_Full	22.4	23.35	33	PASS
n25	15	20	DFT-64QAM	L	Outer_Full	22.3	23.25	33	PASS
n25	15	20	DFT-256QAM	L	Inner_1RB_Left	19.71	20.66	33	PASS
n25	15	20	DFT-256QAM	L	Inner_1RB_Right	19.76	20.71	33	PASS
n25	15	20	DFT-256QAM	L	Inner_Full	20.3	21.25	33	PASS
n25	15	20	DFT-256QAM	L	Outer_Full	20.37	21.32	33	PASS
n25	15	20	DFT-BPSK	M	Inner_1RB_Left	24.46	25.41	33	PASS
n25	15	20	DFT-BPSK	M	Inner_1RB_Right	24.35	25.3	33	PASS
n25	15	20	DFT-BPSK	M	Inner_Full	24.51	25.46	33	PASS
n25	15	20	DFT-BPSK	M	Outer_Full	24.45	25.4	33	PASS
n25	15	20	DFT-QPSK	M	Inner_1RB_Left	24.48	25.43	33	PASS
n25	15	20	DFT-QPSK	M	Inner_1RB_Right	24.4	25.35	33	PASS
n25	15	20	DFT-QPSK	M	Inner_Full	24.49	25.44	33	PASS
n25	15	20	DFT-QPSK	M	Outer_Full	23.96	24.91	33	PASS
n25	15	20	DFT-16QAM	M	Inner_1RB_Left	23.94	24.89	33	PASS
n25	15	20	DFT-16QAM	M	Inner_1RB_Right	23.83	24.78	33	PASS
n25	15	20	DFT-16QAM	M	Inner_Full	24.04	24.99	33	PASS
n25	15	20	DFT-16QAM	M	Outer_Full	22.95	23.9	33	PASS

n25	15	20	DFT-64QAM	M	Inner_1RB_Left	22.66	23.61	33	PASS
n25	15	20	DFT-64QAM	M	Inner_1RB_Right	22.59	23.54	33	PASS
n25	15	20	DFT-64QAM	M	Inner_Full	22.57	23.52	33	PASS
n25	15	20	DFT-64QAM	M	Outer_Full	22.54	23.49	33	PASS
n25	15	20	DFT-256QAM	M	Inner_1RB_Left	19.82	20.77	33	PASS
n25	15	20	DFT-256QAM	M	Inner_1RB_Right	19.86	20.81	33	PASS
n25	15	20	DFT-256QAM	M	Inner_Full	20.41	21.36	33	PASS
n25	15	20	DFT-256QAM	M	Outer_Full	20.5	21.45	33	PASS
n25	15	20	DFT-BPSK	H	Inner_1RB_Left	24.36	25.31	33	PASS
n25	15	20	DFT-BPSK	H	Inner_1RB_Right	24.31	25.26	33	PASS
n25	15	20	DFT-BPSK	H	Inner_Full	24.37	25.32	33	PASS
n25	15	20	DFT-BPSK	H	Outer_Full	24.39	25.34	33	PASS
n25	15	20	DFT-QPSK	H	Inner_1RB_Left	24.46	25.41	33	PASS
n25	15	20	DFT-QPSK	H	Inner_1RB_Right	24.43	25.38	33	PASS
n25	15	20	DFT-QPSK	H	Inner_Full	24.47	25.42	33	PASS
n25	15	20	DFT-QPSK	H	Outer_Full	23.92	24.87	33	PASS
n25	15	20	DFT-16QAM	H	Inner_1RB_Left	23.84	24.79	33	PASS
n25	15	20	DFT-16QAM	H	Inner_1RB_Right	23.8	24.75	33	PASS
n25	15	20	DFT-16QAM	H	Inner_Full	23.86	24.81	33	PASS
n25	15	20	DFT-16QAM	H	Outer_Full	22.77	23.72	33	PASS
n25	15	20	DFT-64QAM	H	Inner_1RB_Left	22.47	23.42	33	PASS
n25	15	20	DFT-64QAM	H	Inner_1RB_Right	22.6	23.55	33	PASS
n25	15	20	DFT-64QAM	H	Inner_Full	22.36	23.31	33	PASS
n25	15	20	DFT-64QAM	H	Outer_Full	22.36	23.31	33	PASS
n25	15	20	DFT-256QAM	H	Inner_1RB_Left	19.81	20.76	33	PASS
n25	15	20	DFT-256QAM	H	Inner_1RB_Right	19.86	20.81	33	PASS
n25	15	20	DFT-256QAM	H	Inner_Full	20.37	21.32	33	PASS
n25	15	20	DFT-256QAM	H	Outer_Full	20.42	21.37	33	PASS
n25	15	30	DFT-BPSK	L	Inner_1RB_Left	24.41	25.36	33	PASS
n25	15	30	DFT-BPSK	L	Inner_1RB_Right	24.57	25.52	33	PASS
n25	15	30	DFT-BPSK	L	Inner_Full	24.3	25.25	33	PASS
n25	15	30	DFT-BPSK	L	Outer_Full	24.41	25.36	33	PASS
n25	15	30	DFT-QPSK	L	Inner_1RB_Left	24.48	25.43	33	PASS
n25	15	30	DFT-QPSK	L	Inner_1RB_Right	24.46	25.41	33	PASS
n25	15	30	DFT-QPSK	L	Inner_Full	24.5	25.45	33	PASS
n25	15	30	DFT-QPSK	L	Outer_Full	23.91	24.86	33	PASS
n25	15	30	DFT-16QAM	L	Inner_1RB_Left	23.91	24.86	33	PASS
n25	15	30	DFT-16QAM	L	Inner_1RB_Right	23.95	24.9	33	PASS
n25	15	30	DFT-16QAM	L	Inner_Full	23.83	24.78	33	PASS
n25	15	30	DFT-16QAM	L	Outer_Full	22.87	23.82	33	PASS
n25	15	30	DFT-64QAM	L	Inner_1RB_Left	22.63	23.58	33	PASS
n25	15	30	DFT-64QAM	L	Inner_1RB_Right	22.6	23.55	33	PASS
n25	15	30	DFT-64QAM	L	Inner_Full	22.43	23.38	33	PASS
n25	15	30	DFT-64QAM	L	Outer_Full	22.42	23.37	33	PASS

n25	15	30	DFT-256QAM	L	Inner_1RB_Left	20	20.95	33	PASS
n25	15	30	DFT-256QAM	L	Inner_1RB_Right	19.88	20.83	33	PASS
n25	15	30	DFT-256QAM	L	Inner_Full	20.36	21.31	33	PASS
n25	15	30	DFT-256QAM	L	Outer_Full	20.43	21.38	33	PASS
n25	15	30	DFT-BPSK	M	Inner_1RB_Left	24.38	25.33	33	PASS
n25	15	30	DFT-BPSK	M	Inner_1RB_Right	24.3	25.25	33	PASS
n25	15	30	DFT-BPSK	M	Inner_Full	24.52	25.47	33	PASS
n25	15	30	DFT-BPSK	M	Outer_Full	24.44	25.39	33	PASS
n25	15	30	DFT-QPSK	M	Inner_1RB_Left	24.41	25.36	33	PASS
n25	15	30	DFT-QPSK	M	Inner_1RB_Right	24.37	25.32	33	PASS
n25	15	30	DFT-QPSK	M	Inner_Full	24.47	25.42	33	PASS
n25	15	30	DFT-QPSK	M	Outer_Full	23.95	24.9	33	PASS
n25	15	30	DFT-16QAM	M	Inner_1RB_Left	23.79	24.74	33	PASS
n25	15	30	DFT-16QAM	M	Inner_1RB_Right	23.72	24.67	33	PASS
n25	15	30	DFT-16QAM	M	Inner_Full	23.9	24.85	33	PASS
n25	15	30	DFT-16QAM	M	Outer_Full	22.96	23.91	33	PASS
n25	15	30	DFT-64QAM	M	Inner_1RB_Left	22.43	23.38	33	PASS
n25	15	30	DFT-64QAM	M	Inner_1RB_Right	22.41	23.36	33	PASS
n25	15	30	DFT-64QAM	M	Inner_Full	22.43	23.38	33	PASS
n25	15	30	DFT-64QAM	M	Outer_Full	22.36	23.31	33	PASS
n25	15	30	DFT-256QAM	M	Inner_1RB_Left	19.83	20.78	33	PASS
n25	15	30	DFT-256QAM	M	Inner_1RB_Right	19.79	20.74	33	PASS
n25	15	30	DFT-256QAM	M	Inner_Full	20.43	21.38	33	PASS
n25	15	30	DFT-256QAM	M	Outer_Full	20.38	21.33	33	PASS
n25	15	30	DFT-BPSK	H	Inner_1RB_Left	24.45	25.4	33	PASS
n25	15	30	DFT-BPSK	H	Inner_1RB_Right	24.27	25.22	33	PASS
n25	15	30	DFT-BPSK	H	Inner_Full	24.34	25.29	33	PASS
n25	15	30	DFT-BPSK	H	Outer_Full	24.36	25.31	33	PASS
n25	15	30	DFT-QPSK	H	Inner_1RB_Left	24.51	25.46	33	PASS
n25	15	30	DFT-QPSK	H	Inner_1RB_Right	24.33	25.28	33	PASS
n25	15	30	DFT-QPSK	H	Inner_Full	24.32	25.27	33	PASS
n25	15	30	DFT-QPSK	H	Outer_Full	23.87	24.82	33	PASS
n25	15	30	DFT-16QAM	H	Inner_1RB_Left	23.85	24.8	33	PASS
n25	15	30	DFT-16QAM	H	Inner_1RB_Right	23.89	24.84	33	PASS
n25	15	30	DFT-16QAM	H	Inner_Full	23.7	24.65	33	PASS
n25	15	30	DFT-16QAM	H	Outer_Full	22.74	23.69	33	PASS
n25	15	30	DFT-64QAM	H	Inner_1RB_Left	22.48	23.43	33	PASS
n25	15	30	DFT-64QAM	H	Inner_1RB_Right	22.47	23.42	33	PASS
n25	15	30	DFT-64QAM	H	Inner_Full	22.31	23.26	33	PASS
n25	15	30	DFT-64QAM	H	Outer_Full	22.32	23.27	33	PASS
n25	15	30	DFT-256QAM	H	Inner_1RB_Left	19.9	20.85	33	PASS
n25	15	30	DFT-256QAM	H	Inner_1RB_Right	19.77	20.72	33	PASS
n25	15	30	DFT-256QAM	H	Inner_Full	20.22	21.17	33	PASS
n25	15	30	DFT-256QAM	H	Outer_Full	20.41	21.36	33	PASS

n25	15	35	DFT-BPSK	L	Inner_1RB_Left	24.5	25.45	33	PASS
n25	15	35	DFT-BPSK	L	Inner_1RB_Right	24.64	25.59	33	PASS
n25	15	35	DFT-BPSK	L	Inner_Full	24.41	25.36	33	PASS
n25	15	35	DFT-BPSK	L	Outer_Full	24.5	25.45	33	PASS
n25	15	35	DFT-QPSK	L	Inner_1RB_Left	24.5	25.45	33	PASS
n25	15	35	DFT-QPSK	L	Inner_1RB_Right	24.55	25.5	33	PASS
n25	15	35	DFT-QPSK	L	Inner_Full	24.38	25.33	33	PASS
n25	15	35	DFT-QPSK	L	Outer_Full	23.99	24.94	33	PASS
n25	15	35	DFT-16QAM	L	Inner_1RB_Left	23.98	24.93	33	PASS
n25	15	35	DFT-16QAM	L	Inner_1RB_Right	24.12	25.07	33	PASS
n25	15	35	DFT-16QAM	L	Inner_Full	23.87	24.82	33	PASS
n25	15	35	DFT-16QAM	L	Outer_Full	22.85	23.8	33	PASS
n25	15	35	DFT-64QAM	L	Inner_1RB_Left	22.69	23.64	33	PASS
n25	15	35	DFT-64QAM	L	Inner_1RB_Right	22.66	23.61	33	PASS
n25	15	35	DFT-64QAM	L	Inner_Full	22.43	23.38	33	PASS
n25	15	35	DFT-64QAM	L	Outer_Full	22.44	23.39	33	PASS
n25	15	35	DFT-256QAM	L	Inner_1RB_Left	19.96	20.91	33	PASS
n25	15	35	DFT-256QAM	L	Inner_1RB_Right	19.99	20.94	33	PASS
n25	15	35	DFT-256QAM	L	Inner_Full	20.4	21.35	33	PASS
n25	15	35	DFT-256QAM	L	Outer_Full	20.37	21.32	33	PASS
n25	15	35	DFT-BPSK	M	Inner_1RB_Left	24.33	25.28	33	PASS
n25	15	35	DFT-BPSK	M	Inner_1RB_Right	24.45	25.4	33	PASS
n25	15	35	DFT-BPSK	M	Inner_Full	24.49	25.44	33	PASS
n25	15	35	DFT-BPSK	M	Outer_Full	24.45	25.4	33	PASS
n25	15	35	DFT-QPSK	M	Inner_1RB_Left	24.44	25.39	33	PASS
n25	15	35	DFT-QPSK	M	Inner_1RB_Right	24.42	25.37	33	PASS
n25	15	35	DFT-QPSK	M	Inner_Full	24.41	25.36	33	PASS
n25	15	35	DFT-QPSK	M	Outer_Full	23.97	24.92	33	PASS
n25	15	35	DFT-16QAM	M	Inner_1RB_Left	23.83	24.78	33	PASS
n25	15	35	DFT-16QAM	M	Inner_1RB_Right	23.82	24.77	33	PASS
n25	15	35	DFT-16QAM	M	Inner_Full	23.94	24.89	33	PASS
n25	15	35	DFT-16QAM	M	Outer_Full	22.91	23.86	33	PASS
n25	15	35	DFT-64QAM	M	Inner_1RB_Left	22.52	23.47	33	PASS
n25	15	35	DFT-64QAM	M	Inner_1RB_Right	22.47	23.42	33	PASS
n25	15	35	DFT-64QAM	M	Inner_Full	22.4	23.35	33	PASS
n25	15	35	DFT-64QAM	M	Outer_Full	22.48	23.43	33	PASS
n25	15	35	DFT-256QAM	M	Inner_1RB_Left	19.84	20.79	33	PASS
n25	15	35	DFT-256QAM	M	Inner_1RB_Right	19.79	20.74	33	PASS
n25	15	35	DFT-256QAM	M	Inner_Full	20.49	21.44	33	PASS
n25	15	35	DFT-256QAM	M	Outer_Full	20.46	21.41	33	PASS
n25	15	35	DFT-BPSK	H	Inner_1RB_Left	24.63	25.58	33	PASS
n25	15	35	DFT-BPSK	H	Inner_1RB_Right	24.38	25.33	33	PASS
n25	15	35	DFT-BPSK	H	Inner_Full	24.32	25.27	33	PASS
n25	15	35	DFT-BPSK	H	Outer_Full	24.43	25.38	33	PASS

n25	15	35	DFT-QPSK	H	Inner_1RB_Left	24.62	25.57	33	PASS
n25	15	35	DFT-QPSK	H	Inner_1RB_Right	24.4	25.35	33	PASS
n25	15	35	DFT-QPSK	H	Inner_Full	24.35	25.3	33	PASS
n25	15	35	DFT-QPSK	H	Outer_Full	23.93	24.88	33	PASS
n25	15	35	DFT-16QAM	H	Inner_1RB_Left	24.14	25.09	33	PASS
n25	15	35	DFT-16QAM	H	Inner_1RB_Right	23.81	24.76	33	PASS
n25	15	35	DFT-16QAM	H	Inner_Full	23.8	24.75	33	PASS
n25	15	35	DFT-16QAM	H	Outer_Full	22.82	23.77	33	PASS
n25	15	35	DFT-64QAM	H	Inner_1RB_Left	22.68	23.63	33	PASS
n25	15	35	DFT-64QAM	H	Inner_1RB_Right	22.58	23.53	33	PASS
n25	15	35	DFT-64QAM	H	Inner_Full	22.34	23.29	33	PASS
n25	15	35	DFT-64QAM	H	Outer_Full	22.39	23.34	33	PASS
n25	15	35	DFT-256QAM	H	Inner_1RB_Left	20.07	21.02	33	PASS
n25	15	35	DFT-256QAM	H	Inner_1RB_Right	19.89	20.84	33	PASS
n25	15	35	DFT-256QAM	H	Inner_Full	20.26	21.21	33	PASS
n25	15	35	DFT-256QAM	H	Outer_Full	20.45	21.4	33	PASS
n25	15	40	DFT-BPSK	L	Inner_1RB_Left	24.32	25.27	33	PASS
n25	15	40	DFT-BPSK	L	Inner_1RB_Right	24.37	25.32	33	PASS
n25	15	40	DFT-BPSK	L	Inner_Full	24.43	25.38	33	PASS
n25	15	40	DFT-BPSK	L	Outer_Full	24.41	25.36	33	PASS
n25	15	40	DFT-QPSK	L	Inner_1RB_Left	24.37	25.32	33	PASS
n25	15	40	DFT-QPSK	L	Inner_1RB_Right	24.4	25.35	33	PASS
n25	15	40	DFT-QPSK	L	Inner_Full	24.41	25.36	33	PASS
n25	15	40	DFT-QPSK	L	Outer_Full	23.96	24.91	33	PASS
n25	15	40	DFT-16QAM	L	Inner_1RB_Left	23.93	24.88	33	PASS
n25	15	40	DFT-16QAM	L	Inner_1RB_Right	23.85	24.8	33	PASS
n25	15	40	DFT-16QAM	L	Inner_Full	23.92	24.87	33	PASS
n25	15	40	DFT-16QAM	L	Outer_Full	22.97	23.92	33	PASS
n25	15	40	DFT-64QAM	L	Inner_1RB_Left	22.56	23.51	33	PASS
n25	15	40	DFT-64QAM	L	Inner_1RB_Right	22.5	23.45	33	PASS
n25	15	40	DFT-64QAM	L	Inner_Full	22.47	23.42	33	PASS
n25	15	40	DFT-64QAM	L	Outer_Full	22.41	23.36	33	PASS
n25	15	40	DFT-256QAM	L	Inner_1RB_Left	19.91	20.86	33	PASS
n25	15	40	DFT-256QAM	L	Inner_1RB_Right	19.92	20.87	33	PASS
n25	15	40	DFT-256QAM	L	Inner_Full	20.34	21.29	33	PASS
n25	15	40	DFT-256QAM	L	Outer_Full	20.47	21.42	33	PASS
n25	15	40	DFT-BPSK	M	Inner_1RB_Left	24.3	25.25	33	PASS
n25	15	40	DFT-BPSK	M	Inner_1RB_Right	24.24	25.19	33	PASS
n25	15	40	DFT-BPSK	M	Inner_Full	24.52	25.47	33	PASS
n25	15	40	DFT-BPSK	M	Outer_Full	24.42	25.37	33	PASS
n25	15	40	DFT-QPSK	M	Inner_1RB_Left	24.25	25.2	33	PASS
n25	15	40	DFT-QPSK	M	Inner_1RB_Right	24.35	25.3	33	PASS
n25	15	40	DFT-QPSK	M	Inner_Full	24.55	25.5	33	PASS
n25	15	40	DFT-QPSK	M	Outer_Full	23.94	24.89	33	PASS


n25	15	40	DFT-16QAM	M	Inner_1RB_Left	23.76	24.71	33	PASS
n25	15	40	DFT-16QAM	M	Inner_1RB_Right	23.65	24.6	33	PASS
n25	15	40	DFT-16QAM	M	Inner_Full	24.01	24.96	33	PASS
n25	15	40	DFT-16QAM	M	Outer_Full	22.97	23.92	33	PASS
n25	15	40	DFT-64QAM	M	Inner_1RB_Left	22.4	23.35	33	PASS
n25	15	40	DFT-64QAM	M	Inner_1RB_Right	22.39	23.34	33	PASS
n25	15	40	DFT-64QAM	M	Inner_Full	22.34	23.29	33	PASS
n25	15	40	DFT-64QAM	M	Outer_Full	22.54	23.49	33	PASS
n25	15	40	DFT-256QAM	M	Inner_1RB_Left	19.78	20.73	33	PASS
n25	15	40	DFT-256QAM	M	Inner_1RB_Right	19.89	20.84	33	PASS
n25	15	40	DFT-256QAM	M	Inner_Full	20.5	21.45	33	PASS
n25	15	40	DFT-256QAM	M	Outer_Full	20.44	21.39	33	PASS
n25	15	40	DFT-BPSK	H	Inner_1RB_Left	24.59	25.54	33	PASS
n25	15	40	DFT-BPSK	H	Inner_1RB_Right	24.29	25.24	33	PASS
n25	15	40	DFT-BPSK	H	Inner_Full	24.42	25.37	33	PASS
n25	15	40	DFT-BPSK	H	Outer_Full	24.48	25.43	33	PASS
n25	15	40	DFT-QPSK	H	Inner_1RB_Left	24.62	25.57	33	PASS
n25	15	40	DFT-QPSK	H	Inner_1RB_Right	24.32	25.27	33	PASS
n25	15	40	DFT-QPSK	H	Inner_Full	24.51	25.46	33	PASS
n25	15	40	DFT-QPSK	H	Outer_Full	24.01	24.96	33	PASS
n25	15	40	DFT-16QAM	H	Inner_1RB_Left	24.05	25	33	PASS
n25	15	40	DFT-16QAM	H	Inner_1RB_Right	23.97	24.92	33	PASS
n25	15	40	DFT-16QAM	H	Inner_Full	23.89	24.84	33	PASS
n25	15	40	DFT-16QAM	H	Outer_Full	22.89	23.84	33	PASS
n25	15	40	DFT-64QAM	H	Inner_1RB_Left	22.61	23.56	33	PASS
n25	15	40	DFT-64QAM	H	Inner_1RB_Right	22.58	23.53	33	PASS
n25	15	40	DFT-64QAM	H	Inner_Full	22.38	23.33	33	PASS
n25	15	40	DFT-64QAM	H	Outer_Full	22.46	23.41	33	PASS
n25	15	40	DFT-256QAM	H	Inner_1RB_Left	20.06	21.01	33	PASS
n25	15	40	DFT-256QAM	H	Inner_1RB_Right	19.99	20.94	33	PASS
n25	15	40	DFT-256QAM	H	Inner_Full	20.45	21.4	33	PASS
n25	15	40	DFT-256QAM	H	Outer_Full	20.43	21.38	33	PASS


Peak-to-Average Ratio for SA


Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (dB)	Limit (dB)	Verdict
n25	15	40	DFT-BPSK	L	Outer_Full	5.51	≤13dB	PASS
n25	15	40	DFT-QPSK	L	Outer_Full	6.15	≤13dB	PASS
n25	15	40	DFT-16QAM	L	Outer_Full	6.8	≤13dB	PASS
n25	15	40	DFT-64QAM	L	Outer_Full	6.99	≤13dB	PASS
n25	15	40	DFT-256QAM	L	Outer_Full	7.04	≤13dB	PASS
n25	15	40	CP-QPSK	L	Outer_Full	8.04	≤13dB	PASS
n25	15	40	CP-16QAM	L	Outer_Full	8.02	≤13dB	PASS
n25	15	40	CP-64QAM	L	Outer_Full	8.03	≤13dB	PASS
n25	15	40	CP-256QAM	L	Outer_Full	8.46	≤13dB	PASS
n25	15	40	DFT-BPSK	M	Outer_Full	5.44	≤13dB	PASS
n25	15	40	DFT-QPSK	M	Outer_Full	5.98	≤13dB	PASS
n25	15	40	DFT-16QAM	M	Outer_Full	6.7	≤13dB	PASS
n25	15	40	DFT-64QAM	M	Outer_Full	6.9	≤13dB	PASS
n25	15	40	DFT-256QAM	M	Outer_Full	6.93	≤13dB	PASS
n25	15	40	CP-QPSK	M	Outer_Full	8.07	≤13dB	PASS
n25	15	40	CP-16QAM	M	Outer_Full	8.12	≤13dB	PASS
n25	15	40	CP-64QAM	M	Outer_Full	7.95	≤13dB	PASS
n25	15	40	CP-256QAM	M	Outer_Full	8.45	≤13dB	PASS
n25	15	40	DFT-BPSK	H	Outer_Full	5.58	≤13dB	PASS
n25	15	40	DFT-QPSK	H	Outer_Full	6.03	≤13dB	PASS
n25	15	40	DFT-16QAM	H	Outer_Full	6.71	≤13dB	PASS
n25	15	40	DFT-64QAM	H	Outer_Full	6.94	≤13dB	PASS
n25	15	40	DFT-256QAM	H	Outer_Full	6.96	≤13dB	PASS
n25	15	40	CP-QPSK	H	Outer_Full	8.02	≤13dB	PASS
n25	15	40	CP-16QAM	H	Outer_Full	8.06	≤13dB	PASS
n25	15	40	CP-64QAM	H	Outer_Full	8.03	≤13dB	PASS
n25	15	40	CP-256QAM	H	Outer_Full	8.47	≤13dB	PASS


Test Graphs

















26dB Bandwidth and Occupied Bandwidth for SA**Test Result**

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
n25	15	5	DFT-BPSK	L	Outer_Full	4.4701	5.041	PASS
n25	15	5	DFT-QPSK	L	Outer_Full	4.4761	4.989	PASS
n25	15	5	DFT-16QAM	L	Outer_Full	4.4838	5.028	PASS
n25	15	5	DFT-64QAM	L	Outer_Full	4.4678	5.002	PASS
n25	15	5	DFT-256QAM	L	Outer_Full	4.4809	5.100	PASS
n25	15	5	CP-QPSK	L	Outer_Full	4.4689	5.042	PASS
n25	15	5	CP-16QAM	L	Outer_Full	4.5085	5.183	PASS
n25	15	5	CP-64QAM	L	Outer_Full	4.4815	5.050	PASS
n25	15	5	CP-256QAM	L	Outer_Full	4.4751	5.173	PASS
n25	15	5	DFT-BPSK	M	Outer_Full	4.4769	5.028	PASS
n25	15	5	DFT-QPSK	M	Outer_Full	4.4685	4.863	PASS
n25	15	5	DFT-16QAM	M	Outer_Full	4.4847	5.064	PASS
n25	15	5	DFT-64QAM	M	Outer_Full	4.4815	5.025	PASS
n25	15	5	DFT-256QAM	M	Outer_Full	4.4732	5.003	PASS
n25	15	5	CP-QPSK	M	Outer_Full	4.4828	5.078	PASS
n25	15	5	CP-16QAM	M	Outer_Full	4.4777	5.088	PASS
n25	15	5	CP-64QAM	M	Outer_Full	4.4864	5.077	PASS
n25	15	5	CP-256QAM	M	Outer_Full	4.4808	5.137	PASS
n25	15	5	DFT-BPSK	H	Outer_Full	4.4652	4.995	PASS
n25	15	5	DFT-QPSK	H	Outer_Full	4.4673	4.877	PASS
n25	15	5	DFT-16QAM	H	Outer_Full	4.4778	4.949	PASS
n25	15	5	DFT-64QAM	H	Outer_Full	4.4647	4.948	PASS
n25	15	5	DFT-256QAM	H	Outer_Full	4.4831	5.060	PASS
n25	15	5	CP-QPSK	H	Outer_Full	4.4815	5.154	PASS
n25	15	5	CP-16QAM	H	Outer_Full	4.4883	5.164	PASS
n25	15	5	CP-64QAM	H	Outer_Full	4.4751	5.069	PASS
n25	15	5	CP-256QAM	H	Outer_Full	4.4758	5.010	PASS
n25	15	10	DFT-BPSK	L	Outer_Full	8.9073	9.631	PASS
n25	15	10	DFT-QPSK	L	Outer_Full	8.9191	9.627	PASS
n25	15	10	DFT-16QAM	L	Outer_Full	8.9441	9.623	PASS
n25	15	10	DFT-64QAM	L	Outer_Full	8.9409	9.584	PASS
n25	15	10	DFT-256QAM	L	Outer_Full	8.9250	9.537	PASS
n25	15	10	CP-QPSK	L	Outer_Full	9.2807	10.10	PASS
n25	15	10	CP-16QAM	L	Outer_Full	9.2705	10.00	PASS
n25	15	10	CP-64QAM	L	Outer_Full	9.2783	10.09	PASS
n25	15	10	CP-256QAM	L	Outer_Full	9.3047	10.11	PASS
n25	15	10	DFT-BPSK	M	Outer_Full	8.9117	9.546	PASS
n25	15	10	DFT-QPSK	M	Outer_Full	8.9300	9.708	PASS
n25	15	10	DFT-16QAM	M	Outer_Full	8.9482	9.664	PASS


n25	15	10	DFT-64QAM	M	Outer_Full	8.9404	9.601	PASS
n25	15	10	DFT-256QAM	M	Outer_Full	8.9340	9.662	PASS
n25	15	10	CP-QPSK	M	Outer_Full	9.2907	10.13	PASS
n25	15	10	CP-16QAM	M	Outer_Full	9.2883	10.03	PASS
n25	15	10	CP-64QAM	M	Outer_Full	9.2858	10.03	PASS
n25	15	10	CP-256QAM	M	Outer_Full	9.2910	10.11	PASS
n25	15	10	DFT-BPSK	H	Outer_Full	8.9031	9.626	PASS
n25	15	10	DFT-QPSK	H	Outer_Full	8.9231	9.617	PASS
n25	15	10	DFT-16QAM	H	Outer_Full	8.9398	9.615	PASS
n25	15	10	DFT-64QAM	H	Outer_Full	8.9329	9.580	PASS
n25	15	10	DFT-256QAM	H	Outer_Full	8.9255	9.754	PASS
n25	15	10	CP-QPSK	H	Outer_Full	9.2756	10.09	PASS
n25	15	10	CP-16QAM	H	Outer_Full	9.2677	10.12	PASS
n25	15	10	CP-64QAM	H	Outer_Full	9.2663	10.06	PASS
n25	15	10	CP-256QAM	H	Outer_Full	9.2874	10.12	PASS
n25	15	15	DFT-BPSK	L	Outer_Full	13.404	14.37	PASS
n25	15	15	DFT-QPSK	L	Outer_Full	13.390	14.29	PASS
n25	15	15	DFT-16QAM	L	Outer_Full	13.409	14.22	PASS
n25	15	15	DFT-64QAM	L	Outer_Full	13.388	14.22	PASS
n25	15	15	DFT-256QAM	L	Outer_Full	13.408	14.32	PASS
n25	15	15	CP-QPSK	L	Outer_Full	14.086	14.93	PASS
n25	15	15	CP-16QAM	L	Outer_Full	14.110	14.99	PASS
n25	15	15	CP-64QAM	L	Outer_Full	14.089	15.08	PASS
n25	15	15	CP-256QAM	L	Outer_Full	14.107	15.08	PASS
n25	15	15	DFT-BPSK	M	Outer_Full	13.398	14.30	PASS
n25	15	15	DFT-QPSK	M	Outer_Full	13.417	14.30	PASS
n25	15	15	DFT-16QAM	M	Outer_Full	13.432	14.23	PASS
n25	15	15	DFT-64QAM	M	Outer_Full	13.409	14.26	PASS
n25	15	15	DFT-256QAM	M	Outer_Full	13.428	14.33	PASS
n25	15	15	CP-QPSK	M	Outer_Full	14.095	15.04	PASS
n25	15	15	CP-16QAM	M	Outer_Full	14.130	15.02	PASS
n25	15	15	CP-64QAM	M	Outer_Full	14.117	15.05	PASS
n25	15	15	CP-256QAM	M	Outer_Full	14.116	15.12	PASS
n25	15	15	DFT-BPSK	H	Outer_Full	13.389	14.29	PASS
n25	15	15	DFT-QPSK	H	Outer_Full	13.416	14.38	PASS
n25	15	15	DFT-16QAM	H	Outer_Full	13.432	14.32	PASS
n25	15	15	DFT-64QAM	H	Outer_Full	13.395	14.27	PASS
n25	15	15	DFT-256QAM	H	Outer_Full	13.415	14.21	PASS
n25	15	15	CP-QPSK	H	Outer_Full	14.086	15.06	PASS
n25	15	15	CP-16QAM	H	Outer_Full	14.116	14.97	PASS
n25	15	15	CP-64QAM	H	Outer_Full	14.109	14.95	PASS
n25	15	15	CP-256QAM	H	Outer_Full	14.117	15.12	PASS
n25	15	20	DFT-BPSK	L	Outer_Full	17.860	18.85	PASS
n25	15	20	DFT-QPSK	L	Outer_Full	17.854	18.77	PASS


n25	15	20	DFT-16QAM	L	Outer_Full	17.849	18.72	PASS
n25	15	20	DFT-64QAM	L	Outer_Full	17.887	18.86	PASS
n25	15	20	DFT-256QAM	L	Outer_Full	17.836	18.77	PASS
n25	15	20	CP-QPSK	L	Outer_Full	18.932	20.11	PASS
n25	15	20	CP-16QAM	L	Outer_Full	18.929	20.05	PASS
n25	15	20	CP-64QAM	L	Outer_Full	18.903	19.91	PASS
n25	15	20	CP-256QAM	L	Outer_Full	18.958	19.94	PASS
n25	15	20	DFT-BPSK	M	Outer_Full	17.881	18.82	PASS
n25	15	20	DFT-QPSK	M	Outer_Full	17.875	18.81	PASS
n25	15	20	DFT-16QAM	M	Outer_Full	17.874	18.91	PASS
n25	15	20	DFT-64QAM	M	Outer_Full	17.876	18.84	PASS
n25	15	20	DFT-256QAM	M	Outer_Full	17.862	18.81	PASS
n25	15	20	CP-QPSK	M	Outer_Full	18.912	19.95	PASS
n25	15	20	CP-16QAM	M	Outer_Full	18.937	19.99	PASS
n25	15	20	CP-64QAM	M	Outer_Full	18.931	19.92	PASS
n25	15	20	CP-256QAM	M	Outer_Full	18.991	20.11	PASS
n25	15	20	DFT-BPSK	H	Outer_Full	17.890	18.83	PASS
n25	15	20	DFT-QPSK	H	Outer_Full	17.873	18.82	PASS
n25	15	20	DFT-16QAM	H	Outer_Full	17.896	18.83	PASS
n25	15	20	DFT-64QAM	H	Outer_Full	17.925	18.85	PASS
n25	15	20	DFT-256QAM	H	Outer_Full	17.867	18.82	PASS
n25	15	20	CP-QPSK	H	Outer_Full	18.944	20.02	PASS
n25	15	20	CP-16QAM	H	Outer_Full	18.960	19.92	PASS
n25	15	20	CP-64QAM	H	Outer_Full	18.935	19.93	PASS
n25	15	20	CP-256QAM	H	Outer_Full	19.014	19.98	PASS
n25	15	30	DFT-BPSK	L	Outer_Full	28.547	29.84	PASS
n25	15	30	DFT-QPSK	L	Outer_Full	28.543	29.83	PASS
n25	15	30	DFT-16QAM	L	Outer_Full	28.514	29.66	PASS
n25	15	30	DFT-64QAM	L	Outer_Full	28.534	29.79	PASS
n25	15	30	DFT-256QAM	L	Outer_Full	28.525	29.80	PASS
n25	15	30	CP-QPSK	L	Outer_Full	28.524	29.81	PASS
n25	15	30	CP-16QAM	L	Outer_Full	28.560	29.78	PASS
n25	15	30	CP-64QAM	L	Outer_Full	28.512	29.81	PASS
n25	15	30	CP-256QAM	L	Outer_Full	28.519	29.77	PASS
n25	15	30	DFT-BPSK	M	Outer_Full	28.544	29.68	PASS
n25	15	30	DFT-QPSK	M	Outer_Full	28.537	29.68	PASS
n25	15	30	DFT-16QAM	M	Outer_Full	28.513	29.59	PASS
n25	15	30	DFT-64QAM	M	Outer_Full	28.542	29.85	PASS
n25	15	30	DFT-256QAM	M	Outer_Full	28.519	29.83	PASS
n25	15	30	CP-QPSK	M	Outer_Full	28.512	29.79	PASS
n25	15	30	CP-16QAM	M	Outer_Full	28.542	29.83	PASS
n25	15	30	CP-64QAM	M	Outer_Full	28.518	29.87	PASS
n25	15	30	CP-256QAM	M	Outer_Full	28.522	29.82	PASS
n25	15	30	DFT-BPSK	H	Outer_Full	28.593	29.70	PASS


n25	15	30	DFT-QPSK	H	Outer_Full	28.565	29.73	PASS
n25	15	30	DFT-16QAM	H	Outer_Full	28.551	29.64	PASS
n25	15	30	DFT-64QAM	H	Outer_Full	28.578	29.78	PASS
n25	15	30	DFT-256QAM	H	Outer_Full	28.562	29.78	PASS
n25	15	30	CP-QPSK	H	Outer_Full	28.550	29.82	PASS
n25	15	30	CP-16QAM	H	Outer_Full	28.589	29.70	PASS
n25	15	30	CP-64QAM	H	Outer_Full	28.525	29.77	PASS
n25	15	30	CP-256QAM	H	Outer_Full	28.571	29.92	PASS
n25	15	35	DFT-BPSK	L	Outer_Full	32.116	33.45	PASS
n25	15	35	DFT-QPSK	L	Outer_Full	32.095	33.39	PASS
n25	15	35	DFT-16QAM	L	Outer_Full	32.117	33.35	PASS
n25	15	35	DFT-64QAM	L	Outer_Full	32.090	33.52	PASS
n25	15	35	DFT-256QAM	L	Outer_Full	32.046	33.43	PASS
n25	15	35	CP-QPSK	L	Outer_Full	33.595	34.92	PASS
n25	15	35	CP-16QAM	L	Outer_Full	33.546	34.88	PASS
n25	15	35	CP-64QAM	L	Outer_Full	33.538	35.04	PASS
n25	15	35	CP-256QAM	L	Outer_Full	33.576	34.86	PASS
n25	15	35	DFT-BPSK	M	Outer_Full	32.126	33.44	PASS
n25	15	35	DFT-QPSK	M	Outer_Full	32.093	33.40	PASS
n25	15	35	DFT-16QAM	M	Outer_Full	32.065	33.38	PASS
n25	15	35	DFT-64QAM	M	Outer_Full	32.094	33.50	PASS
n25	15	35	DFT-256QAM	M	Outer_Full	32.060	33.34	PASS
n25	15	35	CP-QPSK	M	Outer_Full	33.553	34.90	PASS
n25	15	35	CP-16QAM	M	Outer_Full	33.516	34.99	PASS
n25	15	35	CP-64QAM	M	Outer_Full	33.540	34.97	PASS
n25	15	35	CP-256QAM	M	Outer_Full	33.528	34.87	PASS
n25	15	35	DFT-BPSK	H	Outer_Full	32.119	33.47	PASS
n25	15	35	DFT-QPSK	H	Outer_Full	32.164	33.49	PASS
n25	15	35	DFT-16QAM	H	Outer_Full	32.106	33.35	PASS
n25	15	35	DFT-64QAM	H	Outer_Full	32.144	33.48	PASS
n25	15	35	DFT-256QAM	H	Outer_Full	32.092	33.38	PASS
n25	15	35	CP-QPSK	H	Outer_Full	33.603	34.95	PASS
n25	15	35	CP-16QAM	H	Outer_Full	33.555	34.91	PASS
n25	15	35	CP-64QAM	H	Outer_Full	33.533	34.90	PASS
n25	15	35	CP-256QAM	H	Outer_Full	33.538	34.83	PASS
n25	15	40	DFT-BPSK	L	Outer_Full	38.538	40.11	PASS
n25	15	40	DFT-QPSK	L	Outer_Full	38.539	40.07	PASS
n25	15	40	DFT-16QAM	L	Outer_Full	38.583	40.22	PASS
n25	15	40	DFT-64QAM	L	Outer_Full	38.540	40.09	PASS
n25	15	40	DFT-256QAM	L	Outer_Full	38.511	40.07	PASS
n25	15	40	CP-QPSK	L	Outer_Full	38.526	40.07	PASS
n25	15	40	CP-16QAM	L	Outer_Full	38.509	39.92	PASS
n25	15	40	CP-64QAM	L	Outer_Full	38.555	39.97	PASS
n25	15	40	CP-256QAM	L	Outer_Full	38.519	40.04	PASS


n25	15	40	DFT-BPSK	M	Outer_Full	38.486	40.13	PASS
n25	15	40	DFT-QPSK	M	Outer_Full	38.629	40.11	PASS
n25	15	40	DFT-16QAM	M	Outer_Full	38.527	40.04	PASS
n25	15	40	DFT-64QAM	M	Outer_Full	38.527	40.05	PASS
n25	15	40	DFT-256QAM	M	Outer_Full	38.489	40.08	PASS
n25	15	40	CP-QPSK	M	Outer_Full	38.500	40.06	PASS
n25	15	40	CP-16QAM	M	Outer_Full	38.484	40.10	PASS
n25	15	40	CP-64QAM	M	Outer_Full	38.581	39.97	PASS
n25	15	40	CP-256QAM	M	Outer_Full	38.530	39.91	PASS
n25	15	40	DFT-BPSK	H	Outer_Full	38.533	40.10	PASS
n25	15	40	DFT-QPSK	H	Outer_Full	38.560	40.05	PASS
n25	15	40	DFT-16QAM	H	Outer_Full	38.573	40.08	PASS
n25	15	40	DFT-64QAM	H	Outer_Full	38.527	40.01	PASS
n25	15	40	DFT-256QAM	H	Outer_Full	38.506	39.96	PASS
n25	15	40	CP-QPSK	H	Outer_Full	38.517	40.02	PASS
n25	15	40	CP-16QAM	H	Outer_Full	38.499	40.02	PASS
n25	15	40	CP-64QAM	H	Outer_Full	38.607	39.97	PASS
n25	15	40	CP-256QAM	H	Outer_Full	38.526	39.99	PASS


Test Graphs





































NTVN-n25-PC3-15-10-H-DFT-64QAM-Outer_Full-Ant1-PASS




NTVN-n25-PC3-15-10-H-DFT-256QAM-Outer_Full-Ant1-PASS





NTVN-n25-PC3-15-10-H-CP-QPSK-Outer_Full-Ant1-PASS



NTVN-n25-PC3-15-10-H-CP-16QAM-Outer_Full-Ant1-PASS








NTNV-n25-PC3-15-15-L-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-n25-PC3-15-15-L-CP-64QAM-Outer_Full-Ant1-PASS




NTNV-n25-PC3-15-15-L-CP-256QAM-Outer_Full-Ant1-PASS



NTNV-n25-PC3-15-15-M-DFT-BPSK-Outer_Full-Ant1-PASS




NTNV-n25-PC3-15-15-M-DFT-QPSK-Outet_Full-Ant1-PASS



NTNV-n25-PC3-15-15-M-DFT-16QAM-Outet_Full-Ant1-PASS




NTNV-n25-PC3-15-15-M-DFT-64QAM-Outet_Full-Ant1-PASS




NTNV-n25-PC3-15-15-M-DFT-256QAM-Outet_Full-Ant1-PASS




NTNV-n25-PC3-15-15-M-CP-QPSK-Outer_Full-Ant1-PASS



NTNV-n25-PC3-15-15-M-CP-16QAM-Outer_Full-Ant1-PASS



NTNV-n25-PC3-15-15-M-CP-64QAM-Outer_Full-Ant1-PASS



NTNV-n25-PC3-15-15-M-CP-256QAM-Outer_Full-Ant1-PASS