




























Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	0.009~0.15	-63.60	-43.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	0.15~30	-63.76	-33.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	30~1000	-60.20	-23.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	1000~3000	-16.87	-13.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	3000~20000	-44.39	-13.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	0.009~0.15	-64.91	-43.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	0.15~30	-66.56	-33.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	30~1000	-59.48	-23.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	1000~3000	-36.62	-13.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	3000~20000	-44.26	-13.0	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	0.009~0.15	-69.34	-43.0	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	0.15~30	-62.62	-33.0	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	30~1000	-60.50	-23.0	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	1000~3000	-24.00	-13.0	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	3000~20000	-44.45	-13.0	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	0.009~0.15	-64.82	-43.0	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	0.15~30	-68.36	-33.0	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	30~1000	-60.48	-23.0	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	1000~3000	-18.62	-13.0	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	3000~20000	-44.66	-13.0	PASS
Band2	1.4MHz	64QAM	18607	1RB#5	0.009~0.15	-65.80	-43.0	PASS
Band2	1.4MHz	64QAM	18607	1RB#5	0.15~30	-65.47	-33.0	PASS
Band2	1.4MHz	64QAM	18607	1RB#5	30~1000	-59.88	-23.0	PASS

Band2	1.4MHz	64QAM	18607	1RB#5	1000~3000	-38.87	-13.0	PASS
Band2	1.4MHz	64QAM	18607	1RB#5	3000~20000	-44.17	-13.0	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	0.009~0.15	-69.32	-43.0	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	0.15~30	-63.15	-33.0	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	30~1000	-60.11	-23.0	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	1000~3000	-27.20	-13.0	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	3000~20000	-44.36	-13.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	0.009~0.15	-62.64	-43.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	0.15~30	-63.61	-33.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	30~1000	-60.22	-23.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	1000~3000	-18.16	-13.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	3000~20000	-44.17	-13.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	0.009~0.15	-64.12	-43.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	0.15~30	-65.96	-33.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	30~1000	-60.36	-23.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	1000~3000	-37.88	-13.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	3000~20000	-44.45	-13.0	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	0.009~0.15	-64.54	-43.0	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	0.15~30	-63.07	-33.0	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	30~1000	-59.91	-23.0	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1000~3000	-24.49	-13.0	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	3000~20000	-44.32	-13.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.009~0.15	-65.87	-43.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.15~30	-65.95	-33.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	30~1000	-60.19	-23.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	1000~3000	-52.90	-13.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	3000~20000	-44.75	-13.0	PASS

					000			
Band2	1.4MHz	QPSK	18900	1RB#5	0.009~0.15	-66.39	-43.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	0.15~30	-64.65	-33.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	30~1000	-60.80	-23.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	1000~3000	-52.81	-13.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	3000~20000	-44.49	-13.0	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	0.009~0.15	-66.18	-43.0	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	0.15~30	-61.60	-33.0	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	30~1000	-60.19	-23.0	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1000~3000	-52.69	-13.0	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	3000~20000	-44.47	-13.0	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	0.009~0.15	-63.89	-43.0	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	0.15~30	-65.39	-33.0	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	30~1000	-59.92	-23.0	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	1000~3000	-52.63	-13.0	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	3000~20000	-44.58	-13.0	PASS
Band2	1.4MHz	64QAM	18900	1RB#5	0.009~0.15	-65.89	-43.0	PASS
Band2	1.4MHz	64QAM	18900	1RB#5	0.15~30	-66.93	-33.0	PASS
Band2	1.4MHz	64QAM	18900	1RB#5	30~1000	-60.48	-23.0	PASS
Band2	1.4MHz	64QAM	18900	1RB#5	1000~3000	-52.78	-13.0	PASS
Band2	1.4MHz	64QAM	18900	1RB#5	3000~20000	-44.49	-13.0	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	0.009~0.15	-65.38	-43.0	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	0.15~30	-66.21	-33.0	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	30~1000	-60.15	-23.0	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	1000~3000	-52.87	-13.0	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	3000~20000	-44.75	-13.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	0.009~0.15	-63.73	-43.0	PASS

Band2	1.4MHz	16QAM	18900	1RB#0	0.15~30	-66.10	-33.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	30~1000	-60.11	-23.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	1000~3000	-52.81	-13.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	3000~20000	-44.74	-13.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	0.009~0.15	-64.17	-43.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	0.15~30	-67.27	-33.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	30~1000	-59.64	-23.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	1000~3000	-52.56	-13.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	3000~20000	-44.54	-13.0	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	0.009~0.15	-66.43	-43.0	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	0.15~30	-64.28	-33.0	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	30~1000	-59.84	-23.0	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1000~3000	-52.83	-13.0	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	3000~20000	-44.44	-13.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.009~0.15	-66.65	-43.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.15~30	-65.55	-33.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	30~1000	-60.43	-23.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	1000~3000	-35.84	-13.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	3000~20000	-44.71	-13.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	0.009~0.15	-65.77	-43.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	0.15~30	-63.47	-33.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	30~1000	-59.71	-23.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	1000~3000	-17.78	-13.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	3000~20000	-44.78	-13.0	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	0.009~0.15	-68.77	-43.0	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	0.15~30	-63.03	-33.0	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	30~1000	-60.70	-23.0	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1000~30	-22.69	-13.0	PASS

					00			
Band2	1.4MHz	QPSK	19193	6RB#0	3000~20000	-44.55	-13.0	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	0.009~0.15	-66.19	-43.0	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	0.15~30	-70.04	-33.0	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	30~1000	-59.68	-23.0	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	1000~3000	-39.20	-13.0	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	3000~20000	-44.60	-13.0	PASS
Band2	1.4MHz	64QAM	19193	1RB#5	0.009~0.15	-64.30	-43.0	PASS
Band2	1.4MHz	64QAM	19193	1RB#5	0.15~30	-66.63	-33.0	PASS
Band2	1.4MHz	64QAM	19193	1RB#5	30~1000	-60.67	-23.0	PASS
Band2	1.4MHz	64QAM	19193	1RB#5	1000~3000	-18.62	-13.0	PASS
Band2	1.4MHz	64QAM	19193	1RB#5	3000~20000	-44.51	-13.0	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	0.009~0.15	-65.28	-43.0	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	0.15~30	-65.06	-33.0	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	30~1000	-59.43	-23.0	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	1000~3000	-27.75	-13.0	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	3000~20000	-44.64	-13.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	0.009~0.15	-64.17	-43.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	0.15~30	-67.80	-33.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	30~1000	-60.21	-23.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	1000~3000	-35.73	-13.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	3000~20000	-44.51	-13.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	0.009~0.15	-63.95	-43.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	0.15~30	-67.36	-33.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	30~1000	-60.19	-23.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	1000~3000	-20.35	-13.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	3000~20000	-44.60	-13.0	PASS

Band2	1.4MHz	16QAM	19193	6RB#0	0.009~0.15	-67.85	-43.0	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	0.15~30	-63.78	-33.0	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	30~1000	-60.48	-23.0	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1000~3000	-24.47	-13.0	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	3000~20000	-44.74	-13.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.009~0.15	-63.58	-43.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.15~30	-65.36	-33.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	30~1000	-60.44	-23.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	1000~3000	-16.88	-13.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	3000~20000	-44.28	-13.0	PASS
Band2	3MHz	QPSK	18615	1RB#14	0.009~0.15	-62.07	-43.0	PASS
Band2	3MHz	QPSK	18615	1RB#14	0.15~30	-63.91	-33.0	PASS
Band2	3MHz	QPSK	18615	1RB#14	30~1000	-60.07	-23.0	PASS
Band2	3MHz	QPSK	18615	1RB#14	1000~3000	-35.16	-13.0	PASS
Band2	3MHz	QPSK	18615	1RB#14	3000~20000	-44.37	-13.0	PASS
Band2	3MHz	QPSK	18615	15RB#0	0.009~0.15	-66.17	-43.0	PASS
Band2	3MHz	QPSK	18615	15RB#0	0.15~30	-68.90	-33.0	PASS
Band2	3MHz	QPSK	18615	15RB#0	30~1000	-59.64	-23.0	PASS
Band2	3MHz	QPSK	18615	15RB#0	1000~3000	-23.50	-13.0	PASS
Band2	3MHz	QPSK	18615	15RB#0	3000~20000	-44.59	-13.0	PASS
Band2	3MHz	64QAM	18615	1RB#0	0.009~0.15	-65.14	-43.0	PASS
Band2	3MHz	64QAM	18615	1RB#0	0.15~30	-66.15	-33.0	PASS
Band2	3MHz	64QAM	18615	1RB#0	30~1000	-60.42	-23.0	PASS
Band2	3MHz	64QAM	18615	1RB#0	1000~3000	-19.46	-13.0	PASS
Band2	3MHz	64QAM	18615	1RB#0	3000~20000	-44.76	-13.0	PASS
Band2	3MHz	64QAM	18615	1RB#14	0.009~0.15	-65.16	-43.0	PASS
Band2	3MHz	64QAM	18615	1RB#14	0.15~30	-63.34	-33.0	PASS

Band2	3MHz	64QAM	18615	1RB#14	30~1000	-60.03	-23.0	PASS
Band2	3MHz	64QAM	18615	1RB#14	1000~3000	-37.31	-13.0	PASS
Band2	3MHz	64QAM	18615	1RB#14	3000~20000	-44.47	-13.0	PASS
Band2	3MHz	64QAM	18615	15RB#0	0.009~0.15	-66.45	-43.0	PASS
Band2	3MHz	64QAM	18615	15RB#0	0.15~30	-69.75	-33.0	PASS
Band2	3MHz	64QAM	18615	15RB#0	30~1000	-60.31	-23.0	PASS
Band2	3MHz	64QAM	18615	15RB#0	1000~3000	-26.75	-13.0	PASS
Band2	3MHz	64QAM	18615	15RB#0	3000~20000	-44.61	-13.0	PASS
Band2	3MHz	16QAM	18615	1RB#0	0.009~0.15	-63.88	-43.0	PASS
Band2	3MHz	16QAM	18615	1RB#0	0.15~30	-64.66	-33.0	PASS
Band2	3MHz	16QAM	18615	1RB#0	30~1000	-60.52	-23.0	PASS
Band2	3MHz	16QAM	18615	1RB#0	1000~3000	-17.04	-13.0	PASS
Band2	3MHz	16QAM	18615	1RB#0	3000~20000	-44.24	-13.0	PASS
Band2	3MHz	16QAM	18615	1RB#14	0.009~0.15	-66.00	-43.0	PASS
Band2	3MHz	16QAM	18615	1RB#14	0.15~30	-67.27	-33.0	PASS
Band2	3MHz	16QAM	18615	1RB#14	30~1000	-60.61	-23.0	PASS
Band2	3MHz	16QAM	18615	1RB#14	1000~3000	-35.06	-13.0	PASS
Band2	3MHz	16QAM	18615	1RB#14	3000~20000	-44.42	-13.0	PASS
Band2	3MHz	16QAM	18615	15RB#0	0.009~0.15	-68.23	-43.0	PASS
Band2	3MHz	16QAM	18615	15RB#0	0.15~30	-68.75	-33.0	PASS
Band2	3MHz	16QAM	18615	15RB#0	30~1000	-60.65	-23.0	PASS
Band2	3MHz	16QAM	18615	15RB#0	1000~3000	-24.96	-13.0	PASS
Band2	3MHz	16QAM	18615	15RB#0	3000~20000	-44.43	-13.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.009~0.15	-64.24	-43.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.15~30	-66.20	-33.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	30~1000	-60.17	-23.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	1000~3000	-52.74	-13.0	PASS

Band2	3MHz	QPSK	18900	1RB#0	3000~20000	-44.73	-13.0	PASS
Band2	3MHz	QPSK	18900	1RB#14	0.009~0.15	-65.05	-43.0	PASS
Band2	3MHz	QPSK	18900	1RB#14	0.15~30	-64.44	-33.0	PASS
Band2	3MHz	QPSK	18900	1RB#14	30~1000	-59.78	-23.0	PASS
Band2	3MHz	QPSK	18900	1RB#14	1000~3000	-52.76	-13.0	PASS
Band2	3MHz	QPSK	18900	1RB#14	3000~20000	-44.65	-13.0	PASS
Band2	3MHz	QPSK	18900	15RB#0	0.009~0.15	-65.52	-43.0	PASS
Band2	3MHz	QPSK	18900	15RB#0	0.15~30	-68.65	-33.0	PASS
Band2	3MHz	QPSK	18900	15RB#0	30~1000	-60.70	-23.0	PASS
Band2	3MHz	QPSK	18900	15RB#0	1000~3000	-52.42	-13.0	PASS
Band2	3MHz	QPSK	18900	15RB#0	3000~20000	-44.43	-13.0	PASS
Band2	3MHz	64QAM	18900	1RB#0	0.009~0.15	-65.80	-43.0	PASS
Band2	3MHz	64QAM	18900	1RB#0	0.15~30	-68.25	-33.0	PASS
Band2	3MHz	64QAM	18900	1RB#0	30~1000	-60.85	-23.0	PASS
Band2	3MHz	64QAM	18900	1RB#0	1000~3000	-52.72	-13.0	PASS
Band2	3MHz	64QAM	18900	1RB#0	3000~20000	-44.36	-13.0	PASS
Band2	3MHz	64QAM	18900	1RB#14	0.009~0.15	-65.27	-43.0	PASS
Band2	3MHz	64QAM	18900	1RB#14	0.15~30	-66.61	-33.0	PASS
Band2	3MHz	64QAM	18900	1RB#14	30~1000	-60.68	-23.0	PASS
Band2	3MHz	64QAM	18900	1RB#14	1000~3000	-52.67	-13.0	PASS
Band2	3MHz	64QAM	18900	1RB#14	3000~20000	-44.50	-13.0	PASS
Band2	3MHz	64QAM	18900	15RB#0	0.009~0.15	-65.02	-43.0	PASS
Band2	3MHz	64QAM	18900	15RB#0	0.15~30	-70.09	-33.0	PASS
Band2	3MHz	64QAM	18900	15RB#0	30~1000	-59.03	-23.0	PASS
Band2	3MHz	64QAM	18900	15RB#0	1000~3000	-52.58	-13.0	PASS
Band2	3MHz	64QAM	18900	15RB#0	3000~20000	-44.74	-13.0	PASS
Band2	3MHz	16QAM	18900	1RB#0	0.009~0.15	-64.58	-43.0	PASS

					15			
Band2	3MHz	16QAM	18900	1RB#0	0.15~30	-67.40	-33.0	PASS
Band2	3MHz	16QAM	18900	1RB#0	30~1000	-59.95	-23.0	PASS
Band2	3MHz	16QAM	18900	1RB#0	1000~3000	-52.66	-13.0	PASS
Band2	3MHz	16QAM	18900	1RB#0	3000~20000	-44.75	-13.0	PASS
Band2	3MHz	16QAM	18900	1RB#14	0.009~0.15	-64.57	-43.0	PASS
Band2	3MHz	16QAM	18900	1RB#14	0.15~30	-64.21	-33.0	PASS
Band2	3MHz	16QAM	18900	1RB#14	30~1000	-60.38	-23.0	PASS
Band2	3MHz	16QAM	18900	1RB#14	1000~3000	-52.35	-13.0	PASS
Band2	3MHz	16QAM	18900	1RB#14	3000~20000	-44.63	-13.0	PASS
Band2	3MHz	16QAM	18900	15RB#0	0.009~0.15	-64.96	-43.0	PASS
Band2	3MHz	16QAM	18900	15RB#0	0.15~30	-69.52	-33.0	PASS
Band2	3MHz	16QAM	18900	15RB#0	30~1000	-60.43	-23.0	PASS
Band2	3MHz	16QAM	18900	15RB#0	1000~3000	-52.79	-13.0	PASS
Band2	3MHz	16QAM	18900	15RB#0	3000~20000	-44.77	-13.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.009~0.15	-65.01	-43.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.15~30	-66.92	-33.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	30~1000	-60.24	-23.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	1000~3000	-28.73	-13.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	3000~20000	-44.43	-13.0	PASS
Band2	3MHz	QPSK	19185	1RB#14	0.009~0.15	-64.87	-43.0	PASS
Band2	3MHz	QPSK	19185	1RB#14	0.15~30	-65.62	-33.0	PASS
Band2	3MHz	QPSK	19185	1RB#14	30~1000	-60.25	-23.0	PASS
Band2	3MHz	QPSK	19185	1RB#14	1000~3000	-17.16	-13.0	PASS
Band2	3MHz	QPSK	19185	1RB#14	3000~20000	-44.55	-13.0	PASS
Band2	3MHz	QPSK	19185	15RB#0	0.009~0.15	-63.48	-43.0	PASS
Band2	3MHz	QPSK	19185	15RB#0	0.15~30	-68.83	-33.0	PASS
Band2	3MHz	QPSK	19185	15RB#0	30~1000	-60.60	-23.0	PASS

Band2	3MHz	QPSK	19185	15RB#0	1000~3000	-22.27	-13.0	PASS
Band2	3MHz	QPSK	19185	15RB#0	3000~20000	-44.73	-13.0	PASS
Band2	3MHz	64QAM	19185	1RB#0	0.009~0.15	-65.33	-43.0	PASS
Band2	3MHz	64QAM	19185	1RB#0	0.15~30	-66.07	-33.0	PASS
Band2	3MHz	64QAM	19185	1RB#0	30~1000	-59.84	-23.0	PASS
Band2	3MHz	64QAM	19185	1RB#0	1000~3000	-29.12	-13.0	PASS
Band2	3MHz	64QAM	19185	1RB#0	3000~20000	-44.51	-13.0	PASS
Band2	3MHz	64QAM	19185	1RB#14	0.009~0.15	-65.79	-43.0	PASS
Band2	3MHz	64QAM	19185	1RB#14	0.15~30	-67.45	-33.0	PASS
Band2	3MHz	64QAM	19185	1RB#14	30~1000	-59.89	-23.0	PASS
Band2	3MHz	64QAM	19185	1RB#14	1000~3000	-19.53	-13.0	PASS
Band2	3MHz	64QAM	19185	1RB#14	3000~20000	-44.54	-13.0	PASS
Band2	3MHz	64QAM	19185	15RB#0	0.009~0.15	-66.99	-43.0	PASS
Band2	3MHz	64QAM	19185	15RB#0	0.15~30	-69.91	-33.0	PASS
Band2	3MHz	64QAM	19185	15RB#0	30~1000	-60.38	-23.0	PASS
Band2	3MHz	64QAM	19185	15RB#0	1000~3000	-24.58	-13.0	PASS
Band2	3MHz	64QAM	19185	15RB#0	3000~20000	-44.74	-13.0	PASS
Band2	3MHz	16QAM	19185	1RB#0	0.009~0.15	-65.65	-43.0	PASS
Band2	3MHz	16QAM	19185	1RB#0	0.15~30	-65.10	-33.0	PASS
Band2	3MHz	16QAM	19185	1RB#0	30~1000	-59.93	-23.0	PASS
Band2	3MHz	16QAM	19185	1RB#0	1000~3000	-30.33	-13.0	PASS
Band2	3MHz	16QAM	19185	1RB#0	3000~20000	-44.35	-13.0	PASS
Band2	3MHz	16QAM	19185	1RB#14	0.009~0.15	-63.12	-43.0	PASS
Band2	3MHz	16QAM	19185	1RB#14	0.15~30	-67.00	-33.0	PASS
Band2	3MHz	16QAM	19185	1RB#14	30~1000	-60.64	-23.0	PASS
Band2	3MHz	16QAM	19185	1RB#14	1000~3000	-16.39	-13.0	PASS
Band2	3MHz	16QAM	19185	1RB#14	3000~20000	-44.74	-13.0	PASS

					000			
Band2	3MHz	16QAM	19185	15RB#0	0.009~0.15	-66.90	-43.0	PASS
Band2	3MHz	16QAM	19185	15RB#0	0.15~30	-69.02	-33.0	PASS
Band2	3MHz	16QAM	19185	15RB#0	30~1000	-60.78	-23.0	PASS
Band2	3MHz	16QAM	19185	15RB#0	1000~3000	-23.85	-13.0	PASS
Band2	3MHz	16QAM	19185	15RB#0	3000~20000	-44.72	-13.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.009~0.15	-64.12	-43.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.15~30	-66.42	-33.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	30~1000	-60.31	-23.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	1000~3000	-21.91	-13.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	3000~20000	-44.67	-13.0	PASS
Band2	5MHz	QPSK	18625	1RB#24	0.009~0.15	-63.64	-43.0	PASS
Band2	5MHz	QPSK	18625	1RB#24	0.15~30	-64.51	-33.0	PASS
Band2	5MHz	QPSK	18625	1RB#24	30~1000	-59.07	-23.0	PASS
Band2	5MHz	QPSK	18625	1RB#24	1000~3000	-38.54	-13.0	PASS
Band2	5MHz	QPSK	18625	1RB#24	3000~20000	-44.62	-13.0	PASS
Band2	5MHz	QPSK	18625	25RB#0	0.009~0.15	-67.76	-43.0	PASS
Band2	5MHz	QPSK	18625	25RB#0	0.15~30	-68.00	-33.0	PASS
Band2	5MHz	QPSK	18625	25RB#0	30~1000	-60.33	-23.0	PASS
Band2	5MHz	QPSK	18625	25RB#0	1000~3000	-26.62	-13.0	PASS
Band2	5MHz	QPSK	18625	25RB#0	3000~20000	-44.59	-13.0	PASS
Band2	5MHz	64QAM	18625	1RB#0	0.009~0.15	-64.99	-43.0	PASS
Band2	5MHz	64QAM	18625	1RB#0	0.15~30	-67.03	-33.0	PASS
Band2	5MHz	64QAM	18625	1RB#0	30~1000	-59.93	-23.0	PASS
Band2	5MHz	64QAM	18625	1RB#0	1000~3000	-23.03	-13.0	PASS
Band2	5MHz	64QAM	18625	1RB#0	3000~20000	-44.55	-13.0	PASS
Band2	5MHz	64QAM	18625	1RB#24	0.009~0.15	-65.04	-43.0	PASS

Band2	5MHz	64QAM	18625	1RB#24	0.15~30	-67.04	-33.0	PASS
Band2	5MHz	64QAM	18625	1RB#24	30~1000	-59.92	-23.0	PASS
Band2	5MHz	64QAM	18625	1RB#24	1000~3000	-40.79	-13.0	PASS
Band2	5MHz	64QAM	18625	1RB#24	3000~20000	-44.43	-13.0	PASS
Band2	5MHz	64QAM	18625	25RB#0	0.009~0.15	-65.66	-43.0	PASS
Band2	5MHz	64QAM	18625	25RB#0	0.15~30	-70.16	-33.0	PASS
Band2	5MHz	64QAM	18625	25RB#0	30~1000	-59.39	-23.0	PASS
Band2	5MHz	64QAM	18625	25RB#0	1000~3000	-27.18	-13.0	PASS
Band2	5MHz	64QAM	18625	25RB#0	3000~20000	-44.68	-13.0	PASS
Band2	5MHz	16QAM	18625	1RB#0	0.009~0.15	-61.50	-43.0	PASS
Band2	5MHz	16QAM	18625	1RB#0	0.15~30	-65.20	-33.0	PASS
Band2	5MHz	16QAM	18625	1RB#0	30~1000	-60.22	-23.0	PASS
Band2	5MHz	16QAM	18625	1RB#0	1000~3000	-22.40	-13.0	PASS
Band2	5MHz	16QAM	18625	1RB#0	3000~20000	-44.72	-13.0	PASS
Band2	5MHz	16QAM	18625	1RB#24	0.009~0.15	-64.55	-43.0	PASS
Band2	5MHz	16QAM	18625	1RB#24	0.15~30	-66.89	-33.0	PASS
Band2	5MHz	16QAM	18625	1RB#24	30~1000	-60.73	-23.0	PASS
Band2	5MHz	16QAM	18625	1RB#24	1000~3000	-39.23	-13.0	PASS
Band2	5MHz	16QAM	18625	1RB#24	3000~20000	-44.50	-13.0	PASS
Band2	5MHz	16QAM	18625	25RB#0	0.009~0.15	-68.81	-43.0	PASS
Band2	5MHz	16QAM	18625	25RB#0	0.15~30	-68.61	-33.0	PASS
Band2	5MHz	16QAM	18625	25RB#0	30~1000	-60.21	-23.0	PASS
Band2	5MHz	16QAM	18625	25RB#0	1000~3000	-24.98	-13.0	PASS
Band2	5MHz	16QAM	18625	25RB#0	3000~20000	-44.59	-13.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.009~0.15	-65.85	-43.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.15~30	-63.93	-33.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	30~1000	-59.96	-23.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	1000~30	-52.72	-13.0	PASS

					00			
Band2	5MHz	QPSK	18900	1RB#0	3000~20000	-44.69	-13.0	PASS
Band2	5MHz	QPSK	18900	1RB#24	0.009~0.15	-64.74	-43.0	PASS
Band2	5MHz	QPSK	18900	1RB#24	0.15~30	-64.62	-33.0	PASS
Band2	5MHz	QPSK	18900	1RB#24	30~1000	-60.09	-23.0	PASS
Band2	5MHz	QPSK	18900	1RB#24	1000~3000	-52.72	-13.0	PASS
Band2	5MHz	QPSK	18900	1RB#24	3000~20000	-44.71	-13.0	PASS
Band2	5MHz	QPSK	18900	25RB#0	0.009~0.15	-67.80	-43.0	PASS
Band2	5MHz	QPSK	18900	25RB#0	0.15~30	-68.11	-33.0	PASS
Band2	5MHz	QPSK	18900	25RB#0	30~1000	-60.37	-23.0	PASS
Band2	5MHz	QPSK	18900	25RB#0	1000~3000	-52.77	-13.0	PASS
Band2	5MHz	QPSK	18900	25RB#0	3000~20000	-44.62	-13.0	PASS
Band2	5MHz	64QAM	18900	1RB#0	0.009~0.15	-64.81	-43.0	PASS
Band2	5MHz	64QAM	18900	1RB#0	0.15~30	-68.25	-33.0	PASS
Band2	5MHz	64QAM	18900	1RB#0	30~1000	-60.39	-23.0	PASS
Band2	5MHz	64QAM	18900	1RB#0	1000~3000	-52.76	-13.0	PASS
Band2	5MHz	64QAM	18900	1RB#0	3000~20000	-44.39	-13.0	PASS
Band2	5MHz	64QAM	18900	1RB#24	0.009~0.15	-64.88	-43.0	PASS
Band2	5MHz	64QAM	18900	1RB#24	0.15~30	-68.08	-33.0	PASS
Band2	5MHz	64QAM	18900	1RB#24	30~1000	-60.21	-23.0	PASS
Band2	5MHz	64QAM	18900	1RB#24	1000~3000	-52.55	-13.0	PASS
Band2	5MHz	64QAM	18900	1RB#24	3000~20000	-44.51	-13.0	PASS
Band2	5MHz	64QAM	18900	25RB#0	0.009~0.15	-66.34	-43.0	PASS
Band2	5MHz	64QAM	18900	25RB#0	0.15~30	-71.27	-33.0	PASS
Band2	5MHz	64QAM	18900	25RB#0	30~1000	-60.09	-23.0	PASS
Band2	5MHz	64QAM	18900	25RB#0	1000~3000	-52.84	-13.0	PASS
Band2	5MHz	64QAM	18900	25RB#0	3000~20000	-44.39	-13.0	PASS

Band2	5MHz	16QAM	18900	1RB#0	0.009~0.15	-64.97	-43.0	PASS
Band2	5MHz	16QAM	18900	1RB#0	0.15~30	-63.19	-33.0	PASS
Band2	5MHz	16QAM	18900	1RB#0	30~1000	-60.16	-23.0	PASS
Band2	5MHz	16QAM	18900	1RB#0	1000~3000	-52.76	-13.0	PASS
Band2	5MHz	16QAM	18900	1RB#0	3000~20000	-44.73	-13.0	PASS
Band2	5MHz	16QAM	18900	1RB#24	0.009~0.15	-64.33	-43.0	PASS
Band2	5MHz	16QAM	18900	1RB#24	0.15~30	-66.72	-33.0	PASS
Band2	5MHz	16QAM	18900	1RB#24	30~1000	-60.34	-23.0	PASS
Band2	5MHz	16QAM	18900	1RB#24	1000~3000	-52.75	-13.0	PASS
Band2	5MHz	16QAM	18900	1RB#24	3000~20000	-44.51	-13.0	PASS
Band2	5MHz	16QAM	18900	25RB#0	0.009~0.15	-67.39	-43.0	PASS
Band2	5MHz	16QAM	18900	25RB#0	0.15~30	-69.99	-33.0	PASS
Band2	5MHz	16QAM	18900	25RB#0	30~1000	-60.80	-23.0	PASS
Band2	5MHz	16QAM	18900	25RB#0	1000~3000	-52.65	-13.0	PASS
Band2	5MHz	16QAM	18900	25RB#0	3000~20000	-44.67	-13.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.009~0.15	-63.87	-43.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.15~30	-66.71	-33.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	30~1000	-60.78	-23.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	1000~3000	-27.38	-13.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	3000~20000	-44.52	-13.0	PASS
Band2	5MHz	QPSK	19175	1RB#24	0.009~0.15	-63.67	-43.0	PASS
Band2	5MHz	QPSK	19175	1RB#24	0.15~30	-64.37	-33.0	PASS
Band2	5MHz	QPSK	19175	1RB#24	30~1000	-59.90	-23.0	PASS
Band2	5MHz	QPSK	19175	1RB#24	1000~3000	-22.29	-13.0	PASS
Band2	5MHz	QPSK	19175	1RB#24	3000~20000	-44.29	-13.0	PASS
Band2	5MHz	QPSK	19175	25RB#0	0.009~0.15	-69.64	-43.0	PASS
Band2	5MHz	QPSK	19175	25RB#0	0.15~30	-68.16	-33.0	PASS

Band2	5MHz	QPSK	19175	25RB#0	30~1000	-60.31	-23.0	PASS
Band2	5MHz	QPSK	19175	25RB#0	1000~3000	-23.19	-13.0	PASS
Band2	5MHz	QPSK	19175	25RB#0	3000~20000	-44.43	-13.0	PASS
Band2	5MHz	64QAM	19175	1RB#0	0.009~0.15	-66.97	-43.0	PASS
Band2	5MHz	64QAM	19175	1RB#0	0.15~30	-71.17	-33.0	PASS
Band2	5MHz	64QAM	19175	1RB#0	30~1000	-60.19	-23.0	PASS
Band2	5MHz	64QAM	19175	1RB#0	1000~3000	-31.18	-13.0	PASS
Band2	5MHz	64QAM	19175	1RB#0	3000~20000	-44.53	-13.0	PASS
Band2	5MHz	64QAM	19175	1RB#24	0.009~0.15	-66.34	-43.0	PASS
Band2	5MHz	64QAM	19175	1RB#24	0.15~30	-67.77	-33.0	PASS
Band2	5MHz	64QAM	19175	1RB#24	30~1000	-60.52	-23.0	PASS
Band2	5MHz	64QAM	19175	1RB#24	1000~3000	-24.53	-13.0	PASS
Band2	5MHz	64QAM	19175	1RB#24	3000~20000	-44.45	-13.0	PASS
Band2	5MHz	64QAM	19175	25RB#0	0.009~0.15	-67.04	-43.0	PASS
Band2	5MHz	64QAM	19175	25RB#0	0.15~30	-69.74	-33.0	PASS
Band2	5MHz	64QAM	19175	25RB#0	30~1000	-59.84	-23.0	PASS
Band2	5MHz	64QAM	19175	25RB#0	1000~3000	-24.19	-13.0	PASS
Band2	5MHz	64QAM	19175	25RB#0	3000~20000	-44.64	-13.0	PASS
Band2	5MHz	16QAM	19175	1RB#0	0.009~0.15	-66.11	-43.0	PASS
Band2	5MHz	16QAM	19175	1RB#0	0.15~30	-67.64	-33.0	PASS
Band2	5MHz	16QAM	19175	1RB#0	30~1000	-60.13	-23.0	PASS
Band2	5MHz	16QAM	19175	1RB#0	1000~3000	-32.90	-13.0	PASS
Band2	5MHz	16QAM	19175	1RB#0	3000~20000	-44.38	-13.0	PASS
Band2	5MHz	16QAM	19175	1RB#24	0.009~0.15	-64.45	-43.0	PASS
Band2	5MHz	16QAM	19175	1RB#24	0.15~30	-66.84	-33.0	PASS
Band2	5MHz	16QAM	19175	1RB#24	30~1000	-59.70	-23.0	PASS
Band2	5MHz	16QAM	19175	1RB#24	1000~3000	-23.60	-13.0	PASS

Band2	5MHz	16QAM	19175	1RB#24	3000~20000	-44.34	-13.0	PASS
Band2	5MHz	16QAM	19175	25RB#0	0.009~0.15	-65.63	-43.0	PASS
Band2	5MHz	16QAM	19175	25RB#0	0.15~30	-69.18	-33.0	PASS
Band2	5MHz	16QAM	19175	25RB#0	30~1000	-60.57	-23.0	PASS
Band2	5MHz	16QAM	19175	25RB#0	1000~3000	-23.86	-13.0	PASS
Band2	5MHz	16QAM	19175	25RB#0	3000~20000	-44.63	-13.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.009~0.15	-64.69	-43.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.15~30	-64.44	-33.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	30~1000	-59.30	-23.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	1000~3000	-31.10	-13.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	3000~20000	-44.34	-13.0	PASS
Band2	10MHz	QPSK	18650	1RB#49	0.009~0.15	-62.11	-43.0	PASS
Band2	10MHz	QPSK	18650	1RB#49	0.15~30	-62.19	-33.0	PASS
Band2	10MHz	QPSK	18650	1RB#49	30~1000	-60.50	-23.0	PASS
Band2	10MHz	QPSK	18650	1RB#49	1000~3000	-35.12	-13.0	PASS
Band2	10MHz	QPSK	18650	1RB#49	3000~20000	-44.50	-13.0	PASS
Band2	10MHz	QPSK	18650	50RB#0	0.009~0.15	-69.31	-43.0	PASS
Band2	10MHz	QPSK	18650	50RB#0	0.15~30	-70.34	-33.0	PASS
Band2	10MHz	QPSK	18650	50RB#0	30~1000	-60.53	-23.0	PASS
Band2	10MHz	QPSK	18650	50RB#0	1000~3000	-26.39	-13.0	PASS
Band2	10MHz	QPSK	18650	50RB#0	3000~20000	-44.22	-13.0	PASS
Band2	10MHz	64QAM	18650	1RB#0	0.009~0.15	-63.40	-43.0	PASS
Band2	10MHz	64QAM	18650	1RB#0	0.15~30	-67.59	-33.0	PASS
Band2	10MHz	64QAM	18650	1RB#0	30~1000	-60.38	-23.0	PASS
Band2	10MHz	64QAM	18650	1RB#0	1000~3000	-32.62	-13.0	PASS
Band2	10MHz	64QAM	18650	1RB#0	3000~20000	-44.48	-13.0	PASS
Band2	10MHz	64QAM	18650	1RB#49	0.009~0.15	-62.68	-43.0	PASS

					15			
Band2	10MHz	64QAM	18650	1RB#49	0.15~30	-68.12	-33.0	PASS
Band2	10MHz	64QAM	18650	1RB#49	30~1000	-60.51	-23.0	PASS
Band2	10MHz	64QAM	18650	1RB#49	1000~3000	-38.13	-13.0	PASS
Band2	10MHz	64QAM	18650	1RB#49	3000~20000	-44.65	-13.0	PASS
Band2	10MHz	64QAM	18650	50RB#0	0.009~0.15	-67.52	-43.0	PASS
Band2	10MHz	64QAM	18650	50RB#0	0.15~30	-70.44	-33.0	PASS
Band2	10MHz	64QAM	18650	50RB#0	30~1000	-60.04	-23.0	PASS
Band2	10MHz	64QAM	18650	50RB#0	1000~3000	-27.54	-13.0	PASS
Band2	10MHz	64QAM	18650	50RB#0	3000~20000	-44.72	-13.0	PASS
Band2	10MHz	16QAM	18650	1RB#0	0.009~0.15	-60.41	-43.0	PASS
Band2	10MHz	16QAM	18650	1RB#0	0.15~30	-69.04	-33.0	PASS
Band2	10MHz	16QAM	18650	1RB#0	30~1000	-60.22	-23.0	PASS
Band2	10MHz	16QAM	18650	1RB#0	1000~3000	-32.12	-13.0	PASS
Band2	10MHz	16QAM	18650	1RB#0	3000~20000	-44.58	-13.0	PASS
Band2	10MHz	16QAM	18650	1RB#49	0.009~0.15	-62.86	-43.0	PASS
Band2	10MHz	16QAM	18650	1RB#49	0.15~30	-67.80	-33.0	PASS
Band2	10MHz	16QAM	18650	1RB#49	30~1000	-60.16	-23.0	PASS
Band2	10MHz	16QAM	18650	1RB#49	1000~3000	-35.07	-13.0	PASS
Band2	10MHz	16QAM	18650	1RB#49	3000~20000	-44.33	-13.0	PASS
Band2	10MHz	16QAM	18650	50RB#0	0.009~0.15	-69.36	-43.0	PASS
Band2	10MHz	16QAM	18650	50RB#0	0.15~30	-70.38	-33.0	PASS
Band2	10MHz	16QAM	18650	50RB#0	30~1000	-60.21	-23.0	PASS
Band2	10MHz	16QAM	18650	50RB#0	1000~3000	-27.08	-13.0	PASS
Band2	10MHz	16QAM	18650	50RB#0	3000~20000	-44.43	-13.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.009~0.15	-63.11	-43.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.15~30	-64.54	-33.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	30~1000	-60.08	-23.0	PASS

Band2	10MHz	QPSK	18900	1RB#0	1000~3000	-52.65	-13.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	3000~20000	-44.43	-13.0	PASS
Band2	10MHz	QPSK	18900	1RB#49	0.009~0.15	-64.60	-43.0	PASS
Band2	10MHz	QPSK	18900	1RB#49	0.15~30	-65.67	-33.0	PASS
Band2	10MHz	QPSK	18900	1RB#49	30~1000	-59.98	-23.0	PASS
Band2	10MHz	QPSK	18900	1RB#49	1000~3000	-52.60	-13.0	PASS
Band2	10MHz	QPSK	18900	1RB#49	3000~20000	-44.61	-13.0	PASS
Band2	10MHz	QPSK	18900	50RB#0	0.009~0.15	-66.84	-43.0	PASS
Band2	10MHz	QPSK	18900	50RB#0	0.15~30	-71.00	-33.0	PASS
Band2	10MHz	QPSK	18900	50RB#0	30~1000	-60.12	-23.0	PASS
Band2	10MHz	QPSK	18900	50RB#0	1000~3000	-52.82	-13.0	PASS
Band2	10MHz	QPSK	18900	50RB#0	3000~20000	-44.50	-13.0	PASS
Band2	10MHz	64QAM	18900	1RB#0	0.009~0.15	-64.28	-43.0	PASS
Band2	10MHz	64QAM	18900	1RB#0	0.15~30	-67.87	-33.0	PASS
Band2	10MHz	64QAM	18900	1RB#0	30~1000	-60.11	-23.0	PASS
Band2	10MHz	64QAM	18900	1RB#0	1000~3000	-52.61	-13.0	PASS
Band2	10MHz	64QAM	18900	1RB#0	3000~20000	-44.85	-13.0	PASS
Band2	10MHz	64QAM	18900	1RB#49	0.009~0.15	-65.49	-43.0	PASS
Band2	10MHz	64QAM	18900	1RB#49	0.15~30	-68.44	-33.0	PASS
Band2	10MHz	64QAM	18900	1RB#49	30~1000	-60.12	-23.0	PASS
Band2	10MHz	64QAM	18900	1RB#49	1000~3000	-52.77	-13.0	PASS
Band2	10MHz	64QAM	18900	1RB#49	3000~20000	-44.22	-13.0	PASS
Band2	10MHz	64QAM	18900	50RB#0	0.009~0.15	-68.54	-43.0	PASS
Band2	10MHz	64QAM	18900	50RB#0	0.15~30	-71.74	-33.0	PASS
Band2	10MHz	64QAM	18900	50RB#0	30~1000	-60.03	-23.0	PASS
Band2	10MHz	64QAM	18900	50RB#0	1000~3000	-52.65	-13.0	PASS
Band2	10MHz	64QAM	18900	50RB#0	3000~20000	-44.23	-13.0	PASS

					000			
Band2	10MHz	16QAM	18900	1RB#0	0.009~0.15	-65.67	-43.0	PASS
Band2	10MHz	16QAM	18900	1RB#0	0.15~30	-66.42	-33.0	PASS
Band2	10MHz	16QAM	18900	1RB#0	30~1000	-60.41	-23.0	PASS
Band2	10MHz	16QAM	18900	1RB#0	1000~3000	-52.62	-13.0	PASS
Band2	10MHz	16QAM	18900	1RB#0	3000~20000	-44.72	-13.0	PASS
Band2	10MHz	16QAM	18900	1RB#49	0.009~0.15	-64.52	-43.0	PASS
Band2	10MHz	16QAM	18900	1RB#49	0.15~30	-63.67	-33.0	PASS
Band2	10MHz	16QAM	18900	1RB#49	30~1000	-60.26	-23.0	PASS
Band2	10MHz	16QAM	18900	1RB#49	1000~3000	-52.58	-13.0	PASS
Band2	10MHz	16QAM	18900	1RB#49	3000~20000	-44.20	-13.0	PASS
Band2	10MHz	16QAM	18900	50RB#0	0.009~0.15	-66.91	-43.0	PASS
Band2	10MHz	16QAM	18900	50RB#0	0.15~30	-71.12	-33.0	PASS
Band2	10MHz	16QAM	18900	50RB#0	30~1000	-60.37	-23.0	PASS
Band2	10MHz	16QAM	18900	50RB#0	1000~3000	-52.76	-13.0	PASS
Band2	10MHz	16QAM	18900	50RB#0	3000~20000	-44.74	-13.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.009~0.15	-65.73	-43.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.15~30	-66.27	-33.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	30~1000	-60.26	-23.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	1000~3000	-37.96	-13.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	3000~20000	-44.57	-13.0	PASS
Band2	10MHz	QPSK	19150	1RB#49	0.009~0.15	-64.49	-43.0	PASS
Band2	10MHz	QPSK	19150	1RB#49	0.15~30	-67.02	-33.0	PASS
Band2	10MHz	QPSK	19150	1RB#49	30~1000	-60.40	-23.0	PASS
Band2	10MHz	QPSK	19150	1RB#49	1000~3000	-31.69	-13.0	PASS
Band2	10MHz	QPSK	19150	1RB#49	3000~20000	-44.35	-13.0	PASS
Band2	10MHz	QPSK	19150	50RB#0	0.009~0.15	-67.55	-43.0	PASS

Band2	10MHz	QPSK	19150	50RB#0	0.15~30	-71.37	-33.0	PASS
Band2	10MHz	QPSK	19150	50RB#0	30~1000	-60.26	-23.0	PASS
Band2	10MHz	QPSK	19150	50RB#0	1000~3000	-25.77	-13.0	PASS
Band2	10MHz	QPSK	19150	50RB#0	3000~20000	-44.39	-13.0	PASS
Band2	10MHz	64QAM	19150	1RB#0	0.009~0.15	-63.53	-43.0	PASS
Band2	10MHz	64QAM	19150	1RB#0	0.15~30	-66.81	-33.0	PASS
Band2	10MHz	64QAM	19150	1RB#0	30~1000	-60.21	-23.0	PASS
Band2	10MHz	64QAM	19150	1RB#0	1000~3000	-39.56	-13.0	PASS
Band2	10MHz	64QAM	19150	1RB#0	3000~20000	-44.41	-13.0	PASS
Band2	10MHz	64QAM	19150	1RB#49	0.009~0.15	-66.41	-43.0	PASS
Band2	10MHz	64QAM	19150	1RB#49	0.15~30	-69.72	-33.0	PASS
Band2	10MHz	64QAM	19150	1RB#49	30~1000	-59.70	-23.0	PASS
Band2	10MHz	64QAM	19150	1RB#49	1000~3000	-33.26	-13.0	PASS
Band2	10MHz	64QAM	19150	1RB#49	3000~20000	-44.69	-13.0	PASS
Band2	10MHz	64QAM	19150	50RB#0	0.009~0.15	-67.85	-43.0	PASS
Band2	10MHz	64QAM	19150	50RB#0	0.15~30	-72.23	-33.0	PASS
Band2	10MHz	64QAM	19150	50RB#0	30~1000	-60.41	-23.0	PASS
Band2	10MHz	64QAM	19150	50RB#0	1000~3000	-26.42	-13.0	PASS
Band2	10MHz	64QAM	19150	50RB#0	3000~20000	-44.08	-13.0	PASS
Band2	10MHz	16QAM	19150	1RB#0	0.009~0.15	-62.99	-43.0	PASS
Band2	10MHz	16QAM	19150	1RB#0	0.15~30	-66.35	-33.0	PASS
Band2	10MHz	16QAM	19150	1RB#0	30~1000	-60.50	-23.0	PASS
Band2	10MHz	16QAM	19150	1RB#0	1000~3000	-38.87	-13.0	PASS
Band2	10MHz	16QAM	19150	1RB#0	3000~20000	-44.55	-13.0	PASS
Band2	10MHz	16QAM	19150	1RB#49	0.009~0.15	-64.38	-43.0	PASS
Band2	10MHz	16QAM	19150	1RB#49	0.15~30	-65.18	-33.0	PASS
Band2	10MHz	16QAM	19150	1RB#49	30~1000	-60.65	-23.0	PASS
Band2	10MHz	16QAM	19150	1RB#49	1000~3000	-32.32	-13.0	PASS

					00			
Band2	10MHz	16QAM	19150	1RB#49	3000~20000	-44.64	-13.0	PASS
Band2	10MHz	16QAM	19150	50RB#0	0.009~0.15	-68.22	-43.0	PASS
Band2	10MHz	16QAM	19150	50RB#0	0.15~30	-70.79	-33.0	PASS
Band2	10MHz	16QAM	19150	50RB#0	30~1000	-60.32	-23.0	PASS
Band2	10MHz	16QAM	19150	50RB#0	1000~3000	-25.35	-13.0	PASS
Band2	10MHz	16QAM	19150	50RB#0	3000~20000	-44.26	-13.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.009~0.15	-63.53	-43.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.15~30	-64.58	-33.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	30~1000	-60.42	-23.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	1000~3000	-34.83	-13.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	3000~20000	-44.59	-13.0	PASS
Band2	15MHz	QPSK	18675	1RB#74	0.009~0.15	-63.93	-43.0	PASS
Band2	15MHz	QPSK	18675	1RB#74	0.15~30	-67.21	-33.0	PASS
Band2	15MHz	QPSK	18675	1RB#74	30~1000	-59.56	-23.0	PASS
Band2	15MHz	QPSK	18675	1RB#74	1000~3000	-36.43	-13.0	PASS
Band2	15MHz	QPSK	18675	1RB#74	3000~20000	-43.76	-13.0	PASS
Band2	15MHz	QPSK	18675	75RB#0	0.009~0.15	-63.79	-43.0	PASS
Band2	15MHz	QPSK	18675	75RB#0	0.15~30	-66.32	-33.0	PASS
Band2	15MHz	QPSK	18675	75RB#0	30~1000	-60.36	-23.0	PASS
Band2	15MHz	QPSK	18675	75RB#0	1000~3000	-24.34	-13.0	PASS
Band2	15MHz	QPSK	18675	75RB#0	3000~20000	-44.51	-13.0	PASS
Band2	15MHz	64QAM	18675	1RB#0	0.009~0.15	-65.79	-43.0	PASS
Band2	15MHz	64QAM	18675	1RB#0	0.15~30	-64.02	-33.0	PASS
Band2	15MHz	64QAM	18675	1RB#0	30~1000	-60.34	-23.0	PASS
Band2	15MHz	64QAM	18675	1RB#0	1000~3000	-37.60	-13.0	PASS
Band2	15MHz	64QAM	18675	1RB#0	3000~20000	-44.68	-13.0	PASS

Band2	15MHz	64QAM	18675	1RB#74	0.009~0.15	-61.12	-43.0	PASS
Band2	15MHz	64QAM	18675	1RB#74	0.15~30	-68.55	-33.0	PASS
Band2	15MHz	64QAM	18675	1RB#74	30~1000	-60.10	-23.0	PASS
Band2	15MHz	64QAM	18675	1RB#74	1000~3000	-39.64	-13.0	PASS
Band2	15MHz	64QAM	18675	1RB#74	3000~20000	-44.56	-13.0	PASS
Band2	15MHz	64QAM	18675	75RB#0	0.009~0.15	-68.71	-43.0	PASS
Band2	15MHz	64QAM	18675	75RB#0	0.15~30	-69.14	-33.0	PASS
Band2	15MHz	64QAM	18675	75RB#0	30~1000	-60.17	-23.0	PASS
Band2	15MHz	64QAM	18675	75RB#0	1000~3000	-27.72	-13.0	PASS
Band2	15MHz	64QAM	18675	75RB#0	3000~20000	-44.54	-13.0	PASS
Band2	15MHz	16QAM	18675	1RB#0	0.009~0.15	-61.38	-43.0	PASS
Band2	15MHz	16QAM	18675	1RB#0	0.15~30	-66.42	-33.0	PASS
Band2	15MHz	16QAM	18675	1RB#0	30~1000	-60.55	-23.0	PASS
Band2	15MHz	16QAM	18675	1RB#0	1000~3000	-36.65	-13.0	PASS
Band2	15MHz	16QAM	18675	1RB#0	3000~20000	-44.49	-13.0	PASS
Band2	15MHz	16QAM	18675	1RB#74	0.009~0.15	-63.47	-43.0	PASS
Band2	15MHz	16QAM	18675	1RB#74	0.15~30	-67.74	-33.0	PASS
Band2	15MHz	16QAM	18675	1RB#74	30~1000	-59.75	-23.0	PASS
Band2	15MHz	16QAM	18675	1RB#74	1000~3000	-36.15	-13.0	PASS
Band2	15MHz	16QAM	18675	1RB#74	3000~20000	-44.36	-13.0	PASS
Band2	15MHz	16QAM	18675	75RB#0	0.009~0.15	-67.77	-43.0	PASS
Band2	15MHz	16QAM	18675	75RB#0	0.15~30	-67.28	-33.0	PASS
Band2	15MHz	16QAM	18675	75RB#0	30~1000	-60.34	-23.0	PASS
Band2	15MHz	16QAM	18675	75RB#0	1000~3000	-25.92	-13.0	PASS
Band2	15MHz	16QAM	18675	75RB#0	3000~20000	-44.28	-13.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.009~0.15	-65.85	-43.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.15~30	-65.78	-33.0	PASS

Band2	15MHz	QPSK	18900	1RB#0	30~1000	-60.26	-23.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	1000~3000	-38.33	-13.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	3000~20000	-44.47	-13.0	PASS
Band2	15MHz	QPSK	18900	1RB#74	0.009~0.15	-61.02	-43.0	PASS
Band2	15MHz	QPSK	18900	1RB#74	0.15~30	-63.58	-33.0	PASS
Band2	15MHz	QPSK	18900	1RB#74	30~1000	-59.84	-23.0	PASS
Band2	15MHz	QPSK	18900	1RB#74	1000~3000	-46.08	-13.0	PASS
Band2	15MHz	QPSK	18900	1RB#74	3000~20000	-44.55	-13.0	PASS
Band2	15MHz	QPSK	18900	75RB#0	0.009~0.15	-68.51	-43.0	PASS
Band2	15MHz	QPSK	18900	75RB#0	0.15~30	-66.86	-33.0	PASS
Band2	15MHz	QPSK	18900	75RB#0	30~1000	-60.14	-23.0	PASS
Band2	15MHz	QPSK	18900	75RB#0	1000~3000	-45.31	-13.0	PASS
Band2	15MHz	QPSK	18900	75RB#0	3000~20000	-44.70	-13.0	PASS
Band2	15MHz	64QAM	18900	1RB#0	0.009~0.15	-64.92	-43.0	PASS
Band2	15MHz	64QAM	18900	1RB#0	0.15~30	-70.09	-33.0	PASS
Band2	15MHz	64QAM	18900	1RB#0	30~1000	-60.28	-23.0	PASS
Band2	15MHz	64QAM	18900	1RB#0	1000~3000	-50.74	-13.0	PASS
Band2	15MHz	64QAM	18900	1RB#0	3000~20000	-44.36	-13.0	PASS
Band2	15MHz	64QAM	18900	1RB#74	0.009~0.15	-64.97	-43.0	PASS
Band2	15MHz	64QAM	18900	1RB#74	0.15~30	-66.78	-33.0	PASS
Band2	15MHz	64QAM	18900	1RB#74	30~1000	-60.65	-23.0	PASS
Band2	15MHz	64QAM	18900	1RB#74	1000~3000	-51.60	-13.0	PASS
Band2	15MHz	64QAM	18900	1RB#74	3000~20000	-44.60	-13.0	PASS
Band2	15MHz	64QAM	18900	75RB#0	0.009~0.15	-66.01	-43.0	PASS
Band2	15MHz	64QAM	18900	75RB#0	0.15~30	-69.71	-33.0	PASS
Band2	15MHz	64QAM	18900	75RB#0	30~1000	-60.05	-23.0	PASS
Band2	15MHz	64QAM	18900	75RB#0	1000~3000	-51.17	-13.0	PASS

Band2	15MHz	64QAM	18900	75RB#0	3000~20000	-44.48	-13.0	PASS
Band2	15MHz	16QAM	18900	1RB#0	0.009~0.15	-64.20	-43.0	PASS
Band2	15MHz	16QAM	18900	1RB#0	0.15~30	-66.93	-33.0	PASS
Band2	15MHz	16QAM	18900	1RB#0	30~1000	-60.27	-23.0	PASS
Band2	15MHz	16QAM	18900	1RB#0	1000~3000	-51.45	-13.0	PASS
Band2	15MHz	16QAM	18900	1RB#0	3000~20000	-44.43	-13.0	PASS
Band2	15MHz	16QAM	18900	1RB#74	0.009~0.15	-63.60	-43.0	PASS
Band2	15MHz	16QAM	18900	1RB#74	0.15~30	-63.80	-33.0	PASS
Band2	15MHz	16QAM	18900	1RB#74	30~1000	-59.66	-23.0	PASS
Band2	15MHz	16QAM	18900	1RB#74	1000~3000	-44.81	-13.0	PASS
Band2	15MHz	16QAM	18900	1RB#74	3000~20000	-44.16	-13.0	PASS
Band2	15MHz	16QAM	18900	75RB#0	0.009~0.15	-67.46	-43.0	PASS
Band2	15MHz	16QAM	18900	75RB#0	0.15~30	-68.48	-33.0	PASS
Band2	15MHz	16QAM	18900	75RB#0	30~1000	-60.04	-23.0	PASS
Band2	15MHz	16QAM	18900	75RB#0	1000~3000	-48.90	-13.0	PASS
Band2	15MHz	16QAM	18900	75RB#0	3000~20000	-44.05	-13.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.009~0.15	-64.58	-43.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.15~30	-65.83	-33.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	30~1000	-60.00	-23.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	1000~3000	-49.92	-13.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	3000~20000	-44.41	-13.0	PASS
Band2	15MHz	QPSK	19125	1RB#74	0.009~0.15	-62.32	-43.0	PASS
Band2	15MHz	QPSK	19125	1RB#74	0.15~30	-66.56	-33.0	PASS
Band2	15MHz	QPSK	19125	1RB#74	30~1000	-60.34	-23.0	PASS
Band2	15MHz	QPSK	19125	1RB#74	1000~3000	-35.75	-13.0	PASS
Band2	15MHz	QPSK	19125	1RB#74	3000~20000	-44.56	-13.0	PASS
Band2	15MHz	QPSK	19125	75RB#0	0.009~0.15	-66.67	-43.0	PASS

					15			
Band2	15MHz	QPSK	19125	75RB#0	0.15~30	-66.39	-33.0	PASS
Band2	15MHz	QPSK	19125	75RB#0	30~1000	-60.63	-23.0	PASS
Band2	15MHz	QPSK	19125	75RB#0	1000~3000	-25.92	-13.0	PASS
Band2	15MHz	QPSK	19125	75RB#0	3000~20000	-44.55	-13.0	PASS
Band2	15MHz	64QAM	19125	1RB#0	0.009~0.15	-65.01	-43.0	PASS
Band2	15MHz	64QAM	19125	1RB#0	0.15~30	-70.59	-33.0	PASS
Band2	15MHz	64QAM	19125	1RB#0	30~1000	-60.21	-23.0	PASS
Band2	15MHz	64QAM	19125	1RB#0	1000~3000	-51.01	-13.0	PASS
Band2	15MHz	64QAM	19125	1RB#0	3000~20000	-44.47	-13.0	PASS
Band2	15MHz	64QAM	19125	1RB#74	0.009~0.15	-62.31	-43.0	PASS
Band2	15MHz	64QAM	19125	1RB#74	0.15~30	-67.44	-33.0	PASS
Band2	15MHz	64QAM	19125	1RB#74	30~1000	-60.44	-23.0	PASS
Band2	15MHz	64QAM	19125	1RB#74	1000~3000	-36.59	-13.0	PASS
Band2	15MHz	64QAM	19125	1RB#74	3000~20000	-44.64	-13.0	PASS
Band2	15MHz	64QAM	19125	75RB#0	0.009~0.15	-67.41	-43.0	PASS
Band2	15MHz	64QAM	19125	75RB#0	0.15~30	-70.19	-33.0	PASS
Band2	15MHz	64QAM	19125	75RB#0	30~1000	-60.62	-23.0	PASS
Band2	15MHz	64QAM	19125	75RB#0	1000~3000	-26.33	-13.0	PASS
Band2	15MHz	64QAM	19125	75RB#0	3000~20000	-44.61	-13.0	PASS
Band2	15MHz	16QAM	19125	1RB#0	0.009~0.15	-65.28	-43.0	PASS
Band2	15MHz	16QAM	19125	1RB#0	0.15~30	-67.38	-33.0	PASS
Band2	15MHz	16QAM	19125	1RB#0	30~1000	-59.65	-23.0	PASS
Band2	15MHz	16QAM	19125	1RB#0	1000~3000	-50.06	-13.0	PASS
Band2	15MHz	16QAM	19125	1RB#0	3000~20000	-44.66	-13.0	PASS
Band2	15MHz	16QAM	19125	1RB#74	0.009~0.15	-64.78	-43.0	PASS
Band2	15MHz	16QAM	19125	1RB#74	0.15~30	-65.24	-33.0	PASS
Band2	15MHz	16QAM	19125	1RB#74	30~1000	-60.27	-23.0	PASS

Band2	15MHz	16QAM	19125	1RB#74	1000~3000	-36.98	-13.0	PASS
Band2	15MHz	16QAM	19125	1RB#74	3000~20000	-44.68	-13.0	PASS
Band2	15MHz	16QAM	19125	75RB#0	0.009~0.15	-67.95	-43.0	PASS
Band2	15MHz	16QAM	19125	75RB#0	0.15~30	-67.65	-33.0	PASS
Band2	15MHz	16QAM	19125	75RB#0	30~1000	-59.55	-23.0	PASS
Band2	15MHz	16QAM	19125	75RB#0	1000~3000	-26.05	-13.0	PASS
Band2	15MHz	16QAM	19125	75RB#0	3000~20000	-43.99	-13.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.009~0.15	-65.12	-43.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.15~30	-64.70	-33.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	30~1000	-59.84	-23.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	1000~3000	-37.04	-13.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	3000~20000	-44.90	-13.0	PASS
Band2	20MHz	QPSK	18700	1RB#99	0.009~0.15	-65.60	-43.0	PASS
Band2	20MHz	QPSK	18700	1RB#99	0.15~30	-66.56	-33.0	PASS
Band2	20MHz	QPSK	18700	1RB#99	30~1000	-59.98	-23.0	PASS
Band2	20MHz	QPSK	18700	1RB#99	1000~3000	-38.58	-13.0	PASS
Band2	20MHz	QPSK	18700	1RB#99	3000~20000	-44.49	-13.0	PASS
Band2	20MHz	QPSK	18700	100RB#0	0.009~0.15	-63.13	-43.0	PASS
Band2	20MHz	QPSK	18700	100RB#0	0.15~30	-70.44	-33.0	PASS
Band2	20MHz	QPSK	18700	100RB#0	30~1000	-60.39	-23.0	PASS
Band2	20MHz	QPSK	18700	100RB#0	1000~3000	-29.24	-13.0	PASS
Band2	20MHz	QPSK	18700	100RB#0	3000~20000	-44.64	-13.0	PASS
Band2	20MHz	64QAM	18700	1RB#0	0.009~0.15	-64.99	-43.0	PASS
Band2	20MHz	64QAM	18700	1RB#0	0.15~30	-67.63	-33.0	PASS
Band2	20MHz	64QAM	18700	1RB#0	30~1000	-59.40	-23.0	PASS
Band2	20MHz	64QAM	18700	1RB#0	1000~3000	-38.64	-13.0	PASS
Band2	20MHz	64QAM	18700	1RB#0	3000~20000	-44.66	-13.0	PASS

					000			
Band2	20MHz	64QAM	18700	1RB#99	0.009~0.15	-65.45	-43.0	PASS
Band2	20MHz	64QAM	18700	1RB#99	0.15~30	-68.44	-33.0	PASS
Band2	20MHz	64QAM	18700	1RB#99	30~1000	-59.70	-23.0	PASS
Band2	20MHz	64QAM	18700	1RB#99	1000~3000	-40.00	-13.0	PASS
Band2	20MHz	64QAM	18700	1RB#99	3000~20000	-44.79	-13.0	PASS
Band2	20MHz	64QAM	18700	100RB#0	0.009~0.15	-67.10	-43.0	PASS
Band2	20MHz	64QAM	18700	100RB#0	0.15~30	-71.83	-33.0	PASS
Band2	20MHz	64QAM	18700	100RB#0	30~1000	-60.34	-23.0	PASS
Band2	20MHz	64QAM	18700	100RB#0	1000~3000	-29.92	-13.0	PASS
Band2	20MHz	64QAM	18700	100RB#0	3000~20000	-44.53	-13.0	PASS
Band2	20MHz	16QAM	18700	1RB#0	0.009~0.15	-62.85	-43.0	PASS
Band2	20MHz	16QAM	18700	1RB#0	0.15~30	-67.99	-33.0	PASS
Band2	20MHz	16QAM	18700	1RB#0	30~1000	-60.12	-23.0	PASS
Band2	20MHz	16QAM	18700	1RB#0	1000~3000	-36.95	-13.0	PASS
Band2	20MHz	16QAM	18700	1RB#0	3000~20000	-44.56	-13.0	PASS
Band2	20MHz	16QAM	18700	1RB#99	0.009~0.15	-64.35	-43.0	PASS
Band2	20MHz	16QAM	18700	1RB#99	0.15~30	-67.20	-33.0	PASS
Band2	20MHz	16QAM	18700	1RB#99	30~1000	-60.44	-23.0	PASS
Band2	20MHz	16QAM	18700	1RB#99	1000~3000	-41.05	-13.0	PASS
Band2	20MHz	16QAM	18700	1RB#99	3000~20000	-44.75	-13.0	PASS
Band2	20MHz	16QAM	18700	100RB#0	0.009~0.15	-68.00	-43.0	PASS
Band2	20MHz	16QAM	18700	100RB#0	0.15~30	-72.08	-33.0	PASS
Band2	20MHz	16QAM	18700	100RB#0	30~1000	-60.18	-23.0	PASS
Band2	20MHz	16QAM	18700	100RB#0	1000~3000	-29.63	-13.0	PASS
Band2	20MHz	16QAM	18700	100RB#0	3000~20000	-44.73	-13.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.009~0.15	-64.48	-43.0	PASS

Band2	20MHz	QPSK	18900	1RB#0	0.15~30	-67.00	-33.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	30~1000	-59.79	-23.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	1000~3000	-48.32	-13.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	3000~20000	-44.30	-13.0	PASS
Band2	20MHz	QPSK	18900	1RB#99	0.009~0.15	-64.74	-43.0	PASS
Band2	20MHz	QPSK	18900	1RB#99	0.15~30	-64.74	-33.0	PASS
Band2	20MHz	QPSK	18900	1RB#99	30~1000	-60.31	-23.0	PASS
Band2	20MHz	QPSK	18900	1RB#99	1000~3000	-51.68	-13.0	PASS
Band2	20MHz	QPSK	18900	1RB#99	3000~20000	-44.36	-13.0	PASS
Band2	20MHz	QPSK	18900	100RB#0	0.009~0.15	-69.10	-43.0	PASS
Band2	20MHz	QPSK	18900	100RB#0	0.15~30	-72.36	-33.0	PASS
Band2	20MHz	QPSK	18900	100RB#0	30~1000	-60.24	-23.0	PASS
Band2	20MHz	QPSK	18900	100RB#0	1000~3000	-37.09	-13.0	PASS
Band2	20MHz	QPSK	18900	100RB#0	3000~20000	-44.44	-13.0	PASS
Band2	20MHz	64QAM	18900	1RB#0	0.009~0.15	-64.69	-43.0	PASS
Band2	20MHz	64QAM	18900	1RB#0	0.15~30	-68.91	-33.0	PASS
Band2	20MHz	64QAM	18900	1RB#0	30~1000	-60.35	-23.0	PASS
Band2	20MHz	64QAM	18900	1RB#0	1000~3000	-52.60	-13.0	PASS
Band2	20MHz	64QAM	18900	1RB#0	3000~20000	-44.48	-13.0	PASS
Band2	20MHz	64QAM	18900	1RB#99	0.009~0.15	-66.54	-43.0	PASS
Band2	20MHz	64QAM	18900	1RB#99	0.15~30	-69.75	-33.0	PASS
Band2	20MHz	64QAM	18900	1RB#99	30~1000	-60.07	-23.0	PASS
Band2	20MHz	64QAM	18900	1RB#99	1000~3000	-52.54	-13.0	PASS
Band2	20MHz	64QAM	18900	1RB#99	3000~20000	-44.39	-13.0	PASS
Band2	20MHz	64QAM	18900	100RB#0	0.009~0.15	-68.66	-43.0	PASS
Band2	20MHz	64QAM	18900	100RB#0	0.15~30	-71.60	-33.0	PASS
Band2	20MHz	64QAM	18900	100RB#0	30~1000	-60.19	-23.0	PASS
Band2	20MHz	64QAM	18900	100RB#0	1000~30	-42.96	-13.0	PASS

					00			
Band2	20MHz	64QAM	18900	100RB#0	3000~20000	-44.78	-13.0	PASS
Band2	20MHz	16QAM	18900	1RB#0	0.009~0.15	-65.28	-43.0	PASS
Band2	20MHz	16QAM	18900	1RB#0	0.15~30	-67.34	-33.0	PASS
Band2	20MHz	16QAM	18900	1RB#0	30~1000	-59.95	-23.0	PASS
Band2	20MHz	16QAM	18900	1RB#0	1000~3000	-44.53	-13.0	PASS
Band2	20MHz	16QAM	18900	1RB#0	3000~20000	-44.51	-13.0	PASS
Band2	20MHz	16QAM	18900	1RB#99	0.009~0.15	-64.76	-43.0	PASS
Band2	20MHz	16QAM	18900	1RB#99	0.15~30	-64.38	-33.0	PASS
Band2	20MHz	16QAM	18900	1RB#99	30~1000	-60.13	-23.0	PASS
Band2	20MHz	16QAM	18900	1RB#99	1000~3000	-52.68	-13.0	PASS
Band2	20MHz	16QAM	18900	1RB#99	3000~20000	-44.43	-13.0	PASS
Band2	20MHz	16QAM	18900	100RB#0	0.009~0.15	-68.14	-43.0	PASS
Band2	20MHz	16QAM	18900	100RB#0	0.15~30	-72.06	-33.0	PASS
Band2	20MHz	16QAM	18900	100RB#0	30~1000	-60.29	-23.0	PASS
Band2	20MHz	16QAM	18900	100RB#0	1000~3000	-40.85	-13.0	PASS
Band2	20MHz	16QAM	18900	100RB#0	3000~20000	-44.59	-13.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.009~0.15	-64.59	-43.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.15~30	-65.87	-33.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	30~1000	-60.15	-23.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	1000~3000	-50.76	-13.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	3000~20000	-44.71	-13.0	PASS
Band2	20MHz	QPSK	19100	1RB#99	0.009~0.15	-65.82	-43.0	PASS
Band2	20MHz	QPSK	19100	1RB#99	0.15~30	-65.68	-33.0	PASS
Band2	20MHz	QPSK	19100	1RB#99	30~1000	-60.14	-23.0	PASS
Band2	20MHz	QPSK	19100	1RB#99	1000~3000	-37.02	-13.0	PASS
Band2	20MHz	QPSK	19100	1RB#99	3000~20000	-44.66	-13.0	PASS

Band2	20MHz	QPSK	19100	100RB#0	0.009~0.15	-66.18	-43.0	PASS
Band2	20MHz	QPSK	19100	100RB#0	0.15~30	-71.44	-33.0	PASS
Band2	20MHz	QPSK	19100	100RB#0	30~1000	-59.84	-23.0	PASS
Band2	20MHz	QPSK	19100	100RB#0	1000~3000	-28.81	-13.0	PASS
Band2	20MHz	QPSK	19100	100RB#0	3000~20000	-44.55	-13.0	PASS
Band2	20MHz	64QAM	19100	1RB#0	0.009~0.15	-64.78	-43.0	PASS
Band2	20MHz	64QAM	19100	1RB#0	0.15~30	-65.38	-33.0	PASS
Band2	20MHz	64QAM	19100	1RB#0	30~1000	-59.47	-23.0	PASS
Band2	20MHz	64QAM	19100	1RB#0	1000~3000	-51.08	-13.0	PASS
Band2	20MHz	64QAM	19100	1RB#0	3000~20000	-44.49	-13.0	PASS
Band2	20MHz	64QAM	19100	1RB#99	0.009~0.15	-64.36	-43.0	PASS
Band2	20MHz	64QAM	19100	1RB#99	0.15~30	-67.87	-33.0	PASS
Band2	20MHz	64QAM	19100	1RB#99	30~1000	-60.15	-23.0	PASS
Band2	20MHz	64QAM	19100	1RB#99	1000~3000	-37.92	-13.0	PASS
Band2	20MHz	64QAM	19100	1RB#99	3000~20000	-44.52	-13.0	PASS
Band2	20MHz	64QAM	19100	100RB#0	0.009~0.15	-68.16	-43.0	PASS
Band2	20MHz	64QAM	19100	100RB#0	0.15~30	-72.53	-33.0	PASS
Band2	20MHz	64QAM	19100	100RB#0	30~1000	-60.00	-23.0	PASS
Band2	20MHz	64QAM	19100	100RB#0	1000~3000	-29.03	-13.0	PASS
Band2	20MHz	64QAM	19100	100RB#0	3000~20000	-44.61	-13.0	PASS
Band2	20MHz	16QAM	19100	1RB#0	0.009~0.15	-61.54	-43.0	PASS
Band2	20MHz	16QAM	19100	1RB#0	0.15~30	-65.36	-33.0	PASS
Band2	20MHz	16QAM	19100	1RB#0	30~1000	-60.28	-23.0	PASS
Band2	20MHz	16QAM	19100	1RB#0	1000~3000	-50.53	-13.0	PASS
Band2	20MHz	16QAM	19100	1RB#0	3000~20000	-44.16	-13.0	PASS
Band2	20MHz	16QAM	19100	1RB#99	0.009~0.15	-64.08	-43.0	PASS
Band2	20MHz	16QAM	19100	1RB#99	0.15~30	-65.94	-33.0	PASS

Band2	20MHz	16QAM	19100	1RB#99	30~1000	-59.94	-23.0	PASS
Band2	20MHz	16QAM	19100	1RB#99	1000~3000	-37.65	-13.0	PASS
Band2	20MHz	16QAM	19100	1RB#99	3000~20000	-44.60	-13.0	PASS
Band2	20MHz	16QAM	19100	100RB#0	0.009~0.15	-66.39	-43.0	PASS
Band2	20MHz	16QAM	19100	100RB#0	0.15~30	-72.24	-33.0	PASS
Band2	20MHz	16QAM	19100	100RB#0	30~1000	-60.01	-23.0	PASS
Band2	20MHz	16QAM	19100	100RB#0	1000~3000	-28.65	-13.0	PASS
Band2	20MHz	16QAM	19100	100RB#0	3000~20000	-44.43	-13.0	PASS

Test Graphs

