



**2.26. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:520000,
Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.33	-25	48.33	Pass	401
0.15	30	0.01	RMS	0.42	-68.57	-25	43.57	Pass	5971
30	1000	0.1	RMS	910.37	-60.79	-25	35.79	Pass	19402
1000	2530	1	RMS	2499	-49.57	-25	24.57	Pass	3061
2530	2660	1	RMS	2581.025	17.94	60	42.06	Pass	401
2660	3000	1	RMS	2986	-48.44	-25	23.44	Pass	681
3000	7000	1	RMS	5162	-64.5	-25	39.5	Pass	8001
7000	26500	1	RMS	25440.5	-52.84	-25	27.84	Pass	39005



**2.27. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:520000,
Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:105)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.34	-25	47.34	Pass	401
0.15	30	0.01	RMS	0.3	-69.08	-25	44.08	Pass	5971
30	1000	0.1	RMS	916.622	-59.95	-25	34.95	Pass	19402
1000	2530	1	RMS	2508	-49.54	-25	24.54	Pass	3061
2530	2660	1	RMS	2618.725	17.42	60	42.58	Pass	401
2660	3000	1	RMS	2982	-48.56	-25	23.56	Pass	681
3000	7000	1	RMS	6956.5	-68.93	-25	43.93	Pass	8001
7000	26500	1	RMS	25703	-53.08	-25	28.08	Pass	39005




3. n66

3.1. Spurious Emission at Antenna Terminals for


SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-78.24	-13	65.24	Pass	401
0.15	30	0.01	RMS	0.36	-71.16	-13	58.16	Pass	5971
30	1000	0.1	RMS	608.3	-72.94	-13	59.94	Pass	19402
1000	1700	1	RMS	1700	-51.87	-13	38.87	Pass	1401
1700	1790	1	RMS	1713.5	13.65	60	46.35	Pass	401
1790	3000	1	RMS	2111.5	-61.8	-13	48.8	Pass	2421
3000	7000	1	RMS	3425	-58.23	-13	45.23	Pass	8001
7000	20000	1	RMS	17498.5	-52.93	-13	39.93	Pass	26004




3.2. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.43	-13	53.43	Pass	401
0.15	30	0.01	RMS	0.15	-64.76	-13	51.76	Pass	5971
30	1000	0.1	RMS	604.8	-61.35	-13	48.35	Pass	19402
1000	1700	1	RMS	1699.5	-46.3	-13	33.3	Pass	1401
1700	1790	1	RMS	1710.125	19.75	60	40.25	Pass	401
1790	3000	1	RMS	2111.5	-61.81	-13	48.81	Pass	2421
3000	7000	1	RMS	3420.5	-53.01	-13	40.01	Pass	8001
7000	20000	1	RMS	17499	-52.88	-13	39.88	Pass	26004




3.3. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.17	-13	53.17	Pass	401
0.15	30	0.01	RMS	0.15	-65.14	-13	52.14	Pass	5971
30	1000	0.1	RMS	611.25	-60.99	-13	47.99	Pass	19402
1000	1700	1	RMS	1468.5	-59.17	-13	46.17	Pass	1401
1700	1790	1	RMS	1714.625	19.77	60	40.23	Pass	401
1790	3000	1	RMS	2111.5	-61.78	-13	48.78	Pass	2421
3000	7000	1	RMS	3429.5	-52.51	-13	39.51	Pass	8001
7000	20000	1	RMS	17498.5	-52.87	-13	39.87	Pass	26004




3.4. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.055	-77.61	-13	64.61	Pass	401
0.15	30	0.01	RMS	0.36	-70.08	-13	57.08	Pass	5971
30	1000	0.1	RMS	657.1	-73.18	-13	60.18	Pass	19402
1000	1700	1	RMS	1529.5	-63.47	-13	50.47	Pass	1401
1700	1790	1	RMS	1746.125	13.84	60	46.16	Pass	401
1790	3000	1	RMS	2144	-60.65	-13	47.65	Pass	2421
3000	7000	1	RMS	3490	-60	-13	47	Pass	8001
7000	20000	1	RMS	17497.5	-52.88	-13	39.88	Pass	26004




3.5. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-65.77	-13	52.77	Pass	401
0.15	30	0.01	RMS	0.15	-65.24	-13	52.24	Pass	5971
30	1000	0.1	RMS	653.55	-60.33	-13	47.33	Pass	19402
1000	1700	1	RMS	1525	-57.96	-13	44.96	Pass	1401
1700	1790	1	RMS	1742.75	19.93	60	40.07	Pass	401
1790	3000	1	RMS	2144	-60.59	-13	47.59	Pass	2421
3000	7000	1	RMS	3485.5	-54.23	-13	41.23	Pass	8001
7000	20000	1	RMS	17499	-52.72	-13	39.72	Pass	26004




3.6. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-65.19	-13	52.19	Pass	401
0.15	30	0.01	RMS	0.15	-65.26	-13	52.26	Pass	5971
30	1000	0.1	RMS	660	-60.91	-13	47.91	Pass	19402
1000	1700	1	RMS	1533.5	-57.5	-13	44.5	Pass	1401
1700	1790	1	RMS	1747.025	19.98	60	40.02	Pass	401
1790	3000	1	RMS	2143.5	-60.59	-13	47.59	Pass	2421
3000	7000	1	RMS	3494.5	-54.02	-13	41.02	Pass	8001
7000	20000	1	RMS	17491.5	-52.88	-13	39.88	Pass	26004




3.7. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-78.82	-13	65.82	Pass	401
0.15	30	0.01	RMS	0.33	-70.88	-13	57.88	Pass	5971
30	1000	0.1	RMS	705.05	-80.29	-13	67.29	Pass	19402
1000	1700	1	RMS	1594.5	-66.49	-13	53.49	Pass	1401
1700	1790	1	RMS	1776.275	13.18	60	46.82	Pass	401
1790	3000	1	RMS	1790	-52.21	-13	39.21	Pass	2421
3000	7000	1	RMS	6682	-62.93	-13	49.93	Pass	8001
7000	20000	1	RMS	17499	-52.57	-13	39.57	Pass	26004




3.8. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.13	-13	54.13	Pass	401
0.15	30	0.01	RMS	0.15	-65.94	-13	52.94	Pass	5971
30	1000	0.1	RMS	702.3	-69.2	-13	56.2	Pass	19402
1000	1700	1	RMS	1590	-60.27	-13	47.27	Pass	1401
1700	1790	1	RMS	1775.15	19.51	60	40.49	Pass	401
1790	3000	1	RMS	2178	-61.1	-13	48.1	Pass	2421
3000	7000	1	RMS	3550.5	-57.97	-13	44.97	Pass	8001
7000	20000	1	RMS	17493.5	-52.72	-13	39.72	Pass	26004




3.9. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.9	-13	54.9	Pass	401
0.15	30	0.01	RMS	0.15	-67.35	-13	54.35	Pass	5971
30	1000	0.1	RMS	708.75	-70.83	-13	57.83	Pass	19402
1000	1700	1	RMS	1598.5	-62.05	-13	49.05	Pass	1401
1700	1790	1	RMS	1779.65	19.08	60	40.92	Pass	401
1790	3000	1	RMS	2177	-61.14	-13	48.14	Pass	2421
3000	7000	1	RMS	3559.5	-58.08	-13	45.08	Pass	8001
7000	20000	1	RMS	17500	-52.69	-13	39.69	Pass	26004




3.10. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-81.08	-13	68.08	Pass	401
0.15	30	0.01	RMS	2.34	-75.66	-13	62.66	Pass	5971
30	1000	0.1	RMS	617.35	-75.9	-13	62.9	Pass	19402
1000	1700	1	RMS	1700	-40.64	-13	27.64	Pass	1401
1700	1790	1	RMS	1723.175	8.87	60	51.13	Pass	401
1790	3000	1	RMS	2111.5	-65.54	-13	52.54	Pass	2421
3000	7000	1	RMS	3435.5	-62.56	-13	49.56	Pass	8001
7000	20000	1	RMS	17496	-52.74	-13	39.74	Pass	26004




3.11. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.22	-13	53.22	Pass	401
0.15	30	0.01	RMS	0.15	-65.84	-13	52.84	Pass	5971
30	1000	0.1	RMS	605	-60.99	-13	47.99	Pass	19402
1000	1700	1	RMS	1700	-46.27	-13	33.27	Pass	1401
1700	1790	1	RMS	1710.35	19.96	60	40.04	Pass	401
1790	3000	1	RMS	2111.5	-65.58	-13	52.58	Pass	2421
3000	7000	1	RMS	3421	-52.81	-13	39.81	Pass	8001
7000	20000	1	RMS	17499.5	-52.68	-13	39.68	Pass	26004




3.12. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.49	-13	53.49	Pass	401
0.15	30	0.01	RMS	0.15	-65.29	-13	52.29	Pass	5971
30	1000	0.1	RMS	626.05	-58.83	-13	45.83	Pass	19402
1000	1700	1	RMS	1488.5	-58.69	-13	45.69	Pass	1401
1700	1790	1	RMS	1724.3	19.71	60	40.29	Pass	401
1790	3000	1	RMS	2111	-65.62	-13	52.62	Pass	2421
3000	7000	1	RMS	3449	-52.52	-13	39.52	Pass	8001
7000	20000	1	RMS	17493.5	-52.8	-13	39.8	Pass	26004




3.13. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-81.24	-13	68.24	Pass	401
0.15	30	0.01	RMS	0.815	-75.37	-13	62.37	Pass	5971
30	1000	0.1	RMS	656.6	-77.27	-13	64.27	Pass	19402
1000	1700	1	RMS	1700	-61.5	-13	48.5	Pass	1401
1700	1790	1	RMS	1750.85	9.16	60	50.84	Pass	401
1790	3000	1	RMS	1790	-60.38	-13	47.38	Pass	2421
3000	7000	1	RMS	6686	-63.04	-13	50.04	Pass	8001
7000	20000	1	RMS	17501.5	-52.75	-13	39.75	Pass	26004




3.14. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.16	-13	53.16	Pass	401
0.15	30	0.01	RMS	0.15	-64.9	-13	51.9	Pass	5971
30	1000	0.1	RMS	646.25	-59.47	-13	46.47	Pass	19402
1000	1700	1	RMS	1515.5	-59.33	-13	46.33	Pass	1401
1700	1790	1	RMS	1737.8	19.95	60	40.05	Pass	401
1790	3000	1	RMS	2139.5	-64.24	-13	51.24	Pass	2421
3000	7000	1	RMS	3476	-52.6	-13	39.6	Pass	8001
7000	20000	1	RMS	17500	-52.88	-13	39.88	Pass	26004




**3.15. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:349000,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:78)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-65.06	-13	52.06	Pass	401
0.15	30	0.01	RMS	0.15	-65.17	-13	52.17	Pass	5971
30	1000	0.1	RMS	667.3	-62.5	-13	49.5	Pass	19402
1000	1700	1	RMS	1543.5	-58.68	-13	45.68	Pass	1401
1700	1790	1	RMS	1751.975	20.05	60	39.95	Pass	401
1790	3000	1	RMS	2140	-64.28	-13	51.28	Pass	2421
3000	7000	1	RMS	3504	-55.11	-13	42.11	Pass	8001
7000	20000	1	RMS	17501	-52.86	-13	39.86	Pass	26004




**3.16. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:354500,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-81.45	-13	68.45	Pass	401
0.15	30	0.01	RMS	2.34	-75.1	-13	62.1	Pass	5971
30	1000	0.1	RMS	694.85	-81.59	-13	68.59	Pass	19402
1000	1700	1	RMS	1583	-68.05	-13	55.05	Pass	1401
1700	1790	1	RMS	1766.375	8.98	60	51.02	Pass	401
1790	3000	1	RMS	1790	-38.26	-13	25.26	Pass	2421
3000	7000	1	RMS	6993	-63.07	-13	50.07	Pass	8001
7000	20000	1	RMS	17496	-52.7	-13	39.7	Pass	26004




3.17. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-65.87	-13	52.87	Pass	401
0.15	30	0.01	RMS	0.15	-65.3	-13	52.3	Pass	5971
30	1000	0.1	RMS	687.5	-65.71	-13	52.71	Pass	19402
1000	1700	1	RMS	1570	-59.16	-13	46.16	Pass	1401
1700	1790	1	RMS	1765.25	20.02	60	39.98	Pass	401
1790	3000	1	RMS	1793.5	-58.85	-13	45.85	Pass	2421
3000	7000	1	RMS	3531	-56.28	-13	43.28	Pass	8001
7000	20000	1	RMS	17500	-52.85	-13	39.85	Pass	26004




**3.18. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:354500,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:78)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.69	-13	54.69	Pass	401
0.15	30	0.01	RMS	0.15	-67.37	-13	54.37	Pass	5971
30	1000	0.1	RMS	708.55	-71.37	-13	58.37	Pass	19402
1000	1700	1	RMS	1598.5	-61.57	-13	48.57	Pass	1401
1700	1790	1	RMS	1779.425	19.25	60	40.75	Pass	401
1790	3000	1	RMS	1793.5	-59.36	-13	46.36	Pass	2421
3000	7000	1	RMS	3559	-57.82	-13	44.82	Pass	8001
7000	20000	1	RMS	17499.5	-52.89	-13	39.89	Pass	26004




3.19. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-83.25	-13	70.25	Pass	401
0.15	30	0.01	RMS	2.1	-76.87	-13	63.87	Pass	5971
30	1000	0.1	RMS	620.7	-77.31	-13	64.31	Pass	19402
1000	1700	1	RMS	1700	-39.35	-13	26.35	Pass	1401
1700	1790	1	RMS	1728.35	7.56	60	52.44	Pass	401
1790	3000	1	RMS	1790	-64.93	-13	51.93	Pass	2421
3000	7000	1	RMS	3440.5	-62.56	-13	49.56	Pass	8001
7000	20000	1	RMS	17496.5	-52.9	-13	39.9	Pass	26004




3.20. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.5	-13	53.5	Pass	401
0.15	30	0.01	RMS	0.15	-65.22	-13	52.22	Pass	5971
30	1000	0.1	RMS	605.1	-60.49	-13	47.49	Pass	19402
1000	1700	1	RMS	1700	-45.89	-13	32.89	Pass	1401
1700	1790	1	RMS	1710.35	19.86	60	40.14	Pass	401
1790	3000	1	RMS	2112	-66.63	-13	53.63	Pass	2421
3000	7000	1	RMS	3421	-52.89	-13	39.89	Pass	8001
7000	20000	1	RMS	17499	-52.82	-13	39.82	Pass	26004




3.21. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.2	-13	53.2	Pass	401
0.15	30	0.01	RMS	0.15	-65.39	-13	52.39	Pass	5971
30	1000	0.1	RMS	633.45	-58.6	-13	45.6	Pass	19402
1000	1700	1	RMS	1498	-58.85	-13	45.85	Pass	1401
1700	1790	1	RMS	1729.25	19.71	60	40.29	Pass	401
1790	3000	1	RMS	2111.5	-66.42	-13	53.42	Pass	2421
3000	7000	1	RMS	3459	-51.5	-13	38.5	Pass	8001
7000	20000	1	RMS	17498.5	-52.75	-13	39.75	Pass	26004




3.22. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-82.73	-13	69.73	Pass	401
0.15	30	0.01	RMS	2.1	-76.16	-13	63.16	Pass	5971
30	1000	0.1	RMS	656.4	-78.14	-13	65.14	Pass	19402
1000	1700	1	RMS	1700	-55.37	-13	42.37	Pass	1401
1700	1790	1	RMS	1753.1	7.95	60	52.05	Pass	401
1790	3000	1	RMS	1790	-53.83	-13	40.83	Pass	2421
3000	7000	1	RMS	6680	-63.26	-13	50.26	Pass	8001
7000	20000	1	RMS	17500.5	-52.88	-13	39.88	Pass	26004




3.23. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.12	-13	53.12	Pass	401
0.15	30	0.01	RMS	0.155	-65.01	-13	52.01	Pass	5971
30	1000	0.1	RMS	642.6	-58.86	-13	45.86	Pass	19402
1000	1700	1	RMS	1510.5	-58.85	-13	45.85	Pass	1401
1700	1790	1	RMS	1735.325	19.86	60	40.14	Pass	401
1790	3000	1	RMS	2139	-65.37	-13	52.37	Pass	2421
3000	7000	1	RMS	3471	-51.62	-13	38.62	Pass	8001
7000	20000	1	RMS	17500	-52.61	-13	39.61	Pass	26004




**3.24. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:349000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:105)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-65.77	-13	52.77	Pass	401
0.15	30	0.01	RMS	0.15	-64.12	-13	51.12	Pass	5971
30	1000	0.1	RMS	670.95	-62.94	-13	49.94	Pass	19402
1000	1700	1	RMS	1548	-57.54	-13	44.54	Pass	1401
1700	1790	1	RMS	1754.225	20.03	60	39.97	Pass	401
1790	3000	1	RMS	2139	-65.3	-13	52.3	Pass	2421
3000	7000	1	RMS	3509	-53.71	-13	40.71	Pass	8001
7000	20000	1	RMS	17488.5	-52.84	-13	39.84	Pass	26004




3.25. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-82.68	-13	69.68	Pass	401
0.15	30	0.01	RMS	2.1	-76.32	-13	63.32	Pass	5971
30	1000	0.1	RMS	995.949	-81.44	-13	68.44	Pass	19402
1000	1700	1	RMS	1699.5	-66.48	-13	53.48	Pass	1401
1700	1790	1	RMS	1761.425	7.99	60	52.01	Pass	401
1790	3000	1	RMS	1790	-36.94	-13	23.94	Pass	2421
3000	7000	1	RMS	6677	-63.17	-13	50.17	Pass	8001
7000	20000	1	RMS	17500.5	-52.91	-13	39.91	Pass	26004




**3.26. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:354000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-65.59	-13	52.59	Pass	401
0.15	30	0.01	RMS	0.15	-64.72	-13	51.72	Pass	5971
30	1000	0.1	RMS	680.1	-64.49	-13	51.49	Pass	19402
1000	1700	1	RMS	1560.5	-57.31	-13	44.31	Pass	1401
1700	1790	1	RMS	1760.525	20.13	60	39.87	Pass	401
1790	3000	1	RMS	1798.5	-60.42	-13	47.42	Pass	2421
3000	7000	1	RMS	3521	-54.86	-13	41.86	Pass	8001
7000	20000	1	RMS	17498.5	-52.85	-13	39.85	Pass	26004



**3.27. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:354000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:105)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.32	-13	54.32	Pass	401
0.15	30	0.01	RMS	0.15	-66.58	-13	53.58	Pass	5971
30	1000	0.1	RMS	708.45	-70.91	-13	57.91	Pass	19402
1000	1700	1	RMS	1598	-62.41	-13	49.41	Pass	1401
1700	1790	1	RMS	1779.425	19.18	60	40.82	Pass	401
1790	3000	1	RMS	1798.5	-61.63	-13	48.63	Pass	2421
3000	7000	1	RMS	3559	-57.88	-13	44.88	Pass	8001
7000	20000	1	RMS	17500.5	-52.93	-13	39.93	Pass	26004




1. n71 15kHz

1.1. Spurious Emission at Antenna Terminals for


SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.17	-69.72	-13	56.72	Pass	5971
30	653	0.1	RMS	623.893	-63.58	-13	50.58	Pass	12461
653	708	0.1	RMS	667.55	5.2	60	54.8	Pass	1101
708	1000	0.1	RMS	737.65	-62.9	-13	49.9	Pass	5841
1000	3000	1	RMS	2979	-48.29	-13	35.29	Pass	4001
3000	10000	1	RMS	9399.5	-68.43	-13	55.43	Pass	14002




1.2. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.185	-69.81	-13	56.81	Pass	5971
30	653	0.1	RMS	373.7	-63.83	-13	50.83	Pass	12461
653	708	0.1	RMS	663.35	18.64	60	41.36	Pass	1101
708	1000	0.1	RMS	995	-62.81	-13	49.81	Pass	5841
1000	3000	1	RMS	1326.5	-48.18	-13	35.18	Pass	4001
3000	10000	1	RMS	9408.5	-68.2	-13	55.2	Pass	14002




**1.3. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:133100,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-69.9	-13	56.9	Pass	5971
30	653	0.1	RMS	613.391	-63.53	-13	50.53	Pass	12461
653	708	0.1	RMS	667.65	18.71	60	41.29	Pass	1101
708	1000	0.1	RMS	995.9	-62.43	-13	49.43	Pass	5841
1000	3000	1	RMS	1335.5	-46.85	-13	33.85	Pass	4001
3000	10000	1	RMS	9398.5	-68.25	-13	55.25	Pass	14002




**1.4. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:136100,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.89	-13	60.89	Pass	401
0.15	30	0.01	RMS	0.19	-70.87	-13	57.87	Pass	5971
30	653	0.1	RMS	620.392	-63.07	-13	50.07	Pass	12461
653	708	0.1	RMS	678.45	5.34	60	54.66	Pass	1101
708	1000	0.1	RMS	858	-62.45	-13	49.45	Pass	5841
1000	3000	1	RMS	2975.5	-48.2	-13	35.2	Pass	4001
3000	10000	1	RMS	9396.5	-68.24	-13	55.24	Pass	14002




**1.5. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:136100,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-13	57.66	Pass	5971
30	653	0.1	RMS	619.892	-63.43	-13	50.43	Pass	12461
653	708	0.1	RMS	678.35	18.63	60	41.37	Pass	1101
708	1000	0.1	RMS	996.6	-62.47	-13	49.47	Pass	5841
1000	3000	1	RMS	1356.5	-47.37	-13	34.37	Pass	4001
3000	10000	1	RMS	9394.5	-68.32	-13	55.32	Pass	14002




**1.6. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:136100,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.155	-70.76	-13	57.76	Pass	5971
30	653	0.1	RMS	615.541	-63.16	-13	50.16	Pass	12461
653	708	0.1	RMS	682.65	18.7	60	41.3	Pass	1101
708	1000	0.1	RMS	996.75	-62.38	-13	49.38	Pass	5841
1000	3000	1	RMS	1365.5	-47.78	-13	34.78	Pass	4001
3000	10000	1	RMS	9398.5	-68.18	-13	55.18	Pass	14002




**1.7. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:139100,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.06	-13	61.06	Pass	401
0.15	30	0.01	RMS	0.205	-71	-13	58	Pass	5971
30	653	0.1	RMS	651.1	-63.2	-13	50.2	Pass	12461
653	708	0.1	RMS	693.75	5.33	60	54.67	Pass	1101
708	1000	0.1	RMS	708.2	-57.83	-13	44.83	Pass	5841
1000	3000	1	RMS	2977.5	-48.26	-13	35.26	Pass	4001
3000	10000	1	RMS	9406	-68.3	-13	55.3	Pass	14002




**1.8. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:139100,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.155	-70.39	-13	57.39	Pass	5971
30	653	0.1	RMS	636.996	-63.62	-13	50.62	Pass	12461
653	708	0.1	RMS	693.35	18.59	60	41.41	Pass	1101
708	1000	0.1	RMS	987.25	-62.34	-13	49.34	Pass	5841
1000	3000	1	RMS	2971	-48.33	-13	35.33	Pass	4001
3000	10000	1	RMS	9400.5	-68.32	-13	55.32	Pass	14002




**1.9. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:139100,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.28	-70.62	-13	57.62	Pass	5971
30	653	0.1	RMS	647.799	-62.97	-13	49.97	Pass	12461
653	708	0.1	RMS	697.65	18.59	60	41.41	Pass	1101
708	1000	0.1	RMS	885.45	-62.56	-13	49.56	Pass	5841
1000	3000	1	RMS	1395.5	-48.16	-13	35.16	Pass	4001
3000	10000	1	RMS	9412.5	-68.16	-13	55.16	Pass	14002




**1.10. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:134100,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.5	-13	60.5	Pass	401
0.15	30	0.01	RMS	0.29	-71.11	-13	58.11	Pass	5971
30	653	0.1	RMS	364.65	-63.42	-13	50.42	Pass	12461
653	708	0.1	RMS	674.9	0.99	60	59.01	Pass	1101
708	1000	0.1	RMS	708	-57.75	-13	44.75	Pass	5841
1000	3000	1	RMS	2981.5	-48.27	-13	35.27	Pass	4001
3000	10000	1	RMS	9397.5	-68.27	-13	55.27	Pass	14002




**1.11. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:134100,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-71.31	-13	58.31	Pass	401
0.15	30	0.01	RMS	0.215	-70.6	-13	57.6	Pass	5971
30	653	0.1	RMS	366.05	-63.52	-13	50.52	Pass	12461
653	708	0.1	RMS	663.45	18.7	60	41.3	Pass	1101
708	1000	0.1	RMS	995.45	-62.25	-13	49.25	Pass	5841
1000	3000	1	RMS	1327	-47.83	-13	34.83	Pass	4001
3000	10000	1	RMS	9396.5	-68.42	-13	55.42	Pass	14002




**1.12. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:134100,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:78)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.15	-70.09	-13	57.09	Pass	5971
30	653	0.1	RMS	628.294	-63.42	-13	50.42	Pass	12461
653	708	0.1	RMS	677.5	18.74	60	41.26	Pass	1101
708	1000	0.1	RMS	987.4	-62.45	-13	49.45	Pass	5841
1000	3000	1	RMS	1355	-47.63	-13	34.63	Pass	4001
3000	10000	1	RMS	9391.5	-68.31	-13	55.31	Pass	14002




**1.13. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:136100,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.88	-13	60.88	Pass	401
0.15	30	0.01	RMS	0.185	-70.23	-13	57.23	Pass	5971
30	653	0.1	RMS	631.295	-63.25	-13	50.25	Pass	12461
653	708	0.1	RMS	673.75	0.55	60	59.45	Pass	1101
708	1000	0.1	RMS	708.3	-53.02	-13	40.02	Pass	5841
1000	3000	1	RMS	2975.5	-48.2	-13	35.2	Pass	4001
3000	10000	1	RMS	9409.5	-68.29	-13	55.29	Pass	14002




**1.14. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:136100,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-70.47	-13	57.47	Pass	5971
30	653	0.1	RMS	636.896	-63.64	-13	50.64	Pass	12461
653	708	0.1	RMS	673.45	18.68	60	41.32	Pass	1101
708	1000	0.1	RMS	872.8	-62.23	-13	49.23	Pass	5841
1000	3000	1	RMS	2979.5	-48.24	-13	35.24	Pass	4001
3000	10000	1	RMS	9402.5	-68.29	-13	55.29	Pass	14002




**1.15. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:136100,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:78)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.15	-69.99	-13	56.99	Pass	5971
30	653	0.1	RMS	644.548	-63.72	-13	50.72	Pass	12461
653	708	0.1	RMS	687.5	18.72	60	41.28	Pass	1101
708	1000	0.1	RMS	896.1	-62.63	-13	49.63	Pass	5841
1000	3000	1	RMS	1375	-47.85	-13	34.85	Pass	4001
3000	10000	1	RMS	9400	-68.43	-13	55.43	Pass	14002




**1.16. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:138100,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.66	-13	60.66	Pass	401
0.15	30	0.01	RMS	0.37	-70.87	-13	57.87	Pass	5971
30	653	0.1	RMS	635.596	-63.68	-13	50.68	Pass	12461
653	708	0.1	RMS	692.5	0.42	60	59.58	Pass	1101
708	1000	0.1	RMS	708	-46.39	-13	33.39	Pass	5841
1000	3000	1	RMS	2984	-48.28	-13	35.28	Pass	4001
3000	10000	1	RMS	9404.5	-68.51	-13	55.51	Pass	14002




**1.17. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:138100,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.16	-70.21	-13	57.21	Pass	5971
30	653	0.1	RMS	627.794	-63.53	-13	50.53	Pass	12461
653	708	0.1	RMS	683.45	18.68	60	41.32	Pass	1101
708	1000	0.1	RMS	990.35	-62.41	-13	49.41	Pass	5841
1000	3000	1	RMS	1367	-47.16	-13	34.16	Pass	4001
3000	10000	1	RMS	9402	-68.31	-13	55.31	Pass	14002




**1.18. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:138100,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:78)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.17	-70.33	-13	57.33	Pass	5971
30	653	0.1	RMS	471.057	-63.59	-13	50.59	Pass	12461
653	708	0.1	RMS	697.5	18.66	60	41.34	Pass	1101
708	1000	0.1	RMS	888.95	-62.57	-13	49.57	Pass	5841
1000	3000	1	RMS	1395	-47.95	-13	34.95	Pass	4001
3000	10000	1	RMS	9394	-68.47	-13	55.47	Pass	14002




**1.19. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:134600,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.19	-71.06	-13	58.06	Pass	5971
30	653	0.1	RMS	651.4	-63.18	-13	50.18	Pass	12461
653	708	0.1	RMS	674.55	-0.38	60	60.38	Pass	1101
708	1000	0.1	RMS	708.55	-51.95	-13	38.95	Pass	5841
1000	3000	1	RMS	2976.5	-48.33	-13	35.33	Pass	4001
3000	10000	1	RMS	9399	-68.4	-13	55.4	Pass	14002




**1.20. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:134600,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.155	-70.64	-13	57.64	Pass	5971
30	653	0.1	RMS	649.649	-63.37	-13	50.37	Pass	12461
653	708	0.1	RMS	663.55	18.83	60	41.17	Pass	1101
708	1000	0.1	RMS	884.5	-62.33	-13	49.33	Pass	5841
1000	3000	1	RMS	1327	-47.75	-13	34.75	Pass	4001
3000	10000	1	RMS	9403	-68.32	-13	55.32	Pass	14002




**1.21. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:134600,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:105)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.155	-70.25	-13	57.25	Pass	5971
30	653	0.1	RMS	635.546	-63.31	-13	50.31	Pass	12461
653	708	0.1	RMS	682.45	18.84	60	41.16	Pass	1101
708	1000	0.1	RMS	982.9	-62.56	-13	49.56	Pass	5841
1000	3000	1	RMS	1365	-47.48	-13	34.48	Pass	4001
3000	10000	1	RMS	9405.5	-68.37	-13	55.37	Pass	14002




**1.22. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:136100,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.55	-13	61.55	Pass	401
0.15	30	0.01	RMS	0.22	-71.2	-13	58.2	Pass	5971
30	653	0.1	RMS	632.895	-63.31	-13	50.31	Pass	12461
653	708	0.1	RMS	675.35	-0.72	60	60.72	Pass	1101
708	1000	0.1	RMS	708.05	-49.46	-13	36.46	Pass	5841
1000	3000	1	RMS	2986	-48.27	-13	35.27	Pass	4001
3000	10000	1	RMS	9399.5	-68.25	-13	55.25	Pass	14002




**1.23. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:136100,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.155	-70.49	-13	57.49	Pass	5971
30	653	0.1	RMS	496.263	-63.49	-13	50.49	Pass	12461
653	708	0.1	RMS	671.05	18.76	60	41.24	Pass	1101
708	1000	0.1	RMS	756.85	-62.72	-13	49.72	Pass	5841
1000	3000	1	RMS	1342	-48.07	-13	35.07	Pass	4001
3000	10000	1	RMS	9399.5	-68.21	-13	55.21	Pass	14002




**1.24. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:136100,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:105)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.195	-70.76	-13	57.76	Pass	5971
30	653	0.1	RMS	635.546	-63.41	-13	50.41	Pass	12461
653	708	0.1	RMS	689.95	18.78	60	41.22	Pass	1101
708	1000	0.1	RMS	872.4	-62.39	-13	49.39	Pass	5841
1000	3000	1	RMS	2981.5	-48.26	-13	35.26	Pass	4001
3000	10000	1	RMS	9405	-68.17	-13	55.17	Pass	14002




**1.25. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:137600,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.96	-13	60.96	Pass	401
0.15	30	0.01	RMS	0.23	-70.78	-13	57.78	Pass	5971
30	653	0.1	RMS	629.595	-63.36	-13	50.36	Pass	12461
653	708	0.1	RMS	689.45	-0.8	60	60.8	Pass	1101
708	1000	0.1	RMS	708	-46.77	-13	33.77	Pass	5841
1000	3000	1	RMS	2980	-48.18	-13	35.18	Pass	4001
3000	10000	1	RMS	9400	-68.14	-13	55.14	Pass	14002




**1.26. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:137600,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.15	-69.84	-13	56.84	Pass	5971
30	653	0.1	RMS	636.096	-63.08	-13	50.08	Pass	12461
653	708	0.1	RMS	678.55	18.82	60	41.18	Pass	1101
708	1000	0.1	RMS	911.8	-62.21	-13	49.21	Pass	5841
1000	3000	1	RMS	1357	-47.33	-13	34.33	Pass	4001
3000	10000	1	RMS	9403.5	-68.09	-13	55.09	Pass	14002



**1.27. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:137600,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:105)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.2	-70.5	-13	57.5	Pass	5971
30	653	0.1	RMS	148.15	-62.64	-13	49.64	Pass	12461
653	708	0.1	RMS	697.45	18.69	60	41.31	Pass	1101
708	1000	0.1	RMS	994.6	-62.48	-13	49.48	Pass	5841
1000	3000	1	RMS	1395	-47.98	-13	34.98	Pass	4001
3000	10000	1	RMS	9401.5	-68.24	-13	55.24	Pass	14002




2. n26 15kHz(824-849)

2.1. Spurious Emission at Antenna Terminals for


SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.77	-13	60.77	Pass	401
0.15	30	0.01	RMS	0.235	-68.45	-13	55.45	Pass	5971
30	814	0.1	RMS	813.95	-55.22	-13	42.22	Pass	15681
814	859	0.1	RMS	824.75	4.97	60	55.03	Pass	901
859	1000	0.1	RMS	873	-62.57	-13	49.57	Pass	2821
1000	3000	1	RMS	2985	-48.13	-13	35.13	Pass	4001
3000	10000	1	RMS	9394.5	-68.1	-13	55.1	Pass	14002




2.2. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	9.03	-69.65	-13	56.65	Pass	5971
30	814	0.1	RMS	356.05	-60.69	-13	47.69	Pass	15681
814	859	0.1	RMS	824.35	18.37	60	41.63	Pass	901
859	1000	0.1	RMS	978.05	-60.95	-13	47.95	Pass	2821
1000	3000	1	RMS	2974.5	-48.07	-13	35.07	Pass	4001
3000	10000	1	RMS	9398	-67.92	-13	54.92	Pass	14002




2.3. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.16	-70.26	-13	57.26	Pass	5971
30	814	0.1	RMS	684.083	-60.67	-13	47.67	Pass	15681
814	859	0.1	RMS	828.65	18.46	60	41.54	Pass	901
859	1000	0.1	RMS	897.05	-61.01	-13	48.01	Pass	2821
1000	3000	1	RMS	2981.5	-48.12	-13	35.12	Pass	4001
3000	10000	1	RMS	9399.5	-67.9	-13	54.9	Pass	14002




**2.4. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:167300,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.67	-13	60.67	Pass	401
0.15	30	0.01	RMS	0.195	-70.73	-13	57.73	Pass	5971
30	814	0.1	RMS	811.45	-63.39	-13	50.39	Pass	15681
814	859	0.1	RMS	834.8	5.02	60	54.98	Pass	901
859	1000	0.1	RMS	996.95	-63.01	-13	50.01	Pass	2821
1000	3000	1	RMS	2978.5	-48.11	-13	35.11	Pass	4001
3000	10000	1	RMS	9404.5	-68.13	-13	55.13	Pass	14002




**2.5. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:167300,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.235	-70.75	-13	57.75	Pass	5971
30	814	0.1	RMS	606.522	-63.47	-13	50.47	Pass	15681
814	859	0.1	RMS	834.35	18.47	60	41.53	Pass	901
859	1000	0.1	RMS	998.75	-62.72	-13	49.72	Pass	2821
1000	3000	1	RMS	2971.5	-48.2	-13	35.2	Pass	4001
3000	10000	1	RMS	9398.5	-68.21	-13	55.21	Pass	14002




**2.6. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:167300,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.155	-70.43	-13	57.43	Pass	5971
30	814	0.1	RMS	620.174	-63.3	-13	50.3	Pass	15681
814	859	0.1	RMS	838.65	18.47	60	41.53	Pass	901
859	1000	0.1	RMS	888.15	-62.97	-13	49.97	Pass	2821
1000	3000	1	RMS	2979.5	-48.27	-13	35.27	Pass	4001
3000	10000	1	RMS	9405	-68.32	-13	55.32	Pass	14002




**2.7. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:169300,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.92	-13	60.92	Pass	401
0.15	30	0.01	RMS	0.245	-71	-13	58	Pass	5971
30	814	0.1	RMS	483.506	-63.3	-13	50.3	Pass	15681
814	859	0.1	RMS	844.75	5.01	60	54.99	Pass	901
859	1000	0.1	RMS	993.3	-62.73	-13	49.73	Pass	2821
1000	3000	1	RMS	2981	-48.26	-13	35.26	Pass	4001
3000	10000	1	RMS	9402.5	-68.22	-13	55.22	Pass	14002



**2.8. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:169300,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.15	-70.61	-13	57.61	Pass	5971
30	814	0.1	RMS	621.224	-63.26	-13	50.26	Pass	15681
814	859	0.1	RMS	844.35	18.34	60	41.66	Pass	901
859	1000	0.1	RMS	990.4	-62.89	-13	49.89	Pass	2821
1000	3000	1	RMS	1688.5	-48.12	-13	35.12	Pass	4001
3000	10000	1	RMS	9406	-68.3	-13	55.3	Pass	14002



**2.9. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:169300,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.17	-70.72	-13	57.72	Pass	5971
30	814	0.1	RMS	609.823	-63.26	-13	50.26	Pass	15681
814	859	0.1	RMS	848.65	18.37	60	41.63	Pass	901
859	1000	0.1	RMS	984.2	-62.92	-13	49.92	Pass	2821
1000	3000	1	RMS	2983	-48.26	-13	35.26	Pass	4001
3000	10000	1	RMS	9398	-68.32	-13	55.32	Pass	14002

