


1. n2


1.1. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.055	-78.42	-13	65.42	Pass	401
0.15	30	0.01	RMS	0.36	-70.8	-13	57.8	Pass	5971
30	1000	0.1	RMS	473.3	-80.61	-13	67.61	Pass	19402
1000	1840	1	RMS	1840	-49.24	-13	36.24	Pass	1681
1840	1920	1	RMS	1852.4	13.48	60	46.52	Pass	401
1920	3000	1	RMS	1933	-65.28	-13	52.28	Pass	2161
3000	7000	1	RMS	3704.5	-60.56	-13	47.56	Pass	8001
7000	20000	1	RMS	17492	-52.93	-13	39.93	Pass	26004




1.2. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.34	-13	54.34	Pass	401
0.15	30	0.01	RMS	0.15	-65.84	-13	52.84	Pass	5971
30	1000	0.1	RMS	469.6	-69.82	-13	56.82	Pass	19402
1000	1840	1	RMS	1839.5	-46.39	-13	33.39	Pass	1681
1840	1920	1	RMS	1850.2	19.74	60	40.26	Pass	401
1920	3000	1	RMS	1933	-65.18	-13	52.18	Pass	2161
3000	7000	1	RMS	3700.5	-56.08	-13	43.08	Pass	8001
7000	20000	1	RMS	17498	-52.84	-13	39.84	Pass	26004




1.3. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.13	-13	54.13	Pass	401
0.15	30	0.01	RMS	0.15	-66.26	-13	53.26	Pass	5971
30	1000	0.1	RMS	476.8	-71.33	-13	58.33	Pass	19402
1000	1840	1	RMS	1748.5	-62.24	-13	49.24	Pass	1681
1840	1920	1	RMS	1854.6	19.66	60	40.34	Pass	401
1920	3000	1	RMS	1933.5	-65.26	-13	52.26	Pass	2161
3000	7000	1	RMS	3709.5	-57.08	-13	44.08	Pass	8001
7000	20000	1	RMS	17500	-52.76	-13	39.76	Pass	26004




**1.4. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:376000,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-78.53	-13	65.53	Pass	401
0.15	30	0.01	RMS	0.33	-71.3	-13	58.3	Pass	5971
30	1000	0.1	RMS	859.603	-79.83	-13	66.83	Pass	19402
1000	1840	1	RMS	1799.5	-68.1	-13	55.1	Pass	1681
1840	1920	1	RMS	1878.6	13.67	60	46.33	Pass	401
1920	3000	1	RMS	1958.5	-66.31	-13	53.31	Pass	2161
3000	7000	1	RMS	3760	-62.84	-13	49.84	Pass	8001
7000	20000	1	RMS	17500	-52.91	-13	39.91	Pass	26004




**1.5. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:376000,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.62	-13	54.62	Pass	401
0.15	30	0.01	RMS	0.15	-66.09	-13	53.09	Pass	5971
30	1000	0.1	RMS	856.052	-68.93	-13	55.93	Pass	19402
1000	1840	1	RMS	1795	-63.94	-13	50.94	Pass	1681
1840	1920	1	RMS	1877.8	19.81	60	40.19	Pass	401
1920	3000	1	RMS	1958.5	-66.41	-13	53.41	Pass	2161
3000	7000	1	RMS	3755.5	-58.72	-13	45.72	Pass	8001
7000	20000	1	RMS	17497.5	-52.79	-13	39.79	Pass	26004




**1.6. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:376000,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.18	-13	54.18	Pass	401
0.15	30	0.01	RMS	0.15	-66.21	-13	53.21	Pass	5971
30	1000	0.1	RMS	522.65	-67.46	-13	54.46	Pass	19402
1000	1840	1	RMS	1803.5	-63.9	-13	50.9	Pass	1681
1840	1920	1	RMS	1882	19.81	60	40.19	Pass	401
1920	3000	1	RMS	1958.5	-66.43	-13	53.43	Pass	2161
3000	7000	1	RMS	3764.5	-57.89	-13	44.89	Pass	8001
7000	20000	1	RMS	17500	-52.78	-13	39.78	Pass	26004




**1.7. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:381500,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-78.81	-13	65.81	Pass	401
0.15	30	0.01	RMS	0.325	-72.04	-13	59.04	Pass	5971
30	1000	0.1	RMS	564.75	-80.61	-13	67.61	Pass	19402
1000	1840	1	RMS	1840	-69.54	-13	56.54	Pass	1681
1840	1920	1	RMS	1906.2	13.71	60	46.29	Pass	401
1920	3000	1	RMS	1920	-51.14	-13	38.14	Pass	2161
3000	7000	1	RMS	3815.5	-57.52	-13	44.52	Pass	8001
7000	20000	1	RMS	17501	-52.82	-13	39.82	Pass	26004




**1.8. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:381500,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.84	-13	54.84	Pass	401
0.15	30	0.01	RMS	0.15	-66.4	-13	53.4	Pass	5971
30	1000	0.1	RMS	897.316	-68.8	-13	55.8	Pass	19402
1000	1840	1	RMS	1684	-68.34	-13	55.34	Pass	1681
1840	1920	1	RMS	1905.2	19.85	60	40.15	Pass	401
1920	3000	1	RMS	1920	-65.57	-13	52.57	Pass	2161
3000	7000	1	RMS	3810.5	-53.92	-13	40.92	Pass	8001
7000	20000	1	RMS	17496.5	-52.83	-13	39.83	Pass	26004




**1.9. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:381500,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.53	-13	54.53	Pass	401
0.15	30	0.01	RMS	0.15	-66.34	-13	53.34	Pass	5971
30	1000	0.1	RMS	903.768	-70.12	-13	57.12	Pass	19402
1000	1840	1	RMS	1705.5	-68.63	-13	55.63	Pass	1681
1840	1920	1	RMS	1909.6	19.74	60	40.26	Pass	401
1920	3000	1	RMS	1920	-64.26	-13	51.26	Pass	2161
3000	7000	1	RMS	3819.5	-50.29	-13	37.29	Pass	8001
7000	20000	1	RMS	17492.5	-52.96	-13	39.96	Pass	26004




**1.19. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:371500,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-82.54	-13	69.54	Pass	401
0.15	30	0.01	RMS	2.34	-76.45	-13	63.45	Pass	5971
30	1000	0.1	RMS	483.85	-82.92	-13	69.92	Pass	19402
1000	1840	1	RMS	1840	-40.02	-13	27.02	Pass	1681
1840	1920	1	RMS	1863.6	8.87	60	51.13	Pass	401
1920	3000	1	RMS	2981	-67.86	-13	54.86	Pass	2161
3000	7000	1	RMS	6687	-63.32	-13	50.32	Pass	8001
7000	20000	1	RMS	17497.5	-52.83	-13	39.83	Pass	26004




**1.20. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:371500,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.9	-13	53.9	Pass	401
0.15	30	0.01	RMS	0.15	-65.97	-13	52.97	Pass	5971
30	1000	0.1	RMS	469.85	-71.71	-13	58.71	Pass	19402
1000	1840	1	RMS	1840	-45.07	-13	32.07	Pass	1681
1840	1920	1	RMS	1850.4	19.32	60	40.68	Pass	401
1920	3000	1	RMS	2980	-67.83	-13	54.83	Pass	2161
3000	7000	1	RMS	3701	-55.68	-13	42.68	Pass	8001
7000	20000	1	RMS	17500	-52.81	-13	39.81	Pass	26004




**1.21. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:371500,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:78)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.17	-13	54.17	Pass	401
0.15	30	0.01	RMS	0.15	-66.32	-13	53.32	Pass	5971
30	1000	0.1	RMS	493.25	-70	-13	57	Pass	19402
1000	1840	1	RMS	1836.5	-59.26	-13	46.26	Pass	1681
1840	1920	1	RMS	1864.4	19.23	60	40.77	Pass	401
1920	3000	1	RMS	2982	-67.89	-13	54.89	Pass	2161
3000	7000	1	RMS	3729	-56.1	-13	43.1	Pass	8001
7000	20000	1	RMS	17499.5	-52.77	-13	39.77	Pass	26004




**1.22. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:376000,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-83.2	-13	70.2	Pass	401
0.15	30	0.01	RMS	0.63	-76.63	-13	63.63	Pass	5971
30	1000	0.1	RMS	518.15	-82.04	-13	69.04	Pass	19402
1000	1840	1	RMS	1840	-56.44	-13	43.44	Pass	1681
1840	1920	1	RMS	1873.8	8.81	60	51.19	Pass	401
1920	3000	1	RMS	1920	-58.98	-13	45.98	Pass	2161
3000	7000	1	RMS	6684	-63.41	-13	50.41	Pass	8001
7000	20000	1	RMS	17500	-52.75	-13	39.75	Pass	26004




**1.23. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:376000,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.28	-13	54.28	Pass	401
0.15	30	0.01	RMS	0.15	-66.69	-13	53.69	Pass	5971
30	1000	0.1	RMS	848.75	-69.69	-13	56.69	Pass	19402
1000	1840	1	RMS	1785.5	-64.62	-13	51.62	Pass	1681
1840	1920	1	RMS	1872.8	19.24	60	40.76	Pass	401
1920	3000	1	RMS	2979	-67.85	-13	54.85	Pass	2161
3000	7000	1	RMS	3746	-59.03	-13	46.03	Pass	8001
7000	20000	1	RMS	17500.5	-52.71	-13	39.71	Pass	26004




**1.24. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:376000,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:78)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.71	-13	53.71	Pass	401
0.15	30	0.01	RMS	0.15	-66.64	-13	53.64	Pass	5971
30	1000	0.1	RMS	869.807	-67.48	-13	54.48	Pass	19402
1000	1840	1	RMS	1813.5	-64.19	-13	51.19	Pass	1681
1840	1920	1	RMS	1887	19.24	60	40.76	Pass	401
1920	3000	1	RMS	2984	-67.77	-13	54.77	Pass	2161
3000	7000	1	RMS	3774	-57.04	-13	44.04	Pass	8001
7000	20000	1	RMS	17497	-52.81	-13	39.81	Pass	26004




**1.25. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:380500,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-82.76	-13	69.76	Pass	401
0.15	30	0.01	RMS	0.69	-76.36	-13	63.36	Pass	5971
30	1000	0.1	RMS	891.614	-82.14	-13	69.14	Pass	19402
1000	1840	1	RMS	1840	-66.61	-13	53.61	Pass	1681
1840	1920	1	RMS	1897.4	8.71	60	51.29	Pass	401
1920	3000	1	RMS	1920	-42.51	-13	29.51	Pass	2161
3000	7000	1	RMS	3806	-63.06	-13	50.06	Pass	8001
7000	20000	1	RMS	17492.5	-52.72	-13	39.72	Pass	26004




**1.26. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:380500,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.41	-13	54.41	Pass	401
0.15	30	0.01	RMS	0.15	-66.11	-13	53.11	Pass	5971
30	1000	0.1	RMS	882.511	-67.74	-13	54.74	Pass	19402
1000	1840	1	RMS	1830	-65.63	-13	52.63	Pass	1681
1840	1920	1	RMS	1895.4	19.46	60	40.54	Pass	401
1920	3000	1	RMS	1920	-67.51	-13	54.51	Pass	2161
3000	7000	1	RMS	3791	-55.41	-13	42.41	Pass	8001
7000	20000	1	RMS	17499	-52.78	-13	39.78	Pass	26004




**1.27. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:380500,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:78)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.41	-13	54.41	Pass	401
0.15	30	0.01	RMS	0.15	-66.43	-13	53.43	Pass	5971
30	1000	0.1	RMS	568.25	-69.6	-13	56.6	Pass	19402
1000	1840	1	RMS	1705	-68.75	-13	55.75	Pass	1681
1840	1920	1	RMS	1909.4	19.17	60	40.83	Pass	401
1920	3000	1	RMS	1920	-63.61	-13	50.61	Pass	2161
3000	7000	1	RMS	3819	-50.17	-13	37.17	Pass	8001
7000	20000	1	RMS	17497.5	-52.77	-13	39.77	Pass	26004




**1.10. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:372000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-83.78	-13	70.78	Pass	401
0.15	30	0.01	RMS	2.1	-77.34	-13	64.34	Pass	5971
30	1000	0.1	RMS	486	-83.38	-13	70.38	Pass	19402
1000	1840	1	RMS	1840	-39.28	-13	26.28	Pass	1681
1840	1920	1	RMS	1868.6	8.39	60	51.61	Pass	401
1920	3000	1	RMS	1920	-63.61	-13	50.61	Pass	2161
3000	7000	1	RMS	6680	-63.4	-13	50.4	Pass	8001
7000	20000	1	RMS	17500.5	-52.89	-13	39.89	Pass	26004




**1.11. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:372000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.68	-13	53.68	Pass	401
0.15	30	0.01	RMS	0.15	-66.18	-13	53.18	Pass	5971
30	1000	0.1	RMS	469.95	-72.52	-13	59.52	Pass	19402
1000	1840	1	RMS	1840	-45.34	-13	32.34	Pass	1681
1840	1920	1	RMS	1850.4	19.78	60	40.22	Pass	401
1920	3000	1	RMS	2977	-67.86	-13	54.86	Pass	2161
3000	7000	1	RMS	3701	-55.82	-13	42.82	Pass	8001
7000	20000	1	RMS	17499.5	-52.74	-13	39.74	Pass	26004




**1.12. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:372000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:105)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.92	-13	53.92	Pass	401
0.15	30	0.01	RMS	0.15	-66.07	-13	53.07	Pass	5971
30	1000	0.1	RMS	501.45	-69.68	-13	56.68	Pass	19402
1000	1840	1	RMS	1778	-64.57	-13	51.57	Pass	1681
1840	1920	1	RMS	1869.4	19.7	60	40.3	Pass	401
1920	3000	1	RMS	2983	-67.9	-13	54.9	Pass	2161
3000	7000	1	RMS	3739	-60.72	-13	47.72	Pass	8001
7000	20000	1	RMS	17497	-52.77	-13	39.77	Pass	26004




**1.13. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:376000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-82.93	-13	69.93	Pass	401
0.15	30	0.01	RMS	2.1	-77.93	-13	64.93	Pass	5971
30	1000	0.1	RMS	859.553	-82.64	-13	69.64	Pass	19402
1000	1840	1	RMS	1840	-50.55	-13	37.55	Pass	1681
1840	1920	1	RMS	1871.4	8.27	60	51.73	Pass	401
1920	3000	1	RMS	1920	-53.15	-13	40.15	Pass	2161
3000	7000	1	RMS	6683.5	-63.33	-13	50.33	Pass	8001
7000	20000	1	RMS	17491.5	-52.85	-13	39.85	Pass	26004




**1.14. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:376000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.47	-13	54.47	Pass	401
0.15	30	0.01	RMS	0.15	-67.02	-13	54.02	Pass	5971
30	1000	0.1	RMS	503.3	-69.52	-13	56.52	Pass	19402
1000	1840	1	RMS	1780.5	-64.04	-13	51.04	Pass	1681
1840	1920	1	RMS	1870.4	19.72	60	40.28	Pass	401
1920	3000	1	RMS	2986	-67.87	-13	54.87	Pass	2161
3000	7000	1	RMS	3741	-57.1	-13	44.1	Pass	8001
7000	20000	1	RMS	17492.5	-52.69	-13	39.69	Pass	26004




**1.15. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:376000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:105)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.94	-13	53.94	Pass	401
0.15	30	0.01	RMS	0.15	-66.25	-13	53.25	Pass	5971
30	1000	0.1	RMS	534.8	-66.85	-13	53.85	Pass	19402
1000	1840	1	RMS	1818	-63.5	-13	50.5	Pass	1681
1840	1920	1	RMS	1889.4	19.77	60	40.23	Pass	401
1920	3000	1	RMS	1920	-66.36	-13	53.36	Pass	2161
3000	7000	1	RMS	3779	-56.78	-13	43.78	Pass	8001
7000	20000	1	RMS	17499	-52.84	-13	39.84	Pass	26004




**1.16. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:380000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-83.99	-13	70.99	Pass	401
0.15	30	0.01	RMS	0.54	-77.53	-13	64.53	Pass	5971
30	1000	0.1	RMS	888.463	-82.01	-13	69.01	Pass	19402
1000	1840	1	RMS	1840	-59.05	-13	46.05	Pass	1681
1840	1920	1	RMS	1898.4	7.23	60	52.77	Pass	401
1920	3000	1	RMS	1921.5	-39.85	-13	26.85	Pass	2161
3000	7000	1	RMS	6982.5	-61.82	-13	48.82	Pass	8001
7000	20000	1	RMS	17497.5	-52.76	-13	39.76	Pass	26004




**1.17. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:380000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.21	-13	54.21	Pass	401
0.15	30	0.01	RMS	0.15	-66.11	-13	53.11	Pass	5971
30	1000	0.1	RMS	875.109	-68	-13	55	Pass	19402
1000	1840	1	RMS	1820.5	-64.36	-13	51.36	Pass	1681
1840	1920	1	RMS	1890.4	19.24	60	40.76	Pass	401
1920	3000	1	RMS	1921	-65.34	-13	52.34	Pass	2161
3000	7000	1	RMS	3781	-56.49	-13	43.49	Pass	8001
7000	20000	1	RMS	17500.5	-52.82	-13	39.82	Pass	26004



**1.18. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:380000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:105)(NTNV)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.32	-13	54.32	Pass	401
0.15	30	0.01	RMS	0.15	-66.21	-13	53.21	Pass	5971
30	1000	0.1	RMS	568.15	-68.6	-13	55.6	Pass	19402
1000	1840	1	RMS	1704.5	-68.62	-13	55.62	Pass	1681
1840	1920	1	RMS	1909.4	19.22	60	40.78	Pass	401
1920	3000	1	RMS	1920	-63.11	-13	50.11	Pass	2161
3000	7000	1	RMS	3819	-50.26	-13	37.26	Pass	8001
7000	20000	1	RMS	17488	-52.98	-13	39.98	Pass	26004



2. n5


2.1. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.33	-13	60.33	Pass	401
0.15	30	0.01	RMS	0.21	-70.36	-13	57.36	Pass	5971
30	814	0.1	RMS	813.9	-55.8	-13	42.8	Pass	15681
814	859	0.1	RMS	824.8	4.79	60	55.21	Pass	901
859	1000	0.1	RMS	872.65	-63.81	-13	50.81	Pass	2821
1000	3000	1	RMS	2985.5	-48.64	-13	35.64	Pass	4001
3000	10000	1	RMS	9397.5	-42.47	-13	29.47	Pass	14002




2.2. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.12	-13	61.12	Pass	401
0.15	30	0.01	RMS	0.155	-70.41	-13	57.41	Pass	5971
30	814	0.1	RMS	813.6	-64.01	-13	51.01	Pass	15681
814	859	0.1	RMS	824.35	18.28	60	41.72	Pass	901
859	1000	0.1	RMS	892.2	-63.89	-13	50.89	Pass	2821
1000	3000	1	RMS	1648.5	-48.4	-13	35.4	Pass	4001
3000	10000	1	RMS	9404	-42.45	-13	29.45	Pass	14002




2.3. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.2	-13	61.2	Pass	401
0.15	30	0.01	RMS	0.16	-70.64	-13	57.64	Pass	5971
30	814	0.1	RMS	614.573	-64.29	-13	51.29	Pass	15681
814	859	0.1	RMS	828.65	18.35	60	41.65	Pass	901
859	1000	0.1	RMS	991.5	-64.39	-13	51.39	Pass	2821
1000	3000	1	RMS	1657.5	-48.56	-13	35.56	Pass	4001
3000	10000	1	RMS	7077.5	-41.59	-13	28.59	Pass	14002




2.4. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.79	-13	60.79	Pass	401
0.15	30	0.01	RMS	0.155	-71.42	-13	58.42	Pass	5971
30	814	0.1	RMS	626.875	-64.5	-13	51.5	Pass	15681
814	859	0.1	RMS	834.85	4.79	60	55.21	Pass	901
859	1000	0.1	RMS	997.5	-64.21	-13	51.21	Pass	2821
1000	3000	1	RMS	2984.5	-48.69	-13	35.69	Pass	4001
3000	10000	1	RMS	9401	-42.72	-13	29.72	Pass	14002




2.5. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.16	-70.25	-13	57.25	Pass	5971
30	814	0.1	RMS	803.099	-64.42	-13	51.42	Pass	15681
814	859	0.1	RMS	834.35	18.27	60	41.73	Pass	901
859	1000	0.1	RMS	919.8	-64.04	-13	51.04	Pass	2821
1000	3000	1	RMS	2980.5	-48.67	-13	35.67	Pass	4001
3000	10000	1	RMS	9408.5	-42.72	-13	29.72	Pass	14002




**2.6. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:167300,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.95	-13	60.95	Pass	401
0.15	30	0.01	RMS	0.155	-70.65	-13	57.65	Pass	5971
30	814	0.1	RMS	730.189	-64.59	-13	51.59	Pass	15681
814	859	0.1	RMS	838.65	18.29	60	41.71	Pass	901
859	1000	0.1	RMS	990.55	-64.06	-13	51.06	Pass	2821
1000	3000	1	RMS	2974.5	-48.7	-13	35.7	Pass	4001
3000	10000	1	RMS	9394	-42.7	-13	29.7	Pass	14002




2.7. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.99	-13	60.99	Pass	401
0.15	30	0.01	RMS	0.17	-70.93	-13	57.93	Pass	5971
30	814	0.1	RMS	614.773	-64.42	-13	51.42	Pass	15681
814	859	0.1	RMS	844.75	4.75	60	55.25	Pass	901
859	1000	0.1	RMS	888.65	-64.22	-13	51.22	Pass	2821
1000	3000	1	RMS	2983.5	-48.69	-13	35.69	Pass	4001
3000	10000	1	RMS	9414	-42.7	-13	29.7	Pass	14002




2.8. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.24	-70.39	-13	57.39	Pass	5971
30	814	0.1	RMS	611.273	-64.85	-13	51.85	Pass	15681
814	859	0.1	RMS	844.35	18.11	60	41.89	Pass	901
859	1000	0.1	RMS	999.45	-64.34	-13	51.34	Pass	2821
1000	3000	1	RMS	1688.5	-48.45	-13	35.45	Pass	4001
3000	10000	1	RMS	9408	-42.61	-13	29.61	Pass	14002




**2.9. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:169300,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.81	-13	61.81	Pass	401
0.15	30	0.01	RMS	0.175	-71	-13	58	Pass	5971
30	814	0.1	RMS	732.539	-64.31	-13	51.31	Pass	15681
814	859	0.1	RMS	848.65	18.17	60	41.83	Pass	901
859	1000	0.1	RMS	981	-64.09	-13	51.09	Pass	2821
1000	3000	1	RMS	2981.5	-48.62	-13	35.62	Pass	4001
3000	10000	1	RMS	7071.5	-41.47	-13	28.47	Pass	14002




**2.10. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:166300,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.05	-13	61.05	Pass	401
0.15	30	0.01	RMS	0.26	-71.19	-13	58.19	Pass	5971
30	814	0.1	RMS	813.75	-46.13	-13	33.13	Pass	15681
814	859	0.1	RMS	835.9	0.12	60	59.88	Pass	901
859	1000	0.1	RMS	990	-63.97	-13	50.97	Pass	2821
1000	3000	1	RMS	2982	-48.63	-13	35.63	Pass	4001
3000	10000	1	RMS	7062	-41.35	-13	28.35	Pass	14002




**2.11. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:166300,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.78	-13	60.78	Pass	401
0.15	30	0.01	RMS	0.175	-69.73	-13	56.73	Pass	5971
30	814	0.1	RMS	813.75	-63.58	-13	50.58	Pass	15681
814	859	0.1	RMS	824.45	18.26	60	41.74	Pass	901
859	1000	0.1	RMS	873.35	-63.93	-13	50.93	Pass	2821
1000	3000	1	RMS	1649	-48.05	-13	35.05	Pass	4001
3000	10000	1	RMS	9407.5	-42.59	-13	29.59	Pass	14002




**2.12. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:166300,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:78)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.22	-13	61.22	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-13	57.82	Pass	5971
30	814	0.1	RMS	796.798	-63.6	-13	50.6	Pass	15681
814	859	0.1	RMS	838.5	18.29	60	41.71	Pass	901
859	1000	0.1	RMS	999	-63.86	-13	50.86	Pass	2821
1000	3000	1	RMS	2980	-48.68	-13	35.68	Pass	4001
3000	10000	1	RMS	9406.5	-42.64	-13	29.64	Pass	14002




**2.13. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:167300,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.76	-13	61.76	Pass	401
0.15	30	0.01	RMS	0.18	-71.2	-13	58.2	Pass	5971
30	814	0.1	RMS	813.95	-50.26	-13	37.26	Pass	15681
814	859	0.1	RMS	829.65	0	60	60	Pass	901
859	1000	0.1	RMS	866.85	-63.93	-13	50.93	Pass	2821
1000	3000	1	RMS	2984.5	-48.64	-13	35.64	Pass	4001
3000	10000	1	RMS	9405	-42.57	-13	29.57	Pass	14002




**2.14. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:167300,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.87	-13	61.87	Pass	401
0.15	30	0.01	RMS	0.19	-70.96	-13	57.96	Pass	5971
30	814	0.1	RMS	813.25	-63.95	-13	50.95	Pass	15681
814	859	0.1	RMS	829.45	18.22	60	41.78	Pass	901
859	1000	0.1	RMS	987.3	-63.78	-13	50.78	Pass	2821
1000	3000	1	RMS	1659	-48.42	-13	35.42	Pass	4001
3000	10000	1	RMS	9400.5	-42.59	-13	29.59	Pass	14002




**2.15. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:167300,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:78)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.15	-69.3	-13	56.3	Pass	5971
30	814	0.1	RMS	635.676	-64.16	-13	51.16	Pass	15681
814	859	0.1	RMS	843.5	18.15	60	41.85	Pass	901
859	1000	0.1	RMS	883.4	-63.97	-13	50.97	Pass	2821
1000	3000	1	RMS	1687	-47.8	-13	34.8	Pass	4001
3000	10000	1	RMS	9398.5	-42.52	-13	29.52	Pass	14002




**2.16. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:168300,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.45	-13	61.45	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	57.94	Pass	5971
30	814	0.1	RMS	813.85	-53.27	-13	40.27	Pass	15681
814	859	0.1	RMS	834.7	0.27	60	59.73	Pass	901
859	1000	0.1	RMS	994.6	-63.73	-13	50.73	Pass	2821
1000	3000	1	RMS	2981.5	-48.6	-13	35.6	Pass	4001
3000	10000	1	RMS	7069	-40.88	-13	27.88	Pass	14002




**2.17. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:168300,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.07	-13	61.07	Pass	401
0.15	30	0.01	RMS	0.155	-70.29	-13	57.29	Pass	5971
30	814	0.1	RMS	729.939	-64.16	-13	51.16	Pass	15681
814	859	0.1	RMS	834.45	18.26	60	41.74	Pass	901
859	1000	0.1	RMS	898.95	-63.74	-13	50.74	Pass	2821
1000	3000	1	RMS	2985	-48.65	-13	35.65	Pass	4001
3000	10000	1	RMS	9405.5	-42.62	-13	29.62	Pass	14002




**2.18. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:168300,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:78)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.18	-13	61.18	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	58.19	Pass	5971
30	814	0.1	RMS	693.734	-64.05	-13	51.05	Pass	15681
814	859	0.1	RMS	848.5	18.15	60	41.85	Pass	901
859	1000	0.1	RMS	994.65	-63.88	-13	50.88	Pass	2821
1000	3000	1	RMS	2982	-48.61	-13	35.61	Pass	4001
3000	10000	1	RMS	9404	-42.52	-13	29.52	Pass	14002




**2.19. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:166800,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.82	-13	61.82	Pass	401
0.15	30	0.01	RMS	0.19	-71.13	-13	58.13	Pass	5971
30	814	0.1	RMS	813.85	-45.42	-13	32.42	Pass	15681
814	859	0.1	RMS	835.55	-1.28	60	61.28	Pass	901
859	1000	0.1	RMS	999.35	-63.83	-13	50.83	Pass	2821
1000	3000	1	RMS	2983.5	-48.61	-13	35.61	Pass	4001
3000	10000	1	RMS	9399	-42.58	-13	29.58	Pass	14002




**2.20. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:166800,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.05	-13	61.05	Pass	401
0.15	30	0.01	RMS	0.15	-70.08	-13	57.08	Pass	5971
30	814	0.1	RMS	813.8	-63.28	-13	50.28	Pass	15681
814	859	0.1	RMS	824.55	18.38	60	41.62	Pass	901
859	1000	0.1	RMS	996.75	-63.72	-13	50.72	Pass	2821
1000	3000	1	RMS	1649	-48.03	-13	35.03	Pass	4001
3000	10000	1	RMS	9401	-42.49	-13	29.49	Pass	14002




**2.21. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:166800,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:105)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.26	-13	61.26	Pass	401
0.15	30	0.01	RMS	0.15	-69.99	-13	56.99	Pass	5971
30	814	0.1	RMS	722.988	-64.17	-13	51.17	Pass	15681
814	859	0.1	RMS	843.45	18.25	60	41.75	Pass	901
859	1000	0.1	RMS	962.85	-63.73	-13	50.73	Pass	2821
1000	3000	1	RMS	1687	-47.95	-13	34.95	Pass	4001
3000	10000	1	RMS	9400	-42.58	-13	29.58	Pass	14002




**2.22. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:167300,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.75	-13	60.75	Pass	401
0.15	30	0.01	RMS	0.19	-70.74	-13	57.74	Pass	5971
30	814	0.1	RMS	813.85	-47.33	-13	34.33	Pass	15681
814	859	0.1	RMS	830.4	-1.22	60	61.22	Pass	901
859	1000	0.1	RMS	996.5	-63.56	-13	50.56	Pass	2821
1000	3000	1	RMS	2980.5	-48.65	-13	35.65	Pass	4001
3000	10000	1	RMS	7069.5	-41.31	-13	28.31	Pass	14002




2.23. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.12	-13	61.12	Pass	401
0.15	30	0.01	RMS	0.155	-70.72	-13	57.72	Pass	5971
30	814	0.1	RMS	811.7	-63.92	-13	50.92	Pass	15681
814	859	0.1	RMS	827.05	18.31	60	41.69	Pass	901
859	1000	0.1	RMS	975.3	-63.74	-13	50.74	Pass	2821
1000	3000	1	RMS	1654	-48.13	-13	35.13	Pass	4001
3000	10000	1	RMS	9400.5	-42.6	-13	29.6	Pass	14002




**2.24. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:167300,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:105)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.28	-13	61.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	58.44	Pass	5971
30	814	0.1	RMS	627.925	-63.9	-13	50.9	Pass	15681
814	859	0.1	RMS	845.95	18.19	60	41.81	Pass	901
859	1000	0.1	RMS	991.65	-63.58	-13	50.58	Pass	2821
1000	3000	1	RMS	2982	-48.59	-13	35.59	Pass	4001
3000	10000	1	RMS	9404.5	-42.43	-13	29.43	Pass	14002




**2.25. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:167800,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.83	-13	61.83	Pass	401
0.15	30	0.01	RMS	0.3	-71.58	-13	58.58	Pass	5971
30	814	0.1	RMS	813.85	-48.69	-13	35.69	Pass	15681
814	859	0.1	RMS	833.95	-1.17	60	61.17	Pass	901
859	1000	0.1	RMS	887.55	-63.7	-13	50.7	Pass	2821
1000	3000	1	RMS	2980.5	-48.61	-13	35.61	Pass	4001
3000	10000	1	RMS	9391.5	-42.39	-13	29.39	Pass	14002




**2.26. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:167800,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.5	-13	60.5	Pass	401
0.15	30	0.01	RMS	0.165	-70.09	-13	57.09	Pass	5971
30	814	0.1	RMS	811	-63.88	-13	50.88	Pass	15681
814	859	0.1	RMS	829.55	18.33	60	41.67	Pass	901
859	1000	0.1	RMS	996.55	-63.34	-13	50.34	Pass	2821
1000	3000	1	RMS	1659	-48.43	-13	35.43	Pass	4001
3000	10000	1	RMS	9411.5	-42.52	-13	29.52	Pass	14002



**2.27. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:167800,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:105)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.16	-71.09	-13	58.09	Pass	5971
30	814	0.1	RMS	615.674	-63.83	-13	50.83	Pass	15681
814	859	0.1	RMS	848.45	18.15	60	41.85	Pass	901
859	1000	0.1	RMS	887.45	-63.38	-13	50.38	Pass	2821
1000	3000	1	RMS	2983.5	-48.62	-13	35.62	Pass	4001
3000	10000	1	RMS	9400.5	-42.45	-13	29.45	Pass	14002




3. n7

3.1. Spurious Emission at Antenna Terminals for


SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.58	-25	49.58	Pass	401
0.15	30	0.01	RMS	0.265	-71.04	-25	46.04	Pass	5971
30	1000	0.1	RMS	862.154	-63.82	-25	38.82	Pass	19402
1000	2495	1	RMS	2495	-36.71	-25	11.71	Pass	2991
2495	2575	1	RMS	2503.8	12.27	60	47.73	Pass	401
2575	3000	1	RMS	2982	-48.59	-25	23.59	Pass	851
3000	7000	1	RMS	5180	-58.85	-25	33.85	Pass	8001
7000	26000	1	RMS	25887	-54.21	-25	29.21	Pass	38005




3.2. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.82	-25	49.82	Pass	401
0.15	30	0.01	RMS	0.175	-70.73	-25	45.73	Pass	5971
30	1000	0.1	RMS	998.099	-63.39	-25	38.39	Pass	19402
1000	2495	1	RMS	2495	-49.1	-25	24.1	Pass	2991
2495	2575	1	RMS	2500.2	18.24	60	41.76	Pass	401
2575	3000	1	RMS	2975	-48.67	-25	23.67	Pass	851
3000	7000	1	RMS	5000.5	-57.64	-25	32.64	Pass	8001
7000	26000	1	RMS	25890	-54.15	-25	29.15	Pass	38005




3.3. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.75	-25	48.75	Pass	401
0.15	30	0.01	RMS	0.275	-70.97	-25	45.97	Pass	5971
30	1000	0.1	RMS	982.594	-63.66	-25	38.66	Pass	19402
1000	2495	1	RMS	2494	-49.81	-25	24.81	Pass	2991
2495	2575	1	RMS	2504.6	18.34	60	41.66	Pass	401
2575	3000	1	RMS	2985.5	-48.63	-25	23.63	Pass	851
3000	7000	1	RMS	5009.5	-57.55	-25	32.55	Pass	8001
7000	26000	1	RMS	25900.5	-54.23	-25	29.23	Pass	38005




3.4. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.03	-25	49.03	Pass	401
0.15	30	0.01	RMS	0.255	-71.11	-25	46.11	Pass	5971
30	1000	0.1	RMS	876.909	-63.66	-25	38.66	Pass	19402
1000	2495	1	RMS	2493.5	-50.05	-25	25.05	Pass	2991
2495	2575	1	RMS	2535.8	12.05	60	47.95	Pass	401
2575	3000	1	RMS	2980	-48.54	-25	23.54	Pass	851
3000	7000	1	RMS	6681.5	-69.35	-25	44.35	Pass	8001
7000	26000	1	RMS	25909.5	-54.2	-25	29.2	Pass	38005




3.5. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.19	-25	49.19	Pass	401
0.15	30	0.01	RMS	0.15	-69.74	-25	44.74	Pass	5971
30	1000	0.1	RMS	886.212	-63.71	-25	38.71	Pass	19402
1000	2495	1	RMS	2494	-50.08	-25	25.08	Pass	2991
2495	2575	1	RMS	2532.8	18.15	60	41.85	Pass	401
2575	3000	1	RMS	2984.5	-48.68	-25	23.68	Pass	851
3000	7000	1	RMS	5177.5	-59.71	-25	34.71	Pass	8001
7000	26000	1	RMS	25901	-54.28	-25	29.28	Pass	38005



3.6. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.91	-25	49.91	Pass	401
0.15	30	0.01	RMS	0.16	-70.86	-25	45.86	Pass	5971
30	1000	0.1	RMS	890.414	-63.4	-25	38.4	Pass	19402
1000	2495	1	RMS	2488	-50.04	-25	25.04	Pass	2991
2495	2575	1	RMS	2537	18.2	60	41.8	Pass	401
2575	3000	1	RMS	2982	-48.56	-25	23.56	Pass	851
3000	7000	1	RMS	5174.5	-61.61	-25	36.61	Pass	8001
7000	26000	1	RMS	25895.5	-54.15	-25	29.15	Pass	38005



3.7. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.71	-25	48.71	Pass	401
0.15	30	0.01	RMS	0.26	-70.74	-25	45.74	Pass	5971
30	1000	0.1	RMS	854.652	-63.63	-25	38.63	Pass	19402
1000	2495	1	RMS	2484	-50.03	-25	25.03	Pass	2991
2495	2575	1	RMS	2566	11.82	60	48.18	Pass	401
2575	3000	1	RMS	2575	-35.87	-25	10.87	Pass	851
3000	7000	1	RMS	5181.5	-62.01	-25	37.01	Pass	8001
7000	26000	1	RMS	25899.5	-54.15	-25	29.15	Pass	38005

