



1.15. Band Edge for SA(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	828	0.1	RMS	825.4	-58.48	-13	45.48	Pass	481
828	829	0.02	RMS	828.348	-68.49	-13	55.49	Pass	401
829	849	0.1	RMS	848.45	18.43	30	11.57	Pass	401
849	850	0.02	RMS	849	-31.03	-13	18.03	Pass	401
850	874	0.1	RMS	850	-50.23	-13	37.23	Pass	481



1.16. Band Edge for SA(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	828	0.1	RMS	827.45	-41.69	-13	28.69	Pass	481
828	829	0.2	RMS	828.998	-33.49	-13	20.49	Pass	401
829	849	0.1	RMS	833.15	-0.76	30	30.76	Pass	401
849	850	0.2	RMS	849	-32.6	-13	19.6	Pass	401
850	874	0.1	RMS	850	-42.53	-13	29.53	Pass	481



2. n14


2.1. Band Edge for SA(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-21.68	-13	8.68	Pass	401
787.9	788	0.051	RMS	788	-18.52	-13	5.52	Pass	401
788	793	0.1	RMS	788.35	18.96	30	11.04	Pass	401
793	793.1	0.051	RMS	793.098	-55.97	-13	42.97	Pass	401
793.1	803	0.1	RMS	793.595	-53.24	-13	40.24	Pass	401




2.2. Band Edge for SA(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-27.65	-13	14.65	Pass	401
787.9	788	0.051	RMS	788	-28.13	-13	15.13	Pass	401
788	793	0.1	RMS	791.975	5.84	30	24.16	Pass	401
793	793.1	0.051	RMS	793.001	-26.08	-13	13.08	Pass	401
793.1	803	0.1	RMS	793.1	-26.17	-13	13.17	Pass	401




2.3. Band Edge for SA(Subtest:3, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
783	792.9	0.1	RMS	792.875	-52.28	-13	39.28	Pass	401
792.9	793	0.051	RMS	792.901	-54.78	-13	41.78	Pass	401
793	798	0.1	RMS	797.675	18.72	30	11.28	Pass	401
798	798.1	0.051	RMS	798	-17.43	-13	4.43	Pass	401
798.1	808	0.1	RMS	798.1	-20.51	-13	7.51	Pass	401




2.4. Band Edge for SA(Subtest:4, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
783	792.9	0.1	RMS	792.9	-26.04	-13	13.04	Pass	401
792.9	793	0.051	RMS	793	-26.06	-13	13.06	Pass	401
793	798	0.1	RMS	793.4	6.01	30	23.99	Pass	401
798	798.1	0.051	RMS	798	-27.91	-13	14.91	Pass	401
798.1	808	0.1	RMS	798.1	-28.51	-13	15.51	Pass	401




2.5. Band Edge for SA(Subtest:5, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	771.577	-63.59	-35	28.59	Pass	1936




2.6. Band Edge for SA(Subtest:6, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	773.868	-63.73	-35	28.73	Pass	1936




2.7. Band Edge for SA(Subtest:7, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	799.76	-59.12	-35	24.12	Pass	2259




2.8. Band Edge for SA(Subtest:8, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	799.338	-45.5	-35	10.5	Pass	2259




2.9. Band Edge for SA(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-21.87	-13	8.87	Pass	401
787.9	788	0.1	RMS	788	-16.87	-13	3.87	Pass	401
788	798	0.1	RMS	788.425	18.92	30	11.08	Pass	401
798	798.1	0.1	RMS	798.019	-53.82	-13	40.82	Pass	401
798.1	813	0.1	RMS	798.473	-53.84	-13	40.84	Pass	401




2.10. Band Edge for SA(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-32.11	-13	19.11	Pass	401
787.9	788	0.1	RMS	787.999	-29.57	-13	16.57	Pass	401
788	798	0.1	RMS	791.975	2.62	30	27.38	Pass	401
798	798.1	0.1	RMS	798.004	-28.83	-13	15.83	Pass	401
798.1	813	0.1	RMS	798.1	-31.87	-13	18.87	Pass	401




2.11. Band Edge for SA(Subtest:3, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	786.112	-53.65	-13	40.65	Pass	401
787.9	788	0.1	RMS	787.964	-53.29	-13	40.29	Pass	401
788	798	0.1	RMS	797.6	18.71	30	11.29	Pass	401
798	798.1	0.1	RMS	798	-16.65	-13	3.65	Pass	401
798.1	813	0.1	RMS	798.1	-21.72	-13	8.72	Pass	401




2.12. Band Edge for SA(Subtest:4, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-31.94	-13	18.94	Pass	401
787.9	788	0.1	RMS	787.999	-29.55	-13	16.55	Pass	401
788	798	0.1	RMS	792	2.61	30	27.39	Pass	401
798	798.1	0.1	RMS	798.004	-28.81	-13	15.81	Pass	401
798.1	813	0.1	RMS	798.1	-31.91	-13	18.91	Pass	401




2.13. Band Edge for SA(Subtest:5, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	769.921	-63.51	-35	28.51	Pass	1936




2.14. Band Edge for SA(Subtest:6, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	771.555	-63.42	-35	28.42	Pass	1936




2.15. Band Edge for SA(Subtest:7, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	800.169	-58.28	-35	23.28	Pass	2259



2.16. Band Edge for SA(Subtest:8, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	800.194	-46.66	-35	11.66	Pass	2259



1. n25


1.1. Band Edge for SA(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-29.49	-13	16.49	Pass	401
1849	1850	0.051	RMS	1850	-18.58	-13	5.58	Pass	401
1850	1855	1	RMS	1850.35	19.73	30	10.27	Pass	401
1855	1856	0.051	RMS	1855.033	-55.07	-13	42.07	Pass	401
1856	1865	1	RMS	1856	-41.37	-13	28.37	Pass	401




1.2. Band Edge for SA(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-29.47	-13	16.47	Pass	401
1849	1850	0.051	RMS	1850	-27.3	-13	14.3	Pass	401
1850	1855	1	RMS	1851.738	13.42	30	16.58	Pass	401
1855	1856	0.051	RMS	1855.003	-28.11	-13	15.11	Pass	401
1856.5	1865	1	RMS	1856.5	-29.77	-13	16.77	Pass	401




1.3. Band Edge for SA(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1909	1	RMS	1908.955	-41.05	-13	28.05	Pass	401
1909	1910	0.051	RMS	1909.853	-54.56	-13	41.56	Pass	401
1910	1915	1	RMS	1914.638	19.8	30	10.2	Pass	401
1915	1916	0.051	RMS	1915	-19.49	-13	6.49	Pass	401
1916.5	1925	1	RMS	1916.5	-31.79	-13	18.79	Pass	401




1.4. Band Edge for SA(Subtest:4, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1908.5	1	RMS	1908.5	-30.71	-13	17.71	Pass	401
1909	1910	0.051	RMS	1909.998	-27.86	-13	14.86	Pass	401
1910	1915	1	RMS	1913.538	13.67	30	16.33	Pass	401
1915	1916	0.051	RMS	1915	-28.06	-13	15.06	Pass	401
1916.5	1925	1	RMS	1916.5	-32.33	-13	19.33	Pass	401




1.5. Band Edge for SA(Subtest:1, Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1835	1848.5	1	RMS	1848.5	-33.35	-13	20.35	Pass	401
1849	1850	0.1	RMS	1850	-17.25	-13	4.25	Pass	401
1850	1860	1	RMS	1850.4	19.72	30	10.28	Pass	401
1860	1861	0.1	RMS	1860.025	-51.92	-13	38.92	Pass	401
1861	1875	1	RMS	1861	-41.5	-13	28.5	Pass	401




1.6. Band Edge for SA(Subtest:2, Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1835	1849	1	RMS	1849	-21.8	-13	8.8	Pass	401
1849	1850	0.1	RMS	1850	-30.26	-13	17.26	Pass	401
1850	1860	1	RMS	1858.725	10.74	30	19.26	Pass	401
1860	1861	0.1	RMS	1860	-29.47	-13	16.47	Pass	401
1861	1875	1	RMS	1861	-22.92	-13	9.92	Pass	401




1.7. Band Edge for SA(Subtest:3, Channel:382000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1904	1	RMS	1903.16	-41.42	-13	28.42	Pass	401
1904	1905	0.1	RMS	1904.913	-52.18	-13	39.18	Pass	401
1905	1915	1	RMS	1914.575	19.75	30	10.25	Pass	401
1915	1916	0.1	RMS	1915.003	-18.3	-13	5.3	Pass	401
1916.5	1930	1	RMS	1916.5	-35.12	-13	22.12	Pass	401




1.8. Band Edge for SA(Subtest:4, Channel:382000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1904	1	RMS	1904	-21.22	-13	8.22	Pass	401
1904	1905	0.1	RMS	1905	-29.3	-13	16.3	Pass	401
1905	1915	1	RMS	1906.2	10.73	30	19.27	Pass	401
1915	1916	0.1	RMS	1915	-30.88	-13	17.88	Pass	401
1916	1930	1	RMS	1916	-23.81	-13	10.81	Pass	401




1.9. Band Edge for SA(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848.5	1	RMS	1848.5	-36.7	-13	23.7	Pass	401
1849	1850	0.15	RMS	1850	-18.22	-13	5.22	Pass	401
1850	1865	1	RMS	1850.413	19.78	30	10.22	Pass	401
1865	1866	0.15	RMS	1865.013	-50.14	-13	37.14	Pass	401
1866	1885	1	RMS	1866	-41.56	-13	28.56	Pass	401




1.10. Band Edge for SA(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1849	1	RMS	1849	-26.32	-13	13.32	Pass	401
1849	1850	0.15	RMS	1850	-32.65	-13	19.65	Pass	401
1850	1865	1	RMS	1863.538	9.31	30	20.69	Pass	401
1865	1866	0.15	RMS	1865	-32.97	-13	19.97	Pass	401
1866	1885	1	RMS	1866	-26.94	-13	13.94	Pass	401




1.11. Band Edge for SA(Subtest:3, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1880	1899	1	RMS	1895.58	-41.42	-13	28.42	Pass	401
1899	1900	0.15	RMS	1899.125	-50.03	-13	37.03	Pass	401
1900	1915	1	RMS	1914.55	19.89	30	10.11	Pass	401
1915	1916	0.15	RMS	1915.003	-19.13	-13	6.13	Pass	401
1916.5	1935	1	RMS	1916.5	-37.61	-13	24.61	Pass	401




1.12. Band Edge for SA(Subtest:4, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1880	1899	1	RMS	1899	-24.97	-13	11.97	Pass	401
1899	1900	0.15	RMS	1900	-30.39	-13	17.39	Pass	401
1900	1915	1	RMS	1901.313	9.69	30	20.31	Pass	401
1915	1916	0.15	RMS	1915	-33.94	-13	20.94	Pass	401
1916	1935	1	RMS	1916	-28.7	-13	15.7	Pass	401




1.13. Band Edge for SA(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.5	-37.78	-13	24.78	Pass	401
1849	1850	0.2	RMS	1850	-20.01	-13	7.01	Pass	401
1850	1870	1	RMS	1850.5	19.68	30	10.32	Pass	401
1870	1871	0.2	RMS	1870.98	-49.41	-13	36.41	Pass	401
1871	1895	1	RMS	1873.76	-41.72	-13	28.72	Pass	401




1.14. Band Edge for SA(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-29.84	-13	16.84	Pass	401
1849	1850	0.2	RMS	1850	-34.15	-13	21.15	Pass	401
1850	1870	1	RMS	1868.2	8.29	30	21.71	Pass	401
1870	1871	0.2	RMS	1870	-31.96	-13	18.96	Pass	401
1871	1895	1	RMS	1871	-29.64	-13	16.64	Pass	401




1.15. Band Edge for SA(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1870	1894	1	RMS	1891.54	-41.6	-13	28.6	Pass	401
1894	1895	0.2	RMS	1894.69	-49.19	-13	36.19	Pass	401
1895	1915	1	RMS	1914.4	19.86	30	10.14	Pass	401
1915	1916	0.2	RMS	1915.003	-20.77	-13	7.77	Pass	401
1916.5	1940	1	RMS	1916.5	-38.75	-13	25.75	Pass	401



1.16. Band Edge for SA(Subtest:4, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1870	1894	1	RMS	1894	-28.86	-13	15.86	Pass	401
1894	1895	0.2	RMS	1895	-33.13	-13	20.13	Pass	401
1895	1915	1	RMS	1896.45	8.39	30	21.61	Pass	401
1915	1916	0.2	RMS	1915	-34.28	-13	21.28	Pass	401
1916	1940	1	RMS	1916	-31.76	-13	18.76	Pass	401



1. n26 15kHz(814-824)


1.1. Band Edge for SA_Part90(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-19.36	-13	6.36	Pass	401
813.9625	814	0.002	RMS	813.997	-29.43	-20	9.43	Pass	401
814	819	0.1	RMS	814.325	18.86	30	11.14	Pass	401




1.2. Band Edge for SA_Part90(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24	-13	11	Pass	401
813.9625	814	0.051	RMS	814	-25.46	-20	5.46	Pass	401
814	819	0.1	RMS	818.6	5.31	30	24.69	Pass	401




1.3. Band Edge for SA_Part90(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	18.63	30	11.37	Pass	401
824	824.0375	0.002	RMS	824.006	-29.2	-20	9.2	Pass	401
824.0875	829	0.1	RMS	824.088	-19.32	-13	6.32	Pass	401




1.4. Band Edge for SA_Part90(Subtest:4, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.45	5.26	30	24.74	Pass	401
824	824.0375	0.051	RMS	824.001	-28.79	-20	8.79	Pass	401
824.0375	829	0.1	RMS	824.038	-27	-13	14	Pass	401




1.5. Band Edge for SA_Part90(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-17.76	-13	4.76	Pass	401
813.9625	814	0.002	RMS	813.997	-31.59	-20	11.59	Pass	401
814	824	0.1	RMS	814.4	18.86	30	11.14	Pass	401




1.6. Band Edge for SA_Part90(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-28.71	-13	15.71	Pass	401
813.9625	814	0.1	RMS	814	-27.62	-20	7.62	Pass	401
814	824	0.1	RMS	820.825	2.16	30	27.84	Pass	401




1.7. Band Edge for SA_Part90(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	823.575	18.65	30	11.35	Pass	401
824	824.0375	0.002	RMS	824.01	-31.1	-20	11.1	Pass	401
824.0375	834	0.1	RMS	824.038	-17.8	-13	4.8	Pass	401



1.8. Band Edge for SA_Part90(Subtest:4, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	821	2.14	30	27.86	Pass	401
824	824.0375	0.1	RMS	824	-29.26	-20	9.26	Pass	401
824.0375	834	0.1	RMS	824.038	-30.27	-13	17.27	Pass	401



1. n41


1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490.5	1	RMS	2487.819	-47.87	-25	22.87	Pass	401
2490.5	2495	1	RMS	2495	-29.22	-13	16.22	Pass	401
2495	2496	0.051	RMS	2496	-27.3	-13	14.3	Pass	401
2496	2516	1	RMS	2497	20.64	40	19.36	Pass	401




1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490	1	RMS	2489.953	-33.14	-25	8.14	Pass	401
2490.5	2494.5	1	RMS	2494.5	-30.75	-13	17.75	Pass	401
2495	2496	0.4	RMS	2495.995	-27.92	-13	14.92	Pass	401
2496	2516	1	RMS	2513.95	9.52	40	30.48	Pass	401




1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2689	21.45	40	18.55	Pass	401
2690	2691	0.051	RMS	2690	-25.77	-10	15.77	Pass	401
2691	2695	1	RMS	2691.01	-28.01	-10	18.01	Pass	401
2695	2710	1	RMS	2706.925	-46.71	-13	33.71	Pass	401
2710	2715	1	RMS	2712.35	-49.09	-25	24.09	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2687.55	10.3	40	29.7	Pass	401
2690	2691	0.4	RMS	2690.003	-26.96	-10	16.96	Pass	401
2691.5	2695	1	RMS	2692.681	-29.34	-10	19.34	Pass	401
2695.5	2710	1	RMS	2696.008	-29.62	-13	16.62	Pass	401
2710	2715	1	RMS	2710.013	-37.26	-25	12.26	Pass	401




1.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:502200, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2461	2490.5	1	RMS	2483.346	-46.39	-25	21.39	Pass	401
2490.5	2495	1	RMS	2495	-32.06	-13	19.06	Pass	401
2495	2496	0.051	RMS	2495.998	-31.18	-13	18.18	Pass	401
2496	2526	1	RMS	2497.125	20.75	40	19.25	Pass	401




1.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:502200, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2461	2490.5	1	RMS	2490.5	-34.14	-25	9.14	Pass	401
2490.5	2495	1	RMS	2494.966	-31.16	-13	18.16	Pass	401
2495	2496	0.62	RMS	2495.995	-27.62	-13	14.62	Pass	401
2496	2526	1	RMS	2523.675	7.6	40	32.4	Pass	401




1.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:534996, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2660	2690	1	RMS	2688.8	21.52	40	18.48	Pass	401
2690	2691	0.051	RMS	2690	-31.49	-10	21.49	Pass	401
2691	2695	1	RMS	2691	-32.09	-10	22.09	Pass	401
2695	2720	1	RMS	2716.438	-46.67	-13	33.67	Pass	401
2720	2725	1	RMS	2720.575	-48.96	-25	23.96	Pass	401




1.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:534996, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2660	2690	1	RMS	2687.825	8.52	40	31.48	Pass	401
2690	2691	0.62	RMS	2690.003	-25.15	-10	15.15	Pass	401
2691	2695	1	RMS	2691.04	-26.69	-10	16.69	Pass	401
2695	2720	1	RMS	2696.125	-28.4	-13	15.4	Pass	401
2720	2725	1	RMS	2720.038	-37.76	-25	12.76	Pass	401




1.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:503202, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2478.255	-47.85	-25	22.85	Pass	401
2490.5	2495	1	RMS	2495	-31.55	-13	18.55	Pass	401
2495	2496	0.051	RMS	2495.993	-30.21	-13	17.21	Pass	401
2496	2536	1	RMS	2497.1	20.72	40	19.28	Pass	401




1.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:503202, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2490.401	-35.87	-25	10.87	Pass	401
2490.5	2495	1	RMS	2494.966	-32.49	-13	19.49	Pass	401
2495	2496	0.82	RMS	2496	-19.55	-13	6.55	Pass	401
2496	2536	1	RMS	2533.7	6.56	40	33.44	Pass	401



1.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:534000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	1	RMS	2688.9	21.54	40	18.46	Pass	401
2690	2691	0.051	RMS	2690.005	-29.83	-10	19.83	Pass	401
2691	2695	1	RMS	2691	-30.83	-10	20.83	Pass	401
2695	2730	1	RMS	2726.85	-46.24	-13	33.24	Pass	401
2730	2735	1	RMS	2733.188	-48.89	-25	23.89	Pass	401




1.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:534000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	1	RMS	2687.8	7.6	40	32.4	Pass	401
2690	2691	0.82	RMS	2690	-17.85	-10	7.85	Pass	401
2691	2695	1	RMS	2691	-27.67	-10	17.67	Pass	401
2695	2730	1	RMS	2695	-29.35	-13	16.35	Pass	401
2730	2735	1	RMS	2730.213	-37.54	-25	12.54	Pass	401




1.13. Band Edge for SA_Part22-24-27(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490.5	1	RMS	2490.253	-48.76	-25	23.76	Pass	401
2490.5	2495	1	RMS	2494.989	-34.74	-13	21.74	Pass	401
2495	2496	0.051	RMS	2496	-35.46	-13	22.46	Pass	401
2496	2546	1	RMS	2497.25	20.79	40	19.21	Pass	401




1.14. Band Edge for SA_Part22-24-27(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490	1	RMS	2489.878	-36.98	-25	11.98	Pass	401
2490.5	2495	1	RMS	2494.989	-34.92	-13	21.92	Pass	401
2495	2496	1	RMS	2496	-18.95	-13	5.95	Pass	401
2496	2546	1	RMS	2541	5.32	40	34.68	Pass	401




1.15. Band Edge for SA_Part22-24-27(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2688.75	21.4	40	18.6	Pass	401
2690	2691	0.051	RMS	2690	-33.34	-10	23.34	Pass	401
2691	2695	1	RMS	2691.01	-33.21	-10	23.21	Pass	401
2695	2740	1	RMS	2736.063	-46.76	-13	33.76	Pass	401
2740	2745	1	RMS	2744.763	-48.76	-25	23.76	Pass	401




1.16. Band Edge for SA_Part22-24-27(Subtest:4, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2687.625	6.57	40	33.43	Pass	401
2690	2691	1	RMS	2690	-17.65	-10	7.65	Pass	401
2691	2695	1	RMS	2691.63	-29.64	-10	19.64	Pass	401
2695	2740	1	RMS	2695.675	-30.33	-13	17.33	Pass	401
2740	2745	1	RMS	2740.013	-37.37	-25	12.37	Pass	401




1.17. Band Edge for SA_Part22-24-27(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2431	2490.5	1	RMS	2490.351	-48.72	-25	23.72	Pass	401
2490.5	2495	1	RMS	2495	-28.88	-13	15.88	Pass	401
2495	2496	0.051	RMS	2496	-27.13	-13	14.13	Pass	401
2496	2556	1	RMS	2497.05	20.69	40	19.31	Pass	401




1.18. Band Edge for SA_Part22-24-27(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2431	2490	1	RMS	2490	-37.32	-25	12.32	Pass	401
2490.5	2495	1	RMS	2494.989	-33.94	-13	20.94	Pass	401
2495	2495.5	1	RMS	2495.499	-28.13	-13	15.13	Pass	401
2496	2556	1	RMS	2542.65	4.47	40	35.53	Pass	401



1.19. Band Edge for SA_Part22-24-27(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2690	1	RMS	2688.95	21.38	40	18.62	Pass	401
2690	2691	0.051	RMS	2690.003	-27.17	-10	17.17	Pass	401
2691	2695	1	RMS	2691	-29.08	-10	19.08	Pass	401
2695	2750	1	RMS	2746.975	-47.12	-13	34.12	Pass	401
2750	2755	1	RMS	2751.7	-48.79	-25	23.79	Pass	401




1.20. Band Edge for SA_Part22-24-27(Subtest:4, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2690	1	RMS	2687	5.93	40	34.07	Pass	401
2690.5	2691	1	RMS	2690.505	-25.87	-10	15.87	Pass	401
2691	2695	1	RMS	2691.19	-29.37	-10	19.37	Pass	401
2695	2750	1	RMS	2695	-30.71	-13	17.71	Pass	401
2750	2755	1	RMS	2750.15	-41.46	-25	16.46	Pass	401




1.25. Band Edge for SA_Part22-24-27(Subtest:1, Channel:506202, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2421	2490.5	1	RMS	2490.326	-48.62	-25	23.62	Pass	401
2490.5	2495	1	RMS	2495	-32.24	-13	19.24	Pass	401
2495	2496	0.051	RMS	2495.998	-31.58	-13	18.58	Pass	401
2496	2566	1	RMS	2497.05	20.52	40	19.48	Pass	401



1.26. Band Edge for SA_Part22-24-27(Subtest:2, Channel:506202, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2421	2490	1	RMS	2489.828	-32.61	-25	7.61	Pass	401
2490.5	2495	1	RMS	2494.809	-30.31	-13	17.31	Pass	401
2495	2495.5	1	RMS	2495.493	-29.24	-13	16.24	Pass	401
2496	2566	1	RMS	2530.3	3.8	40	36.2	Pass	401



1.27. Band Edge for SA_Part22-24-27(Subtest:3, Channel:531000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:188)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2620	2690	1	RMS	2688.775	21.34	40	18.66	Pass	401
2690	2691	0.051	RMS	2690	-30.55	-10	20.55	Pass	401
2691	2695	1	RMS	2691.01	-31.61	-10	21.61	Pass	401
2695	2760	1	RMS	2722.625	-47.54	-13	34.54	Pass	401
2760	2765	1	RMS	2762.738	-48.82	-25	23.82	Pass	401

