

In-Band Emissions (6875 MHz; 11be20 (20 MHz)) - Ant2

Customized settings.

Result


DUT Frequency (MHz)	Result
6875.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6877.548726	-5.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6867.653673	-6.3	0.4	-5.9	PASS
6867.053973	-6.3	0.4	-5.9	PASS
6879.947526	-6.3	0.4	-5.9	PASS
6877.698651	-6.3	0.4	-5.9	PASS
6878.748126	-6.4	0.5	-5.9	PASS
6877.398801	-6.5	0.5	-5.9	PASS
6867.503748	-6.5	0.6	-5.9	PASS
6867.203898	-6.6	0.6	-5.9	PASS
6869.752624	-6.6	0.6	-5.9	PASS
6879.797601	-6.6	0.6	-5.9	PASS
6882.346327	-6.6	0.7	-5.9	PASS
6879.047976	-6.6	0.7	-5.9	PASS
6872.451274	-6.6	0.7	-5.9	PASS
6873.650675	-6.7	0.7	-5.9	PASS
6881.146927	-6.7	0.7	-5.9	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.92500 GHz	6.92500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6875 MHz; 11be20 (20 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6875.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6873.800600	-5.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6871.251874	-6.6	0.7	-5.9	PASS
6872.301349	-6.6	0.7	-5.9	PASS
6879.797601	-6.6	0.7	-5.9	PASS
6882.946027	-6.6	0.7	-5.9	PASS
6881.446777	-6.6	0.8	-5.9	PASS
6877.548726	-6.7	0.8	-5.9	PASS
6873.650675	-6.7	0.8	-5.9	PASS
6877.698651	-6.7	0.9	-5.9	PASS
6872.451274	-6.7	0.9	-5.9	PASS
6875.749625	-6.8	0.9	-5.9	PASS
6868.703148	-6.8	0.9	-5.9	PASS
6876.199400	-6.8	0.9	-5.9	PASS
6872.601199	-6.8	0.9	-5.9	PASS
6877.248876	-6.8	0.9	-5.9	PASS
6880.997001	-6.8	1.0	-5.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.92500 GHz	6.92500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6895 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6895.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6898.598201	-6.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6891.101949	-6.3	0.3	-6.0	PASS
6887.503748	-6.4	0.4	-6.0	PASS
6897.398801	-6.4	0.4	-6.0	PASS
6897.548726	-6.4	0.4	-6.0	PASS
6893.800600	-6.5	0.4	-6.0	PASS
6893.650675	-6.5	0.4	-6.0	PASS
6887.353823	-6.5	0.5	-6.0	PASS
6893.200900	-6.5	0.5	-6.0	PASS
6900.547226	-6.5	0.5	-6.0	PASS
6891.851574	-6.6	0.5	-6.0	PASS
6892.601199	-6.6	0.6	-6.0	PASS
6897.698651	-6.6	0.6	-6.0	PASS
6898.748126	-6.6	0.6	-6.0	PASS
6887.053973	-6.6	0.6	-6.0	PASS
6891.251874	-6.6	0.6	-6.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6895 MHz; 11be20 (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6895.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6892.601199	-6.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6892.601199	-6.9	0.0	-6.9	PASS
6898.448276	-7.0	0.1	-6.9	PASS
6898.298351	-7.1	0.2	-6.9	PASS
6891.851574	-7.1	0.3	-6.9	PASS
6898.598201	-7.1	0.3	-6.9	PASS
6898.748126	-7.1	0.3	-6.9	PASS
6897.848576	-7.1	0.3	-6.9	PASS
6896.199400	-7.2	0.3	-6.9	PASS
6887.503748	-7.2	0.3	-6.9	PASS
6888.703148	-7.2	0.3	-6.9	PASS
6897.398801	-7.2	0.3	-6.9	PASS
6887.353823	-7.2	0.4	-6.9	PASS
6889.452774	-7.3	0.4	-6.9	PASS
6897.098951	-7.3	0.4	-6.9	PASS
6902.946027	-7.3	0.4	-6.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6895 MHz; 11be20 (20 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6895.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6902.496252	-5.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6888.853073	-6.1	0.1	-5.9	PASS
6889.902549	-6.2	0.3	-5.9	PASS
6890.202399	-6.2	0.3	-5.9	PASS
6888.553223	-6.2	0.3	-5.9	PASS
6888.703148	-6.3	0.4	-5.9	PASS
6890.052474	-6.3	0.4	-5.9	PASS
6887.353823	-6.3	0.4	-5.9	PASS
6889.002999	-6.5	0.6	-5.9	PASS
6898.298351	-6.5	0.6	-5.9	PASS
6892.451274	-6.6	0.6	-5.9	PASS
6902.646177	-6.6	0.7	-5.9	PASS
6902.796102	-6.6	0.7	-5.9	PASS
6890.352324	-6.6	0.7	-5.9	PASS
6896.499250	-6.6	0.7	-5.9	PASS
6897.698651	-6.6	0.7	-5.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6895 MHz; 11be20 (20 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6895.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6896.199400	-6.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6896.199400	-6.0	0.0	-6.0	PASS
6895.599700	-6.4	0.4	-6.0	PASS
6896.349325	-6.5	0.5	-6.0	PASS
6897.548726	-6.5	0.5	-6.0	PASS
6895.449775	-6.6	0.6	-6.0	PASS
6897.698651	-6.6	0.7	-6.0	PASS
6896.049475	-6.7	0.7	-6.0	PASS
6893.650675	-6.7	0.7	-6.0	PASS
6897.848576	-6.7	0.7	-6.0	PASS
6887.353823	-6.7	0.8	-6.0	PASS
6893.500750	-6.8	0.8	-6.0	PASS
6894.100450	-6.8	0.8	-6.0	PASS
6887.503748	-6.8	0.8	-6.0	PASS
6893.350825	-6.8	0.8	-6.0	PASS
6894.400300	-6.8	0.9	-6.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6995 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6995.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6998.748126	-8.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6998.748126	-8.1	0.0	-8.1	PASS
6996.199400	-8.2	0.1	-8.1	PASS
6989.002999	-8.3	0.2	-8.1	PASS
6990.052474	-8.3	0.2	-8.1	PASS
6986.754123	-8.3	0.2	-8.1	PASS
6999.947526	-8.4	0.4	-8.1	PASS
6987.503748	-8.4	0.4	-8.1	PASS
7002.796102	-8.5	0.4	-8.1	PASS
6988.853073	-8.5	0.4	-8.1	PASS
6996.349325	-8.5	0.5	-8.1	PASS
7000.847076	-8.5	0.5	-8.1	PASS
6998.448276	-8.6	0.5	-8.1	PASS
6997.698651	-8.6	0.5	-8.1	PASS
6999.047976	-8.6	0.5	-8.1	PASS
6986.904048	-8.6	0.5	-8.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6995 MHz; 11be20 (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6995.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6990.052474	-8.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6990.952024	-8.1	0.1	-8.0	PASS
6998.148426	-8.2	0.2	-8.0	PASS
6993.500750	-8.3	0.3	-8.0	PASS
6987.053973	-8.3	0.3	-8.0	PASS
6991.251874	-8.3	0.3	-8.0	PASS
6997.548726	-8.4	0.4	-8.0	PASS
6992.451274	-8.4	0.4	-8.0	PASS
6997.848576	-8.4	0.4	-8.0	PASS
6991.101949	-8.5	0.5	-8.0	PASS
6993.800600	-8.5	0.5	-8.0	PASS
6989.752624	-8.5	0.5	-8.0	PASS
6997.998501	-8.5	0.5	-8.0	PASS
6987.503748	-8.5	0.5	-8.0	PASS
7002.346327	-8.5	0.5	-8.0	PASS
6989.602699	-8.5	0.5	-8.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6995 MHz; 11be20 (20 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
6995.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6997.548726	-7.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6997.548726	-7.8	0.0	-7.8	PASS
6993.800600	-7.8	0.0	-7.8	PASS
6998.148426	-7.8	0.1	-7.8	PASS
6993.650675	-7.9	0.1	-7.8	PASS
6997.698651	-8.0	0.2	-7.8	PASS
6993.500750	-8.0	0.2	-7.8	PASS
6997.398801	-8.1	0.3	-7.8	PASS
6987.353823	-8.1	0.3	-7.8	PASS
6991.101949	-8.3	0.5	-7.8	PASS
6998.598201	-8.3	0.5	-7.8	PASS
6991.251874	-8.3	0.5	-7.8	PASS
6993.350825	-8.3	0.5	-7.8	PASS
6995.599700	-8.3	0.5	-7.8	PASS
6995.749625	-8.3	0.5	-7.8	PASS
6993.950525	-8.4	0.6	-7.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6995 MHz; 11be20 (20 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
6995.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7002.496252	-6.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6991.401799	-7.1	0.4	-6.7	PASS
7001.146927	-7.1	0.4	-6.7	PASS
7001.296852	-7.2	0.5	-6.7	PASS
6991.251874	-7.4	0.7	-6.7	PASS
7002.796102	-7.5	0.8	-6.7	PASS
7001.446777	-7.5	0.8	-6.7	PASS
7002.046477	-7.5	0.8	-6.7	PASS
7003.395802	-7.5	0.8	-6.7	PASS
7003.845577	-7.5	0.8	-6.7	PASS
6986.604198	-7.5	0.8	-6.7	PASS
6986.904048	-7.5	0.8	-6.7	PASS
7000.247376	-7.6	0.9	-6.7	PASS
6996.349325	-7.6	0.9	-6.7	PASS
6990.052474	-7.6	0.9	-6.7	PASS
6999.047976	-7.6	0.9	-6.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7095 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
7095.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7099.947526	-7.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7101.296852	-7.7	0.3	-7.4	PASS
7091.251874	-7.8	0.4	-7.4	PASS
7097.398801	-7.9	0.5	-7.4	PASS
7100.097451	-7.9	0.5	-7.4	PASS
7102.796102	-7.9	0.6	-7.4	PASS
7101.596702	-7.9	0.6	-7.4	PASS
7098.598201	-7.9	0.6	-7.4	PASS
7087.053973	-7.9	0.6	-7.4	PASS
7098.448276	-8.0	0.6	-7.4	PASS
7099.797601	-8.0	0.6	-7.4	PASS
7098.298351	-8.0	0.7	-7.4	PASS
7102.646177	-8.0	0.7	-7.4	PASS
7102.496252	-8.0	0.7	-7.4	PASS
7088.703148	-8.1	0.7	-7.4	PASS
7088.853073	-8.1	0.7	-7.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	7.04500 GHz	7.04500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7095 MHz; 11be20 (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
7095.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7087.503748	-8.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7087.503748	-8.0	0.0	-8.0	PASS
7087.353823	-8.2	0.2	-8.0	PASS
7101.146927	-8.2	0.2	-8.0	PASS
7088.853073	-8.2	0.3	-8.0	PASS
7088.703148	-8.4	0.4	-8.0	PASS
7089.602699	-8.4	0.4	-8.0	PASS
7089.752624	-8.5	0.5	-8.0	PASS
7102.496252	-8.5	0.6	-8.0	PASS
7096.349325	-8.5	0.6	-8.0	PASS
7101.296852	-8.6	0.6	-8.0	PASS
7102.346327	-8.6	0.6	-8.0	PASS
7087.203898	-8.6	0.6	-8.0	PASS
7101.746627	-8.6	0.6	-8.0	PASS
7100.097451	-8.6	0.6	-8.0	PASS
7088.553223	-8.6	0.7	-8.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	7.04500 GHz	7.04500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7095 MHz; 11be20 (20 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
7095.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7102.496252	-7.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7102.496252	-7.2	0.0	-7.2	PASS
7091.251874	-7.2	0.1	-7.2	PASS
7097.398801	-7.3	0.2	-7.2	PASS
7099.947526	-7.4	0.3	-7.2	PASS
7087.653673	-7.5	0.4	-7.2	PASS
7097.548726	-7.6	0.4	-7.2	PASS
7087.053973	-7.6	0.5	-7.2	PASS
7097.248876	-7.6	0.5	-7.2	PASS
7102.196402	-7.6	0.5	-7.2	PASS
7103.845577	-7.6	0.5	-7.2	PASS
7096.049475	-7.6	0.5	-7.2	PASS
7087.203898	-7.7	0.5	-7.2	PASS
7098.448276	-7.7	0.5	-7.2	PASS
7096.199400	-7.7	0.5	-7.2	PASS
7095.599700	-7.7	0.5	-7.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	7.04500 GHz	7.04500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7095 MHz; 11be20 (20 MHz)) - Ant3

Customized settings.

Result

DUT Frequency (MHz)	Result
7095.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7096.199400	-6.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7087.503748	-6.8	0.0	-6.8	PASS
7093.950525	-7.0	0.2	-6.8	PASS
7096.349325	-7.0	0.3	-6.8	PASS
7094.100450	-7.1	0.3	-6.8	PASS
7088.853073	-7.1	0.3	-6.8	PASS
7089.902549	-7.2	0.4	-6.8	PASS
7090.052474	-7.2	0.4	-6.8	PASS
7097.398801	-7.2	0.5	-6.8	PASS
7089.602699	-7.3	0.5	-6.8	PASS
7088.703148	-7.3	0.5	-6.8	PASS
7100.097451	-7.3	0.5	-6.8	PASS
7095.749625	-7.3	0.5	-6.8	PASS
7098.748126	-7.3	0.5	-6.8	PASS
7092.601199	-7.3	0.5	-6.8	PASS
7091.101949	-7.3	0.6	-6.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	7.04500 GHz	7.04500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5965 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
5965.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5951.125000	-5.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5951.125000	-5.4	0.0	-5.4	PASS
5951.375000	-5.4	0.0	-5.4	PASS
5974.625000	-5.7	0.3	-5.4	PASS
5951.625000	-5.9	0.5	-5.4	PASS
5977.125000	-5.9	0.5	-5.4	PASS
5973.875000	-5.9	0.5	-5.4	PASS
5949.875000	-6.0	0.6	-5.4	PASS
5970.125000	-6.0	0.6	-5.4	PASS
5977.375000	-6.0	0.6	-5.4	PASS
5971.625000	-6.0	0.6	-5.4	PASS
5974.875000	-6.0	0.6	-5.4	PASS
5974.375000	-6.0	0.6	-5.4	PASS
5956.625000	-6.1	0.7	-5.4	PASS
5973.625000	-6.1	0.7	-5.4	PASS
5948.625000	-6.1	0.7	-5.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5965 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
5965.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5980.125000	-7.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5980.125000	-7.0	0.0	-7.0	PASS
5980.375000	-7.1	0.1	-7.0	PASS
5958.625000	-7.2	0.2	-7.0	PASS
5959.875000	-7.3	0.3	-7.0	PASS
5981.625000	-7.3	0.3	-7.0	PASS
5958.875000	-7.4	0.4	-7.0	PASS
5982.625000	-7.4	0.4	-7.0	PASS
5977.625000	-7.4	0.4	-7.0	PASS
5977.375000	-7.4	0.4	-7.0	PASS
5950.875000	-7.4	0.4	-7.0	PASS
5956.875000	-7.5	0.5	-7.0	PASS
5977.875000	-7.5	0.5	-7.0	PASS
5968.625000	-7.5	0.5	-7.0	PASS
5981.875000	-7.5	0.5	-7.0	PASS
5972.375000	-7.5	0.5	-7.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5965 MHz; 11be40 (40 MHz)) - Ant2

Customized settings.

Result

DUT Frequency (MHz)	Result
5965.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
5960.125000	-5.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5974.125000	-5.9	0.1	-5.8	PASS
5951.375000	-5.9	0.1	-5.8	PASS
5969.875000	-6.0	0.1	-5.8	PASS
5958.875000	-6.0	0.2	-5.8	PASS
5974.625000	-6.0	0.2	-5.8	PASS
5973.625000	-6.1	0.2	-5.8	PASS
5973.875000	-6.1	0.2	-5.8	PASS
5979.625000	-6.1	0.3	-5.8	PASS
5947.375000	-6.1	0.3	-5.8	PASS
5953.625000	-6.2	0.3	-5.8	PASS
5979.125000	-6.2	0.4	-5.8	PASS
5966.375000	-6.2	0.4	-5.8	PASS
5975.625000	-6.2	0.4	-5.8	PASS
5947.625000	-6.2	0.4	-5.8	PASS
5970.375000	-6.2	0.4	-5.8	PASS

In Band

