

Appendix for LTE B2 test report

Appendix 1: Effective (Isotropic) Radiated Power Output Data

Test Results:

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power[dBm]	EIRP (dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	22.67	24.67	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	22.46	24.46	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	22.40	24.4	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	22.54	24.54	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	22.59	24.59	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	22.56	24.56	33	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	21.77	23.77	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	22.50	24.5	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	22.83	24.83	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	22.58	24.58	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	22.77	24.77	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	22.68	24.68	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	22.75	24.75	33	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	21.83	23.83	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	23.67	25.67	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	23.64	25.64	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	23.76	25.76	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	23.63	25.63	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	23.53	25.53	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#3	23.48	25.48	33	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	22.71	24.71	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	21.66	23.66	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	21.71	23.71	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	21.42	23.42	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	21.58	23.58	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	21.55	23.55	33	PASS



Band2	1.4MHz	16QAM	18607	3RB#3	21.84	23.84	33	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	20.76	22.76	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	22.04	24.04	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	22.08	24.08	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	21.87	23.87	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	21.77	23.77	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	21.51	23.51	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#3	21.37	23.37	33	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	20.89	22.89	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	22.74	24.74	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	22.93	24.93	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	22.98	24.98	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	22.49	24.49	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	22.48	24.48	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#3	22.43	24.43	33	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	21.68	23.68	33	PASS
Band2	3MHz	QPSK	18615	1RB#0	22.66	24.66	33	PASS
Band2	3MHz	QPSK	18615	1RB#8	22.82	24.82	33	PASS
Band2	3MHz	QPSK	18615	1RB#14	22.62	24.62	33	PASS
Band2	3MHz	QPSK	18615	8RB#0	21.98	23.98	33	PASS
Band2	3MHz	QPSK	18615	8RB#4	21.91	23.91	33	PASS
Band2	3MHz	QPSK	18615	8RB#7	21.93	23.93	33	PASS
Band2	3MHz	QPSK	18615	15RB#0	21.95	23.95	33	PASS
Band2	3MHz	QPSK	18900	1RB#0	22.74	24.74	33	PASS
Band2	3MHz	QPSK	18900	1RB#8	22.89	24.89	33	PASS
Band2	3MHz	QPSK	18900	1RB#14	22.71	24.71	33	PASS
Band2	3MHz	QPSK	18900	8RB#0	21.96	23.96	33	PASS
Band2	3MHz	QPSK	18900	8RB#4	21.96	23.96	33	PASS
Band2	3MHz	QPSK	18900	8RB#7	21.89	23.89	33	PASS
Band2	3MHz	QPSK	18900	15RB#0	21.96	23.96	33	PASS
Band2	3MHz	QPSK	19185	1RB#0	23.56	25.56	33	PASS
Band2	3MHz	QPSK	19185	1RB#8	23.80	25.8	33	PASS
Band2	3MHz	QPSK	19185	1RB#14	23.54	25.54	33	PASS
Band2	3MHz	QPSK	19185	8RB#0	22.76	24.76	33	PASS



Band2	3MHz	QPSK	19185	8RB#4	22.70	24.7	33	PASS
Band2	3MHz	QPSK	19185	8RB#7	22.76	24.76	33	PASS
Band2	3MHz	QPSK	19185	15RB#0	22.72	24.72	33	PASS
Band2	3MHz	16QAM	18615	1RB#0	22.15	24.15	33	PASS
Band2	3MHz	16QAM	18615	1RB#8	21.73	23.73	33	PASS
Band2	3MHz	16QAM	18615	1RB#14	21.66	23.66	33	PASS
Band2	3MHz	16QAM	18615	8RB#0	20.97	22.97	33	PASS
Band2	3MHz	16QAM	18615	8RB#4	20.97	22.97	33	PASS
Band2	3MHz	16QAM	18615	8RB#7	20.91	22.91	33	PASS
Band2	3MHz	16QAM	18615	15RB#0	21.09	23.09	33	PASS
Band2	3MHz	16QAM	18900	1RB#0	21.91	23.91	33	PASS
Band2	3MHz	16QAM	18900	1RB#8	22.10	24.1	33	PASS
Band2	3MHz	16QAM	18900	1RB#14	21.73	23.73	33	PASS
Band2	3MHz	16QAM	18900	8RB#0	20.98	22.98	33	PASS
Band2	3MHz	16QAM	18900	8RB#4	21.09	23.09	33	PASS
Band2	3MHz	16QAM	18900	8RB#7	20.93	22.93	33	PASS
Band2	3MHz	16QAM	18900	15RB#0	21.00	23	33	PASS
Band2	3MHz	16QAM	19185	1RB#0	22.57	24.57	33	PASS
Band2	3MHz	16QAM	19185	1RB#8	22.58	24.58	33	PASS
Band2	3MHz	16QAM	19185	1RB#14	22.61	24.61	33	PASS
Band2	3MHz	16QAM	19185	8RB#0	21.96	23.96	33	PASS
Band2	3MHz	16QAM	19185	8RB#4	21.79	23.79	33	PASS
Band2	3MHz	16QAM	19185	8RB#7	21.95	23.95	33	PASS
Band2	3MHz	16QAM	19185	15RB#0	21.83	23.83	33	PASS
Band2	5MHz	QPSK	18625	1RB#0	22.78	24.78	33	PASS
Band2	5MHz	QPSK	18625	1RB#12	22.92	24.92	33	PASS
Band2	5MHz	QPSK	18625	1RB#24	22.82	24.82	33	PASS
Band2	5MHz	QPSK	18625	12RB#0	21.96	23.96	33	PASS
Band2	5MHz	QPSK	18625	12RB#6	21.97	23.97	33	PASS
Band2	5MHz	QPSK	18625	12RB#13	21.95	23.95	33	PASS
Band2	5MHz	QPSK	18625	25RB#0	21.92	23.92	33	PASS
Band2	5MHz	QPSK	18900	1RB#0	22.84	24.84	33	PASS
Band2	5MHz	QPSK	18900	1RB#12	23.12	25.12	33	PASS
Band2	5MHz	QPSK	18900	1RB#24	22.88	24.88	33	PASS

Band2	5MHz	QPSK	18900	12RB#0	22.06	24.06	33	PASS
Band2	5MHz	QPSK	18900	12RB#6	21.96	23.96	33	PASS
Band2	5MHz	QPSK	18900	12RB#13	21.98	23.98	33	PASS
Band2	5MHz	QPSK	18900	25RB#0	22.02	24.02	33	PASS
Band2	5MHz	QPSK	19175	1RB#0	23.58	25.58	33	PASS
Band2	5MHz	QPSK	19175	1RB#12	23.75	25.75	33	PASS
Band2	5MHz	QPSK	19175	1RB#24	23.70	25.7	33	PASS
Band2	5MHz	QPSK	19175	12RB#0	22.83	24.83	33	PASS
Band2	5MHz	QPSK	19175	12RB#6	22.86	24.86	33	PASS
Band2	5MHz	QPSK	19175	12RB#13	22.76	24.76	33	PASS
Band2	5MHz	QPSK	19175	25RB#0	22.75	24.75	33	PASS
Band2	5MHz	16QAM	18625	1RB#0	21.64	23.64	33	PASS
Band2	5MHz	16QAM	18625	1RB#12	21.68	23.68	33	PASS
Band2	5MHz	16QAM	18625	1RB#24	21.65	23.65	33	PASS
Band2	5MHz	16QAM	18625	12RB#0	21.08	23.08	33	PASS
Band2	5MHz	16QAM	18625	12RB#6	20.90	22.9	33	PASS
Band2	5MHz	16QAM	18625	12RB#13	20.89	22.89	33	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.05	23.05	33	PASS
Band2	5MHz	16QAM	18900	1RB#0	21.87	23.87	33	PASS
Band2	5MHz	16QAM	18900	1RB#12	22.00	24	33	PASS
Band2	5MHz	16QAM	18900	1RB#24	21.87	23.87	33	PASS
Band2	5MHz	16QAM	18900	12RB#0	21.06	23.06	33	PASS
Band2	5MHz	16QAM	18900	12RB#6	21.05	23.05	33	PASS
Band2	5MHz	16QAM	18900	12RB#13	21.15	23.15	33	PASS
Band2	5MHz	16QAM	18900	25RB#0	21.02	23.02	33	PASS
Band2	5MHz	16QAM	19175	1RB#0	22.41	24.41	33	PASS
Band2	5MHz	16QAM	19175	1RB#12	22.57	24.57	33	PASS
Band2	5MHz	16QAM	19175	1RB#24	22.60	24.6	33	PASS
Band2	5MHz	16QAM	19175	12RB#0	21.77	23.77	33	PASS
Band2	5MHz	16QAM	19175	12RB#6	21.94	23.94	33	PASS
Band2	5MHz	16QAM	19175	12RB#13	21.84	23.84	33	PASS
Band2	5MHz	16QAM	19175	25RB#0	21.84	23.84	33	PASS
Band2	10MHz	QPSK	18650	1RB#0	22.61	24.61	33	PASS
Band2	10MHz	QPSK	18650	1RB#24	22.85	24.85	33	PASS



Band2	10MHz	QPSK	18650	1RB#49	22.71	24.71	33	PASS
Band2	10MHz	QPSK	18650	25RB#0	21.92	23.92	33	PASS
Band2	10MHz	QPSK	18650	25RB#12	21.94	23.94	33	PASS
Band2	10MHz	QPSK	18650	25RB#25	21.95	23.95	33	PASS
Band2	10MHz	QPSK	18650	50RB#0	21.93	23.93	33	PASS
Band2	10MHz	QPSK	18900	1RB#0	22.78	24.78	33	PASS
Band2	10MHz	QPSK	18900	1RB#24	23.18	25.18	33	PASS
Band2	10MHz	QPSK	18900	1RB#49	22.92	24.92	33	PASS
Band2	10MHz	QPSK	18900	25RB#0	21.95	23.95	33	PASS
Band2	10MHz	QPSK	18900	25RB#12	22.03	24.03	33	PASS
Band2	10MHz	QPSK	18900	25RB#25	21.97	23.97	33	PASS
Band2	10MHz	QPSK	18900	50RB#0	21.92	23.92	33	PASS
Band2	10MHz	QPSK	19150	1RB#0	23.41	25.41	33	PASS
Band2	10MHz	QPSK	19150	1RB#24	23.77	25.77	33	PASS
Band2	10MHz	QPSK	19150	1RB#49	23.70	25.7	33	PASS
Band2	10MHz	QPSK	19150	25RB#0	22.66	24.66	33	PASS
Band2	10MHz	QPSK	19150	25RB#12	22.65	24.65	33	PASS
Band2	10MHz	QPSK	19150	25RB#25	22.82	24.82	33	PASS
Band2	10MHz	QPSK	19150	50RB#0	22.67	24.67	33	PASS
Band2	10MHz	16QAM	18650	1RB#0	21.77	23.77	33	PASS
Band2	10MHz	16QAM	18650	1RB#24	22.34	24.34	33	PASS
Band2	10MHz	16QAM	18650	1RB#49	21.91	23.91	33	PASS
Band2	10MHz	16QAM	18650	25RB#0	20.94	22.94	33	PASS
Band2	10MHz	16QAM	18650	25RB#12	20.95	22.95	33	PASS
Band2	10MHz	16QAM	18650	25RB#25	20.96	22.96	33	PASS
Band2	10MHz	16QAM	18650	50RB#0	20.93	22.93	33	PASS
Band2	10MHz	16QAM	18900	1RB#0	22.00	24	33	PASS
Band2	10MHz	16QAM	18900	1RB#24	22.17	24.17	33	PASS
Band2	10MHz	16QAM	18900	1RB#49	21.86	23.86	33	PASS
Band2	10MHz	16QAM	18900	25RB#0	20.91	22.91	33	PASS
Band2	10MHz	16QAM	18900	25RB#12	21.08	23.08	33	PASS
Band2	10MHz	16QAM	18900	25RB#25	21.02	23.02	33	PASS
Band2	10MHz	16QAM	18900	50RB#0	20.96	22.96	33	PASS
Band2	10MHz	16QAM	19150	1RB#0	22.48	24.48	33	PASS



Band2	10MHz	16QAM	19150	1RB#24	23.26	25.26	33	PASS
Band2	10MHz	16QAM	19150	1RB#49	22.74	24.74	33	PASS
Band2	10MHz	16QAM	19150	25RB#0	21.60	23.6	33	PASS
Band2	10MHz	16QAM	19150	25RB#12	21.78	23.78	33	PASS
Band2	10MHz	16QAM	19150	25RB#25	21.80	23.8	33	PASS
Band2	10MHz	16QAM	19150	50RB#0	21.73	23.73	33	PASS
Band2	15MHz	QPSK	18675	1RB#0	22.67	24.67	33	PASS
Band2	15MHz	QPSK	18675	1RB#38	22.80	24.8	33	PASS
Band2	15MHz	QPSK	18675	1RB#74	22.77	24.77	33	PASS
Band2	15MHz	QPSK	18675	38RB#0	21.94	23.94	33	PASS
Band2	15MHz	QPSK	18675	38RB#18	21.95	23.95	33	PASS
Band2	15MHz	QPSK	18675	38RB#37	21.87	23.87	33	PASS
Band2	15MHz	QPSK	18675	75RB#0	21.96	23.96	33	PASS
Band2	15MHz	QPSK	18900	1RB#0	22.68	24.68	33	PASS
Band2	15MHz	QPSK	18900	1RB#38	22.94	24.94	33	PASS
Band2	15MHz	QPSK	18900	1RB#74	22.65	24.65	33	PASS
Band2	15MHz	QPSK	18900	38RB#0	21.78	23.78	33	PASS
Band2	15MHz	QPSK	18900	38RB#18	21.77	23.77	33	PASS
Band2	15MHz	QPSK	18900	38RB#37	21.84	23.84	33	PASS
Band2	15MHz	QPSK	18900	75RB#0	21.84	23.84	33	PASS
Band2	15MHz	QPSK	19125	1RB#0	23.47	25.47	33	PASS
Band2	15MHz	QPSK	19125	1RB#38	23.62	25.62	33	PASS
Band2	15MHz	QPSK	19125	1RB#74	23.75	25.75	33	PASS
Band2	15MHz	QPSK	19125	38RB#0	22.65	24.65	33	PASS
Band2	15MHz	QPSK	19125	38RB#18	22.72	24.72	33	PASS
Band2	15MHz	QPSK	19125	38RB#37	22.72	24.72	33	PASS
Band2	15MHz	QPSK	19125	75RB#0	22.71	24.71	33	PASS
Band2	15MHz	16QAM	18675	1RB#0	21.87	23.87	33	PASS
Band2	15MHz	16QAM	18675	1RB#38	21.96	23.96	33	PASS
Band2	15MHz	16QAM	18675	1RB#74	21.99	23.99	33	PASS
Band2	15MHz	16QAM	18675	38RB#0	21.95	23.95	33	PASS
Band2	15MHz	16QAM	18675	38RB#18	21.96	23.96	33	PASS
Band2	15MHz	16QAM	18675	38RB#37	21.87	23.87	33	PASS
Band2	15MHz	16QAM	18675	75RB#0	21.05	23.05	33	PASS



Band2	15MHz	16QAM	18900	1RB#0	21.86	23.86	33	PASS
Band2	15MHz	16QAM	18900	1RB#38	21.76	23.76	33	PASS
Band2	15MHz	16QAM	18900	1RB#74	21.90	23.9	33	PASS
Band2	15MHz	16QAM	18900	38RB#0	21.77	23.77	33	PASS
Band2	15MHz	16QAM	18900	38RB#18	21.77	23.77	33	PASS
Band2	15MHz	16QAM	18900	38RB#37	21.84	23.84	33	PASS
Band2	15MHz	16QAM	18900	75RB#0	20.90	22.9	33	PASS
Band2	15MHz	16QAM	19125	1RB#0	22.58	24.58	33	PASS
Band2	15MHz	16QAM	19125	1RB#38	22.65	24.65	33	PASS
Band2	15MHz	16QAM	19125	1RB#74	22.80	24.8	33	PASS
Band2	15MHz	16QAM	19125	38RB#0	22.64	24.64	33	PASS
Band2	15MHz	16QAM	19125	38RB#18	22.72	24.72	33	PASS
Band2	15MHz	16QAM	19125	38RB#37	22.72	24.72	33	PASS
Band2	15MHz	16QAM	19125	75RB#0	21.84	23.84	33	PASS
Band2	20MHz	QPSK	18700	1RB#0	22.58	24.58	33	PASS
Band2	20MHz	QPSK	18700	1RB#49	23.15	25.15	33	PASS
Band2	20MHz	QPSK	18700	1RB#99	22.64	24.64	33	PASS
Band2	20MHz	QPSK	18700	50RB#0	21.98	23.98	33	PASS
Band2	20MHz	QPSK	18700	50RB#25	21.93	23.93	33	PASS
Band2	20MHz	QPSK	18700	50RB#50	21.93	23.93	33	PASS
Band2	20MHz	QPSK	18700	100RB#0	21.94	23.94	33	PASS
Band2	20MHz	QPSK	18900	1RB#0	22.70	24.7	33	PASS
Band2	20MHz	QPSK	18900	1RB#49	23.21	25.21	33	PASS
Band2	20MHz	QPSK	18900	1RB#99	23.17	25.17	33	PASS
Band2	20MHz	QPSK	18900	50RB#0	21.88	23.88	33	PASS
Band2	20MHz	QPSK	18900	50RB#25	21.87	23.87	33	PASS
Band2	20MHz	QPSK	18900	50RB#50	21.91	23.91	33	PASS
Band2	20MHz	QPSK	18900	100RB#0	21.84	23.84	33	PASS
Band2	20MHz	QPSK	19100	1RB#0	23.34	25.34	33	PASS
Band2	20MHz	QPSK	19100	1RB#49	23.76	25.76	33	PASS
Band2	20MHz	QPSK	19100	1RB#99	23.84	25.84	33	PASS
Band2	20MHz	QPSK	19100	50RB#0	22.57	24.57	33	PASS
Band2	20MHz	QPSK	19100	50RB#25	22.53	24.53	33	PASS
Band2	20MHz	QPSK	19100	50RB#50	22.78	24.78	33	PASS

Band2	20MHz	QPSK	19100	100RB#0	22.57	24.57	33	PASS
Band2	20MHz	16QAM	18700	1RB#0	21.80	23.8	33	PASS
Band2	20MHz	16QAM	18700	1RB#49	22.55	24.55	33	PASS
Band2	20MHz	16QAM	18700	1RB#99	22.09	24.09	33	PASS
Band2	20MHz	16QAM	18700	50RB#0	20.93	22.93	33	PASS
Band2	20MHz	16QAM	18700	50RB#25	20.96	22.96	33	PASS
Band2	20MHz	16QAM	18700	50RB#50	21.05	23.05	33	PASS
Band2	20MHz	16QAM	18700	100RB#0	20.98	22.98	33	PASS
Band2	20MHz	16QAM	18900	1RB#0	22.20	24.2	33	PASS
Band2	20MHz	16QAM	18900	1RB#49	22.73	24.73	33	PASS
Band2	20MHz	16QAM	18900	1RB#99	22.04	24.04	33	PASS
Band2	20MHz	16QAM	18900	50RB#0	20.92	22.92	33	PASS
Band2	20MHz	16QAM	18900	50RB#25	20.93	22.93	33	PASS
Band2	20MHz	16QAM	18900	50RB#50	21.03	23.03	33	PASS
Band2	20MHz	16QAM	18900	100RB#0	20.95	22.95	33	PASS
Band2	20MHz	16QAM	19100	1RB#0	22.52	24.52	33	PASS
Band2	20MHz	16QAM	19100	1RB#49	23.16	25.16	33	PASS
Band2	20MHz	16QAM	19100	1RB#99	22.82	24.82	33	PASS
Band2	20MHz	16QAM	19100	50RB#0	21.73	23.73	33	PASS
Band2	20MHz	16QAM	19100	50RB#25	21.74	23.74	33	PASS
Band2	20MHz	16QAM	19100	50RB#50	21.80	23.8	33	PASS
Band2	20MHz	16QAM	19100	100RB#0	21.64	23.64	33	PASS

Note1:

a, For getting the ERP (Efficient Radiated Power) or EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

$$\text{ERP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBd]}$$

$$\text{EIRP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBi]}$$

8

b, SGP=Signal Generator Level

c, Antenna gain of LTE Band 2 is 2dBi.

Note2: SET Span=1.5*OBW

SET RBW=1%of the OBW,not to exceed 1MHz

SET VBW>= 3*RBW

SET Sweep time=auto-couple.

Detector:RMS

Appendix 2: Peak-to-Average Ratio

Test Results

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	4.06	13	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	4.55	13	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	4.18	13	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	4.59	13	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	3.41	13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	3.94	13	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	4.93	13	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	5.42	13	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	4.89	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	5.36	13	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	4.21	13	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	4.74	13	PASS
Band2	3MHz	QPSK	18615	1RB#0	4.14	13	PASS
Band2	3MHz	QPSK	18615	15RB#0	4.57	13	PASS
Band2	3MHz	QPSK	18900	1RB#0	4.18	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	4.57	13	PASS
Band2	3MHz	QPSK	19185	1RB#0	3.74	13	PASS
Band2	3MHz	QPSK	19185	15RB#0	4.11	13	PASS
Band2	3MHz	16QAM	18615	1RB#0	4.95	13	PASS
Band2	3MHz	16QAM	18615	15RB#0	5.43	13	PASS
Band2	3MHz	16QAM	18900	1RB#0	4.98	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	5.39	13	PASS
Band2	3MHz	16QAM	19185	1RB#0	4.69	13	PASS
Band2	3MHz	16QAM	19185	15RB#0	4.93	13	PASS
Band2	5MHz	QPSK	18625	1RB#0	4.17	13	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.57	13	PASS
Band2	5MHz	QPSK	18900	1RB#0	4.16	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.53	13	PASS
Band2	5MHz	QPSK	19175	1RB#0	3.98	13	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.10	13	PASS
Band2	5MHz	16QAM	18625	1RB#0	5.03	13	PASS
Band2	5MHz	16QAM	18625	25RB#0	5.35	13	PASS
Band2	5MHz	16QAM	18900	1RB#0	4.95	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	5.39	13	PASS
Band2	5MHz	16QAM	19175	1RB#0	4.78	13	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.97	13	PASS
Band2	10MHz	QPSK	18650	1RB#0	4.14	13	PASS
Band2	10MHz	QPSK	18650	50RB#0	4.57	13	PASS
Band2	10MHz	QPSK	18900	1RB#0	4.13	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	4.57	13	PASS
Band2	10MHz	QPSK	19150	1RB#0	4.12	13	PASS
Band2	10MHz	QPSK	19150	50RB#0	4.35	13	PASS
Band2	10MHz	16QAM	18650	1RB#0	4.94	13	PASS




Band2	10MHz	16QAM	18650	50RB#0	5.44	13	PASS
Band2	10MHz	16QAM	18900	1RB#0	4.97	13	PASS
Band2	10MHz	16QAM	18900	50RB#0	5.43	13	PASS
Band2	10MHz	16QAM	19150	1RB#0	4.86	13	PASS
Band2	10MHz	16QAM	19150	50RB#0	5.19	13	PASS
Band2	15MHz	QPSK	18675	1RB#0	4.02	13	PASS
Band2	15MHz	QPSK	18675	75RB#0	4.80	13	PASS
Band2	15MHz	QPSK	18900	1RB#0	4.18	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	4.75	13	PASS
Band2	15MHz	QPSK	19125	1RB#0	4.03	13	PASS
Band2	15MHz	QPSK	19125	75RB#0	4.72	13	PASS
Band2	15MHz	16QAM	18675	1RB#0	4.98	13	PASS
Band2	15MHz	16QAM	18675	75RB#0	5.53	13	PASS
Band2	15MHz	16QAM	18900	1RB#0	4.97	13	PASS
Band2	15MHz	16QAM	18900	75RB#0	5.51	13	PASS
Band2	15MHz	16QAM	19125	1RB#0	4.88	13	PASS
Band2	15MHz	16QAM	19125	75RB#0	5.40	13	PASS
Band2	20MHz	QPSK	18700	1RB#0	4.11	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	4.77	13	PASS
Band2	20MHz	QPSK	18900	1RB#0	4.19	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	4.72	13	PASS
Band2	20MHz	QPSK	19100	1RB#0	3.99	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	4.79	13	PASS
Band2	20MHz	16QAM	18700	1RB#0	4.77	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	5.59	13	PASS
Band2	20MHz	16QAM	18900	1RB#0	5.05	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	5.54	13	PASS
Band2	20MHz	16QAM	19100	1RB#0	4.74	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	5.58	13	PASS

Appendix 3: Modulation Characteristics


Band	Bandwidth	Modulation	Channel	RB Configuration	Result	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	PASS	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	PASS	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	PASS	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	PASS	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	PASS	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	PASS	PASS
Band2	3MHz	QPSK	18615	15RB#0	PASS	PASS
Band2	3MHz	QPSK	18900	15RB#0	PASS	PASS
Band2	3MHz	QPSK	19185	15RB#0	PASS	PASS
Band2	3MHz	16QAM	18615	15RB#0	PASS	PASS
Band2	3MHz	16QAM	18900	15RB#0	PASS	PASS
Band2	3MHz	16QAM	19185	15RB#0	PASS	PASS
Band2	5MHz	QPSK	18625	25RB#0	PASS	PASS
Band2	5MHz	QPSK	18900	25RB#0	PASS	PASS
Band2	5MHz	QPSK	19175	25RB#0	PASS	PASS
Band2	5MHz	16QAM	18625	25RB#0	PASS	PASS
Band2	5MHz	16QAM	18900	25RB#0	PASS	PASS
Band2	5MHz	16QAM	19175	25RB#0	PASS	PASS
Band2	10MHz	QPSK	18650	50RB#0	PASS	PASS
Band2	10MHz	QPSK	18900	50RB#0	PASS	PASS
Band2	10MHz	QPSK	19150	50RB#0	PASS	PASS
Band2	10MHz	16QAM	18650	50RB#0	PASS	PASS
Band2	10MHz	16QAM	18900	50RB#0	PASS	PASS
Band2	10MHz	16QAM	19150	50RB#0	PASS	PASS
Band2	15MHz	QPSK	18675	75RB#0	PASS	PASS
Band2	15MHz	QPSK	18900	75RB#0	PASS	PASS
Band2	15MHz	QPSK	19125	75RB#0	PASS	PASS
Band2	15MHz	16QAM	18675	75RB#0	PASS	PASS
Band2	15MHz	16QAM	18900	75RB#0	PASS	PASS
Band2	15MHz	16QAM	19125	75RB#0	PASS	PASS
Band2	20MHz	QPSK	18700	100RB#0	PASS	PASS
Band2	20MHz	QPSK	18900	100RB#0	PASS	PASS
Band2	20MHz	QPSK	19100	100RB#0	PASS	PASS
Band2	20MHz	16QAM	18700	100RB#0	PASS	PASS
Band2	20MHz	16QAM	18900	100RB#0	PASS	PASS
Band2	20MHz	16QAM	19100	100RB#0	PASS	PASS

Test Graphs


Band2-1.4MHz-QPSK-18607-6RB#0




Band2-1.4MHz-QPSK-18900-6RB#0




Band2-1.4MHz-QPSK-19193-6RB#0




Band2-1.4MHz-16QAM-18607-6RB#0




Band2-1.4MHz-16QAM-18900-6RB#0




Band2-1.4MHz-16QAM-19193-6RB#0




Band2-3MHz-QPSK-18615-15RB#0




Band2-3MHz-QPSK-18900-15RB#0




Band2-3MHz-QPSK-19185-15RB#0




Band2-3MHz-16QAM-18615-15RB#0




Band2-3MHz-16QAM-18900-15RB#0




Band2-3MHz-16QAM-19185-15RB#0




Band2-5MHz-QPSK-18625-25RB#0




Band2-5MHz-QPSK-18900-25RB#0




Band2-5MHz-QPSK-19175-25RB#0




Band2-5MHz-16QAM-18625-25RB#0




Band2-5MHz-16QAM-18900-25RB#0




Band2-5MHz-16QAM-19175-25RB#0




Band2-10MHz-QPSK-18650-50RB#0




Band2-10MHz-QPSK-18900-50RB#0




Band2-10MHz-QPSK-19150-50RB#0




Band2-10MHz-16QAM-18650-50RB#0




Band2-10MHz-16QAM-18900-50RB#0




Band2-10MHz-16QAM-19150-50RB#0




Band2-15MHz-QPSK-18675-75RB#0




Band2-15MHz-QPSK-18900-75RB#0




Band2-15MHz-QPSK-19125-75RB#0




Band2-15MHz-16QAM-18675-75RB#0




Band2-15MHz-16QAM-18900-75RB#0




Band2-15MHz-16QAM-19125-75RB#0




Band2-20MHz-QPSK-18700-100RB#0




Band2-20MHz-QPSK-18900-100RB#0




Band2-20MHz-QPSK-19100-100RB#0




Band2-20MHz-16QAM-18700-100RB#0



Band2-20MHz-16QAM-18900-100RB#0



Band2-20MHz-16QAM-19100-100RB#0



Appendix 4: Bandwidth

Test Results

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.0903	1.283	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.0958	1.274	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.0987	1.323	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.0916	1.287	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.0902	1.274	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.0917	1.314	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.6953	2.898	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.6994	2.946	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.6952	2.901	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.6957	2.921	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.6943	2.937	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.6954	2.933	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.4962	4.906	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.4929	4.876	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.4952	4.935	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.4939	4.872	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.4923	4.894	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.4977	4.876	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.9783	9.597	PASS
Band2	10MHz	QPSK	18900	50RB#0	8.9673	9.539	PASS
Band2	10MHz	QPSK	19150	50RB#0	8.9683	9.603	PASS
Band2	10MHz	16QAM	18650	50RB#0	8.9529	9.538	PASS
Band2	10MHz	16QAM	18900	50RB#0	8.9709	9.547	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.9547	9.609	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.447	14.29	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.410	14.31	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.445	14.37	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.433	14.26	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.405	14.26	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.438	14.31	PASS
Band2	20MHz	QPSK	18700	100RB#0	17.916	18.95	PASS
Band2	20MHz	QPSK	18900	100RB#0	17.858	18.97	PASS
Band2	20MHz	QPSK	19100	100RB#0	17.934	19.03	PASS
Band2	20MHz	16QAM	18700	100RB#0	17.910	18.98	PASS
Band2	20MHz	16QAM	18900	100RB#0	17.869	18.95	PASS
Band2	20MHz	16QAM	19100	100RB#0	17.937	19.01	PASS

Test Plots

Band2-1.4MHz-QPSK-18607-6RB#0



Band2-1.4MHz-QPSK-18900-6RB#0



Band2-1.4MHz-QPSK-19193-6RB#0



Band2-1.4MHz-16QAM-18607-6RB#0



Band2-1.4MHz-16QAM-18900-6RB#0



Band2-1.4MHz-16QAM-19193-6RB#0



Band2-3MHz-QPSK-18615-15RB#0



Band2-3MHz-QPSK-18900-15RB#0



Band2-3MHz-QPSK-19185-15RB#0



Band2-3MHz-16QAM-18615-15RB#0



Band2-3MHz-16QAM-18900-15RB#0



Band2-3MHz-16QAM-19185-15RB#0



Band2-5MHz-QPSK-18625-25RB#0



Band2-5MHz-QPSK-18900-25RB#0



Band2-5MHz-QPSK-19175-25RB#0



Band2-5MHz-16QAM-18625-25RB#0



Band2-5MHz-16QAM-18900-25RB#0




Band2-5MHz-16QAM-19175-25RB#0



Band2-10MHz-QPSK-18650-50RB#0



Band2-10MHz-QPSK-18900-50RB#0



Band2-10MHz-QPSK-19150-50RB#0



Band2-10MHz-16QAM-18650-50RB#0



Band2-10MHz-16QAM-18900-50RB#0



Band2-10MHz-16QAM-19150-50RB#0



Band2-15MHz-QPSK-18675-75RB#0



Band2-15MHz-QPSK-18900-75RB#0



Band2-15MHz-QPSK-19125-75RB#0



Band2-15MHz-16QAM-18675-75RB#0



Band2-15MHz-16QAM-18900-75RB#0



Band2-15MHz-16QAM-19125-75RB#0



Band2-20MHz-QPSK-18700-100RB#0



Band2-20MHz-QPSK-18900-100RB#0



Band2-20MHz-QPSK-19100-100RB#0



Band2-20MHz-16QAM-18700-100RB#0



Band2-20MHz-16QAM-18900-100RB#0



Band2-20MHz-16QAM-19100-100RB#0



Appendix 5: Band Edges Compliance

Test Results

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	-14.21	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	-36.68	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	-19.24	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	-33.92	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	-14.99	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	-17.67	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	-15.07	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	-37.32	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	-20.92	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	-37.48	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	-15.18	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	-16.97	PASS
Band2	3MHz	QPSK	18615	1RB#0	-13.70	PASS
Band2	3MHz	QPSK	18615	1RB#14	-36.26	PASS
Band2	3MHz	QPSK	18615	15RB#0	-21.01	PASS
Band2	3MHz	QPSK	19185	1RB#0	-31.64	PASS
Band2	3MHz	QPSK	19185	1RB#14	-20.43	PASS
Band2	3MHz	QPSK	19185	15RB#0	-19.56	PASS
Band2	3MHz	16QAM	18615	1RB#0	-13.72	PASS
Band2	3MHz	16QAM	18615	1RB#14	-35.73	PASS
Band2	3MHz	16QAM	18615	15RB#0	-21.91	PASS
Band2	3MHz	16QAM	19185	1RB#0	-33.61	PASS
Band2	3MHz	16QAM	19185	1RB#14	-21.12	PASS
Band2	3MHz	16QAM	19185	15RB#0	-20.53	PASS
Band2	5MHz	QPSK	18625	1RB#0	-13.30	PASS
Band2	5MHz	QPSK	18625	1RB#24	-37.55	PASS
Band2	5MHz	QPSK	18625	25RB#0	-21.59	PASS
Band2	5MHz	QPSK	19175	1RB#0	-44.23	PASS
Band2	5MHz	QPSK	19175	1RB#24	-14.45	PASS
Band2	5MHz	QPSK	19175	25RB#0	-19.80	PASS
Band2	5MHz	16QAM	18625	1RB#0	-14.35	PASS
Band2	5MHz	16QAM	18625	1RB#24	-39.05	PASS
Band2	5MHz	16QAM	18625	25RB#0	-22.81	PASS
Band2	5MHz	16QAM	19175	1RB#0	-36.36	PASS
Band2	5MHz	16QAM	19175	1RB#24	-15.06	PASS
Band2	5MHz	16QAM	19175	25RB#0	-21.93	PASS
Band2	10MHz	QPSK	18650	1RB#0	-20.69	PASS
Band2	10MHz	QPSK	18650	1RB#49	-42.22	PASS
Band2	10MHz	QPSK	18650	50RB#0	-24.33	PASS
Band2	10MHz	QPSK	19150	1RB#0	-42.86	PASS
Band2	10MHz	QPSK	19150	1RB#49	-20.32	PASS
Band2	10MHz	QPSK	19150	50RB#0	-22.62	PASS
Band2	10MHz	16QAM	18650	1RB#0	-21.82	PASS

Band2	10MHz	16QAM	18650	1RB#49	-39.89	PASS
Band2	10MHz	16QAM	18650	50RB#0	-27.02	PASS
Band2	10MHz	16QAM	19150	1RB#0	-43.08	PASS
Band2	10MHz	16QAM	19150	1RB#49	-19.48	PASS
Band2	10MHz	16QAM	19150	50RB#0	-23.44	PASS
Band2	15MHz	QPSK	18675	1RB#0	-19.37	PASS
Band2	15MHz	QPSK	18675	1RB#74	-41.41	PASS
Band2	15MHz	QPSK	18675	75RB#0	-25.32	PASS
Band2	15MHz	QPSK	19125	1RB#0	-41.62	PASS
Band2	15MHz	QPSK	19125	1RB#74	-18.65	PASS
Band2	15MHz	QPSK	19125	75RB#0	-22.58	PASS
Band2	15MHz	16QAM	18675	1RB#0	-19.27	PASS
Band2	15MHz	16QAM	18675	1RB#74	-41.40	PASS
Band2	15MHz	16QAM	18675	75RB#0	-27.78	PASS
Band2	15MHz	16QAM	19125	1RB#0	-40.61	PASS
Band2	15MHz	16QAM	19125	1RB#74	-19.47	PASS
Band2	15MHz	16QAM	19125	75RB#0	-24.90	PASS
Band2	20MHz	QPSK	18700	1RB#0	-21.05	PASS
Band2	20MHz	QPSK	18700	1RB#99	-43.16	PASS
Band2	20MHz	QPSK	18700	100RB#0	-26.13	PASS
Band2	20MHz	QPSK	19100	1RB#0	-33.58	PASS
Band2	20MHz	QPSK	19100	1RB#99	-20.59	PASS
Band2	20MHz	QPSK	19100	100RB#0	-24.24	PASS
Band2	20MHz	16QAM	18700	1RB#0	-22.21	PASS
Band2	20MHz	16QAM	18700	1RB#99	-42.92	PASS
Band2	20MHz	16QAM	18700	100RB#0	-27.56	PASS
Band2	20MHz	16QAM	19100	1RB#0	-43.38	PASS
Band2	20MHz	16QAM	19100	1RB#99	-20.29	PASS
Band2	20MHz	16QAM	19100	100RB#0	-26.30	PASS

Test Plots

Band2-1.4MHz-QPSK-18607-1RB#0



Band2-1.4MHz-QPSK-18607-1RB#5



Band2-1.4MHz-QPSK-18607-6RB#0



Band2-1.4MHz-QPSK-19193-1RB#0



Band2-1.4MHz-QPSK-19193-1RB#5



Band2-1.4MHz-QPSK-19193-6RB#0



Band2-1.4MHz-16QAM-18607-1RB#0



Band2-1.4MHz-16QAM-18607-1RB#5



Band2-1.4MHz-16QAM-18607-6RB#0



Band2-1.4MHz-16QAM-19193-1RB#0




Band2-1.4MHz-16QAM-19193-1RB#5




Band2-1.4MHz-16QAM-19193-6RB#0



Band2-3MHz-QPSK-18615-1RB#0



Band2-3MHz-QPSK-18615-1RB#14



Band2-3MHz-QPSK-18615-15RB#0



Band2-3MHz-QPSK-19185-1RB#0




Band2-3MHz-QPSK-19185-1RB#14




Band2-3MHz-QPSK-19185-15RB#0



Band2-3MHz-16QAM-18615-1RB#0




Band2-3MHz-16QAM-18615-1RB#14



Band2-3MHz-16QAM-18615-15RB#0



Band2-3MHz-16QAM-19185-1RB#0




Band2-3MHz-16QAM-19185-1RB#14




Band2-3MHz-16QAM-19185-15RB#0



Band2-5MHz-QPSK-18625-1RB#0




Band2-5MHz-QPSK-18625-1RB#24



Band2-5MHz-QPSK-18625-25RB#0



Band2-5MHz-QPSK-19175-1RB#0




Band2-5MHz-QPSK-19175-1RB#24




Band2-5MHz-QPSK-19175-25RB#0



Band2-5MHz-16QAM-18625-1RB#0



Band2-5MHz-16QAM-18625-1RB#24




Band2-5MHz-16QAM-18625-25RB#0



Band2-5MHz-16QAM-19175-1RB#0



Band2-5MHz-16QAM-19175-1RB#24



Band2-5MHz-16QAM-19175-25RB#0



Band2-10MHz-QPSK-18650-1RB#0



Band2-10MHz-QPSK-18650-1RB#49



Band2-10MHz-QPSK-18650-50RB#0



Band2-10MHz-QPSK-19150-1RB#0



Band2-10MHz-QPSK-19150-1RB#49



Band2-10MHz-QPSK-19150-50RB#0



Band2-10MHz-16QAM-18650-1RB#0



Band2-10MHz-16QAM-18650-1RB#49



Band2-10MHz-16QAM-18650-50RB#0



Band2-10MHz-16QAM-19150-1RB#0



Band2-10MHz-16QAM-19150-1RB#49



Band2-10MHz-16QAM-19150-50RB#0



Band2-15MHz-QPSK-18675-1RB#0



Band2-15MHz-QPSK-18675-1RB#74



Band2-15MHz-QPSK-18675-75RB#0



Band2-15MHz-QPSK-19125-1RB#0



Band2-15MHz-QPSK-19125-1RB#74



Band2-15MHz-QPSK-19125-75RB#0



Band2-15MHz-16QAM-18675-1RB#0



Band2-15MHz-16QAM-18675-1RB#74



Band2-15MHz-16QAM-18675-75RB#0