802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV



802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV



802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV



802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



## 4. Maximum Power Spectral Density

### 4.1 PSD

#### 4.1.1 Test Result

| Mode | TX Type | Frequency (MHz) | Maximum PSD (dBm/MHz) | | Verdict |
|---|---|---|---|---|---|
| | | | ANT1 | Limit | |
| 802.11a | SISO | 5180 | 1.57 | <=11 | Pass |
| | | 5200 | 0.71 | <=11 | Pass |
| | | 5240 | -2.14 | <=11 | Pass |
| 802.11n (HT20) | SISO | 5180 | 1.28 | <=11 | Pass |
| | | 5200 | 0.60 | <=11 | Pass |
| | | 5240 | -2.76 | <=11 | Pass |
| 802.11n (HT40) | SISO | 5190 | -1.86 | <=11 | Pass |
| | | 5230 | -4.41 | <=11 | Pass |
| 802.11ac (VHT20) | SISO | 5180 | 1.15 | <=11 | Pass |
| | | 5200 | -0.14 | <=11 | Pass |
| | | 5240 | -3.02 | <=11 | Pass |
| 802.11ac (VHT40) | SISO | 5190 | -2.02 | <=11 | Pass |
| | | 5230 | -4.77 | <=11 | Pass |
| 802.11ac (VHT80) | SISO | 5210 | -6.12 | <=11 | Pass |

4.1.2 Test Graph

802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant1_NTNV



802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV



802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV



802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV



### 4.2 PSD-Band3

#### 4.2.1 Test Result

| Mode | TX Type | Frequency (MHz) | Maximum PSD (dBm/500kHz) | | Verdict |
|---|---|---|---|---|---|
| | | | ANT1 | Limit | |
| 802.11a | SISO | 5745 | 1.31 | <=30 | Pass |
| | | 5785 | 1.03 | <=30 | Pass |
| | | 5825 | 1.12 | <=30 | Pass |
| 802.11n (HT20) | SISO | 5745 | 0.90 | <=30 | Pass |
| | | 5785 | 0.89 | <=30 | Pass |
| | | 5825 | 0.97 | <=30 | Pass |
| 802.11n (HT40) | SISO | 5755 | -2.20 | <=30 | Pass |
| | | 5795 | -1.85 | <=30 | Pass |
| 802.11ac (VHT20) | SISO | 5745 | 1.11 | <=30 | Pass |
| | | 5785 | 1.04 | <=30 | Pass |
| | | 5825 | 1.03 | <=30 | Pass |
| 802.11ac (VHT40) | SISO | 5755 | -1.95 | <=30 | Pass |
| | | 5795 | -1.74 | <=30 | Pass |
| 802.11ac (VHT80) | SISO | 5775 | -5.54 | <=30 | Pass |

4.2.2 Test Graph

802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV



802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV



802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV



802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



## 5. Unwanted Emissions In Restricted Frequency Bands

### 5.1 RSE

#### 5.1.1 Test Result

| Mode | TX Type | Frequency (MHz) | ANT | Level of Unwanted Emissions (dBm) | | Verdict |
|---|---|---|---|---|---|---|
| | | | | Result | Limit | |
| 802.11a | SISO | 5180 | 1 | Refer To Test Graph | | Pass |
| | | 5200 | 1 | Refer To Test Graph | | Pass |
| | | 5240 | 1 | Refer To Test Graph | | Pass |
| | | 5745 | 1 | Refer To Test Graph | | Pass |
| | | 5785 | 1 | Refer To Test Graph | | Pass |
| | | 5825 | 1 | Refer To Test Graph | | Pass |
| 802.11n (HT20) | SISO | 5180 | 1 | Refer To Test Graph | | Pass |
| | | 5200 | 1 | Refer To Test Graph | | Pass |
| | | 5240 | 1 | Refer To Test Graph | | Pass |
| | | 5745 | 1 | Refer To Test Graph | | Pass |
| | | 5785 | 1 | Refer To Test Graph | | Pass |
| | | 5825 | 1 | Refer To Test Graph | | Pass |
| 802.11n (HT40) | SISO | 5190 | 1 | Refer To Test Graph | | Pass |
| | | 5230 | 1 | Refer To Test Graph | | Pass |
| | | 5755 | 1 | Refer To Test Graph | | Pass |
| | | 5795 | 1 | Refer To Test Graph | | Pass |
| 802.11ac (VHT20) | SISO | 5180 | 1 | Refer To Test Graph | | Pass |
| | | 5200 | 1 | Refer To Test Graph | | Pass |
| | | 5240 | 1 | Refer To Test Graph | | Pass |
| | | 5745 | 1 | Refer To Test Graph | | Pass |
| | | 5785 | 1 | Refer To Test Graph | | Pass |
| | | 5825 | 1 | Refer To Test Graph | | Pass |
| 802.11ac (VHT40) | SISO | 5190 | 1 | Refer To Test Graph | | Pass |
| | | 5230 | 1 | Refer To Test Graph | | Pass |
| | | 5755 | 1 | Refer To Test Graph | | Pass |
| | | 5795 | 1 | Refer To Test Graph | | Pass |
| 802.11ac (VHT80) | SISO | 5210 | 1 | Refer To Test Graph | | Pass |
| | | 5775 | 1 | Refer To Test Graph | | Pass |

5.1.2 Test Graph

802.11a_LCH_5180MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5066.500 | -39.24 | -21.20 | 13.84 | Pass | Peak | 3 | 5066.500 | / | -21.20 | / | / | AVG |
| 2 | 5112.000 | -39.04 | -21.20 | 13.64 | Pass | Peak | 4 | 5112.000 | / | -21.20 | / | / | AVG |

802.11a_HCH_5240MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5361.840 | -45.49 | -21.20 | 20.09 | Pass | Peak | 3 | 5361.840 | / | -21.20 | / | / | AVG |
| 2 | 5399.280 | -45.38 | -21.20 | 19.98 | Pass | Peak | 4 | 5399.280 | / | -21.20 | / | / | AVG |

802.11a_LCH_5745MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5650.000 | -42.22 | -27.00 | 9.82 | Pass | Peak | 3 | 5725.000 | -36.83 | 27.00 | 58.43 | Pass | Peak |
| 2 | 5724.865 | -33.62 | 26.69 | 54.91 | Pass | Peak | | | | | | | |

802.11a_HCH_5825MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5850.000 | -40.96 | 27.00 | 62.56 | Pass | Peak | 3 | 5925.000 | -43.90 | -27.00 | 11.49 | Pass | Peak |
| 2 | 5850.960 | -38.68 | 24.81 | 58.09 | Pass | Peak | | | | | | | |

802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5085.500 | -39.65 | -21.20 | 14.25 | Pass | Peak | 3 | 5085.500 | / | -21.20 | / | / | AVG |
| 2 | 5124.000 | -38.84 | -21.20 | 13.44 | Pass | Peak | 4 | 5124.000 | / | -21.20 | / | / | AVG |

802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5351.040 | -45.49 | -21.20 | 20.09 | Pass | Peak | 3 | 5351.040 | / | -21.20 | / | / | AVG |
| 2 | 5361.600 | -46.23 | -21.20 | 20.83 | Pass | Peak | 4 | 5361.600 | / | -21.20 | / | / | AVG |

802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5650.000 | -41.42 | -27.00 | 9.02 | Pass | Peak | 3 | 5725.000 | -33.36 | 27.00 | 54.96 | Pass | Peak |
| 2 | 5721.300 | -30.11 | 18.56 | 43.27 | Pass | Peak | | | | | | | |

802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5850.000 | -38.38 | 27.00 | 59.98 | Pass | Peak | 3 | 5925.000 | -44.53 | -27.00 | 12.13 | Pass | Peak |
| 2 | 5850.120 | -34.30 | 26.73 | 55.63 | Pass | Peak | | | | | | | |

802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5097.000 | -40.15 | -21.20 | 14.75 | Pass | Peak | 3 | 5097.000 | / | -21.20 | / | / | AVG |
| 2 | 5142.500 | -35.69 | -21.20 | 10.29 | Pass | Peak | 4 | 5142.500 | / | -21.20 | / | / | AVG |

802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5356.860 | -44.68 | -21.20 | 19.28 | Pass | Peak | 3 | 5356.860 | / | -21.20 | / | / | AVG |
| 2 | 5369.820 | -45.78 | -21.20 | 20.38 | Pass | Peak | 4 | 5369.820 | / | -21.20 | / | / | AVG |

802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5650.000 | -42.82 | -27.00 | 10.42 | Pass | Peak | 3 | 5725.000 | -35.00 | 27.00 | 56.60 | Pass | Peak |
| 2 | 5720.470 | -26.24 | 16.67 | 37.52 | Pass | Peak | | | | | | | |

802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5850.000 | -41.93 | 27.00 | 63.53 | Pass | Peak | 3 | 5925.000 | -47.93 | -27.00 | 15.53 | Pass | Peak |
| 2 | 5853.770 | -37.78 | 18.40 | 50.78 | Pass | Peak | | | | | | | |

802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5117.000 | -39.21 | -21.20 | 13.81 | Pass | Peak | 3 | 5117.000 | / | -21.20 | / | / | AVG |
| 2 | 5145.500 | -39.55 | -21.20 | 14.15 | Pass | Peak | 4 | 5145.500 | / | -21.20 | / | / | AVG |

802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5351.520 | -46.03 | -21.20 | 20.63 | Pass | Peak | 3 | 5351.520 | / | -21.20 | / | / | AVG |
| 2 | 5359.440 | -46.10 | -21.20 | 20.70 | Pass | Peak | 4 | 5359.440 | / | -21.20 | / | / | AVG |

802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5650.000 | -42.74 | -27.00 | 10.34 | Pass | Peak | 3 | 5725.000 | -35.44 | 27.00 | 57.04 | Pass | Peak |
| 2 | 5723.945 | -31.47 | 24.59 | 50.67 | Pass | Peak | | | | | | | |

802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5850.000 | -39.64 | 27.00 | 61.24 | Pass | Peak | 3 | 5925.000 | -45.26 | -27.00 | 12.86 | Pass | Peak |
| 2 | 5853.720 | -36.62 | 18.52 | 49.74 | Pass | Peak | | | | | | | |

802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5080.500 | -40.13 | -21.20 | 14.73 | Pass | Peak | 3 | 5080.500 | / | -21.20 | / | / | AVG |
| 2 | 5147.000 | -31.14 | -21.20 | 5.74 | Pass | Peak | 4 | 5147.000 | / | -21.20 | / | / | AVG |

802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5352.810 | -44.47 | -21.20 | 19.07 | Pass | Peak | 3 | 5352.810 | / | -21.20 | / | / | AVG |
| 2 | 5362.530 | -46.00 | -21.20 | 20.60 | Pass | Peak | 4 | 5362.530 | / | -21.20 | / | / | AVG |

802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5650.000 | -44.46 | -27.00 | 12.06 | Pass | Peak | 3 | 5725.000 | -31.31 | 27.00 | 52.91 | Pass | Peak |
| 2 | 5721.775 | -25.97 | 19.65 | 40.22 | Pass | Peak | | | | | | | |

802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5850.000 | -43.55 | 27.00 | 65.15 | Pass | Peak | 3 | 5925.000 | -46.98 | -27.00 | 14.58 | Pass | Peak |
| 2 | 5852.240 | -36.58 | 21.89 | 53.07 | Pass | Peak | | | | | | | |

802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5107.500 | -38.95 | -21.20 | 13.55 | Pass | Peak | 3 | 5107.500 | / | -21.20 | / | / | AVG |
| 2 | 5148.500 | -34.55 | -21.20 | 9.15 | Pass | Peak | 4 | 5148.500 | / | -21.20 | / | / | AVG |

802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5107.500 | -38.95 | -21.20 | 13.55 | Pass | Peak | 3 | 5107.500 | / | -21.20 | / | / | AVG |
| 2 | 5148.500 | -34.55 | -21.20 | 9.15 | Pass | Peak | 4 | 5148.500 | / | -21.20 | / | / | AVG |

802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5650.000 | -43.00 | -27.00 | 10.60 | Pass | Peak | 3 | 5725.000 | -26.47 | 27.00 | 48.07 | Pass | Peak |
| 2 | 5705.275 | -24.81 | 11.48 | 30.88 | Pass | Peak | | | | | | | |

802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 5650.000 | -43.00 | -27.00 | 10.60 | Pass | Peak | 3 | 5725.000 | -26.47 | 27.00 | 48.07 | Pass | Peak |
| 2 | 5705.275 | -24.81 | 11.48 | 30.88 | Pass | Peak | | | | | | | |

## 6. Frequency Stability

### 6.1 Ant1

#### 6.1.1 Test Result

| Ant1 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Mode | TX Type | Frequency (MHz) | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz) | Verdict |
| 802.11a | SISO | 5180 | 20 | 102 | 5180.020 | 5150 to 5250 | Pass |
| | | | | 120 | 5180.040 | 5150 to 5250 | Pass |
| | | | | 138 | 5179.980 | 5150 to 5250 | Pass |
| | | | -30 | 120 | 5180.000 | 5150 to 5250 | Pass |
| | | | -20 | 120 | 5179.980 | 5150 to 5250 | Pass |
| | | | -10 | 120 | 5180.000 | 5150 to 5250 | Pass |
| | | | 0 | 120 | 5179.980 | 5150 to 5250 | Pass |
| | | | 10 | 120 | 5180.000 | 5150 to 5250 | Pass |
| | | | 30 | 120 | 5180.000 | 5150 to 5250 | Pass |
| | | | 40 | 120 | 5180.020 | 5150 to 5250 | Pass |
| | | | 50 | 120 | 5180.000 | 5150 to 5250 | Pass |
| | | 5200 | 20 | 102 | 5199.980 | 5150 to 5250 | Pass |
| | | | | 120 | 5200.000 | 5150 to 5250 | Pass |
| | | | | 138 | 5200.000 | 5150 to 5250 | Pass |
| | | | -30 | 120 | 5200.000 | 5150 to 5250 | Pass |
| | | | -20 | 120 | 5199.980 | 5150 to 5250 | Pass |
| | | | -10 | 120 | 5200.000 | 5150 to 5250 | Pass |
| | | | 0 | 120 | 5200.060 | 5150 to 5250 | Pass |
| | | | 10 | 120 | 5200.020 | 5150 to 5250 | Pass |
| | | | 30 | 120 | 5200.020 | 5150 to 5250 | Pass |
| | | | 40 | 120 | 5200.020 | 5150 to 5250 | Pass |
| | | | 50 | 120 | 5200.000 | 5150 to 5250 | Pass |
| | | 5240 | 20 | 102 | 5240.020 | 5150 to 5250 | Pass |
| | | | | 120 | 5240.020 | 5150 to 5250 | Pass |
| | | | | 138 | 5240.020 | 5150 to 5250 | Pass |
| | | | -30 | 120 | 5240.020 | 5150 to 5250 | Pass |
| | | | -20 | 120 | 5240.000 | 5150 to 5250 | Pass |
| | | | -10 | 120 | 5240.020 | 5150 to 5250 | Pass |
| | | | 0 | 120 | 5239.980 | 5150 to 5250 | Pass |
| | | | 10 | 120 | 5239.980 | 5150 to 5250 | Pass |
| | | | 30 | 120 | 5240.000 | 5150 to 5250 | Pass |
| | | | 40 | 120 | 5239.960 | 5150 to 5250 | Pass |
| | | | 50 | 120 | 5240.040 | 5150 to 5250 | Pass |
| | | 5745 | 20 | 102 | 5745.060 | 5725 to 5850 | Pass |
| | | | | 120 | 5745.020 | 5725 to 5850 | Pass |
| | | | | 138 | 5745.040 | 5725 to 5850 | Pass |
| | | | -30 | 120 | 5745.040 | 5725 to 5850 | Pass |
| | | | -20 | 120 | 5745.040 | 5725 to 5850 | Pass |
| | | | -10 | 120 | 5745.000 | 5725 to 5850 | Pass |
| | | | 0 | 120 | 5745.040 | 5725 to 5850 | Pass |
| | | | 10 | 120 | 5745.020 | 5725 to 5850 | Pass |
| | | | 30 | 120 | 5745.040 | 5725 to 5850 | Pass |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | 40 | 120 | 5745.040 | 5725 to 5850 | Pass |
| | | | 50 | 120 | 5745.040 | 5725 to 5850 | Pass |
| | | 5785 | 20 | 102 | 5785.060 | 5725 to 5850 | Pass |
| | | | | 120 | 5785.000 | 5725 to 5850 | Pass |
| | | | | 138 | 5785.020 | 5725 to 5850 | Pass |
| | | | -30 | 120 | 5785.060 | 5725 to 5850 | Pass |
| | | | -20 | 120 | 5785.060 | 5725 to 5850 | Pass |
| | | | -10 | 120 | 5785.040 | 5725 to 5850 | Pass |
| | | | 0 | 120 | 5785.040 | 5725 to 5850 | Pass |
| | | | 10 | 120 | 5785.040 | 5725 to 5850 | Pass |
| | | | 30 | 120 | 5785.020 | 5725 to 5850 | Pass |
| | | | 40 | 120 | 5785.040 | 5725 to 5850 | Pass |
| | | | 50 | 120 | 5785.040 | 5725 to 5850 | Pass |
| | | 5825 | 20 | 102 | 5825.000 | 5725 to 5850 | Pass |
| | | | | 120 | 5825.000 | 5725 to 5850 | Pass |
| | | | | 138 | 5825.020 | 5725 to 5850 | Pass |
| | | | -30 | 120 | 5825.040 | 5725 to 5850 | Pass |
| | | | -20 | 120 | 5825.020 | 5725 to 5850 | Pass |
| | | | -10 | 120 | 5825.040 | 5725 to 5850 | Pass |
| | | | 0 | 120 | 5825.040 | 5725 to 5850 | Pass |
| | | | 10 | 120 | 5825.040 | 5725 to 5850 | Pass |
| | | | 30 | 120 | 5825.040 | 5725 to 5850 | Pass |
| | | | 40 | 120 | 5824.980 | 5725 to 5850 | Pass |
| | | | 50 | 120 | 5825.040 | 5725 to 5850 | Pass |
| 802.11n (HT20) | SISO | 5180 | 20 | 102 | 5180.080 | 5150 to 5250 | Pass |
| | | | | 120 | 5180.040 | 5150 to 5250 | Pass |
| | | | | 138 | 5180.020 | 5150 to 5250 | Pass |
| | | | -30 | 120 | 5180.040 | 5150 to 5250 | Pass |
| | | | -20 | 120 | 5180.060 | 5150 to 5250 | Pass |
| | | | -10 | 120 | 5180.020 | 5150 to 5250 | Pass |
| | | | 0 | 120 | 5180.020 | 5150 to 5250 | Pass |
| | | | 10 | 120 | 5180.060 | 5150 to 5250 | Pass |
| | | | 30 | 120 | 5180.020 | 5150 to 5250 | Pass |
| | | | 40 | 120 | 5180.020 | 5150 to 5250 | Pass |
| | | | 50 | 120 | 5180.040 | 5150 to 5250 | Pass |
| | | 5200 | 20 | 102 | 5200.040 | 5150 to 5250 | Pass |
| | | | | 120 | 5200.020 | 5150 to 5250 | Pass |
| | | | | 138 | 5200.040 | 5150 to 5250 | Pass |
| | | | -30 | 120 | 5199.960 | 5150 to 5250 | Pass |
| | | | -20 | 120 | 5200.020 | 5150 to 5250 | Pass |
| | | | -10 | 120 | 5200.020 | 5150 to 5250 | Pass |
| | | | 0 | 120 | 5199.960 | 5150 to 5250 | Pass |
| | | | 10 | 120 | 5200.020 | 5150 to 5250 | Pass |
| | | | 30 | 120 | 5200.060 | 5150 to 5250 | Pass |
| | | | 40 | 120 | 5200.020 | 5150 to 5250 | Pass |
| | | | 50 | 120 | 5200.000 | 5150 to 5250 | Pass |
| | | 5240 | 20 | 102 | 5240.000 | 5150 to 5250 | Pass |
| | | | | 120 | 5240.040 | 5150 to 5250 | Pass |
| | | | | 138 | 5240.000 | 5150 to 5250 | Pass |
| | | | -30 | 120 | 5240.020 | 5150 to 5250 | Pass |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | -20 | 120 | 5240.020 | 5150 to 5250 | Pass |
| | | | -10 | 120 | 5240.020 | 5150 to 5250 | Pass |
| | | | 0 | 120 | 5240.040 | 5150 to 5250 | Pass |
| | | | 10 | 120 | 5240.020 | 5150 to 5250 | Pass |
| | | | 30 | 120 | 5240.020 | 5150 to 5250 | Pass |
| | | | 40 | 120 | 5239.980 | 5150 to 5250 | Pass |
| | | | 50 | 120 | 5240.000 | 5150 to 5250 | Pass |
| | | 5745 | 20 | 102 | 5745.020 | 5725 to 5850 | Pass |
| | | | | 120 | 5745.020 | 5725 to 5850 | Pass |
| | | | | 138 | 5745.040 | 5725 to 5850 | Pass |
| | | | -30 | 120 | 5745.040 | 5725 to 5850 | Pass |
| | | | -20 | 120 | 5745.060 | 5725 to 5850 | Pass |
| | | | -10 | 120 | 5745.040 | 5725 to 5850 | Pass |
| | | | 0 | 120 | 5745.040 | 5725 to 5850 | Pass |
| | | | 10 | 120 | 5745.040 | 5725 to 5850 | Pass |
| | | | 30 | 120 | 5745.040 | 5725 to 5850 | Pass |
| | | | 40 | 120 | 5745.040 | 5725 to 5850 | Pass |
| | | | 50 | 120 | 5745.000 | 5725 to 5850 | Pass |
| | | 5785 | 20 | 102 | 5785.060 | 5725 to 5850 | Pass |
| | | | | 120 | 5785.040 | 5725 to 5850 | Pass |
| | | | | 138 | 5785.060 | 5725 to 5850 | Pass |
| | | | -30 | 120 | 5785.060 | 5725 to 5850 | Pass |
| | | | -20 | 120 | 5785.020 | 5725 to 5850 | Pass |
| | | | -10 | 120 | 5785.060 | 5725 to 5850 | Pass |
| | | | 0 | 120 | 5785.020 | 5725 to 5850 | Pass |
| | | | 10 | 120 | 5785.060 | 5725 to 5850 | Pass |
| | | | 30 | 120 | 5785.040 | 5725 to 5850 | Pass |
| | | | 40 | 120 | 5785.080 | 5725 to 5850 | Pass |
| | | | 50 | 120 | 5785.040 | 5725 to 5850 | Pass |
| | | 5825 | 20 | 102 | 5825.000 | 5725 to 5850 | Pass |
| | | | | 120 | 5825.080 | 5725 to 5850 | Pass |
| | | | | 138 | 5825.080 | 5725 to 5850 | Pass |
| | | | -30 | 120 | 5825.060 | 5725 to 5850 | Pass |
| | | | -20 | 120 | 5825.000 | 5725 to 5850 | Pass |
| | | | -10 | 120 | 5825.060 | 5725 to 5850 | Pass |
| | | | 0 | 120 | 5825.020 | 5725 to 5850 | Pass |
| | | | 10 | 120 | 5825.080 | 5725 to 5850 | Pass |
| | | | 30 | 120 | 5825.020 | 5725 to 5850 | Pass |
| | | | 40 | 120 | 5825.000 | 5725 to 5850 | Pass |
| | | | 50 | 120 | 5825.060 | 5725 to 5850 | Pass |
| 802.11n (HT40) | SISO | 5190 | 20 | 102 | 5190.000 | 5150 to 5250 | Pass |
| | | | | 120 | 5190.080 | 5150 to 5250 | Pass |
| | | | | 138 | 5190.000 | 5150 to 5250 | Pass |
| | | | -30 | 120 | 5190.040 | 5150 to 5250 | Pass |
| | | | -20 | 120 | 5190.080 | 5150 to 5250 | Pass |
| | | | -10 | 120 | 5190.080 | 5150 to 5250 | Pass |
| | | | 0 | 120 | 5190.040 | 5150 to 5250 | Pass |
| | | | 10 | 120 | 5190.080 | 5150 to 5250 | Pass |
| | | | 30 | 120 | 5190.040 | 5150 to 5250 | Pass |
| | | | 40 | 120 | 5190.080 | 5150 to 5250 | Pass |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | 50 | 120 | 5190.040 | 5150 to 5250 | Pass |
| | | 5230 | 20 | 102 | 5230.040 | 5150 to 5250 | Pass |
| | | | | 120 | 5230.040 | 5150 to 5250 | Pass |
| | | | | 138 | 5230.000 | 5150 to 5250 | Pass |
| | | | -30 | 120 | 5230.080 | 5150 to 5250 | Pass |
| | | | -20 | 120 | 5230.040 | 5150 to 5250 | Pass |
| | | | -10 | 120 | 5230.080 | 5150 to 5250 | Pass |
| | | | 0 | 120 | 5230.000 | 5150 to 5250 | Pass |
| | | | 10 | 120 | 5230.080 | 5150 to 5250 | Pass |
| | | | 30 | 120 | 5230.040 | 5150 to 5250 | Pass |
| | | | 40 | 120 | 5230.040 | 5150 to 5250 | Pass |
| | | | 50 | 120 | 5230.040 | 5150 to 5250 | Pass |
| | | 5755 | 20 | 102 | 5755.120 | 5725 to 5850 | Pass |
| | | | | 120 | 5755.080 | 5725 to 5850 | Pass |
| | | | | 138 | 5755.120 | 5725 to 5850 | Pass |
| | | | -30 | 120 | 5755.120 | 5725 to 5850 | Pass |
| | | | -20 | 120 | 5755.120 | 5725 to 5850 | Pass |
| | | | -10 | 120 | 5755.120 | 5725 to 5850 | Pass |
| | | | 0 | 120 | 5755.080 | 5725 to 5850 | Pass |
| | | | 10 | 120 | 5755.120 | 5725 to 5850 | Pass |
| | | | 30 | 120 | 5755.120 | 5725 to 5850 | Pass |
| | | | 40 | 120 | 5755.080 | 5725 to 5850 | Pass |
| | | | 50 | 120 | 5755.080 | 5725 to 5850 | Pass |
| | | 5795 | 20 | 102 | 5795.080 | 5725 to 5850 | Pass |
| | | | | 120 | 5795.080 | 5725 to 5850 | Pass |
| | | | | 138 | 5795.120 | 5725 to 5850 | Pass |
| | | | -30 | 120 | 5795.080 | 5725 to 5850 | Pass |
| | | | -20 | 120 | 5795.080 | 5725 to 5850 | Pass |
| | | | -10 | 120 | 5795.080 | 5725 to 5850 | Pass |
| | | | 0 | 120 | 5795.160 | 5725 to 5850 | Pass |
| | | | 10 | 120 | 5795.120 | 5725 to 5850 | Pass |
| | | | 30 | 120 | 5795.080 | 5725 to 5850 | Pass |
| | | | 40 | 120 | 5795.040 | 5725 to 5850 | Pass |
| | | | 50 | 120 | 5795.120 | 5725 to 5850 | Pass |
| 802.11ac (VHT20) | SISO | 5180 | 20 | 102 | 5180.060 | 5150 to 5250 | Pass |
| | | | | 120 | 5180.020 | 5150 to 5250 | Pass |
| | | | | 138 | 5180.040 | 5150 to 5250 | Pass |
| | | | -30 | 120 | 5180.040 | 5150 to 5250 | Pass |
| | | | -20 | 120 | 5180.020 | 5150 to 5250 | Pass |
| | | | -10 | 120 | 5180.000 | 5150 to 5250 | Pass |
| | | | 0 | 120 | 5180.040 | 5150 to 5250 | Pass |
| | | | 10 | 120 | 5180.020 | 5150 to 5250 | Pass |
| | | | 30 | 120 | 5180.040 | 5150 to 5250 | Pass |
| | | | 40 | 120 | 5180.040 | 5150 to 5250 | Pass |
| | | | 50 | 120 | 5180.000 | 5150 to 5250 | Pass |
| | | 5200 | 20 | 102 | 5200.020 | 5150 to 5250 | Pass |
| | | | | 120 | 5199.980 | 5150 to 5250 | Pass |
| | | | | 138 | 5199.980 | 5150 to 5250 | Pass |
| | | | -30 | 120 | 5200.040 | 5150 to 5250 | Pass |
| | | | -20 | 120 | 5199.980 | 5150 to 5250 | Pass |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | -10 | 120 | 5200.040 | 5150 to 5250 | Pass |
| | | | 0 | 120 | 5200.020 | 5150 to 5250 | Pass |
| | | | 10 | 120 | 5200.000 | 5150 to 5250 | Pass |
| | | | 30 | 120 | 5200.020 | 5150 to 5250 | Pass |
| | | | 40 | 120 | 5200.040 | 5150 to 5250 | Pass |
| | | | 50 | 120 | 5200.020 | 5150 to 5250 | Pass |
| | | 5240 | 20 | 102 | 5240.020 | 5150 to 5250 | Pass |
| | | | | 120 | 5240.040 | 5150 to 5250 | Pass |
| | | | | 138 | 5239.980 | 5150 to 5250 | Pass |
| | | | -30 | 120 | 5240.040 | 5150 to 5250 | Pass |
| | | | -20 | 120 | 5240.020 | 5150 to 5250 | Pass |
| | | | -10 | 120 | 5240.020 | 5150 to 5250 | Pass |
| | | | 0 | 120 | 5240.040 | 5150 to 5250 | Pass |
| | | | 10 | 120 | 5240.000 | 5150 to 5250 | Pass |
| | | | 30 | 120 | 5239.960 | 5150 to 5250 | Pass |
| | | | 40 | 120 | 5240.000 | 5150 to 5250 | Pass |
| | | | 50 | 120 | 5240.000 | 5150 to 5250 | Pass |
| | | 5745 | 20 | 102 | 5745.060 | 5725 to 5850 | Pass |
| | | | | 120 | 5745.060 | 5725 to 5850 | Pass |
| | | | | 138 | 5745.040 | 5725 to 5850 | Pass |
| | | | -30 | 120 | 5745.060 | 5725 to 5850 | Pass |
| | | | -20 | 120 | 5745.020 | 5725 to 5850 | Pass |
| | | | -10 | 120 | 5745.060 | 5725 to 5850 | Pass |
| | | | 0 | 120 | 5745.040 | 5725 to 5850 | Pass |
| | | | 10 | 120 | 5744.980 | 5725 to 5850 | Pass |
| | | | 30 | 120 | 5745.020 | 5725 to 5850 | Pass |
| | | | 40 | 120 | 5745.040 | 5725 to 5850 | Pass |
| | | | 50 | 120 | 5745.040 | 5725 to 5850 | Pass |
| | | 5785 | 20 | 102 | 5785.060 | 5725 to 5850 | Pass |
| | | | | 120 | 5784.980 | 5725 to 5850 | Pass |
| | | | | 138 | 5785.040 | 5725 to 5850 | Pass |
| | | | -30 | 120 | 5785.040 | 5725 to 5850 | Pass |
| | | | -20 | 120 | 5785.020 | 5725 to 5850 | Pass |
| | | | -10 | 120 | 5785.020 | 5725 to 5850 | Pass |
| | | | 0 | 120 | 5785.080 | 5725 to 5850 | Pass |
| | | | 10 | 120 | 5785.060 | 5725 to 5850 | Pass |
| | | | 30 | 120 | 5785.080 | 5725 to 5850 | Pass |
| | | | 40 | 120 | 5785.060 | 5725 to 5850 | Pass |
| | | | 50 | 120 | 5785.060 | 5725 to 5850 | Pass |
| | | 5825 | 20 | 102 | 5825.040 | 5725 to 5850 | Pass |
| | | | | 120 | 5825.040 | 5725 to 5850 | Pass |
| | | | | 138 | 5825.020 | 5725 to 5850 | Pass |
| | | | -30 | 120 | 5825.040 | 5725 to 5850 | Pass |
| | | | -20 | 120 | 5825.040 | 5725 to 5850 | Pass |
| | | | -10 | 120 | 5825.100 | 5725 to 5850 | Pass |
| | | | 0 | 120 | 5825.060 | 5725 to 5850 | Pass |
| | | | 10 | 120 | 5825.060 | 5725 to 5850 | Pass |
| | | | 30 | 120 | 5825.060 | 5725 to 5850 | Pass |
| | | | 40 | 120 | 5825.060 | 5725 to 5850 | Pass |
| | | | 50 | 120 | 5825.060 | 5725 to 5850 | Pass |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 802.11ac (VHT40) | SISO | 5190 | 20 | 102 | 5190.080 | 5150 to 5250 | Pass |
| | | | | 120 | 5190.040 | 5150 to 5250 | Pass |
| | | | | 138 | 5189.960 | 5150 to 5250 | Pass |
| | | | -30 | 120 | 5190.040 | 5150 to 5250 | Pass |
| | | | -20 | 120 | 5190.040 | 5150 to 5250 | Pass |
| | | | -10 | 120 | 5190.080 | 5150 to 5250 | Pass |
| | | | 0 | 120 | 5190.040 | 5150 to 5250 | Pass |
| | | | 10 | 120 | 5190.080 | 5150 to 5250 | Pass |
| | | | 30 | 120 | 5190.040 | 5150 to 5250 | Pass |
| | | | 40 | 120 | 5190.080 | 5150 to 5250 | Pass |
| | | | 50 | 120 | 5190.080 | 5150 to 5250 | Pass |
| | | 5230 | 20 | 102 | 5230.040 | 5150 to 5250 | Pass |
| | | | | 120 | 5230.080 | 5150 to 5250 | Pass |
| | | | | 138 | 5230.080 | 5150 to 5250 | Pass |
| | | | -30 | 120 | 5230.080 | 5150 to 5250 | Pass |
| | | | -20 | 120 | 5230.000 | 5150 to 5250 | Pass |
| | | | -10 | 120 | 5230.000 | 5150 to 5250 | Pass |
| | | | 0 | 120 | 5230.040 | 5150 to 5250 | Pass |
| | | | 10 | 120 | 5230.080 | 5150 to 5250 | Pass |
| | | | 30 | 120 | 5230.120 | 5150 to 5250 | Pass |
| | | | 40 | 120 | 5230.040 | 5150 to 5250 | Pass |
| | | | 50 | 120 | 5230.040 | 5150 to 5250 | Pass |
| | | 5755 | 20 | 102 | 5755.120 | 5725 to 5850 | Pass |
| | | | | 120 | 5755.040 | 5725 to 5850 | Pass |
| | | | | 138 | 5755.040 | 5725 to 5850 | Pass |
| | | | -30 | 120 | 5755.080 | 5725 to 5850 | Pass |
| | | | -20 | 120 | 5755.040 | 5725 to 5850 | Pass |
| | | | -10 | 120 | 5755.080 | 5725 to 5850 | Pass |
| | | | 0 | 120 | 5755.040 | 5725 to 5850 | Pass |
| | | | 10 | 120 | 5755.040 | 5725 to 5850 | Pass |
| | | | 30 | 120 | 5755.080 | 5725 to 5850 | Pass |
| | | | 40 | 120 | 5755.080 | 5725 to 5850 | Pass |
| | | | 50 | 120 | 5755.080 | 5725 to 5850 | Pass |
| | | 5795 | 20 | 102 | 5795.080 | 5725 to 5850 | Pass |
| | | | | 120 | 5795.040 | 5725 to 5850 | Pass |
| | | | | 138 | 5795.120 | 5725 to 5850 | Pass |
| | | | -30 | 120 | 5795.080 | 5725 to 5850 | Pass |
| | | | -20 | 120 | 5795.080 | 5725 to 5850 | Pass |
| | | | -10 | 120 | 5795.120 | 5725 to 5850 | Pass |
| | | | 0 | 120 | 5795.080 | 5725 to 5850 | Pass |
| | | | 10 | 120 | 5795.080 | 5725 to 5850 | Pass |
| | | | 30 | 120 | 5795.080 | 5725 to 5850 | Pass |
| | | | 40 | 120 | 5795.080 | 5725 to 5850 | Pass |
| | | | 50 | 120 | 5795.080 | 5725 to 5850 | Pass |
| 802.11ac (VHT80) | SISO | 5210 | 20 | 102 | 5210.000 | 5150 to 5250 | Pass |
| | | | | 120 | 5209.925 | 5150 to 5250 | Pass |
| | | | | 138 | 5210.000 | 5150 to 5250 | Pass |
| | | | -30 | 120 | 5210.000 | 5150 to 5250 | Pass |
| | | | -20 | 120 | 5210.000 | 5150 to 5250 | Pass |
| | | | -10 | 120 | 5210.000 | 5150 to 5250 | Pass |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | 0 | 120 | 5210.000 | 5150 to 5250 | Pass |
| | | | 10 | 120 | 5210.000 | 5150 to 5250 | Pass |
| | | | 30 | 120 | 5209.925 | 5150 to 5250 | Pass |
| | | | 40 | 120 | 5210.000 | 5150 to 5250 | Pass |
| | | | 50 | 120 | 5210.000 | 5150 to 5250 | Pass |
| | | 5775 | 20 | 102 | 5775.075 | 5725 to 5850 | Pass |
| | | | | 120 | 5775.075 | 5725 to 5850 | Pass |
| | | | | 138 | 5775.075 | 5725 to 5850 | Pass |
| | | | -30 | 120 | 5775.075 | 5725 to 5850 | Pass |
| | | | -20 | 120 | 5775.075 | 5725 to 5850 | Pass |
| | | | -10 | 120 | 5775.075 | 5725 to 5850 | Pass |
| | | | 0 | 120 | 5775.075 | 5725 to 5850 | Pass |
| | | | 10 | 120 | 5775.075 | 5725 to 5850 | Pass |
| | | | 30 | 120 | 5775.150 | 5725 to 5850 | Pass |
| | | | 40 | 120 | 5775.075 | 5725 to 5850 | Pass |
| | | | 50 | 120 | 5775.075 | 5725 to 5850 | Pass |

-------- End of Report -------