

FCC Appendix RF Test Data for LTE

Company: : Topcon Positioning Systems, Inc.

EUT : AD-7 Display Terminal

FCC ID : WR4-1081315-01

Model Number : 1081315-01

Report No. : CTA25062300915

Reviewed By : Eric Wang

M.1 Conducted Output Power Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band41	5MHz	QPSK	39675	1RB#0	21.12	PASS
Band41	5MHz	16QAM	39675	1RB#0	20.96	PASS
Band41	5MHz	QPSK	39675	1RB#12	21.01	PASS
Band41	5MHz	16QAM	39675	1RB#12	20.92	PASS
Band41	5MHz	QPSK	39675	1RB#24	21.08	PASS
Band41	5MHz	16QAM	39675	1RB#24	20.97	PASS
Band41	5MHz	QPSK	39675	12RB#0	20.38	PASS
Band41	5MHz	16QAM	39675	12RB#0	19.51	PASS
Band41	5MHz	QPSK	39675	12RB#6	20.41	PASS
Band41	5MHz	16QAM	39675	12RB#6	19.52	PASS
Band41	5MHz	QPSK	39675	12RB#13	20.58	PASS
Band41	5MHz	16QAM	39675	12RB#13	20.01	PASS
Band41	5MHz	QPSK	39675	25RB#0	20.60	PASS
Band41	5MHz	16QAM	39675	25RB#0	19.82	PASS
Band41	5MHz	QPSK	40620	1RB#0	22.01	PASS
Band41	5MHz	16QAM	40620	1RB#0	21.82	PASS
Band41	5MHz	QPSK	40620	1RB#12	21.97	PASS
Band41	5MHz	16QAM	40620	1RB#12	21.92	PASS
Band41	5MHz	QPSK	40620	1RB#24	22.06	PASS
Band41	5MHz	16QAM	40620	1RB#24	21.76	PASS
Band41	5MHz	QPSK	40620	12RB#0	20.94	PASS
Band41	5MHz	16QAM	40620	12RB#0	20.26	PASS
Band41	5MHz	QPSK	40620	12RB#6	20.91	PASS
Band41	5MHz	16QAM	40620	12RB#6	20.28	PASS
Band41	5MHz	QPSK	40620	12RB#13	20.93	PASS
Band41	5MHz	16QAM	40620	12RB#13	20.30	PASS
Band41	5MHz	QPSK	40620	25RB#0	20.93	PASS
Band41	5MHz	16QAM	40620	25RB#0	20.39	PASS
Band41	5MHz	QPSK	41565	1RB#0	21.42	PASS
Band41	5MHz	16QAM	41565	1RB#0	21.29	PASS
Band41	5MHz	QPSK	41565	1RB#12	21.32	PASS
Band41	5MHz	16QAM	41565	1RB#12	21.17	PASS
Band41	5MHz	QPSK	41565	1RB#24	21.45	PASS
Band41	5MHz	16QAM	41565	1RB#24	21.24	PASS
Band41	5MHz	QPSK	41565	12RB#0	20.41	PASS
Band41	5MHz	16QAM	41565	12RB#0	19.55	PASS
Band41	5MHz	QPSK	41565	12RB#6	20.43	PASS

Band41	5MHz	16QAM	41565	12RB#6	19.56	PASS
Band41	5MHz	QPSK	41565	12RB#13	20.35	PASS
Band41	5MHz	16QAM	41565	12RB#13	19.58	PASS
Band41	5MHz	QPSK	41565	25RB#0	20.25	PASS
Band41	5MHz	16QAM	41565	25RB#0	19.77	PASS
Band41	10MHz	QPSK	39700	1RB#0	22.14	PASS
Band41	10MHz	16QAM	39700	1RB#0	22.08	PASS
Band41	10MHz	QPSK	39700	1RB#24	22.15	PASS
Band41	10MHz	16QAM	39700	1RB#24	22.06	PASS
Band41	10MHz	QPSK	39700	1RB#49	22.20	PASS
Band41	10MHz	16QAM	39700	1RB#49	21.18	PASS
Band41	10MHz	QPSK	39700	25RB#0	20.82	PASS
Band41	10MHz	16QAM	39700	25RB#0	20.26	PASS
Band41	10MHz	QPSK	39700	25RB#12	20.83	PASS
Band41	10MHz	16QAM	39700	25RB#12	20.27	PASS
Band41	10MHz	QPSK	39700	25RB#25	20.76	PASS
Band41	10MHz	16QAM	39700	25RB#25	20.20	PASS
Band41	10MHz	QPSK	39700	50RB#0	20.80	PASS
Band41	10MHz	16QAM	39700	50RB#0	20.27	PASS
Band41	10MHz	QPSK	40620	1RB#0	22.36	PASS
Band41	10MHz	16QAM	40620	1RB#0	22.16	PASS
Band41	10MHz	QPSK	40620	1RB#24	22.21	PASS
Band41	10MHz	16QAM	40620	1RB#24	22.11	PASS
Band41	10MHz	QPSK	40620	1RB#49	22.18	PASS
Band41	10MHz	16QAM	40620	1RB#49	22.14	PASS
Band41	10MHz	QPSK	40620	25RB#0	21.10	PASS
Band41	10MHz	16QAM	40620	25RB#0	20.41	PASS
Band41	10MHz	QPSK	40620	25RB#12	21.00	PASS
Band41	10MHz	16QAM	40620	25RB#12	20.23	PASS
Band41	10MHz	QPSK	40620	25RB#25	20.93	PASS
Band41	10MHz	16QAM	40620	25RB#25	20.21	PASS
Band41	10MHz	QPSK	40620	50RB#0	20.85	PASS
Band41	10MHz	16QAM	40620	50RB#0	20.26	PASS
Band41	10MHz	QPSK	41540	1RB#0	21.63	PASS
Band41	10MHz	16QAM	41540	1RB#0	21.38	PASS
Band41	10MHz	QPSK	41540	1RB#24	21.55	PASS
Band41	10MHz	16QAM	41540	1RB#24	21.37	PASS
Band41	10MHz	QPSK	41540	1RB#49	21.62	PASS
Band41	10MHz	16QAM	41540	1RB#49	21.36	PASS
Band41	10MHz	QPSK	41540	25RB#0	20.57	PASS
Band41	10MHz	16QAM	41540	25RB#0	19.79	PASS
Band41	10MHz	QPSK	41540	25RB#12	20.59	PASS
Band41	10MHz	16QAM	41540	25RB#12	19.62	PASS

Band41	10MHz	QPSK	41540	25RB#25	20.25	PASS
Band41	10MHz	16QAM	41540	25RB#25	19.66	PASS
Band41	10MHz	QPSK	41540	50RB#0	20.32	PASS
Band41	10MHz	16QAM	41540	50RB#0	19.65	PASS
Band41	15MHz	QPSK	39725	1RB#0	21.78	PASS
Band41	15MHz	16QAM	39725	1RB#0	21.18	PASS
Band41	15MHz	QPSK	39725	1RB#38	21.70	PASS
Band41	15MHz	16QAM	39725	1RB#38	21.21	PASS
Band41	15MHz	QPSK	39725	1RB#74	21.75	PASS
Band41	15MHz	16QAM	39725	1RB#74	22.09	PASS
Band41	15MHz	QPSK	39725	38RB#0	21.03	PASS
Band41	15MHz	16QAM	39725	38RB#0	21.03	PASS
Band41	15MHz	QPSK	39725	38RB#18	21.02	PASS
Band41	15MHz	16QAM	39725	38RB#18	21.02	PASS
Band41	15MHz	QPSK	39725	38RB#37	21.02	PASS
Band41	15MHz	16QAM	39725	38RB#37	21.02	PASS
Band41	15MHz	QPSK	39725	75RB#0	21.01	PASS
Band41	15MHz	16QAM	39725	75RB#0	20.50	PASS
Band41	15MHz	QPSK	40620	1RB#0	22.26	PASS
Band41	15MHz	16QAM	40620	1RB#0	22.23	PASS
Band41	15MHz	QPSK	40620	1RB#38	22.21	PASS
Band41	15MHz	16QAM	40620	1RB#38	22.05	PASS
Band41	15MHz	QPSK	40620	1RB#74	22.17	PASS
Band41	15MHz	16QAM	40620	1RB#74	22.04	PASS
Band41	15MHz	QPSK	40620	38RB#0	21.10	PASS
Band41	15MHz	16QAM	40620	38RB#0	21.10	PASS
Band41	15MHz	QPSK	40620	38RB#18	21.10	PASS
Band41	15MHz	16QAM	40620	38RB#18	21.10	PASS
Band41	15MHz	QPSK	40620	38RB#37	21.11	PASS
Band41	15MHz	16QAM	40620	38RB#37	21.10	PASS
Band41	15MHz	QPSK	40620	75RB#0	21.10	PASS
Band41	15MHz	16QAM	40620	75RB#0	20.41	PASS
Band41	15MHz	QPSK	41515	1RB#0	21.60	PASS
Band41	15MHz	16QAM	41515	1RB#0	21.38	PASS
Band41	15MHz	QPSK	41515	1RB#38	21.58	PASS
Band41	15MHz	16QAM	41515	1RB#38	21.40	PASS
Band41	15MHz	QPSK	41515	1RB#74	21.53	PASS
Band41	15MHz	16QAM	41515	1RB#74	20.64	PASS
Band41	15MHz	QPSK	41515	38RB#0	20.26	PASS
Band41	15MHz	16QAM	41515	38RB#0	20.23	PASS
Band41	15MHz	QPSK	41515	38RB#18	20.26	PASS
Band41	15MHz	16QAM	41515	38RB#18	20.23	PASS
Band41	15MHz	QPSK	41515	38RB#37	20.23	PASS

Band41	15MHz	16QAM	41515	38RB#37	20.25	PASS
Band41	15MHz	QPSK	41515	75RB#0	20.25	PASS
Band41	15MHz	16QAM	41515	75RB#0	19.80	PASS
Band41	20MHz	QPSK	39750	1RB#0	21.67	PASS
Band41	20MHz	16QAM	39750	1RB#0	21.32	PASS
Band41	20MHz	QPSK	39750	1RB#49	21.73	PASS
Band41	20MHz	16QAM	39750	1RB#49	21.17	PASS
Band41	20MHz	QPSK	39750	1RB#99	21.84	PASS
Band41	20MHz	16QAM	39750	1RB#99	21.31	PASS
Band41	20MHz	QPSK	39750	50RB#0	21.06	PASS
Band41	20MHz	16QAM	39750	50RB#0	20.55	PASS
Band41	20MHz	QPSK	39750	50RB#25	21.03	PASS
Band41	20MHz	16QAM	39750	50RB#25	20.55	PASS
Band41	20MHz	QPSK	39750	50RB#50	21.15	PASS
Band41	20MHz	16QAM	39750	50RB#50	20.70	PASS
Band41	20MHz	QPSK	39750	100RB#0	21.13	PASS
Band41	20MHz	16QAM	39750	100RB#0	20.48	PASS
Band41	20MHz	QPSK	40620	1RB#0	21.82	PASS
Band41	20MHz	16QAM	40620	1RB#0	22.06	PASS
Band41	20MHz	QPSK	40620	1RB#49	21.74	PASS
Band41	20MHz	16QAM	40620	1RB#49	21.80	PASS
Band41	20MHz	QPSK	40620	1RB#99	21.77	PASS
Band41	20MHz	16QAM	40620	1RB#99	21.77	PASS
Band41	20MHz	QPSK	40620	50RB#0	21.12	PASS
Band41	20MHz	16QAM	40620	50RB#0	20.57	PASS
Band41	20MHz	QPSK	40620	50RB#25	21.09	PASS
Band41	20MHz	16QAM	40620	50RB#25	20.43	PASS
Band41	20MHz	QPSK	40620	50RB#50	20.86	PASS
Band41	20MHz	16QAM	40620	50RB#50	20.31	PASS
Band41	20MHz	QPSK	40620	100RB#0	20.91	PASS
Band41	20MHz	16QAM	40620	100RB#0	20.36	PASS
Band41	20MHz	QPSK	41490	1RB#0	21.31	PASS
Band41	20MHz	16QAM	41490	1RB#0	21.46	PASS
Band41	20MHz	QPSK	41490	1RB#49	21.27	PASS
Band41	20MHz	16QAM	41490	1RB#49	21.43	PASS
Band41	20MHz	QPSK	41490	1RB#99	21.25	PASS
Band41	20MHz	16QAM	41490	1RB#99	21.42	PASS
Band41	20MHz	QPSK	41490	50RB#0	20.57	PASS
Band41	20MHz	16QAM	41490	50RB#0	19.86	PASS
Band41	20MHz	QPSK	41490	50RB#25	20.47	PASS
Band41	20MHz	16QAM	41490	50RB#25	19.86	PASS
Band41	20MHz	QPSK	41490	50RB#50	20.43	PASS
Band41	20MHz	16QAM	41490	50RB#50	19.89	PASS

Band41	20MHz	QPSK	41490	100RB#0	20.42	PASS
Band41	20MHz	16QAM	41490	100RB#0	19.61	PASS


M.2 Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band41	5MHz	QPSK	39675	1RB#0	8.20	13	PASS
Band41	5MHz	16QAM	39675	1RB#0	8.57	13	PASS
Band41	5MHz	QPSK	39675	25RB#0	9.05	13	PASS
Band41	5MHz	16QAM	39675	25RB#0	9.63	13	PASS
Band41	5MHz	QPSK	40620	1RB#0	8.52	13	PASS
Band41	5MHz	16QAM	40620	1RB#0	8.59	13	PASS
Band41	5MHz	QPSK	40620	25RB#0	9.02	13	PASS
Band41	5MHz	16QAM	40620	25RB#0	9.87	13	PASS
Band41	5MHz	QPSK	41565	1RB#0	8.45	13	PASS
Band41	5MHz	16QAM	41565	1RB#0	8.51	13	PASS
Band41	5MHz	QPSK	41565	25RB#0	8.97	13	PASS
Band41	5MHz	16QAM	41565	25RB#0	9.88	13	PASS
Band41	10MHz	QPSK	39700	1RB#0	8.29	13	PASS
Band41	10MHz	16QAM	39700	1RB#0	8.54	13	PASS
Band41	10MHz	QPSK	39700	50RB#0	9.16	13	PASS
Band41	10MHz	16QAM	39700	50RB#0	9.78	13	PASS
Band41	10MHz	QPSK	40620	1RB#0	8.50	13	PASS
Band41	10MHz	16QAM	40620	1RB#0	9.29	13	PASS
Band41	10MHz	QPSK	40620	50RB#0	9.21	13	PASS
Band41	10MHz	16QAM	40620	50RB#0	9.64	13	PASS
Band41	10MHz	QPSK	41540	1RB#0	8.31	13	PASS
Band41	10MHz	16QAM	41540	1RB#0	8.92	13	PASS
Band41	10MHz	QPSK	41540	50RB#0	9.15	13	PASS
Band41	10MHz	16QAM	41540	50RB#0	10.07	13	PASS
Band41	15MHz	QPSK	39725	1RB#0	8.23	13	PASS
Band41	15MHz	16QAM	39725	1RB#0	8.52	13	PASS
Band41	15MHz	QPSK	39725	75RB#0	9.50	13	PASS
Band41	15MHz	16QAM	39725	75RB#0	9.47	13	PASS
Band41	15MHz	QPSK	40620	1RB#0	8.40	13	PASS
Band41	15MHz	16QAM	40620	1RB#0	8.75	13	PASS
Band41	15MHz	QPSK	40620	75RB#0	9.35	13	PASS
Band41	15MHz	16QAM	40620	75RB#0	9.87	13	PASS
Band41	15MHz	QPSK	41515	1RB#0	8.70	13	PASS
Band41	15MHz	16QAM	41515	1RB#0	8.70	13	PASS
Band41	15MHz	QPSK	41515	75RB#0	9.36	13	PASS
Band41	15MHz	16QAM	41515	75RB#0	9.96	13	PASS
Band41	20MHz	QPSK	39750	1RB#0	8.01	13	PASS
Band41	20MHz	16QAM	39750	1RB#0	9.17	13	PASS


Band41	20MHz	QPSK	39750	100RB#0	9.36	13	PASS
Band41	20MHz	16QAM	39750	100RB#0	9.72	13	PASS
Band41	20MHz	QPSK	40620	1RB#0	8.24	13	PASS
Band41	20MHz	16QAM	40620	1RB#0	8.64	13	PASS
Band41	20MHz	QPSK	40620	100RB#0	9.01	13	PASS
Band41	20MHz	16QAM	40620	100RB#0	9.58	13	PASS
Band41	20MHz	QPSK	41490	1RB#0	7.67	13	PASS
Band41	20MHz	16QAM	41490	1RB#0	8.59	13	PASS
Band41	20MHz	QPSK	41490	100RB#0	9.27	13	PASS
Band41	20MHz	16QAM	41490	100RB#0	9.72	13	PASS

Test Graphs







Band41-5MHz-QPSK-39675-25RB#0-PASS




Band41-5MHz-16QAM-39675-25RB#0-PASS




Band41-5MHz-QPSK-40620-1RB#0-PASS




Band41-5MHz-16QAM-40620-1RB#0-PASS




Band41-5MHz-QPSK-40620-25RB#0-PASS




Band41-5MHz-16QAM-40620-25RB#0-PASS




Band41-5MHz-QPSK-41565-1RB#0-PASS




Band41-5MHz-16QAM-41565-1RB#0-PASS




Band41-5MHz-QPSK-41565-25RB#0-PASS




Band41-5MHz-16QAM-41565-25RB#0-PASS




Band41-10MHz-QPSK-39700-1RB#0-PASS




Band41-10MHz-16QAM-39700-1RB#0-PASS




Band41-10MHz-QPSK-39700-50RB#0-PASS




Band41-10MHz-16QAM-39700-50RB#0-PASS




Band41-10MHz-QPSK-40620-1RB#0-PASS




Band41-10MHz-16QAM-40620-1RB#0-PASS




Band41-10MHz-QPSK-40620-50RB#0-PASS




Band41-10MHz-16QAM-40620-50RB#0-PASS




Band41-10MHz-QPSK-41540-1RB#0-PASS




Band41-10MHz-16QAM-41540-1RB#0-PASS




Band41-10MHz-QPSK-41540-50RB#0-PASS




Band41-10MHz-16QAM-41540-50RB#0-PASS




Band41-15MHz-QPSK-39725-1RB#0-PASS




Band41-15MHz-16QAM-39725-1RB#0-PASS




Band41-15MHz-QPSK-39725-75RB#0-PASS




Band41-15MHz-16QAM-39725-75RB#0-PASS




Band41-15MHz-QPSK-40620-1RB#0-PASS




Band41-15MHz-16QAM-40620-1RB#0-PASS




Band41-15MHz-QPSK-40620-75RB#0-PASS




Band41-15MHz-16QAM-40620-75RB#0-PASS




Band41-15MHz-QPSK-41515-1RB#0-PASS




Band41-15MHz-16QAM-41515-1RB#0-PASS




Band41-15MHz-QPSK-41515-75RB#0-PASS




Band41-15MHz-16QAM-41515-75RB#0-PASS




Band41-20MHz-QPSK-39750-1RB#0-PASS




Band41-20MHz-16QAM-39750-1RB#0-PASS




Band41-20MHz-QPSK-39750-100RB#0-PASS




Band41-20MHz-16QAM-39750-100RB#0-PASS




Band41-20MHz-QPSK-40620-1RB#0-PASS




Band41-20MHz-16QAM-40620-1RB#0-PASS




Band41-20MHz-QPSK-40620-100RB#0-PASS




Band41-20MHz-16QAM-40620-100RB#0-PASS




Band41-20MHz-QPSK-41490-1RB#0-PASS



Band41-20MHz-16QAM-41490-1RB#0-PASS



Band41-20MHz-QPSK-41490-100RB#0-PASS




Band41-20MHz-16QAM-41490-100RB#0-PASS

M.3 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band41	5MHz	QPSK	39675	25RB#0	4.5001	5.272	PASS
Band41	5MHz	16QAM	39675	25RB#0	4.4999	5.404	PASS
Band41	5MHz	QPSK	40620	25RB#0	4.5065	5.253	PASS
Band41	5MHz	16QAM	40620	25RB#0	4.5094	5.402	PASS
Band41	5MHz	QPSK	41565	25RB#0	4.4973	5.210	PASS
Band41	5MHz	16QAM	41565	25RB#0	4.5032	5.281	PASS
Band41	10MHz	QPSK	39700	50RB#0	8.9935	10.12	PASS
Band41	10MHz	16QAM	39700	50RB#0	8.9783	10.27	PASS
Band41	10MHz	QPSK	40620	50RB#0	8.9877	10.15	PASS
Band41	10MHz	16QAM	40620	50RB#0	8.9883	10.09	PASS
Band41	10MHz	QPSK	41540	50RB#0	9.0200	10.25	PASS
Band41	10MHz	16QAM	41540	50RB#0	9.0056	10.95	PASS
Band41	15MHz	QPSK	39725	75RB#0	13.508	16.47	PASS
Band41	15MHz	16QAM	39725	75RB#0	13.503	15.78	PASS
Band41	15MHz	QPSK	40620	75RB#0	13.521	16.12	PASS
Band41	15MHz	16QAM	40620	75RB#0	13.479	15.17	PASS
Band41	15MHz	QPSK	41515	75RB#0	13.461	15.65	PASS
Band41	15MHz	16QAM	41515	75RB#0	13.472	15.23	PASS
Band41	20MHz	QPSK	39750	100RB#0	17.965	20.78	PASS
Band41	20MHz	16QAM	39750	100RB#0	18.047	20.37	PASS
Band41	20MHz	QPSK	40620	100RB#0	17.980	19.90	PASS
Band41	20MHz	16QAM	40620	100RB#0	17.968	20.62	PASS
Band41	20MHz	QPSK	41490	100RB#0	18.017	20.59	PASS
Band41	20MHz	16QAM	41490	100RB#0	17.964	19.57	PASS


Test Graphs




Band41-5MHz-QPSK-39675-25RB#0-PASS




Band41-5MHz-16QAM-39675-25RB#0-PASS




Band41-5MHz-QPSK-40620-25RB#0-PASS




Band41-5MHz-16QAM-40620-25RB#0-PASS




Band41-5MHz-QPSK-41565-25RB#0-PASS




Band41-5MHz-16QAM-41565-25RB#0-PASS




Band41-10MHz-QPSK-39700-50RB#0-PASS




Band41-10MHz-16QAM-39700-50RB#0-PASS




Band41-10MHz-QPSK-40620-50RB#0-PASS




Band41-10MHz-16QAM-40620-50RB#0-PASS




Band41-10MHz-QPSK-41540-50RB#0-PASS




Band41-10MHz-16QAM-41540-50RB#0-PASS




Band41-15MHz-QPSK-39725-75RB#0-PASS




Band41-15MHz-16QAM-39725-75RB#0-PASS



Band41-15MHz-QPSK-40620-75RB#0-PASS




Band41-15MHz-16QAM-40620-75RB#0-PASS



Band41-15MHz-QPSK-41515-75RB#0-PASS




Band41-15MHz-16QAM-41515-75RB#0-PASS




Band41-20MHz-QPSK-39750-100RB#0-PASS




Band41-20MHz-16QAM-39750-100RB#0-PASS




Band41-20MHz-QPSK-40620-100RB#0-PASS



Band41-20MHz-16QAM-40620-100RB#0-PASS



Band41-20MHz-QPSK-41490-100RB#0-PASS




Band41-20MHz-16QAM-41490-100RB#0-PASS


M.4 Band Edge

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Peak Frequency	Result(dBm)	Verdict
Band41	5MHz	QPSK	39675	25RB#0	2490.43	-41.05	PASS
Band41	5MHz	16QAM	39675	25RB#0	2490.37	-42.77	PASS
Band41	5MHz	QPSK	41565	25RB#0	2696.06	-39.32	PASS
Band41	5MHz	16QAM	41565	25RB#0	2696.13	-38.82	PASS
Band41	10MHz	QPSK	39700	50RB#0	2490.36	-35.07	PASS
Band41	10MHz	16QAM	39700	50RB#0	2490.39	-35.93	PASS
Band41	10MHz	QPSK	41540	50RB#0	2702.55	-36.46	PASS
Band41	10MHz	16QAM	41540	50RB#0	2701.48	-36.48	PASS
Band41	15MHz	QPSK	39725	75RB#0	2489.40	-35.01	PASS
Band41	15MHz	16QAM	39725	75RB#0	2489.17	-35.19	PASS
Band41	15MHz	QPSK	41515	75RB#0	2706.19	-35.19	PASS
Band41	20MHz	QPSK	39750	100RB#0	2489.01	-32.53	PASS
Band41	20MHz	16QAM	39750	100RB#0	2488.78	-32.71	PASS
Band41	20MHz	QPSK	41490	100RB#0	2710.86	-33.78	PASS
Band41	20MHz	16QAM	41490	100RB#0	2714.15	-33.96	PASS
Band41	15MHz	16QAM	41515	75RB#0	2709.62	-35.58	PASS

Test Graphs







Band41_5MHz_16QAM_39675_25RB#0




Band41_5MHz_QPSK_41565_25RB#0




Band41_5MHz_16QAM_41565_25RB#0




Band41_10MHz_QPSK_39700_50RB#0




Band41_10MHz_16QAM_39700_50RB#0




Band41_10MHz_QPSK_41540_50RB#0




Band41_10MHz_16QAM_41540_50RB#0




Band41_15MHz_QPSK_39725_75RB#0




Band41_15MHz_16QAM_39725_75RB#0




Band41_15MHz_QPSK_41515_75RB#0




Band41_20MHz_QPSK_39750_100RB#0




Band41_20MHz_16QAM_39750_100RB#0



Band41_20MHz_QPSK_41490_100RB#0



Band41_20MHz_16QAM_41490_100RB#0



M.5 Conducted Spurious Emission


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band41	5MHz	QPSK	39675	1RB#0	0.009~0.15	-66.02	PASS
Band41	5MHz	QPSK	39675	1RB#0	0.15~30	-63.19	PASS
Band41	5MHz	QPSK	39675	1RB#0	30~1000	-53.07	PASS
Band41	5MHz	QPSK	39675	1RB#0	1000~20000	-28.19	PASS
Band41	5MHz	QPSK	39675	1RB#0	20000~27000	-36.24	PASS
Band41	5MHz	16QAM	39675	1RB#0	0.009~0.15	-65.84	PASS
Band41	5MHz	16QAM	39675	1RB#0	0.15~30	-65.21	PASS
Band41	5MHz	16QAM	39675	1RB#0	30~1000	-52.89	PASS
Band41	5MHz	16QAM	39675	1RB#0	1000~20000	-27.72	PASS
Band41	5MHz	16QAM	39675	1RB#0	20000~27000	-35.47	PASS
Band41	5MHz	QPSK	40620	1RB#0	0.009~0.15	-63.35	PASS
Band41	5MHz	QPSK	40620	1RB#0	0.15~30	-65.64	PASS
Band41	5MHz	QPSK	40620	1RB#0	30~1000	-53.19	PASS
Band41	5MHz	QPSK	40620	1RB#0	1000~20000	-28.65	PASS
Band41	5MHz	QPSK	40620	1RB#0	20000~27000	-35.34	PASS
Band41	5MHz	16QAM	40620	1RB#0	0.009~0.15	-64.44	PASS
Band41	5MHz	16QAM	40620	1RB#0	0.15~30	-63.27	PASS
Band41	5MHz	16QAM	40620	1RB#0	30~1000	-52.44	PASS
Band41	5MHz	16QAM	40620	1RB#0	1000~20000	-28.03	PASS
Band41	5MHz	16QAM	40620	1RB#0	20000~27000	-36.06	PASS
Band41	5MHz	QPSK	41565	1RB#0	0.009~0.15	-65.90	PASS
Band41	5MHz	QPSK	41565	1RB#0	0.15~30	-61.45	PASS
Band41	5MHz	QPSK	41565	1RB#0	30~1000	-52.98	PASS
Band41	5MHz	QPSK	41565	1RB#0	1000~20000	-28.15	PASS
Band41	5MHz	QPSK	41565	1RB#0	20000~27000	-35.63	PASS
Band41	5MHz	16QAM	41565	1RB#0	0.009~0.15	-66.85	PASS
Band41	5MHz	16QAM	41565	1RB#0	0.15~30	-64.89	PASS
Band41	5MHz	16QAM	41565	1RB#0	30~1000	-52.41	PASS
Band41	5MHz	16QAM	41565	1RB#0	1000~20000	-28.54	PASS
Band41	5MHz	16QAM	41565	1RB#0	20000~27000	-35.84	PASS
Band41	10MHz	QPSK	39700	1RB#0	0.009~0.15	-65.22	PASS
Band41	10MHz	QPSK	39700	1RB#0	0.15~30	-67.59	PASS
Band41	10MHz	QPSK	39700	1RB#0	30~1000	-52.73	PASS
Band41	10MHz	QPSK	39700	1RB#0	1000~20000	-27.76	PASS
Band41	10MHz	QPSK	39700	1RB#0	20000~27000	-35.73	PASS
Band41	10MHz	16QAM	39700	1RB#0	0.009~0.15	-65.99	PASS
Band41	10MHz	16QAM	39700	1RB#0	0.15~30	-66.47	PASS


Band41	10MHz	16QAM	39700	1RB#0	30~1000	-52.63	PASS
Band41	10MHz	16QAM	39700	1RB#0	1000~20000	-28.40	PASS
Band41	10MHz	16QAM	39700	1RB#0	20000~27000	-35.56	PASS
Band41	10MHz	QPSK	40620	1RB#0	0.009~0.15	-64.51	PASS
Band41	10MHz	QPSK	40620	1RB#0	0.15~30	-66.07	PASS
Band41	10MHz	QPSK	40620	1RB#0	30~1000	-52.68	PASS
Band41	10MHz	QPSK	40620	1RB#0	20000~27000	-35.86	PASS
Band41	10MHz	16QAM	40620	1RB#0	0.009~0.15	-63.48	PASS
Band41	10MHz	16QAM	40620	1RB#0	0.15~30	-62.15	PASS
Band41	10MHz	16QAM	40620	1RB#0	30~1000	-51.94	PASS
Band41	10MHz	16QAM	40620	1RB#0	1000~20000	-28.49	PASS
Band41	10MHz	16QAM	40620	1RB#0	20000~27000	-35.89	PASS
Band41	10MHz	QPSK	41540	1RB#0	0.009~0.15	-63.99	PASS
Band41	10MHz	QPSK	41540	1RB#0	0.15~30	-65.67	PASS
Band41	10MHz	QPSK	41540	1RB#0	30~1000	-52.91	PASS
Band41	10MHz	QPSK	41540	1RB#0	1000~20000	-28.89	PASS
Band41	10MHz	QPSK	41540	1RB#0	20000~27000	-35.62	PASS
Band41	10MHz	16QAM	41540	1RB#0	0.009~0.15	-65.81	PASS
Band41	10MHz	16QAM	41540	1RB#0	0.15~30	-63.42	PASS
Band41	10MHz	16QAM	41540	1RB#0	30~1000	-51.21	PASS
Band41	10MHz	16QAM	41540	1RB#0	1000~20000	-27.21	PASS
Band41	10MHz	16QAM	41540	1RB#0	20000~27000	-34.96	PASS
Band41	15MHz	QPSK	39725	1RB#0	0.009~0.15	-65.33	PASS
Band41	15MHz	QPSK	39725	1RB#0	0.15~30	-63.75	PASS
Band41	15MHz	QPSK	39725	1RB#0	30~1000	-52.94	PASS
Band41	15MHz	QPSK	39725	1RB#0	1000~20000	-28.59	PASS
Band41	15MHz	QPSK	39725	1RB#0	20000~27000	-36.39	PASS
Band41	15MHz	16QAM	39725	1RB#0	0.009~0.15	-66.91	PASS
Band41	15MHz	16QAM	39725	1RB#0	0.15~30	-65.39	PASS
Band41	15MHz	16QAM	39725	1RB#0	30~1000	-52.23	PASS
Band41	15MHz	16QAM	39725	1RB#0	1000~20000	-27.82	PASS
Band41	15MHz	16QAM	39725	1RB#0	20000~27000	-35.85	PASS
Band41	15MHz	QPSK	40620	1RB#0	0.009~0.15	-64.19	PASS
Band41	15MHz	QPSK	40620	1RB#0	0.15~30	-63.96	PASS
Band41	15MHz	QPSK	40620	1RB#0	30~1000	-53.04	PASS
Band41	15MHz	QPSK	40620	1RB#0	1000~20000	-27.82	PASS
Band41	15MHz	QPSK	40620	1RB#0	20000~27000	-35.08	PASS
Band41	15MHz	16QAM	40620	1RB#0	0.009~0.15	-66.07	PASS
Band41	15MHz	16QAM	40620	1RB#0	0.15~30	-64.45	PASS
Band41	15MHz	16QAM	40620	1RB#0	30~1000	-52.66	PASS
Band41	15MHz	16QAM	40620	1RB#0	1000~20000	-28.10	PASS
Band41	15MHz	16QAM	40620	1RB#0	20000~27000	-36.40	PASS
Band41	15MHz	QPSK	41515	1RB#0	0.009~0.15	-64.96	PASS

Band41	15MHz	QPSK	41515	1RB#0	0.15~30	-61.09	PASS
Band41	15MHz	QPSK	41515	1RB#0	30~1000	-52.64	PASS
Band41	15MHz	QPSK	41515	1RB#0	1000~20000	-28.57	PASS
Band41	15MHz	QPSK	41515	1RB#0	20000~27000	-36.32	PASS
Band41	15MHz	16QAM	41515	1RB#0	0.009~0.15	-64.33	PASS
Band41	15MHz	16QAM	41515	1RB#0	0.15~30	-67.65	PASS
Band41	15MHz	16QAM	41515	1RB#0	30~1000	-52.89	PASS
Band41	15MHz	16QAM	41515	1RB#0	1000~20000	-28.46	PASS
Band41	15MHz	16QAM	41515	1RB#0	20000~27000	-36.11	PASS
Band41	20MHz	QPSK	39750	1RB#0	0.009~0.15	-66.07	PASS
Band41	20MHz	QPSK	39750	1RB#0	0.15~30	-65.41	PASS
Band41	20MHz	QPSK	39750	1RB#0	30~1000	-53.04	PASS
Band41	20MHz	QPSK	39750	1RB#0	1000~20000	-27.59	PASS
Band41	20MHz	QPSK	39750	1RB#0	20000~27000	-36.48	PASS
Band41	20MHz	16QAM	39750	1RB#0	0.009~0.15	-65.69	PASS
Band41	20MHz	16QAM	39750	1RB#0	0.15~30	-65.43	PASS
Band41	20MHz	16QAM	39750	1RB#0	30~1000	-52.43	PASS
Band41	20MHz	16QAM	39750	1RB#0	1000~20000	-28.03	PASS
Band41	20MHz	16QAM	39750	1RB#0	20000~27000	-35.58	PASS
Band41	20MHz	QPSK	40620	1RB#0	0.009~0.15	-63.65	PASS
Band41	20MHz	QPSK	40620	1RB#0	0.15~30	-62.24	PASS
Band41	20MHz	QPSK	40620	1RB#0	30~1000	-52.92	PASS
Band41	20MHz	QPSK	40620	1RB#0	1000~20000	-28.47	PASS
Band41	20MHz	QPSK	40620	1RB#0	20000~27000	-36.06	PASS
Band41	20MHz	16QAM	40620	1RB#0	0.009~0.15	-66.02	PASS
Band41	20MHz	16QAM	40620	1RB#0	0.15~30	-65.02	PASS
Band41	20MHz	16QAM	40620	1RB#0	30~1000	-52.49	PASS
Band41	20MHz	16QAM	40620	1RB#0	1000~20000	-28.57	PASS
Band41	20MHz	16QAM	40620	1RB#0	20000~27000	-35.83	PASS
Band41	20MHz	QPSK	41490	1RB#0	0.009~0.15	-66.17	PASS
Band41	20MHz	QPSK	41490	1RB#0	0.15~30	-63.49	PASS
Band41	20MHz	QPSK	41490	1RB#0	30~1000	-52.83	PASS
Band41	20MHz	QPSK	41490	1RB#0	1000~20000	-27.82	PASS
Band41	20MHz	QPSK	41490	1RB#0	20000~27000	-35.86	PASS
Band41	20MHz	16QAM	41490	1RB#0	0.009~0.15	-66.20	PASS
Band41	20MHz	16QAM	41490	1RB#0	0.15~30	-62.18	PASS
Band41	20MHz	16QAM	41490	1RB#0	30~1000	-52.35	PASS
Band41	20MHz	16QAM	41490	1RB#0	1000~20000	-28.41	PASS
Band41	20MHz	16QAM	41490	1RB#0	20000~27000	-36.52	PASS
Band41	10MHz	QPSK	40620	1RB#0	1000~20000	-28.48	PASS


Test Graphs




Band41_5MHz_QPSK_39675_1RB#0_0.009~0.15_0.009~0.15




Band41_5MHz_QPSK_39675_1RB#0_0.15~30_0.15~30




Band41_5MHz_QPSK_39675_1RB#0_30~1000_30~1000




Band41_5MHz_QPSK_39675_1RB#0_1000~20000_1000~20000




Band41_5MHz_QPSK_39675_1RB#0_20000~27000_20000~27000




Band41_5MHz_16QAM_39675_1RB#0_0.009~0.15_0.009~0.15




Band41_5MHz_16QAM_39675_1RB#0_0.15~30_0.15~30




Band41_5MHz_16QAM_39675_1RB#0_30~1000_30~1000




Band41_5MHz_16QAM_39675_1RB#0_1000~20000_1000~20000




Band41_5MHz_16QAM_39675_1RB#0_20000~27000_20000~27000




Band41_5MHz_QPSK_40620_1RB#0_0.009~0.15_0.009~0.15




Band41_5MHz_QPSK_40620_1RB#0_0.15~30_0.15~30




Band41_5MHz_QPSK_40620_1RB#0_30~1000_30~1000



Band41_5MHz_QPSK_40620_1RB#0_1000~20000_1000~20000




Band41_5MHz_QPSK_40620_1RB#0_20000~27000_20000~27000




Band41_5MHz_16QAM_40620_1RB#0_0.009~0.15_0.009~0.15




Band41_5MHz_16QAM_40620_1RB#0_0.15~30_0.15~30




Band41_5MHz_16QAM_40620_1RB#0_30~1000_30~1000




Band41_5MHz_16QAM_40620_1RB#0_1000~20000_1000~20000




Band41_5MHz_16QAM_40620_1RB#0_20000~27000_20000~27000




Band41_5MHz_QPSK_41565_1RB#0_0.009~0.15_0.009~0.15




Band41_5MHz_QPSK_41565_1RB#0_0.15~30_0.15~30




Band41_5MHz_QPSK_41565_1RB#0_30~1000_30~1000




Band41_5MHz_QPSK_41565_1RB#0_1000~20000_1000~20000




Band41_5MHz_QPSK_41565_1RB#0_20000~27000_20000~27000




Band41_5MHz_16QAM_41565_1RB#0_0.009~0.15_0.009~0.15




Band41_5MHz_16QAM_41565_1RB#0_0.15~30_0.15~30




Band41_5MHz_16QAM_41565_1RB#0_30~1000_30~1000




Band41_5MHz_16QAM_41565_1RB#0_1000~20000_1000~20000




Band41_5MHz_16QAM_41565_1RB#0_20000~27000_20000~27000




Band41_10MHz_QPSK_39700_1RB#0_0.009~0.15_0.009~0.15




Band41_10MHz_QPSK_39700_1RB#0_0.15~30_0.15~30




Band41_10MHz_QPSK_39700_1RB#0_30~1000_30~1000




Band41_10MHz_QPSK_39700_1RB#0_1000~20000_1000~20000




Band41_10MHz_QPSK_39700_1RB#0_20000~27000_20000~27000




Band41_10MHz_16QAM_39700_1RB#0_0.009~0.15_0.009~0.15




Band41_10MHz_16QAM_39700_1RB#0_0.15~30_0.15~30




Band41_10MHz_16QAM_39700_1RB#0_30~1000_30~1000




Band41_10MHz_16QAM_39700_1RB#0_1000~20000_1000~20000




Band41_10MHz_16QAM_39700_1RB#0_20000~27000_20000~27000




Band41_10MHz_QPSK_40620_1RB#0_0.009~0.15_0.009~0.15




Band41_10MHz_QPSK_40620_1RB#0_0.15~30_0.15~30




Band41_10MHz_QPSK_40620_1RB#0_30~1000_30~1000




Band41_10MHz_QPSK_40620_1RB#0_20000~27000_20000~27000




Band41_10MHz_16QAM_40620_1RB#0_0.009~0.15_0.009~0.15




Band41_10MHz_16QAM_40620_1RB#0_0.15~30_0.15~30




Band41_10MHz_16QAM_40620_1RB#0_30~1000_30~1000




Band41_10MHz_16QAM_40620_1RB#0_1000~20000_1000~20000




Band41_10MHz_16QAM_40620_1RB#0_20000~27000_20000~27000




Band41_10MHz_QPSK_41540_1RB#0_0.009~0.15_0.009~0.15




Band41_10MHz_QPSK_41540_1RB#0_0.15~30_0.15~30




Band41_10MHz_QPSK_41540_1RB#0_30~1000_30~1000



Band41_10MHz_QPSK_41540_1RB#0_1000~20000_1000~20000




Band41_10MHz_QPSK_41540_1RB#0_20000~27000_20000~27000




Band41_10MHz_16QAM_41540_1RB#0_0.009~0.15_0.009~0.15




Band41_10MHz_16QAM_41540_1RB#0_0.15~30_0.15~30




Band41_10MHz_16QAM_41540_1RB#0_30~1000_30~1000




Band41_10MHz_16QAM_41540_1RB#0_1000~20000_1000~20000




Band41_10MHz_16QAM_41540_1RB#0_20000~27000_20000~27000




Band41_15MHz_QPSK_39725_1RB#0_0.009~0.15_0.009~0.15




Band41_15MHz_QPSK_39725_1RB#0_0.15~30_0.15~30




Band41_15MHz_QPSK_39725_1RB#0_30~1000_30~1000



Band41_15MHz_QPSK_39725_1RB#0_1000~20000_1000~20000




Band41_15MHz_QPSK_39725_1RB#0_20000~27000_20000~27000




Band41_15MHz_16QAM_39725_1RB#0_0.009~0.15_0.009~0.15




Band41_15MHz_16QAM_39725_1RB#0_0.15~30_0.15~30




Band41_15MHz_16QAM_39725_1RB#0_30~1000_30~1000




Band41_15MHz_16QAM_39725_1RB#0_1000~20000_1000~20000




Band41_15MHz_16QAM_39725_1RB#0_20000~27000_20000~27000




Band41_15MHz_QPSK_40620_1RB#0_0.009~0.15_0.009~0.15




Band41_15MHz_QPSK_40620_1RB#0_0.15~30_0.15~30




Band41_15MHz_QPSK_40620_1RB#0_30~1000_30~1000




Band41_15MHz_QPSK_40620_1RB#0_1000~20000_1000~20000




Band41_15MHz_QPSK_40620_1RB#0_20000~27000_20000~27000




Band41_15MHz_16QAM_40620_1RB#0_0.009~0.15_0.009~0.15




Band41_15MHz_16QAM_40620_1RB#0_0.15~30_0.15~30




Band41_15MHz_16QAM_40620_1RB#0_30~1000_30~1000




Band41_15MHz_16QAM_40620_1RB#0_1000~20000_1000~20000




Band41_15MHz_16QAM_40620_1RB#0_20000~27000_20000~27000




Band41_15MHz_QPSK_41515_1RB#0_0.009~0.15_0.009~0.15




Band41_15MHz_QPSK_41515_1RB#0_0.15~30_0.15~30




Band41_15MHz_QPSK_41515_1RB#0_30~1000_30~1000




Band41_15MHz_QPSK_41515_1RB#0_1000~20000_1000~20000




Band41_15MHz_QPSK_41515_1RB#0_20000~27000_20000~27000




Band41_15MHz_16QAM_41515_1RB#0_0.009~0.15_0.009~0.15




Band41_15MHz_16QAM_41515_1RB#0_0.15~30_0.15~30




Band41_15MHz_16QAM_41515_1RB#0_30~1000_30~1000




Band41_15MHz_16QAM_41515_1RB#0_1000~20000_1000~20000




Band41_15MHz_16QAM_41515_1RB#0_20000~27000_20000~27000




Band41_20MHz_QPSK_39750_1RB#0_0.009~0.15_0.009~0.15




Band41_20MHz_QPSK_39750_1RB#0_0.15~30_0.15~30




Band41_20MHz_QPSK_39750_1RB#0_30~1000_30~1000




Band41_20MHz_QPSK_39750_1RB#0_1000~20000_1000~20000




Band41_20MHz_QPSK_39750_1RB#0_20000~27000_20000~27000




Band41_20MHz_16QAM_39750_1RB#0_0.009~0.15_0.009~0.15




Band41_20MHz_16QAM_39750_1RB#0_0.15~30_0.15~30




Band41_20MHz_16QAM_39750_1RB#0_30~1000_30~1000




Band41_20MHz_16QAM_39750_1RB#0_1000~20000_1000~20000




Band41_20MHz_16QAM_39750_1RB#0_20000~27000_20000~27000




Band41_20MHz_QPSK_40620_1RB#0_0.009~0.15_0.009~0.15




Band41_20MHz_QPSK_40620_1RB#0_0.15~30_0.15~30




Band41_20MHz_QPSK_40620_1RB#0_30~1000_30~1000




Band41_20MHz_QPSK_40620_1RB#0_1000~20000_1000~20000




Band41_20MHz_QPSK_40620_1RB#0_20000~27000_20000~27000




Band41_20MHz_16QAM_40620_1RB#0_0.009~0.15_0.009~0.15




Band41_20MHz_16QAM_40620_1RB#0_0.15~30_0.15~30




Band41_20MHz_16QAM_40620_1RB#0_30~1000_30~1000




Band41_20MHz_16QAM_40620_1RB#0_1000~20000_1000~20000




Band41_20MHz_16QAM_40620_1RB#0_20000~27000_20000~27000




Band41_20MHz_QPSK_41490_1RB#0_0.009~0.15_0.009~0.15




Band41_20MHz_QPSK_41490_1RB#0_0.15~30_0.15~30




Band41_20MHz_QPSK_41490_1RB#0_30~1000_30~1000




Band41_20MHz_QPSK_41490_1RB#0_1000~20000_1000~20000




Band41_20MHz_QPSK_41490_1RB#0_20000~27000_20000~27000




Band41_20MHz_16QAM_41490_1RB#0_0.009~0.15_0.009~0.15




Band41_20MHz_16QAM_41490_1RB#0_0.15~30_0.15~30




Band41_20MHz_16QAM_41490_1RB#0_30~1000_30~1000



Band41_20MHz_16QAM_41490_1RB#0_1000~20000_1000~20000



Band41_20MHz_16QAM_41490_1RB#0_20000~27000_20000~27000



Band41_10MHz_QPSK_40620_1RB#0_1000~20000_1000~20000