

Annex A.6 Band Edge

1. WCDMA_Band2


1.1. WCDMA Band Edge_Part22-24-27(Channel:9262)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-27.58	-13	14.58	Pass	9
1849	1850	0.05	RMS	1850	-27.44	-13	14.44	Pass	401
1850	1855	0.1	RMS	1852.413	7.22	35	27.78	Pass	401



1.2. WCDMA Band Edge_Part22-24-27(Channel:9538)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1907.563	7.06	35	27.94	Pass	401
1910	1911	0.05	RMS	1910	-24.81	-13	11.81	Pass	401
1911	1915	1	RMS	1911	-25.32	-13	12.32	Pass	9



1. LTE_Band2


1.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.67	-13	22.67	Pass	401
1848	1849	1	RMS	1849	-31	-13	18	Pass	3
1849	1850	0.02	RMS	1849.998	-25.34	-13	12.34	Pass	401
1850	1852	0.1	RMS	1850.245	20.1	30	9.9	Pass	401




1.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.77	-13	22.77	Pass	401
1848	1849	1	RMS	1849	-28.8	-13	15.8	Pass	3
1849	1850	0.02	RMS	1850	-30.27	-13	17.27	Pass	401
1850	1852	0.1	RMS	1851.115	11.31	30	18.69	Pass	401




1.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.73	-13	23.73	Pass	401
1848	1849	1	RMS	1849	-32.47	-13	19.47	Pass	3
1849	1850	0.02	RMS	1850	-26.76	-13	13.76	Pass	401
1850	1852	0.1	RMS	1850.255	18.84	30	11.16	Pass	401




1.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.1	-13	24.1	Pass	401
1848	1849	1	RMS	1849	-30.72	-13	17.72	Pass	3
1849	1850	0.02	RMS	1850	-31.76	-13	18.76	Pass	401
1850	1852	0.1	RMS	1850.745	10.65	30	19.35	Pass	401




1.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.755	19.85	30	10.15	Pass	401
1910	1911	0.02	RMS	1910	-23.22	-13	10.22	Pass	401
1911	1912	1	RMS	1911	-31.67	-13	18.67	Pass	3
1912	1920	1	RMS	1912	-35.33	-13	22.33	Pass	401




1.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.435	11.27	30	18.73	Pass	401
1910	1911	0.02	RMS	1910	-27.9	-13	14.9	Pass	401
1911	1912	1	RMS	1911	-27.06	-13	14.06	Pass	3
1912	1920	1	RMS	1912	-34.86	-13	21.86	Pass	401




1.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.755	19.32	30	10.68	Pass	401
1910	1911	0.02	RMS	1910	-23.56	-13	10.56	Pass	401
1911	1912	1	RMS	1911	-31.57	-13	18.57	Pass	3
1912	1920	1	RMS	1912	-36.17	-13	23.17	Pass	401




1.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.325	10.49	30	19.51	Pass	401
1910	1911	0.02	RMS	1910	-29.35	-13	16.35	Pass	401
1911	1912	1	RMS	1911	-28.81	-13	15.81	Pass	3
1912	1920	1	RMS	1912	-35.88	-13	22.88	Pass	401




1.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.86	-34.39	-13	21.39	Pass	401
1848	1849	1	RMS	1848	-34.4	-13	21.4	Pass	3
1849	1850	0.02	RMS	1850	-24.83	-13	11.83	Pass	401
1850	1853	0.1	RMS	1850.24	19.91	30	10.09	Pass	401




1.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-28.76	-13	15.76	Pass	401
1848	1849	1	RMS	1849	-24.5	-13	11.5	Pass	3
1849	1850	0.03	RMS	1850	-28.57	-13	15.57	Pass	401
1850	1853	0.1	RMS	1852.7	7.6	30	22.4	Pass	401




1.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.33	-13	23.33	Pass	401
1848	1849	1	RMS	1849	-35.32	-13	22.32	Pass	3
1849	1850	0.002	RMS	1850	-34.67	-13	21.67	Pass	1001
1850	1853	0.1	RMS	1850.248	18.57	30	11.43	Pass	401




1.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.02	-13	18.02	Pass	401
1848	1849	1	RMS	1849	-26.42	-13	13.42	Pass	3
1849	1850	0.03	RMS	1850	-30.59	-13	17.59	Pass	401
1850	1853	0.1	RMS	1852.423	6.53	30	23.47	Pass	401




1.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.753	19.72	30	10.28	Pass	401
1910	1911	0.02	RMS	1910	-26.49	-13	13.49	Pass	101
1911	1912	1	RMS	1911	-34.1	-13	21.1	Pass	3
1912	1920	1	RMS	1912	-35.46	-13	22.46	Pass	401




1.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1907	1910	0.1	RMS	1908.073	7.52	30	22.48	Pass	401
1910	1911	0.03	RMS	1910	-28.48	-13	15.48	Pass	401
1911	1912	1	RMS	1911	-24.02	-13	11.02	Pass	3
1912	1920	1	RMS	1912	-28.21	-13	15.21	Pass	401




1.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.753	18.99	30	11.01	Pass	401
1910	1911	0.03	RMS	1910	-21.05	-13	8.05	Pass	401
1911	1912	1	RMS	1911	-34.5	-13	21.5	Pass	3
1912	1920	1	RMS	1912	-35.85	-13	22.85	Pass	401




1.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1907	1910	0.1	RMS	1908.605	6.36	30	23.64	Pass	401
1910	1911	0.03	RMS	1910	-28.92	-13	15.92	Pass	401
1911	1912	1	RMS	1911	-25.52	-13	12.52	Pass	3
1912	1920	1	RMS	1912	-30.38	-13	17.38	Pass	401




1.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.38	-13	23.38	Pass	401
1848	1849	1	RMS	1849	-35.11	-13	22.11	Pass	3
1849	1850	0.02	RMS	1850	-27.97	-13	14.97	Pass	401
1850	1855	0.1	RMS	1850.325	19.51	30	10.49	Pass	401




1.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.42	-13	14.42	Pass	401
1848	1849	1	RMS	1849	-25.84	-13	12.84	Pass	3
1849	1850	0.05	RMS	1850	-29.37	-13	16.37	Pass	401
1850	1855	0.1	RMS	1851.675	5.32	30	24.68	Pass	401




1.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.38	-13	24.38	Pass	401
1848	1849	1	RMS	1849	-36.37	-13	23.37	Pass	3
1849	1850	0.02	RMS	1850	-29.09	-13	16.09	Pass	401
1850	1855	0.1	RMS	1850.338	18.43	30	11.57	Pass	401




1.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.63	-13	17.63	Pass	401
1848	1849	1	RMS	1849	-28.12	-13	15.12	Pass	3
1849	1850	0.05	RMS	1850	-30.78	-13	17.78	Pass	401
1850	1855	0.1	RMS	1853.325	4.35	30	25.65	Pass	401




1.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	19.53	30	10.47	Pass	401
1910	1911	0.02	RMS	1910	-26.34	-13	13.34	Pass	401
1911	1912	1	RMS	1911	-34.09	-13	21.09	Pass	3
1912	1920	1	RMS	1912	-35.79	-13	22.79	Pass	401




1.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.85	5.2	30	24.8	Pass	401
1910	1911	0.05	RMS	1910	-29.12	-13	16.12	Pass	401
1911	1912	1	RMS	1911	-25.24	-13	12.24	Pass	3
1912	1920	1	RMS	1912	-26.86	-13	13.86	Pass	401




1.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	19.14	30	10.86	Pass	401
1910	1911	0.02	RMS	1910	-26.45	-13	13.45	Pass	401
1911	1912	1	RMS	1911	-34.81	-13	21.81	Pass	3
1912	1920	1	RMS	1912	-36.24	-13	23.24	Pass	401




1.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909	4.03	30	25.97	Pass	401
1910	1911	0.05	RMS	1910	-30.33	-13	17.33	Pass	401
1911	1912	1	RMS	1911	-26.88	-13	13.88	Pass	3
1912	1920	1	RMS	1912	-28.56	-13	15.56	Pass	401




1.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.05	-13	24.05	Pass	401
1848	1849	1	RMS	1849	-35.05	-13	22.05	Pass	3
1849	1850	0.1	RMS	1850	-33.69	-13	20.69	Pass	401
1850	1860	0.1	RMS	1850.6	19.66	30	10.34	Pass	401




1.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.45	-13	17.45	Pass	401
1848	1849	1	RMS	1849	-29.77	-13	16.77	Pass	3
1849	1850	0.1	RMS	1849.998	-32.77	-13	19.77	Pass	401
1850	1860	0.1	RMS	1854.25	2.67	30	27.33	Pass	401




1.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.07	-13	25.07	Pass	401
1848	1849	1	RMS	1849	-36.18	-13	23.18	Pass	3
1849	1850	0.1	RMS	1850	-34.29	-13	21.29	Pass	401
1850	1860	0.1	RMS	1850.6	18.57	30	11.43	Pass	401




1.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.81	-13	18.81	Pass	401
1848	1849	1	RMS	1848.5	-31.6	-13	18.6	Pass	3
1849	1850	0.1	RMS	1849.998	-35.12	-13	22.12	Pass	401
1850	1860	0.1	RMS	1855.025	1.64	30	28.36	Pass	401




1.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	19.79	30	10.21	Pass	401
1910	1911	0.1	RMS	1910	-31.89	-13	18.89	Pass	401
1911	1912	1	RMS	1911	-34.24	-13	21.24	Pass	3
1912	1920	1	RMS	1912	-36.48	-13	23.48	Pass	401




1.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1910	0.1	RMS	1905.35	2.52	30	27.48	Pass	401
1910	1911	0.1	RMS	1910	-32.5	-13	19.5	Pass	401
1911	1912	1	RMS	1911	-27.74	-13	14.74	Pass	3
1912	1920	1	RMS	1912	-28.78	-13	15.78	Pass	401




1.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	19.08	30	10.92	Pass	401
1910	1911	0.1	RMS	1910	-32.79	-13	19.79	Pass	401
1911	1912	1	RMS	1911	-34.81	-13	21.81	Pass	3
1912	1920	1	RMS	1912	-37.27	-13	24.27	Pass	401




1.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1910	0.1	RMS	1905.7	1.49	30	28.51	Pass	401
1910	1911	0.1	RMS	1910	-34.13	-13	21.13	Pass	401
1911	1912	1	RMS	1911	-29.58	-13	16.58	Pass	3
1912	1920	1	RMS	1912	-29.86	-13	16.86	Pass	401




1.33. LTE Band Edge_Part22-24-27(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.46	-13	24.46	Pass	401
1848	1849	1	RMS	1849	-35.04	-13	22.04	Pass	3
1849	1850	0.15	RMS	1850	-29.34	-13	16.34	Pass	401
1850	1865	0.1	RMS	1850.825	19.62	30	10.38	Pass	401




1.34. LTE Band Edge_Part22-24-27(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.3	-30.24	-13	17.24	Pass	401
1848	1849	1	RMS	1849	-30.19	-13	17.19	Pass	3
1849	1850	0.15	RMS	1850	-33.76	-13	20.76	Pass	401
1850	1865	0.1	RMS	1856.375	0.9	30	29.1	Pass	401




1.35. LTE Band Edge_Part22-24-27(Subtest:35, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.4	-13	25.4	Pass	401
1848	1849	1	RMS	1849	-36.15	-13	23.15	Pass	3
1849	1850	0.15	RMS	1850	-30.21	-13	17.21	Pass	401
1850	1865	0.1	RMS	1850.825	18.37	30	11.63	Pass	401




1.36. LTE Band Edge_Part22-24-27(Subtest:36, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.32	-32.32	-13	19.32	Pass	401
1848	1849	1	RMS	1849	-32.23	-13	19.23	Pass	3
1849	1850	0.15	RMS	1849.998	-36.3	-13	23.3	Pass	401
1850	1865	0.1	RMS	1856.488	0.02	30	29.98	Pass	401




1.37. LTE Band Edge_Part22-24-27(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	19.46	30	10.54	Pass	401
1910	1911	0.15	RMS	1910	-29.39	-13	16.39	Pass	401
1911	1912	1	RMS	1911	-35.37	-13	22.37	Pass	3
1912	1920	1	RMS	1912	-37.49	-13	24.49	Pass	401




1.38. LTE Band Edge_Part22-24-27(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	0.1	RMS	1901.225	0.77	30	29.23	Pass	401
1910	1911	0.15	RMS	1910	-33.29	-13	20.29	Pass	401
1911	1912	1	RMS	1911	-29.21	-13	16.21	Pass	3
1912	1920	1	RMS	1912.68	-29.05	-13	16.05	Pass	401




1.39. LTE Band Edge_Part22-24-27(Subtest:39, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	19.12	30	10.88	Pass	401
1910	1911	0.15	RMS	1910.003	-28.99	-13	15.99	Pass	401
1911	1912	1	RMS	1911	-35.55	-13	22.55	Pass	3
1912	1920	1	RMS	1912	-38.07	-13	25.07	Pass	401




1.40. LTE Band Edge_Part22-24-27(Subtest:40, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	0.1	RMS	1901.15	-0.25	30	30.25	Pass	401
1910	1911	0.15	RMS	1910	-35.66	-13	22.66	Pass	401
1911	1912	1	RMS	1911	-30.82	-13	17.82	Pass	3
1912	1920	1	RMS	1912.7	-30.55	-13	17.55	Pass	401




1.41. LTE Band Edge_Part22-24-27(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.76	-13	25.76	Pass	401
1848	1849	1	RMS	1849	-36.29	-13	23.29	Pass	3
1849	1850	0.2	RMS	1850	-33.09	-13	20.09	Pass	401
1850	1870	0.1	RMS	1851.1	19.43	30	10.57	Pass	401




1.42. LTE Band Edge_Part22-24-27(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-32.49	-13	19.49	Pass	401
1848	1849	1	RMS	1849	-32	-13	19	Pass	3
1849	1850	0.2	RMS	1849.998	-35.72	-13	22.72	Pass	401
1850	1870	0.1	RMS	1858.8	-0.26	30	30.26	Pass	401




1.43. LTE Band Edge_Part22-24-27(Subtest:43, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.74	-13	26.74	Pass	401
1848	1849	1	RMS	1849	-36.79	-13	23.79	Pass	3
1849	1850	0.2	RMS	1849.998	-32.36	-13	19.36	Pass	401
1850	1870	0.1	RMS	1851.1	19.16	30	10.84	Pass	401




1.44. LTE Band Edge_Part22-24-27(Subtest:44, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-34.4	-13	21.4	Pass	401
1848	1849	1	RMS	1849	-34.1	-13	21.1	Pass	3
1849	1850	0.2	RMS	1849.998	-37.7	-13	24.7	Pass	401
1850	1870	0.1	RMS	1859.2	-1.18	30	31.18	Pass	401




1.45. LTE Band Edge_Part22-24-27(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	19.55	30	10.45	Pass	401
1910	1911	0.2	RMS	1910	-32.29	-13	19.29	Pass	401
1911	1912	1	RMS	1911	-35.71	-13	22.71	Pass	3
1912	1920	1	RMS	1912.02	-38.18	-13	25.18	Pass	401




1.46. LTE Band Edge_Part22-24-27(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1895.35	-0.29	30	30.29	Pass	401
1910	1911	0.2	RMS	1910.003	-35.2	-13	22.2	Pass	401
1911	1912	1	RMS	1911	-31.23	-13	18.23	Pass	3
1912	1920	1	RMS	1912	-32.02	-13	19.02	Pass	401




1.47. LTE Band Edge_Part22-24-27(Subtest:47, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	18.17	30	11.83	Pass	401
1910	1911	0.2	RMS	1910.003	-33.15	-13	20.15	Pass	401
1911	1912	1	RMS	1911	-36.85	-13	23.85	Pass	3
1912	1920	1	RMS	1912	-39.53	-13	26.53	Pass	401



1.48. LTE Band Edge_Part22-24-27(Subtest:48, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1894.65	-1.29	30	31.29	Pass	401
1910	1911	0.2	RMS	1910	-37.1	-13	24.1	Pass	401
1911	1912	1	RMS	1911	-33.14	-13	20.14	Pass	3
1912	1920	1	RMS	1912	-33.67	-13	20.67	Pass	401



2. LTE_Band12


2.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-23.72	-13	10.72	Pass	401
698.9	699	0.03	RMS	699	-19.12	-13	6.12	Pass	9
699	701	0.1	RMS	699.24	21.09	30	8.91	Pass	401




2.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.8	-13	11.8	Pass	401
698.9	699	0.03	RMS	698.999	-26.29	-13	13.29	Pass	401
699	701	0.1	RMS	699.29	12.54	30	17.46	Pass	401




2.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.86	-13	11.86	Pass	401
698.9	699	0.03	RMS	699	-21.37	-13	8.37	Pass	401
699	701	0.1	RMS	699.245	20.09	30	9.91	Pass	401




2.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.19	-13	11.19	Pass	401
698.9	699	0.03	RMS	699	-26.66	-13	13.66	Pass	401
699	701	0.1	RMS	700.115	11.74	30	18.26	Pass	401




2.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.745	21.03	30	8.97	Pass	401
716	716.1	0.03	RMS	716	-19	-13	6	Pass	9
716.1	725	0.1	RMS	716.1	-22.68	-13	9.68	Pass	401




2.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	714.9	12.6	30	17.4	Pass	401
716	716.1	0.03	RMS	716	-26.34	-13	13.34	Pass	401
716.1	725	0.1	RMS	716.1	-24.88	-13	11.88	Pass	401



2.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.75	20.15	30	9.85	Pass	401
716	716.1	0.03	RMS	716	-19.79	-13	6.79	Pass	401
716.1	725	0.1	RMS	716.1	-22.07	-13	9.07	Pass	401




2.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	714.965	11.62	30	18.38	Pass	401
716	716.1	0.03	RMS	716.001	-26.93	-13	13.93	Pass	401
716.1	725	0.1	RMS	716.1	-23.92	-13	10.92	Pass	401




2.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-22.68	-13	9.68	Pass	401
698.9	699	0.03	RMS	699	-19.46	-13	6.46	Pass	401
699	702	0.1	RMS	699.233	20.83	30	9.17	Pass	401




2.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.58	-13	14.58	Pass	401
698.9	699	0.03	RMS	699	-27.55	-13	14.55	Pass	401
699	702	0.1	RMS	700.433	8.66	30	21.34	Pass	401




2.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.47	-13	12.47	Pass	401
698.9	699	0.03	RMS	699	-21.17	-13	8.17	Pass	401
699	702	0.1	RMS	699.248	19.69	30	10.31	Pass	401




2.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.23	-13	14.23	Pass	401
698.9	699	0.03	RMS	698.999	-28.72	-13	15.72	Pass	401
699	702	0.1	RMS	701.43	7.51	30	22.49	Pass	401




2.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	20.79	30	9.21	Pass	401
716	716.1	0.03	RMS	716	-19.15	-13	6.15	Pass	9
716.1	725	0.1	RMS	716.1	-22.02	-13	9.02	Pass	401




2.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	714.073	8.67	30	21.33	Pass	401
716	716.1	0.03	RMS	716	-28.9	-13	15.9	Pass	401
716.1	725	0.1	RMS	716.1	-28.53	-13	15.53	Pass	401




2.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	19.99	30	10.01	Pass	401
716	716.1	0.03	RMS	716.001	-19.7	-13	6.7	Pass	401
716.1	725	0.1	RMS	716.1	-23.3	-13	10.3	Pass	401




2.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	713.45	7.82	30	22.18	Pass	401
716	716.1	0.03	RMS	716.001	-28.66	-13	15.66	Pass	401
716.1	725	0.1	RMS	716.1	-27.75	-13	14.75	Pass	401




2.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.82	-13	16.82	Pass	179
698.9	699	0.03	RMS	699	-24.62	-13	11.62	Pass	9
699	704	0.1	RMS	699.338	20.63	30	9.37	Pass	401




2.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.26	-13	16.26	Pass	401
698.9	699	0.03	RMS	699	-30.89	-13	17.89	Pass	401
699	704	0.1	RMS	700.7	6.45	30	23.55	Pass	401




2.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.36	-13	17.36	Pass	401
698.9	699	0.03	RMS	698.999	-25.53	-13	12.53	Pass	401
699	704	0.1	RMS	699.35	19.6	30	10.4	Pass	401




2.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.14	-13	16.14	Pass	401
698.9	699	0.03	RMS	698.999	-31.41	-13	18.41	Pass	401
699	704	0.1	RMS	700.713	5.35	30	24.65	Pass	401




2.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.78	30	9.22	Pass	401
716	716.1	0.03	RMS	716	-24.26	-13	11.26	Pass	401
716.1	725	0.1	RMS	716.1	-29.93	-13	16.93	Pass	179




2.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	712.863	6.62	30	23.38	Pass	401
716	716.1	0.03	RMS	716	-31.22	-13	18.22	Pass	401
716.1	725	0.1	RMS	716.1	-29.92	-13	16.92	Pass	401




2.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	20.05	30	9.95	Pass	401
716	716.1	0.03	RMS	716.001	-24.56	-13	11.56	Pass	401
716.1	725	0.1	RMS	716.1	-31.05	-13	18.05	Pass	179




2.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	713.288	5.6	30	24.4	Pass	401
716	716.1	0.03	RMS	716.001	-31.65	-13	18.65	Pass	401
716.1	725	0.1	RMS	716.1	-29.41	-13	16.41	Pass	401




2.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-36.36	-13	23.36	Pass	401
698.9	699	0.03	RMS	699	-38.52	-13	25.52	Pass	401
699	709	0.1	RMS	699.6	20.65	30	9.35	Pass	401




2.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.75	-13	18.75	Pass	401
698.9	699	0.03	RMS	698.985	-36.04	-13	23.04	Pass	401
699	709	0.1	RMS	704.875	3.58	30	26.42	Pass	401




2.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-37.51	-13	24.51	Pass	401
698.9	699	0.03	RMS	698.999	-38.63	-13	25.63	Pass	401
699	709	0.1	RMS	699.575	19.75	30	10.25	Pass	401




2.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.85	-13	18.85	Pass	401
698.9	699	0.03	RMS	698.948	-36.39	-13	23.39	Pass	401
699	709	0.1	RMS	705.575	2.7	30	27.3	Pass	401




2.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.71	30	9.29	Pass	401
716	716.1	0.03	RMS	716.001	-39.55	-13	26.55	Pass	401
716.1	725	0.1	RMS	716.1	-37.17	-13	24.17	Pass	401




2.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	711.35	3.88	30	26.12	Pass	401
716	716.1	0.03	RMS	716.001	-36.62	-13	23.62	Pass	401
716.1	725	0.1	RMS	716.1	-32.35	-13	19.35	Pass	401




2.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.94	30	10.06	Pass	401
716	716.1	0.03	RMS	716	-39.56	-13	26.56	Pass	401
716.1	725	0.1	RMS	716.1	-38.36	-13	25.36	Pass	401



2.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	711.675	2.8	30	27.2	Pass	401
716	716.1	0.03	RMS	716.001	-36.12	-13	23.12	Pass	401
716.1	725	0.1	RMS	716.1	-31.64	-13	18.64	Pass	401



3. LTE_Band14


3.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	774.284	-73.86	-35	38.86	Pass	1936
775	787.9	0.1	RMS	787.9	-33.51	-13	20.51	Pass	401
787.9	788	0.03	RMS	788	-28.58	-13	15.58	Pass	401
788	798	0.1	RMS	788.325	17.54	30	12.46	Pass	401




3.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	773.121	-74.29	-35	39.29	Pass	1936
775	787.9	0.1	RMS	787.9	-31.46	-13	18.46	Pass	401
787.9	788	0.03	RMS	788	-33.13	-13	20.13	Pass	401
788	798	0.1	RMS	789.675	4.16	30	25.84	Pass	401




3.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	772.56	-74.16	-35	39.16	Pass	1936
775	787.9	0.1	RMS	787.9	-33.72	-13	20.72	Pass	401
787.9	788	0.03	RMS	788	-28.82	-13	15.82	Pass	401
788	798	0.1	RMS	788.35	17.51	30	12.49	Pass	401




3.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	774.036	-74.47	-35	39.47	Pass	1936
775	787.9	0.1	RMS	787.9	-31.33	-13	18.33	Pass	401
787.9	788	0.03	RMS	788	-32.87	-13	19.87	Pass	401
788	798	0.1	RMS	791.3	4.46	30	25.54	Pass	401




3.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.65	17.26	30	12.74	Pass	401
798	798.1	0.03	RMS	798	-29.14	-13	16.14	Pass	401
798.1	799	0.1	RMS	798.1	-32.68	-13	19.68	Pass	401
799	806	0.00625	RMS	799.834	-61.18	-35	26.18	Pass	2259
806	810	0.1	RMS	806.35	-64.22	-13	51.22	Pass	401




3.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	794.875	4.24	30	25.76	Pass	401
798	798.1	0.03	RMS	798	-34.04	-13	21.04	Pass	401
798.1	799	0.1	RMS	798.102	-32.27	-13	19.27	Pass	401
799	806	0.00625	RMS	799.136	-46.44	-35	11.44	Pass	2259
806	810	0.1	RMS	806.05	-62.25	-13	49.25	Pass	401




3.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.65	17.58	30	12.42	Pass	401
798	798.1	0.03	RMS	798	-28.42	-13	15.42	Pass	401
798.1	799	0.1	RMS	798.1	-32.11	-13	19.11	Pass	401
799	806	0.00625	RMS	799.797	-60.45	-35	25.45	Pass	2259
806	810	0.1	RMS	806.25	-64.33	-13	51.33	Pass	401




3.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	795.125	4.11	30	25.89	Pass	401
798	798.1	0.03	RMS	798.001	-33.84	-13	20.84	Pass	401
798.1	799	0.1	RMS	798.1	-31.83	-13	18.83	Pass	401
799	806	0.00625	RMS	799.285	-45.81	-35	10.81	Pass	2259
806	810	0.1	RMS	806.04	-62.51	-13	49.51	Pass	401




3.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	773.763	-74.1	-35	39.1	Pass	1936
775	787.9	0.1	RMS	787.9	-40.79	-13	27.79	Pass	401
787.9	788	0.03	RMS	787.998	-43.12	-13	30.12	Pass	401
788	798	0.1	RMS	788.575	17.62	30	12.38	Pass	401




3.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	774.25	-74.35	-35	39.35	Pass	1936
775	787.9	0.1	RMS	787.9	-34.14	-13	21.14	Pass	401
787.9	788	0.03	RMS	787.978	-38.26	-13	25.26	Pass	401
788	798	0.1	RMS	792.25	1.42	30	28.58	Pass	401




3.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	774.935	-73.96	-35	38.96	Pass	1936
775	787.9	0.1	RMS	787.9	-41.47	-13	28.47	Pass	401
787.9	788	0.03	RMS	787.998	-42.13	-13	29.13	Pass	401
788	798	0.1	RMS	788.6	17.55	30	12.45	Pass	401




3.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	771.391	-74.26	-35	39.26	Pass	1936
775	787.9	0.1	RMS	787.9	-34.44	-13	21.44	Pass	401
787.9	788	0.03	RMS	787.993	-38.74	-13	25.74	Pass	401
788	798	0.1	RMS	793	1.31	30	28.69	Pass	401




3.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.4	17.31	30	12.69	Pass	401
798	798.1	0.03	RMS	798	-43.65	-13	30.65	Pass	401
798.1	799	0.1	RMS	798.1	-41.79	-13	28.79	Pass	401
799	806	0.00625	RMS	801.837	-61.38	-35	26.38	Pass	2259
806	810	0.1	RMS	806.14	-64.2	-13	51.2	Pass	401




3.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	792.225	1.53	30	28.47	Pass	401
798	798.1	0.03	RMS	798.037	-38.48	-13	25.48	Pass	401
798.1	799	0.1	RMS	798.1	-34.17	-13	21.17	Pass	401
799	806	0.00625	RMS	799.065	-46.73	-35	11.73	Pass	2259
806	810	0.1	RMS	806.02	-55.57	-13	42.57	Pass	401




3.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.4	17.28	30	12.72	Pass	401
798	798.1	0.03	RMS	798	-41.93	-13	28.93	Pass	401
798.1	799	0.1	RMS	798.1	-41.06	-13	28.06	Pass	401
799	806	0.00625	RMS	799.04	-61.22	-35	26.22	Pass	2259
806	810	0.1	RMS	806.14	-64.11	-13	51.11	Pass	401



3.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	793.025	1.41	30	28.59	Pass	401
798	798.1	0.03	RMS	798	-38.25	-13	25.25	Pass	401
798.1	799	0.1	RMS	798.1	-34.11	-13	21.11	Pass	401
799	806	0.00625	RMS	799.291	-46.96	-35	11.96	Pass	2259
806	810	0.1	RMS	806	-55.83	-13	42.83	Pass	401



--BLANK BELOW--