

Appendix-C NR Band n66

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	BW	Modulation	CH	RB Config	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
n66	15	5	DFT-BPSK	L	Inner_1RB_Left	24.16	25.66	30.00	PASS
n66	15	5	DFT-BPSK	L	Inner_1RB_Right	24.22	25.72	30.00	PASS
n66	15	5	DFT-BPSK	L	Inner_Full	24.18	25.68	30.00	PASS
n66	15	5	DFT-BPSK	L	Outer_Full	23.69	25.19	30.00	PASS
n66	15	5	DFT-QPSK	L	Inner_1RB_Left	24.19	25.69	30.00	PASS
n66	15	5	DFT-QPSK	L	Inner_1RB_Right	24.21	25.71	30.00	PASS
n66	15	5	DFT-QPSK	L	Inner_Full	24.15	25.65	30.00	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	23.2	24.70	30.00	PASS
n66	15	5	DFT-16QAM	L	Inner_1RB_Left	23.02	24.52	30.00	PASS
n66	15	5	DFT-16QAM	L	Inner_1RB_Right	23.05	24.55	30.00	PASS
n66	15	5	DFT-16QAM	L	Inner_Full	23.14	24.64	30.00	PASS
n66	15	5	DFT-16QAM	L	Outer_Full	22.18	23.68	30.00	PASS
n66	15	5	DFT-64QAM	L	Inner_1RB_Left	21.76	23.26	30.00	PASS
n66	15	5	DFT-64QAM	L	Inner_1RB_Right	21.84	23.34	30.00	PASS
n66	15	5	DFT-64QAM	L	Inner_Full	21.72	23.22	30.00	PASS
n66	15	5	DFT-64QAM	L	Outer_Full	21.69	23.19	30.00	PASS
n66	15	5	DFT-256QAM	L	Inner_1RB_Left	19.76	21.26	30.00	PASS
n66	15	5	DFT-256QAM	L	Inner_1RB_Right	19.78	21.28	30.00	PASS
n66	15	5	DFT-256QAM	L	Inner_Full	19.63	21.13	30.00	PASS
n66	15	5	DFT-256QAM	L	Outer_Full	19.75	21.25	30.00	PASS
n66	15	5	DFT-BPSK	M	Inner_1RB_Left	24.01	25.51	30.00	PASS
n66	15	5	DFT-BPSK	M	Inner_1RB_Right	24.08	25.58	30.00	PASS
n66	15	5	DFT-BPSK	M	Inner_Full	24.04	25.54	30.00	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	23.57	25.07	30.00	PASS
n66	15	5	DFT-QPSK	M	Inner_1RB_Left	24.07	25.57	30.00	PASS
n66	15	5	DFT-QPSK	M	Inner_1RB_Right	24.06	25.56	30.00	PASS
n66	15	5	DFT-QPSK	M	Inner_Full	24.03	25.53	30.00	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	23.05	24.55	30.00	PASS
n66	15	5	DFT-16QAM	M	Inner_1RB_Left	23	24.50	30.00	PASS
n66	15	5	DFT-16QAM	M	Inner_1RB_Right	22.89	24.39	30.00	PASS
n66	15	5	DFT-16QAM	M	Inner_Full	22.97	24.47	30.00	PASS
n66	15	5	DFT-16QAM	M	Outer_Full	22.02	23.52	30.00	PASS
n66	15	5	DFT-64QAM	M	Inner_1RB_Left	21.66	23.16	30.00	PASS
n66	15	5	DFT-64QAM	M	Inner_1RB_Right	21.76	23.26	30.00	PASS
n66	15	5	DFT-64QAM	M	Inner_Full	21.52	23.02	30.00	PASS
n66	15	5	DFT-64QAM	M	Outer_Full	21.54	23.04	30.00	PASS

n66	15	5	DFT-256QAM	M	Inner_1RB_Left	19.64	21.14	30.00	PASS
n66	15	5	DFT-256QAM	M	Inner_1RB_Right	19.62	21.12	30.00	PASS
n66	15	5	DFT-256QAM	M	Inner_Full	19.53	21.03	30.00	PASS
n66	15	5	DFT-256QAM	M	Outer_Full	19.61	21.11	30.00	PASS
n66	15	5	DFT-BPSK	H	Inner_1RB_Left	23.97	25.47	30.00	PASS
n66	15	5	DFT-BPSK	H	Inner_1RB_Right	24.02	25.52	30.00	PASS
n66	15	5	DFT-BPSK	H	Inner_Full	23.97	25.47	30.00	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	23.56	25.06	30.00	PASS
n66	15	5	DFT-QPSK	H	Inner_1RB_Left	23.97	25.47	30.00	PASS
n66	15	5	DFT-QPSK	H	Inner_1RB_Right	24	25.50	30.00	PASS
n66	15	5	DFT-QPSK	H	Inner_Full	23.99	25.49	30.00	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	23.01	24.51	30.00	PASS
n66	15	5	DFT-16QAM	H	Inner_1RB_Left	22.87	24.37	30.00	PASS
n66	15	5	DFT-16QAM	H	Inner_1RB_Right	22.86	24.36	30.00	PASS
n66	15	5	DFT-16QAM	H	Inner_Full	22.95	24.45	30.00	PASS
n66	15	5	DFT-16QAM	H	Outer_Full	22.02	23.52	30.00	PASS
n66	15	5	DFT-64QAM	H	Inner_1RB_Left	21.58	23.08	30.00	PASS
n66	15	5	DFT-64QAM	H	Inner_1RB_Right	21.64	23.14	30.00	PASS
n66	15	5	DFT-64QAM	H	Inner_Full	21.48	22.98	30.00	PASS
n66	15	5	DFT-64QAM	H	Outer_Full	21.47	22.97	30.00	PASS
n66	15	5	DFT-256QAM	H	Inner_1RB_Left	19.51	21.01	30.00	PASS
n66	15	5	DFT-256QAM	H	Inner_1RB_Right	19.58	21.08	30.00	PASS
n66	15	5	DFT-256QAM	H	Inner_Full	19.46	20.96	30.00	PASS
n66	15	5	DFT-256QAM	H	Outer_Full	19.56	21.06	30.00	PASS
n66	15	10	DFT-BPSK	L	Inner_1RB_Left	24.2	25.70	30.00	PASS
n66	15	10	DFT-BPSK	L	Inner_1RB_Right	24.2	25.70	30.00	PASS
n66	15	10	DFT-BPSK	L	Inner_Full	24.16	25.66	30.00	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	23.72	25.22	30.00	PASS
n66	15	10	DFT-QPSK	L	Inner_1RB_Left	24.26	25.76	30.00	PASS
n66	15	10	DFT-QPSK	L	Inner_1RB_Right	24.28	25.78	30.00	PASS
n66	15	10	DFT-QPSK	L	Inner_Full	24.13	25.63	30.00	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	23.2	24.70	30.00	PASS
n66	15	10	DFT-16QAM	L	Inner_1RB_Left	23.1	24.60	30.00	PASS
n66	15	10	DFT-16QAM	L	Inner_1RB_Right	23.06	24.56	30.00	PASS
n66	15	10	DFT-16QAM	L	Inner_Full	23.11	24.61	30.00	PASS
n66	15	10	DFT-16QAM	L	Outer_Full	22.18	23.68	30.00	PASS
n66	15	10	DFT-64QAM	L	Inner_1RB_Left	21.85	23.35	30.00	PASS
n66	15	10	DFT-64QAM	L	Inner_1RB_Right	21.88	23.38	30.00	PASS
n66	15	10	DFT-64QAM	L	Inner_Full	21.65	23.15	30.00	PASS
n66	15	10	DFT-64QAM	L	Outer_Full	21.65	23.15	30.00	PASS
n66	15	10	DFT-256QAM	L	Inner_1RB_Left	19.83	21.33	30.00	PASS
n66	15	10	DFT-256QAM	L	Inner_1RB_Right	19.8	21.30	30.00	PASS
n66	15	10	DFT-256QAM	L	Inner_Full	19.66	21.16	30.00	PASS
n66	15	10	DFT-256QAM	L	Outer_Full	19.79	21.29	30.00	PASS

n66	15	10	DFT-BPSK	M	Inner_1RB_Left	24.1	25.60	30.00	PASS
n66	15	10	DFT-BPSK	M	Inner_1RB_Right	24.1	25.60	30.00	PASS
n66	15	10	DFT-BPSK	M	Inner_Full	24.03	25.53	30.00	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	23.57	25.07	30.00	PASS
n66	15	10	DFT-QPSK	M	Inner_1RB_Left	24.13	25.63	30.00	PASS
n66	15	10	DFT-QPSK	M	Inner_1RB_Right	24.12	25.62	30.00	PASS
n66	15	10	DFT-QPSK	M	Inner_Full	24.03	25.53	30.00	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	23.08	24.58	30.00	PASS
n66	15	10	DFT-16QAM	M	Inner_1RB_Left	22.91	24.41	30.00	PASS
n66	15	10	DFT-16QAM	M	Inner_1RB_Right	22.95	24.45	30.00	PASS
n66	15	10	DFT-16QAM	M	Inner_Full	23	24.50	30.00	PASS
n66	15	10	DFT-16QAM	M	Outer_Full	22.05	23.55	30.00	PASS
n66	15	10	DFT-64QAM	M	Inner_1RB_Left	21.72	23.22	30.00	PASS
n66	15	10	DFT-64QAM	M	Inner_1RB_Right	21.7	23.20	30.00	PASS
n66	15	10	DFT-64QAM	M	Inner_Full	21.58	23.08	30.00	PASS
n66	15	10	DFT-64QAM	M	Outer_Full	21.56	23.06	30.00	PASS
n66	15	10	DFT-256QAM	M	Inner_1RB_Left	19.71	21.21	30.00	PASS
n66	15	10	DFT-256QAM	M	Inner_1RB_Right	19.76	21.26	30.00	PASS
n66	15	10	DFT-256QAM	M	Inner_Full	19.55	21.05	30.00	PASS
n66	15	10	DFT-256QAM	M	Outer_Full	19.67	21.17	30.00	PASS
n66	15	10	DFT-BPSK	H	Inner_1RB_Left	24.03	25.53	30.00	PASS
n66	15	10	DFT-BPSK	H	Inner_1RB_Right	24.07	25.57	30.00	PASS
n66	15	10	DFT-BPSK	H	Inner_Full	23.96	25.46	30.00	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	23.5	25.00	30.00	PASS
n66	15	10	DFT-QPSK	H	Inner_1RB_Left	24	25.50	30.00	PASS
n66	15	10	DFT-QPSK	H	Inner_1RB_Right	24.05	25.55	30.00	PASS
n66	15	10	DFT-QPSK	H	Inner_Full	23.92	25.42	30.00	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	23	24.50	30.00	PASS
n66	15	10	DFT-16QAM	H	Inner_1RB_Left	22.86	24.36	30.00	PASS
n66	15	10	DFT-16QAM	H	Inner_1RB_Right	22.9	24.40	30.00	PASS
n66	15	10	DFT-16QAM	H	Inner_Full	22.93	24.43	30.00	PASS
n66	15	10	DFT-16QAM	H	Outer_Full	21.96	23.46	30.00	PASS
n66	15	10	DFT-64QAM	H	Inner_1RB_Left	21.66	23.16	30.00	PASS
n66	15	10	DFT-64QAM	H	Inner_1RB_Right	21.73	23.23	30.00	PASS
n66	15	10	DFT-64QAM	H	Inner_Full	21.5	23.00	30.00	PASS
n66	15	10	DFT-64QAM	H	Outer_Full	21.45	22.95	30.00	PASS
n66	15	10	DFT-256QAM	H	Inner_1RB_Left	19.61	21.11	30.00	PASS
n66	15	10	DFT-256QAM	H	Inner_1RB_Right	19.63	21.13	30.00	PASS
n66	15	10	DFT-256QAM	H	Inner_Full	19.48	20.98	30.00	PASS
n66	15	10	DFT-256QAM	H	Outer_Full	19.59	21.09	30.00	PASS
n66	15	15	DFT-BPSK	L	Inner_1RB_Left	24.09	25.59	30.00	PASS
n66	15	15	DFT-BPSK	L	Inner_1RB_Right	24.06	25.56	30.00	PASS
n66	15	15	DFT-BPSK	L	Inner_Full	24.17	25.67	30.00	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	23.7	25.20	30.00	PASS

n66	15	15	DFT-QPSK	L	Inner_1RB_Left	24.16	25.66	30.00	PASS
n66	15	15	DFT-QPSK	L	Inner_1RB_Right	24.17	25.67	30.00	PASS
n66	15	15	DFT-QPSK	L	Inner_Full	24.07	25.57	30.00	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	23.16	24.66	30.00	PASS
n66	15	15	DFT-16QAM	L	Inner_1RB_Left	22.98	24.48	30.00	PASS
n66	15	15	DFT-16QAM	L	Inner_1RB_Right	22.95	24.45	30.00	PASS
n66	15	15	DFT-16QAM	L	Inner_Full	23.12	24.62	30.00	PASS
n66	15	15	DFT-16QAM	L	Outer_Full	22.17	23.67	30.00	PASS
n66	15	15	DFT-64QAM	L	Inner_1RB_Left	21.78	23.28	30.00	PASS
n66	15	15	DFT-64QAM	L	Inner_1RB_Right	21.75	23.25	30.00	PASS
n66	15	15	DFT-64QAM	L	Inner_Full	21.69	23.19	30.00	PASS
n66	15	15	DFT-64QAM	L	Outer_Full	21.64	23.14	30.00	PASS
n66	15	15	DFT-256QAM	L	Inner_1RB_Left	19.65	21.15	30.00	PASS
n66	15	15	DFT-256QAM	L	Inner_1RB_Right	19.63	21.13	30.00	PASS
n66	15	15	DFT-256QAM	L	Inner_Full	19.72	21.22	30.00	PASS
n66	15	15	DFT-256QAM	L	Outer_Full	19.78	21.28	30.00	PASS
n66	15	15	DFT-BPSK	M	Inner_1RB_Left	23.97	25.47	30.00	PASS
n66	15	15	DFT-BPSK	M	Inner_1RB_Right	24.06	25.56	30.00	PASS
n66	15	15	DFT-BPSK	M	Inner_Full	24.03	25.53	30.00	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	23.58	25.08	30.00	PASS
n66	15	15	DFT-QPSK	M	Inner_1RB_Left	24.04	25.54	30.00	PASS
n66	15	15	DFT-QPSK	M	Inner_1RB_Right	24.06	25.56	30.00	PASS
n66	15	15	DFT-QPSK	M	Inner_Full	24.02	25.52	30.00	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	23.06	24.56	30.00	PASS
n66	15	15	DFT-16QAM	M	Inner_1RB_Left	22.84	24.34	30.00	PASS
n66	15	15	DFT-16QAM	M	Inner_1RB_Right	22.85	24.35	30.00	PASS
n66	15	15	DFT-16QAM	M	Inner_Full	23.02	24.52	30.00	PASS
n66	15	15	DFT-16QAM	M	Outer_Full	22.05	23.55	30.00	PASS
n66	15	15	DFT-64QAM	M	Inner_1RB_Left	21.65	23.15	30.00	PASS
n66	15	15	DFT-64QAM	M	Inner_1RB_Right	21.76	23.26	30.00	PASS
n66	15	15	DFT-64QAM	M	Inner_Full	21.58	23.08	30.00	PASS
n66	15	15	DFT-64QAM	M	Outer_Full	21.56	23.06	30.00	PASS
n66	15	15	DFT-256QAM	M	Inner_1RB_Left	19.56	21.06	30.00	PASS
n66	15	15	DFT-256QAM	M	Inner_1RB_Right	19.58	21.08	30.00	PASS
n66	15	15	DFT-256QAM	M	Inner_Full	19.6	21.10	30.00	PASS
n66	15	15	DFT-256QAM	M	Outer_Full	19.66	21.16	30.00	PASS
n66	15	15	DFT-BPSK	H	Inner_1RB_Left	23.93	25.43	30.00	PASS
n66	15	15	DFT-BPSK	H	Inner_1RB_Right	23.95	25.45	30.00	PASS
n66	15	15	DFT-BPSK	H	Inner_Full	23.95	25.45	30.00	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	23.5	25.00	30.00	PASS
n66	15	15	DFT-QPSK	H	Inner_1RB_Left	23.95	25.45	30.00	PASS
n66	15	15	DFT-QPSK	H	Inner_1RB_Right	23.97	25.47	30.00	PASS
n66	15	15	DFT-QPSK	H	Inner_Full	23.94	25.44	30.00	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	22.96	24.46	30.00	PASS

n66	15	15	DFT-16QAM	H	Inner_1RB_Left	22.77	24.27	30.00	PASS
n66	15	15	DFT-16QAM	H	Inner_1RB_Right	22.9	24.40	30.00	PASS
n66	15	15	DFT-16QAM	H	Inner_Full	22.92	24.42	30.00	PASS
n66	15	15	DFT-16QAM	H	Outer_Full	21.97	23.47	30.00	PASS
n66	15	15	DFT-64QAM	H	Inner_1RB_Left	21.56	23.06	30.00	PASS
n66	15	15	DFT-64QAM	H	Inner_1RB_Right	21.66	23.16	30.00	PASS
n66	15	15	DFT-64QAM	H	Inner_Full	21.48	22.98	30.00	PASS
n66	15	15	DFT-64QAM	H	Outer_Full	21.48	22.98	30.00	PASS
n66	15	15	DFT-256QAM	H	Inner_1RB_Left	19.47	20.97	30.00	PASS
n66	15	15	DFT-256QAM	H	Inner_1RB_Right	19.53	21.03	30.00	PASS
n66	15	15	DFT-256QAM	H	Inner_Full	19.54	21.04	30.00	PASS
n66	15	15	DFT-256QAM	H	Outer_Full	19.59	21.09	30.00	PASS
n66	15	20	DFT-BPSK	L	Inner_1RB_Left	24.14	25.64	30.00	PASS
n66	15	20	DFT-BPSK	L	Inner_1RB_Right	24.06	25.56	30.00	PASS
n66	15	20	DFT-BPSK	L	Inner_Full	24.2	25.70	30.00	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	23.65	25.15	30.00	PASS
n66	15	20	DFT-QPSK	L	Inner_1RB_Left	24.25	25.75	30.00	PASS
n66	15	20	DFT-QPSK	L	Inner_1RB_Right	24.14	25.64	30.00	PASS
n66	15	20	DFT-QPSK	L	Inner_Full	24.17	25.67	30.00	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	23.14	24.64	30.00	PASS
n66	15	20	DFT-16QAM	L	Inner_1RB_Left	23.04	24.54	30.00	PASS
n66	15	20	DFT-16QAM	L	Inner_1RB_Right	22.95	24.45	30.00	PASS
n66	15	20	DFT-16QAM	L	Inner_Full	23.1	24.60	30.00	PASS
n66	15	20	DFT-16QAM	L	Outer_Full	22.18	23.68	30.00	PASS
n66	15	20	DFT-64QAM	L	Inner_1RB_Left	21.84	23.34	30.00	PASS
n66	15	20	DFT-64QAM	L	Inner_1RB_Right	21.76	23.26	30.00	PASS
n66	15	20	DFT-64QAM	L	Inner_Full	21.71	23.21	30.00	PASS
n66	15	20	DFT-64QAM	L	Outer_Full	21.65	23.15	30.00	PASS
n66	15	20	DFT-256QAM	L	Inner_1RB_Left	19.69	21.19	30.00	PASS
n66	15	20	DFT-256QAM	L	Inner_1RB_Right	19.63	21.13	30.00	PASS
n66	15	20	DFT-256QAM	L	Inner_Full	19.76	21.26	30.00	PASS
n66	15	20	DFT-256QAM	L	Outer_Full	19.76	21.26	30.00	PASS
n66	15	20	DFT-BPSK	M	Inner_1RB_Left	23.96	25.46	30.00	PASS
n66	15	20	DFT-BPSK	M	Inner_1RB_Right	24.06	25.56	30.00	PASS
n66	15	20	DFT-BPSK	M	Inner_Full	24.06	25.56	30.00	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	23.57	25.07	30.00	PASS
n66	15	20	DFT-QPSK	M	Inner_1RB_Left	24.04	25.54	30.00	PASS
n66	15	20	DFT-QPSK	M	Inner_1RB_Right	24.08	25.58	30.00	PASS
n66	15	20	DFT-QPSK	M	Inner_Full	24.08	25.58	30.00	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	23.05	24.55	30.00	PASS
n66	15	20	DFT-16QAM	M	Inner_1RB_Left	22.84	24.34	30.00	PASS
n66	15	20	DFT-16QAM	M	Inner_1RB_Right	22.89	24.39	30.00	PASS
n66	15	20	DFT-16QAM	M	Inner_Full	23.04	24.54	30.00	PASS
n66	15	20	DFT-16QAM	M	Outer_Full	22.04	23.54	30.00	PASS

n66	15	20	DFT-64QAM	M	Inner_1RB_Left	21.64	23.14	30.00	PASS
n66	15	20	DFT-64QAM	M	Inner_1RB_Right	21.72	23.22	30.00	PASS
n66	15	20	DFT-64QAM	M	Inner_Full	21.52	23.02	30.00	PASS
n66	15	20	DFT-64QAM	M	Outer_Full	21.54	23.04	30.00	PASS
n66	15	20	DFT-256QAM	M	Inner_1RB_Left	19.48	20.98	30.00	PASS
n66	15	20	DFT-256QAM	M	Inner_1RB_Right	19.59	21.09	30.00	PASS
n66	15	20	DFT-256QAM	M	Inner_Full	19.67	21.17	30.00	PASS
n66	15	20	DFT-256QAM	M	Outer_Full	19.63	21.13	30.00	PASS
n66	15	20	DFT-BPSK	H	Inner_1RB_Left	23.94	25.44	30.00	PASS
n66	15	20	DFT-BPSK	H	Inner_1RB_Right	23.99	25.49	30.00	PASS
n66	15	20	DFT-BPSK	H	Inner_Full	23.97	25.47	30.00	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	23.47	24.97	30.00	PASS
n66	15	20	DFT-QPSK	H	Inner_1RB_Left	23.97	25.47	30.00	PASS
n66	15	20	DFT-QPSK	H	Inner_1RB_Right	24.03	25.53	30.00	PASS
n66	15	20	DFT-QPSK	H	Inner_Full	23.97	25.47	30.00	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	22.92	24.42	30.00	PASS
n66	15	20	DFT-16QAM	H	Inner_1RB_Left	22.79	24.29	30.00	PASS
n66	15	20	DFT-16QAM	H	Inner_1RB_Right	22.84	24.34	30.00	PASS
n66	15	20	DFT-16QAM	H	Inner_Full	22.93	24.43	30.00	PASS
n66	15	20	DFT-16QAM	H	Outer_Full	21.93	23.43	30.00	PASS
n66	15	20	DFT-64QAM	H	Inner_1RB_Left	21.6	23.10	30.00	PASS
n66	15	20	DFT-64QAM	H	Inner_1RB_Right	21.64	23.14	30.00	PASS
n66	15	20	DFT-64QAM	H	Inner_Full	21.45	22.95	30.00	PASS
n66	15	20	DFT-64QAM	H	Outer_Full	21.46	22.96	30.00	PASS
n66	15	20	DFT-256QAM	H	Inner_1RB_Left	19.51	21.01	30.00	PASS
n66	15	20	DFT-256QAM	H	Inner_1RB_Right	19.54	21.04	30.00	PASS
n66	15	20	DFT-256QAM	H	Inner_Full	19.6	21.10	30.00	PASS
n66	15	20	DFT-256QAM	H	Outer_Full	19.56	21.06	30.00	PASS
n66	15	25	DFT-BPSK	L	Inner_1RB_Left	24.19	25.69	30.00	PASS
n66	15	25	DFT-BPSK	L	Inner_1RB_Right	24.12	25.62	30.00	PASS
n66	15	25	DFT-BPSK	L	Inner_Full	24.25	25.75	30.00	PASS
n66	15	25	DFT-BPSK	L	Outer_Full	23.65	25.15	30.00	PASS
n66	15	25	DFT-QPSK	L	Inner_1RB_Left	24.3	25.80	30.00	PASS
n66	15	25	DFT-QPSK	L	Inner_1RB_Right	24.14	25.64	30.00	PASS
n66	15	25	DFT-QPSK	L	Inner_Full	24.21	25.71	30.00	PASS
n66	15	25	DFT-QPSK	L	Outer_Full	23.18	24.68	30.00	PASS
n66	15	25	DFT-16QAM	L	Inner_1RB_Left	23.09	24.59	30.00	PASS
n66	15	25	DFT-16QAM	L	Inner_1RB_Right	22.97	24.47	30.00	PASS
n66	15	25	DFT-16QAM	L	Inner_Full	23.2	24.70	30.00	PASS
n66	15	25	DFT-16QAM	L	Outer_Full	22.21	23.71	30.00	PASS
n66	15	25	DFT-64QAM	L	Inner_1RB_Left	21.88	23.38	30.00	PASS
n66	15	25	DFT-64QAM	L	Inner_1RB_Right	21.79	23.29	30.00	PASS
n66	15	25	DFT-64QAM	L	Inner_Full	21.73	23.23	30.00	PASS
n66	15	25	DFT-64QAM	L	Outer_Full	21.7	23.20	30.00	PASS

n66	15	25	DFT-256QAM	L	Inner_1RB_Left	19.78	21.28	30.00	PASS
n66	15	25	DFT-256QAM	L	Inner_1RB_Right	19.65	21.15	30.00	PASS
n66	15	25	DFT-256QAM	L	Inner_Full	19.81	21.31	30.00	PASS
n66	15	25	DFT-256QAM	L	Outer_Full	19.82	21.32	30.00	PASS
n66	15	25	DFT-BPSK	M	Inner_1RB_Left	24.05	25.55	30.00	PASS
n66	15	25	DFT-BPSK	M	Inner_1RB_Right	24.08	25.58	30.00	PASS
n66	15	25	DFT-BPSK	M	Inner_Full	24.14	25.64	30.00	PASS
n66	15	25	DFT-BPSK	M	Outer_Full	23.59	25.09	30.00	PASS
n66	15	25	DFT-QPSK	M	Inner_1RB_Left	24.12	25.62	30.00	PASS
n66	15	25	DFT-QPSK	M	Inner_1RB_Right	24.11	25.61	30.00	PASS
n66	15	25	DFT-QPSK	M	Inner_Full	24.13	25.63	30.00	PASS
n66	15	25	DFT-QPSK	M	Outer_Full	23.07	24.57	30.00	PASS
n66	15	25	DFT-16QAM	M	Inner_1RB_Left	22.9	24.40	30.00	PASS
n66	15	25	DFT-16QAM	M	Inner_1RB_Right	22.94	24.44	30.00	PASS
n66	15	25	DFT-16QAM	M	Inner_Full	23.12	24.62	30.00	PASS
n66	15	25	DFT-16QAM	M	Outer_Full	22.14	23.64	30.00	PASS
n66	15	25	DFT-64QAM	M	Inner_1RB_Left	21.71	23.21	30.00	PASS
n66	15	25	DFT-64QAM	M	Inner_1RB_Right	21.77	23.27	30.00	PASS
n66	15	25	DFT-64QAM	M	Inner_Full	21.67	23.17	30.00	PASS
n66	15	25	DFT-64QAM	M	Outer_Full	21.62	23.12	30.00	PASS
n66	15	25	DFT-256QAM	M	Inner_1RB_Left	19.59	21.09	30.00	PASS
n66	15	25	DFT-256QAM	M	Inner_1RB_Right	19.61	21.11	30.00	PASS
n66	15	25	DFT-256QAM	M	Inner_Full	19.78	21.28	30.00	PASS
n66	15	25	DFT-256QAM	M	Outer_Full	19.69	21.19	30.00	PASS
n66	15	25	DFT-BPSK	H	Inner_1RB_Left	24.08	25.58	30.00	PASS
n66	15	25	DFT-BPSK	H	Inner_1RB_Right	24.07	25.57	30.00	PASS
n66	15	25	DFT-BPSK	H	Inner_Full	24.08	25.58	30.00	PASS
n66	15	25	DFT-BPSK	H	Outer_Full	23.5	25.00	30.00	PASS
n66	15	25	DFT-QPSK	H	Inner_1RB_Left	24.06	25.56	30.00	PASS
n66	15	25	DFT-QPSK	H	Inner_1RB_Right	24.08	25.58	30.00	PASS
n66	15	25	DFT-QPSK	H	Inner_Full	24.07	25.57	30.00	PASS
n66	15	25	DFT-QPSK	H	Outer_Full	23.03	24.53	30.00	PASS
n66	15	25	DFT-16QAM	H	Inner_1RB_Left	22.97	24.47	30.00	PASS
n66	15	25	DFT-16QAM	H	Inner_1RB_Right	23.04	24.54	30.00	PASS
n66	15	25	DFT-16QAM	H	Inner_Full	23.06	24.56	30.00	PASS
n66	15	25	DFT-16QAM	H	Outer_Full	22.04	23.54	30.00	PASS
n66	15	25	DFT-64QAM	H	Inner_1RB_Left	21.7	23.20	30.00	PASS
n66	15	25	DFT-64QAM	H	Inner_1RB_Right	21.73	23.23	30.00	PASS
n66	15	25	DFT-64QAM	H	Inner_Full	21.58	23.08	30.00	PASS
n66	15	25	DFT-64QAM	H	Outer_Full	21.52	23.02	30.00	PASS
n66	15	25	DFT-256QAM	H	Inner_1RB_Left	19.57	21.07	30.00	PASS
n66	15	25	DFT-256QAM	H	Inner_1RB_Right	19.6	21.10	30.00	PASS
n66	15	25	DFT-256QAM	H	Inner_Full	19.67	21.17	30.00	PASS
n66	15	25	DFT-256QAM	H	Outer_Full	19.63	21.13	30.00	PASS

n66	15	30	DFT-BPSK	L	Inner_1RB_Left	24.12	25.62	30.00	PASS
n66	15	30	DFT-BPSK	L	Inner_1RB_Right	24.07	25.57	30.00	PASS
n66	15	30	DFT-BPSK	L	Inner_Full	24.19	25.69	30.00	PASS
n66	15	30	DFT-BPSK	L	Outer_Full	23.67	25.17	30.00	PASS
n66	15	30	DFT-QPSK	L	Inner_1RB_Left	24.15	25.65	30.00	PASS
n66	15	30	DFT-QPSK	L	Inner_1RB_Right	24.14	25.64	30.00	PASS
n66	15	30	DFT-QPSK	L	Inner_Full	24.15	25.65	30.00	PASS
n66	15	30	DFT-QPSK	L	Outer_Full	23.16	24.66	30.00	PASS
n66	15	30	DFT-16QAM	L	Inner_1RB_Left	23.02	24.52	30.00	PASS
n66	15	30	DFT-16QAM	L	Inner_1RB_Right	22.92	24.42	30.00	PASS
n66	15	30	DFT-16QAM	L	Inner_Full	23.16	24.66	30.00	PASS
n66	15	30	DFT-16QAM	L	Outer_Full	22.17	23.67	30.00	PASS
n66	15	30	DFT-64QAM	L	Inner_1RB_Left	21.84	23.34	30.00	PASS
n66	15	30	DFT-64QAM	L	Inner_1RB_Right	21.77	23.27	30.00	PASS
n66	15	30	DFT-64QAM	L	Inner_Full	21.66	23.16	30.00	PASS
n66	15	30	DFT-64QAM	L	Outer_Full	21.64	23.14	30.00	PASS
n66	15	30	DFT-256QAM	L	Inner_1RB_Left	19.67	21.17	30.00	PASS
n66	15	30	DFT-256QAM	L	Inner_1RB_Right	19.6	21.10	30.00	PASS
n66	15	30	DFT-256QAM	L	Inner_Full	19.82	21.32	30.00	PASS
n66	15	30	DFT-256QAM	L	Outer_Full	19.78	21.28	30.00	PASS
n66	15	30	DFT-BPSK	M	Inner_1RB_Left	23.98	25.48	30.00	PASS
n66	15	30	DFT-BPSK	M	Inner_1RB_Right	24.06	25.56	30.00	PASS
n66	15	30	DFT-BPSK	M	Inner_Full	24.15	25.65	30.00	PASS
n66	15	30	DFT-BPSK	M	Outer_Full	23.62	25.12	30.00	PASS
n66	15	30	DFT-QPSK	M	Inner_1RB_Left	24.01	25.51	30.00	PASS
n66	15	30	DFT-QPSK	M	Inner_1RB_Right	24.1	25.60	30.00	PASS
n66	15	30	DFT-QPSK	M	Inner_Full	24.07	25.57	30.00	PASS
n66	15	30	DFT-QPSK	M	Outer_Full	23.08	24.58	30.00	PASS
n66	15	30	DFT-16QAM	M	Inner_1RB_Left	22.87	24.37	30.00	PASS
n66	15	30	DFT-16QAM	M	Inner_1RB_Right	22.93	24.43	30.00	PASS
n66	15	30	DFT-16QAM	M	Inner_Full	23.11	24.61	30.00	PASS
n66	15	30	DFT-16QAM	M	Outer_Full	22.11	23.61	30.00	PASS
n66	15	30	DFT-64QAM	M	Inner_1RB_Left	21.66	23.16	30.00	PASS
n66	15	30	DFT-64QAM	M	Inner_1RB_Right	21.71	23.21	30.00	PASS
n66	15	30	DFT-64QAM	M	Inner_Full	21.59	23.09	30.00	PASS
n66	15	30	DFT-64QAM	M	Outer_Full	21.62	23.12	30.00	PASS
n66	15	30	DFT-256QAM	M	Inner_1RB_Left	19.52	21.02	30.00	PASS
n66	15	30	DFT-256QAM	M	Inner_1RB_Right	19.61	21.11	30.00	PASS
n66	15	30	DFT-256QAM	M	Inner_Full	19.75	21.25	30.00	PASS
n66	15	30	DFT-256QAM	M	Outer_Full	19.7	21.20	30.00	PASS
n66	15	30	DFT-BPSK	H	Inner_1RB_Left	23.97	25.47	30.00	PASS
n66	15	30	DFT-BPSK	H	Inner_1RB_Right	24.02	25.52	30.00	PASS
n66	15	30	DFT-BPSK	H	Inner_Full	24.08	25.58	30.00	PASS
n66	15	30	DFT-BPSK	H	Outer_Full	23.54	25.04	30.00	PASS

n66	15	30	DFT-QPSK	H	Inner_1RB_Left	24.01	25.51	30.00	PASS
n66	15	30	DFT-QPSK	H	Inner_1RB_Right	24.09	25.59	30.00	PASS
n66	15	30	DFT-QPSK	H	Inner_Full	24.03	25.53	30.00	PASS
n66	15	30	DFT-QPSK	H	Outer_Full	23.04	24.54	30.00	PASS
n66	15	30	DFT-16QAM	H	Inner_1RB_Left	22.87	24.37	30.00	PASS
n66	15	30	DFT-16QAM	H	Inner_1RB_Right	22.88	24.38	30.00	PASS
n66	15	30	DFT-16QAM	H	Inner_Full	23.07	24.57	30.00	PASS
n66	15	30	DFT-16QAM	H	Outer_Full	22.04	23.54	30.00	PASS
n66	15	30	DFT-64QAM	H	Inner_1RB_Left	21.64	23.14	30.00	PASS
n66	15	30	DFT-64QAM	H	Inner_1RB_Right	21.72	23.22	30.00	PASS
n66	15	30	DFT-64QAM	H	Inner_Full	21.58	23.08	30.00	PASS
n66	15	30	DFT-64QAM	H	Outer_Full	21.58	23.08	30.00	PASS
n66	15	30	DFT-256QAM	H	Inner_1RB_Left	19.56	21.06	30.00	PASS
n66	15	30	DFT-256QAM	H	Inner_1RB_Right	19.59	21.09	30.00	PASS
n66	15	30	DFT-256QAM	H	Inner_Full	19.68	21.18	30.00	PASS
n66	15	30	DFT-256QAM	H	Outer_Full	19.65	21.15	30.00	PASS
n66	15	35	DFT-BPSK	L	Inner_1RB_Left	24.05	25.55	30.00	PASS
n66	15	35	DFT-BPSK	L	Inner_1RB_Right	24.01	25.51	30.00	PASS
n66	15	35	DFT-BPSK	L	Inner_Full	24.16	25.66	30.00	PASS
n66	15	35	DFT-BPSK	L	Outer_Full	23.62	25.12	30.00	PASS
n66	15	35	DFT-QPSK	L	Inner_1RB_Left	24.09	25.59	30.00	PASS
n66	15	35	DFT-QPSK	L	Inner_1RB_Right	24.05	25.55	30.00	PASS
n66	15	35	DFT-QPSK	L	Inner_Full	24.13	25.63	30.00	PASS
n66	15	35	DFT-QPSK	L	Outer_Full	23.12	24.62	30.00	PASS
n66	15	35	DFT-16QAM	L	Inner_1RB_Left	22.91	24.41	30.00	PASS
n66	15	35	DFT-16QAM	L	Inner_1RB_Right	22.89	24.39	30.00	PASS
n66	15	35	DFT-16QAM	L	Inner_Full	23.14	24.64	30.00	PASS
n66	15	35	DFT-16QAM	L	Outer_Full	22.14	23.64	30.00	PASS
n66	15	35	DFT-64QAM	L	Inner_1RB_Left	21.77	23.27	30.00	PASS
n66	15	35	DFT-64QAM	L	Inner_1RB_Right	21.69	23.19	30.00	PASS
n66	15	35	DFT-64QAM	L	Inner_Full	21.64	23.14	30.00	PASS
n66	15	35	DFT-64QAM	L	Outer_Full	21.62	23.12	30.00	PASS
n66	15	35	DFT-256QAM	L	Inner_1RB_Left	19.64	21.14	30.00	PASS
n66	15	35	DFT-256QAM	L	Inner_1RB_Right	19.59	21.09	30.00	PASS
n66	15	35	DFT-256QAM	L	Inner_Full	19.8	21.30	30.00	PASS
n66	15	35	DFT-256QAM	L	Outer_Full	19.76	21.26	30.00	PASS
n66	15	35	DFT-BPSK	M	Inner_1RB_Left	23.94	25.44	30.00	PASS
n66	15	35	DFT-BPSK	M	Inner_1RB_Right	24.03	25.53	30.00	PASS
n66	15	35	DFT-BPSK	M	Inner_Full	24.12	25.62	30.00	PASS
n66	15	35	DFT-BPSK	M	Outer_Full	23.58	25.08	30.00	PASS
n66	15	35	DFT-QPSK	M	Inner_1RB_Left	24	25.50	30.00	PASS
n66	15	35	DFT-QPSK	M	Inner_1RB_Right	24.05	25.55	30.00	PASS
n66	15	35	DFT-QPSK	M	Inner_Full	24.07	25.57	30.00	PASS
n66	15	35	DFT-QPSK	M	Outer_Full	23.09	24.59	30.00	PASS

n66	15	35	DFT-16QAM	M	Inner_1RB_Left	22.81	24.31	30.00	PASS
n66	15	35	DFT-16QAM	M	Inner_1RB_Right	22.88	24.38	30.00	PASS
n66	15	35	DFT-16QAM	M	Inner_Full	23.09	24.59	30.00	PASS
n66	15	35	DFT-16QAM	M	Outer_Full	22.14	23.64	30.00	PASS
n66	15	35	DFT-64QAM	M	Inner_1RB_Left	21.58	23.08	30.00	PASS
n66	15	35	DFT-64QAM	M	Inner_1RB_Right	21.71	23.21	30.00	PASS
n66	15	35	DFT-64QAM	M	Inner_Full	21.58	23.08	30.00	PASS
n66	15	35	DFT-64QAM	M	Outer_Full	21.59	23.09	30.00	PASS
n66	15	35	DFT-256QAM	M	Inner_1RB_Left	19.46	20.96	30.00	PASS
n66	15	35	DFT-256QAM	M	Inner_1RB_Right	19.5	21.00	30.00	PASS
n66	15	35	DFT-256QAM	M	Inner_Full	19.74	21.24	30.00	PASS
n66	15	35	DFT-256QAM	M	Outer_Full	19.7	21.20	30.00	PASS
n66	15	35	DFT-BPSK	H	Inner_1RB_Left	24.05	25.55	30.00	PASS
n66	15	35	DFT-BPSK	H	Inner_1RB_Right	24.03	25.53	30.00	PASS
n66	15	35	DFT-BPSK	H	Inner_Full	24.15	25.65	30.00	PASS
n66	15	35	DFT-BPSK	H	Outer_Full	23.63	25.13	30.00	PASS
n66	15	35	DFT-QPSK	H	Inner_1RB_Left	24.1	25.60	30.00	PASS
n66	15	35	DFT-QPSK	H	Inner_1RB_Right	24.08	25.58	30.00	PASS
n66	15	35	DFT-QPSK	H	Inner_Full	24.11	25.61	30.00	PASS
n66	15	35	DFT-QPSK	H	Outer_Full	23.11	24.61	30.00	PASS
n66	15	35	DFT-16QAM	H	Inner_1RB_Left	22.94	24.44	30.00	PASS
n66	15	35	DFT-16QAM	H	Inner_1RB_Right	22.9	24.40	30.00	PASS
n66	15	35	DFT-16QAM	H	Inner_Full	23.14	24.64	30.00	PASS
n66	15	35	DFT-16QAM	H	Outer_Full	22.16	23.66	30.00	PASS
n66	15	35	DFT-64QAM	H	Inner_1RB_Left	21.74	23.24	30.00	PASS
n66	15	35	DFT-64QAM	H	Inner_1RB_Right	21.73	23.23	30.00	PASS
n66	15	35	DFT-64QAM	H	Inner_Full	21.64	23.14	30.00	PASS
n66	15	35	DFT-64QAM	H	Outer_Full	21.63	23.13	30.00	PASS
n66	15	35	DFT-256QAM	H	Inner_1RB_Left	19.65	21.15	30.00	PASS
n66	15	35	DFT-256QAM	H	Inner_1RB_Right	19.57	21.07	30.00	PASS
n66	15	35	DFT-256QAM	H	Inner_Full	19.8	21.30	30.00	PASS
n66	15	35	DFT-256QAM	H	Outer_Full	19.74	21.24	30.00	PASS
n66	15	40	DFT-BPSK	L	Inner_1RB_Left	24.16	25.66	30.00	PASS
n66	15	40	DFT-BPSK	L	Inner_1RB_Right	24.13	25.63	30.00	PASS
n66	15	40	DFT-BPSK	L	Inner_Full	24.17	25.67	30.00	PASS
n66	15	40	DFT-BPSK	L	Outer_Full	23.61	25.11	30.00	PASS
n66	15	40	DFT-QPSK	L	Inner_1RB_Left	24.2	25.70	30.00	PASS
n66	15	40	DFT-QPSK	L	Inner_1RB_Right	24.17	25.67	30.00	PASS
n66	15	40	DFT-QPSK	L	Inner_Full	24.12	25.62	30.00	PASS
n66	15	40	DFT-QPSK	L	Outer_Full	23.11	24.61	30.00	PASS
n66	15	40	DFT-16QAM	L	Inner_1RB_Left	23.02	24.52	30.00	PASS
n66	15	40	DFT-16QAM	L	Inner_1RB_Right	22.98	24.48	30.00	PASS
n66	15	40	DFT-16QAM	L	Inner_Full	23.14	24.64	30.00	PASS
n66	15	40	DFT-16QAM	L	Outer_Full	22.13	23.63	30.00	PASS

n66	15	40	DFT-64QAM	L	Inner_1RB_Left	21.85	23.35	30.00	PASS
n66	15	40	DFT-64QAM	L	Inner_1RB_Right	21.83	23.33	30.00	PASS
n66	15	40	DFT-64QAM	L	Inner_Full	21.63	23.13	30.00	PASS
n66	15	40	DFT-64QAM	L	Outer_Full	21.6	23.10	30.00	PASS
n66	15	40	DFT-256QAM	L	Inner_1RB_Left	19.71	21.21	30.00	PASS
n66	15	40	DFT-256QAM	L	Inner_1RB_Right	19.68	21.18	30.00	PASS
n66	15	40	DFT-256QAM	L	Inner_Full	19.78	21.28	30.00	PASS
n66	15	40	DFT-256QAM	L	Outer_Full	19.72	21.22	30.00	PASS
n66	15	40	DFT-BPSK	M	Inner_1RB_Left	24.05	25.55	30.00	PASS
n66	15	40	DFT-BPSK	M	Inner_1RB_Right	24.07	25.57	30.00	PASS
n66	15	40	DFT-BPSK	M	Inner_Full	24.12	25.62	30.00	PASS
n66	15	40	DFT-BPSK	M	Outer_Full	23.59	25.09	30.00	PASS
n66	15	40	DFT-QPSK	M	Inner_1RB_Left	24.11	25.61	30.00	PASS
n66	15	40	DFT-QPSK	M	Inner_1RB_Right	24.11	25.61	30.00	PASS
n66	15	40	DFT-QPSK	M	Inner_Full	24.12	25.62	30.00	PASS
n66	15	40	DFT-QPSK	M	Outer_Full	23.09	24.59	30.00	PASS
n66	15	40	DFT-16QAM	M	Inner_1RB_Left	22.92	24.42	30.00	PASS
n66	15	40	DFT-16QAM	M	Inner_1RB_Right	22.91	24.41	30.00	PASS
n66	15	40	DFT-16QAM	M	Inner_Full	23.09	24.59	30.00	PASS
n66	15	40	DFT-16QAM	M	Outer_Full	22.11	23.61	30.00	PASS
n66	15	40	DFT-64QAM	M	Inner_1RB_Left	21.75	23.25	30.00	PASS
n66	15	40	DFT-64QAM	M	Inner_1RB_Right	21.77	23.27	30.00	PASS
n66	15	40	DFT-64QAM	M	Inner_Full	21.58	23.08	30.00	PASS
n66	15	40	DFT-64QAM	M	Outer_Full	21.57	23.07	30.00	PASS
n66	15	40	DFT-256QAM	M	Inner_1RB_Left	19.61	21.11	30.00	PASS
n66	15	40	DFT-256QAM	M	Inner_1RB_Right	19.61	21.11	30.00	PASS
n66	15	40	DFT-256QAM	M	Inner_Full	19.75	21.25	30.00	PASS
n66	15	40	DFT-256QAM	M	Outer_Full	19.71	21.21	30.00	PASS
n66	15	40	DFT-BPSK	H	Inner_1RB_Left	24	25.50	30.00	PASS
n66	15	40	DFT-BPSK	H	Inner_1RB_Right	24.08	25.58	30.00	PASS
n66	15	40	DFT-BPSK	H	Inner_Full	24.11	25.61	30.00	PASS
n66	15	40	DFT-BPSK	H	Outer_Full	23.51	25.01	30.00	PASS
n66	15	40	DFT-QPSK	H	Inner_1RB_Left	24.05	25.55	30.00	PASS
n66	15	40	DFT-QPSK	H	Inner_1RB_Right	24.13	25.63	30.00	PASS
n66	15	40	DFT-QPSK	H	Inner_Full	24.12	25.62	30.00	PASS
n66	15	40	DFT-QPSK	H	Outer_Full	23.04	24.54	30.00	PASS
n66	15	40	DFT-16QAM	H	Inner_1RB_Left	22.87	24.37	30.00	PASS
n66	15	40	DFT-16QAM	H	Inner_1RB_Right	22.96	24.46	30.00	PASS
n66	15	40	DFT-16QAM	H	Inner_Full	23.08	24.58	30.00	PASS
n66	15	40	DFT-16QAM	H	Outer_Full	22.06	23.56	30.00	PASS
n66	15	40	DFT-64QAM	H	Inner_1RB_Left	21.67	23.17	30.00	PASS
n66	15	40	DFT-64QAM	H	Inner_1RB_Right	21.79	23.29	30.00	PASS
n66	15	40	DFT-64QAM	H	Inner_Full	21.59	23.09	30.00	PASS
n66	15	40	DFT-64QAM	H	Outer_Full	21.55	23.05	30.00	PASS

n66	15	40	DFT-256QAM	H	Inner_1RB_Left	19.51	21.01	30.00	PASS
n66	15	40	DFT-256QAM	H	Inner_1RB_Right	19.62	21.12	30.00	PASS
n66	15	40	DFT-256QAM	H	Inner_Full	19.69	21.19	30.00	PASS
n66	15	40	DFT-256QAM	H	Outer_Full	19.61	21.11	30.00	PASS
n66	15	45	DFT-BPSK	L	Inner_1RB_Left	24	25.50	30.00	PASS
n66	15	45	DFT-BPSK	L	Inner_1RB_Right	23.93	25.43	30.00	PASS
n66	15	45	DFT-BPSK	L	Inner_Full	24.08	25.58	30.00	PASS
n66	15	45	DFT-BPSK	L	Outer_Full	23.52	25.02	30.00	PASS
n66	15	45	DFT-QPSK	L	Inner_1RB_Left	23.97	25.47	30.00	PASS
n66	15	45	DFT-QPSK	L	Inner_1RB_Right	23.87	25.37	30.00	PASS
n66	15	45	DFT-QPSK	L	Inner_Full	24.07	25.57	30.00	PASS
n66	15	45	DFT-QPSK	L	Outer_Full	23.04	24.54	30.00	PASS
n66	15	45	DFT-16QAM	L	Inner_1RB_Left	23.15	24.65	30.00	PASS
n66	15	45	DFT-16QAM	L	Inner_1RB_Right	23.2	24.70	30.00	PASS
n66	15	45	DFT-16QAM	L	Inner_Full	23.09	24.59	30.00	PASS
n66	15	45	DFT-16QAM	L	Outer_Full	22.05	23.55	30.00	PASS
n66	15	45	DFT-64QAM	L	Inner_1RB_Left	21.69	23.19	30.00	PASS
n66	15	45	DFT-64QAM	L	Inner_1RB_Right	21.6	23.10	30.00	PASS
n66	15	45	DFT-64QAM	L	Inner_Full	21.59	23.09	30.00	PASS
n66	15	45	DFT-64QAM	L	Outer_Full	21.57	23.07	30.00	PASS
n66	15	45	DFT-256QAM	L	Inner_1RB_Left	19.46	20.96	30.00	PASS
n66	15	45	DFT-256QAM	L	Inner_1RB_Right	19.35	20.85	30.00	PASS
n66	15	45	DFT-256QAM	L	Inner_Full	19.66	21.16	30.00	PASS
n66	15	45	DFT-256QAM	L	Outer_Full	19.61	21.11	30.00	PASS
n66	15	45	DFT-BPSK	M	Inner_1RB_Left	24.03	25.53	30.00	PASS
n66	15	45	DFT-BPSK	M	Inner_1RB_Right	23.83	25.33	30.00	PASS
n66	15	45	DFT-BPSK	M	Inner_Full	24.04	25.54	30.00	PASS
n66	15	45	DFT-BPSK	M	Outer_Full	23.58	25.08	30.00	PASS
n66	15	45	DFT-QPSK	M	Inner_1RB_Left	23.95	25.45	30.00	PASS
n66	15	45	DFT-QPSK	M	Inner_1RB_Right	23.8	25.30	30.00	PASS
n66	15	45	DFT-QPSK	M	Inner_Full	24.04	25.54	30.00	PASS
n66	15	45	DFT-QPSK	M	Outer_Full	23.1	24.60	30.00	PASS
n66	15	45	DFT-16QAM	M	Inner_1RB_Left	23.22	24.72	30.00	PASS
n66	15	45	DFT-16QAM	M	Inner_1RB_Right	23.01	24.51	30.00	PASS
n66	15	45	DFT-16QAM	M	Inner_Full	23.05	24.55	30.00	PASS
n66	15	45	DFT-16QAM	M	Outer_Full	22.08	23.58	30.00	PASS
n66	15	45	DFT-64QAM	M	Inner_1RB_Left	21.73	23.23	30.00	PASS
n66	15	45	DFT-64QAM	M	Inner_1RB_Right	21.52	23.02	30.00	PASS
n66	15	45	DFT-64QAM	M	Inner_Full	21.53	23.03	30.00	PASS
n66	15	45	DFT-64QAM	M	Outer_Full	21.57	23.07	30.00	PASS
n66	15	45	DFT-256QAM	M	Inner_1RB_Left	19.44	20.94	30.00	PASS
n66	15	45	DFT-256QAM	M	Inner_1RB_Right	19.3	20.80	30.00	PASS
n66	15	45	DFT-256QAM	M	Inner_Full	19.64	21.14	30.00	PASS
n66	15	45	DFT-256QAM	M	Outer_Full	19.62	21.12	30.00	PASS

n66	15	45	DFT-BPSK	H	Inner_1RB_Left	24.04	25.54	30.00	PASS
n66	15	45	DFT-BPSK	H	Inner_1RB_Right	23.84	25.34	30.00	PASS
n66	15	45	DFT-BPSK	H	Inner_Full	24.02	25.52	30.00	PASS
n66	15	45	DFT-BPSK	H	Outer_Full	23.51	25.01	30.00	PASS
n66	15	45	DFT-QPSK	H	Inner_1RB_Left	23.95	25.45	30.00	PASS
n66	15	45	DFT-QPSK	H	Inner_1RB_Right	23.82	25.32	30.00	PASS
n66	15	45	DFT-QPSK	H	Inner_Full	24	25.50	30.00	PASS
n66	15	45	DFT-QPSK	H	Outer_Full	22.99	24.49	30.00	PASS
n66	15	45	DFT-16QAM	H	Inner_1RB_Left	23.14	24.64	30.00	PASS
n66	15	45	DFT-16QAM	H	Inner_1RB_Right	23.05	24.55	30.00	PASS
n66	15	45	DFT-16QAM	H	Inner_Full	23.04	24.54	30.00	PASS
n66	15	45	DFT-16QAM	H	Outer_Full	22.04	23.54	30.00	PASS
n66	15	45	DFT-64QAM	H	Inner_1RB_Left	21.75	23.25	30.00	PASS
n66	15	45	DFT-64QAM	H	Inner_1RB_Right	21.61	23.11	30.00	PASS
n66	15	45	DFT-64QAM	H	Inner_Full	21.5	23.00	30.00	PASS
n66	15	45	DFT-64QAM	H	Outer_Full	21.51	23.01	30.00	PASS
n66	15	45	DFT-256QAM	H	Inner_1RB_Left	19.46	20.96	30.00	PASS
n66	15	45	DFT-256QAM	H	Inner_1RB_Right	19.36	20.86	30.00	PASS
n66	15	45	DFT-256QAM	H	Inner_Full	19.61	21.11	30.00	PASS
n66	15	45	DFT-256QAM	H	Outer_Full	19.54	21.04	30.00	PASS


Peak-to-Average Ratio for SA


Peak-to-Average Ratio(CCDF)


Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (dB)	Limit (dB)	Verdict
n66	15	45	DFT-BPSK	L	Outer_Full	6.32	≤13	PASS
n66	15	45	DFT-QPSK	L	Outer_Full	6.54	≤13	PASS
n66	15	45	DFT-16QAM	L	Outer_Full	6.99	≤13	PASS
n66	15	45	DFT-64QAM	L	Outer_Full	7.1	≤13	PASS
n66	15	45	DFT-256QAM	L	Outer_Full	7.13	≤13	PASS
n66	15	45	CP-QPSK	L	Outer_Full	8.21	≤13	PASS
n66	15	45	CP-16QAM	L	Outer_Full	8.28	≤13	PASS
n66	15	45	CP-64QAM	L	Outer_Full	8.15	≤13	PASS
n66	15	45	CP-256QAM	L	Outer_Full	8.4	≤13	PASS
n66	15	45	DFT-BPSK	M	Outer_Full	6.29	≤13	PASS
n66	15	45	DFT-QPSK	M	Outer_Full	6.54	≤13	PASS
n66	15	45	DFT-16QAM	M	Outer_Full	7.06	≤13	PASS
n66	15	45	DFT-64QAM	M	Outer_Full	7.17	≤13	PASS
n66	15	45	DFT-256QAM	M	Outer_Full	7.19	≤13	PASS
n66	15	45	CP-QPSK	M	Outer_Full	8.26	≤13	PASS
n66	15	45	CP-16QAM	M	Outer_Full	8.33	≤13	PASS
n66	15	45	CP-64QAM	M	Outer_Full	8.22	≤13	PASS
n66	15	45	CP-256QAM	M	Outer_Full	8.43	≤13	PASS
n66	15	45	DFT-BPSK	H	Outer_Full	6.09	≤13	PASS
n66	15	45	DFT-QPSK	H	Outer_Full	6.39	≤13	PASS
n66	15	45	DFT-16QAM	H	Outer_Full	7.03	≤13	PASS
n66	15	45	DFT-64QAM	H	Outer_Full	7.13	≤13	PASS
n66	15	45	DFT-256QAM	H	Outer_Full	7.15	≤13	PASS
n66	15	45	CP-QPSK	H	Outer_Full	8.21	≤13	PASS
n66	15	45	CP-16QAM	H	Outer_Full	8.31	≤13	PASS
n66	15	45	CP-64QAM	H	Outer_Full	8.15	≤13	PASS
n66	15	45	CP-256QAM	H	Outer_Full	8.41	≤13	PASS


Test Graphs











26dB Bandwidth and Occupied Bandwidth for SA**Test Result**

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
n66	15	5	DFT-BPSK	L	Outer_Full	4.4711	4.786	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	4.4646	4.820	PASS
n66	15	5	DFT-16QAM	L	Outer_Full	4.4813	4.834	PASS
n66	15	5	DFT-64QAM	L	Outer_Full	4.4958	4.779	PASS
n66	15	5	DFT-256QAM	L	Outer_Full	4.4936	4.804	PASS
n66	15	5	CP-QPSK	L	Outer_Full	4.4631	4.879	PASS
n66	15	5	CP-16QAM	L	Outer_Full	4.4656	4.798	PASS
n66	15	5	CP-64QAM	L	Outer_Full	4.4681	4.828	PASS
n66	15	5	CP-256QAM	L	Outer_Full	4.4794	4.828	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	4.4690	4.878	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	4.4684	4.798	PASS
n66	15	5	DFT-16QAM	M	Outer_Full	4.4802	4.840	PASS
n66	15	5	DFT-64QAM	M	Outer_Full	4.4898	5.012	PASS
n66	15	5	DFT-256QAM	M	Outer_Full	4.4852	4.812	PASS
n66	15	5	CP-QPSK	M	Outer_Full	4.4625	4.816	PASS
n66	15	5	CP-16QAM	M	Outer_Full	4.4655	4.809	PASS
n66	15	5	CP-64QAM	M	Outer_Full	4.4713	4.802	PASS
n66	15	5	CP-256QAM	M	Outer_Full	4.4757	4.828	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	4.4734	4.768	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	4.4661	4.814	PASS
n66	15	5	DFT-16QAM	H	Outer_Full	4.4802	4.850	PASS
n66	15	5	DFT-64QAM	H	Outer_Full	4.4982	4.791	PASS
n66	15	5	DFT-256QAM	H	Outer_Full	4.4924	4.804	PASS
n66	15	5	CP-QPSK	H	Outer_Full	4.4702	4.823	PASS
n66	15	5	CP-16QAM	H	Outer_Full	4.4679	4.857	PASS
n66	15	5	CP-64QAM	H	Outer_Full	4.4690	4.805	PASS
n66	15	5	CP-256QAM	H	Outer_Full	4.4765	4.829	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	8.9151	9.335	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	8.9255	9.400	PASS
n66	15	10	DFT-16QAM	L	Outer_Full	8.9123	9.372	PASS
n66	15	10	DFT-64QAM	L	Outer_Full	8.9013	9.383	PASS
n66	15	10	DFT-256QAM	L	Outer_Full	8.9112	9.391	PASS
n66	15	10	CP-QPSK	L	Outer_Full	9.2770	9.753	PASS
n66	15	10	CP-16QAM	L	Outer_Full	9.2871	9.801	PASS
n66	15	10	CP-64QAM	L	Outer_Full	9.2780	9.758	PASS
n66	15	10	CP-256QAM	L	Outer_Full	9.2769	9.764	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	8.9099	9.362	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	8.9294	9.367	PASS
n66	15	10	DFT-16QAM	M	Outer_Full	8.9163	9.507	PASS

n66	15	10	DFT-64QAM	M	Outer_Full	8.9163	9.328	PASS
n66	15	10	DFT-256QAM	M	Outer_Full	8.9070	9.342	PASS
n66	15	10	CP-QPSK	M	Outer_Full	9.2822	9.737	PASS
n66	15	10	CP-16QAM	M	Outer_Full	9.2918	9.811	PASS
n66	15	10	CP-64QAM	M	Outer_Full	9.2681	9.737	PASS
n66	15	10	CP-256QAM	M	Outer_Full	9.2731	9.749	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	8.9196	9.366	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	8.9284	9.379	PASS
n66	15	10	DFT-16QAM	H	Outer_Full	8.9254	9.455	PASS
n66	15	10	DFT-64QAM	H	Outer_Full	8.9138	9.414	PASS
n66	15	10	DFT-256QAM	H	Outer_Full	8.9203	9.427	PASS
n66	15	10	CP-QPSK	H	Outer_Full	9.2887	9.765	PASS
n66	15	10	CP-16QAM	H	Outer_Full	9.2937	9.757	PASS
n66	15	10	CP-64QAM	H	Outer_Full	9.2736	9.760	PASS
n66	15	10	CP-256QAM	H	Outer_Full	9.2742	9.777	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	13.371	13.99	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	13.374	14.00	PASS
n66	15	15	DFT-16QAM	L	Outer_Full	13.417	14.03	PASS
n66	15	15	DFT-64QAM	L	Outer_Full	13.382	13.98	PASS
n66	15	15	DFT-256QAM	L	Outer_Full	13.377	14.01	PASS
n66	15	15	CP-QPSK	L	Outer_Full	14.105	14.76	PASS
n66	15	15	CP-16QAM	L	Outer_Full	14.095	14.74	PASS
n66	15	15	CP-64QAM	L	Outer_Full	14.089	14.70	PASS
n66	15	15	CP-256QAM	L	Outer_Full	14.098	14.73	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	13.377	14.01	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	13.376	14.02	PASS
n66	15	15	DFT-16QAM	M	Outer_Full	13.425	14.01	PASS
n66	15	15	DFT-64QAM	M	Outer_Full	13.388	14.00	PASS
n66	15	15	DFT-256QAM	M	Outer_Full	13.387	14.09	PASS
n66	15	15	CP-QPSK	M	Outer_Full	14.103	14.73	PASS
n66	15	15	CP-16QAM	M	Outer_Full	14.122	14.72	PASS
n66	15	15	CP-64QAM	M	Outer_Full	14.102	15.32	PASS
n66	15	15	CP-256QAM	M	Outer_Full	14.107	14.64	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	13.376	14.01	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	13.381	14.04	PASS
n66	15	15	DFT-16QAM	H	Outer_Full	13.412	14.04	PASS
n66	15	15	DFT-64QAM	H	Outer_Full	13.395	13.96	PASS
n66	15	15	DFT-256QAM	H	Outer_Full	13.392	15.20	PASS
n66	15	15	CP-QPSK	H	Outer_Full	14.102	14.78	PASS
n66	15	15	CP-16QAM	H	Outer_Full	14.139	14.71	PASS
n66	15	15	CP-64QAM	H	Outer_Full	14.112	14.70	PASS
n66	15	15	CP-256QAM	H	Outer_Full	14.108	14.72	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	17.842	18.59	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	17.846	18.62	PASS

n66	15	20	DFT-16QAM	L	Outer_Full	17.829	18.63	PASS
n66	15	20	DFT-64QAM	L	Outer_Full	17.839	18.64	PASS
n66	15	20	DFT-256QAM	L	Outer_Full	17.838	18.63	PASS
n66	15	20	CP-QPSK	L	Outer_Full	18.890	19.63	PASS
n66	15	20	CP-16QAM	L	Outer_Full	18.914	19.74	PASS
n66	15	20	CP-64QAM	L	Outer_Full	18.897	19.75	PASS
n66	15	20	CP-256QAM	L	Outer_Full	18.900	19.73	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	17.849	18.67	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	17.854	18.57	PASS
n66	15	20	DFT-16QAM	M	Outer_Full	17.838	18.59	PASS
n66	15	20	DFT-64QAM	M	Outer_Full	17.857	18.67	PASS
n66	15	20	DFT-256QAM	M	Outer_Full	17.846	18.60	PASS
n66	15	20	CP-QPSK	M	Outer_Full	18.881	19.67	PASS
n66	15	20	CP-16QAM	M	Outer_Full	18.916	19.73	PASS
n66	15	20	CP-64QAM	M	Outer_Full	18.887	19.70	PASS
n66	15	20	CP-256QAM	M	Outer_Full	18.897	19.72	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	17.848	18.60	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	17.849	18.61	PASS
n66	15	20	DFT-16QAM	H	Outer_Full	17.843	18.69	PASS
n66	15	20	DFT-64QAM	H	Outer_Full	17.855	18.61	PASS
n66	15	20	DFT-256QAM	H	Outer_Full	17.840	18.62	PASS
n66	15	20	CP-QPSK	H	Outer_Full	18.894	19.70	PASS
n66	15	20	CP-16QAM	H	Outer_Full	18.921	19.75	PASS
n66	15	20	CP-64QAM	H	Outer_Full	18.885	19.71	PASS
n66	15	20	CP-256QAM	H	Outer_Full	18.901	19.71	PASS
n66	15	25	DFT-BPSK	L	Outer_Full	22.845	23.63	PASS
n66	15	25	DFT-QPSK	L	Outer_Full	22.833	23.73	PASS
n66	15	25	DFT-16QAM	L	Outer_Full	22.837	23.69	PASS
n66	15	25	DFT-64QAM	L	Outer_Full	22.830	23.71	PASS
n66	15	25	DFT-256QAM	L	Outer_Full	22.812	23.68	PASS
n66	15	25	CP-QPSK	L	Outer_Full	23.694	24.70	PASS
n66	15	25	CP-16QAM	L	Outer_Full	23.741	24.66	PASS
n66	15	25	CP-64QAM	L	Outer_Full	23.698	24.66	PASS
n66	15	25	CP-256QAM	L	Outer_Full	23.712	24.67	PASS
n66	15	25	DFT-BPSK	M	Outer_Full	22.889	23.78	PASS
n66	15	25	DFT-QPSK	M	Outer_Full	22.818	23.70	PASS
n66	15	25	DFT-16QAM	M	Outer_Full	22.839	23.76	PASS
n66	15	25	DFT-64QAM	M	Outer_Full	22.850	23.81	PASS
n66	15	25	DFT-256QAM	M	Outer_Full	22.830	24.01	PASS
n66	15	25	CP-QPSK	M	Outer_Full	23.709	24.60	PASS
n66	15	25	CP-16QAM	M	Outer_Full	23.726	24.65	PASS
n66	15	25	CP-64QAM	M	Outer_Full	23.710	24.59	PASS
n66	15	25	CP-256QAM	M	Outer_Full	23.719	24.59	PASS
n66	15	25	DFT-BPSK	H	Outer_Full	22.860	23.70	PASS

n66	15	25	DFT-QPSK	H	Outer_Full	22.810	23.73	PASS
n66	15	25	DFT-16QAM	H	Outer_Full	22.821	23.74	PASS
n66	15	25	DFT-64QAM	H	Outer_Full	22.810	23.70	PASS
n66	15	25	DFT-256QAM	H	Outer_Full	22.813	23.67	PASS
n66	15	25	CP-QPSK	H	Outer_Full	23.696	24.67	PASS
n66	15	25	CP-16QAM	H	Outer_Full	23.705	24.67	PASS
n66	15	25	CP-64QAM	H	Outer_Full	23.706	24.62	PASS
n66	15	25	CP-256QAM	H	Outer_Full	23.702	24.67	PASS
n66	15	30	DFT-BPSK	L	Outer_Full	28.517	29.66	PASS
n66	15	30	DFT-QPSK	L	Outer_Full	28.506	29.65	PASS
n66	15	30	DFT-16QAM	L	Outer_Full	28.513	29.71	PASS
n66	15	30	DFT-64QAM	L	Outer_Full	28.478	29.71	PASS
n66	15	30	DFT-256QAM	L	Outer_Full	28.476	29.69	PASS
n66	15	30	CP-QPSK	L	Outer_Full	28.457	29.75	PASS
n66	15	30	CP-16QAM	L	Outer_Full	28.560	29.82	PASS
n66	15	30	CP-64QAM	L	Outer_Full	28.457	29.72	PASS
n66	15	30	CP-256QAM	L	Outer_Full	28.480	29.69	PASS
n66	15	30	DFT-BPSK	M	Outer_Full	28.554	29.62	PASS
n66	15	30	DFT-QPSK	M	Outer_Full	28.540	29.69	PASS
n66	15	30	DFT-16QAM	M	Outer_Full	28.530	29.78	PASS
n66	15	30	DFT-64QAM	M	Outer_Full	28.514	29.65	PASS
n66	15	30	DFT-256QAM	M	Outer_Full	28.496	29.71	PASS
n66	15	30	CP-QPSK	M	Outer_Full	28.463	31.08	PASS
n66	15	30	CP-16QAM	M	Outer_Full	28.579	29.91	PASS
n66	15	30	CP-64QAM	M	Outer_Full	28.504	29.72	PASS
n66	15	30	CP-256QAM	M	Outer_Full	28.504	29.71	PASS
n66	15	30	DFT-BPSK	H	Outer_Full	28.496	29.65	PASS
n66	15	30	DFT-QPSK	H	Outer_Full	28.517	30.53	PASS
n66	15	30	DFT-16QAM	H	Outer_Full	28.522	29.72	PASS
n66	15	30	DFT-64QAM	H	Outer_Full	28.541	29.70	PASS
n66	15	30	DFT-256QAM	H	Outer_Full	28.481	29.66	PASS
n66	15	30	CP-QPSK	H	Outer_Full	28.465	30.29	PASS
n66	15	30	CP-16QAM	H	Outer_Full	28.595	30.20	PASS
n66	15	30	CP-64QAM	H	Outer_Full	28.495	29.85	PASS
n66	15	30	CP-256QAM	H	Outer_Full	28.473	29.68	PASS
n66	15	35	DFT-BPSK	L	Outer_Full	32.068	33.34	PASS
n66	15	35	DFT-QPSK	L	Outer_Full	32.072	33.41	PASS
n66	15	35	DFT-16QAM	L	Outer_Full	32.038	33.44	PASS
n66	15	35	DFT-64QAM	L	Outer_Full	32.070	33.32	PASS
n66	15	35	DFT-256QAM	L	Outer_Full	32.060	33.36	PASS
n66	15	35	CP-QPSK	L	Outer_Full	33.428	35.23	PASS
n66	15	35	CP-16QAM	L	Outer_Full	33.494	34.94	PASS
n66	15	35	CP-64QAM	L	Outer_Full	33.484	34.89	PASS
n66	15	35	CP-256QAM	L	Outer_Full	33.480	34.92	PASS

n66	15	35	DFT-BPSK	M	Outer_Full	32.129	33.36	PASS
n66	15	35	DFT-QPSK	M	Outer_Full	32.075	33.39	PASS
n66	15	35	DFT-16QAM	M	Outer_Full	32.100	33.44	PASS
n66	15	35	DFT-64QAM	M	Outer_Full	32.105	33.45	PASS
n66	15	35	DFT-256QAM	M	Outer_Full	32.099	33.45	PASS
n66	15	35	CP-QPSK	M	Outer_Full	33.511	34.90	PASS
n66	15	35	CP-16QAM	M	Outer_Full	33.534	34.90	PASS
n66	15	35	CP-64QAM	M	Outer_Full	33.542	35.30	PASS
n66	15	35	CP-256QAM	M	Outer_Full	33.552	35.01	PASS
n66	15	35	DFT-BPSK	H	Outer_Full	32.067	33.39	PASS
n66	15	35	DFT-QPSK	H	Outer_Full	32.019	33.33	PASS
n66	15	35	DFT-16QAM	H	Outer_Full	32.024	33.30	PASS
n66	15	35	DFT-64QAM	H	Outer_Full	32.063	33.40	PASS
n66	15	35	DFT-256QAM	H	Outer_Full	32.051	33.40	PASS
n66	15	35	CP-QPSK	H	Outer_Full	33.467	34.91	PASS
n66	15	35	CP-16QAM	H	Outer_Full	33.473	35.24	PASS
n66	15	35	CP-64QAM	H	Outer_Full	33.460	35.17	PASS
n66	15	35	CP-256QAM	H	Outer_Full	33.470	34.76	PASS
n66	15	40	DFT-BPSK	L	Outer_Full	38.496	39.92	PASS
n66	15	40	DFT-QPSK	L	Outer_Full	38.454	40.00	PASS
n66	15	40	DFT-16QAM	L	Outer_Full	38.428	39.90	PASS
n66	15	40	DFT-64QAM	L	Outer_Full	38.411	39.91	PASS
n66	15	40	DFT-256QAM	L	Outer_Full	38.478	39.97	PASS
n66	15	40	CP-QPSK	L	Outer_Full	38.463	39.92	PASS
n66	15	40	CP-16QAM	L	Outer_Full	38.487	39.89	PASS
n66	15	40	CP-64QAM	L	Outer_Full	38.450	39.88	PASS
n66	15	40	CP-256QAM	L	Outer_Full	38.453	39.89	PASS
n66	15	40	DFT-BPSK	M	Outer_Full	38.563	39.97	PASS
n66	15	40	DFT-QPSK	M	Outer_Full	38.550	40.14	PASS
n66	15	40	DFT-16QAM	M	Outer_Full	38.477	39.90	PASS
n66	15	40	DFT-64QAM	M	Outer_Full	38.545	39.92	PASS
n66	15	40	DFT-256QAM	M	Outer_Full	38.528	39.90	PASS
n66	15	40	CP-QPSK	M	Outer_Full	38.523	40.11	PASS
n66	15	40	CP-16QAM	M	Outer_Full	38.513	39.93	PASS
n66	15	40	CP-64QAM	M	Outer_Full	38.538	39.85	PASS
n66	15	40	CP-256QAM	M	Outer_Full	38.510	39.90	PASS
n66	15	40	DFT-BPSK	H	Outer_Full	38.502	40.55	PASS
n66	15	40	DFT-QPSK	H	Outer_Full	38.462	40.08	PASS
n66	15	40	DFT-16QAM	H	Outer_Full	38.438	39.92	PASS
n66	15	40	DFT-64QAM	H	Outer_Full	38.428	39.91	PASS
n66	15	40	DFT-256QAM	H	Outer_Full	38.488	39.97	PASS
n66	15	40	CP-QPSK	H	Outer_Full	38.501	39.99	PASS
n66	15	40	CP-16QAM	H	Outer_Full	38.481	39.94	PASS
n66	15	40	CP-64QAM	H	Outer_Full	38.482	39.94	PASS

n66	15	40	CP-256QAM	H	Outer_Full	38.437	39.95	PASS
n66	15	45	DFT-BPSK	L	Outer_Full	42.735	44.42	PASS
n66	15	45	DFT-QPSK	L	Outer_Full	42.715	44.47	PASS
n66	15	45	DFT-16QAM	L	Outer_Full	42.776	44.36	PASS
n66	15	45	DFT-64QAM	L	Outer_Full	42.770	44.46	PASS
n66	15	45	DFT-256QAM	L	Outer_Full	42.657	44.46	PASS
n66	15	45	CP-QPSK	L	Outer_Full	43.093	44.74	PASS
n66	15	45	CP-16QAM	L	Outer_Full	43.166	44.76	PASS
n66	15	45	CP-64QAM	L	Outer_Full	43.170	44.72	PASS
n66	15	45	CP-256QAM	L	Outer_Full	43.137	44.69	PASS
n66	15	45	DFT-BPSK	M	Outer_Full	42.827	44.62	PASS
n66	15	45	DFT-QPSK	M	Outer_Full	42.798	44.49	PASS
n66	15	45	DFT-16QAM	M	Outer_Full	42.841	44.32	PASS
n66	15	45	DFT-64QAM	M	Outer_Full	42.829	44.48	PASS
n66	15	45	DFT-256QAM	M	Outer_Full	42.783	44.46	PASS
n66	15	45	CP-QPSK	M	Outer_Full	43.169	44.81	PASS
n66	15	45	CP-16QAM	M	Outer_Full	43.215	44.76	PASS
n66	15	45	CP-64QAM	M	Outer_Full	43.173	44.72	PASS
n66	15	45	CP-256QAM	M	Outer_Full	43.181	44.77	PASS
n66	15	45	DFT-BPSK	H	Outer_Full	42.807	45.02	PASS
n66	15	45	DFT-QPSK	H	Outer_Full	42.769	44.47	PASS
n66	15	45	DFT-16QAM	H	Outer_Full	42.836	44.37	PASS
n66	15	45	DFT-64QAM	H	Outer_Full	42.784	44.48	PASS
n66	15	45	DFT-256QAM	H	Outer_Full	42.757	44.47	PASS
n66	15	45	CP-QPSK	H	Outer_Full	43.103	44.80	PASS
n66	15	45	CP-16QAM	H	Outer_Full	43.130	44.70	PASS
n66	15	45	CP-64QAM	H	Outer_Full	43.176	44.75	PASS
n66	15	45	CP-256QAM	H	Outer_Full	43.134	44.69	PASS

Test Graphs

