



6.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.59	-13	61.59	Pass	401
0.15	30	0.01	RMS	0.23	-71.6	-13	58.6	Pass	5971
30	1000	0.1	RMS	998.999	-63.58	-13	50.58	Pass	19401
1000	1700	1	RMS	1698	-52.2	-13	39.2	Pass	1401
1700	1790	1	RMS	1764.125	20.65	60	39.35	Pass	401
1790	3000	1	RMS	2985	-48.41	-13	35.41	Pass	2421
3000	7000	1	RMS	6994	-63.05	-13	50.05	Pass	8001
7000	20000	1	RMS	17499	-50.17	-13	37.17	Pass	26001




6.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.76	-13	61.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	5971
30	1000	0.1	RMS	999.8	-63.58	-13	50.58	Pass	19401
1000	1700	1	RMS	1700	-41.76	-13	28.76	Pass	1401
1700	1790	1	RMS	1741.625	6.14	60	53.86	Pass	401
1790	3000	1	RMS	1790	-38.57	-13	25.57	Pass	2421
3000	7000	1	RMS	6683	-63.04	-13	50.04	Pass	8001
7000	20000	1	RMS	17502	-50.31	-13	37.31	Pass	26001




6.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.15	-13	61.15	Pass	401
0.15	30	0.01	RMS	0.24	-72.39	-13	59.39	Pass	5971
30	1000	0.1	RMS	901.935	-63.79	-13	50.79	Pass	19401
1000	1700	1	RMS	1700	-52.05	-13	39.05	Pass	1401
1700	1790	1	RMS	1740.5	20.84	60	39.16	Pass	401
1790	3000	1	RMS	2979	-48.42	-13	35.42	Pass	2421
3000	7000	1	RMS	7000	-63.17	-13	50.17	Pass	8001
7000	20000	1	RMS	17497	-50.26	-13	37.26	Pass	26001



6.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.33	-13	61.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	58.46	Pass	5971
30	1000	0.1	RMS	908.039	-63.66	-13	50.66	Pass	19401
1000	1700	1	RMS	1700	-52.34	-13	39.34	Pass	1401
1700	1790	1	RMS	1779.2	20.63	60	39.37	Pass	401
1790	3000	1	RMS	2977	-48.48	-13	35.48	Pass	2421
3000	7000	1	RMS	6999	-62.97	-13	49.97	Pass	8001
7000	20000	1	RMS	17500	-50.29	-13	37.29	Pass	26001



7. n30 15kHz


7.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-78.06	-40	38.06	Pass	401
0.15	30	0.01	RMS	1.02	-72.67	-40	32.67	Pass	5971
30	1000	0.1	RMS	347	-60.45	-40	20.45	Pass	19401
1000	2280	1	RMS	1501	-63.98	-40	23.98	Pass	2561
2280	2340	1	RMS	2307.6	14.11	60	45.89	Pass	401
2340	3000	1	RMS	2351	-66.78	-40	26.78	Pass	1321
3000	7000	1	RMS	4615	-61.32	-40	21.32	Pass	8001
7000	24000	1	RMS	23998	-47.71	-40	7.71	Pass	34001




7.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.73	-40	27.73	Pass	401
0.15	30	0.01	RMS	0.15	-67.37	-40	27.37	Pass	5971
30	1000	0.1	RMS	344.6	-51.82	-40	11.82	Pass	19401
1000	2280	1	RMS	1497	-61.04	-40	21.04	Pass	2561
2280	2340	1	RMS	2305.35	20.3	60	39.7	Pass	401
2340	3000	1	RMS	2352	-67.17	-40	27.17	Pass	1321
3000	7000	1	RMS	4611	-58.44	-40	18.44	Pass	8001
7000	24000	1	RMS	23728	-48.02	-40	8.02	Pass	34001




7.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.5	-40	26.5	Pass	401
0.15	30	0.01	RMS	0.15	-69.05	-40	29.05	Pass	5971
30	1000	0.1	RMS	348.9	-50.4	-40	10.4	Pass	19401
1000	2280	1	RMS	1504	-60.39	-40	20.39	Pass	2561
2280	2340	1	RMS	2309.7	20.24	60	39.76	Pass	401
2340	3000	1	RMS	2351	-66.9	-40	26.9	Pass	1321
3000	7000	1	RMS	4619	-59.25	-40	19.25	Pass	8001
7000	24000	1	RMS	23984	-47.78	-40	7.78	Pass	34001




7.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:462000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-77.78	-40	37.78	Pass	401
0.15	30	0.01	RMS	0.97	-72.04	-40	32.04	Pass	5971
30	1000	0.1	RMS	349.2	-60.21	-40	20.21	Pass	19401
1000	2280	1	RMS	1504	-63.89	-40	23.89	Pass	2561
2280	2340	1	RMS	2311.2	14.18	60	45.82	Pass	401
2340	3000	1	RMS	2356	-67.41	-40	27.41	Pass	1321
3000	7000	1	RMS	6680	-62.74	-40	22.74	Pass	8001
7000	24000	1	RMS	23980	-47.83	-40	7.83	Pass	34001




7.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:462000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.33	-40	27.33	Pass	401
0.15	30	0.01	RMS	0.15	-67.62	-40	27.62	Pass	5971
30	1000	0.1	RMS	347.1	-51.19	-40	11.19	Pass	19401
1000	2280	1	RMS	1501	-60.45	-40	20.45	Pass	2561
2280	2340	1	RMS	2307.9	20.2	60	39.8	Pass	401
2340	3000	1	RMS	2356	-67.04	-40	27.04	Pass	1321
3000	7000	1	RMS	4616	-58.33	-40	18.33	Pass	8001
7000	24000	1	RMS	23983	-47.7	-40	7.7	Pass	34001




7.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:462000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-66.59	-40	26.59	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-40	31.46	Pass	5971
30	1000	0.1	RMS	351.4	-50.73	-40	10.73	Pass	19401
1000	2280	1	RMS	1508	-61.51	-40	21.51	Pass	2561
2280	2340	1	RMS	2312.1	20.2	60	39.8	Pass	401
2340	3000	1	RMS	2356	-66.76	-40	26.76	Pass	1321
3000	7000	1	RMS	4624	-59.7	-40	19.7	Pass	8001
7000	24000	1	RMS	23978	-48.16	-40	8.16	Pass	34001




7.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-78.59	-40	38.59	Pass	401
0.15	30	0.01	RMS	0.69	-71.35	-40	31.35	Pass	5971
30	1000	0.1	RMS	351.5	-59.22	-40	19.22	Pass	19401
1000	2280	1	RMS	1508	-63.83	-40	23.83	Pass	2561
2280	2340	1	RMS	2313.6	14.15	60	45.85	Pass	401
2340	3000	1	RMS	2359	-65.34	-40	25.34	Pass	1321
3000	7000	1	RMS	6678	-62.74	-40	22.74	Pass	8001
7000	24000	1	RMS	23998	-47.31	-40	7.31	Pass	34001




7.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.37	-40	27.37	Pass	401
0.15	30	0.01	RMS	0.15	-68.23	-40	28.23	Pass	5971
30	1000	0.1	RMS	349.6	-49.65	-40	9.65	Pass	19401
1000	2280	1	RMS	1505	-60.19	-40	20.19	Pass	2561
2280	2340	1	RMS	2310.3	20.14	60	39.86	Pass	401
2340	3000	1	RMS	2359	-65.46	-40	25.46	Pass	1321
3000	7000	1	RMS	4621	-60.44	-40	20.44	Pass	8001
7000	24000	1	RMS	23957	-47.89	-40	7.89	Pass	34001




7.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-67.33	-40	27.33	Pass	401
0.15	30	0.01	RMS	0.15	-69.01	-40	29.01	Pass	5971
30	1000	0.1	RMS	353.9	-52.21	-40	12.21	Pass	19401
1000	2280	1	RMS	1511	-60.07	-40	20.07	Pass	2561
2280	2340	1	RMS	2314.65	20.34	60	39.66	Pass	401
2340	3000	1	RMS	2359	-65.41	-40	25.41	Pass	1321
3000	7000	1	RMS	4629	-60.03	-40	20.03	Pass	8001
7000	24000	1	RMS	23990	-47.81	-40	7.81	Pass	34001




7.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-81.76	-40	41.76	Pass	401
0.15	30	0.01	RMS	1.8	-74.67	-40	34.67	Pass	5971
30	1000	0.1	RMS	348.9	-63.96	-40	23.96	Pass	19401
1000	2280	1	RMS	1504	-66.42	-40	26.42	Pass	2561
2280	2340	1	RMS	2313.6	11.25	60	48.75	Pass	401
2340	3000	1	RMS	2359	-65.58	-40	25.58	Pass	1321
3000	7000	1	RMS	6963	-62.05	-40	22.05	Pass	8001
7000	24000	1	RMS	23996	-47.37	-40	7.37	Pass	34001




7.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-68.03	-40	28.03	Pass	401
0.15	30	0.01	RMS	0.15	-68.23	-40	28.23	Pass	5971
30	1000	0.1	RMS	344.7	-51.11	-40	11.11	Pass	19401
1000	2280	1	RMS	1497	-62.25	-40	22.25	Pass	2561
2280	2340	1	RMS	2305.35	20.03	60	39.97	Pass	401
2340	3000	1	RMS	2359	-67.75	-40	27.75	Pass	1321
3000	7000	1	RMS	4611	-58.19	-40	18.19	Pass	8001
7000	24000	1	RMS	23984	-47.53	-40	7.53	Pass	34001



7.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.62	-40	27.62	Pass	401
0.15	30	0.01	RMS	0.15	-68.66	-40	28.66	Pass	5971
30	1000	0.1	RMS	353.9	-49.63	-40	9.63	Pass	19401
1000	2280	1	RMS	1511	-60.61	-40	20.61	Pass	2561
2280	2340	1	RMS	2314.65	20.25	60	39.75	Pass	401
2340	3000	1	RMS	2358	-67.92	-40	27.92	Pass	1321
3000	7000	1	RMS	4629	-59.81	-40	19.81	Pass	8001
7000	24000	1	RMS	23935	-47.57	-40	7.57	Pass	34001



1. n14


1.1. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.07	-13	61.07	Pass	401
0.15	30	0.01	RMS	0.19	-71.8	-13	58.8	Pass	5971
30	778	0.1	RMS	778	-63.92	-13	50.92	Pass	14961
778	808	0.1	RMS	792.475	5.49	60	54.51	Pass	601
808	1000	0.1	RMS	885.7	-63.74	-13	50.74	Pass	3841
1000	3000	1	RMS	2980	-48.42	-13	35.42	Pass	4001
3000	10000	1	RMS	9401	-61.36	-13	48.36	Pass	14001




1.2. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-74.44	-13	61.44	Pass	401
0.15	30	0.01	RMS	0.21	-71.77	-13	58.77	Pass	5971
30	778	0.1	RMS	707.4	-64.43	-13	51.43	Pass	14961
778	808	0.1	RMS	788.35	18.72	60	41.28	Pass	601
808	1000	0.1	RMS	994.2	-63.63	-13	50.63	Pass	3841
1000	3000	1	RMS	1576	-47.88	-13	34.88	Pass	4001
3000	10000	1	RMS	9405	-61.39	-13	48.39	Pass	14001




1.3. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.46	-13	61.46	Pass	401
0.15	30	0.01	RMS	0.16	-71.19	-13	58.19	Pass	5971
30	778	0.1	RMS	359.1	-64.18	-13	51.18	Pass	14961
778	808	0.1	RMS	792.625	18.64	60	41.36	Pass	601
808	1000	0.1	RMS	992.6	-63.73	-13	50.73	Pass	3841
1000	3000	1	RMS	1585	-47.96	-13	34.96	Pass	4001
3000	10000	1	RMS	9407	-61.27	-13	48.27	Pass	14001




1.4. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.47	-13	60.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	5971
30	778	0.1	RMS	614.6	-64.14	-13	51.14	Pass	14961
778	808	0.1	RMS	793.375	5.37	60	54.63	Pass	601
808	1000	0.1	RMS	808.3	-63.1	-13	50.1	Pass	3841
1000	3000	1	RMS	2989	-48.42	-13	35.42	Pass	4001
3000	10000	1	RMS	9406	-61.32	-13	48.32	Pass	14001




1.5. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.62	-13	60.62	Pass	401
0.15	30	0.01	RMS	0.26	-71.28	-13	58.28	Pass	5971
30	778	0.1	RMS	745.1	-63.53	-13	50.53	Pass	14961
778	808	0.1	RMS	790.825	18.83	60	41.17	Pass	601
808	1000	0.1	RMS	994.4	-62.97	-13	49.97	Pass	3841
1000	3000	1	RMS	1581	-48.06	-13	35.06	Pass	4001
3000	10000	1	RMS	9399	-61.3	-13	48.3	Pass	14001




1.6. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.63	-13	60.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	5971
30	778	0.1	RMS	610	-63.76	-13	50.76	Pass	14961
778	808	0.1	RMS	795.175	18.59	60	41.41	Pass	601
808	1000	0.1	RMS	849.5	-63.46	-13	50.46	Pass	3841
1000	3000	1	RMS	1590	-48.29	-13	35.29	Pass	4001
3000	10000	1	RMS	9388	-61.27	-13	48.27	Pass	14001




1.7. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.77	-13	56.77	Pass	401
0.15	30	0.01	RMS	0.21	-70.14	-13	57.14	Pass	5971
30	778	0.1	RMS	739.744	-63.79	-13	50.79	Pass	14961
778	808	0.1	RMS	793.8	5.27	60	54.73	Pass	601
808	1000	0.1	RMS	808	-58.89	-13	45.89	Pass	3841
1000	3000	1	RMS	2868	-48.58	-13	35.58	Pass	4001
3000	10000	1	RMS	8900	-64.07	-13	51.07	Pass	14001




1.8. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.27	-13	61.27	Pass	401
0.15	30	0.01	RMS	0.17	-71.67	-13	58.67	Pass	5971
30	778	0.1	RMS	743.8	-64.08	-13	51.08	Pass	14961
778	808	0.1	RMS	793.3	18.54	60	41.46	Pass	601
808	1000	0.1	RMS	993.5	-63.71	-13	50.71	Pass	3841
1000	3000	1	RMS	1586	-48.2	-13	35.2	Pass	4001
3000	10000	1	RMS	9405	-61.29	-13	48.29	Pass	14001




1.9. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.23	-13	61.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	5971
30	778	0.1	RMS	621.9	-64.07	-13	51.07	Pass	14961
778	808	0.1	RMS	797.65	18.72	60	41.28	Pass	601
808	1000	0.1	RMS	995.2	-62.98	-13	49.98	Pass	3841
1000	3000	1	RMS	1595	-48.28	-13	35.28	Pass	4001
3000	10000	1	RMS	9401	-61.27	-13	48.27	Pass	14001




1.10. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-74.32	-13	61.32	Pass	401
0.15	30	0.01	RMS	0.17	-71.9	-13	58.9	Pass	5971
30	778	0.1	RMS	778	-54.65	-13	41.65	Pass	14961
778	808	0.1	RMS	794.875	2.32	60	57.68	Pass	601
808	1000	0.1	RMS	808.1	-44.49	-13	31.49	Pass	3841
1000	3000	1	RMS	2981	-48.38	-13	35.38	Pass	4001
3000	10000	1	RMS	9403	-61.33	-13	48.33	Pass	14001




1.11. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.73	-13	60.73	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	5971
30	778	0.1	RMS	621.1	-63.97	-13	50.97	Pass	14961
778	808	0.1	RMS	788.425	18.67	60	41.33	Pass	601
808	1000	0.1	RMS	900	-63.81	-13	50.81	Pass	3841
1000	3000	1	RMS	1576	-48.24	-13	35.24	Pass	4001
3000	10000	1	RMS	9408	-61.39	-13	48.39	Pass	14001



1.12. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.77	-13	60.77	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	58.27	Pass	5971
30	778	0.1	RMS	713.1	-63.99	-13	50.99	Pass	14961
778	808	0.1	RMS	797.575	18.71	60	41.29	Pass	601
808	1000	0.1	RMS	994.5	-63.33	-13	50.33	Pass	3841
1000	3000	1	RMS	2980	-48.42	-13	35.42	Pass	4001
3000	10000	1	RMS	9413	-61.24	-13	48.24	Pass	14001



4. n71 15kHz


4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.78	-13	61.78	Pass	401
0.15	30	0.01	RMS	0.69	-70.41	-13	57.41	Pass	2986
30	653	0.1	RMS	636.4	-62.78	-13	49.78	Pass	6231
653	708	0.1	RMS	667.5	5.47	60	54.53	Pass	551
708	1000	0.1	RMS	986.1	-61.5	-13	48.5	Pass	2921
1000	3000	1	RMS	2980	-47.65	-13	34.65	Pass	2001
3000	10000	1	RMS	9404	-39.94	-13	26.94	Pass	7001




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.5	-13	60.5	Pass	401
0.15	30	0.01	RMS	0.48	-70.89	-13	57.89	Pass	2986
30	653	0.1	RMS	612.8	-62.61	-13	49.61	Pass	6231
653	708	0.1	RMS	663.3	18.58	60	41.42	Pass	551
708	1000	0.1	RMS	995.1	-61.81	-13	48.81	Pass	2921
1000	3000	1	RMS	1326	-46.88	-13	33.88	Pass	2001
3000	10000	1	RMS	9400	-40.21	-13	27.21	Pass	7001




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-73.6	-13	60.6	Pass	401
0.15	30	0.01	RMS	0.41	-71.08	-13	58.08	Pass	2986
30	653	0.1	RMS	632.4	-62.45	-13	49.45	Pass	6231
653	708	0.1	RMS	667.7	18.06	60	41.94	Pass	551
708	1000	0.1	RMS	876.3	-61.75	-13	48.75	Pass	2921
1000	3000	1	RMS	1335	-47.5	-13	34.5	Pass	2001
3000	10000	1	RMS	9396	-40.04	-13	27.04	Pass	7001




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.85	-13	61.85	Pass	401
0.15	30	0.01	RMS	0.56	-70.62	-13	57.62	Pass	2986
30	653	0.1	RMS	630.2	-62.59	-13	49.59	Pass	6231
653	708	0.1	RMS	682.6	5.39	60	54.61	Pass	551
708	1000	0.1	RMS	882.1	-61.83	-13	48.83	Pass	2921
1000	3000	1	RMS	2983	-47.76	-13	34.76	Pass	2001
3000	10000	1	RMS	9396	-40.18	-13	27.18	Pass	7001




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.46	-13	60.46	Pass	401
0.15	30	0.01	RMS	0.8	-71.34	-13	58.34	Pass	2986
30	653	0.1	RMS	635.5	-62.19	-13	49.19	Pass	6231
653	708	0.1	RMS	678.3	18.5	60	41.5	Pass	551
708	1000	0.1	RMS	994.7	-61.81	-13	48.81	Pass	2921
1000	3000	1	RMS	1356	-47.58	-13	34.58	Pass	2001
3000	10000	1	RMS	9404	-40.15	-13	27.15	Pass	7001




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.8	-13	61.8	Pass	401
0.15	30	0.01	RMS	0.54	-70.79	-13	57.79	Pass	2986
30	653	0.1	RMS	639.8	-62.82	-13	49.82	Pass	6231
653	708	0.1	RMS	682.7	18.15	60	41.85	Pass	551
708	1000	0.1	RMS	994.8	-62.02	-13	49.02	Pass	2921
1000	3000	1	RMS	1365	-47.44	-13	34.44	Pass	2001
3000	10000	1	RMS	9399	-40.22	-13	27.22	Pass	7001




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.26	-13	61.26	Pass	401
0.15	30	0.01	RMS	0.62	-70.73	-13	57.73	Pass	2986
30	653	0.1	RMS	630.8	-62.52	-13	49.52	Pass	6231
653	708	0.1	RMS	695.6	5.37	60	54.63	Pass	551
708	1000	0.1	RMS	708.2	-58.19	-13	45.19	Pass	2921
1000	3000	1	RMS	2981	-47.82	-13	34.82	Pass	2001
3000	10000	1	RMS	9403	-40.23	-13	27.23	Pass	7001




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.41	-13	60.41	Pass	401
0.15	30	0.01	RMS	0.16	-71.14	-13	58.14	Pass	2986
30	653	0.1	RMS	643.5	-62.83	-13	49.83	Pass	6231
653	708	0.1	RMS	693.3	18.48	60	41.52	Pass	551
708	1000	0.1	RMS	996.2	-61.86	-13	48.86	Pass	2921
1000	3000	1	RMS	1386	-47.7	-13	34.7	Pass	2001
3000	10000	1	RMS	9399	-40.07	-13	27.07	Pass	7001




4.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-73.22	-13	60.22	Pass	401
0.15	30	0.01	RMS	0.65	-71.8	-13	58.8	Pass	2986
30	653	0.1	RMS	633.4	-62.27	-13	49.27	Pass	6231
653	708	0.1	RMS	697.7	17.99	60	42.01	Pass	551
708	1000	0.1	RMS	892	-62.06	-13	49.06	Pass	2921
1000	3000	1	RMS	2980	-47.76	-13	34.76	Pass	2001
3000	10000	1	RMS	9403	-40.18	-13	27.18	Pass	7001




4.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.49	-13	61.49	Pass	401
0.15	30	0.01	RMS	0.49	-71.69	-13	58.69	Pass	2986
30	653	0.1	RMS	616.3	-62.69	-13	49.69	Pass	6231
653	708	0.1	RMS	676	1.03	60	58.97	Pass	551
708	1000	0.1	RMS	708.1	-58.62	-13	45.62	Pass	2921
1000	3000	1	RMS	2985	-47.79	-13	34.79	Pass	2001
3000	10000	1	RMS	9399	-40.11	-13	27.11	Pass	7001




4.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.63	-13	60.63	Pass	401
0.15	30	0.01	RMS	0.63	-71.6	-13	58.6	Pass	2986
30	653	0.1	RMS	623.5	-62.55	-13	49.55	Pass	6231
653	708	0.1	RMS	663.5	18.68	60	41.32	Pass	551
708	1000	0.1	RMS	994.1	-62.06	-13	49.06	Pass	2921
1000	3000	1	RMS	1326	-47.7	-13	34.7	Pass	2001
3000	10000	1	RMS	9404	-40.2	-13	27.2	Pass	7001




4.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.45	-71.17	-13	58.17	Pass	2986
30	653	0.1	RMS	631.5	-62.43	-13	49.43	Pass	6231
653	708	0.1	RMS	677.5	18.85	60	41.15	Pass	551
708	1000	0.1	RMS	994.4	-61.77	-13	48.77	Pass	2921
1000	3000	1	RMS	2978	-47.78	-13	34.78	Pass	2001
3000	10000	1	RMS	9405	-39.95	-13	26.95	Pass	7001




4.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.89	-13	60.89	Pass	401
0.15	30	0.01	RMS	0.65	-71.41	-13	58.41	Pass	2986
30	653	0.1	RMS	542.3	-60.71	-13	47.71	Pass	6231
653	708	0.1	RMS	685.6	0.79	60	59.21	Pass	551
708	1000	0.1	RMS	708	-52.92	-13	39.92	Pass	2921
1000	3000	1	RMS	2981	-47.7	-13	34.7	Pass	2001
3000	10000	1	RMS	9399	-40.14	-13	27.14	Pass	7001




4.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.01	-13	61.01	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	58.44	Pass	2986
30	653	0.1	RMS	614.6	-62.69	-13	49.69	Pass	6231
653	708	0.1	RMS	673.5	18.64	60	41.36	Pass	551
708	1000	0.1	RMS	994.1	-61.77	-13	48.77	Pass	2921
1000	3000	1	RMS	2980	-47.72	-13	34.72	Pass	2001
3000	10000	1	RMS	9404	-40.14	-13	27.14	Pass	7001




4.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.31	-13	61.31	Pass	401
0.15	30	0.01	RMS	0.55	-71.39	-13	58.39	Pass	2986
30	653	0.1	RMS	619.3	-62.55	-13	49.55	Pass	6231
653	708	0.1	RMS	687.5	18.83	60	41.17	Pass	551
708	1000	0.1	RMS	996.9	-61.49	-13	48.49	Pass	2921
1000	3000	1	RMS	2983	-47.66	-13	34.66	Pass	2001
3000	10000	1	RMS	9401	-40.17	-13	27.17	Pass	7001




4.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.25	-13	61.25	Pass	401
0.15	30	0.01	RMS	0.61	-71.09	-13	58.09	Pass	2986
30	653	0.1	RMS	486.4	-60.13	-13	47.13	Pass	6231
653	708	0.1	RMS	684.9	0.51	60	59.49	Pass	551
708	1000	0.1	RMS	708.1	-45.07	-13	32.07	Pass	2921
1000	3000	1	RMS	2986	-47.67	-13	34.67	Pass	2001
3000	10000	1	RMS	9403	-39.98	-13	26.98	Pass	7001




4.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.3	-13	61.3	Pass	401
0.15	30	0.01	RMS	0.46	-71.51	-13	58.51	Pass	2986
30	653	0.1	RMS	621.8	-62.5	-13	49.5	Pass	6231
653	708	0.1	RMS	683.5	18.67	60	41.33	Pass	551
708	1000	0.1	RMS	995.2	-60.15	-13	47.15	Pass	2921
1000	3000	1	RMS	2982	-47.7	-13	34.7	Pass	2001
3000	10000	1	RMS	9401	-39.92	-13	26.92	Pass	7001




4.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.17	-13	60.17	Pass	401
0.15	30	0.01	RMS	0.76	-71.46	-13	58.46	Pass	2986
30	653	0.1	RMS	629.1	-60.25	-13	47.25	Pass	6231
653	708	0.1	RMS	697.5	18.67	60	41.33	Pass	551
708	1000	0.1	RMS	892.5	-61.84	-13	48.84	Pass	2921
1000	3000	1	RMS	2984	-47.71	-13	34.71	Pass	2001
3000	10000	1	RMS	9401	-40.13	-13	27.13	Pass	7001




4.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.16	-13	62.16	Pass	401
0.15	30	0.01	RMS	0.66	-71.6	-13	58.6	Pass	2986
30	653	0.1	RMS	621.5	-62.62	-13	49.62	Pass	6231
653	708	0.1	RMS	680.3	-0.48	60	60.48	Pass	551
708	1000	0.1	RMS	708.3	-51.79	-13	38.79	Pass	2921
1000	3000	1	RMS	2987	-47.68	-13	34.68	Pass	2001
3000	10000	1	RMS	9409	-40.07	-13	27.07	Pass	7001




4.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.87	-13	60.87	Pass	401
0.15	30	0.01	RMS	25.86	-69.01	-13	56.01	Pass	2986
30	653	0.1	RMS	521	-60.52	-13	47.52	Pass	6231
653	708	0.1	RMS	663.5	18.45	60	41.55	Pass	551
708	1000	0.1	RMS	893.6	-61.88	-13	48.88	Pass	2921
1000	3000	1	RMS	1327	-47.53	-13	34.53	Pass	2001
3000	10000	1	RMS	9404	-40.1	-13	27.1	Pass	7001




4.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.75	-13	60.75	Pass	401
0.15	30	0.01	RMS	0.16	-71.09	-13	58.09	Pass	2986
30	653	0.1	RMS	629.9	-62.78	-13	49.78	Pass	6231
653	708	0.1	RMS	682.4	18.41	60	41.59	Pass	551
708	1000	0.1	RMS	870.5	-62.02	-13	49.02	Pass	2921
1000	3000	1	RMS	2982	-47.7	-13	34.7	Pass	2001
3000	10000	1	RMS	9402	-40.05	-13	27.05	Pass	7001




4.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.46	-13	60.46	Pass	401
0.15	30	0.01	RMS	0.29	-72.01	-13	59.01	Pass	2986
30	653	0.1	RMS	361.4	-62.78	-13	49.78	Pass	6231
653	708	0.1	RMS	688.9	-0.68	60	60.68	Pass	551
708	1000	0.1	RMS	708.1	-48.05	-13	35.05	Pass	2921
1000	3000	1	RMS	2983	-47.79	-13	34.79	Pass	2001
3000	10000	1	RMS	9403	-40.39	-13	27.39	Pass	7001




4.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	2986
30	653	0.1	RMS	479.9	-63.03	-13	50.03	Pass	6231
653	708	0.1	RMS	671	18.39	60	41.61	Pass	551
708	1000	0.1	RMS	998.3	-62.12	-13	49.12	Pass	2921
1000	3000	1	RMS	2980	-47.83	-13	34.83	Pass	2001
3000	10000	1	RMS	9403	-40.29	-13	27.29	Pass	7001




4.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.09	-13	61.09	Pass	401
0.15	30	0.01	RMS	0.47	-71.38	-13	58.38	Pass	2986
30	653	0.1	RMS	474.9	-62.72	-13	49.72	Pass	6231
653	708	0.1	RMS	689.9	18.25	60	41.75	Pass	551
708	1000	0.1	RMS	993.6	-62.11	-13	49.11	Pass	2921
1000	3000	1	RMS	2982	-47.86	-13	34.86	Pass	2001
3000	10000	1	RMS	9406	-40.24	-13	27.24	Pass	7001




4.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.81	-13	61.81	Pass	401
0.15	30	0.01	RMS	0.44	-71.4	-13	58.4	Pass	2986
30	653	0.1	RMS	611.6	-62.76	-13	49.76	Pass	6231
653	708	0.1	RMS	690.2	-0.69	60	60.69	Pass	551
708	1000	0.1	RMS	708.4	-44.04	-13	31.04	Pass	2921
1000	3000	1	RMS	2979	-47.85	-13	34.85	Pass	2001
3000	10000	1	RMS	9402	-40.25	-13	27.25	Pass	7001




4.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-74.31	-13	61.31	Pass	401
0.15	30	0.01	RMS	0.84	-71.38	-13	58.38	Pass	2986
30	653	0.1	RMS	642.7	-62.77	-13	49.77	Pass	6231
653	708	0.1	RMS	678.5	18.37	60	41.63	Pass	551
708	1000	0.1	RMS	990.6	-61.83	-13	48.83	Pass	2921
1000	3000	1	RMS	2980	-47.9	-13	34.9	Pass	2001
3000	10000	1	RMS	9398	-40.37	-13	27.37	Pass	7001



4.28. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.9	-13	60.9	Pass	401
0.15	30	0.01	RMS	0.16	-71.25	-13	58.25	Pass	2986
30	653	0.1	RMS	626	-62.63	-13	49.63	Pass	6231
653	708	0.1	RMS	697.4	18.21	60	41.79	Pass	551
708	1000	0.1	RMS	890.5	-62.06	-13	49.06	Pass	2921
1000	3000	1	RMS	2980	-47.92	-13	34.92	Pass	2001
3000	10000	1	RMS	9400	-40.22	-13	27.22	Pass	7001



1. n77(3450-3550)


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.91	-13	39.91	Pass	401
0.15	30	0.01	RMS	4.76	-65.91	-13	52.91	Pass	5971
30	1000	0.1	RMS	843.8	-61	-13	48	Pass	19401
1000	3000	1	RMS	2980	-48.24	-13	35.24	Pass	4001
3000	3440	1	RMS	3440	-41.02	-13	28.02	Pass	881
3440	3560	1	RMS	3458.3	13.94	60	46.06	Pass	401
3560	7000	1	RMS	4491	-59.17	-13	46.17	Pass	6881
7000	26500	1	RMS	25913	-44.89	-13	31.89	Pass	39001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-52.29	-13	39.29	Pass	401
0.15	30	0.01	RMS	4.63	-65.32	-13	52.32	Pass	5971
30	1000	0.1	RMS	982.789	-60.62	-13	47.62	Pass	19401
1000	3000	1	RMS	2983	-48.12	-13	35.12	Pass	4001
3000	3440	1	RMS	3440	-45.74	-13	32.74	Pass	881
3440	3560	1	RMS	3450.8	22.15	60	37.85	Pass	401
3560	7000	1	RMS	6902	-54.95	-13	41.95	Pass	6881
7000	26500	1	RMS	25522	-45	-13	32	Pass	39001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.3	-13	39.3	Pass	401
0.15	30	0.01	RMS	4.37	-67.09	-13	54.09	Pass	5971
30	1000	0.1	RMS	735.5	-61.14	-13	48.14	Pass	19401
1000	3000	1	RMS	2996	-48.24	-13	35.24	Pass	4001
3000	3440	1	RMS	3000	-46.31	-13	33.31	Pass	881
3440	3560	1	RMS	3459.2	22.27	60	37.73	Pass	401
3560	7000	1	RMS	6918	-54.75	-13	41.75	Pass	6881
7000	26500	1	RMS	25515	-44.57	-13	31.57	Pass	39001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-51.44	-13	38.44	Pass	401
0.15	30	0.01	RMS	4.76	-65.3	-13	52.3	Pass	5971
30	1000	0.1	RMS	885.424	-60.33	-13	47.33	Pass	19401
1000	3000	1	RMS	2982	-48.25	-13	35.25	Pass	4001
3000	3440	1	RMS	3108	-46.01	-13	33.01	Pass	881
3440	3560	1	RMS	3497	14.17	60	45.83	Pass	401
3560	7000	1	RMS	7000	-58.83	-13	45.83	Pass	6881
7000	26500	1	RMS	25880	-44.89	-13	31.89	Pass	39001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-51.69	-13	38.69	Pass	401
0.15	30	0.01	RMS	4.57	-64.77	-13	51.77	Pass	5971
30	1000	0.1	RMS	865.311	-60.93	-13	47.93	Pass	19401
1000	3000	1	RMS	2970	-48.26	-13	35.26	Pass	4001
3000	3440	1	RMS	3004	-46.26	-13	33.26	Pass	881
3440	3560	1	RMS	3495.8	22.49	60	37.51	Pass	401
3560	7000	1	RMS	6992	-53.62	-13	40.62	Pass	6881
7000	26500	1	RMS	25916	-44.88	-13	31.88	Pass	39001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-52.34	-13	39.34	Pass	401
0.15	30	0.01	RMS	4.58	-61.52	-13	48.52	Pass	5971
30	1000	0.1	RMS	902.235	-60.52	-13	47.52	Pass	19401
1000	3000	1	RMS	2979	-48.06	-13	35.06	Pass	4001
3000	3440	1	RMS	3000	-46	-13	33	Pass	881
3440	3560	1	RMS	3504.2	22.52	60	37.48	Pass	401
3560	7000	1	RMS	3811	-58.08	-13	45.08	Pass	6881
7000	26500	1	RMS	25500	-45.12	-13	32.12	Pass	39001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.81	-13	39.81	Pass	401
0.15	30	0.01	RMS	4.52	-63.81	-13	50.81	Pass	5971
30	1000	0.1	RMS	897.832	-60.66	-13	47.66	Pass	19401
1000	3000	1	RMS	2987	-48.12	-13	35.12	Pass	4001
3000	3440	1	RMS	3002	-45.93	-13	32.93	Pass	881
3440	3560	1	RMS	3547.7	14.18	60	45.82	Pass	401
3560	7000	1	RMS	3560	-34.02	-13	21.02	Pass	6881
7000	26500	1	RMS	25538	-45.02	-13	32.02	Pass	39001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-52.16	-13	39.16	Pass	401
0.15	30	0.01	RMS	4.75	-64.88	-13	51.88	Pass	5971
30	1000	0.1	RMS	898.933	-61.01	-13	48.01	Pass	19401
1000	3000	1	RMS	2971	-48.1	-13	35.1	Pass	4001
3000	3440	1	RMS	3004	-46.11	-13	33.11	Pass	881
3440	3560	1	RMS	3540.8	22.59	60	37.41	Pass	401
3560	7000	1	RMS	3560	-53.21	-13	40.21	Pass	6881
7000	26500	1	RMS	25909	-44.46	-13	31.46	Pass	39001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-53.29	-13	40.29	Pass	401
0.15	30	0.01	RMS	0.56	-62.59	-13	49.59	Pass	5971
30	1000	0.1	RMS	851.702	-61.1	-13	48.1	Pass	19401
1000	3000	1	RMS	2980	-48.22	-13	35.22	Pass	4001
3000	3440	1	RMS	3109	-46.2	-13	33.2	Pass	881
3440	3560	1	RMS	3549.2	22.47	60	37.53	Pass	401
3560	7000	1	RMS	3560	-49.66	-13	36.66	Pass	6881
7000	26500	1	RMS	25501	-44.74	-13	31.74	Pass	39001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.29	-13	39.29	Pass	401
0.15	30	0.01	RMS	4.62	-63.6	-13	50.6	Pass	5971
30	1000	0.1	RMS	682.4	-61.08	-13	48.08	Pass	19401
1000	3000	1	RMS	2980	-48.08	-13	35.08	Pass	4001
3000	3440	1	RMS	3440	-35.62	-13	22.62	Pass	881
3440	3560	1	RMS	3496.4	6.98	60	53.02	Pass	401
3560	7000	1	RMS	4221	-40.32	-13	27.32	Pass	6881
7000	26500	1	RMS	25459	-44.93	-13	31.93	Pass	39001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-53.06	-13	40.06	Pass	401
0.15	30	0.01	RMS	4.62	-65	-13	52	Pass	5971
30	1000	0.1	RMS	876.918	-60.03	-13	47.03	Pass	19401
1000	3000	1	RMS	2960	-48.28	-13	35.28	Pass	4001
3000	3440	1	RMS	3440	-45.42	-13	32.42	Pass	881
3440	3560	1	RMS	3451.4	21.79	60	38.21	Pass	401
3560	7000	1	RMS	4220	-40.06	-13	27.06	Pass	6881
7000	26500	1	RMS	25487	-44.91	-13	31.91	Pass	39001




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-53.29	-13	40.29	Pass	401
0.15	30	0.01	RMS	0.3	-66.05	-13	53.05	Pass	5971
30	1000	0.1	RMS	841.1	-60.6	-13	47.6	Pass	19401
1000	3000	1	RMS	2975	-48.07	-13	35.07	Pass	4001
3000	3440	1	RMS	3001	-46.04	-13	33.04	Pass	881
3440	3560	1	RMS	3498.8	22.23	60	37.77	Pass	401
3560	7000	1	RMS	4221	-39.93	-13	26.93	Pass	6881
7000	26500	1	RMS	25482	-44.86	-13	31.86	Pass	39001




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.68	-13	39.68	Pass	401
0.15	30	0.01	RMS	0.56	-65.31	-13	52.31	Pass	5971
30	1000	0.1	RMS	486.5	-60.96	-13	47.96	Pass	19401
1000	3000	1	RMS	2988	-48.14	-13	35.14	Pass	4001
3000	3440	1	RMS	3440	-40.42	-13	27.42	Pass	881
3440	3560	1	RMS	3521.3	7.1	60	52.9	Pass	401
3560	7000	1	RMS	3560	-33.39	-13	20.39	Pass	6881
7000	26500	1	RMS	25750	-45.03	-13	32.03	Pass	39001




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-52.69	-13	39.69	Pass	401
0.15	30	0.01	RMS	4.71	-64.96	-13	51.96	Pass	5971
30	1000	0.1	RMS	885.824	-60.97	-13	47.97	Pass	19401
1000	3000	1	RMS	2981	-48.18	-13	35.18	Pass	4001
3000	3440	1	RMS	3003	-46.11	-13	33.11	Pass	881
3440	3560	1	RMS	3476.3	22.24	60	37.76	Pass	401
3560	7000	1	RMS	4221	-39.76	-13	26.76	Pass	6881
7000	26500	1	RMS	26181	-44.9	-13	31.9	Pass	39001




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-52.83	-13	39.83	Pass	401
0.15	30	0.01	RMS	0.56	-61.74	-13	48.74	Pass	5971
30	1000	0.1	RMS	880.321	-60.42	-13	47.42	Pass	19401
1000	3000	1	RMS	2994	-48.09	-13	35.09	Pass	4001
3000	3440	1	RMS	3002	-46.19	-13	33.19	Pass	881
3440	3560	1	RMS	3523.7	22.28	60	37.72	Pass	401
3560	7000	1	RMS	4221	-40.28	-13	27.28	Pass	6881
7000	26500	1	RMS	25511	-45.04	-13	32.04	Pass	39001




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-52.48	-13	39.48	Pass	401
0.15	30	0.01	RMS	0.25	-63.69	-13	50.69	Pass	5971
30	1000	0.1	RMS	933.556	-60.71	-13	47.71	Pass	19401
1000	3000	1	RMS	2979	-48.14	-13	35.14	Pass	4001
3000	3440	1	RMS	3438	-45.17	-13	32.17	Pass	881
3440	3560	1	RMS	3547.4	7.2	60	52.8	Pass	401
3560	7000	1	RMS	3561	-28.47	-13	15.47	Pass	6881
7000	26500	1	RMS	25893	-44.93	-13	31.93	Pass	39001




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-51.84	-13	38.84	Pass	401
0.15	30	0.01	RMS	0.56	-65.51	-13	52.51	Pass	5971
30	1000	0.1	RMS	914.744	-60.09	-13	47.09	Pass	19401
1000	3000	1	RMS	2994	-48.15	-13	35.15	Pass	4001
3000	3440	1	RMS	3000	-46.11	-13	33.11	Pass	881
3440	3560	1	RMS	3501.2	22.36	60	37.64	Pass	401
3560	7000	1	RMS	4220	-39.69	-13	26.69	Pass	6881
7000	26500	1	RMS	25618	-45	-13	32	Pass	39001




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-51.86	-13	38.86	Pass	401
0.15	30	0.01	RMS	0.25	-65.43	-13	52.43	Pass	5971
30	1000	0.1	RMS	892.429	-60.67	-13	47.67	Pass	19401
1000	3000	1	RMS	2970	-48	-13	35	Pass	4001
3000	3440	1	RMS	3113	-45.91	-13	32.91	Pass	881
3440	3560	1	RMS	3548.6	22.1	60	37.9	Pass	401
3560	7000	1	RMS	4221	-40.19	-13	27.19	Pass	6881
7000	26500	1	RMS	25870	-44.65	-13	31.65	Pass	39001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-52	-13	39	Pass	401
0.15	30	0.01	RMS	4.67	-64.63	-13	51.63	Pass	5971
30	1000	0.1	RMS	600.8	-60.94	-13	47.94	Pass	19401
1000	3000	1	RMS	2985	-48.06	-13	35.06	Pass	4001
3000	3440	1	RMS	3440	-35.66	-13	22.66	Pass	881
3440	3560	1	RMS	3545.9	4.05	60	55.95	Pass	401
3560	7000	1	RMS	3560	-30.49	-13	17.49	Pass	6881
7000	26500	1	RMS	25903	-44.85	-13	31.85	Pass	39001




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-52.19	-13	39.19	Pass	401
0.15	30	0.01	RMS	0.56	-62.55	-13	49.55	Pass	5971
30	1000	0.1	RMS	956.471	-60.78	-13	47.78	Pass	19401
1000	3000	1	RMS	2988	-48.06	-13	35.06	Pass	4001
3000	3440	1	RMS	3402	-44.36	-13	31.36	Pass	881
3440	3560	1	RMS	3451.1	21.64	60	38.36	Pass	401
3560	7000	1	RMS	4217	-41.84	-13	28.84	Pass	6881
7000	26500	1	RMS	25695	-44.76	-13	31.76	Pass	39001



1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.72	-13	39.72	Pass	401
0.15	30	0.01	RMS	0.56	-61.34	-13	48.34	Pass	5971
30	1000	0.1	RMS	894.03	-60.26	-13	47.26	Pass	19401
1000	3000	1	RMS	2971	-48.05	-13	35.05	Pass	4001
3000	3440	1	RMS	3402	-46.11	-13	33.11	Pass	881
3440	3560	1	RMS	3548.9	22.42	60	37.58	Pass	401
3560	7000	1	RMS	4217	-40.97	-13	27.97	Pass	6881
7000	26500	1	RMS	25883	-44.8	-13	31.8	Pass	39001



2. n77(3700-3980)


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-52.01	-13	39.01	Pass	401
0.15	30	0.01	RMS	4.62	-64.59	-13	51.59	Pass	5971
30	1000	0.1	RMS	848.3	-60.31	-13	47.31	Pass	19401
1000	3000	1	RMS	2994	-48.09	-13	35.09	Pass	4001
3000	3690	1	RMS	3690	-40.5	-13	27.5	Pass	1381
3690	3990	1	RMS	3708	13.21	60	46.79	Pass	601
3990	7000	1	RMS	4491	-59.94	-13	46.94	Pass	6021
7000	26500	1	RMS	25703	-44.9	-13	31.9	Pass	39001




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.58	-13	39.58	Pass	401
0.15	30	0.01	RMS	4.67	-65.17	-13	52.17	Pass	5971
30	1000	0.1	RMS	990.494	-60.16	-13	47.16	Pass	19401
1000	3000	1	RMS	2979	-48.01	-13	35.01	Pass	4001
3000	3690	1	RMS	3690	-45.72	-13	32.72	Pass	1381
3690	3990	1	RMS	3700.5	19.64	60	40.36	Pass	601
3990	7000	1	RMS	4493	-59.28	-13	46.28	Pass	6021
7000	26500	1	RMS	25895	-44.89	-13	31.89	Pass	39001




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-52.05	-13	39.05	Pass	401
0.15	30	0.01	RMS	4.81	-65.18	-13	52.18	Pass	5971
30	1000	0.1	RMS	614.8	-60.43	-13	47.43	Pass	19401
1000	3000	1	RMS	2982	-48.03	-13	35.03	Pass	4001
3000	3690	1	RMS	3002	-45.82	-13	32.82	Pass	1381
3690	3990	1	RMS	3709.5	19.55	60	40.45	Pass	601
3990	7000	1	RMS	4491	-59.77	-13	46.77	Pass	6021
7000	26500	1	RMS	25520	-44.99	-13	31.99	Pass	39001




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.51	-13	39.51	Pass	401
0.15	30	0.01	RMS	0.56	-61.74	-13	48.74	Pass	5971
30	1000	0.1	RMS	899.133	-59.84	-13	46.84	Pass	19401
1000	3000	1	RMS	2985	-48.2	-13	35.2	Pass	4001
3000	3690	1	RMS	3002	-45.96	-13	32.96	Pass	1381
3690	3990	1	RMS	3837	14.65	60	45.35	Pass	601
3990	7000	1	RMS	4493	-59.52	-13	46.52	Pass	6021
7000	26500	1	RMS	25891	-45.02	-13	32.02	Pass	39001




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.58	-13	39.58	Pass	401
0.15	30	0.01	RMS	4.63	-64.92	-13	51.92	Pass	5971
30	1000	0.1	RMS	854.203	-59.93	-13	46.93	Pass	19401
1000	3000	1	RMS	2989	-48	-13	35	Pass	4001
3000	3690	1	RMS	3015	-45.85	-13	32.85	Pass	1381
3690	3990	1	RMS	3835.5	21.52	60	38.48	Pass	601
3990	7000	1	RMS	4492	-58.91	-13	45.91	Pass	6021
7000	26500	1	RMS	25899	-44.73	-13	31.73	Pass	39001




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-52.72	-13	39.72	Pass	401
0.15	30	0.01	RMS	4.53	-65.34	-13	52.34	Pass	5971
30	1000	0.1	RMS	883.723	-60.63	-13	47.63	Pass	19401
1000	3000	1	RMS	2983	-48.11	-13	35.11	Pass	4001
3000	3690	1	RMS	3003	-45.93	-13	32.93	Pass	1381
3690	3990	1	RMS	3844.5	21.09	60	38.91	Pass	601
3990	7000	1	RMS	4493	-59.41	-13	46.41	Pass	6021
7000	26500	1	RMS	26182	-44.92	-13	31.92	Pass	39001




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-52.12	-13	39.12	Pass	401
0.15	30	0.01	RMS	4.76	-66.03	-13	53.03	Pass	5971
30	1000	0.1	RMS	724.1	-59.9	-13	46.9	Pass	19401
1000	3000	1	RMS	2983	-48.06	-13	35.06	Pass	4001
3000	3690	1	RMS	3004	-46.05	-13	33.05	Pass	1381
3690	3990	1	RMS	3972	14.41	60	45.59	Pass	601
3990	7000	1	RMS	3990	-39.63	-13	26.63	Pass	6021
7000	26500	1	RMS	25872	-44.98	-13	31.98	Pass	39001




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.3	-13	39.3	Pass	401
0.15	30	0.01	RMS	4.57	-64.25	-13	51.25	Pass	5971
30	1000	0.1	RMS	886.625	-60.47	-13	47.47	Pass	19401
1000	3000	1	RMS	2976	-48.02	-13	35.02	Pass	4001
3000	3690	1	RMS	3000	-45.88	-13	32.88	Pass	1381
3690	3990	1	RMS	3970.5	21.16	60	38.84	Pass	601
3990	7000	1	RMS	3990	-52.76	-13	39.76	Pass	6021
7000	26500	1	RMS	7942	-39.42	-13	26.42	Pass	39001




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.44	-13	39.44	Pass	401
0.15	30	0.01	RMS	0.56	-62.73	-13	49.73	Pass	5971
30	1000	0.1	RMS	904.437	-60.37	-13	47.37	Pass	19401
1000	3000	1	RMS	2983	-48.03	-13	35.03	Pass	4001
3000	3690	1	RMS	3000	-45.94	-13	32.94	Pass	1381
3690	3990	1	RMS	3978.75	21	60	39	Pass	601
3990	7000	1	RMS	3990	-48.77	-13	35.77	Pass	6021
7000	26500	1	RMS	7958	-39.22	-13	26.22	Pass	39001




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.43	-13	39.43	Pass	401
0.15	30	0.01	RMS	4.44	-67.19	-13	54.19	Pass	5971
30	1000	0.1	RMS	992.995	-60.45	-13	47.45	Pass	19401
1000	3000	1	RMS	2978	-47.97	-13	34.97	Pass	4001
3000	3690	1	RMS	3690	-32.68	-13	19.68	Pass	1381
3690	3990	1	RMS	3702.75	6.97	60	53.03	Pass	601
3990	7000	1	RMS	4220	-39.94	-13	26.94	Pass	6021
7000	26500	1	RMS	25505	-44.92	-13	31.92	Pass	39001




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-52.05	-13	39.05	Pass	401
0.15	30	0.01	RMS	4.71	-64.88	-13	51.88	Pass	5971
30	1000	0.1	RMS	912.242	-60.7	-13	47.7	Pass	19401
1000	3000	1	RMS	2978	-48.13	-13	35.13	Pass	4001
3000	3690	1	RMS	3686	-43.45	-13	30.45	Pass	1381
3690	3990	1	RMS	3701.25	21.79	60	38.21	Pass	601
3990	7000	1	RMS	4220	-39.51	-13	26.51	Pass	6021
7000	26500	1	RMS	25468	-44.89	-13	31.89	Pass	39001




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-53.03	-13	40.03	Pass	401
0.15	30	0.01	RMS	0.56	-63.93	-13	50.93	Pass	5971
30	1000	0.1	RMS	894.83	-60.8	-13	47.8	Pass	19401
1000	3000	1	RMS	2982	-48.13	-13	35.13	Pass	4001
3000	3690	1	RMS	3686	-43.91	-13	30.91	Pass	1381
3690	3990	1	RMS	3748.5	21.87	60	38.13	Pass	601
3990	7000	1	RMS	4221	-39.43	-13	26.43	Pass	6021
7000	26500	1	RMS	25875	-45.03	-13	32.03	Pass	39001




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-51.89	-13	38.89	Pass	401
0.15	30	0.01	RMS	4.76	-64.26	-13	51.26	Pass	5971
30	1000	0.1	RMS	985.09	-60.76	-13	47.76	Pass	19401
1000	3000	1	RMS	2976	-48.13	-13	35.13	Pass	4001
3000	3690	1	RMS	3004	-45.92	-13	32.92	Pass	1381
3690	3990	1	RMS	3817.5	6.81	60	53.19	Pass	601
3990	7000	1	RMS	4222	-39.71	-13	26.71	Pass	6021
7000	26500	1	RMS	25904	-44.9	-13	31.9	Pass	39001




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-51.74	-13	38.74	Pass	401
0.15	30	0.01	RMS	4.76	-65.4	-13	52.4	Pass	5971
30	1000	0.1	RMS	843.2	-60.34	-13	47.34	Pass	19401
1000	3000	1	RMS	2971	-48.12	-13	35.12	Pass	4001
3000	3690	1	RMS	3686	-45.92	-13	32.92	Pass	1381
3690	3990	1	RMS	3816	21.37	60	38.63	Pass	601
3990	7000	1	RMS	4220	-39.66	-13	26.66	Pass	6021
7000	26500	1	RMS	25900	-44.64	-13	31.64	Pass	39001




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.93	-13	39.93	Pass	401
0.15	30	0.01	RMS	0.56	-61.75	-13	48.75	Pass	5971
30	1000	0.1	RMS	682.7	-60.44	-13	47.44	Pass	19401
1000	3000	1	RMS	2988	-47.96	-13	34.96	Pass	4001
3000	3690	1	RMS	3013	-45.86	-13	32.86	Pass	1381
3690	3990	1	RMS	3864	21.14	60	38.86	Pass	601
3990	7000	1	RMS	4221	-39.75	-13	26.75	Pass	6021
7000	26500	1	RMS	25458	-44.88	-13	31.88	Pass	39001




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.3	-13	39.3	Pass	401
0.15	30	0.01	RMS	4.61	-64.91	-13	51.91	Pass	5971
30	1000	0.1	RMS	651.3	-60.68	-13	47.68	Pass	19401
1000	3000	1	RMS	2982	-48.27	-13	35.27	Pass	4001
3000	3690	1	RMS	3686	-44.61	-13	31.61	Pass	1381
3690	3990	1	RMS	3933	6.89	60	53.11	Pass	601
3990	7000	1	RMS	3991	-35.7	-13	22.7	Pass	6021
7000	26500	1	RMS	25895	-45.2	-13	32.2	Pass	39001




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-51.61	-13	38.61	Pass	401
0.15	30	0.01	RMS	0.56	-61.75	-13	48.75	Pass	5971
30	1000	0.1	RMS	999.099	-60.48	-13	47.48	Pass	19401
1000	3000	1	RMS	2989	-48.04	-13	35.04	Pass	4001
3000	3690	1	RMS	3686	-44.72	-13	31.72	Pass	1381
3690	3990	1	RMS	3931.5	21.02	60	38.98	Pass	601
3990	7000	1	RMS	4222	-40.54	-13	27.54	Pass	6021
7000	26500	1	RMS	7862	-43.1	-13	30.1	Pass	39001




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.34	-13	39.34	Pass	401
0.15	30	0.01	RMS	0.56	-62.97	-13	49.97	Pass	5971
30	1000	0.1	RMS	948.666	-60.81	-13	47.81	Pass	19401
1000	3000	1	RMS	2983	-48.14	-13	35.14	Pass	4001
3000	3690	1	RMS	3686	-44.76	-13	31.76	Pass	1381
3690	3990	1	RMS	3978.75	21.96	60	38.04	Pass	601
3990	7000	1	RMS	4221	-40.42	-13	27.42	Pass	6021
7000	26500	1	RMS	7957	-40	-13	27	Pass	39001




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-52.13	-13	39.13	Pass	401
0.15	30	0.01	RMS	4.57	-65.36	-13	52.36	Pass	5971
30	1000	0.1	RMS	858.106	-60.83	-13	47.83	Pass	19401
1000	3000	1	RMS	2972	-48.11	-13	35.11	Pass	4001
3000	3690	1	RMS	3686	-33.26	-13	20.26	Pass	1381
3690	3990	1	RMS	3765	4.14	60	55.86	Pass	601
3990	7000	1	RMS	4217	-40.85	-13	27.85	Pass	6021
7000	26500	1	RMS	25478	-44.88	-13	31.88	Pass	39001




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-52.29	-13	39.29	Pass	401
0.15	30	0.01	RMS	0.56	-61.23	-13	48.23	Pass	5971
30	1000	0.1	RMS	794.1	-60.65	-13	47.65	Pass	19401
1000	3000	1	RMS	2991	-48.12	-13	35.12	Pass	4001
3000	3690	1	RMS	3686	-43.44	-13	30.44	Pass	1381
3690	3990	1	RMS	3701.25	21.22	60	38.78	Pass	601
3990	7000	1	RMS	4217	-41	-13	28	Pass	6021
7000	26500	1	RMS	25483	-44.63	-13	31.63	Pass	39001




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.57	-13	39.57	Pass	401
0.15	30	0.01	RMS	0.25	-65.05	-13	52.05	Pass	5971
30	1000	0.1	RMS	881.321	-59.99	-13	46.99	Pass	19401
1000	3000	1	RMS	2982	-47.86	-13	34.86	Pass	4001
3000	3690	1	RMS	3686	-43.17	-13	30.17	Pass	1381
3690	3990	1	RMS	3798.75	21.95	60	38.05	Pass	601
3990	7000	1	RMS	4225	-41.11	-13	28.11	Pass	6021
7000	26500	1	RMS	25529	-44.71	-13	31.71	Pass	39001




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.26	-13	39.26	Pass	401
0.15	30	0.01	RMS	0.56	-63.7	-13	50.7	Pass	5971
30	1000	0.1	RMS	998.999	-60.15	-13	47.15	Pass	19401
1000	3000	1	RMS	2975	-48.09	-13	35.09	Pass	4001
3000	3690	1	RMS	3686	-42.53	-13	29.53	Pass	1381
3690	3990	1	RMS	3793.5	4.18	60	55.82	Pass	601
3990	7000	1	RMS	4217	-41.22	-13	28.22	Pass	6021
7000	26500	1	RMS	25521	-45.03	-13	32.03	Pass	39001




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-51.31	-13	38.31	Pass	401
0.15	30	0.01	RMS	0.56	-62.96	-13	49.96	Pass	5971
30	1000	0.1	RMS	921.348	-60.77	-13	47.77	Pass	19401
1000	3000	1	RMS	2972	-47.78	-13	34.78	Pass	4001
3000	3690	1	RMS	3686	-45.46	-13	32.46	Pass	1381
3690	3990	1	RMS	3791.25	21.95	60	38.05	Pass	601
3990	7000	1	RMS	4218	-41.38	-13	28.38	Pass	6021
7000	26500	1	RMS	25484	-44.89	-13	31.89	Pass	39001




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-52.37	-13	39.37	Pass	401
0.15	30	0.01	RMS	4.9	-66.36	-13	53.36	Pass	5971
30	1000	0.1	RMS	921.048	-60.41	-13	47.41	Pass	19401
1000	3000	1	RMS	2987	-47.97	-13	34.97	Pass	4001
3000	3690	1	RMS	3070	-45.33	-13	32.33	Pass	1381
3690	3990	1	RMS	3888.75	21.38	60	38.62	Pass	601
3990	7000	1	RMS	4217	-40.75	-13	27.75	Pass	6021
7000	26500	1	RMS	25883	-44.78	-13	31.78	Pass	39001




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-51.83	-13	38.83	Pass	401
0.15	30	0.01	RMS	0.56	-62.36	-13	49.36	Pass	5971
30	1000	0.1	RMS	861.808	-59.97	-13	46.97	Pass	19401
1000	3000	1	RMS	2994	-48.06	-13	35.06	Pass	4001
3000	3690	1	RMS	3686	-44.13	-13	31.13	Pass	1381
3690	3990	1	RMS	3896.25	3.69	60	56.31	Pass	601
3990	7000	1	RMS	3990	-38.28	-13	25.28	Pass	6021
7000	26500	1	RMS	25877	-44.84	-13	31.84	Pass	39001




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-52.29	-13	39.29	Pass	401
0.15	30	0.01	RMS	4.71	-65.86	-13	52.86	Pass	5971
30	1000	0.1	RMS	997.899	-59.94	-13	46.94	Pass	19401
1000	3000	1	RMS	2986	-47.99	-13	34.99	Pass	4001
3000	3690	1	RMS	3686	-44.92	-13	31.92	Pass	1381
3690	3990	1	RMS	3881.25	21.23	60	38.77	Pass	601
3990	7000	1	RMS	4224	-41.03	-13	28.03	Pass	6021
7000	26500	1	RMS	25901	-45.1	-13	32.1	Pass	39001



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-52.36	-13	39.36	Pass	401
0.15	30	0.01	RMS	0.56	-63.9	-13	50.9	Pass	5971
30	1000	0.1	RMS	613.7	-61.09	-13	48.09	Pass	19401
1000	3000	1	RMS	2973	-48.09	-13	35.09	Pass	4001
3000	3690	1	RMS	3686	-44.21	-13	31.21	Pass	1381
3690	3990	1	RMS	3978.75	21.41	60	38.59	Pass	601
3990	7000	1	RMS	4217	-40.88	-13	27.88	Pass	6021
7000	26500	1	RMS	7958	-38.53	-13	25.53	Pass	39001



--BLANK BELOW--