



1.5. Band Edge for SA_Part90(Subtest:5, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	769.36	-74.9	-35	39.9	Pass	968




1.6. Band Edge for SA_Part90(Subtest:6, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	774.473	-74.82	-35	39.82	Pass	968




1.7. Band Edge for SA_Part90(Subtest:7, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	799.019	-60.35	-35	25.35	Pass	1130




1.8. Band Edge for SA_Part90(Subtest:8, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	799.13	-40.08	-35	5.08	Pass	1130




1.9. Band Edge for SA_Part90(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-21.35	-13	8.35	Pass	401
787.9	787.95	0.1	RMS	787.949	-18.47	-13	5.47	Pass	401
788	798	0.1	RMS	788.4	18.9	30	11.1	Pass	401




1.10. Band Edge for SA_Part90(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-29.02	-13	16.02	Pass	401
787.9	788	0.1	RMS	788	-27.5	-13	14.5	Pass	401
788	798	0.1	RMS	794.875	2.31	30	27.69	Pass	401




1.11. Band Edge for SA_Part90(Subtest:3, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.575	18.7	30	11.3	Pass	401
798	798.1	0.1	RMS	798.001	-16.43	-13	3.43	Pass	401
798.1	813	0.1	RMS	798.1	-21.82	-13	8.82	Pass	401




1.12. Band Edge for SA_Part90(Subtest:4, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	794.875	2.37	30	27.63	Pass	401
798	798.1	0.1	RMS	798.001	-26.5	-13	13.5	Pass	401
798.1	813	0.1	RMS	798.1	-29.13	-13	16.13	Pass	401




1.13. Band Edge for SA_Part90(Subtest:5, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	774.305	-74.79	-35	39.79	Pass	968




1.14. Band Edge for SA_Part90(Subtest:6, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	769.893	-74.63	-35	39.63	Pass	968




1.15. Band Edge for SA_Part90(Subtest:7, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	799.012	-60.36	-35	25.36	Pass	1130



1.16. Band Edge for SA_Part90(Subtest:8, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	799.477	-42.24	-35	7.24	Pass	1130



1. n77(3450-3550)


1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-38.87	-13	25.87	Pass	401
3445	3449	0.62	RMS	3448.44	-19.94	-13	6.94	Pass	401
3449	3450	0.2	RMS	3449.998	-16.27	-13	3.27	Pass	401
3450	3460	1	RMS	3450.8	22.34	40	17.66	Pass	401




1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.975	-33.27	-13	20.27	Pass	401
3445	3449	0.62	RMS	3449	-26.74	-13	13.74	Pass	401
3449	3450	0.2	RMS	3449.995	-23.12	-13	10.12	Pass	401
3450	3460	1	RMS	3458.1	14.01	40	25.99	Pass	401




1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.1	22.63	40	17.37	Pass	401
3550	3551	0.2	RMS	3550.003	-16.7	-13	3.7	Pass	401
3551	3555	0.62	RMS	3551.33	-20.66	-13	7.66	Pass	401
3555	3565	1	RMS	3555.025	-40.21	-13	27.21	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3548.175	14.26	40	25.74	Pass	401
3550	3551	0.2	RMS	3550	-22.63	-13	9.63	Pass	401
3551	3555	0.62	RMS	3551.03	-22.8	-13	9.8	Pass	401
3555	3565	1	RMS	3555	-25.93	-13	12.93	Pass	401




1.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-42.07	-13	29.07	Pass	401
3445	3449	0.62	RMS	3448.83	-20	-13	7	Pass	401
3449	3450	0.2	RMS	3449.995	-25.01	-13	12.01	Pass	401
3450	3500	1	RMS	3451.25	22.24	40	17.76	Pass	401




1.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-33.34	-13	20.34	Pass	401
3445	3449	0.62	RMS	3448.86	-31.44	-13	18.44	Pass	401
3449	3450	0.2	RMS	3449.995	-34.17	-13	21.17	Pass	401
3450	3500	1	RMS	3495.875	6.95	40	33.05	Pass	401




1.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.75	22.35	40	17.65	Pass	401
3550	3551	0.2	RMS	3550.953	-23.78	-13	10.78	Pass	401
3551	3555	0.62	RMS	3551	-20.75	-13	7.75	Pass	401
3555	3605	1	RMS	3555.375	-40.75	-13	27.75	Pass	401




1.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3546.375	7.19	40	32.81	Pass	401
3550	3551	0.2	RMS	3550.003	-32.05	-13	19.05	Pass	401
3551	3555	0.62	RMS	3551.05	-28.41	-13	15.41	Pass	401
3555	3605	1	RMS	3555	-28.06	-13	15.06	Pass	401




1.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.5	-40.95	-13	27.95	Pass	401
3445	3449	0.62	RMS	3448.85	-19.64	-13	6.64	Pass	401
3449	3450	0.051	RMS	3449.99	-24.98	-13	11.98	Pass	401
3450	3550	1	RMS	3451	22.01	40	17.99	Pass	401




1.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-34.61	-13	21.61	Pass	401
3445	3449	0.62	RMS	3448.92	-34.17	-13	21.17	Pass	401
3449	3450	0.2	RMS	3449.993	-35.54	-13	22.54	Pass	401
3450	3550	1	RMS	3546.75	4.08	40	35.92	Pass	401




1.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	22.48	40	17.52	Pass	401
3550	3551	0.2	RMS	3550.003	-18.71	-13	5.71	Pass	401
3551	3555	0.62	RMS	3551.26	-20.51	-13	7.51	Pass	401
3555	3655	1	RMS	3555	-40.85	-13	27.85	Pass	401



1.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3547	4.08	40	35.92	Pass	401
3550	3551	0.2	RMS	3550.003	-34.23	-13	21.23	Pass	401
3551	3555	0.62	RMS	3551.08	-31.41	-13	18.41	Pass	401
3555	3655	1	RMS	3555	-30.22	-13	17.22	Pass	401



2. n77(3700-3980)


2.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.725	-38.68	-13	25.68	Pass	401
3695	3699	0.62	RMS	3698.77	-19.92	-13	6.92	Pass	401
3699	3700	0.051	RMS	3700	-21.9	-13	8.9	Pass	401
3700	3710	1	RMS	3700.8	22.39	40	17.61	Pass	401




2.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3695	-31.36	-13	18.36	Pass	401
3695	3699	0.62	RMS	3699	-25.69	-13	12.69	Pass	401
3699	3700	0.39	RMS	3700	-19.19	-13	6.19	Pass	401
3700	3710	1	RMS	3701.725	14.09	40	25.91	Pass	401




2.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3979.125	22.56	40	17.44	Pass	401
3980	3981	0.051	RMS	3980.003	-23.56	-13	10.56	Pass	401
3981	3985	0.62	RMS	3981.24	-18.06	-13	5.06	Pass	401
3985	3995	1	RMS	3985.05	-39	-13	26	Pass	401




2.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3971.975	14.26	40	25.74	Pass	401
3980	3981	0.39	RMS	3980.005	-21.02	-13	8.02	Pass	401
3981	3985	0.62	RMS	3981.01	-26.21	-13	13.21	Pass	401
3985	3995	1	RMS	3985	-31.2	-13	18.2	Pass	401




2.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3695	-38.64	-13	25.64	Pass	401
3695	3699	0.62	RMS	3698.72	-20.92	-13	7.92	Pass	401
3699	3700	0.39	RMS	3700	-19.6	-13	6.6	Pass	401
3700	3750	1	RMS	3701.25	22.23	40	17.77	Pass	401




2.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.875	-32.1	-13	19.1	Pass	401
3695	3699	0.62	RMS	3698.95	-31.31	-13	18.31	Pass	401
3699	3700	0.39	RMS	3700	-30.92	-13	17.92	Pass	401
3700	3750	1	RMS	3747	7.31	40	32.69	Pass	401




2.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3978.75	22.4	40	17.6	Pass	401
3980	3981	0.39	RMS	3980.71	-19.14	-13	6.14	Pass	401
3981	3985	0.62	RMS	3981	-19.5	-13	6.5	Pass	401
3985	4035	1	RMS	3985	-39.67	-13	26.67	Pass	401




2.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3932.375	6.71	40	33.29	Pass	401
3980	3981	0.39	RMS	3980	-32.06	-13	19.06	Pass	401
3981	3985	0.62	RMS	3981.02	-32.39	-13	19.39	Pass	401
3985	4035	1	RMS	3985	-33.77	-13	20.77	Pass	401



2.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-38.58	-13	25.58	Pass	401
3695	3699	0.62	RMS	3698.96	-19.53	-13	6.53	Pass	401
3699	3700	0.051	RMS	3699.985	-25.71	-13	12.71	Pass	401
3700	3800	1	RMS	3701	22.14	40	17.86	Pass	401




2.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3686	-33	-13	20	Pass	401
3695	3699	0.62	RMS	3699	-33.5	-13	20.5	Pass	401
3699	3700	0.39	RMS	3700	-31.64	-13	18.64	Pass	401
3700	3800	1	RMS	3784.75	4.49	40	35.51	Pass	401




2.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	22.05	40	17.95	Pass	401
3980	3981	0.051	RMS	3980	-26.3	-13	13.3	Pass	401
3981	3985	0.62	RMS	3981.06	-18.8	-13	5.8	Pass	401
3985	4085	1	RMS	3985	-40.29	-13	27.29	Pass	401



2.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3895.5	3.51	40	36.49	Pass	401
3980	3981	0.39	RMS	3980.003	-34.25	-13	21.25	Pass	401
3981	3985	0.62	RMS	3981	-36.72	-13	23.72	Pass	401
3985	4085	1	RMS	3985	-37.14	-13	24.14	Pass	401



1. n70 15kHz


1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:339500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1693.5	1	RMS	1693.5	-26.78	-13	13.78	Pass	401
1694	1695	0.02	RMS	1695	-22.61	-13	9.61	Pass	401
1695	1700	1	RMS	1695.35	20.43	30	9.57	Pass	401




1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:339500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1693.5	1	RMS	1693.5	-24.64	-13	11.64	Pass	401
1694	1695	0.051	RMS	1695	-26.66	-13	13.66	Pass	401
1695	1700	1	RMS	1698.325	14.31	30	15.69	Pass	401




1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:341500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1705	1710	1	RMS	1709.625	20.46	30	9.54	Pass	401
1710	1711	0.051	RMS	1710	-18.64	-13	5.64	Pass	401
1711.5	1720	1	RMS	1711.5	-28.36	-13	15.36	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:341500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1705	1710	1	RMS	1708.5	14.31	30	15.69	Pass	401
1710	1711	0.051	RMS	1710.005	-28	-13	15	Pass	401
1711.5	1720	1	RMS	1711.5	-24.33	-13	11.33	Pass	401




1.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:340000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1680	1693.5	1	RMS	1693.5	-31.12	-13	18.12	Pass	401
1694	1694.95	0.1	RMS	1694.95	-19.14	-13	6.14	Pass	401
1695	1705	1	RMS	1695.375	20.42	30	9.58	Pass	401




1.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:340000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1680	1694	1	RMS	1694	-19.72	-13	6.72	Pass	401
1694	1695	0.1	RMS	1695	-28.57	-13	15.57	Pass	401
1695	1705	1	RMS	1703.5	11.27	30	18.73	Pass	401




1.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:341000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1710	1	RMS	1709.6	20.41	30	9.59	Pass	401
1710	1711	0.1	RMS	1710	-17.52	-13	4.52	Pass	401
1711.5	1725	1	RMS	1711.5	-32.69	-13	19.69	Pass	401




1.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:341000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1710	1	RMS	1708.7	11.25	30	18.75	Pass	401
1710	1711	0.1	RMS	1710	-28.17	-13	15.17	Pass	401
1711	1725	1	RMS	1711	-20.26	-13	7.26	Pass	401




1.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:340500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1675	1693.5	1	RMS	1693.5	-35.35	-13	22.35	Pass	401
1694	1695	0.15	RMS	1695	-17.4	-13	4.4	Pass	401
1695	1710	1	RMS	1695.413	20.55	30	9.45	Pass	401




1.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:340500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1675	1694	1	RMS	1694	-23.68	-13	10.68	Pass	401
1694	1695	0.15	RMS	1695	-30.6	-13	17.6	Pass	401
1695	1710	1	RMS	1708.425	9.59	30	20.41	Pass	401




1.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:340500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1695	1710	1	RMS	1709.513	20.55	30	9.45	Pass	401
1710	1711	0.15	RMS	1710.003	-18.17	-13	5.17	Pass	401
1711.5	1730	1	RMS	1711.5	-36.74	-13	23.74	Pass	401



1.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:340500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1695	1710	1	RMS	1708.463	9.59	30	20.41	Pass	401
1710	1711	0.15	RMS	1710	-32.65	-13	19.65	Pass	401
1711	1730	1	RMS	1711	-24.04	-13	11.04	Pass	401



--BLANK BELOW--