


Spurious Emission at Antenna Terminals


3.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.63	-25	53.63	Pass	401
0.15	30	0.01	RMS	0.17	-78.2	-25	53.2	Pass	2986
30	1000	0.1	RMS	996.598	-70.02	-25	45.02	Pass	9701
1000	2486	1	RMS	2486	-55.28	-25	30.28	Pass	1487
2486	2700	1	RMS	2496.7	15.04	60	44.96	Pass	401
2700	3000	1	RMS	2999.25	-54.29	-25	29.29	Pass	401
3000	7000	1	RMS	6973	-66.58	-25	41.58	Pass	4001
7000	26500	1	RMS	25505	-50.82	-25	25.82	Pass	19503




3.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.62	-25	53.62	Pass	401
0.15	30	0.01	RMS	0.15	-78.41	-25	53.41	Pass	2986
30	1000	0.1	RMS	977.185	-69.95	-25	44.95	Pass	9701
1000	2486	1	RMS	2486	-55.57	-25	30.57	Pass	1487
2486	2700	1	RMS	2504.725	14.48	60	45.52	Pass	401
2700	3000	1	RMS	2995.5	-54.3	-25	29.3	Pass	401
3000	7000	1	RMS	6979	-66.53	-25	41.53	Pass	4001
7000	26500	1	RMS	25501	-50.87	-25	25.87	Pass	19503




3.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-79.05	-25	54.05	Pass	401
0.15	30	0.01	RMS	0.16	-78.07	-25	53.07	Pass	2986
30	1000	0.1	RMS	999.199	-69.98	-25	44.98	Pass	9701
1000	2486	1	RMS	2485	-55.66	-25	30.66	Pass	1487
2486	2700	1	RMS	2590.86	9.39	60	50.61	Pass	401
2700	3000	1	RMS	3000	-54.31	-25	29.31	Pass	401
3000	7000	1	RMS	6980	-66.55	-25	41.55	Pass	4001
7000	26500	1	RMS	25504	-50.86	-25	25.86	Pass	19503




3.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.06	-25	52.06	Pass	401
0.15	30	0.01	RMS	0.17	-78.15	-25	53.15	Pass	2986
30	1000	0.1	RMS	948.166	-69.95	-25	44.95	Pass	9701
1000	2486	1	RMS	2486	-55.72	-25	30.72	Pass	1487
2486	2700	1	RMS	2588.72	15.48	60	44.52	Pass	401
2700	3000	1	RMS	3000	-54.28	-25	29.28	Pass	401
3000	7000	1	RMS	6981	-66.57	-25	41.57	Pass	4001
7000	26500	1	RMS	25507	-50.86	-25	25.86	Pass	19503




3.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.92	-25	53.92	Pass	401
0.15	30	0.01	RMS	0.2	-78.21	-25	53.21	Pass	2986
30	1000	0.1	RMS	988.192	-69.96	-25	44.96	Pass	9701
1000	2486	1	RMS	2481	-55.72	-25	30.72	Pass	1487
2486	2700	1	RMS	2596.745	15.18	60	44.82	Pass	401
2700	3000	1	RMS	3000	-54.28	-25	29.28	Pass	401
3000	7000	1	RMS	6971	-66.61	-25	41.61	Pass	4001
7000	26500	1	RMS	25498	-50.77	-25	25.77	Pass	19503




3.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.88	-25	53.88	Pass	401
0.15	30	0.01	RMS	0.15	-78.1	-25	53.1	Pass	2986
30	1000	0.1	RMS	941.661	-70.05	-25	45.05	Pass	9701
1000	2486	1	RMS	2486	-55.6	-25	30.6	Pass	1487
2486	2700	1	RMS	2681.81	9.87	60	50.13	Pass	401
2700	3000	1	RMS	2700	-41.1	-25	16.1	Pass	401
3000	7000	1	RMS	6977	-66.6	-25	41.6	Pass	4001
7000	26500	1	RMS	25506	-50.85	-25	25.85	Pass	19503




3.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.59	-25	53.59	Pass	401
0.15	30	0.01	RMS	0.17	-78.16	-25	53.16	Pass	2986
30	1000	0.1	RMS	720.2	-69.86	-25	44.86	Pass	9701
1000	2486	1	RMS	2485	-55.7	-25	30.7	Pass	1487
2486	2700	1	RMS	2680.74	15.75	60	44.25	Pass	401
2700	3000	1	RMS	2998.5	-54.29	-25	29.29	Pass	401
3000	7000	1	RMS	6973	-66.59	-25	41.59	Pass	4001
7000	26500	1	RMS	25498	-50.88	-25	25.88	Pass	19503




3.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.75	-25	53.75	Pass	401
0.15	30	0.01	RMS	0.17	-78.08	-25	53.08	Pass	2986
30	1000	0.1	RMS	992.895	-69.99	-25	44.99	Pass	9701
1000	2486	1	RMS	2481	-55.78	-25	30.78	Pass	1487
2486	2700	1	RMS	2688.765	15.47	60	44.53	Pass	401
2700	3000	1	RMS	3000	-54.32	-25	29.32	Pass	401
3000	7000	1	RMS	6978	-66.61	-25	41.61	Pass	4001
7000	26500	1	RMS	25513	-50.92	-25	25.92	Pass	19503




3.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.32	-25	47.32	Pass	401
0.15	30	0.01	RMS	0.16	-72.69	-25	47.69	Pass	2986
30	1000	0.1	RMS	936.858	-65.57	-25	40.57	Pass	9701
1000	2446	1	RMS	2427	-52.97	-25	27.97	Pass	1447
2446	2740	1	RMS	2533.465	4.24	60	55.76	Pass	401
2740	3000	1	RMS	2945.4	-50.02	-25	25.02	Pass	401
3000	7000	1	RMS	6980	-63.62	-25	38.62	Pass	4001
7000	26500	1	RMS	25500	-50.84	-25	25.84	Pass	19503




3.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-78.35	-25	53.35	Pass	401
0.15	30	0.01	RMS	0.16	-77.55	-25	52.55	Pass	2986
30	1000	0.1	RMS	972.782	-70.19	-25	45.19	Pass	9701
1000	2446	1	RMS	2445	-56.31	-25	31.31	Pass	1447
2446	2740	1	RMS	2496.715	14.47	60	45.53	Pass	401
2740	3000	1	RMS	2998.05	-54.37	-25	29.37	Pass	401
3000	7000	1	RMS	6972	-66.66	-25	41.66	Pass	4001
7000	26500	1	RMS	25498	-50.89	-25	25.89	Pass	19503




3.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.54	-25	53.54	Pass	401
0.15	30	0.01	RMS	0.17	-77.95	-25	52.95	Pass	2986
30	1000	0.1	RMS	933.656	-69.95	-25	44.95	Pass	9701
1000	2446	1	RMS	2442	-56.29	-25	31.29	Pass	1447
2446	2740	1	RMS	2544.49	15.23	60	44.77	Pass	401
2740	3000	1	RMS	2998.05	-54.39	-25	29.39	Pass	401
3000	7000	1	RMS	6976	-66.59	-25	41.59	Pass	4001
7000	26500	1	RMS	25501	-50.87	-25	25.87	Pass	19503




3.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.84	-25	52.84	Pass	401
0.15	30	0.01	RMS	0.19	-78.33	-25	53.33	Pass	2986
30	1000	0.1	RMS	931.355	-70.04	-25	45.04	Pass	9701
1000	2446	1	RMS	2445	-56.25	-25	31.25	Pass	1447
2446	2740	1	RMS	2582.71	2.04	60	57.96	Pass	401
2740	3000	1	RMS	3000	-54.34	-25	29.34	Pass	401
3000	7000	1	RMS	6973	-66.62	-25	41.62	Pass	4001
7000	26500	1	RMS	25495	-50.93	-25	25.93	Pass	19503




3.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.07	-25	53.07	Pass	401
0.15	30	0.01	RMS	0.25	-78.48	-25	53.48	Pass	2986
30	1000	0.1	RMS	947.065	-69.93	-25	44.93	Pass	9701
1000	2446	1	RMS	2440	-56.29	-25	31.29	Pass	1447
2446	2740	1	RMS	2568.745	13.86	60	46.14	Pass	401
2740	3000	1	RMS	2966.2	-54.33	-25	29.33	Pass	401
3000	7000	1	RMS	6974	-66.58	-25	41.58	Pass	4001
7000	26500	1	RMS	25506	-50.86	-25	25.86	Pass	19503




3.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.1	-25	53.1	Pass	401
0.15	30	0.01	RMS	0.19	-78.32	-25	53.32	Pass	2986
30	1000	0.1	RMS	940.761	-69.96	-25	44.96	Pass	9701
1000	2446	1	RMS	2446	-56.2	-25	31.2	Pass	1447
2446	2740	1	RMS	2616.52	14.8	60	45.2	Pass	401
2740	3000	1	RMS	3000	-54.29	-25	29.29	Pass	401
3000	7000	1	RMS	6970	-66.54	-25	41.54	Pass	4001
7000	26500	1	RMS	25498	-50.74	-25	25.74	Pass	19503




3.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.28	-25	53.28	Pass	401
0.15	30	0.01	RMS	0.15	-78.02	-25	53.02	Pass	2986
30	1000	0.1	RMS	919.947	-70	-25	45	Pass	9701
1000	2446	1	RMS	2442	-56.26	-25	31.26	Pass	1447
2446	2740	1	RMS	2677.525	2.81	60	57.19	Pass	401
2740	3000	1	RMS	2740	-51.1	-25	26.1	Pass	401
3000	7000	1	RMS	6973	-66.56	-25	41.56	Pass	4001
7000	26500	1	RMS	25494	-50.74	-25	25.74	Pass	19503




3.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.89	-25	53.89	Pass	401
0.15	30	0.01	RMS	0.15	-77.57	-25	52.57	Pass	2986
30	1000	0.1	RMS	847.7	-69.98	-25	44.98	Pass	9701
1000	2446	1	RMS	2446	-56.21	-25	31.21	Pass	1447
2446	2740	1	RMS	2640.775	15.55	60	44.45	Pass	401
2740	3000	1	RMS	3000	-54.26	-25	29.26	Pass	401
3000	7000	1	RMS	6979	-66.58	-25	41.58	Pass	4001
7000	26500	1	RMS	25502	-50.84	-25	25.84	Pass	19503




3.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.68	-25	53.68	Pass	401
0.15	30	0.01	RMS	0.18	-77.83	-25	52.83	Pass	2986
30	1000	0.1	RMS	728.1	-69.66	-25	44.66	Pass	9701
1000	2446	1	RMS	2444	-56.27	-25	31.27	Pass	1447
2446	2740	1	RMS	2688.55	15.56	60	44.44	Pass	401
2740	3000	1	RMS	2996.1	-54.29	-25	29.29	Pass	401
3000	7000	1	RMS	6982	-66.56	-25	41.56	Pass	4001
7000	26500	1	RMS	25507	-50.75	-25	25.75	Pass	19503




3.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.92	-25	52.92	Pass	401
0.15	30	0.01	RMS	0.16	-77.9	-25	52.9	Pass	2986
30	1000	0.1	RMS	936.758	-69.93	-25	44.93	Pass	9701
1000	2396	1	RMS	2381	-56.44	-25	31.44	Pass	1397
2396	2790	1	RMS	2577.24	-0.98	60	60.98	Pass	401
2790	3000	1	RMS	2961.15	-54.27	-25	29.27	Pass	401
3000	7000	1	RMS	6977	-66.58	-25	41.58	Pass	4001
7000	26500	1	RMS	25509	-50.83	-25	25.83	Pass	19503




3.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.12	-25	53.12	Pass	401
0.15	30	0.01	RMS	0.15	-77.99	-25	52.99	Pass	2986
30	1000	0.1	RMS	941.661	-69.97	-25	44.97	Pass	9701
1000	2396	1	RMS	2381	-56.5	-25	31.5	Pass	1397
2396	2790	1	RMS	2496.47	14.5	60	45.5	Pass	401
2790	3000	1	RMS	2998.425	-54.26	-25	29.26	Pass	401
3000	7000	1	RMS	6972	-66.59	-25	41.59	Pass	4001
7000	26500	1	RMS	25489	-50.9	-25	25.9	Pass	19503




3.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.68	-25	53.68	Pass	401
0.15	30	0.01	RMS	0.21	-78.2	-25	53.2	Pass	2986
30	1000	0.1	RMS	994.997	-70.02	-25	45.02	Pass	9701
1000	2396	1	RMS	2393	-56.57	-25	31.57	Pass	1397
2396	2790	1	RMS	2594.97	13.92	60	46.08	Pass	401
2790	3000	1	RMS	2991.6	-54.32	-25	29.32	Pass	401
3000	7000	1	RMS	6970	-66.57	-25	41.57	Pass	4001
7000	26500	1	RMS	25500	-50.79	-25	25.79	Pass	19503




3.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.32	-25	53.32	Pass	401
0.15	30	0.01	RMS	0.17	-78.59	-25	53.59	Pass	2986
30	1000	0.1	RMS	976.685	-70.09	-25	45.09	Pass	9701
1000	2396	1	RMS	2396	-56.57	-25	31.57	Pass	1397
2396	2790	1	RMS	2569.36	-0.5	60	60.5	Pass	401
2790	3000	1	RMS	2993.7	-54.34	-25	29.34	Pass	401
3000	7000	1	RMS	6979	-66.62	-25	41.62	Pass	4001
7000	26500	1	RMS	25505	-50.79	-25	25.79	Pass	19503




3.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.7	-25	53.7	Pass	401
0.15	30	0.01	RMS	0.16	-78.11	-25	53.11	Pass	2986
30	1000	0.1	RMS	995.497	-70.05	-25	45.05	Pass	9701
1000	2396	1	RMS	2387	-56.6	-25	31.6	Pass	1397
2396	2790	1	RMS	2543.75	14.72	60	45.28	Pass	401
2790	3000	1	RMS	3000	-54.36	-25	29.36	Pass	401
3000	7000	1	RMS	6978	-66.69	-25	41.69	Pass	4001
7000	26500	1	RMS	25517	-50.85	-25	25.85	Pass	19503




3.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.79	-25	53.79	Pass	401
0.15	30	0.01	RMS	0.15	-78.57	-25	53.57	Pass	2986
30	1000	0.1	RMS	989.893	-70.1	-25	45.1	Pass	9701
1000	2396	1	RMS	2394	-56.64	-25	31.64	Pass	1397
2396	2790	1	RMS	2641.265	14.7	60	45.3	Pass	401
2790	3000	1	RMS	3000	-54.36	-25	29.36	Pass	401
3000	7000	1	RMS	6978	-66.7	-25	41.7	Pass	4001
7000	26500	1	RMS	25479	-50.9	-25	25.9	Pass	19503




3.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.35	-25	53.35	Pass	401
0.15	30	0.01	RMS	0.15	-78.18	-25	53.18	Pass	2986
30	1000	0.1	RMS	996.798	-70.14	-25	45.14	Pass	9701
1000	2396	1	RMS	2378	-56.59	-25	31.59	Pass	1397
2396	2790	1	RMS	2592.015	0.19	60	59.81	Pass	401
2790	3000	1	RMS	2962.2	-54.4	-25	29.4	Pass	401
3000	7000	1	RMS	6972	-66.64	-25	41.64	Pass	4001
7000	26500	1	RMS	25499	-51.01	-25	26.01	Pass	19503




3.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.54	-25	53.54	Pass	401
0.15	30	0.01	RMS	0.15	-77.75	-25	52.75	Pass	2986
30	1000	0.1	RMS	864.71	-70.17	-25	45.17	Pass	9701
1000	2396	1	RMS	2382	-56.58	-25	31.58	Pass	1397
2396	2790	1	RMS	2591.03	13.73	60	46.27	Pass	401
2790	3000	1	RMS	2998.425	-54.42	-25	29.42	Pass	401
3000	7000	1	RMS	6970	-66.75	-25	41.75	Pass	4001
7000	26500	1	RMS	25499	-50.87	-25	25.87	Pass	19503



3.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.65	-25	52.65	Pass	401
0.15	30	0.01	RMS	0.17	-78.58	-25	53.58	Pass	2986
30	1000	0.1	RMS	728.3	-69.97	-25	44.97	Pass	9701
1000	2396	1	RMS	2386	-56.66	-25	31.66	Pass	1397
2396	2790	1	RMS	2688.545	15.28	60	44.72	Pass	401
2790	3000	1	RMS	2998.425	-54.42	-25	29.42	Pass	401
3000	7000	1	RMS	6980	-66.73	-25	41.73	Pass	4001
7000	26500	1	RMS	25504	-50.84	-25	25.84	Pass	19503



4. n71


4.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.62	-13	64.62	Pass	401
0.15	30	0.01	RMS	0.16	-78.38	-13	65.38	Pass	2986
30	653	0.1	RMS	619.1	-71.06	-13	58.06	Pass	6231
653	708	0.1	RMS	663.8	-1.78	60	61.78	Pass	551
708	1000	0.1	RMS	846.4	-69.86	-13	56.86	Pass	2921
1000	3000	1	RMS	2996	-54.28	-13	41.28	Pass	2001
3000	10000	1	RMS	8746	-65.95	-13	52.95	Pass	7001




4.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.18	-13	63.18	Pass	401
0.15	30	0.01	RMS	0.17	-78.08	-13	65.08	Pass	2986
30	653	0.1	RMS	616.2	-70.94	-13	57.94	Pass	6231
653	708	0.1	RMS	663.4	10.94	60	49.06	Pass	551
708	1000	0.1	RMS	987.4	-69.91	-13	56.91	Pass	2921
1000	3000	1	RMS	2995	-54.29	-13	41.29	Pass	2001
3000	10000	1	RMS	8745	-66.02	-13	53.02	Pass	7001




4.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.65	-13	64.65	Pass	401
0.15	30	0.01	RMS	0.15	-77.67	-13	64.67	Pass	2986
30	653	0.1	RMS	603.7	-70.94	-13	57.94	Pass	6231
653	708	0.1	RMS	667.7	11.29	60	48.71	Pass	551
708	1000	0.1	RMS	981	-69.87	-13	56.87	Pass	2921
1000	3000	1	RMS	3000	-54.31	-13	41.31	Pass	2001
3000	10000	1	RMS	8749	-65.88	-13	52.88	Pass	7001




4.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.42	-13	64.42	Pass	401
0.15	30	0.01	RMS	0.15	-78.18	-13	65.18	Pass	2986
30	653	0.1	RMS	620.3	-71.03	-13	58.03	Pass	6231
653	708	0.1	RMS	679.3	-1.52	60	61.52	Pass	551
708	1000	0.1	RMS	956.7	-69.78	-13	56.78	Pass	2921
1000	3000	1	RMS	3000	-54.25	-13	41.25	Pass	2001
3000	10000	1	RMS	8742	-66.08	-13	53.08	Pass	7001




4.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.95	-13	63.95	Pass	401
0.15	30	0.01	RMS	0.15	-78.22	-13	65.22	Pass	2986
30	653	0.1	RMS	503.3	-71.04	-13	58.04	Pass	6231
653	708	0.1	RMS	678.4	11.04	60	48.96	Pass	551
708	1000	0.1	RMS	934.4	-69.62	-13	56.62	Pass	2921
1000	3000	1	RMS	2998	-54.29	-13	41.29	Pass	2001
3000	10000	1	RMS	8749	-65.92	-13	52.92	Pass	7001




4.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.26	-13	64.26	Pass	401
0.15	30	0.01	RMS	0.15	-77.58	-13	64.58	Pass	2986
30	653	0.1	RMS	622.7	-71.1	-13	58.1	Pass	6231
653	708	0.1	RMS	682.7	11.33	60	48.67	Pass	551
708	1000	0.1	RMS	861	-69.7	-13	56.7	Pass	2921
1000	3000	1	RMS	2996	-54.24	-13	41.24	Pass	2001
3000	10000	1	RMS	8746	-65.98	-13	52.98	Pass	7001




4.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.97	-13	65.97	Pass	401
0.15	30	0.01	RMS	0.15	-77.98	-13	64.98	Pass	2986
30	653	0.1	RMS	617	-71.02	-13	58.02	Pass	6231
653	708	0.1	RMS	694.3	-1.58	60	61.58	Pass	551
708	1000	0.1	RMS	708.2	-61.15	-13	48.15	Pass	2921
1000	3000	1	RMS	2999	-54.3	-13	41.3	Pass	2001
3000	10000	1	RMS	8738	-65.98	-13	52.98	Pass	7001




4.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.93	-13	63.93	Pass	401
0.15	30	0.01	RMS	0.19	-78.08	-13	65.08	Pass	2986
30	653	0.1	RMS	612	-71.03	-13	58.03	Pass	6231
653	708	0.1	RMS	693.4	10.85	60	49.15	Pass	551
708	1000	0.1	RMS	970.9	-69.86	-13	56.86	Pass	2921
1000	3000	1	RMS	2998	-54.28	-13	41.28	Pass	2001
3000	10000	1	RMS	8737	-66.03	-13	53.03	Pass	7001




4.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-76.69	-13	63.69	Pass	401
0.15	30	0.01	RMS	0.21	-78.25	-13	65.25	Pass	2986
30	653	0.1	RMS	645.9	-71.16	-13	58.16	Pass	6231
653	708	0.1	RMS	697.7	11.57	60	48.43	Pass	551
708	1000	0.1	RMS	953.4	-69.7	-13	56.7	Pass	2921
1000	3000	1	RMS	2997	-54.26	-13	41.26	Pass	2001
3000	10000	1	RMS	8746	-65.89	-13	52.89	Pass	7001




4.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.73	-13	65.73	Pass	401
0.15	30	0.01	RMS	0.25	-78.39	-13	65.39	Pass	2986
30	653	0.1	RMS	652.5	-70.43	-13	57.43	Pass	6231
653	708	0.1	RMS	676.3	-6.32	60	66.32	Pass	551
708	1000	0.1	RMS	708.7	-65.5	-13	52.5	Pass	2921
1000	3000	1	RMS	2996	-54.31	-13	41.31	Pass	2001
3000	10000	1	RMS	8749	-65.96	-13	52.96	Pass	7001




4.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.88	-13	62.88	Pass	401
0.15	30	0.01	RMS	0.18	-77.76	-13	64.76	Pass	2986
30	653	0.1	RMS	609.7	-71.01	-13	58.01	Pass	6231
653	708	0.1	RMS	663.5	11.44	60	48.56	Pass	551
708	1000	0.1	RMS	967.5	-69.64	-13	56.64	Pass	2921
1000	3000	1	RMS	2995	-54.29	-13	41.29	Pass	2001
3000	10000	1	RMS	8739	-65.95	-13	52.95	Pass	7001




4.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.9	-13	63.9	Pass	401
0.15	30	0.01	RMS	0.22	-78.25	-13	65.25	Pass	2986
30	653	0.1	RMS	650.5	-71.07	-13	58.07	Pass	6231
653	708	0.1	RMS	677.5	11.19	60	48.81	Pass	551
708	1000	0.1	RMS	985.8	-69.77	-13	56.77	Pass	2921
1000	3000	1	RMS	2962	-54.29	-13	41.29	Pass	2001
3000	10000	1	RMS	8746	-65.95	-13	52.95	Pass	7001




4.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.98	-13	64.98	Pass	401
0.15	30	0.01	RMS	0.39	-78.15	-13	65.15	Pass	2986
30	653	0.1	RMS	610.2	-71.01	-13	58.01	Pass	6231
653	708	0.1	RMS	676.5	-6.42	60	66.42	Pass	551
708	1000	0.1	RMS	708.6	-58.44	-13	45.44	Pass	2921
1000	3000	1	RMS	2996	-54.28	-13	41.28	Pass	2001
3000	10000	1	RMS	8745	-66.02	-13	53.02	Pass	7001




4.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.22	-13	64.22	Pass	401
0.15	30	0.01	RMS	0.15	-78.17	-13	65.17	Pass	2986
30	653	0.1	RMS	617	-70.99	-13	57.99	Pass	6231
653	708	0.1	RMS	673.5	11.36	60	48.64	Pass	551
708	1000	0.1	RMS	968.3	-69.81	-13	56.81	Pass	2921
1000	3000	1	RMS	2986	-54.33	-13	41.33	Pass	2001
3000	10000	1	RMS	8749	-66.06	-13	53.06	Pass	7001




4.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.21	-13	63.21	Pass	401
0.15	30	0.01	RMS	0.24	-78.53	-13	65.53	Pass	2986
30	653	0.1	RMS	609.5	-70.89	-13	57.89	Pass	6231
653	708	0.1	RMS	687.5	11.29	60	48.71	Pass	551
708	1000	0.1	RMS	846.2	-69.81	-13	56.81	Pass	2921
1000	3000	1	RMS	3000	-54.31	-13	41.31	Pass	2001
3000	10000	1	RMS	8738	-66.04	-13	53.04	Pass	7001




4.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.85	-13	63.85	Pass	401
0.15	30	0.01	RMS	0.15	-78.04	-13	65.04	Pass	2986
30	653	0.1	RMS	609.9	-71.11	-13	58.11	Pass	6231
653	708	0.1	RMS	695.2	-6.26	60	66.26	Pass	551
708	1000	0.1	RMS	708.5	-50.42	-13	37.42	Pass	2921
1000	3000	1	RMS	3000	-54.33	-13	41.33	Pass	2001
3000	10000	1	RMS	8748	-66	-13	53	Pass	7001




4.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.59	-13	62.59	Pass	401
0.15	30	0.01	RMS	0.17	-77.78	-13	64.78	Pass	2986
30	653	0.1	RMS	628.7	-70.99	-13	57.99	Pass	6231
653	708	0.1	RMS	683.5	11.68	60	48.32	Pass	551
708	1000	0.1	RMS	991.5	-69.8	-13	56.8	Pass	2921
1000	3000	1	RMS	2990	-54.3	-13	41.3	Pass	2001
3000	10000	1	RMS	8745	-65.97	-13	52.97	Pass	7001




4.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.48	-13	63.48	Pass	401
0.15	30	0.01	RMS	0.15	-78.35	-13	65.35	Pass	2986
30	653	0.1	RMS	618.5	-70.98	-13	57.98	Pass	6231
653	708	0.1	RMS	697.5	11.21	60	48.79	Pass	551
708	1000	0.1	RMS	951.6	-69.76	-13	56.76	Pass	2921
1000	3000	1	RMS	3000	-54.31	-13	41.31	Pass	2001
3000	10000	1	RMS	8743	-66.02	-13	53.02	Pass	7001




4.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.33	-13	65.33	Pass	401
0.15	30	0.01	RMS	0.16	-77.9	-13	64.9	Pass	2986
30	653	0.1	RMS	652.7	-70.2	-13	57.2	Pass	6231
653	708	0.1	RMS	676.4	-7.41	60	67.41	Pass	551
708	1000	0.1	RMS	709	-59.04	-13	46.04	Pass	2921
1000	3000	1	RMS	2960	-54.32	-13	41.32	Pass	2001
3000	10000	1	RMS	8744	-65.97	-13	52.97	Pass	7001




4.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.23	-13	62.23	Pass	401
0.15	30	0.01	RMS	0.15	-78.42	-13	65.42	Pass	2986
30	653	0.1	RMS	618.4	-71.02	-13	58.02	Pass	6231
653	708	0.1	RMS	663.6	11.21	60	48.79	Pass	551
708	1000	0.1	RMS	980.6	-69.72	-13	56.72	Pass	2921
1000	3000	1	RMS	3000	-54.27	-13	41.27	Pass	2001
3000	10000	1	RMS	8746	-66	-13	53	Pass	7001




4.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.45	-13	63.45	Pass	401
0.15	30	0.01	RMS	0.18	-78.2	-13	65.2	Pass	2986
30	653	0.1	RMS	624.9	-71.08	-13	58.08	Pass	6231
653	708	0.1	RMS	682.5	11.14	60	48.86	Pass	551
708	1000	0.1	RMS	833.4	-69.84	-13	56.84	Pass	2921
1000	3000	1	RMS	2990	-54.32	-13	41.32	Pass	2001
3000	10000	1	RMS	8748	-66.02	-13	53.02	Pass	7001




4.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.05	-13	65.05	Pass	401
0.15	30	0.01	RMS	0.15	-77.17	-13	64.17	Pass	2986
30	653	0.1	RMS	619.5	-71.04	-13	58.04	Pass	6231
653	708	0.1	RMS	676.9	-7.63	60	67.63	Pass	551
708	1000	0.1	RMS	708.1	-55.73	-13	42.73	Pass	2921
1000	3000	1	RMS	3000	-54.3	-13	41.3	Pass	2001
3000	10000	1	RMS	8746	-66.01	-13	53.01	Pass	7001




4.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.91	-13	63.91	Pass	401
0.15	30	0.01	RMS	0.26	-78.48	-13	65.48	Pass	2986
30	653	0.1	RMS	627.4	-71.08	-13	58.08	Pass	6231
653	708	0.1	RMS	671.1	10.97	60	49.03	Pass	551
708	1000	0.1	RMS	825.6	-66.93	-13	53.93	Pass	2921
1000	3000	1	RMS	3000	-54.3	-13	41.3	Pass	2001
3000	10000	1	RMS	8745	-66.01	-13	53.01	Pass	7001




4.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.67	-13	63.67	Pass	401
0.15	30	0.01	RMS	0.15	-77.6	-13	64.6	Pass	2986
30	653	0.1	RMS	616.7	-71.08	-13	58.08	Pass	6231
653	708	0.1	RMS	690	11.12	60	48.88	Pass	551
708	1000	0.1	RMS	944.3	-69.85	-13	56.85	Pass	2921
1000	3000	1	RMS	2995	-54.3	-13	41.3	Pass	2001
3000	10000	1	RMS	8746	-66.03	-13	53.03	Pass	7001




4.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.2	-13	65.2	Pass	401
0.15	30	0.01	RMS	0.22	-77.95	-13	64.95	Pass	2986
30	653	0.1	RMS	612.5	-70.99	-13	57.99	Pass	6231
653	708	0.1	RMS	695.2	-7.39	60	67.39	Pass	551
708	1000	0.1	RMS	708.6	-47.12	-13	34.12	Pass	2921
1000	3000	1	RMS	2997	-54.27	-13	41.27	Pass	2001
3000	10000	1	RMS	8744	-66.02	-13	53.02	Pass	7001




4.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.65	-13	63.65	Pass	401
0.15	30	0.01	RMS	0.15	-78.29	-13	65.29	Pass	2986
30	653	0.1	RMS	611	-70.86	-13	57.86	Pass	6231
653	708	0.1	RMS	678.6	11.23	60	48.77	Pass	551
708	1000	0.1	RMS	909.3	-69.8	-13	56.8	Pass	2921
1000	3000	1	RMS	2991	-54.33	-13	41.33	Pass	2001
3000	10000	1	RMS	8744	-66.01	-13	53.01	Pass	7001



4.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.13	-13	64.13	Pass	401
0.15	30	0.01	RMS	0.16	-77.9	-13	64.9	Pass	2986
30	653	0.1	RMS	649.1	-71.05	-13	58.05	Pass	6231
653	708	0.1	RMS	697.5	11.21	60	48.79	Pass	551
708	1000	0.1	RMS	972.7	-69.66	-13	56.66	Pass	2921
1000	3000	1	RMS	3000	-54.28	-13	41.28	Pass	2001
3000	10000	1	RMS	8735	-65.9	-13	52.9	Pass	7001



5. n77 (3450-3550)


5.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.55	-13	63.55	Pass	401
0.15	30	0.01	RMS	0.24	-77.29	-13	64.29	Pass	2986
30	1000	0.1	RMS	880.621	-67.18	-13	54.18	Pass	9701
1000	3000	1	RMS	2990	-54.16	-13	41.16	Pass	2001
3000	3440	1	RMS	3440	-33.98	-13	20.98	Pass	441
3440	3560	1	RMS	3452.3	11.18	60	48.82	Pass	401
3560	7000	1	RMS	3612	-64.51	-13	51.51	Pass	3441
7000	26500	1	RMS	26484	-20.67	-13	7.67	Pass	19503




5.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.47	-13	63.47	Pass	401
0.15	30	0.01	RMS	0.16	-75.47	-13	62.47	Pass	2986
30	1000	0.1	RMS	947.966	-67.56	-13	54.56	Pass	9701
1000	3000	1	RMS	2988	-53.96	-13	40.96	Pass	2001
3000	3440	1	RMS	3158	-50.22	-13	37.22	Pass	441
3440	3560	1	RMS	3451.1	17.21	60	42.79	Pass	401
3560	7000	1	RMS	3605	-59.49	-13	46.49	Pass	3441
7000	26500	1	RMS	26485	-20.9	-13	7.9	Pass	19503




5.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76	-13	63	Pass	401
0.15	30	0.01	RMS	0.26	-76.63	-13	63.63	Pass	2986
30	1000	0.1	RMS	887.926	-67.4	-13	54.4	Pass	9701
1000	3000	1	RMS	2971	-54.09	-13	41.09	Pass	2001
3000	3440	1	RMS	3306	-50.23	-13	37.23	Pass	441
3440	3560	1	RMS	3459.2	17.47	60	42.53	Pass	401
3560	7000	1	RMS	3613	-59.33	-13	46.33	Pass	3441
7000	26500	1	RMS	26297	-20.98	-13	7.98	Pass	19503




5.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.24	-13	62.24	Pass	401
0.15	30	0.01	RMS	0.22	-75.6	-13	62.6	Pass	2986
30	1000	0.1	RMS	791	-67.87	-13	54.87	Pass	9701
1000	3000	1	RMS	2976	-54.03	-13	41.03	Pass	2001
3000	3440	1	RMS	3162	-50.38	-13	37.38	Pass	441
3440	3560	1	RMS	3500	11.25	60	48.75	Pass	401
3560	7000	1	RMS	3650	-62.6	-13	49.6	Pass	3441
7000	26500	1	RMS	26482	-20.61	-13	7.61	Pass	19503




5.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.67	-13	64.67	Pass	401
0.15	30	0.01	RMS	0.17	-76.69	-13	63.69	Pass	2986
30	1000	0.1	RMS	848.4	-67.22	-13	54.22	Pass	9701
1000	3000	1	RMS	2974	-54.04	-13	41.04	Pass	2001
3000	3440	1	RMS	3342	-49.74	-13	36.74	Pass	441
3440	3560	1	RMS	3495.8	17.32	60	42.68	Pass	401
3560	7000	1	RMS	3650	-57.92	-13	44.92	Pass	3441
7000	26500	1	RMS	26498	-20.61	-13	7.61	Pass	19503




5.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.9	-13	62.9	Pass	401
0.15	30	0.01	RMS	0.31	-75.82	-13	62.82	Pass	2986
30	1000	0.1	RMS	981.988	-67.09	-13	54.09	Pass	9701
1000	3000	1	RMS	2975	-54.07	-13	41.07	Pass	2001
3000	3440	1	RMS	3351	-49.55	-13	36.55	Pass	441
3440	3560	1	RMS	3504.2	17.6	60	42.4	Pass	401
3560	7000	1	RMS	3658	-57.92	-13	44.92	Pass	3441
7000	26500	1	RMS	25903	-20.62	-13	7.62	Pass	19503




5.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.75	-13	62.75	Pass	401
0.15	30	0.01	RMS	0.52	-76.6	-13	63.6	Pass	2986
30	1000	0.1	RMS	831.4	-67.4	-13	54.4	Pass	9701
1000	3000	1	RMS	2812	-54.19	-13	41.19	Pass	2001
3000	3440	1	RMS	3160	-50.28	-13	37.28	Pass	441
3440	3560	1	RMS	3544.4	10.93	60	49.07	Pass	401
3560	7000	1	RMS	3560	-36.49	-13	23.49	Pass	3441
7000	26500	1	RMS	26497	-20.59	-13	7.59	Pass	19503




5.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.61	-13	63.61	Pass	401
0.15	30	0.01	RMS	0.44	-75.97	-13	62.97	Pass	2986
30	1000	0.1	RMS	982.088	-66.91	-13	53.91	Pass	9701
1000	3000	1	RMS	2978	-54.09	-13	41.09	Pass	2001
3000	3440	1	RMS	3387	-49.73	-13	36.73	Pass	441
3440	3560	1	RMS	3541.1	16.97	60	43.03	Pass	401
3560	7000	1	RMS	3561	-46.29	-13	33.29	Pass	3441
7000	26500	1	RMS	26303	-20.39	-13	7.39	Pass	19503




5.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.39	-13	62.39	Pass	401
0.15	30	0.01	RMS	0.15	-77.28	-13	64.28	Pass	2986
30	1000	0.1	RMS	915.644	-67.93	-13	54.93	Pass	9701
1000	3000	1	RMS	2977	-54.09	-13	41.09	Pass	2001
3000	3440	1	RMS	3395	-49.62	-13	36.62	Pass	441
3440	3560	1	RMS	3549.2	17.37	60	42.63	Pass	401
3560	7000	1	RMS	3561	-40.55	-13	27.55	Pass	3441
7000	26500	1	RMS	26478	-20.58	-13	7.58	Pass	19503




5.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.12	-13	63.12	Pass	401
0.15	30	0.01	RMS	0.21	-76.59	-13	63.59	Pass	2986
30	1000	0.1	RMS	941.661	-67.25	-13	54.25	Pass	9701
1000	3000	1	RMS	2959	-53.99	-13	40.99	Pass	2001
3000	3440	1	RMS	3440	-28.04	-13	15.04	Pass	441
3440	3560	1	RMS	3452.9	4.19	60	55.81	Pass	401
3560	7000	1	RMS	3560	-42.6	-13	29.6	Pass	3441
7000	26500	1	RMS	26464	-20.97	-13	7.97	Pass	19503




5.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.49	-13	62.49	Pass	401
0.15	30	0.01	RMS	0.49	-76.74	-13	63.74	Pass	2986
30	1000	0.1	RMS	897.432	-67.38	-13	54.38	Pass	9701
1000	3000	1	RMS	2996	-53.94	-13	40.94	Pass	2001
3000	3440	1	RMS	3404	-50.23	-13	37.23	Pass	441
3440	3560	1	RMS	3451.4	17.49	60	42.51	Pass	401
3560	7000	1	RMS	3759	-61.55	-13	48.55	Pass	3441
7000	26500	1	RMS	26294	-20.14	-13	7.14	Pass	19503




5.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.02	-13	65.02	Pass	401
0.15	30	0.01	RMS	0.18	-75.55	-13	62.55	Pass	2986
30	1000	0.1	RMS	660.3	-67.19	-13	54.19	Pass	9701
1000	3000	1	RMS	2997	-53.86	-13	40.86	Pass	2001
3000	3440	1	RMS	3428	-48.94	-13	35.94	Pass	441
3440	3560	1	RMS	3498.8	17.48	60	42.52	Pass	401
3560	7000	1	RMS	3561	-57.37	-13	44.37	Pass	3441
7000	26500	1	RMS	26459	-20.62	-13	7.62	Pass	19503




5.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.01	-13	63.01	Pass	401
0.15	30	0.01	RMS	0.29	-76.69	-13	63.69	Pass	2986
30	1000	0.1	RMS	888.226	-67.61	-13	54.61	Pass	9701
1000	3000	1	RMS	2928	-54.06	-13	41.06	Pass	2001
3000	3440	1	RMS	3440	-34.58	-13	21.58	Pass	441
3440	3560	1	RMS	3477.8	4.17	60	55.83	Pass	401
3560	7000	1	RMS	3560	-37.29	-13	24.29	Pass	3441
7000	26500	1	RMS	26292	-20.88	-13	7.88	Pass	19503




5.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.81	-13	63.81	Pass	401
0.15	30	0.01	RMS	0.29	-76.12	-13	63.12	Pass	2986
30	1000	0.1	RMS	993.596	-67.57	-13	54.57	Pass	9701
1000	3000	1	RMS	2961	-54.07	-13	41.07	Pass	2001
3000	3440	1	RMS	3162	-50.27	-13	37.27	Pass	441
3440	3560	1	RMS	3476.3	17.53	60	42.47	Pass	401
3560	7000	1	RMS	3572	-60.98	-13	47.98	Pass	3441
7000	26500	1	RMS	26293	-20.76	-13	7.76	Pass	19503




5.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.82	-13	63.82	Pass	401
0.15	30	0.01	RMS	0.29	-76.47	-13	63.47	Pass	2986
30	1000	0.1	RMS	930.054	-67.37	-13	54.37	Pass	9701
1000	3000	1	RMS	2962	-53.96	-13	40.96	Pass	2001
3000	3440	1	RMS	3160	-50.32	-13	37.32	Pass	441
3440	3560	1	RMS	3523.7	17.34	60	42.66	Pass	401
3560	7000	1	RMS	3563	-48.71	-13	35.71	Pass	3441
7000	26500	1	RMS	26486	-20.41	-13	7.41	Pass	19503



5.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.02	-13	65.02	Pass	401
0.15	30	0.01	RMS	0.21	-75.38	-13	62.38	Pass	2986
30	1000	0.1	RMS	995.797	-67.67	-13	54.67	Pass	9701
1000	3000	1	RMS	2970	-54.04	-13	41.04	Pass	2001
3000	3440	1	RMS	3440	-41.44	-13	28.44	Pass	441
3440	3560	1	RMS	3503	4.14	60	55.86	Pass	401
3560	7000	1	RMS	3560	-32.31	-13	19.31	Pass	3441
7000	26500	1	RMS	26479	-20.53	-13	7.53	Pass	19503



5.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.27	-13	64.27	Pass	401
0.15	30	0.01	RMS	0.24	-75.49	-13	62.49	Pass	2986
30	1000	0.1	RMS	993.796	-67.88	-13	54.88	Pass	9701
1000	3000	1	RMS	2975	-54.08	-13	41.08	Pass	2001
3000	3440	1	RMS	3161	-50.22	-13	37.22	Pass	441
3440	3560	1	RMS	3501.5	17.49	60	42.51	Pass	401
3560	7000	1	RMS	3573	-54.83	-13	41.83	Pass	3441
7000	26500	1	RMS	26291	-20.91	-13	7.91	Pass	19503

