


## Band Edge


**5.27 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.9           | -41.22      | -13         | 28.22       | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 698.997         | -38.42      | -13         | 25.42       | Pass    | 401         |
| 699                   | 709                  | 0.1       | RMS      | 699.575         | 14.59       | 30          | 15.41       | Pass    | 401         |




**5.28 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 690                   | 698.9                | 0.1       | RMS      | 698.878         | -33.9       | -13         | 20.9        | Pass    | 401         |
| 698.9                 | 699                  | 0.03      | RMS      | 698.996         | -37.89      | -13         | 24.89       | Pass    | 401         |
| 699                   | 709                  | 0.1       | RMS      | 701.375         | -2.78       | 30          | 32.78       | Pass    | 401         |




## 5.29 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 715.425         | 15.32       | 30          | 14.68       | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.001         | -40.54      | -13         | 27.54       | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -41.78      | -13         | 28.78       | Pass    | 401         |




**5.30 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 711.075         | -1.81       | 30          | 31.81       | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.008         | -36.52      | -13         | 23.52       | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.122         | -32.84      | -13         | 19.84       | Pass    | 401         |




### 5.31 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 715.425         | 14.5        | 30          | 15.5        | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716             | -40.48      | -13         | 27.48       | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -43.61      | -13         | 30.61       | Pass    | 401         |



### 5.32 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 706                   | 716                  | 0.1       | RMS      | 711.675         | -2.88       | 30          | 32.88       | Pass    | 401         |
| 716                   | 716.1                | 0.03      | RMS      | 716.002         | -39.04      | -13         | 26.04       | Pass    | 401         |
| 716.1                 | 725                  | 0.1       | RMS      | 716.1           | -35.08      | -13         | 22.08       | Pass    | 401         |



## 6. LTE\_Band13


6.1 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 763                   | 775                  | 0.01      | RMS      | 764.36          | -72.54      | -35         | 37.54       | Pass    | 1201        |
| 775                   | 775.9                | 0.1       | RMS      | 775.896         | -61.45      | -13         | 48.45       | Pass    | 401         |
| 775.9                 | 776                  | 0.03      | RMS      | 775.997         | -64.99      | -13         | 51.99       | Pass    | 401         |
| 776                   | 788                  | 0.1       | RMS      | 777.32          | 16.4        | 30          | 13.6        | Pass    | 401         |




## 6.2 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 763                   | 775                  | 0.01      | RMS      | 774.99          | -63.9       | -35         | 28.9        | Pass    | 1201        |
| 775                   | 775.9                | 0.1       | RMS      | 775.9           | -39.88      | -13         | 26.88       | Pass    | 401         |
| 775.9                 | 776                  | 0.03      | RMS      | 776             | -43.19      | -13         | 30.19       | Pass    | 401         |
| 776                   | 788                  | 0.1       | RMS      | 781.4           | 2.39        | 30          | 27.61       | Pass    | 401         |




### 6.3 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 763                   | 775                  | 0.01      | RMS      | 765.85          | -72.45      | -35         | 37.45       | Pass    | 1201        |
| 775                   | 775.9                | 0.1       | RMS      | 775.875         | -62.2       | -13         | 49.2        | Pass    | 401         |
| 775.9                 | 776                  | 0.03      | RMS      | 775.999         | -65.66      | -13         | 52.66       | Pass    | 401         |
| 776                   | 788                  | 0.1       | RMS      | 777.35          | 15.46       | 30          | 14.54       | Pass    | 401         |




#### 6.4 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 763                   | 775                  | 0.01      | RMS      | 775             | -65.05      | -35         | 30.05       | Pass    | 1201        |
| 775                   | 775.9                | 0.1       | RMS      | 775.898         | -41.5       | -13         | 28.5        | Pass    | 401         |
| 775.9                 | 776                  | 0.03      | RMS      | 775.994         | -45.07      | -13         | 32.07       | Pass    | 401         |
| 776                   | 788                  | 0.1       | RMS      | 781.37          | 1.53        | 30          | 28.47       | Pass    | 401         |




## 6.5 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 776                   | 788                  | 0.1       | RMS      | 786.65          | 16.37       | 30          | 13.63       | Pass    | 401         |
| 788                   | 788.1                | 0.03      | RMS      | 788.048         | -59.01      | -13         | 46.01       | Pass    | 401         |
| 788.1                 | 793                  | 0.1       | RMS      | 788.137         | -56.23      | -13         | 43.23       | Pass    | 401         |
| 793                   | 805                  | 0.01      | RMS      | 793.06          | -71.06      | -35         | 36.06       | Pass    | 1201        |




## 6.6 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 776                   | 788                  | 0.1       | RMS      | 783.05          | 2.19        | 30          | 27.81       | Pass    | 401         |
| 788                   | 788.1                | 0.03      | RMS      | 788.024         | -39.51      | -13         | 26.51       | Pass    | 401         |
| 788.1                 | 793                  | 0.1       | RMS      | 788.272         | -35.05      | -13         | 22.05       | Pass    | 401         |
| 793                   | 805                  | 0.01      | RMS      | 793.08          | -57.25      | -35         | 22.25       | Pass    | 1201        |




## 6.7 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 776                   | 788                  | 0.1       | RMS      | 786.65          | 15.7        | 30          | 14.3        | Pass    | 401         |
| 788                   | 788.1                | 0.03      | RMS      | 788.021         | -60.59      | -13         | 47.59       | Pass    | 401         |
| 788.1                 | 793                  | 0.1       | RMS      | 788.149         | -57.76      | -13         | 44.76       | Pass    | 401         |
| 793                   | 805                  | 0.01      | RMS      | 801.38          | -71.81      | -35         | 36.81       | Pass    | 1201        |




**6.8 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 776                   | 788                  | 0.1       | RMS      | 782.78          | 1.31        | 30          | 28.69       | Pass    | 401         |
| 788                   | 788.1                | 0.03      | RMS      | 788.053         | -41.46      | -13         | 28.46       | Pass    | 401         |
| 788.1                 | 793                  | 0.1       | RMS      | 788.223         | -37.15      | -13         | 24.15       | Pass    | 401         |
| 793                   | 805                  | 0.01      | RMS      | 793.05          | -58.07      | -35         | 23.07       | Pass    | 1201        |




**6.9 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 763                   | 775                  | 0.01      | RMS      | 769.6           | -72.11      | -35         | 37.11       | Pass    | 1201        |
| 775                   | 775.9                | 0.1       | RMS      | 775.875         | -62.77      | -13         | 49.77       | Pass    | 401         |
| 775.9                 | 776                  | 0.03      | RMS      | 775.991         | -66.68      | -13         | 53.68       | Pass    | 401         |
| 776                   | 788                  | 0.1       | RMS      | 777.59          | 15.91       | 30          | 14.09       | Pass    | 401         |




**6.10 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 763                   | 775                  | 0.01      | RMS      | 775             | -68.86      | -35         | 33.86       | Pass    | 1201        |
| 775                   | 775.9                | 0.1       | RMS      | 775.871         | -42.81      | -13         | 29.81       | Pass    | 401         |
| 775.9                 | 776                  | 0.03      | RMS      | 775.993         | -46.01      | -13         | 33.01       | Pass    | 401         |
| 776                   | 788                  | 0.1       | RMS      | 782.39          | -0.39       | 30          | 30.39       | Pass    | 401         |




# 6.11 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 763                   | 775                  | 0.01      | RMS      | 774.9           | -72.47      | -35         | 37.47       | Pass    | 1201        |
| 775                   | 775.9                | 0.1       | RMS      | 775.83          | -62.57      | -13         | 49.57       | Pass    | 401         |
| 775.9                 | 776                  | 0.03      | RMS      | 775.997         | -66.66      | -13         | 53.66       | Pass    | 401         |
| 776                   | 788                  | 0.1       | RMS      | 777.59          | 15.3        | 30          | 14.7        | Pass    | 401         |




## 6.12 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 763                   | 775                  | 0.01      | RMS      | 774.96          | -68.68      | -35         | 33.68       | Pass    | 1201        |
| 775                   | 775.9                | 0.1       | RMS      | 775.898         | -44.77      | -13         | 31.77       | Pass    | 401         |
| 775.9                 | 776                  | 0.03      | RMS      | 775.994         | -47.93      | -13         | 34.93       | Pass    | 401         |
| 776                   | 788                  | 0.1       | RMS      | 782.36          | -1.33       | 30          | 31.33       | Pass    | 401         |




### 6.13 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 776                   | 788                  | 0.1       | RMS      | 786.41          | 16.07       | 30          | 13.93       | Pass    | 401         |
| 788                   | 788.1                | 0.03      | RMS      | 788.002         | -62.59      | -13         | 49.59       | Pass    | 401         |
| 788.1                 | 793                  | 0.1       | RMS      | 792.253         | -58.52      | -13         | 45.52       | Pass    | 401         |
| 793                   | 805                  | 0.01      | RMS      | 796.13          | -70.59      | -35         | 35.59       | Pass    | 1201        |




**6.14 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 788                   | 788.1                | 0.03      | RMS      | 788.031         | -38.5       | -13         | 25.5        | Pass    | 401         |
| 788.1                 | 793                  | 0.1       | RMS      | 788.125         | -34.01      | -13         | 21.01       | Pass    | 401         |
| 793                   | 805                  | 0.01      | RMS      | 793             | -49.39      | -35         | 14.39       | Pass    | 1201        |




# 6.15 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 776                   | 788                  | 0.1       | RMS      | 786.41          | 15.38       | 30          | 14.62       | Pass    | 401         |
| 788                   | 788.1                | 0.03      | RMS      | 788.005         | -62.44      | -13         | 49.44       | Pass    | 401         |
| 788.1                 | 793                  | 0.1       | RMS      | 788.786         | -58.85      | -13         | 45.85       | Pass    | 401         |
| 793                   | 805                  | 0.01      | RMS      | 794.44          | -70.08      | -35         | 35.08       | Pass    | 1201        |



**6.16 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 788                   | 788.1                | 0.03      | RMS      | 788.045         | -40.6       | -13         | 27.6        | Pass    | 401         |
| 788.1                 | 793                  | 0.1       | RMS      | 788.21          | -36.15      | -13         | 23.15       | Pass    | 401         |
| 793                   | 805                  | 0.01      | RMS      | 793             | -51.01      | -35         | 16.01       | Pass    | 1201        |



## 7. LTE\_Band25


7.1 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -43.72      | -13         | 30.72       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -39.6       | -13         | 26.6        | Pass    | 2           |
| 1849                  | 1850                 | 0.02      | RMS      | 1849.998        | -23.15      | -13         | 10.15       | Pass    | 401         |
| 1850                  | 1852                 | 0.1       | RMS      | 1850.26         | 16.82       | 30          | 13.18       | Pass    | 401         |




## 7.2 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -37.62      | -13         | 24.62       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -24.86      | -13         | 11.86       | Pass    | 2           |
| 1849                  | 1850                 | 0.02      | RMS      | 1850            | -27.7       | -13         | 14.7        | Pass    | 401         |
| 1850                  | 1852                 | 0.1       | RMS      | 1850.505        | 8.48        | 30          | 21.52       | Pass    | 401         |




### 7.3 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -44.95      | -13         | 31.95       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -41.47      | -13         | 28.47       | Pass    | 2           |
| 1849                  | 1850                 | 0.02      | RMS      | 1849.998        | -24.32      | -13         | 11.32       | Pass    | 401         |
| 1850                  | 1852                 | 0.1       | RMS      | 1850.235        | 15.88       | 30          | 14.12       | Pass    | 401         |




#### 7.4 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -38.78      | -13         | 25.78       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -26.85      | -13         | 13.85       | Pass    | 2           |
| 1849                  | 1850                 | 0.02      | RMS      | 1849.995        | -28.91      | -13         | 15.91       | Pass    | 401         |
| 1850                  | 1852                 | 0.1       | RMS      | 1850.595        | 7.31        | 30          | 22.69       | Pass    | 401         |




**7.5 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1913                  | 1915                 | 0.1       | RMS      | 1914.75         | 17.04       | 30          | 12.96       | Pass    | 401         |
| 1915                  | 1916                 | 0.02      | RMS      | 1915            | -22.25      | -13         | 9.25        | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -35.53      | -13         | 22.53       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -42.28      | -13         | 29.28       | Pass    | 401         |




## 7.6 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1913                  | 1915                 | 0.1       | RMS      | 1914.16         | 8.8         | 30          | 21.2        | Pass    | 401         |
| 1915                  | 1916                 | 0.02      | RMS      | 1915            | -25.67      | -13         | 12.67       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -23.25      | -13         | 10.25       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -36.6       | -13         | 23.6        | Pass    | 401         |




**7.7 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1913                  | 1915                 | 0.1       | RMS      | 1914.77         | 16.18       | 30          | 13.82       | Pass    | 401         |
| 1915                  | 1916                 | 0.02      | RMS      | 1915            | -23.23      | -13         | 10.23       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -37.25      | -13         | 24.25       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917.02         | -43.04      | -13         | 30.04       | Pass    | 401         |




**7.8 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1913                  | 1915                 | 0.1       | RMS      | 1914.245        | 7.76        | 30          | 22.24       | Pass    | 401         |
| 1915                  | 1916                 | 0.02      | RMS      | 1915.003        | -27.63      | -13         | 14.63       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -24.86      | -13         | 11.86       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -37.43      | -13         | 24.43       | Pass    | 401         |




**7.9 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -43.89      | -13         | 30.89       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -39.84      | -13         | 26.84       | Pass    | 2           |
| 1849                  | 1850                 | 0.03      | RMS      | 1850            | -24.73      | -13         | 11.73       | Pass    | 401         |
| 1850                  | 1853                 | 0.1       | RMS      | 1850.233        | 16.64       | 30          | 13.36       | Pass    | 401         |




**7.10 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.98         | -27.63      | -13         | 14.63       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -24.65      | -13         | 11.65       | Pass    | 2           |
| 1849                  | 1850                 | 0.03      | RMS      | 1849.998        | -28.75      | -13         | 15.75       | Pass    | 401         |
| 1850                  | 1853                 | 0.1       | RMS      | 1850.675        | 4.47        | 30          | 25.53       | Pass    | 401         |




**7.11 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.98         | -43.11      | -13         | 30.11       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -40.69      | -13         | 27.69       | Pass    | 2           |
| 1849                  | 1850                 | 0.03      | RMS      | 1850            | -24.57      | -13         | 11.57       | Pass    | 401         |
| 1850                  | 1853                 | 0.1       | RMS      | 1850.218        | 15.82       | 30          | 14.18       | Pass    | 401         |




**7.12 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -28.99      | -13         | 15.99       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -25.73      | -13         | 12.73       | Pass    | 2           |
| 1849                  | 1850                 | 0.03      | RMS      | 1849.998        | -29.44      | -13         | 16.44       | Pass    | 401         |
| 1850                  | 1853                 | 0.1       | RMS      | 1850.42         | 3.45        | 30          | 26.55       | Pass    | 401         |




**7.13 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1912                  | 1915                 | 0.1       | RMS      | 1914.768        | 17.04       | 30          | 12.96       | Pass    | 401         |
| 1915                  | 1916                 | 0.03      | RMS      | 1915            | -22.4       | -13         | 9.4         | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -38.39      | -13         | 25.39       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917.02         | -42.07      | -13         | 29.07       | Pass    | 401         |




**7.14 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1912                  | 1915                 | 0.1       | RMS      | 1913.553        | 4.76        | 30          | 25.24       | Pass    | 401         |
| 1915                  | 1916                 | 0.03      | RMS      | 1915            | -27.08      | -13         | 14.08       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -20.38      | -13         | 7.38        | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -25.25      | -13         | 12.25       | Pass    | 401         |



**7.15 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1912                  | 1915                 | 0.1       | RMS      | 1914.753        | 16.36       | 30          | 13.64       | Pass    | 401         |
| 1915                  | 1916                 | 0.03      | RMS      | 1915            | -23.07      | -13         | 10.07       | Pass    | 35          |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -40.04      | -13         | 27.04       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917.02         | -41.75      | -13         | 28.75       | Pass    | 401         |




**7.16 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1912                  | 1915                 | 0.1       | RMS      | 1914.505        | 3.75        | 30          | 26.25       | Pass    | 401         |
| 1915                  | 1916                 | 0.03      | RMS      | 1915            | -28.97      | -13         | 15.97       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -22.21      | -13         | 9.21        | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917.02         | -27.17      | -13         | 14.17       | Pass    | 401         |




**7.17 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -44.95      | -13         | 31.95       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -40.51      | -13         | 27.51       | Pass    | 2           |
| 1849                  | 1850                 | 0.051     | RMS      | 1849.998        | -25.52      | -13         | 12.52       | Pass    | 401         |
| 1850                  | 1855                 | 0.1       | RMS      | 1850.338        | 16.76       | 30          | 13.24       | Pass    | 401         |




**7.18 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.96         | -28.48      | -13         | 15.48       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -26.2       | -13         | 13.2        | Pass    | 2           |
| 1849                  | 1850                 | 0.051     | RMS      | 1849.995        | -29.53      | -13         | 16.53       | Pass    | 401         |
| 1850                  | 1855                 | 0.1       | RMS      | 1851.625        | 2.27        | 30          | 27.73       | Pass    | 401         |




**7.19 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:19, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.98         | -45.61      | -13         | 32.61       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -41.51      | -13         | 28.51       | Pass    | 2           |
| 1849                  | 1850                 | 0.051     | RMS      | 1850            | -26.76      | -13         | 13.76       | Pass    | 401         |
| 1850                  | 1855                 | 0.1       | RMS      | 1850.325        | 16.01       | 30          | 13.99       | Pass    | 401         |




**7.20 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:20, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -28.92      | -13         | 15.92       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -27.29      | -13         | 14.29       | Pass    | 2           |
| 1849                  | 1850                 | 0.051     | RMS      | 1849.998        | -30.9       | -13         | 17.9        | Pass    | 401         |
| 1850                  | 1855                 | 0.1       | RMS      | 1852.275        | 1.34        | 30          | 28.66       | Pass    | 401         |




**7.21 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1910                  | 1915                 | 0.1       | RMS      | 1914.65         | 17.16       | 30          | 12.84       | Pass    | 401         |
| 1915                  | 1916                 | 0.051     | RMS      | 1915            | -24.98      | -13         | 11.98       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -34.87      | -13         | 21.87       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -43.22      | -13         | 30.22       | Pass    | 401         |




**7.22 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1910                  | 1915                 | 0.1       | RMS      | 1913.65         | 2.53        | 30          | 27.47       | Pass    | 401         |
| 1915                  | 1916                 | 0.051     | RMS      | 1915.005        | -28.56      | -13         | 15.56       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -22.92      | -13         | 9.92        | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -25.5       | -13         | 12.5        | Pass    | 401         |




### 7.23 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:23, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1910                  | 1915                 | 0.1       | RMS      | 1914.663        | 16.18       | 30          | 13.82       | Pass    | 401         |
| 1915                  | 1916                 | 0.051     | RMS      | 1915            | -25.19      | -13         | 12.19       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -35.83      | -13         | 22.83       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -44.08      | -13         | 31.08       | Pass    | 401         |




**7.24 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:24, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1910                  | 1915                 | 0.1       | RMS      | 1913.55         | 1.55        | 30          | 28.45       | Pass    | 401         |
| 1915                  | 1916                 | 0.051     | RMS      | 1915            | -29.99      | -13         | 16.99       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -24.7       | -13         | 11.7        | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917.02         | -27.32      | -13         | 14.32       | Pass    | 401         |




**7.25 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:25, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -46.23      | -13         | 33.23       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -40.78      | -13         | 27.78       | Pass    | 2           |
| 1849                  | 1850                 | 0.1       | RMS      | 1849.995        | -34.44      | -13         | 21.44       | Pass    | 401         |
| 1850                  | 1860                 | 0.1       | RMS      | 1850.6          | 16.52       | 30          | 13.48       | Pass    | 401         |




**7.26 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -30.09      | -13         | 17.09       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -28.51      | -13         | 15.51       | Pass    | 2           |
| 1849                  | 1850                 | 0.1       | RMS      | 1849.995        | -33.2       | -13         | 20.2        | Pass    | 401         |
| 1850                  | 1860                 | 0.1       | RMS      | 1851.075        | -0.74       | 30          | 30.74       | Pass    | 401         |




**7.27 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:27, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -46.69      | -13         | 33.69       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -41.32      | -13         | 28.32       | Pass    | 2           |
| 1849                  | 1850                 | 0.1       | RMS      | 1850            | -34.65      | -13         | 21.65       | Pass    | 401         |
| 1850                  | 1860                 | 0.1       | RMS      | 1850.575        | 15.66       | 30          | 14.34       | Pass    | 401         |




**7.28 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:28, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -31.08      | -13         | 18.08       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -30.04      | -13         | 17.04       | Pass    | 2           |
| 1849                  | 1850                 | 0.1       | RMS      | 1849.993        | -35.04      | -13         | 22.04       | Pass    | 401         |
| 1850                  | 1860                 | 0.1       | RMS      | 1850.625        | -1.73       | 30          | 31.73       | Pass    | 401         |




**7.29 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:29, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1905                  | 1915                 | 0.1       | RMS      | 1914.4          | 16.98       | 30          | 13.02       | Pass    | 401         |
| 1915                  | 1916                 | 0.1       | RMS      | 1915.005        | -32.3       | -13         | 19.3        | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -39.24      | -13         | 26.24       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -45.63      | -13         | 32.63       | Pass    | 401         |




**7.30 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:30, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1905                  | 1915                 | 0.1       | RMS      | 1906.175        | -0.15       | 30          | 30.15       | Pass    | 401         |
| 1915                  | 1916                 | 0.1       | RMS      | 1915.01         | -31.93      | -13         | 18.93       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -25.87      | -13         | 12.87       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -27.87      | -13         | 14.87       | Pass    | 401         |




**7.31 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:31, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1905                  | 1915                 | 0.1       | RMS      | 1914.4          | 16.24       | 30          | 13.76       | Pass    | 401         |
| 1915                  | 1916                 | 0.1       | RMS      | 1915.023        | -33.73      | -13         | 20.73       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -40.02      | -13         | 27.02       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917.04         | -46.24      | -13         | 33.24       | Pass    | 401         |




**7.32 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:32, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1905                  | 1915                 | 0.1       | RMS      | 1905.675        | -1.18       | 30          | 31.18       | Pass    | 401         |
| 1915                  | 1916                 | 0.1       | RMS      | 1915.003        | -33.89      | -13         | 20.89       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -28.1       | -13         | 15.1        | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917.08         | -29.45      | -13         | 16.45       | Pass    | 401         |




**7.33 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:33, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -47.31      | -13         | 34.31       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -39.59      | -13         | 26.59       | Pass    | 2           |
| 1849                  | 1850                 | 0.15      | RMS      | 1850            | -30.88      | -13         | 17.88       | Pass    | 401         |
| 1850                  | 1865                 | 0.1       | RMS      | 1850.825        | 16.41       | 30          | 13.59       | Pass    | 401         |




**7.34 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:34, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1848            | -29.47      | -13         | 16.47       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -28.5       | -13         | 15.5        | Pass    | 2           |
| 1849                  | 1850                 | 0.15      | RMS      | 1849.995        | -33.57      | -13         | 20.57       | Pass    | 401         |
| 1850                  | 1865                 | 0.1       | RMS      | 1864.1          | -2.14       | 30          | 32.14       | Pass    | 401         |




**7.35 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:35, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.92         | -47.53      | -13         | 34.53       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -40.4       | -13         | 27.4        | Pass    | 2           |
| 1849                  | 1850                 | 0.15      | RMS      | 1849.99         | -30.88      | -13         | 17.88       | Pass    | 401         |
| 1850                  | 1865                 | 0.1       | RMS      | 1850.825        | 15.8        | 30          | 14.2        | Pass    | 401         |




**7.36 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:36, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.98         | -33.18      | -13         | 20.18       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1848            | -33.2       | -13         | 20.2        | Pass    | 2           |
| 1849                  | 1850                 | 0.15      | RMS      | 1850            | -37.6       | -13         | 24.6        | Pass    | 401         |
| 1850                  | 1865                 | 0.1       | RMS      | 1864.1          | -3.15       | 30          | 33.15       | Pass    | 401         |




**7.37 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:37, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1900                  | 1915                 | 0.1       | RMS      | 1914.175        | 16.87       | 30          | 13.13       | Pass    | 401         |
| 1915                  | 1916                 | 0.15      | RMS      | 1915.003        | -29.57      | -13         | 16.57       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -39.03      | -13         | 26.03       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -46.92      | -13         | 33.92       | Pass    | 401         |




**7.38 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:38, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1900                  | 1915                 | 0.1       | RMS      | 1901.313        | -1.63       | 30          | 31.63       | Pass    | 401         |
| 1915                  | 1916                 | 0.15      | RMS      | 1915.215        | -31.32      | -13         | 18.32       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -25.3       | -13         | 12.3        | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917.1          | -28.02      | -13         | 15.02       | Pass    | 401         |




**7.39 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:39, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1900                  | 1915                 | 0.1       | RMS      | 1914.175        | 15.88       | 30          | 14.12       | Pass    | 401         |
| 1915                  | 1916                 | 0.15      | RMS      | 1915            | -30.54      | -13         | 17.54       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -39.79      | -13         | 26.79       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -47.15      | -13         | 34.15       | Pass    | 401         |




**7.40 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:40, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1900                  | 1915                 | 0.1       | RMS      | 1901.95         | -2.58       | 30          | 32.58       | Pass    | 401         |
| 1915                  | 1916                 | 0.15      | RMS      | 1915.03         | -35.16      | -13         | 22.16       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -29.61      | -13         | 16.61       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917.02         | -31.31      | -13         | 18.31       | Pass    | 401         |




**7.41 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:41, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.98         | -47.64      | -13         | 34.64       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -40.19      | -13         | 27.19       | Pass    | 2           |
| 1849                  | 1850                 | 0.2       | RMS      | 1849.99         | -31.32      | -13         | 18.32       | Pass    | 401         |
| 1850                  | 1870                 | 0.1       | RMS      | 1851.1          | 16.8        | 30          | 13.2        | Pass    | 401         |




**7.42 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.96         | -31.28      | -13         | 18.28       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -30.5       | -13         | 17.5        | Pass    | 2           |
| 1849                  | 1850                 | 0.2       | RMS      | 1849.933        | -34.81      | -13         | 21.81       | Pass    | 401         |
| 1850                  | 1870                 | 0.1       | RMS      | 1868.45         | -2.93       | 30          | 32.93       | Pass    | 401         |




**7.43 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:43, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1843.24         | -47.81      | -13         | 34.81       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -40.88      | -13         | 27.88       | Pass    | 2           |
| 1849                  | 1850                 | 0.2       | RMS      | 1850            | -31.7       | -13         | 18.7        | Pass    | 401         |
| 1850                  | 1870                 | 0.1       | RMS      | 1851.1          | 15.47       | 30          | 14.53       | Pass    | 401         |




**7.44 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:44, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1840                  | 1848                 | 1         | RMS      | 1847.96         | -33.51      | -13         | 20.51       | Pass    | 401         |
| 1848                  | 1849                 | 1         | RMS      | 1849            | -33.1       | -13         | 20.1        | Pass    | 2           |
| 1849                  | 1850                 | 0.2       | RMS      | 1849.998        | -37.51      | -13         | 24.51       | Pass    | 401         |
| 1850                  | 1870                 | 0.1       | RMS      | 1868.75         | -4          | 30          | 34          | Pass    | 401         |



**7.45 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:45, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1895                  | 1915                 | 0.1       | RMS      | 1913.9          | 16.82       | 30          | 13.18       | Pass    | 401         |
| 1915                  | 1916                 | 0.2       | RMS      | 1915.005        | -30.17      | -13         | 17.17       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -38.49      | -13         | 25.49       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -47.17      | -13         | 34.17       | Pass    | 401         |




**7.46 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1895                  | 1915                 | 0.1       | RMS      | 1899.9          | -2.96       | 30          | 32.96       | Pass    | 401         |
| 1915                  | 1916                 | 0.2       | RMS      | 1915.008        | -32.85      | -13         | 19.85       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -27.98      | -13         | 14.98       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917.02         | -29.38      | -13         | 16.38       | Pass    | 401         |



**7.47 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:47, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1895                  | 1915                 | 0.1       | RMS      | 1913.9          | 15.86       | 30          | 14.14       | Pass    | 401         |
| 1915                  | 1916                 | 0.2       | RMS      | 1915.003        | -31.06      | -13         | 18.06       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -39.13      | -13         | 26.13       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917            | -47.45      | -13         | 34.45       | Pass    | 401         |



**7.48 LTE Band Edge\_Part22-24-27(NTNV)(Subtest:48, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 1895                  | 1915                 | 0.1       | RMS      | 1899.55         | -3.96       | 30          | 33.96       | Pass    | 401         |
| 1915                  | 1916                 | 0.2       | RMS      | 1915            | -35.82      | -13         | 22.82       | Pass    | 401         |
| 1916                  | 1917                 | 1         | RMS      | 1916            | -30.69      | -13         | 17.69       | Pass    | 2           |
| 1917                  | 1925                 | 1         | RMS      | 1917.28         | -31.87      | -13         | 18.87       | Pass    | 401         |

