


Band Edge

1. CA_41C


1.1 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2478.679	-28.83	-25	3.83	Pass	401
2490.5	2496	1	RMS	2496	-27.44	-13	14.44	Pass	7
2491	2495	1	RMS	2495	-40.31	-10	30.31	Pass	5
2495	2496	0.01	RMS	2495.99	-52.61	-10	42.61	Pass	401
2496	2521	0.1	RMS	2515.625	10.93	30	19.07	Pass	401




1.2 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2474.33	-30.64	-25	5.64	Pass	401
2490.5	2496	1	RMS	2496	-27.29	-13	14.29	Pass	7
2491	2495	1	RMS	2495	-40.5	-10	30.5	Pass	5
2495	2496	0.01	RMS	2495.978	-52.67	-10	42.67	Pass	401
2496	2521	0.1	RMS	2519.938	10.61	30	19.39	Pass	401




1.3 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2489.52	-27.11	-25	2.11	Pass*	401
2490.5	2496	1	RMS	2496	-16.13	-13	3.13	Pass	401
2491	2495	1	RMS	2495	-25.15	-10	15.15	Pass	5
2495	2496	0.51	RMS	2495.9	-24.98	-10	14.98	Pass	401
2496	2521	0.1	RMS	2519	4.33	30	25.67	Pass	401




1.4 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2478.74	-29.96	-25	4.96	Pass	401
2490.5	2496	1	RMS	2496	-26.98	-13	13.98	Pass	7
2491	2495	1	RMS	2495	-40.53	-10	30.53	Pass	5
2495	2496	0.01	RMS	2495.995	-52.18	-10	42.18	Pass	401
2496	2521	0.1	RMS	2497.188	10.82	30	19.18	Pass	401




1.5 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2474.269	-31.78	-25	6.78	Pass	401
2490.5	2496	1	RMS	2496	-27.07	-13	14.07	Pass	7
2491	2495	1	RMS	2495	-40.34	-10	30.34	Pass	5
2495	2496	0.01	RMS	2495.995	-52.09	-10	42.09	Pass	401
2496	2521	0.1	RMS	2519.938	10.87	30	19.13	Pass	401




1.6 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2490.316	-30.33	-25	5.33	Pass	401
2490.5	2496	1	RMS	2496	-17.9	-13	4.9	Pass	401
2491	2495	1	RMS	2495	-29.2	-10	19.2	Pass	5
2495	2496	0.51	RMS	2495.735	-28.73	-10	18.73	Pass	401
2496	2521	0.1	RMS	2518.813	3.09	30	26.91	Pass	401




1.7 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2684	14.1	30	15.9	Pass	401
2690	2691	0.01	RMS	2690.05	-52.57	-10	42.57	Pass	401
2691	2695	1	RMS	2694	-21.68	-10	11.68	Pass	5
2695	2715	1	RMS	2698.85	-23.57	-13	10.57	Pass	401
2715	2720	1	RMS	2718.675	-48.58	-25	23.58	Pass	401




1.8 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.188	10.93	30	19.07	Pass	401
2690	2691	0.01	RMS	2690.013	-56.78	-10	46.78	Pass	401
2691	2695	1	RMS	2691	-40.62	-10	30.62	Pass	5
2695	2715	1	RMS	2711.65	-22.07	-13	9.07	Pass	401
2715	2720	1	RMS	2719.913	-49.56	-25	24.56	Pass	401




1.9 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2687.375	3.88	30	26.12	Pass	401
2690	2691	0.5	RMS	2690	-23.51	-10	13.51	Pass	3
2691	2695	1	RMS	2691	-21.02	-10	11.02	Pass	5
2695	2715	1	RMS	2695.2	-21.44	-13	8.44	Pass	401
2715	2720	1	RMS	2715.125	-37.47	-25	12.47	Pass	401




1.10 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2684	13.78	30	16.22	Pass	401
2690	2691	0.01	RMS	2690.018	-51.91	-10	41.91	Pass	401
2691	2695	1	RMS	2694	-20.73	-10	10.73	Pass	5
2695	2715	1	RMS	2698.75	-24.44	-13	11.44	Pass	401
2715	2720	1	RMS	2718.575	-48.7	-25	23.7	Pass	401




1.11 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.188	10.35	30	19.65	Pass	401
2690	2691	0.01	RMS	2690.003	-55.79	-10	45.79	Pass	401
2691	2695	1	RMS	2691	-40.61	-10	30.61	Pass	5
2695	2715	1	RMS	2711.65	-22.68	-13	9.68	Pass	401
2715	2720	1	RMS	2718.6	-49.59	-25	24.59	Pass	401




1.12 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.75	2.66	30	27.34	Pass	401
2690	2691	0.5	RMS	2690	-26.19	-10	16.19	Pass	3
2691	2695	1	RMS	2691	-23.88	-10	13.88	Pass	5
2695	2715	1	RMS	2695.05	-24.65	-13	11.65	Pass	401
2715	2720	1	RMS	2715.025	-37.54	-25	12.54	Pass	401




1.13 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2477.366	-28.46	-25	3.46	Pass	401
2490.5	2496	1	RMS	2496	-23.96	-13	10.96	Pass	7
2491	2495	1	RMS	2495	-37.11	-10	27.11	Pass	5
2495	2496	0.01	RMS	2495.993	-48.95	-10	38.95	Pass	401
2496	2536	0.1	RMS	2517	13.85	30	16.15	Pass	401




1.14 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2490.5	-47.68	-25	22.68	Pass	401
2490.5	2496	1	RMS	2496	-27.57	-13	14.57	Pass	7
2491	2495	1	RMS	2495	-40.43	-10	30.43	Pass	5
2495	2496	0.01	RMS	2496	-52.48	-10	42.48	Pass	401
2496	2536	0.1	RMS	2534.8	10.46	30	19.54	Pass	401




1.15 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2488.821	-26.12	-25	1.12	Pass*	401
2490.5	2496	1	RMS	2496	-25	-13	12	Pass	7
2491	2495	1	RMS	2495	-26.05	-10	16.05	Pass	5
2495	2496	0.82	RMS	2495.995	-22.36	-10	12.36	Pass	401
2496	2536	0.1	RMS	2529.6	-1.72	30	31.72	Pass	401




1.16 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2477.366	-26.37	-25	1.37	Pass*	401
2490.5	2496	1	RMS	2496	-23.5	-13	10.5	Pass	7
2491	2495	1	RMS	2495	-37.02	-10	27.02	Pass	5
2495	2496	0.01	RMS	2496	-48.24	-10	38.24	Pass	401
2496	2536	0.1	RMS	2517	13.89	30	16.11	Pass	401




1.17 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2490.303	-47.49	-25	22.49	Pass	401
2490.5	2496	1	RMS	2496	-26.99	-13	13.99	Pass	7
2491	2495	1	RMS	2495	-40.28	-10	30.28	Pass	5
2495	2496	0.01	RMS	2495.998	-52.02	-10	42.02	Pass	401
2496	2536	0.1	RMS	2534.8	10.64	30	19.36	Pass	401




1.18 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2490.5	-29.82	-25	4.82	Pass	401
2490.5	2496	1	RMS	2496	-17.44	-13	4.44	Pass	401
2491	2495	1	RMS	2495	-29.43	-10	19.43	Pass	5
2495	2496	0.82	RMS	2496	-25.09	-10	15.09	Pass	401
2496	2536	0.1	RMS	2528.6	-3.06	30	33.06	Pass	401




1.19 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.2	14.26	30	15.74	Pass	401
2690	2691	0.01	RMS	2690.003	-43.21	-10	33.21	Pass	401
2691	2695	1	RMS	2691	-35.36	-10	25.36	Pass	5
2695	2730	1	RMS	2708.825	-23.39	-13	10.39	Pass	401
2730	2735	1	RMS	2730	-47.12	-25	22.12	Pass	401




1.20 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.4	10.53	30	19.47	Pass	401
2690	2691	0.01	RMS	2690.003	-46.82	-10	36.82	Pass	401
2691	2695	1	RMS	2691	-38.82	-10	28.82	Pass	5
2695	2730	1	RMS	2726.5	-25.83	-13	12.83	Pass	401
2730	2735	1	RMS	2732.338	-49.56	-25	24.56	Pass	401




1.21 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2656.2	-1.91	30	31.91	Pass	401
2690	2691	0.82	RMS	2690	-16.89	-10	6.89	Pass	401
2691	2695	1	RMS	2691	-24.8	-10	14.8	Pass	5
2695	2730	1	RMS	2695.263	-24.77	-13	11.77	Pass	401
2730	2735	1	RMS	2730	-42.81	-25	17.81	Pass	401




1.22 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.2	14.06	30	15.94	Pass	401
2690	2691	0.01	RMS	2690.015	-42.81	-10	32.81	Pass	401
2691	2695	1	RMS	2691	-35.44	-10	25.44	Pass	5
2695	2730	1	RMS	2708.738	-23.07	-13	10.07	Pass	401
2730	2735	1	RMS	2730.013	-47.33	-25	22.33	Pass	401




1.23 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.4	9.97	30	20.03	Pass	401
2690	2691	0.01	RMS	2690.003	-46.88	-10	36.88	Pass	401
2691	2695	1	RMS	2691	-38.76	-10	28.76	Pass	5
2695	2730	1	RMS	2726.588	-25.85	-13	12.85	Pass	401
2730	2735	1	RMS	2731.088	-49.56	-25	24.56	Pass	401



1.24 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.6	-2.54	30	32.54	Pass	401
2690	2691	0.82	RMS	2690.003	-18.12	-10	8.12	Pass	401
2691	2695	1	RMS	2692	-27.57	-10	17.57	Pass	5
2695	2730	1	RMS	2695	-27.67	-13	14.67	Pass	401
2730	2735	1	RMS	2730	-43.44	-25	18.44	Pass	401



1. n25


1.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-39.31	-13	26.31	Pass	401
1849	1850	0.051	RMS	1849.998	-28.66	-13	15.66	Pass	401
1850	1855	1	RMS	1850.413	14.45	30	15.55	Pass	401




1.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-33.92	-13	20.92	Pass	401
1849	1850	0.051	RMS	1850	-34.36	-13	21.36	Pass	401
1850	1855	1	RMS	1851.413	8.84	30	21.16	Pass	401




1.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1914.7	14.76	30	15.24	Pass	401
1915	1916	0.051	RMS	1915	-21.98	-13	8.98	Pass	401
1916.5	1925	1	RMS	1916.5	-32.48	-13	19.48	Pass	401




1.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1913.725	9.14	30	20.86	Pass	401
1915	1916	0.051	RMS	1915	-29.48	-13	16.48	Pass	401
1916.5	1925	1	RMS	1916.521	-27.41	-13	14.41	Pass	401




1.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-23.82	-13	10.82	Pass	401
1849	1849.8	0.39	RMS	1849.8	-35.96	-13	22.96	Pass	401
1850	1890	1	RMS	1850.7	14.56	30	15.44	Pass	401




1.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-35.32	-13	22.32	Pass	401
1849	1850	0.39	RMS	1850	-36.64	-13	23.64	Pass	401
1850	1890	1	RMS	1873.5	0.44	30	29.56	Pass	401




1.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:379000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1875	1915	1	RMS	1914.4	14.85	30	15.15	Pass	401
1915.2	1916	0.39	RMS	1915.2	-28.65	-13	15.65	Pass	401
1916	1960	1	RMS	1916	-23.42	-13	10.42	Pass	401



1.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:379000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1875	1915	1	RMS	1900.2	0.4	30	29.6	Pass	401
1915	1916	0.39	RMS	1915	-32.65	-13	19.65	Pass	401
1916	1960	1	RMS	1916	-34.51	-13	21.51	Pass	401



2. n66


2.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-38.01	-13	25.01	Pass	401
1709	1710	0.051	RMS	1710	-25.27	-13	12.27	Pass	401
1710	1715	1	RMS	1710.338	15.3	30	14.7	Pass	401




2.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-29.87	-13	16.87	Pass	401
1709	1710	0.051	RMS	1710	-32.84	-13	19.84	Pass	401
1710	1715	1	RMS	1713.65	9.29	30	20.71	Pass	401




2.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1779.688	16.2	30	13.8	Pass	401
1780	1781	0.051	RMS	1780	-19.95	-13	6.95	Pass	401
1781.5	1790	1	RMS	1781.5	-31.84	-13	18.84	Pass	401




2.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1776.5	9.98	30	20.02	Pass	401
1780	1781	0.051	RMS	1780	-28.71	-13	15.71	Pass	401
1781.5	1790	1	RMS	1781.5	-26.16	-13	13.16	Pass	401




2.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-46.59	-13	33.59	Pass	401
1709	1710	0.2	RMS	1710	-27.99	-13	14.99	Pass	401
1710	1730	1	RMS	1710.55	15.31	30	14.69	Pass	401




2.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-34.4	-13	21.4	Pass	401
1709	1710	0.2	RMS	1710	-36.42	-13	23.42	Pass	401
1710	1730	1	RMS	1728.05	3.01	30	26.99	Pass	401




2.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1779.45	16.17	30	13.83	Pass	401
1780	1781	0.2	RMS	1780.003	-21.76	-13	8.76	Pass	401
1781.5	1805	1	RMS	1781.5	-44.26	-13	31.26	Pass	401




2.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1775.9	4	30	26	Pass	401
1780	1781	0.2	RMS	1780	-33.19	-13	20.19	Pass	401
1781.5	1805	1	RMS	1781.5	-30.95	-13	17.95	Pass	401




2.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1708.5	1	RMS	1708.283	-38.1	-13	25.1	Pass	401
1709	1709.8	0.39	RMS	1709.794	-35.24	-13	22.24	Pass	401
1710	1750	1	RMS	1710.7	15.34	30	14.66	Pass	401




2.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-34.26	-13	21.26	Pass	401
1709	1710	0.39	RMS	1710	-36.09	-13	23.09	Pass	401
1710	1750	1	RMS	1748.2	1.05	30	28.95	Pass	401




2.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1779.4	16.2	30	13.8	Pass	401
1780.2	1781	0.39	RMS	1780.202	-27.56	-13	14.56	Pass	401
1781	1825	1	RMS	1781	-38	-13	25	Pass	45



2.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1746.5	0.79	30	29.21	Pass	401
1780	1781	0.39	RMS	1780	-30.94	-13	17.94	Pass	401
1781	1825	1	RMS	1781	-31.33	-13	18.33	Pass	401



3. n41


3.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490.5	1	RMS	2490.405	-54.4	-25	29.4	Pass	401
2490.5	2495	1	RMS	2495	-32.56	-13	19.56	Pass	401
2495	2496	0.051	RMS	2495.998	-32.73	-13	19.73	Pass	401
2496	2506	1	RMS	2496.975	15.39	40	24.61	Pass	401




3.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490	1	RMS	2490	-35.98	-25	10.98	Pass	10
2490.5	2495	1	RMS	2495	-28.57	-13	15.57	Pass	401
2495	2496	0.2	RMS	2496	-29.45	-13	16.45	Pass	401
2496	2506	1	RMS	2503.175	9.1	40	30.9	Pass	401




3.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2689.2	16.09	40	23.91	Pass	401
2690	2691	0.051	RMS	2690	-28.34	-10	18.34	Pass	401
2691	2695	1	RMS	2691	-25.73	-10	15.73	Pass	401
2695	2700	1	RMS	2695	-53.25	-13	40.25	Pass	401
2700	2705	1	RMS	2700.3	-54.75	-25	29.75	Pass	401




3.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2682.875	9.83	40	30.17	Pass	401
2690	2691	0.2	RMS	2690.003	-24.22	-10	14.22	Pass	401
2691	2695	1	RMS	2691	-23.68	-10	13.68	Pass	401
2695	2700	1	RMS	2695.013	-30.73	-13	17.73	Pass	401
2700	2705	1	RMS	2700	-40.39	-25	15.39	Pass	401




3.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490.5	1	RMS	2490.5	-54.36	-25	29.36	Pass	401
2490.5	2495	1	RMS	2495	-40.63	-13	27.63	Pass	401
2495	2496	0.051	RMS	2496	-44.3	-13	31.3	Pass	401
2496	2546	1	RMS	2497.375	15.47	40	24.53	Pass	401




3.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490.5	1	RMS	2490.5	-36.36	-25	11.36	Pass	401
2490.5	2495	1	RMS	2494.978	-33.75	-13	20.75	Pass	401
2495	2496	1	RMS	2496	-23.99	-13	10.99	Pass	401
2496	2546	1	RMS	2543.75	2.03	40	37.97	Pass	401




3.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2688.75	16.07	40	23.93	Pass	401
2690	2691	0.051	RMS	2690	-37.66	-10	27.66	Pass	401
2691	2695	1	RMS	2691	-37.08	-10	27.08	Pass	401
2695	2740	1	RMS	2695	-53.69	-13	40.69	Pass	401
2740	2745	1	RMS	2741.225	-54.82	-25	29.82	Pass	401




3.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2678.25	2.89	40	37.11	Pass	401
2690	2691	1	RMS	2690	-18.21	-10	8.21	Pass	401
2691	2695	1	RMS	2691.21	-26.51	-10	16.51	Pass	401
2695	2740	1	RMS	2695	-28.39	-13	15.39	Pass	401
2740	2745	1	RMS	2740.013	-50.54	-25	25.54	Pass	401




3.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.5	-53.96	-25	28.96	Pass	401
2490.5	2495	1	RMS	2495	-37.19	-13	24.19	Pass	401
2495	2496	0.051	RMS	2496	-37	-13	24	Pass	401
2496	2596	1	RMS	2497.25	15.26	40	24.74	Pass	401




3.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2489.008	-38.51	-25	13.51	Pass	401
2490.5	2495	1	RMS	2494.921	-36.77	-13	23.77	Pass	401
2495	2495.5	1	RMS	2495.496	-34.14	-13	21.14	Pass	401
2496	2596	1	RMS	2577.25	-0.9	40	40.9	Pass	401




3.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2688.75	15.21	40	24.79	Pass	401
2690	2691	0.051	RMS	2690.008	-31.87	-10	21.87	Pass	401
2691	2695	1	RMS	2691.01	-33.89	-10	23.89	Pass	401
2695	2790	1	RMS	2695.713	-54.1	-13	41.1	Pass	401
2790	2795	1	RMS	2794.938	-54.61	-25	29.61	Pass	401



3.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2597	0.08	40	39.92	Pass	401
2690	2691	1	RMS	2690.008	-16.12	-10	6.12	Pass	401
2691	2695	1	RMS	2692.22	-32.18	-10	22.18	Pass	401
2695	2790	1	RMS	2696.425	-33.18	-13	20.18	Pass	401
2790	2795	1	RMS	2794.363	-54.63	-25	29.63	Pass	401



4. n71


4.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-27.93	-13	14.93	Pass	401
662.9	663	0.03	RMS	663	-28.47	-13	15.47	Pass	401
663	668	0.1	RMS	663.35	11.74	30	18.26	Pass	401




4.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-30.68	-13	17.68	Pass	401
662.9	663	0.03	RMS	663	-34.14	-13	21.14	Pass	401
663	668	0.1	RMS	664.125	-1.75	30	31.75	Pass	401




4.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	697.675	11.99	30	18.01	Pass	401
698	698.1	0.03	RMS	698	-26.74	-13	13.74	Pass	401
698.1	708	0.1	RMS	698.1	-26.53	-13	13.53	Pass	401




4.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	694.25	-1.57	30	31.57	Pass	401
698	698.1	0.03	RMS	698	-34.97	-13	21.97	Pass	401
698.1	708	0.1	RMS	698.1	-31.34	-13	18.34	Pass	401




4.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-32.17	-13	19.17	Pass	401
662.9	663	0.03	RMS	663	-33.98	-13	20.98	Pass	401
663	678	0.1	RMS	663.488	11.78	30	18.22	Pass	401




4.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-39.38	-13	26.38	Pass	401
662.9	663	0.03	RMS	662.999	-43.71	-13	30.71	Pass	401
663	678	0.1	RMS	676.275	-6.31	30	36.31	Pass	401




4.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	697.513	11.85	30	18.15	Pass	401
698	698.1	0.03	RMS	698.001	-32.88	-13	19.88	Pass	401
698.1	718	0.1	RMS	698.1	-31.11	-13	18.11	Pass	401




4.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	694.925	-6.27	30	36.27	Pass	401
698	698.1	0.03	RMS	698.069	-41.57	-13	28.57	Pass	401
698.1	718	0.1	RMS	698.1	-37.47	-13	24.47	Pass	401




4.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-35.49	-13	22.49	Pass	401
662.9	663	0.03	RMS	662.994	-36.27	-13	23.27	Pass	401
663	683	0.1	RMS	663.55	11.62	30	18.38	Pass	401




4.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-39.77	-13	26.77	Pass	401
662.9	663	0.03	RMS	662.951	-43.76	-13	30.76	Pass	401
663	683	0.1	RMS	676.45	-7.34	30	37.34	Pass	401




4.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	697.45	11.9	30	18.1	Pass	401
698	698.1	0.03	RMS	698.001	-35.5	-13	22.5	Pass	401
698.1	723	0.1	RMS	698.1	-35.09	-13	22.09	Pass	401



4.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	695.2	-7.4	30	37.4	Pass	401
698	698.1	0.03	RMS	698.06	-42.61	-13	29.61	Pass	401
698.1	723	0.1	RMS	698.1	-38.47	-13	25.47	Pass	401



5. n77 (3450-3550)

5.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-48.93	-13	35.93	Pass	401
3445	3449	0.62	RMS	3449	-37.86	-13	24.86	Pass	401
3449	3450	0.2	RMS	3450	-25.57	-13	12.57	Pass	401
3450	3460	1	RMS	3450.95	17.45	40	22.55	Pass	401



5.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.975	-25.92	-13	12.92	Pass	401
3445	3449	0.62	RMS	3448.99	-23.37	-13	10.37	Pass	401
3449	3450	0.2	RMS	3450	-24.45	-13	11.45	Pass	401
3450	3460	1	RMS	3455.275	11.1	40	28.9	Pass	401

