


Band Edge


5.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-41.22	-13	28.22	Pass	401
698.9	699	0.03	RMS	698.997	-38.42	-13	25.42	Pass	401
699	709	0.1	RMS	699.575	14.59	30	15.41	Pass	401




5.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.878	-33.9	-13	20.9	Pass	401
698.9	699	0.03	RMS	698.996	-37.89	-13	24.89	Pass	401
699	709	0.1	RMS	701.375	-2.78	30	32.78	Pass	401




**5.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:23130,
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	15.32	30	14.68	Pass	401
716	716.1	0.03	RMS	716.001	-40.54	-13	27.54	Pass	401
716.1	725	0.1	RMS	716.1	-41.78	-13	28.78	Pass	401




**5.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:23130,
Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	711.075	-1.81	30	31.81	Pass	401
716	716.1	0.03	RMS	716.008	-36.52	-13	23.52	Pass	401
716.1	725	0.1	RMS	716.122	-32.84	-13	19.84	Pass	401




**5.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:23130,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	14.5	30	15.5	Pass	401
716	716.1	0.03	RMS	716	-40.48	-13	27.48	Pass	401
716.1	725	0.1	RMS	716.1	-43.61	-13	30.61	Pass	401



5.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	711.675	-2.88	30	32.88	Pass	401
716	716.1	0.03	RMS	716.002	-39.04	-13	26.04	Pass	401
716.1	725	0.1	RMS	716.1	-35.08	-13	22.08	Pass	401



6. LTE_Band13


6.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	764.36	-72.54	-35	37.54	Pass	1201
775	775.9	0.1	RMS	775.896	-61.45	-13	48.45	Pass	401
775.9	776	0.03	RMS	775.997	-64.99	-13	51.99	Pass	401
776	788	0.1	RMS	777.32	16.4	30	13.6	Pass	401




6.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.99	-63.9	-35	28.9	Pass	1201
775	775.9	0.1	RMS	775.9	-39.88	-13	26.88	Pass	401
775.9	776	0.03	RMS	776	-43.19	-13	30.19	Pass	401
776	788	0.1	RMS	781.4	2.39	30	27.61	Pass	401




6.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	765.85	-72.45	-35	37.45	Pass	1201
775	775.9	0.1	RMS	775.875	-62.2	-13	49.2	Pass	401
775.9	776	0.03	RMS	775.999	-65.66	-13	52.66	Pass	401
776	788	0.1	RMS	777.35	15.46	30	14.54	Pass	401




6.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	775	-65.05	-35	30.05	Pass	1201
775	775.9	0.1	RMS	775.898	-41.5	-13	28.5	Pass	401
775.9	776	0.03	RMS	775.994	-45.07	-13	32.07	Pass	401
776	788	0.1	RMS	781.37	1.53	30	28.47	Pass	401




6.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	16.37	30	13.63	Pass	401
788	788.1	0.03	RMS	788.048	-59.01	-13	46.01	Pass	401
788.1	793	0.1	RMS	788.137	-56.23	-13	43.23	Pass	401
793	805	0.01	RMS	793.06	-71.06	-35	36.06	Pass	1201




6.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	783.05	2.19	30	27.81	Pass	401
788	788.1	0.03	RMS	788.024	-39.51	-13	26.51	Pass	401
788.1	793	0.1	RMS	788.272	-35.05	-13	22.05	Pass	401
793	805	0.01	RMS	793.08	-57.25	-35	22.25	Pass	1201




6.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	15.7	30	14.3	Pass	401
788	788.1	0.03	RMS	788.021	-60.59	-13	47.59	Pass	401
788.1	793	0.1	RMS	788.149	-57.76	-13	44.76	Pass	401
793	805	0.01	RMS	801.38	-71.81	-35	36.81	Pass	1201




6.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	782.78	1.31	30	28.69	Pass	401
788	788.1	0.03	RMS	788.053	-41.46	-13	28.46	Pass	401
788.1	793	0.1	RMS	788.223	-37.15	-13	24.15	Pass	401
793	805	0.01	RMS	793.05	-58.07	-35	23.07	Pass	1201




6.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	769.6	-72.11	-35	37.11	Pass	1201
775	775.9	0.1	RMS	775.875	-62.77	-13	49.77	Pass	401
775.9	776	0.03	RMS	775.991	-66.68	-13	53.68	Pass	401
776	788	0.1	RMS	777.59	15.91	30	14.09	Pass	401




**6.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23230,
Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	775	-68.86	-35	33.86	Pass	1201
775	775.9	0.1	RMS	775.871	-42.81	-13	29.81	Pass	401
775.9	776	0.03	RMS	775.993	-46.01	-13	33.01	Pass	401
776	788	0.1	RMS	782.39	-0.39	30	30.39	Pass	401




**6.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23230,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.9	-72.47	-35	37.47	Pass	1201
775	775.9	0.1	RMS	775.83	-62.57	-13	49.57	Pass	401
775.9	776	0.03	RMS	775.997	-66.66	-13	53.66	Pass	401
776	788	0.1	RMS	777.59	15.3	30	14.7	Pass	401




**6.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23230,
Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.96	-68.68	-35	33.68	Pass	1201
775	775.9	0.1	RMS	775.898	-44.77	-13	31.77	Pass	401
775.9	776	0.03	RMS	775.994	-47.93	-13	34.93	Pass	401
776	788	0.1	RMS	782.36	-1.33	30	31.33	Pass	401




6.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	16.07	30	13.93	Pass	401
788	788.1	0.03	RMS	788.002	-62.59	-13	49.59	Pass	401
788.1	793	0.1	RMS	792.253	-58.52	-13	45.52	Pass	401
793	805	0.01	RMS	796.13	-70.59	-35	35.59	Pass	1201




**6.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23230,
Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	788.1	0.03	RMS	788.031	-38.5	-13	25.5	Pass	401
788.1	793	0.1	RMS	788.125	-34.01	-13	21.01	Pass	401
793	805	0.01	RMS	793	-49.39	-35	14.39	Pass	1201




**6.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23230,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	15.38	30	14.62	Pass	401
788	788.1	0.03	RMS	788.005	-62.44	-13	49.44	Pass	401
788.1	793	0.1	RMS	788.786	-58.85	-13	45.85	Pass	401
793	805	0.01	RMS	794.44	-70.08	-35	35.08	Pass	1201




6.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



7. LTE_Band25


7.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.72	-13	30.72	Pass	401
1848	1849	1	RMS	1849	-39.6	-13	26.6	Pass	2
1849	1850	0.02	RMS	1849.998	-23.15	-13	10.15	Pass	401
1850	1852	0.1	RMS	1850.26	16.82	30	13.18	Pass	401




7.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.62	-13	24.62	Pass	401
1848	1849	1	RMS	1849	-24.86	-13	11.86	Pass	2
1849	1850	0.02	RMS	1850	-27.7	-13	14.7	Pass	401
1850	1852	0.1	RMS	1850.505	8.48	30	21.52	Pass	401




7.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-44.95	-13	31.95	Pass	401
1848	1849	1	RMS	1849	-41.47	-13	28.47	Pass	2
1849	1850	0.02	RMS	1849.998	-24.32	-13	11.32	Pass	401
1850	1852	0.1	RMS	1850.235	15.88	30	14.12	Pass	401




7.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.78	-13	25.78	Pass	401
1848	1849	1	RMS	1849	-26.85	-13	13.85	Pass	2
1849	1850	0.02	RMS	1849.995	-28.91	-13	15.91	Pass	401
1850	1852	0.1	RMS	1850.595	7.31	30	22.69	Pass	401




7.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.75	17.04	30	12.96	Pass	401
1915	1916	0.02	RMS	1915	-22.25	-13	9.25	Pass	401
1916	1917	1	RMS	1916	-35.53	-13	22.53	Pass	2
1917	1925	1	RMS	1917	-42.28	-13	29.28	Pass	401




7.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.16	8.8	30	21.2	Pass	401
1915	1916	0.02	RMS	1915	-25.67	-13	12.67	Pass	401
1916	1917	1	RMS	1916	-23.25	-13	10.25	Pass	2
1917	1925	1	RMS	1917	-36.6	-13	23.6	Pass	401




7.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.77	16.18	30	13.82	Pass	401
1915	1916	0.02	RMS	1915	-23.23	-13	10.23	Pass	401
1916	1917	1	RMS	1916	-37.25	-13	24.25	Pass	2
1917	1925	1	RMS	1917.02	-43.04	-13	30.04	Pass	401




7.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.245	7.76	30	22.24	Pass	401
1915	1916	0.02	RMS	1915.003	-27.63	-13	14.63	Pass	401
1916	1917	1	RMS	1916	-24.86	-13	11.86	Pass	2
1917	1925	1	RMS	1917	-37.43	-13	24.43	Pass	401




7.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.89	-13	30.89	Pass	401
1848	1849	1	RMS	1849	-39.84	-13	26.84	Pass	2
1849	1850	0.03	RMS	1850	-24.73	-13	11.73	Pass	401
1850	1853	0.1	RMS	1850.233	16.64	30	13.36	Pass	401




7.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-27.63	-13	14.63	Pass	401
1848	1849	1	RMS	1849	-24.65	-13	11.65	Pass	2
1849	1850	0.03	RMS	1849.998	-28.75	-13	15.75	Pass	401
1850	1853	0.1	RMS	1850.675	4.47	30	25.53	Pass	401




7.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-43.11	-13	30.11	Pass	401
1848	1849	1	RMS	1849	-40.69	-13	27.69	Pass	2
1849	1850	0.03	RMS	1850	-24.57	-13	11.57	Pass	401
1850	1853	0.1	RMS	1850.218	15.82	30	14.18	Pass	401




7.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-28.99	-13	15.99	Pass	401
1848	1849	1	RMS	1849	-25.73	-13	12.73	Pass	2
1849	1850	0.03	RMS	1849.998	-29.44	-13	16.44	Pass	401
1850	1853	0.1	RMS	1850.42	3.45	30	26.55	Pass	401




7.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.768	17.04	30	12.96	Pass	401
1915	1916	0.03	RMS	1915	-22.4	-13	9.4	Pass	401
1916	1917	1	RMS	1916	-38.39	-13	25.39	Pass	2
1917	1925	1	RMS	1917.02	-42.07	-13	29.07	Pass	401




7.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1913.553	4.76	30	25.24	Pass	401
1915	1916	0.03	RMS	1915	-27.08	-13	14.08	Pass	401
1916	1917	1	RMS	1916	-20.38	-13	7.38	Pass	2
1917	1925	1	RMS	1917	-25.25	-13	12.25	Pass	401




7.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.753	16.36	30	13.64	Pass	401
1915	1916	0.03	RMS	1915	-23.07	-13	10.07	Pass	35
1916	1917	1	RMS	1916	-40.04	-13	27.04	Pass	2
1917	1925	1	RMS	1917.02	-41.75	-13	28.75	Pass	401




7.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.505	3.75	30	26.25	Pass	401
1915	1916	0.03	RMS	1915	-28.97	-13	15.97	Pass	401
1916	1917	1	RMS	1916	-22.21	-13	9.21	Pass	2
1917	1925	1	RMS	1917.02	-27.17	-13	14.17	Pass	401




7.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-44.95	-13	31.95	Pass	401
1848	1849	1	RMS	1849	-40.51	-13	27.51	Pass	2
1849	1850	0.051	RMS	1849.998	-25.52	-13	12.52	Pass	401
1850	1855	0.1	RMS	1850.338	16.76	30	13.24	Pass	401




7.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-28.48	-13	15.48	Pass	401
1848	1849	1	RMS	1849	-26.2	-13	13.2	Pass	2
1849	1850	0.051	RMS	1849.995	-29.53	-13	16.53	Pass	401
1850	1855	0.1	RMS	1851.625	2.27	30	27.73	Pass	401




7.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-45.61	-13	32.61	Pass	401
1848	1849	1	RMS	1849	-41.51	-13	28.51	Pass	2
1849	1850	0.051	RMS	1850	-26.76	-13	13.76	Pass	401
1850	1855	0.1	RMS	1850.325	16.01	30	13.99	Pass	401




7.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-28.92	-13	15.92	Pass	401
1848	1849	1	RMS	1849	-27.29	-13	14.29	Pass	2
1849	1850	0.051	RMS	1849.998	-30.9	-13	17.9	Pass	401
1850	1855	0.1	RMS	1852.275	1.34	30	28.66	Pass	401




7.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.65	17.16	30	12.84	Pass	401
1915	1916	0.051	RMS	1915	-24.98	-13	11.98	Pass	401
1916	1917	1	RMS	1916	-34.87	-13	21.87	Pass	2
1917	1925	1	RMS	1917	-43.22	-13	30.22	Pass	401




7.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1913.65	2.53	30	27.47	Pass	401
1915	1916	0.051	RMS	1915.005	-28.56	-13	15.56	Pass	401
1916	1917	1	RMS	1916	-22.92	-13	9.92	Pass	2
1917	1925	1	RMS	1917	-25.5	-13	12.5	Pass	401




7.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.663	16.18	30	13.82	Pass	401
1915	1916	0.051	RMS	1915	-25.19	-13	12.19	Pass	401
1916	1917	1	RMS	1916	-35.83	-13	22.83	Pass	2
1917	1925	1	RMS	1917	-44.08	-13	31.08	Pass	401




7.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1913.55	1.55	30	28.45	Pass	401
1915	1916	0.051	RMS	1915	-29.99	-13	16.99	Pass	401
1916	1917	1	RMS	1916	-24.7	-13	11.7	Pass	2
1917	1925	1	RMS	1917.02	-27.32	-13	14.32	Pass	401




**7.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26090,
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-46.23	-13	33.23	Pass	401
1848	1849	1	RMS	1849	-40.78	-13	27.78	Pass	2
1849	1850	0.1	RMS	1849.99 5	-34.44	-13	21.44	Pass	401
1850	1860	0.1	RMS	1850.6	16.52	30	13.48	Pass	401




7.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.09	-13	17.09	Pass	401
1848	1849	1	RMS	1849	-28.51	-13	15.51	Pass	2
1849	1850	0.1	RMS	1849.995	-33.2	-13	20.2	Pass	401
1850	1860	0.1	RMS	1851.075	-0.74	30	30.74	Pass	401




**7.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26090,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-46.69	-13	33.69	Pass	401
1848	1849	1	RMS	1849	-41.32	-13	28.32	Pass	2
1849	1850	0.1	RMS	1850	-34.65	-13	21.65	Pass	401
1850	1860	0.1	RMS	1850.57 5	15.66	30	14.34	Pass	401




**7.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26090,
Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.08	-13	18.08	Pass	401
1848	1849	1	RMS	1849	-30.04	-13	17.04	Pass	2
1849	1850	0.1	RMS	1849.99 3	-35.04	-13	22.04	Pass	401
1850	1860	0.1	RMS	1850.62 5	-1.73	30	31.73	Pass	401




7.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	16.98	30	13.02	Pass	401
1915	1916	0.1	RMS	1915.005	-32.3	-13	19.3	Pass	401
1916	1917	1	RMS	1916	-39.24	-13	26.24	Pass	2
1917	1925	1	RMS	1917	-45.63	-13	32.63	Pass	401




7.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1906.175	-0.15	30	30.15	Pass	401
1915	1916	0.1	RMS	1915.01	-31.93	-13	18.93	Pass	401
1916	1917	1	RMS	1916	-25.87	-13	12.87	Pass	2
1917	1925	1	RMS	1917	-27.87	-13	14.87	Pass	401



**7.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26640,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	16.24	30	13.76	Pass	401
1915	1916	0.1	RMS	1915.02 3	-33.73	-13	20.73	Pass	401
1916	1917	1	RMS	1916	-40.02	-13	27.02	Pass	2
1917	1925	1	RMS	1917.04	-46.24	-13	33.24	Pass	401




7.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1905.675	-1.18	30	31.18	Pass	401
1915	1916	0.1	RMS	1915.003	-33.89	-13	20.89	Pass	401
1916	1917	1	RMS	1916	-28.1	-13	15.1	Pass	2
1917	1925	1	RMS	1917.08	-29.45	-13	16.45	Pass	401




7.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-47.31	-13	34.31	Pass	401
1848	1849	1	RMS	1849	-39.59	-13	26.59	Pass	2
1849	1850	0.15	RMS	1850	-30.88	-13	17.88	Pass	401
1850	1865	0.1	RMS	1850.825	16.41	30	13.59	Pass	401




7.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.47	-13	16.47	Pass	401
1848	1849	1	RMS	1849	-28.5	-13	15.5	Pass	2
1849	1850	0.15	RMS	1849.995	-33.57	-13	20.57	Pass	401
1850	1865	0.1	RMS	1864.1	-2.14	30	32.14	Pass	401




7.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.92	-47.53	-13	34.53	Pass	401
1848	1849	1	RMS	1849	-40.4	-13	27.4	Pass	2
1849	1850	0.15	RMS	1849.99	-30.88	-13	17.88	Pass	401
1850	1865	0.1	RMS	1850.825	15.8	30	14.2	Pass	401




7.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-33.18	-13	20.18	Pass	401
1848	1849	1	RMS	1848	-33.2	-13	20.2	Pass	2
1849	1850	0.15	RMS	1850	-37.6	-13	24.6	Pass	401
1850	1865	0.1	RMS	1864.1	-3.15	30	33.15	Pass	401




7.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	16.87	30	13.13	Pass	401
1915	1916	0.15	RMS	1915.003	-29.57	-13	16.57	Pass	401
1916	1917	1	RMS	1916	-39.03	-13	26.03	Pass	2
1917	1925	1	RMS	1917	-46.92	-13	33.92	Pass	401




7.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1901.313	-1.63	30	31.63	Pass	401
1915	1916	0.15	RMS	1915.215	-31.32	-13	18.32	Pass	401
1916	1917	1	RMS	1916	-25.3	-13	12.3	Pass	2
1917	1925	1	RMS	1917.1	-28.02	-13	15.02	Pass	401




7.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	15.88	30	14.12	Pass	401
1915	1916	0.15	RMS	1915	-30.54	-13	17.54	Pass	401
1916	1917	1	RMS	1916	-39.79	-13	26.79	Pass	2
1917	1925	1	RMS	1917	-47.15	-13	34.15	Pass	401




7.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1901.95	-2.58	30	32.58	Pass	401
1915	1916	0.15	RMS	1915.03	-35.16	-13	22.16	Pass	401
1916	1917	1	RMS	1916	-29.61	-13	16.61	Pass	2
1917	1925	1	RMS	1917.02	-31.31	-13	18.31	Pass	401




7.41 LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-47.64	-13	34.64	Pass	401
1848	1849	1	RMS	1849	-40.19	-13	27.19	Pass	2
1849	1850	0.2	RMS	1849.99	-31.32	-13	18.32	Pass	401
1850	1870	0.1	RMS	1851.1	16.8	30	13.2	Pass	401




7.42 LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-31.28	-13	18.28	Pass	401
1848	1849	1	RMS	1849	-30.5	-13	17.5	Pass	2
1849	1850	0.2	RMS	1849.933	-34.81	-13	21.81	Pass	401
1850	1870	0.1	RMS	1868.45	-2.93	30	32.93	Pass	401




**7.43 LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:26140,
Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1843.24	-47.81	-13	34.81	Pass	401
1848	1849	1	RMS	1849	-40.88	-13	27.88	Pass	2
1849	1850	0.2	RMS	1850	-31.7	-13	18.7	Pass	401
1850	1870	0.1	RMS	1851.1	15.47	30	14.53	Pass	401




7.44 LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-33.51	-13	20.51	Pass	401
1848	1849	1	RMS	1849	-33.1	-13	20.1	Pass	2
1849	1850	0.2	RMS	1849.998	-37.51	-13	24.51	Pass	401
1850	1870	0.1	RMS	1868.75	-4	30	34	Pass	401



7.45 LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	16.82	30	13.18	Pass	401
1915	1916	0.2	RMS	1915.005	-30.17	-13	17.17	Pass	401
1916	1917	1	RMS	1916	-38.49	-13	25.49	Pass	2
1917	1925	1	RMS	1917	-47.17	-13	34.17	Pass	401




7.46 LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1899.9	-2.96	30	32.96	Pass	401
1915	1916	0.2	RMS	1915.008	-32.85	-13	19.85	Pass	401
1916	1917	1	RMS	1916	-27.98	-13	14.98	Pass	2
1917	1925	1	RMS	1917.02	-29.38	-13	16.38	Pass	401



7.47 LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	15.86	30	14.14	Pass	401
1915	1916	0.2	RMS	1915.003	-31.06	-13	18.06	Pass	401
1916	1917	1	RMS	1916	-39.13	-13	26.13	Pass	2
1917	1925	1	RMS	1917	-47.45	-13	34.45	Pass	401



7.48 LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1899.55	-3.96	30	33.96	Pass	401
1915	1916	0.2	RMS	1915	-35.82	-13	22.82	Pass	401
1916	1917	1	RMS	1916	-30.69	-13	17.69	Pass	2
1917	1925	1	RMS	1917.28	-31.87	-13	18.87	Pass	401

