

Spurious Emission at Antenna Terminals

LTE Mode Test Verdict

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 48	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass


NR Mode Test Verdict

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n48	10	LCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
		MCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
		HCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
	20	LCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
		MCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
		HCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
	40	LCH	QPSK	106	0	Pass
			QPSK	1	0	Pass
			QPSK	1	105	Pass
		MCH	QPSK	106	0	Pass
			QPSK	1	0	Pass
			QPSK	1	105	Pass
		HCH	QPSK	106	0	Pass
			QPSK	1	0	Pass
			QPSK	1	105	Pass

1. LTE_Band48


1.1 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-40	32.6	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-40	32.38	Pass	2986
30	1000	0.1	RMS	923.749	-65.17	-40	25.17	Pass	9701
1000	3000	1	RMS	2901	-50.13	-40	10.13	Pass	2001
3000	3500	1	RMS	3500	-46.56	-40	6.56	Pass	501
3500	3750	1	RMS	3550	25.44	60	34.56	Pass	401
3750	6500	1	RMS	3858	-50.38	-40	10.38	Pass	2751
6500	26500	1	RMS	7101	-57.61	-40	17.61	Pass	20003




1.2 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.51	-40	31.51	Pass	401
0.15	30	0.01	RMS	0.19	-71.6	-40	31.6	Pass	2986
30	1000	0.1	RMS	882.522	-65.08	-40	25.08	Pass	9701
1000	3000	1	RMS	2900	-50.14	-40	10.14	Pass	2001
3000	3500	1	RMS	3396	-46.73	-40	6.73	Pass	501
3500	3750	1	RMS	3550	24.62	60	35.38	Pass	401
3750	6500	1	RMS	3858	-50.45	-40	10.45	Pass	2751
6500	26500	1	RMS	25496	-60.93	-40	20.93	Pass	20003




1.3 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:3, Channel:55990, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.87	-40	32.87	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-40	31.58	Pass	2986
30	1000	0.1	RMS	971.981	-65.2	-40	25.2	Pass	9701
1000	3000	1	RMS	2902	-50.12	-40	10.12	Pass	2001
3000	3500	1	RMS	3315	-45.87	-40	5.87	Pass	501
3500	3750	1	RMS	3622.5	24.18	60	35.82	Pass	401
3750	6500	1	RMS	3777	-50.45	-40	10.45	Pass	2751
6500	26500	1	RMS	25501	-60.89	-40	20.89	Pass	20003




1.4 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:4, Channel:55990, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.72	-40	31.72	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-40	32.28	Pass	2986
30	1000	0.1	RMS	984.089	-65.25	-40	25.25	Pass	9701
1000	3000	1	RMS	2899	-50.13	-40	10.13	Pass	2001
3000	3500	1	RMS	3315	-46.04	-40	6.04	Pass	501
3500	3750	1	RMS	3622.5	23.33	60	36.67	Pass	401
3750	6500	1	RMS	3777	-50.3	-40	10.3	Pass	2751
6500	26500	1	RMS	25502	-60.95	-40	20.95	Pass	20003




**1.5 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:5,
Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.52	-40	32.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-40	31.83	Pass	2986
30	1000	0.1	RMS	986.191	-65.12	-40	25.12	Pass	9701
1000	3000	1	RMS	2906	-50.13	-40	10.13	Pass	2001
3000	3500	1	RMS	3387	-46.73	-40	6.73	Pass	501
3500	3750	1	RMS	3695	23.64	60	36.36	Pass	401
3750	6500	1	RMS	3764	-50.81	-40	10.81	Pass	2751
6500	26500	1	RMS	25499	-60.91	-40	20.91	Pass	20003




**1.6 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:6,
Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.37	-40	32.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-40	32.2	Pass	2986
30	1000	0.1	RMS	924.25	-65.19	-40	25.19	Pass	9701
1000	3000	1	RMS	2901	-50.11	-40	10.11	Pass	2001
3000	3500	1	RMS	3387	-46.82	-40	6.82	Pass	501
3500	3750	1	RMS	3695	22.9	60	37.1	Pass	401
3750	6500	1	RMS	4003	-50.54	-40	10.54	Pass	2751
6500	26500	1	RMS	25502	-60.94	-40	20.94	Pass	20003




**1.7 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:7,
Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.53	-40	32.53	Pass	401
0.15	30	0.01	RMS	0.18	-71.94	-40	31.94	Pass	2986
30	1000	0.1	RMS	921.948	-65.2	-40	25.2	Pass	9701
1000	3000	1	RMS	2902	-50.12	-40	10.12	Pass	2001
3000	3500	1	RMS	3493	-46.26	-40	6.26	Pass	501
3500	3750	1	RMS	3550	24.94	60	35.06	Pass	401
3750	6500	1	RMS	3858	-49.56	-40	9.56	Pass	2751
6500	26500	1	RMS	7101	-58.34	-40	18.34	Pass	20003




**1.8 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:8,
Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.65	-40	32.65	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-40	32.2	Pass	2986
30	1000	0.1	RMS	835.1	-65.18	-40	25.18	Pass	9701
1000	3000	1	RMS	2898	-50.1	-40	10.1	Pass	2001
3000	3500	1	RMS	3500	-46.07	-40	6.07	Pass	501
3500	3750	1	RMS	3550	24.13	60	35.87	Pass	401
3750	6500	1	RMS	3858	-50.38	-40	10.38	Pass	2751
6500	26500	1	RMS	25494	-60.91	-40	20.91	Pass	20003




**1.9 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:9,
Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.82	-40	32.82	Pass	401
0.15	30	0.01	RMS	0.17	-72.5	-40	32.5	Pass	2986
30	1000	0.1	RMS	849.7	-64.99	-40	24.99	Pass	9701
1000	3000	1	RMS	2900	-50.11	-40	10.11	Pass	2001
3000	3500	1	RMS	3313	-46.04	-40	6.04	Pass	501
3500	3750	1	RMS	3620	23.87	60	36.13	Pass	401
3750	6500	1	RMS	3928	-50.11	-40	10.11	Pass	2751
6500	26500	1	RMS	25498	-60.96	-40	20.96	Pass	20003




1.10 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:10, Channel:55990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.55	-40	31.55	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-40	32.17	Pass	2986
30	1000	0.1	RMS	929.753	-65.28	-40	25.28	Pass	9701
1000	3000	1	RMS	2911	-50.11	-40	10.11	Pass	2001
3000	3500	1	RMS	3313	-46.33	-40	6.33	Pass	501
3500	3750	1	RMS	3620	23.18	60	36.82	Pass	401
3750	6500	1	RMS	3928	-50.49	-40	10.49	Pass	2751
6500	26500	1	RMS	25494	-60.96	-40	20.96	Pass	20003




**1.11 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:11,
Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-40	32.01	Pass	401
0.15	30	0.01	RMS	0.16	-72.17	-40	32.17	Pass	2986
30	1000	0.1	RMS	870.714	-65.21	-40	25.21	Pass	9701
1000	3000	1	RMS	2905	-50.13	-40	10.13	Pass	2001
3000	3500	1	RMS	3401	-46.32	-40	6.32	Pass	501
3500	3750	1	RMS	3690	23.26	60	36.74	Pass	401
3750	6500	1	RMS	3998	-49.78	-40	9.78	Pass	2751
6500	26500	1	RMS	25505	-60.85	-40	20.85	Pass	20003




1.12 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:12, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.54	-40	32.54	Pass	401
0.15	30	0.01	RMS	0.21	-72.32	-40	32.32	Pass	2986
30	1000	0.1	RMS	896.732	-65.14	-40	25.14	Pass	9701
1000	3000	1	RMS	2900	-50.07	-40	10.07	Pass	2001
3000	3500	1	RMS	3383	-46.52	-40	6.52	Pass	501
3500	3750	1	RMS	3690	22.06	60	37.94	Pass	401
3750	6500	1	RMS	3998	-50.11	-40	10.11	Pass	2751
6500	26500	1	RMS	25491	-61.01	-40	21.01	Pass	20003




**1.13 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:13,
Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.25	-40	31.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-40	31.74	Pass	2986
30	1000	0.1	RMS	894.13	-65.21	-40	25.21	Pass	9701
1000	3000	1	RMS	2908	-50.13	-40	10.13	Pass	2001
3000	3500	1	RMS	3496	-45.88	-40	5.88	Pass	501
3500	3750	1	RMS	3550.62 5	25.19	60	34.81	Pass	401
3750	6500	1	RMS	3858	-49.55	-40	9.55	Pass	2751
6500	26500	1	RMS	25523	-60.97	-40	20.97	Pass	20003




1.14 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:14, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-40	32.65	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-40	31.51	Pass	2986
30	1000	0.1	RMS	973.382	-65.22	-40	25.22	Pass	9701
1000	3000	1	RMS	2902	-50.16	-40	10.16	Pass	2001
3000	3500	1	RMS	3243	-46.88	-40	6.88	Pass	501
3500	3750	1	RMS	3550.625	24.27	60	35.73	Pass	401
3750	6500	1	RMS	3764	-50.98	-40	10.98	Pass	2751
6500	26500	1	RMS	7102	-59.11	-40	19.11	Pass	20003




1.15 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:15, Channel:55990, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.04	-40	32.04	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-40	31.36	Pass	2986
30	1000	0.1	RMS	954.37	-65.17	-40	25.17	Pass	9701
1000	3000	1	RMS	2901	-50.11	-40	10.11	Pass	2001
3000	3500	1	RMS	3311	-46.34	-40	6.34	Pass	501
3500	3750	1	RMS	3618.125	24.22	60	35.78	Pass	401
3750	6500	1	RMS	3767	-50.97	-40	10.97	Pass	2751
6500	26500	1	RMS	25490	-60.87	-40	20.87	Pass	20003




1.16 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:16, Channel:55990, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.25	-40	32.25	Pass	401
0.15	30	0.01	RMS	0.19	-72.49	-40	32.49	Pass	2986
30	1000	0.1	RMS	938.459	-65.13	-40	25.13	Pass	9701
1000	3000	1	RMS	2898	-50.12	-40	10.12	Pass	2001
3000	3500	1	RMS	3310	-46.46	-40	6.46	Pass	501
3500	3750	1	RMS	3618.125	23.04	60	36.96	Pass	401
3750	6500	1	RMS	3926	-50.66	-40	10.66	Pass	2751
6500	26500	1	RMS	25499	-60.84	-40	20.84	Pass	20003




**1.17 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:17,
Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.96	-40	32.96	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-40	32.15	Pass	2986
30	1000	0.1	RMS	867.812	-65.08	-40	25.08	Pass	9701
1000	3000	1	RMS	2901	-50.15	-40	10.15	Pass	2001
3000	3500	1	RMS	3378	-46.34	-40	6.34	Pass	501
3500	3750	1	RMS	3685.62 5	22.97	60	37.03	Pass	401
3750	6500	1	RMS	3757	-50.9	-40	10.9	Pass	2751
6500	26500	1	RMS	25495	-61	-40	21	Pass	20003




1.18 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:18, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.03	-40	32.03	Pass	401
0.15	30	0.01	RMS	0.16	-72.73	-40	32.73	Pass	2986
30	1000	0.1	RMS	960.474	-64.96	-40	24.96	Pass	9701
1000	3000	1	RMS	2905	-50.1	-40	10.1	Pass	2001
3000	3500	1	RMS	3378	-46.57	-40	6.57	Pass	501
3500	3750	1	RMS	3685.625	22	60	38	Pass	401
3750	6500	1	RMS	3777	-50.96	-40	10.96	Pass	2751
6500	26500	1	RMS	25504	-60.93	-40	20.93	Pass	20003




1.19 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:19, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-40	32.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-40	31.63	Pass	2986
30	1000	0.1	RMS	981.288	-65.15	-40	25.15	Pass	9701
1000	3000	1	RMS	2901	-50.14	-40	10.14	Pass	2001
3000	3500	1	RMS	3500	-46.58	-40	6.58	Pass	501
3500	3750	1	RMS	3550.625	25.36	60	34.64	Pass	401
3750	6500	1	RMS	3858	-50.37	-40	10.37	Pass	2751
6500	26500	1	RMS	25509	-60.93	-40	20.93	Pass	20003




1.20 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:20, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.15	-40	31.15	Pass	401
0.15	30	0.01	RMS	0.17	-72.82	-40	32.82	Pass	2986
30	1000	0.1	RMS	855.604	-65.27	-40	25.27	Pass	9701
1000	3000	1	RMS	2898	-50.16	-40	10.16	Pass	2001
3000	3500	1	RMS	3499	-45.84	-40	5.84	Pass	501
3500	3750	1	RMS	3550.625	24.39	60	35.61	Pass	401
3750	6500	1	RMS	3774	-50.91	-40	10.91	Pass	2751
6500	26500	1	RMS	25502	-60.89	-40	20.89	Pass	20003




**1.21 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:21,
Channel:55990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.36	-40	32.36	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-40	31.91	Pass	2986
30	1000	0.1	RMS	840.9	-65.09	-40	25.09	Pass	9701
1000	3000	1	RMS	2900	-50.18	-40	10.18	Pass	2001
3000	3500	1	RMS	3308	-46.12	-40	6.12	Pass	501
3500	3750	1	RMS	3615.62 5	24.21	60	35.79	Pass	401
3750	6500	1	RMS	3923	-50.24	-40	10.24	Pass	2751
6500	26500	1	RMS	25514	-61.01	-40	21.01	Pass	20003




1.22 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:22, Channel:55990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.05	-40	32.05	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-40	31.26	Pass	2986
30	1000	0.1	RMS	866.512	-65.28	-40	25.28	Pass	9701
1000	3000	1	RMS	2906	-50.15	-40	10.15	Pass	2001
3000	3500	1	RMS	3308	-46.34	-40	6.34	Pass	501
3500	3750	1	RMS	3615.625	23.46	60	36.54	Pass	401
3750	6500	1	RMS	3778	-50.98	-40	10.98	Pass	2751
6500	26500	1	RMS	25496	-60.91	-40	20.91	Pass	20003




1.23 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:23, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.92	-40	32.92	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-40	32.07	Pass	2986
30	1000	0.1	RMS	883.123	-65.23	-40	25.23	Pass	9701
1000	3000	1	RMS	2901	-50.14	-40	10.14	Pass	2001
3000	3500	1	RMS	3373	-46.33	-40	6.33	Pass	501
3500	3750	1	RMS	3680.625	23.36	60	36.64	Pass	401
3750	6500	1	RMS	3765	-50.95	-40	10.95	Pass	2751
6500	26500	1	RMS	25491	-61.01	-40	21.01	Pass	20003



1.24 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:24, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.74	-40	30.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-40	32.16	Pass	2986
30	1000	0.1	RMS	843.8	-65.11	-40	25.11	Pass	9701
1000	3000	1	RMS	2900	-50.16	-40	10.16	Pass	2001
3000	3500	1	RMS	3373	-46.46	-40	6.46	Pass	501
3500	3750	1	RMS	3680.625	22.55	60	37.45	Pass	401
3750	6500	1	RMS	3762	-50.93	-40	10.93	Pass	2751
6500	26500	1	RMS	25507	-60.88	-40	20.88	Pass	20003



1. n48


1.1 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-82.01	-40	42.01	Pass	401
0.15	30	0.01	RMS	1.13	-81.86	-40	41.86	Pass	2986
30	1000	0.1	RMS	715.5	-71.87	-40	31.87	Pass	9701
1000	3000	1	RMS	2997	-58.16	-40	18.16	Pass	2001
3000	3500	1	RMS	3166	-54.2	-40	14.2	Pass	501
3500	3750	1	RMS	3556.875	7.37	60	52.63	Pass	401
3750	7000	1	RMS	3859	-68.93	-40	28.93	Pass	3251
7000	26500	1	RMS	25453	-60.29	-40	20.29	Pass	19503




1.2 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-81.56	-40	41.56	Pass	401
0.15	30	0.01	RMS	0.23	-81.35	-40	41.35	Pass	2986
30	1000	0.1	RMS	871.415	-71.67	-40	31.67	Pass	9701
1000	3000	1	RMS	3000	-57.92	-40	17.92	Pass	2001
3000	3500	1	RMS	3158	-54.09	-40	14.09	Pass	501
3500	3750	1	RMS	3551.25	15.08	60	44.92	Pass	401
3750	7000	1	RMS	3858	-61.66	-40	21.66	Pass	3251
7000	26500	1	RMS	25482	-60.08	-40	20.08	Pass	19503




1.3 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-82.35	-40	42.35	Pass	401
0.15	30	0.01	RMS	0.98	-80.85	-40	40.85	Pass	2986
30	1000	0.1	RMS	981.488	-71.73	-40	31.73	Pass	9701
1000	3000	1	RMS	2972	-58.01	-40	18.01	Pass	2001
3000	3500	1	RMS	3162	-54.14	-40	14.14	Pass	501
3500	3750	1	RMS	3559.375	15.85	60	44.15	Pass	401
3750	7000	1	RMS	3866	-65.49	-40	25.49	Pass	3251
7000	26500	1	RMS	25502	-59.92	-40	19.92	Pass	19503




1.4 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-80.96	-40	40.96	Pass	401
0.15	30	0.01	RMS	0.18	-81.43	-40	41.43	Pass	2986
30	1000	0.1	RMS	932.755	-71.42	-40	31.42	Pass	9701
1000	3000	1	RMS	2993	-57.97	-40	17.97	Pass	2001
3000	3500	1	RMS	3165	-54.21	-40	14.21	Pass	501
3500	3750	1	RMS	3627.5	7.82	60	52.18	Pass	401
3750	7000	1	RMS	3930	-70.17	-40	30.17	Pass	3251
7000	26500	1	RMS	25908	-60.14	-40	20.14	Pass	19503




1.5 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-81.17	-40	41.17	Pass	401
0.15	30	0.01	RMS	1.37	-81.36	-40	41.36	Pass	2986
30	1000	0.1	RMS	910.341	-71.82	-40	31.82	Pass	9701
1000	3000	1	RMS	2963	-57.93	-40	17.93	Pass	2001
3000	3500	1	RMS	3157	-54.16	-40	14.16	Pass	501
3500	3750	1	RMS	3621.25	15.56	60	44.44	Pass	401
3750	7000	1	RMS	3928	-62.51	-40	22.51	Pass	3251
7000	26500	1	RMS	25846	-60.12	-40	20.12	Pass	19503




1.6 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-81.61	-40	41.61	Pass	401
0.15	30	0.01	RMS	0.37	-80.06	-40	40.06	Pass	2986
30	1000	0.1	RMS	839	-71.2	-40	31.2	Pass	9701
1000	3000	1	RMS	2985	-58.03	-40	18.03	Pass	2001
3000	3500	1	RMS	3322	-53.82	-40	13.82	Pass	501
3500	3750	1	RMS	3629.375	16.1	60	43.9	Pass	401
3750	7000	1	RMS	3936	-65.32	-40	25.32	Pass	3251
7000	26500	1	RMS	25471	-59.53	-40	19.53	Pass	19503




1.7 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-81.12	-40	41.12	Pass	401
0.15	30	0.01	RMS	0.16	-80.53	-40	40.53	Pass	2986
30	1000	0.1	RMS	963.976	-71.65	-40	31.65	Pass	9701
1000	3000	1	RMS	2971	-58.02	-40	18.02	Pass	2001
3000	3500	1	RMS	3162	-54.25	-40	14.25	Pass	501
3500	3750	1	RMS	3696.25	7.36	60	52.64	Pass	401
3750	7000	1	RMS	4005	-70.78	-40	30.78	Pass	3251
7000	26500	1	RMS	25904	-60.18	-40	20.18	Pass	19503




1.8 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-81.49	-40	41.49	Pass	401
0.15	30	0.01	RMS	0.33	-80.89	-40	40.89	Pass	2986
30	1000	0.1	RMS	910.641	-71.07	-40	31.07	Pass	9701
1000	3000	1	RMS	2984	-57.92	-40	17.92	Pass	2001
3000	3500	1	RMS	3384	-53.94	-40	13.94	Pass	501
3500	3750	1	RMS	3691.25	15.14	60	44.86	Pass	401
3750	7000	1	RMS	3998	-62.8	-40	22.8	Pass	3251
7000	26500	1	RMS	25906	-60.04	-40	20.04	Pass	19503




1.9 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-81.62	-40	41.62	Pass	401
0.15	30	0.01	RMS	0.24	-80.91	-40	40.91	Pass	2986
30	1000	0.1	RMS	993.496	-71.48	-40	31.48	Pass	9701
1000	3000	1	RMS	2977	-57.88	-40	17.88	Pass	2001
3000	3500	1	RMS	3392	-54	-40	14	Pass	501
3500	3750	1	RMS	3699.375	15.8	60	44.2	Pass	401
3750	7000	1	RMS	4007	-65.59	-40	25.59	Pass	3251
7000	26500	1	RMS	25489	-59.51	-40	19.51	Pass	19503




1.10 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-80.29	-40	40.29	Pass	401
0.15	30	0.01	RMS	0.31	-80.53	-40	40.53	Pass	2986
30	1000	0.1	RMS	953.869	-71.52	-40	31.52	Pass	9701
1000	3000	1	RMS	2978	-57.95	-40	17.95	Pass	2001
3000	3500	1	RMS	3499	-53.96	-40	13.96	Pass	501
3500	3750	1	RMS	3567.5	4.39	60	55.61	Pass	401
3750	7000	1	RMS	3860	-68.29	-40	28.29	Pass	3251
7000	26500	1	RMS	25481	-59.92	-40	19.92	Pass	19503




1.11 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-82.2	-40	42.2	Pass	401
0.15	30	0.01	RMS	0.59	-81.4	-40	41.4	Pass	2986
30	1000	0.1	RMS	996.498	-71.31	-40	31.31	Pass	9701
1000	3000	1	RMS	2969	-57.82	-40	17.82	Pass	2001
3000	3500	1	RMS	3244	-53.59	-40	13.59	Pass	501
3500	3750	1	RMS	3551.25	15.86	60	44.14	Pass	401
3750	7000	1	RMS	3859	-61.4	-40	21.4	Pass	3251
7000	26500	1	RMS	25903	-60.15	-40	20.15	Pass	19503




1.12 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-80.29	-40	40.29	Pass	401
0.15	30	0.01	RMS	0.37	-80.72	-40	40.72	Pass	2986
30	1000	0.1	RMS	920.747	-71.12	-40	31.12	Pass	9701
1000	3000	1	RMS	2984	-58.07	-40	18.07	Pass	2001
3000	3500	1	RMS	3262	-53.79	-40	13.79	Pass	501
3500	3750	1	RMS	3569.375	15.49	60	44.51	Pass	401
3750	7000	1	RMS	3876	-59.98	-40	19.98	Pass	3251
7000	26500	1	RMS	25492	-60.35	-40	20.35	Pass	19503




1.13 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-80.9	-40	40.9	Pass	401
0.15	30	0.01	RMS	0.35	-79.51	-40	39.51	Pass	2986
30	1000	0.1	RMS	975.684	-71.61	-40	31.61	Pass	9701
1000	3000	1	RMS	2960	-57.93	-40	17.93	Pass	2001
3000	3500	1	RMS	3163	-54.18	-40	14.18	Pass	501
3500	3750	1	RMS	3632.5	4.66	60	55.34	Pass	401
3750	7000	1	RMS	3924	-69.72	-40	29.72	Pass	3251
7000	26500	1	RMS	25497	-60.14	-40	20.14	Pass	19503




1.14 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-81.15	-40	41.15	Pass	401
0.15	30	0.01	RMS	0.98	-81.23	-40	41.23	Pass	2986
30	1000	0.1	RMS	710.1	-71.27	-40	31.27	Pass	9701
1000	3000	1	RMS	2985	-57.82	-40	17.82	Pass	2001
3000	3500	1	RMS	3309	-53.36	-40	13.36	Pass	501
3500	3750	1	RMS	3616.25	16.2	60	43.8	Pass	401
3750	7000	1	RMS	3924	-63.42	-40	23.42	Pass	3251
7000	26500	1	RMS	25840	-59.85	-40	19.85	Pass	19503




1.15 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-82.31	-40	42.31	Pass	401
0.15	30	0.01	RMS	0.92	-81.52	-40	41.52	Pass	2986
30	1000	0.1	RMS	998.699	-71.66	-40	31.66	Pass	9701
1000	3000	1	RMS	2969	-58.01	-40	18.01	Pass	2001
3000	3500	1	RMS	3327	-52.06	-40	12.06	Pass	501
3500	3750	1	RMS	3634.375	15.74	60	44.26	Pass	401
3750	7000	1	RMS	3941	-60.53	-40	20.53	Pass	3251
7000	26500	1	RMS	25488	-59.99	-40	19.99	Pass	19503




1.16 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-80.39	-40	40.39	Pass	401
0.15	30	0.01	RMS	0.26	-79.33	-40	39.33	Pass	2986
30	1000	0.1	RMS	939.46	-71.18	-40	31.18	Pass	9701
1000	3000	1	RMS	3000	-57.86	-40	17.86	Pass	2001
3000	3500	1	RMS	3160	-54.17	-40	14.17	Pass	501
3500	3750	1	RMS	3691.25	4.38	60	55.62	Pass	401
3750	7000	1	RMS	3750	-56.26	-40	16.26	Pass	3251
7000	26500	1	RMS	25883	-60.19	-40	20.19	Pass	19503




1.17 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-81.21	-40	41.21	Pass	401
0.15	30	0.01	RMS	0.94	-80.54	-40	40.54	Pass	2986
30	1000	0.1	RMS	967.078	-70.72	-40	30.72	Pass	9701
1000	3000	1	RMS	2997	-57.92	-40	17.92	Pass	2001
3000	3500	1	RMS	3374	-53.3	-40	13.3	Pass	501
3500	3750	1	RMS	3681.25	15.95	60	44.05	Pass	401
3750	7000	1	RMS	3988	-64.76	-40	24.76	Pass	3251
7000	26500	1	RMS	25451	-59.9	-40	19.9	Pass	19503




1.18 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-81.08	-40	41.08	Pass	401
0.15	30	0.01	RMS	0.18	-79.69	-40	39.69	Pass	2986
30	1000	0.1	RMS	847.7	-71.64	-40	31.64	Pass	9701
1000	3000	1	RMS	2989	-57.77	-40	17.77	Pass	2001
3000	3500	1	RMS	3392	-53.45	-40	13.45	Pass	501
3500	3750	1	RMS	3699.375	15.52	60	44.48	Pass	401
3750	7000	1	RMS	4006	-65.32	-40	25.32	Pass	3251
7000	26500	1	RMS	25476	-60	-40	20	Pass	19503




1.19 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-81.45	-40	41.45	Pass	401
0.15	30	0.01	RMS	0.24	-80.12	-40	40.12	Pass	2986
30	1000	0.1	RMS	936.758	-70.76	-40	30.76	Pass	9701
1000	3000	1	RMS	2989	-57.93	-40	17.93	Pass	2001
3000	3500	1	RMS	3500	-48.04	-40	8.04	Pass	501
3500	3750	1	RMS	3553.75	1.19	60	58.81	Pass	401
3750	7000	1	RMS	3752	-68.71	-40	28.71	Pass	3251
7000	26500	1	RMS	25465	-60.08	-40	20.08	Pass	19503




1.20 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-81.56	-40	41.56	Pass	401
0.15	30	0.01	RMS	0.15	-80.02	-40	40.02	Pass	2986
30	1000	0.1	RMS	980.387	-71.34	-40	31.34	Pass	9701
1000	3000	1	RMS	2966	-58.01	-40	18.01	Pass	2001
3000	3500	1	RMS	3160	-54.08	-40	14.08	Pass	501
3500	3750	1	RMS	3551.25	16.05	60	43.95	Pass	401
3750	7000	1	RMS	3858	-63.27	-40	23.27	Pass	3251
7000	26500	1	RMS	25841	-60.15	-40	20.15	Pass	19503




1.21 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-82.01	-40	42.01	Pass	401
0.15	30	0.01	RMS	1.05	-80.77	-40	40.77	Pass	2986
30	1000	0.1	RMS	964.276	-71.43	-40	31.43	Pass	9701
1000	3000	1	RMS	2977	-57.96	-40	17.96	Pass	2001
3000	3500	1	RMS	3161	-53.99	-40	13.99	Pass	501
3500	3750	1	RMS	3588.75	15.58	60	44.42	Pass	401
3750	7000	1	RMS	3896	-63.63	-40	23.63	Pass	3251
7000	26500	1	RMS	25511	-60.21	-40	20.21	Pass	19503




1.22 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-82.22	-40	42.22	Pass	401
0.15	30	0.01	RMS	0.22	-80.44	-40	40.44	Pass	2986
30	1000	0.1	RMS	920.447	-71.25	-40	31.25	Pass	9701
1000	3000	1	RMS	3000	-57.92	-40	17.92	Pass	2001
3000	3500	1	RMS	3160	-54.09	-40	14.09	Pass	501
3500	3750	1	RMS	3642.5	1.69	60	58.31	Pass	401
3750	7000	1	RMS	3751	-61.12	-40	21.12	Pass	3251
7000	26500	1	RMS	25507	-60.04	-40	20.04	Pass	19503




1.23 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-82.23	-40	42.23	Pass	401
0.15	30	0.01	RMS	0.32	-81.07	-40	41.07	Pass	2986
30	1000	0.1	RMS	979.586	-71.35	-40	31.35	Pass	9701
1000	3000	1	RMS	2990	-58.02	-40	18.02	Pass	2001
3000	3500	1	RMS	3299	-53.9	-40	13.9	Pass	501
3500	3750	1	RMS	3606.25	16.09	60	43.91	Pass	401
3750	7000	1	RMS	3913	-63.89	-40	23.89	Pass	3251
7000	26500	1	RMS	25480	-60.1	-40	20.1	Pass	19503




1.24 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-80.27	-40	40.27	Pass	401
0.15	30	0.01	RMS	0.18	-80.75	-40	40.75	Pass	2986
30	1000	0.1	RMS	840.1	-71.36	-40	31.36	Pass	9701
1000	3000	1	RMS	2968	-57.84	-40	17.84	Pass	2001
3000	3500	1	RMS	3337	-53.94	-40	13.94	Pass	501
3500	3750	1	RMS	3643.75	15.74	60	44.26	Pass	401
3750	7000	1	RMS	3951	-64.31	-40	24.31	Pass	3251
7000	26500	1	RMS	25510	-60.21	-40	20.21	Pass	19503




1.25 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-81.12	-40	41.12	Pass	401
0.15	30	0.01	RMS	0.23	-79.5	-40	39.5	Pass	2986
30	1000	0.1	RMS	956.271	-70.49	-40	30.49	Pass	9701
1000	3000	1	RMS	2992	-57.91	-40	17.91	Pass	2001
3000	3500	1	RMS	3161	-54.1	-40	14.1	Pass	501
3500	3750	1	RMS	3695	1.37	60	58.63	Pass	401
3750	7000	1	RMS	3750	-42.95	-40	2.95	Pass*	3251
7000	26500	1	RMS	25186	-60.18	-40	20.18	Pass	19503



1.26 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-80.42	-40	40.42	Pass	401
0.15	30	0.01	RMS	0.4	-79.41	-40	39.41	Pass	2986
30	1000	0.1	RMS	769.3	-71.11	-40	31.11	Pass	9701
1000	3000	1	RMS	2970	-57.93	-40	17.93	Pass	2001
3000	3500	1	RMS	3354	-53.82	-40	13.82	Pass	501
3500	3750	1	RMS	3661.25	15.99	60	44.01	Pass	401
3750	7000	1	RMS	3968	-64.74	-40	24.74	Pass	3251
7000	26500	1	RMS	25896	-59.81	-40	19.81	Pass	19503



1.27 Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-81.06	-40	41.06	Pass	401
0.15	30	0.01	RMS	0.32	-79.3	-40	39.3	Pass	2986
30	1000	0.1	RMS	885.724	-71.84	-40	31.84	Pass	9701
1000	3000	1	RMS	2957	-57.94	-40	17.94	Pass	2001
3000	3500	1	RMS	3392	-53.98	-40	13.98	Pass	501
3500	3750	1	RMS	3698.75	15.54	60	44.46	Pass	401
3750	7000	1	RMS	4006	-63.77	-40	23.77	Pass	3251
7000	26500	1	RMS	25511	-60.16	-40	20.16	Pass	19503

