

Spurious Emission at Antenna Terminals


6.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.76	-13	64.76	Pass	401
0.15	30	0.01	RMS	0.16	-77.91	-13	64.91	Pass	2986
30	653	0.1	RMS	646.4	-70.84	-13	57.84	Pass	6231
653	709	0.1	RMS	688.6	14.78	60	45.22	Pass	561
709	1000	0.1	RMS	886.2	-69.72	-13	56.72	Pass	2911
1000	3000	1	RMS	1377	-53.77	-13	40.77	Pass	2001
3000	10000	1	RMS	9700	-45.56	-13	32.56	Pass	7001




6.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-79.01	-13	66.01	Pass	401
0.15	30	0.01	RMS	0.34	-78.5	-13	65.5	Pass	2986
30	653	0.1	RMS	652.6	-70.9	-13	57.9	Pass	6231
653	709	0.1	RMS	663.8	14.78	60	45.22	Pass	561
709	1000	0.1	RMS	945.7	-69.74	-13	56.74	Pass	2911
1000	3000	1	RMS	3000	-54.33	-13	41.33	Pass	2001
3000	10000	1	RMS	9701	-45.52	-13	32.52	Pass	7001




6.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.66	-13	65.66	Pass	401
0.15	30	0.01	RMS	0.2	-78.22	-13	65.22	Pass	2986
30	653	0.1	RMS	622.4	-70.85	-13	57.85	Pass	6231
653	709	0.1	RMS	663.8	13.81	60	46.19	Pass	561
709	1000	0.1	RMS	994.3	-69.46	-13	56.46	Pass	2911
1000	3000	1	RMS	2998	-54.38	-13	41.38	Pass	2001
3000	10000	1	RMS	9699	-45.53	-13	32.53	Pass	7001




6.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.62	-13	64.62	Pass	401
0.15	30	0.01	RMS	0.31	-78.91	-13	65.91	Pass	2986
30	653	0.1	RMS	489.7	-71.01	-13	58.01	Pass	6231
653	709	0.1	RMS	673.8	14.98	60	45.02	Pass	561
709	1000	0.1	RMS	853.8	-69.76	-13	56.76	Pass	2911
1000	3000	1	RMS	1347	-54.22	-13	41.22	Pass	2001
3000	10000	1	RMS	9702	-45.48	-13	32.48	Pass	7001




6.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.94	-13	65.94	Pass	401
0.15	30	0.01	RMS	0.15	-77.89	-13	64.89	Pass	2986
30	653	0.1	RMS	610.3	-71	-13	58	Pass	6231
653	709	0.1	RMS	673.8	14.58	60	45.42	Pass	561
709	1000	0.1	RMS	854.2	-69.71	-13	56.71	Pass	2911
1000	3000	1	RMS	2994	-54.34	-13	41.34	Pass	2001
3000	10000	1	RMS	9699	-45.53	-13	32.53	Pass	7001




6.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.23	-13	65.23	Pass	401
0.15	30	0.01	RMS	0.18	-77.91	-13	64.91	Pass	2986
30	653	0.1	RMS	640	-70.98	-13	57.98	Pass	6231
653	709	0.1	RMS	683.8	14.23	60	45.77	Pass	561
709	1000	0.1	RMS	710.5	-48.81	-13	35.81	Pass	2911
1000	3000	1	RMS	1367	-54.25	-13	41.25	Pass	2001
3000	10000	1	RMS	9709	-45.58	-13	32.58	Pass	7001




6.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.86	-13	65.86	Pass	401
0.15	30	0.01	RMS	0.15	-78.22	-13	65.22	Pass	2986
30	653	0.1	RMS	645.7	-71.02	-13	58.02	Pass	6231
653	709	0.1	RMS	683.8	13.61	60	46.39	Pass	561
709	1000	0.1	RMS	710.4	-49.84	-13	36.84	Pass	2911
1000	3000	1	RMS	1367	-53.79	-13	40.79	Pass	2001
3000	10000	1	RMS	9703	-45.55	-13	32.55	Pass	7001




6.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.1	-13	65.1	Pass	401
0.15	30	0.01	RMS	0.16	-78.12	-13	65.12	Pass	2986
30	653	0.1	RMS	622.4	-70.91	-13	57.91	Pass	6231
653	709	0.1	RMS	664.1	15.3	60	44.7	Pass	561
709	1000	0.1	RMS	981.7	-69.49	-13	56.49	Pass	2911
1000	3000	1	RMS	2997	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9703	-45.53	-13	32.53	Pass	7001




6.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.58	-13	65.58	Pass	401
0.15	30	0.01	RMS	0.19	-78.44	-13	65.44	Pass	2986
30	653	0.1	RMS	633.3	-70.84	-13	57.84	Pass	6231
653	709	0.1	RMS	664.1	14.72	60	45.28	Pass	561
709	1000	0.1	RMS	958.9	-69.73	-13	56.73	Pass	2911
1000	3000	1	RMS	3000	-54.36	-13	41.36	Pass	2001
3000	10000	1	RMS	9699	-45.46	-13	32.46	Pass	7001




6.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133297, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.15	-13	65.15	Pass	401
0.15	30	0.01	RMS	0.15	-77.74	-13	64.74	Pass	2986
30	653	0.1	RMS	630	-70.97	-13	57.97	Pass	6231
653	709	0.1	RMS	671.6	15.07	60	44.93	Pass	561
709	1000	0.1	RMS	950.8	-69.64	-13	56.64	Pass	2911
1000	3000	1	RMS	1343	-53.37	-13	40.37	Pass	2001
3000	10000	1	RMS	9701	-45.52	-13	32.52	Pass	7001




6.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133297, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.41	-13	65.41	Pass	401
0.15	30	0.01	RMS	0.16	-78.23	-13	65.23	Pass	2986
30	653	0.1	RMS	649.6	-70.99	-13	57.99	Pass	6231
653	709	0.1	RMS	671.6	14.3	60	45.7	Pass	561
709	1000	0.1	RMS	956.1	-69.64	-13	56.64	Pass	2911
1000	3000	1	RMS	1343	-54.17	-13	41.17	Pass	2001
3000	10000	1	RMS	9699	-45.49	-13	32.49	Pass	7001




6.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.72	-13	65.72	Pass	401
0.15	30	0.01	RMS	0.15	-78.14	-13	65.14	Pass	2986
30	653	0.1	RMS	622.4	-70.81	-13	57.81	Pass	6231
653	709	0.1	RMS	679.1	15.18	60	44.82	Pass	561
709	1000	0.1	RMS	922.1	-69.68	-13	56.68	Pass	2911
1000	3000	1	RMS	2997	-54.37	-13	41.37	Pass	2001
3000	10000	1	RMS	9701	-45.46	-13	32.46	Pass	7001



6.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.33	-13	65.33	Pass	401
0.15	30	0.01	RMS	0.19	-77.83	-13	64.83	Pass	2986
30	653	0.1	RMS	644.8	-70.97	-13	57.97	Pass	6231
653	709	0.1	RMS	679.1	10.61	60	49.39	Pass	561
709	1000	0.1	RMS	965.1	-69.76	-13	56.76	Pass	2911
1000	3000	1	RMS	2976	-54.37	-13	41.37	Pass	2001
3000	10000	1	RMS	9702	-45.49	-13	32.49	Pass	7001



7. LTE_Band26(part22)


7.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.1	-13	65.1	Pass	401
0.15	30	0.01	RMS	0.15	-78.57	-13	65.57	Pass	2986
30	814	0.1	RMS	813.6	-69.18	-13	56.18	Pass	7841
814	860	0.1	RMS	824.2	14.98	60	45.02	Pass	461
860	1000	0.1	RMS	939.3	-69.89	-13	56.89	Pass	1401
1000	3000	1	RMS	1648	-52.04	-13	39.04	Pass	2001
3000	10000	1	RMS	9700	-45.58	-13	32.58	Pass	7001




7.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78	-13	65	Pass	401
0.15	30	0.01	RMS	0.16	-77.96	-13	64.96	Pass	2986
30	814	0.1	RMS	813.5	-69.49	-13	56.49	Pass	7841
814	860	0.1	RMS	824.3	13.92	60	46.08	Pass	461
860	1000	0.1	RMS	969.3	-69.97	-13	56.97	Pass	1401
1000	3000	1	RMS	1648	-53.06	-13	40.06	Pass	2001
3000	10000	1	RMS	9698	-45.59	-13	32.59	Pass	7001




7.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-79.18	-13	66.18	Pass	401
0.15	30	0.01	RMS	0.15	-77.9	-13	64.9	Pass	2986
30	814	0.1	RMS	813.2	-70.21	-13	57.21	Pass	7841
814	860	0.1	RMS	836	14.85	60	45.15	Pass	461
860	1000	0.1	RMS	994.8	-70.02	-13	57.02	Pass	1401
1000	3000	1	RMS	1672	-52.73	-13	39.73	Pass	2001
3000	10000	1	RMS	9693	-45.56	-13	32.56	Pass	7001




7.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.32	-13	64.32	Pass	401
0.15	30	0.01	RMS	0.18	-78.38	-13	65.38	Pass	2986
30	814	0.1	RMS	810.9	-70.18	-13	57.18	Pass	7841
814	860	0.1	RMS	836.1	14.55	60	45.45	Pass	461
860	1000	0.1	RMS	973.8	-70.02	-13	57.02	Pass	1401
1000	3000	1	RMS	1672	-52.81	-13	39.81	Pass	2001
3000	10000	1	RMS	9701	-45.52	-13	32.52	Pass	7001




7.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.32	-13	65.32	Pass	401
0.15	30	0.01	RMS	0.18	-78.6	-13	65.6	Pass	2986
30	814	0.1	RMS	810.4	-70.28	-13	57.28	Pass	7841
814	860	0.1	RMS	847.8	15	60	45	Pass	461
860	1000	0.1	RMS	957.4	-70.02	-13	57.02	Pass	1401
1000	3000	1	RMS	1695	-52.55	-13	39.55	Pass	2001
3000	10000	1	RMS	9701	-45.5	-13	32.5	Pass	7001




7.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.84	-13	65.84	Pass	401
0.15	30	0.01	RMS	0.21	-78.35	-13	65.35	Pass	2986
30	814	0.1	RMS	812.5	-70.24	-13	57.24	Pass	7841
814	860	0.1	RMS	847.9	14.04	60	45.96	Pass	461
860	1000	0.1	RMS	998.7	-70.02	-13	57.02	Pass	1401
1000	3000	1	RMS	1695	-53.54	-13	40.54	Pass	2001
3000	10000	1	RMS	9700	-45.54	-13	32.54	Pass	7001




7.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.22	-13	65.22	Pass	401
0.15	30	0.01	RMS	0.18	-77.97	-13	64.97	Pass	2986
30	814	0.1	RMS	813.5	-69.34	-13	56.34	Pass	7841
814	860	0.1	RMS	824.2	14.97	60	45.03	Pass	461
860	1000	0.1	RMS	974.3	-69.8	-13	56.8	Pass	1401
1000	3000	1	RMS	1648	-52.24	-13	39.24	Pass	2001
3000	10000	1	RMS	9701	-45.51	-13	32.51	Pass	7001




7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.42	-13	65.42	Pass	401
0.15	30	0.01	RMS	0.18	-78.44	-13	65.44	Pass	2986
30	814	0.1	RMS	813.6	-69.52	-13	56.52	Pass	7841
814	860	0.1	RMS	824.2	14.01	60	45.99	Pass	461
860	1000	0.1	RMS	904.6	-69.92	-13	56.92	Pass	1401
1000	3000	1	RMS	1648	-53.35	-13	40.35	Pass	2001
3000	10000	1	RMS	9695	-45.56	-13	32.56	Pass	7001




7.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.53	-13	65.53	Pass	401
0.15	30	0.01	RMS	0.15	-78.04	-13	65.04	Pass	2986
30	814	0.1	RMS	813.1	-70.16	-13	57.16	Pass	7841
814	860	0.1	RMS	835.2	15.26	60	44.74	Pass	461
860	1000	0.1	RMS	943.4	-70.07	-13	57.07	Pass	1401
1000	3000	1	RMS	1670	-51.7	-13	38.7	Pass	2001
3000	10000	1	RMS	9701	-45.54	-13	32.54	Pass	7001




7.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.32	-13	64.32	Pass	401
0.15	30	0.01	RMS	0.2	-78.47	-13	65.47	Pass	2986
30	814	0.1	RMS	810.3	-70.23	-13	57.23	Pass	7841
814	860	0.1	RMS	835.2	14.48	60	45.52	Pass	461
860	1000	0.1	RMS	946.1	-70.03	-13	57.03	Pass	1401
1000	3000	1	RMS	1670	-52.43	-13	39.43	Pass	2001
3000	10000	1	RMS	9697	-45.57	-13	32.57	Pass	7001




7.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.46	-13	65.46	Pass	401
0.15	30	0.01	RMS	0.15	-78.16	-13	65.16	Pass	2986
30	814	0.1	RMS	812.7	-70.14	-13	57.14	Pass	7841
814	860	0.1	RMS	846.2	15.53	60	44.47	Pass	461
860	1000	0.1	RMS	976.8	-69.88	-13	56.88	Pass	1401
1000	3000	1	RMS	1692	-50.95	-13	37.95	Pass	2001
3000	10000	1	RMS	9699	-45.56	-13	32.56	Pass	7001




7.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.41	-13	65.41	Pass	401
0.15	30	0.01	RMS	0.16	-78.17	-13	65.17	Pass	2986
30	814	0.1	RMS	812.5	-70.32	-13	57.32	Pass	7841
814	860	0.1	RMS	846.2	14.3	60	45.7	Pass	461
860	1000	0.1	RMS	963.6	-70.02	-13	57.02	Pass	1401
1000	3000	1	RMS	1692	-52.19	-13	39.19	Pass	2001
3000	10000	1	RMS	9698	-45.52	-13	32.52	Pass	7001




7.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.64	-13	65.64	Pass	401
0.15	30	0.01	RMS	0.17	-78.52	-13	65.52	Pass	2986
30	814	0.1	RMS	813.6	-69.43	-13	56.43	Pass	7841
814	860	0.1	RMS	824.3	14.92	60	45.08	Pass	461
860	1000	0.1	RMS	999.3	-70.01	-13	57.01	Pass	1401
1000	3000	1	RMS	1648	-52.8	-13	39.8	Pass	2001
3000	10000	1	RMS	9712	-45.65	-13	32.65	Pass	7001




7.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.15	-13	65.15	Pass	401
0.15	30	0.01	RMS	0.2	-78.17	-13	65.17	Pass	2986
30	814	0.1	RMS	813.6	-69.72	-13	56.72	Pass	7841
814	860	0.1	RMS	824.3	13.47	60	46.53	Pass	461
860	1000	0.1	RMS	873	-70.05	-13	57.05	Pass	1401
1000	3000	1	RMS	1648	-54.15	-13	41.15	Pass	2001
3000	10000	1	RMS	9700	-45.57	-13	32.57	Pass	7001




7.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.14	-13	65.14	Pass	401
0.15	30	0.01	RMS	0.15	-78.12	-13	65.12	Pass	2986
30	814	0.1	RMS	812.6	-70.21	-13	57.21	Pass	7841
814	860	0.1	RMS	834.3	14.92	60	45.08	Pass	461
860	1000	0.1	RMS	940.1	-69.93	-13	56.93	Pass	1401
1000	3000	1	RMS	1668	-52.33	-13	39.33	Pass	2001
3000	10000	1	RMS	9713	-45.49	-13	32.49	Pass	7001




7.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.34	-13	64.34	Pass	401
0.15	30	0.01	RMS	0.16	-78.07	-13	65.07	Pass	2986
30	814	0.1	RMS	811.9	-70.07	-13	57.07	Pass	7841
814	860	0.1	RMS	834.3	14.63	60	45.37	Pass	461
860	1000	0.1	RMS	980.5	-69.94	-13	56.94	Pass	1401
1000	3000	1	RMS	1668	-52.57	-13	39.57	Pass	2001
3000	10000	1	RMS	9703	-45.56	-13	32.56	Pass	7001




7.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.23	-13	65.23	Pass	401
0.15	30	0.01	RMS	0.15	-78.09	-13	65.09	Pass	2986
30	814	0.1	RMS	809.3	-70.24	-13	57.24	Pass	7841
814	860	0.1	RMS	844.3	15.17	60	44.83	Pass	461
860	1000	0.1	RMS	946.9	-70.05	-13	57.05	Pass	1401
1000	3000	1	RMS	1688	-52.26	-13	39.26	Pass	2001
3000	10000	1	RMS	9704	-45.61	-13	32.61	Pass	7001




7.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.27	-13	65.27	Pass	401
0.15	30	0.01	RMS	0.21	-78.39	-13	65.39	Pass	2986
30	814	0.1	RMS	813.4	-70.26	-13	57.26	Pass	7841
814	860	0.1	RMS	844.3	13.93	60	46.07	Pass	461
860	1000	0.1	RMS	893.5	-70.01	-13	57.01	Pass	1401
1000	3000	1	RMS	1688	-53.71	-13	40.71	Pass	2001
3000	10000	1	RMS	9696	-45.59	-13	32.59	Pass	7001




7.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.74	-13	64.74	Pass	401
0.15	30	0.01	RMS	0.22	-78.38	-13	65.38	Pass	2986
30	814	0.1	RMS	813.9	-69.08	-13	56.08	Pass	7841
814	860	0.1	RMS	824.6	15.75	60	44.25	Pass	461
860	1000	0.1	RMS	960.2	-69.98	-13	56.98	Pass	1401
1000	3000	1	RMS	1649	-52.25	-13	39.25	Pass	2001
3000	10000	1	RMS	9701	-45.53	-13	32.53	Pass	7001




7.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.28	-13	65.28	Pass	401
0.15	30	0.01	RMS	0.16	-78.01	-13	65.01	Pass	2986
30	814	0.1	RMS	813.9	-69.51	-13	56.51	Pass	7841
814	860	0.1	RMS	824.6	14.46	60	45.54	Pass	461
860	1000	0.1	RMS	988.6	-69.92	-13	56.92	Pass	1401
1000	3000	1	RMS	1649	-54.08	-13	41.08	Pass	2001
3000	10000	1	RMS	9703	-45.58	-13	32.58	Pass	7001




7.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.67	-13	64.67	Pass	401
0.15	30	0.01	RMS	0.23	-78.18	-13	65.18	Pass	2986
30	814	0.1	RMS	813.9	-69.89	-13	56.89	Pass	7841
814	860	0.1	RMS	832.1	15.61	60	44.39	Pass	461
860	1000	0.1	RMS	882.1	-69.81	-13	56.81	Pass	1401
1000	3000	1	RMS	1664	-53.05	-13	40.05	Pass	2001
3000	10000	1	RMS	9700	-45.53	-13	32.53	Pass	7001




7.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.18	-13	65.18	Pass	401
0.15	30	0.01	RMS	0.15	-79.18	-13	66.18	Pass	2986
30	814	0.1	RMS	814	-69.88	-13	56.88	Pass	7841
814	860	0.1	RMS	832.1	14.85	60	45.15	Pass	461
860	1000	0.1	RMS	976.4	-70	-13	57	Pass	1401
1000	3000	1	RMS	1664	-53.48	-13	40.48	Pass	2001
3000	10000	1	RMS	9703	-45.55	-13	32.55	Pass	7001




7.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.97	-13	64.97	Pass	401
0.15	30	0.01	RMS	0.16	-77.64	-13	64.64	Pass	2986
30	814	0.1	RMS	813.3	-69.88	-13	56.88	Pass	7841
814	860	0.1	RMS	839.6	15.74	60	44.26	Pass	461
860	1000	0.1	RMS	892.6	-69.85	-13	56.85	Pass	1401
1000	3000	1	RMS	1679	-52.16	-13	39.16	Pass	2001
3000	10000	1	RMS	9704	-45.56	-13	32.56	Pass	7001




7.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.87	-13	64.87	Pass	401
0.15	30	0.01	RMS	0.18	-78.3	-13	65.3	Pass	2986
30	814	0.1	RMS	812.7	-69.47	-13	56.47	Pass	7841
814	860	0.1	RMS	839.6	14.91	60	45.09	Pass	461
860	1000	0.1	RMS	996.4	-69.97	-13	56.97	Pass	1401
1000	3000	1	RMS	1679	-53.06	-13	40.06	Pass	2001
3000	10000	1	RMS	9701	-45.6	-13	32.6	Pass	7001




7.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.62	-13	65.62	Pass	401
0.15	30	0.01	RMS	0.15	-78.57	-13	65.57	Pass	2986
30	814	0.1	RMS	811.5	-61.62	-13	48.62	Pass	7841
814	860	0.1	RMS	824.8	15	60	45	Pass	461
860	1000	0.1	RMS	886.6	-69.93	-13	56.93	Pass	1401
1000	3000	1	RMS	1649	-52.7	-13	39.7	Pass	2001
3000	10000	1	RMS	9701	-45.57	-13	32.57	Pass	7001




7.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.34	-13	65.34	Pass	401
0.15	30	0.01	RMS	0.15	-77.53	-13	64.53	Pass	2986
30	814	0.1	RMS	811.5	-62.09	-13	49.09	Pass	7841
814	860	0.1	RMS	824.8	14.05	60	45.95	Pass	461
860	1000	0.1	RMS	973.3	-69.98	-13	56.98	Pass	1401
1000	3000	1	RMS	1649	-53.93	-13	40.93	Pass	2001
3000	10000	1	RMS	9700	-45.56	-13	32.56	Pass	7001




7.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.19	-13	65.19	Pass	401
0.15	30	0.01	RMS	0.16	-77.98	-13	64.98	Pass	2986
30	814	0.1	RMS	813.7	-69.83	-13	56.83	Pass	7841
814	860	0.1	RMS	829.8	15.06	60	44.94	Pass	461
860	1000	0.1	RMS	969.7	-69.97	-13	56.97	Pass	1401
1000	3000	1	RMS	1659	-53.05	-13	40.05	Pass	2001
3000	10000	1	RMS	9703	-45.53	-13	32.53	Pass	7001




7.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.04	-13	65.04	Pass	401
0.15	30	0.01	RMS	0.15	-78.09	-13	65.09	Pass	2986
30	814	0.1	RMS	813.6	-70.01	-13	57.01	Pass	7841
814	860	0.1	RMS	829.8	14.59	60	45.41	Pass	461
860	1000	0.1	RMS	974.3	-69.98	-13	56.98	Pass	1401
1000	3000	1	RMS	1659	-53.31	-13	40.31	Pass	2001
3000	10000	1	RMS	9699	-45.58	-13	32.58	Pass	7001




7.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.21	-13	65.21	Pass	401
0.15	30	0.01	RMS	0.15	-77.63	-13	64.63	Pass	2986
30	814	0.1	RMS	810.3	-69.47	-13	56.47	Pass	7841
814	860	0.1	RMS	834.8	14.91	60	45.09	Pass	461
860	1000	0.1	RMS	970.3	-69.92	-13	56.92	Pass	1401
1000	3000	1	RMS	1669	-52.41	-13	39.41	Pass	2001
3000	10000	1	RMS	9703	-45.6	-13	32.6	Pass	7001



7.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.42	-13	65.42	Pass	401
0.15	30	0.01	RMS	0.15	-78.34	-13	65.34	Pass	2986
30	814	0.1	RMS	814	-70.03	-13	57.03	Pass	7841
814	860	0.1	RMS	834.8	13.84	60	46.16	Pass	461
860	1000	0.1	RMS	932	-70.08	-13	57.08	Pass	1401
1000	3000	1	RMS	1669	-53.49	-13	40.49	Pass	2001
3000	10000	1	RMS	9702	-45.58	-13	32.58	Pass	7001



1. LTE_Band26(part90)


1.1 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-72.15	-13	59.15	Pass	401
0.15	30	0.01	Peak	0.27	-70.4	-13	57.4	Pass	2986
30	809	0.1	Peak	655.3	-59.8	-13	46.8	Pass	7791
809	829	0.1	Peak	814.2	20.44	60	39.56	Pass	401
829	1000	0.1	Peak	844.9	-57.31	-13	44.31	Pass	1711
1000	3000	1	Peak	2957	-42.53	-13	29.53	Pass	2001
3000	10000	1	Peak	7501	-33.57	-13	20.57	Pass	7001




1.2 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-71.7	-13	58.7	Pass	401
0.15	30	0.01	Peak	0.15	-70.79	-13	57.79	Pass	2986
30	809	0.1	Peak	780.2	-59.51	-13	46.51	Pass	7791
809	829	0.1	Peak	814.2	20.41	60	39.59	Pass	401
829	1000	0.1	Peak	995.3	-58.76	-13	45.76	Pass	1711
1000	3000	1	Peak	2998	-42.42	-13	29.42	Pass	2001
3000	10000	1	Peak	7289	-33.74	-13	20.74	Pass	7001




1.3 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-71.28	-13	58.28	Pass	401
0.15	30	0.01	Peak	0.21	-70.36	-13	57.36	Pass	2986
30	809	0.1	Peak	763.3	-59.39	-13	46.39	Pass	7791
809	829	0.1	Peak	818.55	20.41	60	39.59	Pass	401
829	1000	0.1	Peak	871.9	-58.95	-13	45.95	Pass	1711
1000	3000	1	Peak	1637	-42.31	-13	29.31	Pass	2001
3000	10000	1	Peak	7288	-33.82	-13	20.82	Pass	7001




1.4 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-72.1	-13	59.1	Pass	401
0.15	30	0.01	Peak	0.18	-70.38	-13	57.38	Pass	2986
30	809	0.1	Peak	771.9	-58.98	-13	45.98	Pass	7791
809	829	0.1	Peak	818.55	20.76	60	39.24	Pass	401
829	1000	0.1	Peak	830.7	-58.28	-13	45.28	Pass	1711
1000	3000	1	Peak	2859	-42.37	-13	29.37	Pass	2001
3000	10000	1	Peak	7674	-33.44	-13	20.44	Pass	7001




1.5 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-69.43	-13	56.43	Pass	401
0.15	30	0.01	Peak	0.16	-70.9	-13	57.9	Pass	2986
30	809	0.1	Peak	793	-59.41	-13	46.41	Pass	7791
809	829	0.1	Peak	822.9	20.3	60	39.7	Pass	401
829	1000	0.1	Peak	829.3	-58.48	-13	45.48	Pass	1711
1000	3000	1	Peak	2998	-42.56	-13	29.56	Pass	2001
3000	10000	1	Peak	9037	-33.93	-13	20.93	Pass	7001




1.6 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-71.83	-13	58.83	Pass	401
0.15	30	0.01	Peak	0.16	-70.51	-13	57.51	Pass	2986
30	809	0.1	Peak	801.5	-59.15	-13	46.15	Pass	7791
809	829	0.1	Peak	822.85	20.52	60	39.48	Pass	401
829	1000	0.1	Peak	830.8	-58.2	-13	45.2	Pass	1711
1000	3000	1	Peak	1645	-42.27	-13	29.27	Pass	2001
3000	10000	1	Peak	7046	-33.61	-13	20.61	Pass	7001




1.7 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-72.04	-13	59.04	Pass	401
0.15	30	0.01	Peak	0.18	-70.66	-13	57.66	Pass	2986
30	809	0.1	Peak	809	-58.44	-13	45.44	Pass	7791
809	829	0.1	Peak	814.2	20.07	60	39.93	Pass	401
829	1000	0.1	Peak	845.7	-58.28	-13	45.28	Pass	1711
1000	3000	1	Peak	1628	-42.39	-13	29.39	Pass	2001
3000	10000	1	Peak	7249	-33.27	-13	20.27	Pass	7001




1.8 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-71.99	-13	58.99	Pass	401
0.15	30	0.01	Peak	0.4	-70.26	-13	57.26	Pass	2986
30	809	0.1	Peak	809	-59.45	-13	46.45	Pass	7791
809	829	0.1	Peak	814.2	19.99	60	40.01	Pass	401
829	1000	0.1	Peak	845.7	-58.32	-13	45.32	Pass	1711
1000	3000	1	Peak	2995	-42.51	-13	29.51	Pass	2001
3000	10000	1	Peak	6738	-33.95	-13	20.95	Pass	7001




1.9 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-71.66	-13	58.66	Pass	401
0.15	30	0.01	Peak	0.53	-69.39	-13	56.39	Pass	2986
30	809	0.1	Peak	702.6	-59.49	-13	46.49	Pass	7791
809	829	0.1	Peak	817.75	20.06	60	39.94	Pass	401
829	1000	0.1	Peak	911.3	-58.46	-13	45.46	Pass	1711
1000	3000	1	Peak	1635	-42.54	-13	29.54	Pass	2001
3000	10000	1	Peak	8973	-33.51	-13	20.51	Pass	7001




1.10 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-71.59	-13	58.59	Pass	401
0.15	30	0.01	Peak	0.33	-69.97	-13	56.97	Pass	2986
30	809	0.1	Peak	801	-58.81	-13	45.81	Pass	7791
809	829	0.1	Peak	817.75	20.45	60	39.55	Pass	401
829	1000	0.1	Peak	849.3	-57.21	-13	44.21	Pass	1711
1000	3000	1	Peak	1636	-42.51	-13	29.51	Pass	2001
3000	10000	1	Peak	6740	-33.22	-13	20.22	Pass	7001




1.11 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-71.45	-13	58.45	Pass	401
0.15	30	0.01	Peak	0.7	-70.34	-13	57.34	Pass	2986
30	809	0.1	Peak	676.6	-59.27	-13	46.27	Pass	7791
809	829	0.1	Peak	821.3	20.25	60	39.75	Pass	401
829	1000	0.1	Peak	829	-58.25	-13	45.25	Pass	1711
1000	3000	1	Peak	1643	-41.58	-13	28.58	Pass	2001
3000	10000	1	Peak	9046	-33.43	-13	20.43	Pass	7001




1.12 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-70.29	-13	57.29	Pass	401
0.15	30	0.01	Peak	1.73	-70.9	-13	57.9	Pass	2986
30	809	0.1	Peak	614.3	-59.57	-13	46.57	Pass	7791
809	829	0.1	Peak	821.25	20.71	60	39.29	Pass	401
829	1000	0.1	Peak	829.1	-58.72	-13	45.72	Pass	1711
1000	3000	1	Peak	1642	-41.06	-13	28.06	Pass	2001
3000	10000	1	Peak	3109	-33.41	-13	20.41	Pass	7001




1.13 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-71.08	-13	58.08	Pass	401
0.15	30	0.01	Peak	0.43	-71.53	-13	58.53	Pass	2986
30	809	0.1	Peak	747.2	-58.91	-13	45.91	Pass	7791
809	829	0.1	Peak	814.3	20.15	60	39.85	Pass	401
829	1000	0.1	Peak	972.6	-58.97	-13	45.97	Pass	1711
1000	3000	1	Peak	2945	-42.87	-13	29.87	Pass	2001
3000	10000	1	Peak	6839	-32.95	-13	19.95	Pass	7001




1.14 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-71.58	-13	58.58	Pass	401
0.15	30	0.01	Peak	0.27	-70.09	-13	57.09	Pass	2986
30	809	0.1	Peak	747.1	-59.59	-13	46.59	Pass	7791
809	829	0.1	Peak	814.3	20.3	60	39.7	Pass	401
829	1000	0.1	Peak	865	-58.04	-13	45.04	Pass	1711
1000	3000	1	Peak	2654	-42.44	-13	29.44	Pass	2001
3000	10000	1	Peak	7286	-34.06	-13	21.06	Pass	7001




1.15 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-72.2	-13	59.2	Pass	401
0.15	30	0.01	Peak	0.25	-70.78	-13	57.78	Pass	2986
30	809	0.1	Peak	744.1	-59.18	-13	46.18	Pass	7791
809	829	0.1	Peak	816.85	20.13	60	39.87	Pass	401
829	1000	0.1	Peak	832.7	-58.04	-13	45.04	Pass	1711
1000	3000	1	Peak	2821	-42.75	-13	29.75	Pass	2001
3000	10000	1	Peak	6690	-33.48	-13	20.48	Pass	7001




1.16 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-71.1	-13	58.1	Pass	401
0.15	30	0.01	Peak	1.78	-70.26	-13	57.26	Pass	2986
30	809	0.1	Peak	808.2	-57.55	-13	44.55	Pass	7791
809	829	0.1	Peak	816.8	20.94	60	39.06	Pass	401
829	1000	0.1	Peak	880.1	-58.58	-13	45.58	Pass	1711
1000	3000	1	Peak	2964	-42.8	-13	29.8	Pass	2001
3000	10000	1	Peak	7503	-33.88	-13	20.88	Pass	7001




1.17 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-71.36	-13	58.36	Pass	401
0.15	30	0.01	Peak	0.2	-70.68	-13	57.68	Pass	2986
30	809	0.1	Peak	808.6	-58.9	-13	45.9	Pass	7791
809	829	0.1	Peak	819.25	19.99	60	40.01	Pass	401
829	1000	0.1	Peak	830.1	-58.29	-13	45.29	Pass	1711
1000	3000	1	Peak	2863	-42.83	-13	29.83	Pass	2001
3000	10000	1	Peak	6810	-33.85	-13	20.85	Pass	7001




1.18 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-71.83	-13	58.83	Pass	401
0.15	30	0.01	Peak	0.3	-69.88	-13	56.88	Pass	2986
30	809	0.1	Peak	806.6	-58.81	-13	45.81	Pass	7791
809	829	0.1	Peak	819.3	20.09	60	39.91	Pass	401
829	1000	0.1	Peak	866.4	-58.52	-13	45.52	Pass	1711
1000	3000	1	Peak	2876	-42.85	-13	29.85	Pass	2001
3000	10000	1	Peak	7521	-33.75	-13	20.75	Pass	7001




**1.19 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-71.66	-13	58.66	Pass	401
0.15	30	0.01	Peak	0.16	-70.85	-13	57.85	Pass	2986
30	809	0.1	Peak	808.7	-55.38	-13	42.38	Pass	7791
809	829	0.1	Peak	814.6	20.48	60	39.52	Pass	401
829	1000	0.1	Peak	832.2	-37.44	-13	24.44	Pass	1711
1000	3000	1	Peak	1629	-42.84	-13	29.84	Pass	2001
3000	10000	1	Peak	6866	-33.99	-13	20.99	Pass	7001



1.20 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-70.97	-13	57.97	Pass	401
0.15	30	0.01	Peak	0.15	-70.09	-13	57.09	Pass	2986
30	809	0.1	Peak	808.7	-58.1	-13	45.1	Pass	7791
809	829	0.1	Peak	814.55	20.47	60	39.53	Pass	401
829	1000	0.1	Peak	832.2	-38.49	-13	25.49	Pass	1711
1000	3000	1	Peak	2829	-42.91	-13	29.91	Pass	2001
3000	10000	1	Peak	6956	-33.9	-13	20.9	Pass	7001



8. LTE_Band41 full


8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.64	-25	43.64	Pass	401
0.15	30	0.01	RMS	0.23	-68.69	-25	43.69	Pass	2986
30	1000	0.1	RMS	535.7	-61.3	-25	36.3	Pass	9701
1000	2486	1	RMS	2425	-41.99	-25	16.99	Pass	1487
2486	2700	1	RMS	2496.165	21.04	60	38.96	Pass	401
2700	3000	1	RMS	2901	-46.35	-25	21.35	Pass	401
3000	12000	1	RMS	7489	-58.19	-25	33.19	Pass	9002
12000	26500	1	RMS	25504	-50.24	-25	25.24	Pass	14502




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.09	-25	43.09	Pass	401
0.15	30	0.01	RMS	0.21	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	535.7	-61.49	-25	36.49	Pass	9701
1000	2486	1	RMS	2432	-45.44	-25	20.44	Pass	1487
2486	2700	1	RMS	2496.165	20.72	60	39.28	Pass	401
2700	3000	1	RMS	2903.25	-46.35	-25	21.35	Pass	401
3000	12000	1	RMS	7489	-58.32	-25	33.32	Pass	9002
12000	26500	1	RMS	25495	-50.28	-25	25.28	Pass	14502




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.5	-25	43.5	Pass	401
0.15	30	0.01	RMS	0.16	-68.92	-25	43.92	Pass	2986
30	1000	0.1	RMS	992.895	-61.5	-25	36.5	Pass	9701
1000	2486	1	RMS	2486	-48.56	-25	23.56	Pass	1487
2486	2700	1	RMS	2590.325	21.52	60	38.48	Pass	401
2700	3000	1	RMS	2906.25	-46.36	-25	21.36	Pass	401
3000	12000	1	RMS	7772	-54.81	-25	29.81	Pass	9002
12000	26500	1	RMS	25501	-50.29	-25	25.29	Pass	14502




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.22	-68.48	-25	43.48	Pass	2986
30	1000	0.1	RMS	842.3	-61.48	-25	36.48	Pass	9701
1000	2486	1	RMS	2429	-43.99	-25	18.99	Pass	1487
2486	2700	1	RMS	2590.325	21.2	60	38.8	Pass	401
2700	3000	1	RMS	2901.75	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	7772	-54.85	-25	29.85	Pass	9002
12000	26500	1	RMS	25510	-50.19	-25	25.19	Pass	14502




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.02	-25	44.02	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	724.6	-60.3	-25	35.3	Pass	9701
1000	2486	1	RMS	2421	-48.39	-25	23.39	Pass	1487
2486	2700	1	RMS	2685.02	21.04	60	38.96	Pass	401
2700	3000	1	RMS	2899.5	-46.32	-25	21.32	Pass	401
3000	12000	1	RMS	8056	-59.51	-25	34.51	Pass	9002
12000	26500	1	RMS	25501	-50.17	-25	25.17	Pass	14502




8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.49	-25	43.49	Pass	401
0.15	30	0.01	RMS	0.4	-69.12	-25	44.12	Pass	2986
30	1000	0.1	RMS	724.7	-61.28	-25	36.28	Pass	9701
1000	2486	1	RMS	2433	-47.6	-25	22.6	Pass	1487
2486	2700	1	RMS	2685.02	20.79	60	39.21	Pass	401
2700	3000	1	RMS	2902.5	-46.34	-25	21.34	Pass	401
3000	12000	1	RMS	11946	-60.11	-25	35.11	Pass	9002
12000	26500	1	RMS	25495	-50.22	-25	25.22	Pass	14502




8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.78	-25	43.78	Pass	401
0.15	30	0.01	RMS	0.15	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	831.4	-61.48	-25	36.48	Pass	9701
1000	2486	1	RMS	2479	-40.59	-25	15.59	Pass	1487
2486	2700	1	RMS	2496.165	21.54	60	38.46	Pass	401
2700	3000	1	RMS	2904.75	-46.32	-25	21.32	Pass	401
3000	12000	1	RMS	9986	-58.98	-25	33.98	Pass	9002
12000	26500	1	RMS	25499	-50.27	-25	25.27	Pass	14502




8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.16	-68.48	-25	43.48	Pass	2986
30	1000	0.1	RMS	847.3	-61.53	-25	36.53	Pass	9701
1000	2486	1	RMS	2486	-44.86	-25	19.86	Pass	1487
2486	2700	1	RMS	2496.165	20.89	60	39.11	Pass	401
2700	3000	1	RMS	2901.75	-46.34	-25	21.34	Pass	401
3000	12000	1	RMS	9986	-58.91	-25	33.91	Pass	9002
12000	26500	1	RMS	25502	-50.31	-25	25.31	Pass	14502




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.03	-25	44.03	Pass	401
0.15	30	0.01	RMS	0.15	-68.63	-25	43.63	Pass	2986
30	1000	0.1	RMS	838.4	-61.43	-25	36.43	Pass	9701
1000	2486	1	RMS	2486	-48.58	-25	23.58	Pass	1487
2486	2700	1	RMS	2588.185	21.38	60	38.62	Pass	401
2700	3000	1	RMS	2898	-46.33	-25	21.33	Pass	401
3000	12000	1	RMS	7765	-56.33	-25	31.33	Pass	9002
12000	26500	1	RMS	25510	-50.28	-25	25.28	Pass	14502




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.04	-25	43.04	Pass	401
0.15	30	0.01	RMS	0.23	-68.35	-25	43.35	Pass	2986
30	1000	0.1	RMS	889.427	-61.41	-25	36.41	Pass	9701
1000	2486	1	RMS	2424	-43.53	-25	18.53	Pass	1487
2486	2700	1	RMS	2588.185	20.65	60	39.35	Pass	401
2700	3000	1	RMS	2898.75	-46.35	-25	21.35	Pass	401
3000	12000	1	RMS	7765	-57.52	-25	32.52	Pass	9002
12000	26500	1	RMS	25503	-50.21	-25	25.21	Pass	14502




8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.97	-25	42.97	Pass	401
0.15	30	0.01	RMS	0.19	-68.25	-25	43.25	Pass	2986
30	1000	0.1	RMS	719.9	-59.95	-25	34.95	Pass	9701
1000	2486	1	RMS	2484	-48.43	-25	23.43	Pass	1487
2486	2700	1	RMS	2680.205	22.68	60	37.32	Pass	401
2700	3000	1	RMS	2700	-36.13	-25	11.13	Pass	401
3000	12000	1	RMS	8042	-59.46	-25	34.46	Pass	9002
12000	26500	1	RMS	25497	-50.18	-25	25.18	Pass	14502




8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.13	-25	43.13	Pass	401
0.15	30	0.01	RMS	0.15	-67.98	-25	42.98	Pass	2986
30	1000	0.1	RMS	719.9	-61.09	-25	36.09	Pass	9701
1000	2486	1	RMS	2485	-48.49	-25	23.49	Pass	1487
2486	2700	1	RMS	2680.205	20.72	60	39.28	Pass	401
2700	3000	1	RMS	2700	-37.23	-25	12.23	Pass	401
3000	12000	1	RMS	11965	-60.15	-25	35.15	Pass	9002
12000	26500	1	RMS	25493	-50.28	-25	25.28	Pass	14502




8.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.62	-25	43.62	Pass	401
0.15	30	0.01	RMS	0.15	-67.83	-25	42.83	Pass	2986
30	1000	0.1	RMS	979.286	-61.51	-25	36.51	Pass	9701
1000	2486	1	RMS	2484	-32	-25	7	Pass	1487
2486	2700	1	RMS	2496.7	22.4	60	37.6	Pass	401
2700	3000	1	RMS	2901	-46.32	-25	21.32	Pass	401
3000	12000	1	RMS	7491	-56.8	-25	31.8	Pass	9002
12000	26500	1	RMS	25500	-50.27	-25	25.27	Pass	14502




8.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.9	-25	43.9	Pass	401
0.15	30	0.01	RMS	0.17	-68.73	-25	43.73	Pass	2986
30	1000	0.1	RMS	971.481	-61.43	-25	36.43	Pass	9701
1000	2486	1	RMS	2483	-34.84	-25	9.84	Pass	1487
2486	2700	1	RMS	2496.7	19.97	60	40.03	Pass	401
2700	3000	1	RMS	2906.25	-46.37	-25	21.37	Pass	401
3000	12000	1	RMS	7491	-58.28	-25	33.28	Pass	9002
12000	26500	1	RMS	25517	-50.28	-25	25.28	Pass	14502




8.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.55	-25	43.55	Pass	401
0.15	30	0.01	RMS	0.16	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	848.1	-61.46	-25	36.46	Pass	9701
1000	2486	1	RMS	2423	-45.87	-25	20.87	Pass	1487
2486	2700	1	RMS	2586.045	20.9	60	39.1	Pass	401
2700	3000	1	RMS	2899.5	-46.34	-25	21.34	Pass	401
3000	12000	1	RMS	7759	-56.03	-25	31.03	Pass	9002
12000	26500	1	RMS	25500	-50.28	-25	25.28	Pass	14502




8.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.88	-25	43.88	Pass	401
0.15	30	0.01	RMS	0.18	-68.08	-25	43.08	Pass	2986
30	1000	0.1	RMS	856.805	-61.59	-25	36.59	Pass	9701
1000	2486	1	RMS	2486	-48.57	-25	23.57	Pass	1487
2486	2700	1	RMS	2586.045	20.69	60	39.31	Pass	401
2700	3000	1	RMS	2901	-46.34	-25	21.34	Pass	401
3000	12000	1	RMS	7759	-54.48	-25	29.48	Pass	9002
12000	26500	1	RMS	25502	-50.25	-25	25.25	Pass	14502




8.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.2	-25	43.2	Pass	401
0.15	30	0.01	RMS	0.21	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	715.2	-60.02	-25	35.02	Pass	9701
1000	2486	1	RMS	2483	-48.38	-25	23.38	Pass	1487
2486	2700	1	RMS	2675.39	22.54	60	37.46	Pass	401
2700	3000	1	RMS	2703	-37.68	-25	12.68	Pass	401
3000	12000	1	RMS	11950	-60.16	-25	35.16	Pass	9002
12000	26500	1	RMS	25492	-50.26	-25	25.26	Pass	14502




8.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.74	-25	43.74	Pass	401
0.15	30	0.01	RMS	0.26	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	715.1	-60.62	-25	35.62	Pass	9701
1000	2486	1	RMS	2484	-48.14	-25	23.14	Pass	1487
2486	2700	1	RMS	2675.39	21.61	60	38.39	Pass	401
2700	3000	1	RMS	2703	-35.89	-25	10.89	Pass	401
3000	12000	1	RMS	11949	-60.11	-25	35.11	Pass	9002
12000	26500	1	RMS	25501	-50.3	-25	25.3	Pass	14502




8.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.44	-25	44.44	Pass	401
0.15	30	0.01	RMS	0.2	-68.95	-25	43.95	Pass	2986
30	1000	0.1	RMS	536.4	-60.96	-25	35.96	Pass	9701
1000	2486	1	RMS	2480	-37.12	-25	12.12	Pass	1487
2486	2700	1	RMS	2496.7	21.77	60	38.23	Pass	401
2700	3000	1	RMS	2900.25	-46.34	-25	21.34	Pass	401
3000	12000	1	RMS	7491	-58.02	-25	33.02	Pass	9002
12000	26500	1	RMS	25495	-50.29	-25	25.29	Pass	14502




8.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.58	-25	43.58	Pass	401
0.15	30	0.01	RMS	0.15	-67.68	-25	42.68	Pass	2986
30	1000	0.1	RMS	536.4	-61.15	-25	36.15	Pass	9701
1000	2486	1	RMS	2479	-35.49	-25	10.49	Pass	1487
2486	2700	1	RMS	2496.7	20.38	60	39.62	Pass	401
2700	3000	1	RMS	2901.75	-46.33	-25	21.33	Pass	401
3000	12000	1	RMS	7491	-56.75	-25	31.75	Pass	9002
12000	26500	1	RMS	25503	-50.25	-25	25.25	Pass	14502




8.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.08	-25	42.08	Pass	401
0.15	30	0.01	RMS	0.17	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	979.887	-61.54	-25	36.54	Pass	9701
1000	2486	1	RMS	2428	-43.07	-25	18.07	Pass	1487
2486	2700	1	RMS	2583.905	22.38	60	37.62	Pass	401
2700	3000	1	RMS	2900.25	-46.36	-25	21.36	Pass	401
3000	12000	1	RMS	7753	-55.08	-25	30.08	Pass	9002
12000	26500	1	RMS	25510	-50.3	-25	25.3	Pass	14502




8.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.52	-25	43.52	Pass	401
0.15	30	0.01	RMS	0.25	-68.62	-25	43.62	Pass	2986
30	1000	0.1	RMS	940.761	-61.57	-25	36.57	Pass	9701
1000	2486	1	RMS	2483	-48.48	-25	23.48	Pass	1487
2486	2700	1	RMS	2583.905	19.59	60	40.41	Pass	401
2700	3000	1	RMS	2902.5	-46.35	-25	21.35	Pass	401
3000	12000	1	RMS	7752	-53.76	-25	28.76	Pass	9002
12000	26500	1	RMS	25499	-50.26	-25	25.26	Pass	14502



8.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.26	-68.61	-25	43.61	Pass	2986
30	1000	0.1	RMS	710.4	-60.44	-25	35.44	Pass	9701
1000	2486	1	RMS	2480	-48.48	-25	23.48	Pass	1487
2486	2700	1	RMS	2670.575	22.25	60	37.75	Pass	401
2700	3000	1	RMS	2706.75	-37.41	-25	12.41	Pass	401
3000	12000	1	RMS	8014	-59.63	-25	34.63	Pass	9002
12000	26500	1	RMS	25495	-50.25	-25	25.25	Pass	14502



8.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.43	-25	43.43	Pass	401
0.15	30	0.01	RMS	0.18	-68.61	-25	43.61	Pass	2986
30	1000	0.1	RMS	710.4	-60.58	-25	35.58	Pass	9701
1000	2486	1	RMS	2485	-48.48	-25	23.48	Pass	1487
2486	2700	1	RMS	2670.575	21.49	60	38.51	Pass	401
2700	3000	1	RMS	2706	-39.16	-25	14.16	Pass	401
3000	12000	1	RMS	8013	-58.45	-25	33.45	Pass	9002
12000	26500	1	RMS	25507	-50.28	-25	25.28	Pass	14502

