


Band Edge


7.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-36.72	-13	23.72	Pass	401
823	824	0.051	RMS	824	-34.05	-13	21.05	Pass	401
824	829	0.1	RMS	826.85	0.47	30	29.53	Pass	401




7.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	15.52	30	14.48	Pass	401
849	850	0.051	RMS	849	-27.78	-13	14.78	Pass	401
850	860	0.1	RMS	850	-53.52	-13	40.52	Pass	401




7.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.075	1.72	30	28.28	Pass	401
849	850	0.051	RMS	849.003	-33.16	-13	20.16	Pass	401
850	860	0.1	RMS	850	-35.9	-13	22.9	Pass	401




7.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	15.01	30	14.99	Pass	401
849	850	0.051	RMS	849.003	-27.22	-13	14.22	Pass	401
850	860	0.1	RMS	850	-53.6	-13	40.6	Pass	401




7.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.638	0.62	30	29.38	Pass	401
849	850	0.051	RMS	849	-33.75	-13	20.75	Pass	401
850	860	0.1	RMS	850.075	-35.9	-13	22.9	Pass	401




7.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.2	-53.89	-13	40.89	Pass	401
823	824	0.1	RMS	824	-36.02	-13	23.02	Pass	401
824	834	0.1	RMS	824.6	15.63	30	14.37	Pass	401




7.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-39.32	-13	26.32	Pass	401
823	824	0.1	RMS	823.993	-34.32	-13	21.32	Pass	401
824	834	0.1	RMS	828.275	-1.26	30	31.26	Pass	401




7.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.2	-54.52	-13	41.52	Pass	401
823	824	0.1	RMS	824	-37.37	-13	24.37	Pass	401
824	834	0.1	RMS	824.6	14.63	30	15.37	Pass	401




7.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-39.34	-13	26.34	Pass	401
823	824	0.1	RMS	823.993	-35.97	-13	22.97	Pass	401
824	834	0.1	RMS	829	-2.39	30	32.39	Pass	401




7.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	15.71	30	14.29	Pass	401
849	850	0.1	RMS	849	-36.16	-13	23.16	Pass	401
850	860	0.1	RMS	850	-54.36	-13	41.36	Pass	401




7.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	844.35	-0.95	30	30.95	Pass	401
849	850	0.1	RMS	849.005	-35.8	-13	22.8	Pass	401
850	860	0.1	RMS	850.025	-38.94	-13	25.94	Pass	401




7.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	15.18	30	14.82	Pass	401
849	850	0.1	RMS	849	-36.85	-13	23.85	Pass	401
850	860	0.1	RMS	850.025	-54.87	-13	41.87	Pass	401




7.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	844.725	-2.05	30	32.05	Pass	401
849	850	0.1	RMS	849	-36.29	-13	23.29	Pass	401
850	860	0.1	RMS	850.075	-39.06	-13	26.06	Pass	401




7.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-54.33	-13	41.33	Pass	401
823	824	0.15	RMS	824	-33.15	-13	20.15	Pass	401
824	839	0.1	RMS	824.863	15.45	30	14.55	Pass	401




7.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.68	-42.18	-13	29.18	Pass	401
823	824	0.15	RMS	824	-35.91	-13	22.91	Pass	401
824	839	0.1	RMS	829.063	-3.01	30	33.01	Pass	401




7.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-54.72	-13	41.72	Pass	401
823	824	0.15	RMS	824	-34.35	-13	21.35	Pass	401
824	839	0.1	RMS	824.863	14.42	30	15.58	Pass	401




7.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.38	-42.06	-13	29.06	Pass	401
823	824	0.15	RMS	824	-37.6	-13	24.6	Pass	401
824	839	0.1	RMS	830.413	-3.83	30	33.83	Pass	401




7.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	15.54	30	14.46	Pass	401
849	850	0.15	RMS	849	-33.41	-13	20.41	Pass	401
850	860	0.1	RMS	850	-53.88	-13	40.88	Pass	401




7.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	844.238	-2.69	30	32.69	Pass	401
849	850	0.15	RMS	849	-37.01	-13	24.01	Pass	401
850	860	0.1	RMS	850.125	-43.41	-13	30.41	Pass	401




7.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	14.72	30	15.28	Pass	401
849	850	0.15	RMS	849.003	-34.4	-13	21.4	Pass	401
850	860	0.1	RMS	850	-54.88	-13	41.88	Pass	401



7.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	844.5	-3.65	30	33.65	Pass	401
849	850	0.15	RMS	849	-38.02	-13	25.02	Pass	401
850	860	0.1	RMS	850	-43.01	-13	30.01	Pass	401



1. LTE_Band26(part90)

1.1 LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-30.09	-13	17.09	Pass	401
813.9625	814	0.002	RMS	813.995	-37.37	-20	17.37	Pass	401
814	819	0.1	RMS	814.25	15.65	30	14.35	Pass	401




1.2 LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.12	-13	12.12	Pass	401
813.9625	814	0.02	RMS	813.999	-31.24	-20	11.24	Pass	401
814	819	0.1	RMS	814.8	7.13	30	22.87	Pass	401




1.3 LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.49	-13	11.49	Pass	401
813.9625	814	0.002	RMS	813.997	-39.63	-20	19.63	Pass	401
814	819	0.1	RMS	814.25	14.72	30	15.28	Pass	401




1.4 LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.83	-13	12.83	Pass	401
813.9625	814	0.02	RMS	814	-31.94	-20	11.94	Pass	401
814	819	0.1	RMS	814.6	6.38	30	23.62	Pass	401



1.5 LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	15.7	30	14.3	Pass	401
824	824.0375	0.002	RMS	824.005	-37.34	-20	17.34	Pass	401
824.0875	829	0.1	RMS	824.088	-30.87	-13	17.87	Pass	401




1.6 LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.713	7.15	30	22.85	Pass	401
824	824.0375	0.02	RMS	824	-32.64	-20	12.64	Pass	401
824.0375	829	0.1	RMS	824.038	-26.44	-13	13.44	Pass	401




1.7 LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	14.79	30	15.21	Pass	401
824	824.0375	0.002	RMS	824.006	-38.34	-20	18.34	Pass	401
824.0875	829	0.1	RMS	824.088	-30.71	-13	17.71	Pass	401




1.8 LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.725	6.36	30	23.64	Pass	401
824	824.0375	0.02	RMS	824.001	-33.53	-20	13.53	Pass	401
824.0375	829	0.1	RMS	824.038	-27.13	-13	14.13	Pass	401



1.9 LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-22.11	-13	9.11	Pass	401
813.9625	814	0.002	RMS	813.999	-35.48	-20	15.48	Pass	401
814	819	0.1	RMS	814.238	15.71	30	14.29	Pass	401




1.10 LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-27.22	-13	14.22	Pass	401
813.9625	814	0.03	RMS	814	-31.32	-20	11.32	Pass	401
814	819	0.1	RMS	815.025	3.39	30	26.61	Pass	401



1.11 LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.38	-13	10.38	Pass	401
813.9625	814	0.002	RMS	813.999	-37.03	-20	17.03	Pass	401
814	819	0.1	RMS	814.238	14.69	30	15.31	Pass	401




1.12 LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-28.08	-13	15.08	Pass	401
813.9625	814	0.03	RMS	814	-31.81	-20	11.81	Pass	401
814	819	0.1	RMS	815.413	2.39	30	27.61	Pass	401



1.13 LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	15.7	30	14.3	Pass	401
824	824.0375	0.002	RMS	824	-35.6	-20	15.6	Pass	401
824.0875	829	0.1	RMS	824.088	-29.85	-13	16.85	Pass	401




1.14 LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.7	3.45	30	26.55	Pass	401
824	824.0375	0.03	RMS	824	-32.52	-20	12.52	Pass	401
824.0375	829	0.1	RMS	824.038	-28.53	-13	15.53	Pass	401



1.15 LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.775	14.57	30	15.43	Pass	401
824	824.0375	0.002	RMS	824	-37.25	-20	17.25	Pass	401
824.0375	829	0.1	RMS	824.038	-25.84	-13	12.84	Pass	51




1.16 LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.388	2.3	30	27.7	Pass	401
824	824.0375	0.03	RMS	824	-33.45	-20	13.45	Pass	401
824.0375	829	0.1	RMS	824.038	-29.45	-13	16.45	Pass	401




1.17 LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.09	-13	13.09	Pass	401
813.9625	814	0.002	RMS	813.998	-40.62	-20	20.62	Pass	401
814	819	0.1	RMS	814.338	15.41	30	14.59	Pass	401




1.18 LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-30.37	-13	17.37	Pass	401
813.9625	814	0.051	RMS	814	-32.19	-20	12.19	Pass	401
814	819	0.1	RMS	815.675	1.27	30	28.73	Pass	401




1.19 LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-27.26	-13	14.26	Pass	401
813.9625	814	0.002	RMS	813.998	-41.16	-20	21.16	Pass	401
814	819	0.1	RMS	814.35	14.44	30	15.56	Pass	401




1.20 LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-31.21	-13	18.21	Pass	401
813.9625	814	0.051	RMS	814	-33.01	-20	13.01	Pass	401
814	819	0.1	RMS	815.663	0.38	30	29.62	Pass	401



1.21 LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	15.48	30	14.52	Pass	401
824	824.0375	0.002	RMS	824.003	-40.24	-20	20.24	Pass	401
824.0375	829	0.1	RMS	824.038	-26.98	-13	13.98	Pass	401




1.22 LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.888	1.12	30	28.88	Pass	401
824	824.0375	0.051	RMS	824	-32.87	-20	12.87	Pass	401
824.0375	829	0.1	RMS	824.038	-30.96	-13	17.96	Pass	401



1.23 LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	14.74	30	15.26	Pass	401
824	824.0375	0.002	RMS	824	-40.15	-20	20.15	Pass	401
824.0375	829	0.1	RMS	824.038	-26.95	-13	13.95	Pass	401




1.24 LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	821.263	0.33	30	29.67	Pass	401
824	824.0375	0.051	RMS	824.001	-33.48	-20	13.48	Pass	401
824.0375	829	0.1	RMS	824.038	-31.63	-13	18.63	Pass	401




1.25 LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-38.56	-13	25.56	Pass	401
813.9625	814	0.02	RMS	813.999	-43.61	-20	23.61	Pass	401
814	819	0.1	RMS	814.588	15.87	30	14.13	Pass	401




1.26 LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-34.06	-13	21.06	Pass	401
813.9625	814	0.1	RMS	814	-33.33	-20	13.33	Pass	401
814	819	0.1	RMS	818.263	-1.48	30	31.48	Pass	401




1.27 LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-39.69	-13	26.69	Pass	401
813.9625	814	0.02	RMS	813.999	-45.32	-20	25.32	Pass	401
814	819	0.1	RMS	814.588	14.79	30	15.21	Pass	401




1.28 LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.95	-35.45	-13	22.45	Pass	401
813.9625	814	0.1	RMS	813.999	-34.91	-20	14.91	Pass	401
814	819	0.1	RMS	819	-2.52	30	32.52	Pass	401




1.29 LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	15.66	30	14.34	Pass	401
824	824.0375	0.02	RMS	824	-43.71	-20	23.71	Pass	401
824.0375	829	0.1	RMS	824.038	-38.7	-13	25.7	Pass	401




1.30 LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.875	-1.67	30	31.67	Pass	401
824	824.0375	0.1	RMS	824	-33.09	-20	13.09	Pass	401
824.0375	829	0.1	RMS	824.038	-33.53	-13	20.53	Pass	401




1.31 LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	14.76	30	15.24	Pass	401
824	824.0375	0.02	RMS	824	-44.12	-20	24.12	Pass	401
824.0375	829	0.1	RMS	824.038	-38.93	-13	25.93	Pass	401



1.32 LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.013	-2.36	30	32.36	Pass	401
824	824.0375	0.1	RMS	824.001	-34.06	-20	14.06	Pass	401
824.0375	829	0.1	RMS	824.038	-34.6	-13	21.6	Pass	401



8. LTE_Band41 full


8.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.188	-41.16	-25	16.16	Pass	401
2490	2495	1	RMS	2495	-25.37	-13	12.37	Pass	6
2495	2496	0.051	RMS	2495.998	-20.23	-13	7.23	Pass	401
2496	2501	0.1	RMS	2496.338	20.02	30	9.98	Pass	401




8.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-31.91	-25	6.91	Pass	401
2490	2495	1	RMS	2495	-20.59	-13	7.59	Pass	6
2495	2496	0.051	RMS	2495.983	-27.78	-13	14.78	Pass	401
2496	2501	0.1	RMS	2497.825	5.78	30	24.22	Pass	401




8.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2488.088	-42.63	-25	17.63	Pass	401
2490	2495	1	RMS	2495	-26.62	-13	13.62	Pass	6
2495	2496	0.051	RMS	2496	-20.37	-13	7.37	Pass	401
2496	2501	0.1	RMS	2496.313	19.34	30	10.66	Pass	401




8.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.18	-25	7.18	Pass	401
2490	2495	1	RMS	2495	-22.21	-13	9.21	Pass	6
2495	2496	0.051	RMS	2496	-28.4	-13	15.4	Pass	401
2496	2501	0.1	RMS	2499.975	4.68	30	25.32	Pass	401




8.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	20.61	30	9.39	Pass	401
2690	2691	0.051	RMS	2690	-20.25	-10	10.25	Pass	401
2691	2695	1	RMS	2691	-26.89	-10	16.89	Pass	5
2695	2696	1	RMS	2695	-39.92	-13	26.92	Pass	401
2696	2715	1	RMS	2696	-45.11	-25	20.11	Pass	401




8.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.913	5.63	30	24.37	Pass	401
2690	2691	0.1	RMS	2690	-22.32	-10	12.32	Pass	401
2691	2695	1	RMS	2691	-17.84	-10	7.84	Pass	5
2695	2696	1	RMS	2695.01	-33.24	-13	20.24	Pass	401
2696	2715	1	RMS	2696.048	-35.1	-25	10.1	Pass	401




8.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	19.18	30	10.82	Pass	401
2690	2691	0.05	RMS	2690	-22.11	-10	12.11	Pass	21
2691	2695	1	RMS	2691	-24.62	-10	14.62	Pass	5
2695	2696	1	RMS	2695.003	-40.56	-13	27.56	Pass	401
2696	2715	1	RMS	2696.428	-44.34	-25	19.34	Pass	401




8.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.213	5.31	30	24.69	Pass	401
2690	2691	0.1	RMS	2690.003	-23.38	-10	13.38	Pass	401
2691	2695	1	RMS	2691	-19.63	-10	9.63	Pass	5
2695	2696	1	RMS	2695	-33.77	-13	20.77	Pass	401
2696	2715	1	RMS	2696	-36.12	-25	11.12	Pass	401




8.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.75	-31.02	-25	6.02	Pass	401
2490	2495	1	RMS	2495	-28.32	-13	15.32	Pass	6
2495	2496	0.1	RMS	2495.998	-26.86	-13	13.86	Pass	401
2496	2506	0.1	RMS	2496.575	20.16	30	9.84	Pass	401




8.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-29.41	-25	4.41	Pass*	401
2490	2495	1	RMS	2495	-23.25	-13	10.25	Pass	6
2495	2496	0.1	RMS	2496	-29.01	-13	16.01	Pass	401
2496	2506	0.1	RMS	2501.5	3.56	30	26.44	Pass	401




8.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.825	-33.03	-25	8.03	Pass	401
2490	2495	1	RMS	2495	-28.61	-13	15.61	Pass	6
2495	2496	0.1	RMS	2496	-26.13	-13	13.13	Pass	401
2496	2506	0.1	RMS	2496.625	19.56	30	10.44	Pass	401




8.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-29.82	-25	4.82	Pass*	401
2490	2495	1	RMS	2495	-24.58	-13	11.58	Pass	6
2495	2496	0.1	RMS	2496	-30.58	-13	17.58	Pass	401
2496	2506	0.1	RMS	2500.25	2.09	30	27.91	Pass	401




8.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	19.99	30	10.01	Pass	401
2690	2691	0.2	RMS	2690.003	-21.46	-10	11.46	Pass	401
2691	2695	1	RMS	2691	-31.53	-10	21.53	Pass	5
2695	2700	1	RMS	2698.213	-31.88	-13	18.88	Pass	401
2700	2715	1	RMS	2706.788	-39.63	-25	14.63	Pass	401




8.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2684.225	3.17	30	26.83	Pass	401
2690	2691	0.2	RMS	2690.003	-22.47	-10	12.47	Pass	401
2691	2695	1	RMS	2691	-19.74	-10	9.74	Pass	5
2695	2700	1	RMS	2695	-24.27	-13	11.27	Pass	401
2700	2715	1	RMS	2700.15	-36.2	-25	11.2	Pass	401




8.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.375	19.66	30	10.34	Pass	401
2690	2691	0.2	RMS	2690.003	-22.31	-10	12.31	Pass	401
2691	2695	1	RMS	2691	-29.38	-10	19.38	Pass	5
2695	2700	1	RMS	2698.238	-31.54	-13	18.54	Pass	401
2700	2715	1	RMS	2707.275	-41.74	-25	16.74	Pass	401




8.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2685.025	1.89	30	28.11	Pass	401
2690	2691	0.2	RMS	2690.008	-25.15	-10	15.15	Pass	401
2691	2695	1	RMS	2691	-22.13	-10	12.13	Pass	5
2695	2700	1	RMS	2695	-25.93	-13	12.93	Pass	401
2700	2715	1	RMS	2700.038	-36.08	-25	11.08	Pass	401




8.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.513	-33.12	-25	8.12	Pass	401
2490	2495	1	RMS	2495	-28.3	-13	15.3	Pass	6
2495	2496	0.15	RMS	2496	-25.7	-13	12.7	Pass	401
2496	2511	0.1	RMS	2496.863	19.91	30	10.09	Pass	401




8.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-29.58	-25	4.58	Pass*	401
2490	2495	1	RMS	2495	-23.81	-13	10.81	Pass	6
2495	2496	0.15	RMS	2495.993	-28.59	-13	15.59	Pass	401
2496	2511	0.1	RMS	2502.375	1.31	30	28.69	Pass	401




8.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.475	-34.37	-25	9.37	Pass	401
2490	2495	1	RMS	2495	-28.18	-13	15.18	Pass	6
2495	2496	0.15	RMS	2496	-26.58	-13	13.58	Pass	401
2496	2511	0.1	RMS	2496.825	18.41	30	11.59	Pass	401




8.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-29.5	-25	4.5	Pass*	401
2490	2495	1	RMS	2495	-25.1	-13	12.1	Pass	6
2495	2496	0.15	RMS	2495.988	-31.23	-13	18.23	Pass	401
2496	2511	0.1	RMS	2503.163	0.55	30	29.45	Pass	401



8.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	20.54	30	9.46	Pass	401
2690	2691	0.3	RMS	2690	-20.78	-10	10.78	Pass	401
2691	2695	1	RMS	2691	-28.92	-10	18.92	Pass	5
2695	2705	1	RMS	2702.425	-30.09	-13	17.09	Pass	401
2705	2715	1	RMS	2714.975	-44.85	-25	19.85	Pass	401




8.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2681.975	1.89	30	28.11	Pass	401
2690	2691	0.3	RMS	2690.003	-22.69	-10	12.69	Pass	401
2691	2695	1	RMS	2691	-20.22	-10	10.22	Pass	5
2695	2705	1	RMS	2695	-23.66	-13	10.66	Pass	401
2705	2715	1	RMS	2705.075	-37.92	-25	12.92	Pass	401




8.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	20.08	30	9.92	Pass	401
2690	2691	0.3	RMS	2690.008	-22.51	-10	12.51	Pass	401
2691	2695	1	RMS	2691	-30.43	-10	20.43	Pass	5
2695	2705	1	RMS	2702.425	-33.52	-13	20.52	Pass	401
2705	2715	1	RMS	2714.925	-45.05	-25	20.05	Pass	401




8.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.4	1.2	30	28.8	Pass	401
2690	2691	0.3	RMS	2690.008	-24.16	-10	14.16	Pass	401
2691	2695	1	RMS	2692	-21.94	-10	11.94	Pass	5
2695	2705	1	RMS	2695	-24.35	-13	11.35	Pass	401
2705	2715	1	RMS	2705.05	-37.22	-25	12.22	Pass	401




8.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2479.238	-35.25	-25	10.25	Pass	401
2490	2495	1	RMS	2495	-30.72	-13	17.72	Pass	6
2495	2496	0.2	RMS	2496	-28.19	-13	15.19	Pass	401
2496	2516	0.1	RMS	2497.1	19.87	30	10.13	Pass	401




8.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-29.67	-25	4.67	Pass*	401
2490	2495	1	RMS	2495	-26.49	-13	13.49	Pass	6
2495	2496	0.2	RMS	2495.993	-30.01	-13	17.01	Pass	401
2496	2516	0.1	RMS	2506.95	0.25	30	29.75	Pass	401




8.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2479.275	-35.97	-25	10.97	Pass	401
2490	2495	1	RMS	2495	-30.74	-13	17.74	Pass	6
2495	2496	0.2	RMS	2496	-28.06	-13	15.06	Pass	401
2496	2516	0.1	RMS	2497.1	19.31	30	10.69	Pass	401




8.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-30.35	-25	5.35	Pass*	401
2490	2495	1	RMS	2495	-28.39	-13	15.39	Pass	6
2495	2496	0.2	RMS	2495.963	-32.95	-13	19.95	Pass	401
2496	2516	0.1	RMS	2509.4	-0.4	30	30.4	Pass	401




8.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	19.93	30	10.07	Pass	401
2690	2691	0.5	RMS	2690	-22.87	-10	12.87	Pass	3
2691	2695	1	RMS	2691	-28.86	-10	18.86	Pass	401
2695	2710	1	RMS	2697.813	-33.31	-13	20.31	Pass	401
2710	2715	1	RMS	2710.95	-46.65	-25	21.65	Pass	401




8.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2677.85	0.36	30	29.64	Pass	401
2690	2691	0.51	RMS	2690.003	-21.48	-10	11.48	Pass	401
2691	2695	1	RMS	2691	-21.5	-10	11.5	Pass	5
2695	2710	1	RMS	2695	-24.02	-13	11.02	Pass	401
2710	2715	1	RMS	2710	-41.21	-25	16.21	Pass	401



8.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.95	19.48	30	10.52	Pass	401
2690	2691	0.51	RMS	2690.003	-21.17	-10	11.17	Pass	401
2691	2695	1	RMS	2691	-30.88	-10	20.88	Pass	5
2695	2710	1	RMS	2697.775	-33.14	-13	20.14	Pass	401
2710	2715	1	RMS	2712.563	-46.28	-25	21.28	Pass	401



8.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2679.2	-0.4	30	30.4	Pass	401
2690	2691	0.51	RMS	2690.003	-24.06	-10	14.06	Pass	401
2691	2695	1	RMS	2691	-23.59	-10	13.59	Pass	5
2695	2710	1	RMS	2695.038	-25.42	-13	12.42	Pass	401
2710	2715	1	RMS	2710.013	-39.44	-25	14.44	Pass	401

