

## Effective (Isotropic) Radiated Power Output Data

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Power(dBm) | E(I)RP(dBm) | Verdict |
|-------|-----------|------------|---------|------------------|------------|-------------|---------|
| Band7 | 5MHz      | QPSK       | 20775   | 1RB#0            | 23.35      | 24.83       | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 1RB#0            | 21.87      | 23.35       | PASS    |
| Band7 | 5MHz      | QPSK       | 20775   | 1RB#12           | 23.47      | 24.95       | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 1RB#12           | 21.89      | 23.37       | PASS    |
| Band7 | 5MHz      | QPSK       | 20775   | 1RB#24           | 23.51      | 24.99       | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 1RB#24           | 21.94      | 23.42       | PASS    |
| Band7 | 5MHz      | QPSK       | 20775   | 12RB#0           | 22.49      | 23.97       | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 12RB#0           | 21.25      | 22.73       | PASS    |
| Band7 | 5MHz      | QPSK       | 20775   | 12RB#6           | 22.49      | 23.97       | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 12RB#6           | 21.25      | 22.73       | PASS    |
| Band7 | 5MHz      | QPSK       | 20775   | 12RB#13          | 22.55      | 24.03       | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 12RB#13          | 21.28      | 22.76       | PASS    |
| Band7 | 5MHz      | QPSK       | 20775   | 25RB#0           | 22.2       | 23.68       | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 25RB#0           | 21.29      | 22.77       | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 1RB#0            | 23.52      | 25          | PASS    |
| Band7 | 5MHz      | 16QAM      | 21100   | 1RB#0            | 22.52      | 24          | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 1RB#12           | 23.65      | 25.13       | PASS    |
| Band7 | 5MHz      | 16QAM      | 21100   | 1RB#12           | 22.53      | 24.01       | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 1RB#24           | 23.57      | 25.05       | PASS    |
| Band7 | 5MHz      | 16QAM      | 21100   | 1RB#24           | 22.57      | 24.05       | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 12RB#0           | 22.85      | 24.33       | PASS    |
| Band7 | 5MHz      | 16QAM      | 21100   | 12RB#0           | 21.55      | 23.03       | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 12RB#6           | 22.82      | 24.3        | PASS    |
| Band7 | 5MHz      | 16QAM      | 21100   | 12RB#6           | 21.53      | 23.01       | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 12RB#13          | 22.74      | 24.22       | PASS    |
| Band7 | 5MHz      | 16QAM      | 21100   | 12RB#13          | 21.53      | 23.01       | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 25RB#0           | 22.43      | 23.91       | PASS    |
| Band7 | 5MHz      | 16QAM      | 21100   | 25RB#0           | 21.44      | 22.92       | PASS    |
| Band7 | 5MHz      | QPSK       | 21425   | 1RB#0            | 23.32      | 24.8        | PASS    |
| Band7 | 5MHz      | 16QAM      | 21425   | 1RB#0            | 22.18      | 23.66       | PASS    |
| Band7 | 5MHz      | QPSK       | 21425   | 1RB#12           | 23.39      | 24.87       | PASS    |
| Band7 | 5MHz      | 16QAM      | 21425   | 1RB#12           | 22.25      | 23.73       | PASS    |
| Band7 | 5MHz      | QPSK       | 21425   | 1RB#24           | 23.39      | 24.87       | PASS    |
| Band7 | 5MHz      | 16QAM      | 21425   | 1RB#24           | 22.27      | 23.75       | PASS    |
| Band7 | 5MHz      | QPSK       | 21425   | 12RB#0           | 22.68      | 24.16       | PASS    |

|       |       |       |       |         |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|------|
| Band7 | 5MHz  | 16QAM | 21425 | 12RB#0  | 21.5  | 22.98 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 12RB#6  | 22.67 | 24.15 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 12RB#6  | 21.5  | 22.98 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 12RB#13 | 22.68 | 24.16 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 12RB#13 | 21.53 | 23.01 | PASS |
| Band7 | 5MHz  | QPSK  | 21425 | 25RB#0  | 22.38 | 23.86 | PASS |
| Band7 | 5MHz  | 16QAM | 21425 | 25RB#0  | 21.08 | 22.56 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 1RB#0   | 23.67 | 25.15 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 1RB#0   | 22.51 | 23.99 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 1RB#24  | 23.69 | 25.17 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 1RB#24  | 22.58 | 24.06 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 1RB#49  | 23.69 | 25.17 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 1RB#49  | 22.63 | 24.11 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 25RB#0  | 22.7  | 24.18 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 25RB#0  | 21.51 | 22.99 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 25RB#12 | 22.7  | 24.18 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 25RB#12 | 21.5  | 22.98 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 25RB#25 | 22.67 | 24.15 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 25RB#25 | 21.58 | 23.06 | PASS |
| Band7 | 10MHz | QPSK  | 20800 | 50RB#0  | 22.35 | 23.83 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0  | 21.46 | 22.94 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 1RB#0   | 23.63 | 25.11 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 1RB#0   | 22.28 | 23.76 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 1RB#24  | 23.7  | 25.18 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 1RB#24  | 22.29 | 23.77 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 1RB#49  | 23.68 | 25.16 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 1RB#49  | 22.22 | 23.7  | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 25RB#0  | 22.83 | 24.31 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 25RB#0  | 21.27 | 22.75 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 25RB#12 | 22.46 | 23.94 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 25RB#12 | 21.13 | 22.61 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 25RB#25 | 22.41 | 23.89 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 25RB#25 | 21.05 | 22.53 | PASS |
| Band7 | 10MHz | QPSK  | 21100 | 50RB#0  | 22.12 | 23.6  | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0  | 21.21 | 22.69 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 1RB#0   | 23.49 | 24.97 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 1RB#0   | 22.15 | 23.63 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 1RB#24  | 23.55 | 25.03 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 1RB#24  | 22.17 | 23.65 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 1RB#49  | 23.16 | 24.64 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 1RB#49  | 21.79 | 23.27 | PASS |

|       |       |       |       |         |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|------|
| Band7 | 10MHz | QPSK  | 21400 | 25RB#0  | 22.25 | 23.73 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 25RB#0  | 20.99 | 22.47 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 25RB#12 | 22.28 | 23.76 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 25RB#12 | 20.98 | 22.46 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 25RB#25 | 22.29 | 23.77 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 25RB#25 | 20.91 | 22.39 | PASS |
| Band7 | 10MHz | QPSK  | 21400 | 50RB#0  | 21.99 | 23.47 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 50RB#0  | 21.06 | 22.54 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 1RB#0   | 23.49 | 24.97 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 1RB#0   | 22.63 | 24.11 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 1RB#38  | 23.54 | 25.02 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 1RB#38  | 22.73 | 24.21 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 1RB#74  | 23.6  | 25.08 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 1RB#74  | 22.31 | 23.79 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 38RB#0  | 22.37 | 23.85 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 38RB#0  | 21.99 | 23.47 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 38RB#18 | 22.38 | 23.86 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 38RB#18 | 22.04 | 23.52 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 38RB#37 | 22.21 | 23.69 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 38RB#37 | 22.21 | 23.69 | PASS |
| Band7 | 15MHz | QPSK  | 20825 | 75RB#0  | 21.99 | 23.47 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 75RB#0  | 21.08 | 22.56 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 1RB#0   | 23.75 | 25.23 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 1RB#0   | 22.45 | 23.93 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 1RB#38  | 23.8  | 25.28 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 1RB#38  | 22.03 | 23.51 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 1RB#74  | 23.37 | 24.85 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 1RB#74  | 22    | 23.48 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 38RB#0  | 22.1  | 23.58 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 38RB#0  | 22.08 | 23.56 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 38RB#18 | 22.07 | 23.55 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 38RB#18 | 22.08 | 23.56 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 38RB#37 | 22.07 | 23.55 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 38RB#37 | 22.07 | 23.55 | PASS |
| Band7 | 15MHz | QPSK  | 21100 | 75RB#0  | 22.07 | 23.55 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 75RB#0  | 21.18 | 22.66 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 1RB#0   | 23.51 | 24.99 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 1RB#0   | 22.14 | 23.62 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 1RB#38  | 23.59 | 25.07 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 1RB#38  | 21.79 | 23.27 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 1RB#74  | 23.15 | 24.63 | PASS |

|       |       |       |       |         |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|------|
| Band7 | 15MHz | 16QAM | 21375 | 1RB#74  | 21.77 | 23.25 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 38RB#0  | 21.97 | 23.45 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 38RB#0  | 21.98 | 23.46 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 38RB#18 | 21.97 | 23.45 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 38RB#18 | 22.03 | 23.51 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 38RB#37 | 22.02 | 23.5  | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 38RB#37 | 22.03 | 23.51 | PASS |
| Band7 | 15MHz | QPSK  | 21375 | 75RB#0  | 22.02 | 23.5  | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 75RB#0  | 21    | 22.48 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 1RB#0   | 23.68 | 25.16 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 1RB#0   | 21.63 | 23.11 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 1RB#49  | 23.76 | 25.24 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 1RB#49  | 21.67 | 23.15 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 1RB#99  | 23.74 | 25.22 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 1RB#99  | 21.74 | 23.22 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 50RB#0  | 22.59 | 24.07 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 50RB#0  | 21.29 | 22.77 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 50RB#25 | 22.57 | 24.05 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 50RB#25 | 21.28 | 22.76 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 50RB#50 | 22.65 | 24.13 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 50RB#50 | 21.41 | 22.89 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 100RB#0 | 22.3  | 23.78 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 100RB#0 | 21.38 | 22.86 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 1RB#0   | 23.9  | 25.38 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 1RB#0   | 21.89 | 23.37 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 1RB#49  | 23.97 | 25.45 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 1RB#49  | 21.9  | 23.38 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 1RB#99  | 23.93 | 25.41 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 1RB#99  | 21.89 | 23.37 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 50RB#0  | 22.83 | 24.31 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 50RB#0  | 21.51 | 22.99 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 50RB#25 | 22.8  | 24.28 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 50RB#25 | 21.54 | 23.02 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 50RB#50 | 22.78 | 24.26 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 50RB#50 | 21.54 | 23.02 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 100RB#0 | 22.52 | 24    | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 100RB#0 | 21.57 | 23.05 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 1RB#0   | 23.75 | 25.23 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 1RB#0   | 21.72 | 23.2  | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 1RB#49  | 23.88 | 25.36 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 1RB#49  | 21.77 | 23.25 | PASS |

|       |       |       |       |         |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|------|
| Band7 | 20MHz | QPSK  | 21350 | 1RB#99  | 23.88 | 25.36 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 1RB#99  | 21.79 | 23.27 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 50RB#0  | 22.65 | 24.13 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 50RB#0  | 21.37 | 22.85 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 50RB#25 | 22.68 | 24.16 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 50RB#25 | 21.42 | 22.9  | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 50RB#50 | 22.74 | 24.22 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 50RB#50 | 21.51 | 22.99 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 100RB#0 | 22.37 | 23.85 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 100RB#0 | 21.05 | 22.53 | PASS |
| Band7 | 5MHz  | 64QAM | 20775 | 1RB#0   | 20.73 | 22.21 | PASS |
| Band7 | 5MHz  | 64QAM | 20775 | 1RB#12  | 20.8  | 22.28 | PASS |
| Band7 | 5MHz  | 64QAM | 20775 | 1RB#24  | 20.81 | 22.29 | PASS |
| Band7 | 5MHz  | 64QAM | 20775 | 12RB#0  | 20.26 | 21.74 | PASS |
| Band7 | 5MHz  | 64QAM | 20775 | 12RB#6  | 20.22 | 21.7  | PASS |
| Band7 | 5MHz  | 64QAM | 20775 | 12RB#13 | 20.17 | 21.65 | PASS |
| Band7 | 5MHz  | 64QAM | 20775 | 25RB#0  | 19.84 | 21.32 | PASS |
| Band7 | 5MHz  | 64QAM | 21100 | 1RB#0   | 22.41 | 23.89 | PASS |
| Band7 | 5MHz  | 64QAM | 21100 | 1RB#12  | 22.48 | 23.96 | PASS |
| Band7 | 5MHz  | 64QAM | 21100 | 1RB#24  | 22.46 | 23.94 | PASS |
| Band7 | 5MHz  | 64QAM | 21100 | 12RB#0  | 20.6  | 22.08 | PASS |
| Band7 | 5MHz  | 64QAM | 21100 | 12RB#6  | 20.4  | 21.88 | PASS |
| Band7 | 5MHz  | 64QAM | 21100 | 12RB#13 | 20.3  | 21.78 | PASS |
| Band7 | 5MHz  | 64QAM | 21100 | 25RB#0  | 20.05 | 21.53 | PASS |
| Band7 | 5MHz  | 64QAM | 21425 | 1RB#0   | 21.49 | 22.97 | PASS |
| Band7 | 5MHz  | 64QAM | 21425 | 1RB#12  | 21.6  | 23.08 | PASS |
| Band7 | 5MHz  | 64QAM | 21425 | 1RB#24  | 21.64 | 23.12 | PASS |
| Band7 | 5MHz  | 64QAM | 21425 | 12RB#0  | 20.38 | 21.86 | PASS |
| Band7 | 5MHz  | 64QAM | 21425 | 12RB#6  | 20.36 | 21.84 | PASS |
| Band7 | 5MHz  | 64QAM | 21425 | 12RB#13 | 20.4  | 21.88 | PASS |
| Band7 | 5MHz  | 64QAM | 21425 | 25RB#0  | 19.98 | 21.46 | PASS |
| Band7 | 10MHz | 64QAM | 20800 | 1RB#0   | 21.93 | 23.41 | PASS |
| Band7 | 10MHz | 64QAM | 20800 | 1RB#24  | 21.95 | 23.43 | PASS |
| Band7 | 10MHz | 64QAM | 20800 | 1RB#49  | 22.01 | 23.49 | PASS |
| Band7 | 10MHz | 64QAM | 20800 | 25RB#0  | 20.4  | 21.88 | PASS |
| Band7 | 10MHz | 64QAM | 20800 | 25RB#12 | 20.41 | 21.89 | PASS |
| Band7 | 10MHz | 64QAM | 20800 | 25RB#25 | 20.34 | 21.82 | PASS |
| Band7 | 10MHz | 64QAM | 20800 | 50RB#0  | 20    | 21.48 | PASS |
| Band7 | 10MHz | 64QAM | 21100 | 1RB#0   | 21.69 | 23.17 | PASS |
| Band7 | 10MHz | 64QAM | 21100 | 1RB#24  | 21.76 | 23.24 | PASS |
| Band7 | 10MHz | 64QAM | 21100 | 1RB#49  | 21.76 | 23.24 | PASS |

|       |       |       |       |         |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|------|
| Band7 | 10MHz | 64QAM | 21100 | 25RB#0  | 20.44 | 21.92 | PASS |
| Band7 | 10MHz | 64QAM | 21100 | 25RB#12 | 20.39 | 21.87 | PASS |
| Band7 | 10MHz | 64QAM | 21100 | 25RB#25 | 20.38 | 21.86 | PASS |
| Band7 | 10MHz | 64QAM | 21100 | 50RB#0  | 20.19 | 21.67 | PASS |
| Band7 | 10MHz | 64QAM | 21400 | 1RB#0   | 21.1  | 22.58 | PASS |
| Band7 | 10MHz | 64QAM | 21400 | 1RB#24  | 21.15 | 22.63 | PASS |
| Band7 | 10MHz | 64QAM | 21400 | 1RB#49  | 21.14 | 22.62 | PASS |
| Band7 | 10MHz | 64QAM | 21400 | 25RB#0  | 20.06 | 21.54 | PASS |
| Band7 | 10MHz | 64QAM | 21400 | 25RB#12 | 20.29 | 21.77 | PASS |
| Band7 | 10MHz | 64QAM | 21400 | 25RB#25 | 20.53 | 22.01 | PASS |
| Band7 | 10MHz | 64QAM | 21400 | 50RB#0  | 20.06 | 21.54 | PASS |
| Band7 | 15MHz | 64QAM | 20825 | 1RB#0   | 22    | 23.48 | PASS |
| Band7 | 15MHz | 64QAM | 20825 | 1RB#38  | 22.02 | 23.5  | PASS |
| Band7 | 15MHz | 64QAM | 20825 | 1RB#74  | 22.06 | 23.54 | PASS |
| Band7 | 15MHz | 64QAM | 20825 | 38RB#0  | 22.37 | 23.85 | PASS |
| Band7 | 15MHz | 64QAM | 20825 | 38RB#18 | 22.41 | 23.89 | PASS |
| Band7 | 15MHz | 64QAM | 20825 | 38RB#37 | 22.4  | 23.88 | PASS |
| Band7 | 15MHz | 64QAM | 20825 | 75RB#0  | 20.13 | 21.61 | PASS |
| Band7 | 15MHz | 64QAM | 21100 | 1RB#0   | 21.48 | 22.96 | PASS |
| Band7 | 15MHz | 64QAM | 21100 | 1RB#38  | 21.51 | 22.99 | PASS |
| Band7 | 15MHz | 64QAM | 21100 | 1RB#74  | 21.47 | 22.95 | PASS |
| Band7 | 15MHz | 64QAM | 21100 | 38RB#0  | 22.47 | 23.95 | PASS |
| Band7 | 15MHz | 64QAM | 21100 | 38RB#18 | 22.49 | 23.97 | PASS |
| Band7 | 15MHz | 64QAM | 21100 | 38RB#37 | 22.47 | 23.95 | PASS |
| Band7 | 15MHz | 64QAM | 21100 | 75RB#0  | 20.27 | 21.75 | PASS |
| Band7 | 15MHz | 64QAM | 21375 | 1RB#0   | 21.89 | 23.37 | PASS |
| Band7 | 15MHz | 64QAM | 21375 | 1RB#38  | 21.99 | 23.47 | PASS |
| Band7 | 15MHz | 64QAM | 21375 | 1RB#74  | 22.02 | 23.5  | PASS |
| Band7 | 15MHz | 64QAM | 21375 | 38RB#0  | 22.38 | 23.86 | PASS |
| Band7 | 15MHz | 64QAM | 21375 | 38RB#18 | 22.24 | 23.72 | PASS |
| Band7 | 15MHz | 64QAM | 21375 | 38RB#37 | 21.98 | 23.46 | PASS |
| Band7 | 15MHz | 64QAM | 21375 | 75RB#0  | 19.7  | 21.18 | PASS |
| Band7 | 20MHz | 64QAM | 20850 | 1RB#0   | 21.85 | 23.33 | PASS |
| Band7 | 20MHz | 64QAM | 20850 | 1RB#49  | 21.88 | 23.36 | PASS |
| Band7 | 20MHz | 64QAM | 20850 | 1RB#99  | 21.95 | 23.43 | PASS |
| Band7 | 20MHz | 64QAM | 20850 | 50RB#0  | 20.6  | 22.08 | PASS |
| Band7 | 20MHz | 64QAM | 20850 | 50RB#25 | 20.43 | 21.91 | PASS |
| Band7 | 20MHz | 64QAM | 20850 | 50RB#50 | 20.31 | 21.79 | PASS |
| Band7 | 20MHz | 64QAM | 20850 | 100RB#0 | 20.11 | 21.59 | PASS |
| Band7 | 20MHz | 64QAM | 21100 | 1RB#0   | 22.49 | 23.97 | PASS |
| Band7 | 20MHz | 64QAM | 21100 | 1RB#49  | 22.53 | 24.01 | PASS |

|       |       |       |       |         |       |       |      |
|-------|-------|-------|-------|---------|-------|-------|------|
| Band7 | 20MHz | 64QAM | 21100 | 1RB#99  | 22.55 | 24.03 | PASS |
| Band7 | 20MHz | 64QAM | 21100 | 50RB#0  | 20.57 | 22.05 | PASS |
| Band7 | 20MHz | 64QAM | 21100 | 50RB#25 | 20.46 | 21.94 | PASS |
| Band7 | 20MHz | 64QAM | 21100 | 50RB#50 | 20.47 | 21.95 | PASS |
| Band7 | 20MHz | 64QAM | 21100 | 100RB#0 | 20.26 | 21.74 | PASS |
| Band7 | 20MHz | 64QAM | 21350 | 1RB#0   | 21.76 | 23.24 | PASS |
| Band7 | 20MHz | 64QAM | 21350 | 1RB#49  | 21.79 | 23.27 | PASS |
| Band7 | 20MHz | 64QAM | 21350 | 1RB#99  | 21.82 | 23.3  | PASS |
| Band7 | 20MHz | 64QAM | 21350 | 50RB#0  | 20.12 | 21.6  | PASS |
| Band7 | 20MHz | 64QAM | 21350 | 50RB#25 | 20.31 | 21.79 | PASS |
| Band7 | 20MHz | 64QAM | 21350 | 50RB#50 | 20.47 | 21.95 | PASS |
| Band7 | 20MHz | 64QAM | 21350 | 100RB#0 | 20.06 | 21.54 | PASS |

## Peak-to-Average Ratio(CCDF)

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Result(dB) | Limit(dB) | Verdict |
|-------|-----------|------------|---------|------------------|------------|-----------|---------|
| Band7 | 5MHz      | QPSK       | 20775   | 1RB#0            | 3.92       | 13        | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 1RB#0            | 4.96       | 13        | PASS    |
| Band7 | 5MHz      | QPSK       | 20775   | 25RB#0           | 4.90       | 13        | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 25RB#0           | 5.58       | 13        | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 1RB#0            | 4.78       | 13        | PASS    |
| Band7 | 5MHz      | 16QAM      | 21100   | 1RB#0            | 5.50       | 13        | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 25RB#0           | 5.26       | 13        | PASS    |
| Band7 | 5MHz      | 16QAM      | 21100   | 25RB#0           | 5.98       | 13        | PASS    |
| Band7 | 5MHz      | QPSK       | 21425   | 1RB#0            | 4.38       | 13        | PASS    |
| Band7 | 5MHz      | 16QAM      | 21425   | 1RB#0            | 5.20       | 13        | PASS    |
| Band7 | 5MHz      | QPSK       | 21425   | 25RB#0           | 4.86       | 13        | PASS    |
| Band7 | 5MHz      | 16QAM      | 21425   | 25RB#0           | 5.66       | 13        | PASS    |
| Band7 | 10MHz     | QPSK       | 20800   | 1RB#0            | 3.88       | 13        | PASS    |
| Band7 | 10MHz     | 16QAM      | 20800   | 1RB#0            | 5.06       | 13        | PASS    |
| Band7 | 10MHz     | QPSK       | 20800   | 50RB#0           | 4.90       | 13        | PASS    |
| Band7 | 10MHz     | 16QAM      | 20800   | 50RB#0           | 5.72       | 13        | PASS    |
| Band7 | 10MHz     | QPSK       | 21100   | 1RB#0            | 4.66       | 13        | PASS    |
| Band7 | 10MHz     | 16QAM      | 21100   | 1RB#0            | 5.80       | 13        | PASS    |
| Band7 | 10MHz     | QPSK       | 21100   | 50RB#0           | 5.24       | 13        | PASS    |
| Band7 | 10MHz     | 16QAM      | 21100   | 50RB#0           | 6.00       | 13        | PASS    |
| Band7 | 10MHz     | QPSK       | 21400   | 1RB#0            | 4.58       | 13        | PASS    |
| Band7 | 10MHz     | 16QAM      | 21400   | 1RB#0            | 5.60       | 13        | PASS    |
| Band7 | 10MHz     | QPSK       | 21400   | 50RB#0           | 5.06       | 13        | PASS    |
| Band7 | 10MHz     | 16QAM      | 21400   | 50RB#0           | 5.78       | 13        | PASS    |
| Band7 | 15MHz     | QPSK       | 20825   | 1RB#0            | 3.94       | 13        | PASS    |
| Band7 | 15MHz     | 16QAM      | 20825   | 1RB#0            | 5.10       | 13        | PASS    |
| Band7 | 15MHz     | QPSK       | 20825   | 75RB#0           | 5.38       | 13        | PASS    |
| Band7 | 15MHz     | 16QAM      | 20825   | 75RB#0           | 5.94       | 13        | PASS    |
| Band7 | 15MHz     | QPSK       | 21100   | 1RB#0            | 4.74       | 13        | PASS    |
| Band7 | 15MHz     | 16QAM      | 21100   | 1RB#0            | 5.82       | 13        | PASS    |
| Band7 | 15MHz     | QPSK       | 21100   | 75RB#0           | 5.54       | 13        | PASS    |
| Band7 | 15MHz     | 16QAM      | 21100   | 75RB#0           | 6.12       | 13        | PASS    |
| Band7 | 15MHz     | QPSK       | 21375   | 1RB#0            | 4.50       | 13        | PASS    |
| Band7 | 15MHz     | 16QAM      | 21375   | 1RB#0            | 5.80       | 13        | PASS    |
| Band7 | 15MHz     | QPSK       | 21375   | 75RB#0           | 5.38       | 13        | PASS    |
| Band7 | 15MHz     | 16QAM      | 21375   | 75RB#0           | 5.94       | 13        | PASS    |
| Band7 | 20MHz     | QPSK       | 20850   | 1RB#0            | 3.80       | 13        | PASS    |

|       |       |       |       |         |      |    |      |
|-------|-------|-------|-------|---------|------|----|------|
| Band7 | 20MHz | 16QAM | 20850 | 1RB#0   | 4.74 | 13 | PASS |
| Band7 | 20MHz | QPSK  | 20850 | 100RB#0 | 5.12 | 13 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 100RB#0 | 5.92 | 13 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 1RB#0   | 4.58 | 13 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 1RB#0   | 5.32 | 13 | PASS |
| Band7 | 20MHz | QPSK  | 21100 | 100RB#0 | 5.24 | 13 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 100RB#0 | 6.08 | 13 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 1RB#0   | 4.28 | 13 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 1RB#0   | 5.16 | 13 | PASS |
| Band7 | 20MHz | QPSK  | 21350 | 100RB#0 | 5.22 | 13 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 100RB#0 | 5.96 | 13 | PASS |
| Band7 | 5MHz  | 64QAM | 20775 | 1RB#0   | 5.56 | 13 | PASS |
| Band7 | 5MHz  | 64QAM | 20775 | 25RB#0  | 6.28 | 13 | PASS |
| Band7 | 5MHz  | 64QAM | 21100 | 1RB#0   | 5.98 | 13 | PASS |
| Band7 | 5MHz  | 64QAM | 21100 | 25RB#0  | 6.52 | 13 | PASS |
| Band7 | 5MHz  | 64QAM | 21425 | 1RB#0   | 5.88 | 13 | PASS |
| Band7 | 5MHz  | 64QAM | 21425 | 25RB#0  | 6.26 | 13 | PASS |
| Band7 | 10MHz | 64QAM | 20800 | 1RB#0   | 5.06 | 13 | PASS |
| Band7 | 10MHz | 64QAM | 20800 | 50RB#0  | 6.32 | 13 | PASS |
| Band7 | 10MHz | 64QAM | 21100 | 1RB#0   | 5.68 | 13 | PASS |
| Band7 | 10MHz | 64QAM | 21100 | 50RB#0  | 6.44 | 13 | PASS |
| Band7 | 10MHz | 64QAM | 21400 | 1RB#0   | 5.48 | 13 | PASS |
| Band7 | 10MHz | 64QAM | 21400 | 50RB#0  | 6.36 | 13 | PASS |
| Band7 | 15MHz | 64QAM | 20825 | 1RB#0   | 4.98 | 13 | PASS |
| Band7 | 15MHz | 64QAM | 20825 | 75RB#0  | 6.40 | 13 | PASS |
| Band7 | 15MHz | 64QAM | 21100 | 1RB#0   | 5.60 | 13 | PASS |
| Band7 | 15MHz | 64QAM | 21100 | 75RB#0  | 6.48 | 13 | PASS |
| Band7 | 15MHz | 64QAM | 21375 | 1RB#0   | 5.60 | 13 | PASS |
| Band7 | 15MHz | 64QAM | 21375 | 75RB#0  | 6.42 | 13 | PASS |
| Band7 | 20MHz | 64QAM | 20850 | 1RB#0   | 5.48 | 13 | PASS |
| Band7 | 20MHz | 64QAM | 20850 | 100RB#0 | 6.50 | 13 | PASS |
| Band7 | 20MHz | 64QAM | 21100 | 1RB#0   | 6.20 | 13 | PASS |
| Band7 | 20MHz | 64QAM | 21100 | 100RB#0 | 6.52 | 13 | PASS |
| Band7 | 20MHz | 64QAM | 21350 | 1RB#0   | 6.06 | 13 | PASS |
| Band7 | 20MHz | 64QAM | 21350 | 100RB#0 | 6.48 | 13 | PASS |


## 26dB Bandwidth and Occupied Bandwidth

### Test Result


| Band  | Bandwidth | Modulation | Channel | RB Configuration | Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) | Verdict |
|-------|-----------|------------|---------|------------------|--------------------------|----------------------|---------|
| Band7 | 5MHz      | QPSK       | 20775   | 25RB#0           | 4.509                    | 5.01                 | PASS    |
| Band7 | 5MHz      | 16QAM      | 20775   | 25RB#0           | 4.518                    | 5.01                 | PASS    |
| Band7 | 5MHz      | QPSK       | 21100   | 25RB#0           | 4.515                    | 5.00                 | PASS    |
| Band7 | 5MHz      | 16QAM      | 21100   | 25RB#0           | 4.515                    | 4.98                 | PASS    |
| Band7 | 5MHz      | QPSK       | 21425   | 25RB#0           | 4.514                    | 5.02                 | PASS    |
| Band7 | 5MHz      | 16QAM      | 21425   | 25RB#0           | 4.515                    | 4.98                 | PASS    |
| Band7 | 10MHz     | QPSK       | 20800   | 50RB#0           | 8.99                     | 9.97                 | PASS    |
| Band7 | 10MHz     | 16QAM      | 20800   | 50RB#0           | 8.977                    | 10.00                | PASS    |
| Band7 | 10MHz     | QPSK       | 21100   | 50RB#0           | 8.998                    | 10.03                | PASS    |
| Band7 | 10MHz     | 16QAM      | 21100   | 50RB#0           | 8.997                    | 10.03                | PASS    |
| Band7 | 10MHz     | QPSK       | 21400   | 50RB#0           | 8.996                    | 9.97                 | PASS    |
| Band7 | 10MHz     | 16QAM      | 21400   | 50RB#0           | 9.007                    | 10.03                | PASS    |
| Band7 | 15MHz     | QPSK       | 20825   | 75RB#0           | 13.519                   | 15.15                | PASS    |
| Band7 | 15MHz     | 16QAM      | 20825   | 75RB#0           | 13.523                   | 15.10                | PASS    |
| Band7 | 15MHz     | QPSK       | 21100   | 75RB#0           | 13.523                   | 15.05                | PASS    |
| Band7 | 15MHz     | 16QAM      | 21100   | 75RB#0           | 13.485                   | 15.10                | PASS    |
| Band7 | 15MHz     | QPSK       | 21375   | 75RB#0           | 13.507                   | 15.10                | PASS    |
| Band7 | 15MHz     | 16QAM      | 21375   | 75RB#0           | 13.523                   | 15.10                | PASS    |
| Band7 | 20MHz     | QPSK       | 20850   | 100RB#0          | 17.987                   | 19.93                | PASS    |
| Band7 | 20MHz     | 16QAM      | 20850   | 100RB#0          | 18.003                   | 19.93                | PASS    |
| Band7 | 20MHz     | QPSK       | 21100   | 100RB#0          | 17.995                   | 20.00                | PASS    |
| Band7 | 20MHz     | 16QAM      | 21100   | 100RB#0          | 17.981                   | 19.93                | PASS    |
| Band7 | 20MHz     | QPSK       | 21350   | 100RB#0          | 18.009                   | 20.07                | PASS    |
| Band7 | 20MHz     | 16QAM      | 21350   | 100RB#0          | 17.968                   | 19.93                | PASS    |
| Band7 | 5MHz      | 64QAM      | 20775   | 25RB#0           | 4.509                    | 5.03                 | PASS    |
| Band7 | 5MHz      | 64QAM      | 21100   | 25RB#0           | 4.513                    | 5.00                 | PASS    |
| Band7 | 5MHz      | 64QAM      | 21425   | 25RB#0           | 4.51                     | 5.01                 | PASS    |
| Band7 | 10MHz     | 64QAM      | 20800   | 50RB#0           | 8.996                    | 10.00                | PASS    |
| Band7 | 10MHz     | 64QAM      | 21100   | 50RB#0           | 8.982                    | 10.00                | PASS    |
| Band7 | 10MHz     | 64QAM      | 21400   | 50RB#0           | 8.983                    | 10.07                | PASS    |
| Band7 | 15MHz     | 64QAM      | 20825   | 75RB#0           | 13.469                   | 15.05                | PASS    |
| Band7 | 15MHz     | 64QAM      | 21100   | 75RB#0           | 13.484                   | 15.10                | PASS    |
| Band7 | 15MHz     | 64QAM      | 21375   | 75RB#0           | 13.483                   | 15.05                | PASS    |
| Band7 | 20MHz     | 64QAM      | 20850   | 100RB#0          | 17.966                   | 20.07                | PASS    |
| Band7 | 20MHz     | 64QAM      | 21100   | 100RB#0          | 17.986                   | 19.93                | PASS    |
| Band7 | 20MHz     | 64QAM      | 21350   | 100RB#0          | 17.985                   | 20.07                | PASS    |



## Test Graphs




Band7-5MHz-QPSK-20775-25RB#0-PASS




Band7-5MHz-16QAM-20775-25RB#0-PASS



Band7-5MHz-QPSK-21100-25RB#0-PASS



Band7-5MHz-16QAM-21100-25RB#0-PASS




Band7-5MHz-QPSK-21425-25RB#0-PASS




Band7-5MHz-16QAM-21425-25RB#0-PASS




Band7-10MHz-QPSK-20800-50RB#0-PASS



Band7-10MHz-16QAM-20800-50RB#0-PASS




Band7-10MHz-QPSK-21100-50RB#0-PASS




Band7-10MHz-16QAM-21100-50RB#0-PASS




Band7-10MHz-QPSK-21400-50RB#0-PASS




Band7-10MHz-16QAM-21400-50RB#0-PASS




Band7-15MHz-QPSK-20825-75RB#0-PASS




Band7-15MHz-16QAM-20825-75RB#0-PASS




Band7-15MHz-QPSK-21100-75RB#0-PASS




Band7-15MHz-16QAM-21100-75RB#0-PASS




Band7-15MHz-QPSK-21375-75RB#0-PASS




Band7-15MHz-16QAM-21375-75RB#0-PASS




Band7-20MHz-QPSK-20850-100RB#0-PASS




Band7-20MHz-16QAM-20850-100RB#0-PASS




Band7-20MHz-QPSK-21100-100RB#0-PASS




Band7-20MHz-16QAM-21100-100RB#0-PASS




Band7-20MHz-QPSK-21350-100RB#0-PASS




Band7-20MHz-16QAM-21350-100RB#0-PASS




Band7-5MHz-64QAM-20775-25RB#0-PASS




Band7-5MHz-64QAM-21100-25RB#0-PASS




Band7-5MHz-64QAM-21425-25RB#0-PASS




Band7-10MHz-64QAM-20800-50RB#0-PASS




Band7-10MHz-64QAM-21100-50RB#0-PASS




Band7-10MHz-64QAM-21400-50RB#0-PASS




Band7-15MHz-64QAM-20825-75RB#0-PASS



Band7-15MHz-64QAM-21100-75RB#0-PASS




Band7-15MHz-64QAM-21375-75RB#0-PASS



Band7-20MHz-64QAM-20850-100RB#0-PASS




Band7-20MHz-64QAM-21100-100RB#0-PASS




Band7-20MHz-64QAM-21350-100RB#0-PASS


# Band Edge

## Test Graphs







Band7\_5MHz\_QPSK\_20775\_25RB#0




Band7\_5MHz\_16QAM\_20775\_25RB#0




Band7\_5MHz\_QPSK\_21425\_1RB#0




Band7\_5MHz\_16QAM\_21425\_1RB#0




Band7\_5MHz\_QPSK\_21425\_1RB#24




Band7\_5MHz\_16QAM\_21425\_1RB#24




Band7\_5MHz\_QPSK\_21425\_25RB#0




Band7\_5MHz\_16QAM\_21425\_25RB#0




Band7\_10MHz\_QPSK\_20800\_1RB#0




Band7\_10MHz\_16QAM\_20800\_1RB#0




Band7\_10MHz\_QPSK\_20800\_1RB#49




Band7\_10MHz\_16QAM\_20800\_1RB#49




Band7\_10MHz\_QPSK\_20800\_50RB#0




Band7\_10MHz\_16QAM\_20800\_50RB#0




Band7\_10MHz\_QPSK\_21400\_1RB#0




Band7\_10MHz\_16QAM\_21400\_1RB#0




Band7\_10MHz\_QPSK\_21400\_1RB#49




Band7\_10MHz\_16QAM\_21400\_1RB#49




Band7\_10MHz\_QPSK\_21400\_50RB#0




Band7\_10MHz\_16QAM\_21400\_50RB#0




Band7\_15MHz\_QPSK\_20825\_1RB#0




Band7\_15MHz\_16QAM\_20825\_1RB#0




Band7\_15MHz\_QPSK\_20825\_1RB#74




Band7\_15MHz\_16QAM\_20825\_1RB#74




Band7\_15MHz\_QPSK\_20825\_75RB#0




Band7\_15MHz\_16QAM\_20825\_75RB#0




Band7\_15MHz\_QPSK\_21375\_1RB#0




Band7\_15MHz\_16QAM\_21375\_1RB#0




Band7\_15MHz\_QPSK\_21375\_1RB#74




Band7\_15MHz\_16QAM\_21375\_1RB#74




Band7\_15MHz\_QPSK\_21375\_75RB#0




Band7\_15MHz\_16QAM\_21375\_75RB#0




Band7\_20MHz\_QPSK\_20850\_1RB#0



Band7\_20MHz\_16QAM\_20850\_1RB#0



Band7\_20MHz\_QPSK\_20850\_1RB#99



Band7\_20MHz\_16QAM\_20850\_1RB#99