

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15_S_5M_NTNV_ERP

5G NR n12 SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	701.5	Outer_Full	23.17	/	/	21.52	/	/	<=34.77	Pass
		Inner_Full	23.83	/	/	22.18	/	/	<=34.77	Pass
		Inner_1RB_Left	23.78	/	/	22.13	/	/	<=34.77	Pass
		Inner_1RB_Right	23.80	/	/	22.15	/	/	<=34.77	Pass
	707.5	Outer_Full	23.37	/	/	21.72	/	/	<=34.77	Pass
		Inner_Full	23.79	/	/	22.14	/	/	<=34.77	Pass
		Inner_1RB_Left	23.85	/	/	22.20	/	/	<=34.77	Pass
		Inner_1RB_Right	23.86	/	/	22.21	/	/	<=34.77	Pass
	713.5	Outer_Full	23.23	/	/	21.58	/	/	<=34.77	Pass
		Inner_Full	23.84	/	/	22.19	/	/	<=34.77	Pass
		Inner_1RB_Left	23.81	/	/	22.16	/	/	<=34.77	Pass
		Inner_1RB_Right	23.70	/	/	22.05	/	/	<=34.77	Pass
DFT-s-OFDM QPSK	701.5	Outer_Full	22.75	/	/	21.10	/	/	<=34.77	Pass
		Inner_Full	23.77	/	/	22.12	/	/	<=34.77	Pass
		Inner_1RB_Left	23.80	/	/	22.15	/	/	<=34.77	Pass
		Inner_1RB_Right	23.85	/	/	22.20	/	/	<=34.77	Pass
	707.5	Outer_Full	22.75	/	/	21.10	/	/	<=34.77	Pass
		Inner_Full	23.76	/	/	22.11	/	/	<=34.77	Pass
		Inner_1RB_Left	23.88	/	/	22.23	/	/	<=34.77	Pass
		Inner_1RB_Right	23.85	/	/	22.20	/	/	<=34.77	Pass
	713.5	Outer_Full	22.75	/	/	21.10	/	/	<=34.77	Pass
		Inner_Full	23.83	/	/	22.18	/	/	<=34.77	Pass
		Inner_1RB_Left	23.79	/	/	22.14	/	/	<=34.77	Pass
		Inner_1RB_Right	23.75	/	/	22.10	/	/	<=34.77	Pass
DFT-s-OFDM 16 QAM	701.5	Outer_Full	21.88	/	/	20.23	/	/	<=34.77	Pass
		Inner_Full	22.90	/	/	21.25	/	/	<=34.77	Pass
		Inner_1RB_Left	22.62	/	/	20.97	/	/	<=34.77	Pass
		Inner_1RB_Right	22.73	/	/	21.08	/	/	<=34.77	Pass
	707.5	Outer_Full	21.80	/	/	20.15	/	/	<=34.77	Pass
		Inner_Full	22.90	/	/	21.25	/	/	<=34.77	Pass
		Inner_1RB_Left	22.66	/	/	21.01	/	/	<=34.77	Pass
		Inner_1RB_Right	22.67	/	/	21.02	/	/	<=34.77	Pass
	713.5	Outer_Full	21.78	/	/	20.13	/	/	<=34.77	Pass
		Inner_Full	22.81	/	/	21.16	/	/	<=34.77	Pass
		Inner_1RB_Left	22.64	/	/	20.99	/	/	<=34.77	Pass
		Inner_1RB_Right	22.68	/	/	21.03	/	/	<=34.77	Pass
DFT-s-OFDM 64 QAM	701.5	Outer_Full	21.24	/	/	19.59	/	/	<=34.77	Pass
		Inner_Full	21.36	/	/	19.71	/	/	<=34.77	Pass
		Inner_1RB_Left	21.34	/	/	19.69	/	/	<=34.77	Pass
		Inner_1RB_Right	21.48	/	/	19.83	/	/	<=34.77	Pass
	707.5	Outer_Full	21.33	/	/	19.68	/	/	<=34.77	Pass
		Inner_Full	21.32	/	/	19.67	/	/	<=34.77	Pass
		Inner_1RB_Left	21.45	/	/	19.80	/	/	<=34.77	Pass
		Inner_1RB_Right	21.46	/	/	19.81	/	/	<=34.77	Pass
	713.5	Outer_Full	21.26	/	/	19.61	/	/	<=34.77	Pass
		Inner_Full	21.30	/	/	19.65	/	/	<=34.77	Pass
		Inner_1RB_Left	21.50	/	/	19.85	/	/	<=34.77	Pass
		Inner_1RB_Right	21.32	/	/	19.67	/	/	<=34.77	Pass

DFT-s-OFDM 256 QAM	701.5	Outer Full	19.18	/	/	17.53	/	/	<=34.77	Pass
		Inner Full	19.16	/	/	17.51	/	/	<=34.77	Pass
		Inner 1RB Left	18.62	/	/	16.97	/	/	<=34.77	Pass
		Inner 1RB Right	18.64	/	/	16.99	/	/	<=34.77	Pass
	707.5	Outer Full	19.25	/	/	17.60	/	/	<=34.77	Pass
		Inner Full	19.32	/	/	17.67	/	/	<=34.77	Pass
		Inner 1RB Left	18.74	/	/	17.09	/	/	<=34.77	Pass
		Inner 1RB Right	18.73	/	/	17.08	/	/	<=34.77	Pass
	713.5	Outer Full	19.18	/	/	17.53	/	/	<=34.77	Pass
		Inner Full	19.23	/	/	17.58	/	/	<=34.77	Pass
		Inner 1RB Left	18.68	/	/	17.03	/	/	<=34.77	Pass
		Inner 1RB Right	18.61	/	/	16.96	/	/	<=34.77	Pass
CP-OFDM QPSK	701.5	Outer Full	20.94	/	/	19.29	/	/	<=34.77	Pass
		Inner Full	22.32	/	/	20.67	/	/	<=34.77	Pass
		Inner 1RB Left	22.19	/	/	20.54	/	/	<=34.77	Pass
		Inner 1RB Right	22.38	/	/	20.73	/	/	<=34.77	Pass
	707.5	Outer Full	20.89	/	/	19.24	/	/	<=34.77	Pass
		Inner Full	22.42	/	/	20.77	/	/	<=34.77	Pass
		Inner 1RB Left	22.35	/	/	20.70	/	/	<=34.77	Pass
		Inner 1RB Right	22.51	/	/	20.86	/	/	<=34.77	Pass
	713.5	Outer Full	20.75	/	/	19.10	/	/	<=34.77	Pass
		Inner Full	22.33	/	/	20.68	/	/	<=34.77	Pass
		Inner 1RB Left	22.34	/	/	20.69	/	/	<=34.77	Pass
		Inner 1RB Right	22.26	/	/	20.61	/	/	<=34.77	Pass
CP-OFDM 16 QAM	701.5	Outer Full	20.95	/	/	19.30	/	/	<=34.77	Pass
		Inner Full	21.56	/	/	19.91	/	/	<=34.77	Pass
		Inner 1RB Left	22.06	/	/	20.41	/	/	<=34.77	Pass
		Inner 1RB Right	22.07	/	/	20.42	/	/	<=34.77	Pass
	707.5	Outer Full	20.95	/	/	19.30	/	/	<=34.77	Pass
		Inner Full	21.66	/	/	20.01	/	/	<=34.77	Pass
		Inner 1RB Left	22.10	/	/	20.45	/	/	<=34.77	Pass
		Inner 1RB Right	22.04	/	/	20.39	/	/	<=34.77	Pass
	713.5	Outer Full	20.90	/	/	19.25	/	/	<=34.77	Pass
		Inner Full	21.55	/	/	19.90	/	/	<=34.77	Pass
		Inner 1RB Left	22.08	/	/	20.43	/	/	<=34.77	Pass
		Inner 1RB Right	22.00	/	/	20.35	/	/	<=34.77	Pass
CP-OFDM 64 QAM	701.5	Outer Full	20.21	/	/	18.56	/	/	<=34.77	Pass
		Inner Full	20.24	/	/	18.59	/	/	<=34.77	Pass
		Inner 1RB Left	20.22	/	/	18.57	/	/	<=34.77	Pass
		Inner 1RB Right	20.33	/	/	18.68	/	/	<=34.77	Pass
	707.5	Outer Full	20.27	/	/	18.62	/	/	<=34.77	Pass
		Inner Full	20.35	/	/	18.70	/	/	<=34.77	Pass
		Inner 1RB Left	20.55	/	/	18.90	/	/	<=34.77	Pass
		Inner 1RB Right	20.50	/	/	18.85	/	/	<=34.77	Pass
	713.5	Outer Full	20.22	/	/	18.57	/	/	<=34.77	Pass
		Inner Full	20.30	/	/	18.65	/	/	<=34.77	Pass
		Inner 1RB Left	20.38	/	/	18.73	/	/	<=34.77	Pass
		Inner 1RB Right	20.36	/	/	18.71	/	/	<=34.77	Pass
CP-OFDM 256 QAM	701.5	Outer Full	17.36	/	/	15.71	/	/	<=34.77	Pass
		Inner Full	17.36	/	/	15.71	/	/	<=34.77	Pass
		Inner 1RB Left	16.84	/	/	15.19	/	/	<=34.77	Pass
		Inner 1RB Right	16.85	/	/	15.20	/	/	<=34.77	Pass
	707.5	Outer Full	17.35	/	/	15.70	/	/	<=34.77	Pass
		Inner Full	17.41	/	/	15.76	/	/	<=34.77	Pass
		Inner 1RB Left	16.86	/	/	15.21	/	/	<=34.77	Pass
		Inner 1RB Right	16.87	/	/	15.22	/	/	<=34.77	Pass
	713.5	Outer Full	17.29	/	/	15.64	/	/	<=34.77	Pass
		Inner Full	17.33	/	/	15.68	/	/	<=34.77	Pass

		Inner_1RB_Left	16.83	/	/	15.18	/	/	<=34.77	Pass
		Inner_1RB_Right	16.81	/	/	15.16	/	/	<=34.77	Pass
Note1: Antenna Gain: Ant1: 0.50dBi; Note2: ERP=Conducted Power+Antenna Gain-2.15										

1.1.2 15_S_10M_NTNV_ERP

5G NR n12 SCS=15kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	704	Outer_Full	23.24	/	/	21.59	/	/	<=34.77	Pass
		Inner_Full	23.98	/	/	22.33	/	/	<=34.77	Pass
		Inner_1RB_Left	23.83	/	/	22.18	/	/	<=34.77	Pass
		Inner_1RB_Right	23.87	/	/	22.22	/	/	<=34.77	Pass
	707.5	Outer_Full	23.31	/	/	21.66	/	/	<=34.77	Pass
		Inner_Full	23.94	/	/	22.29	/	/	<=34.77	Pass
		Inner_1RB_Left	23.81	/	/	22.16	/	/	<=34.77	Pass
		Inner_1RB_Right	23.89	/	/	22.24	/	/	<=34.77	Pass
	711	Outer_Full	23.22	/	/	21.57	/	/	<=34.77	Pass
		Inner_Full	23.89	/	/	22.24	/	/	<=34.77	Pass
		Inner_1RB_Left	23.89	/	/	22.24	/	/	<=34.77	Pass
		Inner_1RB_Right	23.77	/	/	22.12	/	/	<=34.77	Pass
DFT-s-OFDM QPSK	704	Outer_Full	22.81	/	/	21.16	/	/	<=34.77	Pass
		Inner_Full	23.82	/	/	22.17	/	/	<=34.77	Pass
		Inner_1RB_Left	23.85	/	/	22.20	/	/	<=34.77	Pass
		Inner_1RB_Right	23.91	/	/	22.26	/	/	<=34.77	Pass
	707.5	Outer_Full	22.75	/	/	21.10	/	/	<=34.77	Pass
		Inner_Full	23.89	/	/	22.24	/	/	<=34.77	Pass
		Inner_1RB_Left	23.87	/	/	22.22	/	/	<=34.77	Pass
		Inner_1RB_Right	23.89	/	/	22.24	/	/	<=34.77	Pass
	711	Outer_Full	22.76	/	/	21.11	/	/	<=34.77	Pass
		Inner_Full	23.89	/	/	22.24	/	/	<=34.77	Pass
		Inner_1RB_Left	23.84	/	/	22.19	/	/	<=34.77	Pass
		Inner_1RB_Right	23.77	/	/	22.12	/	/	<=34.77	Pass
DFT-s-OFDM 16 QAM	704	Outer_Full	21.82	/	/	20.17	/	/	<=34.77	Pass
		Inner_Full	22.79	/	/	21.14	/	/	<=34.77	Pass
		Inner_1RB_Left	22.58	/	/	20.93	/	/	<=34.77	Pass
		Inner_1RB_Right	22.70	/	/	21.05	/	/	<=34.77	Pass
	707.5	Outer_Full	21.86	/	/	20.21	/	/	<=34.77	Pass
		Inner_Full	22.81	/	/	21.16	/	/	<=34.77	Pass
		Inner_1RB_Left	22.69	/	/	21.04	/	/	<=34.77	Pass
		Inner_1RB_Right	22.66	/	/	21.01	/	/	<=34.77	Pass
	711	Outer_Full	21.77	/	/	20.12	/	/	<=34.77	Pass
		Inner_Full	22.79	/	/	21.14	/	/	<=34.77	Pass
		Inner_1RB_Left	22.70	/	/	21.05	/	/	<=34.77	Pass
		Inner_1RB_Right	22.62	/	/	20.97	/	/	<=34.77	Pass
DFT-s-OFDM 64 QAM	704	Outer_Full	21.36	/	/	19.71	/	/	<=34.77	Pass
		Inner_Full	21.26	/	/	19.61	/	/	<=34.77	Pass
		Inner_1RB_Left	21.32	/	/	19.67	/	/	<=34.77	Pass
		Inner_1RB_Right	21.42	/	/	19.77	/	/	<=34.77	Pass
	707.5	Outer_Full	21.42	/	/	19.77	/	/	<=34.77	Pass
		Inner_Full	21.26	/	/	19.61	/	/	<=34.77	Pass
		Inner_1RB_Left	21.45	/	/	19.80	/	/	<=34.77	Pass
		Inner_1RB_Right	21.39	/	/	19.74	/	/	<=34.77	Pass
	711	Outer_Full	21.34	/	/	19.69	/	/	<=34.77	Pass
		Inner_Full	21.33	/	/	19.68	/	/	<=34.77	Pass

DFT-s-OFDM 256 QAM		Inner_1RB_Left	21.37	/	/	19.72	/	/	<=34.77	Pass
		Inner_1RB_Right	21.43	/	/	19.78	/	/	<=34.77	Pass
	704	Outer_Full	19.20	/	/	17.55	/	/	<=34.77	Pass
		Inner_Full	19.21	/	/	17.56	/	/	<=34.77	Pass
		Inner_1RB_Left	18.49	/	/	16.84	/	/	<=34.77	Pass
		Inner_1RB_Right	18.70	/	/	17.05	/	/	<=34.77	Pass
	707.5	Outer_Full	19.21	/	/	17.56	/	/	<=34.77	Pass
		Inner_Full	19.28	/	/	17.63	/	/	<=34.77	Pass
		Inner_1RB_Left	18.64	/	/	16.99	/	/	<=34.77	Pass
		Inner_1RB_Right	18.68	/	/	17.03	/	/	<=34.77	Pass
	711	Outer_Full	19.24	/	/	17.59	/	/	<=34.77	Pass
		Inner_Full	19.19	/	/	17.54	/	/	<=34.77	Pass
		Inner_1RB_Left	18.66	/	/	17.01	/	/	<=34.77	Pass
		Inner_1RB_Right	18.61	/	/	16.96	/	/	<=34.77	Pass
CP-OFDM QPSK	704	Outer_Full	20.84	/	/	19.19	/	/	<=34.77	Pass
		Inner_Full	22.35	/	/	20.70	/	/	<=34.77	Pass
		Inner_1RB_Left	22.14	/	/	20.49	/	/	<=34.77	Pass
		Inner_1RB_Right	22.26	/	/	20.61	/	/	<=34.77	Pass
	707.5	Outer_Full	20.85	/	/	19.20	/	/	<=34.77	Pass
		Inner_Full	22.36	/	/	20.71	/	/	<=34.77	Pass
		Inner_1RB_Left	22.35	/	/	20.70	/	/	<=34.77	Pass
		Inner_1RB_Right	22.37	/	/	20.72	/	/	<=34.77	Pass
	711	Outer_Full	20.73	/	/	19.08	/	/	<=34.77	Pass
		Inner_Full	22.21	/	/	20.56	/	/	<=34.77	Pass
		Inner_1RB_Left	22.32	/	/	20.67	/	/	<=34.77	Pass
		Inner_1RB_Right	22.43	/	/	20.78	/	/	<=34.77	Pass
CP-OFDM 16 QAM	704	Outer_Full	20.86	/	/	19.21	/	/	<=34.77	Pass
		Inner_Full	21.83	/	/	20.18	/	/	<=34.77	Pass
		Inner_1RB_Left	21.93	/	/	20.28	/	/	<=34.77	Pass
		Inner_1RB_Right	22.11	/	/	20.46	/	/	<=34.77	Pass
	707.5	Outer_Full	20.83	/	/	19.18	/	/	<=34.77	Pass
		Inner_Full	21.81	/	/	20.16	/	/	<=34.77	Pass
		Inner_1RB_Left	21.97	/	/	20.32	/	/	<=34.77	Pass
		Inner_1RB_Right	22.13	/	/	20.48	/	/	<=34.77	Pass
	711	Outer_Full	20.69	/	/	19.04	/	/	<=34.77	Pass
		Inner_Full	21.82	/	/	20.17	/	/	<=34.77	Pass
		Inner_1RB_Left	21.95	/	/	20.30	/	/	<=34.77	Pass
		Inner_1RB_Right	21.92	/	/	20.27	/	/	<=34.77	Pass
CP-OFDM 64 QAM	704	Outer_Full	20.30	/	/	18.65	/	/	<=34.77	Pass
		Inner_Full	20.35	/	/	18.70	/	/	<=34.77	Pass
		Inner_1RB_Left	20.18	/	/	18.53	/	/	<=34.77	Pass
		Inner_1RB_Right	20.37	/	/	18.72	/	/	<=34.77	Pass
	707.5	Outer_Full	20.32	/	/	18.67	/	/	<=34.77	Pass
		Inner_Full	20.35	/	/	18.70	/	/	<=34.77	Pass
		Inner_1RB_Left	20.32	/	/	18.67	/	/	<=34.77	Pass
		Inner_1RB_Right	20.39	/	/	18.74	/	/	<=34.77	Pass
	711	Outer_Full	20.27	/	/	18.62	/	/	<=34.77	Pass
		Inner_Full	20.29	/	/	18.64	/	/	<=34.77	Pass
		Inner_1RB_Left	20.33	/	/	18.68	/	/	<=34.77	Pass
		Inner_1RB_Right	20.27	/	/	18.62	/	/	<=34.77	Pass
CP-OFDM 256 QAM	704	Outer_Full	17.27	/	/	15.62	/	/	<=34.77	Pass
		Inner_Full	17.29	/	/	15.64	/	/	<=34.77	Pass
		Inner_1RB_Left	16.79	/	/	15.14	/	/	<=34.77	Pass
		Inner_1RB_Right	16.89	/	/	15.24	/	/	<=34.77	Pass
	707.5	Outer_Full	17.28	/	/	15.63	/	/	<=34.77	Pass
		Inner_Full	17.32	/	/	15.67	/	/	<=34.77	Pass
		Inner_1RB_Left	16.79	/	/	15.14	/	/	<=34.77	Pass
		Inner_1RB_Right	16.82	/	/	15.17	/	/	<=34.77	Pass

	711	Outer_Full	17.20	/	/	15.55	/	/	<=34.77	Pass
		Inner_Full	17.32	/	/	15.67	/	/	<=34.77	Pass
		Inner_1RB_Left	16.79	/	/	15.14	/	/	<=34.77	Pass
		Inner_1RB_Right	16.89	/	/	15.24	/	/	<=34.77	Pass
Note1: Antenna Gain: Ant1: 0.50dBi; Note2: ERP=Conducted Power+Antenna Gain-2.15										

1.1.3 15_S_15M_NTNV_ERP

5G NR n12 SCS=15kHz SISO 15MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	706.5	Outer_Full	23.28	/	/	21.63	/	/	<=34.77	Pass
		Inner_Full	23.90	/	/	22.25	/	/	<=34.77	Pass
		Inner_1RB_Left	23.79	/	/	22.14	/	/	<=34.77	Pass
		Inner_1RB_Right	23.85	/	/	22.20	/	/	<=34.77	Pass
	707.5	Outer_Full	23.21	/	/	21.56	/	/	<=34.77	Pass
		Inner_Full	23.88	/	/	22.23	/	/	<=34.77	Pass
		Inner_1RB_Left	23.84	/	/	22.19	/	/	<=34.77	Pass
		Inner_1RB_Right	23.84	/	/	22.19	/	/	<=34.77	Pass
	708.5	Outer_Full	23.28	/	/	21.63	/	/	<=34.77	Pass
		Inner_Full	23.92	/	/	22.27	/	/	<=34.77	Pass
		Inner_1RB_Left	23.82	/	/	22.17	/	/	<=34.77	Pass
		Inner_1RB_Right	23.78	/	/	22.13	/	/	<=34.77	Pass
DFT-s-OFDM QPSK	706.5	Outer_Full	22.73	/	/	21.08	/	/	<=34.77	Pass
		Inner_Full	23.87	/	/	22.22	/	/	<=34.77	Pass
		Inner_1RB_Left	23.82	/	/	22.17	/	/	<=34.77	Pass
		Inner_1RB_Right	23.89	/	/	22.24	/	/	<=34.77	Pass
	707.5	Outer_Full	22.77	/	/	21.12	/	/	<=34.77	Pass
		Inner_Full	23.85	/	/	22.20	/	/	<=34.77	Pass
		Inner_1RB_Left	23.80	/	/	22.15	/	/	<=34.77	Pass
		Inner_1RB_Right	23.86	/	/	22.21	/	/	<=34.77	Pass
	708.5	Outer_Full	22.73	/	/	21.08	/	/	<=34.77	Pass
		Inner_Full	23.88	/	/	22.23	/	/	<=34.77	Pass
		Inner_1RB_Left	23.84	/	/	22.19	/	/	<=34.77	Pass
		Inner_1RB_Right	23.85	/	/	22.20	/	/	<=34.77	Pass
DFT-s-OFDM 16 QAM	706.5	Outer_Full	21.98	/	/	20.33	/	/	<=34.77	Pass
		Inner_Full	22.92	/	/	21.27	/	/	<=34.77	Pass
		Inner_1RB_Left	22.64	/	/	20.99	/	/	<=34.77	Pass
		Inner_1RB_Right	22.67	/	/	21.02	/	/	<=34.77	Pass
	707.5	Outer_Full	21.81	/	/	20.16	/	/	<=34.77	Pass
		Inner_Full	22.74	/	/	21.09	/	/	<=34.77	Pass
		Inner_1RB_Left	22.74	/	/	21.09	/	/	<=34.77	Pass
		Inner_1RB_Right	22.75	/	/	21.10	/	/	<=34.77	Pass
	708.5	Outer_Full	21.91	/	/	20.26	/	/	<=34.77	Pass
		Inner_Full	22.84	/	/	21.19	/	/	<=34.77	Pass
		Inner_1RB_Left	22.67	/	/	21.02	/	/	<=34.77	Pass
		Inner_1RB_Right	22.71	/	/	21.06	/	/	<=34.77	Pass
DFT-s-OFDM 64 QAM	706.5	Outer_Full	21.40	/	/	19.75	/	/	<=34.77	Pass
		Inner_Full	21.32	/	/	19.67	/	/	<=34.77	Pass
		Inner_1RB_Left	21.37	/	/	19.72	/	/	<=34.77	Pass
		Inner_1RB_Right	21.47	/	/	19.82	/	/	<=34.77	Pass
	707.5	Outer_Full	21.32	/	/	19.67	/	/	<=34.77	Pass
		Inner_Full	21.33	/	/	19.68	/	/	<=34.77	Pass
		Inner_1RB_Left	21.33	/	/	19.68	/	/	<=34.77	Pass
		Inner_1RB_Right	21.44	/	/	19.79	/	/	<=34.77	Pass

	708.5	Outer_Full	21.40	/	/	19.75	/	/	<=34.77	Pass
		Inner_Full	21.38	/	/	19.73	/	/	<=34.77	Pass
		Inner_1RB_Left	21.36	/	/	19.71	/	/	<=34.77	Pass
		Inner_1RB_Right	21.45	/	/	19.80	/	/	<=34.77	Pass
DFT-s-OFDM 256 QAM	706.5	Outer_Full	19.24	/	/	17.59	/	/	<=34.77	Pass
		Inner_Full	19.19	/	/	17.54	/	/	<=34.77	Pass
		Inner_1RB_Left	18.61	/	/	16.96	/	/	<=34.77	Pass
		Inner_1RB_Right	18.66	/	/	17.01	/	/	<=34.77	Pass
	707.5	Outer_Full	19.26	/	/	17.61	/	/	<=34.77	Pass
		Inner_Full	19.21	/	/	17.56	/	/	<=34.77	Pass
		Inner_1RB_Left	18.56	/	/	16.91	/	/	<=34.77	Pass
		Inner_1RB_Right	18.67	/	/	17.02	/	/	<=34.77	Pass
	708.5	Outer_Full	19.26	/	/	17.61	/	/	<=34.77	Pass
		Inner_Full	19.28	/	/	17.63	/	/	<=34.77	Pass
		Inner_1RB_Left	18.62	/	/	16.97	/	/	<=34.77	Pass
		Inner_1RB_Right	18.66	/	/	17.01	/	/	<=34.77	Pass
CP-OFDM QPSK	706.5	Outer_Full	20.82	/	/	19.17	/	/	<=34.77	Pass
		Inner_Full	22.46	/	/	20.81	/	/	<=34.77	Pass
		Inner_1RB_Left	22.35	/	/	20.70	/	/	<=34.77	Pass
		Inner_1RB_Right	22.47	/	/	20.82	/	/	<=34.77	Pass
	707.5	Outer_Full	20.85	/	/	19.20	/	/	<=34.77	Pass
		Inner_Full	22.49	/	/	20.84	/	/	<=34.77	Pass
		Inner_1RB_Left	22.28	/	/	20.63	/	/	<=34.77	Pass
		Inner_1RB_Right	22.37	/	/	20.72	/	/	<=34.77	Pass
	708.5	Outer_Full	20.82	/	/	19.17	/	/	<=34.77	Pass
		Inner_Full	22.52	/	/	20.87	/	/	<=34.77	Pass
		Inner_1RB_Left	22.42	/	/	20.77	/	/	<=34.77	Pass
		Inner_1RB_Right	22.35	/	/	20.70	/	/	<=34.77	Pass
CP-OFDM 16 QAM	706.5	Outer_Full	20.79	/	/	19.14	/	/	<=34.77	Pass
		Inner_Full	21.96	/	/	20.31	/	/	<=34.77	Pass
		Inner_1RB_Left	21.80	/	/	20.15	/	/	<=34.77	Pass
		Inner_1RB_Right	21.94	/	/	20.29	/	/	<=34.77	Pass
	707.5	Outer_Full	20.81	/	/	19.16	/	/	<=34.77	Pass
		Inner_Full	21.92	/	/	20.27	/	/	<=34.77	Pass
		Inner_1RB_Left	21.87	/	/	20.22	/	/	<=34.77	Pass
		Inner_1RB_Right	21.92	/	/	20.27	/	/	<=34.77	Pass
	708.5	Outer_Full	20.79	/	/	19.14	/	/	<=34.77	Pass
		Inner_Full	22.04	/	/	20.39	/	/	<=34.77	Pass
		Inner_1RB_Left	21.72	/	/	20.07	/	/	<=34.77	Pass
		Inner_1RB_Right	22.18	/	/	20.53	/	/	<=34.77	Pass
CP-OFDM 64 QAM	706.5	Outer_Full	20.27	/	/	18.62	/	/	<=34.77	Pass
		Inner_Full	20.23	/	/	18.58	/	/	<=34.77	Pass
		Inner_1RB_Left	20.29	/	/	18.64	/	/	<=34.77	Pass
		Inner_1RB_Right	20.35	/	/	18.70	/	/	<=34.77	Pass
	707.5	Outer_Full	20.29	/	/	18.64	/	/	<=34.77	Pass
		Inner_Full	20.24	/	/	18.59	/	/	<=34.77	Pass
		Inner_1RB_Left	20.23	/	/	18.58	/	/	<=34.77	Pass
		Inner_1RB_Right	20.33	/	/	18.68	/	/	<=34.77	Pass
	708.5	Outer_Full	20.28	/	/	18.63	/	/	<=34.77	Pass
		Inner_Full	20.29	/	/	18.64	/	/	<=34.77	Pass
		Inner_1RB_Left	20.27	/	/	18.62	/	/	<=34.77	Pass
		Inner_1RB_Right	20.35	/	/	18.70	/	/	<=34.77	Pass
CP-OFDM 256 QAM	706.5	Outer_Full	17.31	/	/	15.66	/	/	<=34.77	Pass
		Inner_Full	17.28	/	/	15.63	/	/	<=34.77	Pass
		Inner_1RB_Left	16.74	/	/	15.09	/	/	<=34.77	Pass
		Inner_1RB_Right	16.88	/	/	15.23	/	/	<=34.77	Pass
	707.5	Outer_Full	17.31	/	/	15.66	/	/	<=34.77	Pass
		Inner_Full	17.28	/	/	15.63	/	/	<=34.77	Pass

		Inner_1RB_Left	16.74	/	/	15.09	/	/	<=34.77	Pass
		Inner_1RB_Right	16.77	/	/	15.12	/	/	<=34.77	Pass
	708.5	Outer_Full	17.32	/	/	15.67	/	/	<=34.77	Pass
		Inner_Full	17.30	/	/	15.65	/	/	<=34.77	Pass
		Inner_1RB_Left	16.73	/	/	15.08	/	/	<=34.77	Pass
		Inner_1RB_Right	16.81	/	/	15.16	/	/	<=34.77	Pass
		Note1: Antenna Gain: Ant1: 0.50dBi; Note2: ERP=Conducted Power+Antenna Gain-2.15								

---End of Attachment---