

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B14_5MHz_ERP

Band: 14 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	790.5	1	0	22.69	3.63	24.17	<=34.77	Pass
			13	22.57	3.63	24.05	<=34.77	Pass
			24	22.43	3.63	23.91	<=34.77	Pass
		12	0	22.34	3.63	23.82	<=34.77	Pass
			6	22.44	3.63	23.92	<=34.77	Pass
			13	22.34	3.63	23.82	<=34.77	Pass
		25	0	22.37	3.63	23.85	<=34.77	Pass
	793	1	0	22.73	3.63	24.21	<=34.77	Pass
			13	22.21	3.63	23.69	<=34.77	Pass
			24	22.33	3.63	23.81	<=34.77	Pass
		12	0	22.36	3.63	23.84	<=34.77	Pass
			6	22.19	3.63	23.67	<=34.77	Pass
			13	22.12	3.63	23.60	<=34.77	Pass
		25	0	22.19	3.63	23.67	<=34.77	Pass
	795.5	1	0	22.58	3.63	24.06	<=34.77	Pass
			13	22.21	3.63	23.69	<=34.77	Pass
			24	22.71	3.63	24.19	<=34.77	Pass
		12	0	22.18	3.63	23.66	<=34.77	Pass
			6	22.24	3.63	23.72	<=34.77	Pass
			13	22.36	3.63	23.84	<=34.77	Pass
		25	0	22.27	3.63	23.75	<=34.77	Pass
16QAM	790.5	1	0	22.77	3.63	24.25	<=34.77	Pass
			13	22.71	3.63	24.19	<=34.77	Pass
			24	22.81	3.63	24.29	<=34.77	Pass
		12	0	22.35	3.63	23.83	<=34.77	Pass
			6	22.46	3.63	23.94	<=34.77	Pass
			13	22.35	3.63	23.83	<=34.77	Pass
		25	0	22.40	3.63	23.88	<=34.77	Pass
	793	1	0	22.97	3.63	24.45	<=34.77	Pass
			13	22.41	3.63	23.89	<=34.77	Pass
			24	22.55	3.63	24.03	<=34.77	Pass
		12	0	22.37	3.63	23.85	<=34.77	Pass
			6	22.23	3.63	23.71	<=34.77	Pass
			13	22.12	3.63	23.60	<=34.77	Pass
		25	0	22.22	3.63	23.70	<=34.77	Pass
	795.5	1	0	22.73	3.63	24.21	<=34.77	Pass
			13	22.49	3.63	23.97	<=34.77	Pass
			24	22.80	3.63	24.28	<=34.77	Pass
		12	0	22.20	3.63	23.68	<=34.77	Pass
			6	22.23	3.63	23.71	<=34.77	Pass
			13	22.34	3.63	23.82	<=34.77	Pass
		25	0	22.27	3.63	23.75	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B14_10MHz_ERP

Band: 14 / Bandwidth: 10MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	793	1	0	23.05	3.63	24.53	<=34.77	Pass
			25	22.28	3.63	23.76	<=34.77	Pass
			49	22.88	3.63	24.36	<=34.77	Pass
		25	0	22.43	3.63	23.91	<=34.77	Pass
			13	22.20	3.63	23.68	<=34.77	Pass
			25	22.21	3.63	23.69	<=34.77	Pass
		50	0	22.20	3.63	23.68	<=34.77	Pass
16QAM	793	1	0	23.01	3.63	24.49	<=34.77	Pass
			25	22.49	3.63	23.97	<=34.77	Pass
			49	23.03	3.63	24.51	<=34.77	Pass
		12	0	22.64	3.63	24.12	<=34.77	Pass
			19	22.20	3.63	23.68	<=34.77	Pass
			38	22.50	3.63	23.98	<=34.77	Pass
		27	0	22.42	3.63	23.90	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B14_10MHz

Band: 14 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	793	50	0	20	3.27	30.800	0.0388	-2.5 to 2.5	Pass
					3.85	20.600	0.0260	-2.5 to 2.5	Pass
					4.43	1.300	0.0016	-2.5 to 2.5	Pass
				-30	3.85	-9.900	-0.0125	-2.5 to 2.5	Pass
				-20	3.85	-17.100	-0.0216	-2.5 to 2.5	Pass
				-10	3.85	-27.900	-0.0352	-2.5 to 2.5	Pass
				0	3.85	-13.000	-0.0164	-2.5 to 2.5	Pass
				10	3.85	-16.600	-0.0209	-2.5 to 2.5	Pass
				30	3.85	-22.000	-0.0277	-2.5 to 2.5	Pass
				40	3.85	-26.500	-0.0334	-2.5 to 2.5	Pass
				50	3.85	-8.400	-0.0106	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band14_OBW


Band: 14 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	793	25	0	4.499	/	Pass
	16QAM	793	25	0	4.504	/	Pass
10	QPSK	793	50	0	9.026	/	Pass
	16QAM	793	27	0	4.931	/	Pass

3.1.2 Band14_XDB


Band: 14 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	793	25	0	4.991	/	Pass
	16QAM	793	25	0	4.933	/	Pass
10	QPSK	793	50	0	9.740	/	Pass
	16QAM	793	27	0	5.534	/	Pass

3.2 Test Graph


3.2.1 Band14_OBW




Band14_10MHz_QPSK_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_27_0_NTNV




3.2.2 Band14_XDB



Band14_10MHz_QPSK_MCH_793MHz_RB_50_0_NTNV



Band14_10MHz_16QAM_MCH_793MHz_RB_27_0_NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B14_10MHz

Band: 14 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	793	50	0	5.58	<=13	Pass
16QAM	793	27	0	6.50	<=13	Pass

4.2 Test Graph

4.2.1 B14_10MHz



5. Spurious Emission

5.1 Test Result

5.1.1 B14_5MHz


Band: 14 / Bandwidth: 5MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	790.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	793	1	0	Refer To Test Graph		Pass
	795.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B14_10MHz


Band: 14 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	793	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	793	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 B14_5MHz




Band14_5MHz_QPSK_LCH_790.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	767.884	-59.20	-13	Pass
769	775	0.00625	CHP	2	771.813	-70.75	-35	Pass
775	787.9	0.1	CHP	3	787.848	-35.36	-13	Pass
787.9	788	0.03	CHP	4	787.999	-35.43	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/


Band14_5MHz_QPSK_MCH_793MHz_RB_1_0_NTNV



Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-21.47	-13	Pass
798.1	799	0.1	CHP	2	798.152	-27.49	-13	Pass
799	806	0.00625	CHP	3	799.833	-53.17	-35	Pass
806	810	0.1	CHP	4	806.355	-44.24	-13	Pass


Band14_5MHz_QPSK_HCH_795.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-33.41	-13	Pass
798.1	799	0.1	CHP	2	798.152	-30.36	-13	Pass
799	806	0.00625	CHP	3	799.124	-43.09	-35	Pass
806	810	0.1	CHP	4	806.077	-51.64	-13	Pass

5.2.2 B14_10MHz


Band14_10MHz_QPSK_LCH_793MHz_RB_1_0_NTNV



Band14_10MHz_QPSK_LCH_793MHz_RB_1_0_NTNV




Band14_10MHz_QPSK_LCH_793MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	767.933	-59.16	-13	Pass
769	775	0.00625	CHP	2	771.663	-70.88	-35	Pass
775	787.9	0.1	CHP	3	787.754	-34.99	-13	Pass
787.9	788	0.03	CHP	4	787.999	-39.51	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.021	-38.12	-13	Pass
798.1	799	0.1	CHP	6	798.931	-33.12	-13	Pass
799	803	0.00625	CHP	7	800.583	-45.08	-35	Pass

Band14_10MHz_QPSK_HCH_793MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	784.157	-39.14	-13	Pass
787.9	788	0.03	CHP	2	787.915	-55.65	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.001	-28.35	-13	Pass
798.1	799	0.1	CHP	4	798.152	-30.98	-13	Pass
799	806	0.00625	CHP	5	801.832	-52.09	-35	Pass
806	810	0.1	CHP	6	806.235	-43.00	-13	Pass

Band14 10MHz_QPSK_HCH_793MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.836	-35.11	-13	Pass
787.9	788	0.03	CHP	2	787.998	-39.42	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.021	-38.23	-13	Pass
798.1	799	0.1	CHP	4	798.585	-33.11	-13	Pass
799	806	0.00625	CHP	5	799.893	-44.74	-35	Pass
806	810	0.1	CHP	6	806.192	-41.38	-13	Pass

6. Emission Mask

6.1 Test Result

6.1.1 B14_5MHz

Band: 14 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Freq. (MHz)		Emission Mask (dBm)		Verdict
		Size	Offset	Start	Stop	Result	Limit	
QPSK	790.5	1	0	773	778	-56.70	-13	Pass
				778	785.5	-43.46	-15.23	Pass
				785.5	787.95	-20.27	-5.23	Pass
				787.95	793.05	19.77	19.77	Pass
				793.05	795.5	-38.10	-5.23	Pass
				795.5	803	-35.09	-15.23	Pass
				803	808	-55.86	-13	Pass
			13	773	778	-57.35	-13	Pass
				778	785.5	-48.90	-15.44	Pass
				785.5	787.95	-47.12	-5.44	Pass
				787.95	793.05	19.56	19.56	Pass
				793.05	795.5	-46.02	-5.44	Pass
				795.5	803	-50.67	-15.44	Pass
				803	808	-56.65	-13	Pass
			24	773	778	-56.83	-13	Pass
				778	785.5	-37.40	-15.18	Pass
				785.5	787.95	-36.56	-5.18	Pass
				787.95	793.05	19.82	19.82	Pass
				793.05	795.5	-18.73	-5.18	Pass
				795.5	803	-41.63	-15.18	Pass
				803	808	-55.69	-13	Pass
		12	0	773	778	-57.24	-13	Pass
				778	785.5	-45.99	-25.47	Pass
				785.5	787.95	-29.51	-15.47	Pass
				787.95	793.05	9.53	9.53	Pass
				793.05	795.5	-40.61	-15.47	Pass
				795.5	803	-47.88	-25.47	Pass
				803	808	-57.10	-13	Pass
			6	773	778	-57.45	-13	Pass
				778	785.5	-49.04	-25.96	Pass
				785.5	787.95	-36.17	-15.96	Pass
				787.95	793.05	9.04	9.04	Pass
				793.05	795.5	-36.82	-15.96	Pass
				795.5	803	-49.06	-25.96	Pass
				803	808	-57.08	-13	Pass
			13	773	778	-57.43	-13	Pass
				778	785.5	-47.89	-26.38	Pass
				785.5	787.95	-41.96	-16.38	Pass
				787.95	793.05	8.62	8.62	Pass
				793.05	795.5	-29.77	-16.38	Pass
				795.5	803	-44.05	-26.38	Pass
				803	808	-57.05	-13	Pass
		25	0	773	778	-56.91	-13	Pass
				778	785.5	-36.63	-28.89	Pass
				785.5	787.95	-31.25	-18.89	Pass
				787.95	793.05	6.11	6.11	Pass

				793.05	795.5	-30.22	-18.89	Pass
				795.5	803	-35.19	-28.89	Pass
				803	808	-55.18	-13	Pass
	793	1	0	775.5	780.5	-56.08	-13	Pass
				780.5	788	-41.23	-14.8	Pass
				788	790.45	-18.52	-4.8	Pass
				790.45	795.55	20.20	20.2	Pass
				795.55	798	-38.05	-4.8	Pass
				798	805.5	-35.68	-14.8	Pass
				805.5	810.5	-55.88	-13	Pass
			13	775.5	780.5	-57.14	-13	Pass
				780.5	788	-48.89	-14.9	Pass
				788	790.45	-46.69	-4.9	Pass
				790.45	795.55	20.10	20.1	Pass
				795.55	798	-45.55	-4.9	Pass
				798	805.5	-50.37	-14.9	Pass
				805.5	810.5	-57.06	-13	Pass
			24	775.5	780.5	-55.83	-13	Pass
				780.5	788	-37.03	-15.82	Pass
				788	790.45	-36.95	-5.82	Pass
				790.45	795.55	19.18	19.18	Pass
				795.55	798	-19.68	-5.82	Pass
				798	805.5	-44.13	-15.82	Pass
			0	805.5	810.5	-56.65	-13	Pass
				775.5	780.5	-56.50	-13	Pass
				780.5	788	-43.43	-25.98	Pass
				788	790.45	-28.84	-15.98	Pass
				790.45	795.55	9.02	9.02	Pass
				795.55	798	-41.41	-15.98	Pass
				798	805.5	-47.42	-25.98	Pass
				805.5	810.5	-57.20	-13	Pass
			6	775.5	780.5	-57.32	-13	Pass
				780.5	788	-47.15	-26.36	Pass
				788	790.45	-37.71	-16.36	Pass
				790.45	795.55	8.64	8.64	Pass
				795.55	798	-35.47	-16.36	Pass
				798	805.5	-49.04	-26.36	Pass
			13	805.5	810.5	-57.55	-13	Pass
				775.5	780.5	-56.94	-13	Pass
				780.5	788	-47.09	-26	Pass
				788	790.45	-37.99	-16	Pass
				790.45	795.55	9.00	9	Pass
				795.55	798	-29.29	-16	Pass
			0	798	805.5	-41.48	-26	Pass
				805.5	810.5	-56.63	-13	Pass
				775.5	780.5	-55.15	-13	Pass
				780.5	788	-40.88	-29.21	Pass
				788	790.45	-32.35	-19.21	Pass
				790.45	795.55	5.79	5.79	Pass
			0	795.55	798	-31.11	-19.21	Pass
				798	805.5	-34.49	-29.21	Pass
				805.5	810.5	-55.17	-13	Pass
				778	783	-56.55	-13	Pass
				783	790.5	-43.43	-15.4	Pass
				790.5	792.95	-20.48	-5.4	Pass
				792.95	798.05	19.60	19.6	Pass
				798.05	800.5	-38.19	-5.4	Pass
	795.5	1		800.5	808	-33.53	-15.4	Pass
				808	813	-56.19	-13	Pass

			13	778	783	-57.10	-13	Pass
				783	790.5	-49.41	-16.08	Pass
				790.5	792.95	-47.05	-6.08	Pass
				792.95	798.05	18.92	18.92	Pass
				798.05	800.5	-45.59	-6.08	Pass
				800.5	808	-51.03	-16.08	Pass
				808	813	-57.56	-13	Pass
			24	778	783	-54.72	-13	Pass
				783	790.5	-36.13	-15.41	Pass
				790.5	792.95	-37.50	-5.41	Pass
				792.95	798.05	19.59	19.59	Pass
				798.05	800.5	-21.81	-5.41	Pass
				800.5	808	-43.06	-15.41	Pass
				808	813	-56.93	-13	Pass
		12	0	778	783	-56.61	-13	Pass
				783	790.5	-41.00	-25.77	Pass
				790.5	792.95	-30.43	-15.77	Pass
				792.95	798.05	9.23	9.23	Pass
				798.05	800.5	-39.24	-15.77	Pass
				800.5	808	-46.79	-25.77	Pass
				808	813	-57.35	-13	Pass
			6	778	783	-56.85	-13	Pass
				783	790.5	-46.41	-26.04	Pass
				790.5	792.95	-30.59	-16.04	Pass
				792.95	798.05	8.96	8.96	Pass
				798.05	800.5	-33.31	-16.04	Pass
				800.5	808	-48.53	-26.04	Pass
				808	813	-57.69	-13	Pass
			13	778	783	-56.92	-13	Pass
				783	790.5	-46.89	-26.23	Pass
				790.5	792.95	-36.43	-16.23	Pass
				792.95	798.05	8.77	8.77	Pass
				798.05	800.5	-25.19	-16.23	Pass
				800.5	808	-42.35	-26.23	Pass
				808	813	-57.61	-13	Pass
		25	0	778	783	-52.31	-13	Pass
				783	790.5	-32.90	-29.44	Pass
				790.5	792.95	-27.14	-19.44	Pass
				792.95	798.05	5.56	5.56	Pass
				798.05	800.5	-29.13	-19.44	Pass
				800.5	808	-34.20	-29.44	Pass
				808	813	-56.28	-13	Pass
			1	773	778	-57.54	-13	Pass
				778	785.5	-43.79	-15.71	Pass
				785.5	787.95	-19.76	-5.71	Pass
				787.95	793.05	19.29	19.29	Pass
				793.05	795.5	-38.63	-5.71	Pass
				795.5	803	-36.90	-15.71	Pass
16QAM	790.5	1	0	803	808	-56.57	-13	Pass
				773	778	-57.96	-13	Pass
				778	785.5	-49.62	-15.88	Pass
				785.5	787.95	-48.17	-5.88	Pass
				787.95	793.05	19.12	19.12	Pass
				793.05	795.5	-47.13	-5.88	Pass
			13	795.5	803	-51.20	-15.88	Pass
				803	808	-56.90	-13	Pass
			24	773	778	-57.12	-13	Pass
				778	785.5	-38.27	-16.62	Pass
				785.5	787.95	-37.77	-6.62	Pass

		12		787.95	793.05	18.38	18.38	Pass
				793.05	795.5	-24.11	-6.62	Pass
				795.5	803	-42.20	-16.62	Pass
				803	808	-56.64	-13	Pass
			0	773	778	-57.91	-13	Pass
				778	785.5	-46.95	-26.75	Pass
				785.5	787.95	-28.98	-16.75	Pass
				787.95	793.05	8.25	8.25	Pass
				793.05	795.5	-41.88	-16.75	Pass
				795.5	803	-49.59	-26.75	Pass
				803	808	-56.85	-13	Pass
				773	778	-57.72	-13	Pass
			6	778	785.5	-50.03	-26.93	Pass
				785.5	787.95	-38.03	-16.93	Pass
				787.95	793.05	8.07	8.07	Pass
				793.05	795.5	-36.37	-16.93	Pass
				795.5	803	-49.99	-26.93	Pass
				803	808	-57.42	-13	Pass
				773	778	-57.85	-13	Pass
				778	785.5	-49.68	-26.82	Pass
			13	785.5	787.95	-43.55	-16.82	Pass
				787.95	793.05	8.18	8.18	Pass
				793.05	795.5	-30.99	-16.82	Pass
				795.5	803	-45.85	-26.82	Pass
				803	808	-57.45	-13	Pass
				773	778	-56.93	-13	Pass
				778	785.5	-39.56	-29.57	Pass
				785.5	787.95	-32.10	-19.57	Pass
		25	0	787.95	793.05	5.43	5.43	Pass
				793.05	795.5	-32.16	-19.57	Pass
				795.5	803	-34.68	-29.57	Pass
				803	808	-56.25	-13	Pass
				775.5	780.5	-56.78	-13	Pass
			1	780.5	788	-40.91	-15.62	Pass
				788	790.45	-22.06	-5.62	Pass
				790.45	795.55	19.38	19.38	Pass
				795.55	798	-38.47	-5.62	Pass
				798	805.5	-34.75	-15.62	Pass
				805.5	810.5	-56.48	-13	Pass
				775.5	780.5	-57.63	-13	Pass
				780.5	788	-49.96	-15.78	Pass
				788	790.45	-47.26	-5.78	Pass
			24	790.45	795.55	19.22	19.22	Pass
				795.55	798	-46.67	-5.78	Pass
				798	805.5	-50.64	-15.78	Pass
				805.5	810.5	-57.34	-13	Pass
				775.5	780.5	-56.17	-13	Pass
				780.5	788	-37.93	-16.03	Pass
				788	790.45	-38.41	-6.03	Pass
				790.45	795.55	18.97	18.97	Pass
				795.55	798	-19.31	-6.03	Pass
				798	805.5	-45.64	-16.03	Pass
		12	0	805.5	810.5	-56.51	-13	Pass
				775.5	780.5	-56.98	-13	Pass
				780.5	788	-44.70	-26.94	Pass
				788	790.45	-29.77	-16.94	Pass
				790.45	795.55	8.06	8.06	Pass
				795.55	798	-41.90	-16.94	Pass
				798	805.5	-48.54	-26.94	Pass

				805.5	810.5	-56.97	-13	Pass	
			6	775.5	780.5	-57.15	-13	Pass	
				780.5	788	-49.68	-26.95	Pass	
				788	790.45	-36.98	-16.95	Pass	
				790.45	795.55	8.05	8.05	Pass	
				795.55	798	-35.90	-16.95	Pass	
				798	805.5	-49.46	-26.95	Pass	
				805.5	810.5	-57.07	-13	Pass	
			13	775.5	780.5	-56.65	-13	Pass	
				780.5	788	-48.43	-26.81	Pass	
				788	790.45	-39.89	-16.81	Pass	
				790.45	795.55	8.19	8.19	Pass	
				795.55	798	-31.16	-16.81	Pass	
				798	805.5	-43.76	-26.81	Pass	
				805.5	810.5	-57.25	-13	Pass	
		25	0	775.5	780.5	-56.76	-13	Pass	
				780.5	788	-42.99	-30.03	Pass	
				788	790.45	-33.88	-20.03	Pass	
				790.45	795.55	4.97	4.97	Pass	
				795.55	798	-31.38	-20.03	Pass	
				798	805.5	-35.24	-30.03	Pass	
		795.5	1	0	805.5	810.5	-56.36	-13	Pass
					778	783	-56.63	-13	Pass
					783	790.5	-41.66	-16.46	Pass
					790.5	792.95	-20.67	-6.46	Pass
	792.95				798.05	18.54	18.54	Pass	
	798.05				800.5	-38.61	-6.46	Pass	
	13			800.5	808	-33.97	-16.46	Pass	
				808	813	-57.21	-13	Pass	
				778	783	-57.44	-13	Pass	
				783	790.5	-50.07	-16.18	Pass	
				790.5	792.95	-48.03	-6.18	Pass	
				792.95	798.05	18.82	18.82	Pass	
				798.05	800.5	-46.81	-6.18	Pass	
				800.5	808	-50.79	-16.18	Pass	
	24			808	813	-57.75	-13	Pass	
				778	783	-56.18	-13	Pass	
				783	790.5	-36.65	-15.53	Pass	
				790.5	792.95	-37.20	-5.53	Pass	
				792.95	798.05	19.47	19.47	Pass	
				798.05	800.5	-20.25	-5.53	Pass	
			800.5	808	-43.16	-15.53	Pass		
			808	813	-57.37	-13	Pass		
	12		0	778	783	-56.45	-13	Pass	
				783	790.5	-43.19	-27.22	Pass	
				790.5	792.95	-27.39	-17.22	Pass	
				792.95	798.05	7.78	7.78	Pass	
				798.05	800.5	-37.85	-17.22	Pass	
				800.5	808	-47.60	-27.22	Pass	
			6	808	813	-57.19	-13	Pass	
				778	783	-57.33	-13	Pass	
				783	790.5	-49.41	-26.71	Pass	
				790.5	792.95	-32.40	-16.71	Pass	
				792.95	798.05	8.29	8.29	Pass	
				798.05	800.5	-34.72	-16.71	Pass	
				800.5	808	-49.32	-26.71	Pass	
				808	813	-57.49	-13	Pass	
			13	778	783	-57.13	-13	Pass	
		783		790.5	-47.95	-27.01	Pass		

				790.5	792.95	-37.09	-17.01	Pass
				792.95	798.05	7.99	7.99	Pass
				798.05	800.5	-26.48	-17.01	Pass
				800.5	808	-43.61	-27.01	Pass
				808	813	-57.39	-13	Pass
		25	0	778	783	-54.26	-13	Pass
				783	790.5	-34.29	-30.12	Pass
				790.5	792.95	-29.17	-20.12	Pass
				792.95	798.05	4.88	4.88	Pass
				798.05	800.5	-30.99	-20.12	Pass
				800.5	808	-37.03	-30.12	Pass
				808	813	-57.02	-13	Pass


6.1.2 B14_10MHz

Band: 14 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Freq. (MHz)		Emission Mask (dBm)		Verdict
		Size	Offset	Start	Stop	Result	Limit	
QPSK	793	1	0	758	768	-58.43	-13	Pass
				768	783	-41.86	-16.59	Pass
				783	787.95	-28.76	-6.59	Pass
				787.95	798.05	18.41	18.41	Pass
				798.05	803	-38.68	-6.59	Pass
				803	818	-34.10	-16.59	Pass
				818	828	-58.28	-13	Pass
			25	758	768	-58.46	-13	Pass
				768	783	-53.73	-15.05	Pass
				783	787.95	-51.05	-5.05	Pass
				787.95	798.05	19.95	19.95	Pass
				798.05	803	-51.65	-5.05	Pass
				803	818	-55.44	-15.05	Pass
				818	828	-58.15	-13	Pass
			49	758	768	-58.35	-13	Pass
				768	783	-34.80	-15.45	Pass
				783	787.95	-39.94	-5.45	Pass
				787.95	798.05	19.55	19.55	Pass
				798.05	803	-28.94	-5.45	Pass
				803	818	-44.71	-15.45	Pass
				818	828	-58.12	-13	Pass
		25	0	758	768	-58.45	-13	Pass
				768	783	-46.43	-28.91	Pass
				783	787.95	-35.05	-18.91	Pass
				787.95	798.05	6.09	6.09	Pass
				798.05	803	-41.89	-18.91	Pass
				803	818	-48.56	-28.91	Pass
				818	828	-58.49	-13	Pass
			13	758	768	-58.35	-13	Pass
				768	783	-52.99	-28.67	Pass
				783	787.95	-38.83	-18.67	Pass
				787.95	798.05	6.33	6.33	Pass
				798.05	803	-35.24	-18.67	Pass
				803	818	-49.86	-28.67	Pass
				818	828	-58.32	-13	Pass
			25	758	768	-58.48	-13	Pass
				768	783	-48.65	-29.23	Pass
				783	787.95	-39.75	-19.23	Pass
				787.95	798.05	5.77	5.77	Pass


				798.05	803	-31.45	-19.23	Pass		
				803	818	-45.68	-29.23	Pass		
				818	828	-58.00	-13	Pass		
		50	0	758	768	-58.58	-13	Pass		
				768	783	-39.09	-31.98	Pass		
				783	787.95	-33.99	-21.98	Pass		
				787.95	798.05	3.02	3.02	Pass		
				798.05	803	-32.75	-21.98	Pass		
				803	818	-35.12	-31.98	Pass		
818	828			-57.81	-13	Pass				
16QAM	793			1	0	758	768	-58.45	-13	Pass
						768	783	-44.24	-15.68	Pass
		783	787.95			-26.73	-5.68	Pass		
		787.95	798.05			19.32	19.32	Pass		
		798.05	803			-38.43	-5.68	Pass		
		803	818			-33.07	-15.68	Pass		
		818	828			-58.28	-13	Pass		
		25	758		768	-58.25	-13	Pass		
			768		783	-54.53	-16.61	Pass		
			783		787.95	-50.98	-6.61	Pass		
			787.95		798.05	18.39	18.39	Pass		
			798.05		803	-52.32	-6.61	Pass		
			803		818	-55.16	-16.61	Pass		
			818		828	-58.18	-13	Pass		
		49	758		768	-58.39	-13	Pass		
			768		783	-34.26	-15.98	Pass		
			783		787.95	-38.98	-5.98	Pass		
			787.95		798.05	19.02	19.02	Pass		
			798.05		803	-29.82	-5.98	Pass		
			803	818	-44.35	-15.98	Pass			
			818	828	-58.20	-13	Pass			
		12	0	758	768	-58.61	-13	Pass		
				768	783	-52.24	-25.6	Pass		
				783	787.95	-28.39	-15.6	Pass		
				787.95	798.05	9.40	9.4	Pass		
				798.05	803	-43.45	-15.6	Pass		
				803	818	-42.88	-25.6	Pass		
				818	828	-58.60	-13	Pass		
			19	758	768	-58.34	-13	Pass		
				768	783	-55.71	-26.22	Pass		
				783	787.95	-45.05	-16.22	Pass		
				787.95	798.05	8.78	8.78	Pass		
				798.05	803	-45.99	-16.22	Pass		
				803	818	-55.32	-26.22	Pass		
				818	828	-58.47	-13	Pass		
			38	758	768	-58.57	-13	Pass		
				768	783	-43.82	-26.28	Pass		
				783	787.95	-46.21	-16.28	Pass		
				787.95	798.05	8.72	8.72	Pass		
				798.05	803	-22.61	-16.28	Pass		
				803	818	-48.06	-26.28	Pass		
				818	828	-58.21	-13	Pass		
		27	0	758	768	-58.40	-13	Pass		
				768	783	-49.03	-30.23	Pass		
				783	787.95	-35.89	-20.23	Pass		
				787.95	798.05	4.77	4.77	Pass		
				798.05	803	-40.63	-20.23	Pass		
803	818			-49.59	-30.23	Pass				
818	828			-58.18	-13	Pass				

6.2 Test Graph


6.2.1 B14_5MHz




Band14_5MHz_QPSK_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_25_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_13_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_13_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB 1_24_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB 12_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_6_NTNV



Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_25_0_NTNV




6.2.2 B14_10MHz


Band14_10MHz_QPSK_MCH_793MHz_RB_1_0_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_1_25_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_1_49_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_25_0_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_25_13_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_25_25_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_1_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_1_25_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_1_49_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_12_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_12_19_NTNV



Band14_10MHz_16QAM_MCH_793MHz_RB_12_38_NTNV



Band14_10MHz_16QAM_MCH_793MHz_RB_27_0_NTNV



-End of the Appendix-