





11be40MIMO-Ant1-5670-PASS




11be40MIMO-Ant2-5670-PASS



11be40MIMO-Ant1-5710 UNII-2C-PASS




11be40MIMO-Ant2-5710 UNII-2C-PASS




11be40MIMO-Ant1-5710 UNII-3-PASS



11be40MIMO-Ant2-5710 UNII-3-PASS



11be40MIMO-Ant1-5755-PASS



11be40MIMO-Ant2-5755-PASS



11be40MIMO-Ant1-5795-PASS



11be40MIMO-Ant2-5795-PASS



11be80MIMO-Ant1-5210-PASS




11be80MIMO-Ant2-5210-PASS



11be80MIMO-Ant1-5290-PASS



11be80MIMO-Ant2-5290-PASS



11be80MIMO-Ant1-5530-PASS



11be80MIMO-Ant2-5530-PASS



11be80MIMO-Ant1-5610-PASS



11be80MIMO-Ant2-5610-PASS



11be80MIMO-Ant1-5690 UNII-2C-PASS



11be80MIMO-Ant2-5690 UNII-2C-PASS



11be80MIMO-Ant1-5690 UNII-3-PASS



11be80MIMO-Ant2-5690 UNII-3-PASS



11be80MIMO-Ant1-5775-PASS



11be80MIMO-Ant2-5775-PASS



11be160MIMO-Ant1-5250 UNII-1-PASS



11be160MIMO-Ant2-5250 UNII-1-PASS



11be160MIMO-Ant1-5250 UNII-2A-PASS



11be160MIMO-Ant2-5250 UNII-2A-PASS



11be160MIMO-Ant1-5570-PASS



11be160MIMO-Ant2-5570-PASS

RU-RLAN**Maximum conducted output power
Test Result**


Test Mode	Frequency [MHz]	RU#Size	RU#Index	Average Ant1(dBm)	Average Ant2(dBm)	Average Total (dBm)	Limit (dBm)	Verdict
11be20(MIMO)	5180	26	0	15.49	14.96	18.24	≤23.98	PASS
	5200	26	0	15.62	14.73	18.21	≤23.98	PASS
	5240	26	8	15.57	14.00	17.87	≤23.98	PASS
	5180	52	37	15.51	14.94	18.24	≤23.98	PASS
	5200	52	37	15.53	14.82	18.20	≤23.98	PASS
	5240	52	40	15.65	14.78	18.25	≤23.98	PASS
	5180	106	53	15.66	14.88	18.30	≤23.98	PASS
	5200	106	53	15.60	14.83	18.24	≤23.98	PASS
	5240	106	54	15.92	14.67	18.35	≤23.98	PASS
11be40(MIMO)	5190	242	61	12.77	12.02	15.42	≤23.98	PASS
	5230	242	62	15.20	14.36	17.81	≤23.98	PASS
11be80(MIMO)	5210	484	65	13.78	12.80	16.33	≤23.98	PASS

Test Mode	Frequency [MHz]	RU#Size	RU#Index	Average Ant1(dBm)	Average Ant2(dBm)	Average Total (dBm)	Limit (dBm)	Verdict
11be20(MIMO)	5260	26	0	15.76	15.08	18.44	≤23.98	PASS
	5300	26	0	15.79	15.25	18.54	≤23.98	PASS
	5320	26	8	15.77	15.13	18.47	≤23.98	PASS
	5260	52	37	15.69	15.20	18.46	≤23.98	PASS
	5300	52	37	15.67	14.99	18.35	≤23.98	PASS
	5320	52	40	15.73	15.06	18.42	≤23.98	PASS
	5260	106	53	15.89	15.15	18.55	≤23.98	PASS
	5300	106	53	15.74	14.90	18.35	≤23.98	PASS
	5320	106	54	15.69	14.98	18.36	≤23.98	PASS
11be40(MIMO)	5270	242	61	13.40	12.68	16.07	≤23.98	PASS
	5310	242	62	14.95	14.64	17.81	≤23.98	PASS
11be80(MIMO)	5290	484	65	13.10	12.41	15.78	≤23.98	PASS
11be160(MIMO)	5250_UNII-1	996	67	10.97	9.85	13.46	≤23.98	PASS
		996	68	-19.05	-19.14	-16.08	≤23.98	PASS
	5250_UNII-2A	996	67	-18.26	-19.18	-15.69	≤23.98	PASS
		996	68	12.01	10.96	14.53	≤23.98	PASS


Test Mode	Frequency [MHz]	RU#Size	RU#Index	Average Ant1(dBm)	Average Ant2(dBm)	Average Total (dBm)	Limit (dBm)	Verdict
11be20(MIMO)	5500	26	0	14.11	14.91	17.54	≤23.98	PASS
	5600	26	0	14.03	14.95	17.52	≤23.98	PASS
	5700	26	8	13.71	14.05	16.89	≤23.98	PASS
	5720_UNII-2C	26	8	-8.06	-8.22	-5.13	≤23.98	PASS
	5720_UNII-3	26	8	13.73	14.98	17.41	≤23.98	PASS
	5500	52	37	14.29	14.89	17.61	≤23.98	PASS
	5600	52	37	14.02	14.96	17.53	≤23.98	PASS
	5700	52	40	13.68	14.10	16.91	≤23.98	PASS
	5720_UNII-2C	52	40	-4.41	-3.58	-0.96	≤23.98	PASS
	5720_UNII-3	52	40	13.85	14.80	17.36	≤23.98	PASS
	5500	106	53	14.26	14.71	17.50	≤23.98	PASS
	5600	106	53	14.04	14.69	17.39	≤23.98	PASS
	5700	106	54	13.70	14.29	17.02	≤23.98	PASS
	5720_UNII-2C	106	54	10.61	11.26	13.96	≤23.98	PASS
	5720_UNII-3	106	54	11.32	12.32	14.86	≤23.98	PASS
11be40(MIMO)	5510	242	61	10.73	11.35	14.06	≤23.98	PASS
	5590	242	61	13.76	14.46	17.13	≤23.98	PASS
	5670	242	62	12.45	12.66	15.57	≤23.98	PASS
	5710_UNII-2C	242	62	11.83	12.15	15.00	≤23.98	PASS
	5710_UNII-3	242	62	5.94	6.82	9.41	≤23.98	PASS
11be80(MIMO)	5530	484	65	10.66	11.44	14.08	≤23.98	PASS
	5610	484	66	11.86	12.53	15.22	≤23.98	PASS
	5690_UNII-2C	484	66	10.60	10.84	13.73	≤23.98	PASS
	5690_UNII-3	484	66	1.98	2.96	5.51	≤23.98	PASS
11be160(MIMO)	5570	996	67	9.48	9.68	12.59	≤23.98	PASS

Test Mode	Frequency [MHz]	RU#Size	RU#Index	Average Ant1(dBm)	Average Ant2(dBm)	Average Total (dBm)	Limit (dBm)	Verdict
11be20(MIMO)	5745	26	0	14.57	15.54	18.09	≤30.00	PASS
	5785	26	0	13.79	14.94	17.41	≤30.00	PASS
	5825	26	8	14.62	15.56	18.13	≤30.00	PASS
	5745	52	37	14.47	15.52	18.04	≤30.00	PASS
	5785	52	37	13.68	14.83	17.30	≤30.00	PASS
	5825	52	40	14.61	15.56	18.12	≤30.00	PASS
	5745	106	53	13.79	14.91	17.40	≤30.00	PASS
	5785	106	53	14.26	14.89	17.60	≤30.00	PASS
	5825	106	54	14.66	15.41	18.06	≤30.00	PASS
11be40(MIMO)	5755	242	61	14.14	14.88	17.54	≤30.00	PASS
	5795	242	62	13.54	14.54	17.08	≤30.00	PASS
11be80(MIMO)	5775	484	65	12.11	13.67	15.97	≤30.00	PASS


Test Graphs




11aX20MIMO-Ant1-5720_UNII-2C-TPC_H-26Tone-RU8-PASS




11aX20MIMO-Ant1-5720_UNII-3-TPC_H-26Tone-RU8-PASS




11be20MIMO-Ant1-5720_UNII-2C-TPC_H-26Tone-RU8-PASS



11be20MIMO-Ant2-5720_UNII-2C-TPC_H-26Tone-RU8-PASS




11be20MIMO-Ant1-5720_UNII-2C-TPC_H-52Tone-RU40-PASS




11be20MIMO-Ant2-5720_UNII-2C-TPC_H-52Tone-RU40-PASS




11be20MIMO-Ant1-5720_UNII-2C-TPC_H-106Tone-RU54-PASS




11be20MIMO-Ant2-5720_UNII-2C-TPC_H-106Tone-RU54-PASS




11be20MIMO-Ant1-5720_UNII-3-TPC_H-26Tone-RU8-PASS




11be20MIMO-Ant2-5720_UNII-3-TPC_H-26Tone-RU8-PASS




11be20MIMO-Ant1-5720_UNII-3-TPC_H-52Tone-RU40-PASS




11be20MIMO-Ant2-5720_UNII-3-TPC_H-52Tone-RU40-PASS




11be20MIMO-Ant1-5720_UNII-3-TPC_H-106Tone-RU54-PASS




11be20MIMO-Ant2-5720_UNII-3-TPC_H-106Tone-RU54-PASS




11be40MIMO-Ant1-5710_UNII-2C-TPC_H-242Tone-RU62-PASS




11be40MIMO-Ant2-5710_UNII-2C-TPC_H-242Tone-RU62-PASS




11be40MIMO-Ant1-5710_UNII-3-TPC_H-242Tone-RU62-PASS




11be40MIMO-Ant2-5710_UNII-3-TPC_H-242Tone-RU62-PASS




11be80MIMO-Ant1-5690_UNII-2C-TPC_H-484Tone-RU66-PASS




11be80MIMO-Ant2-5690_UNII-2C-TPC_H-484Tone-RU66-PASS




11be80MIMO-Ant1-5690_UNII-3-TPC_H-484Tone-RU66-PASS



11be80MIMO-Ant2-5690_UNII-3-TPC_H-484Tone-RU66-PASS




11be160MIMO-Ant1-5250_UNII-1-TPC_H-996Tone-RU67-PASS



11be160MIMO-Ant2-5250_UNII-1-TPC_H-996Tone-RU67-PASS



11be160MIMO-Ant1-5250_UNII-1-TPC_H-996Tone-RU68-PASS




11be160MIMO-Ant2-5250_UNII-1-TPC_H-996Tone-RU68-PASS




11be160MIMO-Ant1-5250_UNII-2A-TPC_H-996Tone-RU67-PASS



11be160MIMO-Ant2-5250_UNII-2A-TPC_H-996Tone-RU67-PASS



11be160MIMO-Ant1-5250_UNII-2A-TPC_H-996Tone-RU68-PASS




11be160MIMO-Ant2-5250_UNII-2A-TPC_H-996Tone-RU68-PASS

Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	X; Powersetting 18		

Test Graph




Data List										
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	30.00	45.16	-30.12	15.04	40.00	24.96	200	PK	Horizontal	PASS
2	52.84	43.50	-25.94	17.56	40.00	22.44	200	PK	Horizontal	PASS
3	107.70	50.37	-30.00	20.37	43.50	23.13	200	PK	Horizontal	PASS
4	186.47	48.12	-27.11	21.01	43.50	22.49	100	PK	Horizontal	PASS
5	243.46	48.56	-24.50	24.06	47.00	22.94	100	PK	Horizontal	PASS
6	979.97	43.03	-11.04	31.99	54.00	22.01	200	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	X;Powersetting 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	30.49	62.58	-30.56	32.02	40.00	7.98	100	PK	Vertical	PASS
2	53.57	47.05	-25.90	21.15	40.00	18.85	100	PK	Vertical	PASS
3	107.17	54.56	-30.01	24.55	43.50	18.95	100	PK	Vertical	PASS
4	431.65	43.44	-20.13	23.31	47.00	23.69	200	PK	Vertical	PASS
5	591.17	43.56	-16.57	26.99	47.00	20.01	200	PK	Vertical	PASS
6	961.34	43.34	-11.11	32.23	54.00	21.77	100	PK	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5182.85	77.50	9.89	87.39	-	-	RMS	Horizontal	NA
2	7274.45	31.22	16.18	47.40	54.00	6.60	RMS	Horizontal	PASS
3	7504.05	30.71	16.68	47.39	54.00	6.61	RMS	Horizontal	PASS
4	17995.67	27.77	16.82	44.59	54.00	9.41	RMS	Horizontal	PASS
5	5176.90	85.42	9.89	95.31	-	-	PK	Horizontal	NA
6	6762.40	41.85	15.01	56.86	68.20	11.34	PK	Horizontal	PASS
7	7374.55	41.46	16.29	57.75	74.00	16.25	PK	Horizontal	PASS
8	17915.67	37.78	16.22	54.00	74.00	20.00	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5181.45	89.08	9.89	98.97	-	-	RMS	Vertical	NA
2	7482.35	30.79	16.69	47.48	54.00	6.52	RMS	Vertical	PASS
3	15898.67	29.67	11.82	41.49	54.00	12.51	RMS	Vertical	PASS
4	17918.00	28.65	16.23	44.88	54.00	9.12	RMS	Vertical	PASS
5	5185.65	97.03	9.89	106.92	-	-	PK	Vertical	NA
6	7415.15	41.73	16.35	58.08	74.00	15.92	PK	Vertical	PASS
7	7827.45	41.47	16.54	58.01	68.20	10.19	PK	Vertical	PASS
8	17967.00	38.06	16.61	54.67	74.00	19.33	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5202.45	78.54	9.87	88.41	-	-	RMS	Horizontal	NA
2	7285.65	31.54	16.16	47.70	54.00	6.30	RMS	Horizontal	PASS
3	7522.60	30.72	16.55	47.27	54.00	6.73	RMS	Horizontal	PASS
4	17916.67	28.43	16.23	44.66	54.00	9.34	RMS	Horizontal	PASS
5	5206.30	86.09	9.89	95.98	-	-	PK	Horizontal	NA
6	6054.35	42.90	13.11	56.01	68.20	12.19	PK	Horizontal	PASS
7	7772.85	41.49	16.55	58.04	68.20	10.16	PK	Horizontal	PASS
8	17944.00	37.98	16.44	54.42	74.00	19.58	PK	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5179.35	40.93	9.89	50.82	-	-	RMS	Vertical	NA
2	5201.75	89.99	9.87	99.86	-	-	RMS	Vertical	NA
3	7256.25	31.29	16.25	47.54	54.00	6.46	RMS	Vertical	PASS
4	7477.10	31.02	16.69	47.71	54.00	6.29	RMS	Vertical	PASS
5	17889.00	28.62	16.04	44.66	54.00	9.34	RMS	Vertical	PASS
6	5195.80	97.43	9.87	107.30	-	-	PK	Vertical	NA
7	7443.50	41.02	16.60	57.62	74.00	16.38	PK	Vertical	PASS
8	7758.15	40.95	16.55	57.50	68.20	10.70	PK	Vertical	PASS
9	17973.00	37.54	16.65	54.19	74.00	19.81	PK	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5242.00	78.48	10.04	88.52	-	-	RMS	Horizontal	NA
2	7410.25	31.27	16.30	47.57	54.00	6.43	RMS	Horizontal	PASS
3	15767.33	30.44	11.29	41.73	54.00	12.27	RMS	Horizontal	PASS
4	17946.00	28.32	16.45	44.77	54.00	9.23	RMS	Horizontal	PASS
5	5246.90	87.10	10.06	97.16	-	-	PK	Horizontal	NA
6	7493.55	41.32	16.71	58.03	74.00	15.97	PK	Horizontal	PASS
7	15871.67	39.01	11.68	50.69	74.00	23.31	PK	Horizontal	PASS
8	17979.00	36.86	16.70	53.56	74.00	20.44	PK	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5246.20	89.90	10.05	99.95	-	-	RMS	Vertical	NA
2	7499.85	30.58	16.71	47.29	54.00	6.71	RMS	Vertical	PASS
3	15847.00	30.82	11.54	42.36	54.00	11.64	RMS	Vertical	PASS
4	17947.33	28.19	16.46	44.65	54.00	9.35	RMS	Vertical	PASS
5	5245.50	98.10	10.05	108.15	-	-	PK	Vertical	NA
6	7291.60	41.51	16.13	57.64	74.00	16.36	PK	Vertical	PASS
7	7702.85	41.70	16.39	58.09	74.00	15.91	PK	Vertical	PASS
8	17997.33	36.96	16.84	53.80	74.00	20.20	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5238.50	77.36	10.02	87.38	-	-	RMS	Horizontal	NA
2	7538.00	31.20	16.45	47.65	54.00	6.35	RMS	Horizontal	PASS
3	15826.33	30.20	11.43	41.63	54.00	12.37	RMS	Horizontal	PASS
4	17933.33	28.26	16.35	44.61	54.00	9.39	RMS	Horizontal	PASS
5	5239.20	85.58	10.03	95.61	-	-	PK	Horizontal	NA
6	6742.45	42.27	14.97	57.24	68.20	10.96	PK	Horizontal	PASS
7	7819.75	41.39	16.54	57.93	68.20	10.27	PK	Horizontal	PASS
8	17920.00	38.01	16.25	54.26	74.00	19.74	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5241.65	91.31	10.04	101.35	-	-	RMS	Vertical	NA
2	7501.25	30.82	16.70	47.52	54.00	6.48	RMS	Vertical	PASS
3	11491.67	32.76	6.49	39.25	54.00	14.75	RMS	Vertical	PASS
4	17959.33	28.01	16.55	44.56	54.00	9.44	RMS	Vertical	PASS
5	5242.00	100.46	10.04	110.50	-	-	PK	Vertical	NA
6	6394.20	42.70	13.94	56.64	68.20	11.56	PK	Vertical	PASS
7	7449.10	41.31	16.66	57.97	74.00	16.03	PK	Vertical	PASS
8	17987.00	37.01	16.76	53.77	74.00	20.23	PK	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5233.95	89.53	10.01	99.54	-	-	RMS	Vertical	NA
2	7571.95	31.40	16.17	47.57	54.00	6.43	RMS	Vertical	PASS
3	15709.00	30.50	11.29	41.79	54.00	12.21	RMS	Vertical	PASS
4	17907.67	28.51	16.16	44.67	54.00	9.33	RMS	Vertical	PASS
5	5235.35	95.73	10.01	105.74	-	-	PK	Vertical	NA
6	6303.55	44.73	13.11	57.84	68.20	10.36	PK	Vertical	PASS
7	7262.55	42.74	16.22	58.96	74.00	15.04	PK	Vertical	PASS
8	17980.33	37.16	16.71	53.87	74.00	20.13	PK	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5240.25	75.24	10.03	85.27	-	-	RMS	Horizontal	NA
2	7465.55	30.82	16.68	47.50	54.00	6.50	RMS	Horizontal	PASS
3	15886.33	29.86	11.76	41.62	54.00	12.38	RMS	Horizontal	PASS
4	17941.67	28.27	16.42	44.69	54.00	9.31	RMS	Horizontal	PASS
5	5240.25	83.74	10.03	93.77	-	-	PK	Horizontal	NA
6	6695.20	42.53	14.85	57.38	68.20	10.82	PK	Horizontal	PASS
7	7447.00	41.18	16.63	57.81	74.00	16.19	PK	Horizontal	PASS
8	17984.67	36.91	16.74	53.65	74.00	20.35	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5240.60	72.52	10.03	82.55	-	-	RMS	Horizontal	NA
2	7446.65	31.00	16.63	47.63	54.00	6.37	RMS	Horizontal	PASS
3	15891.67	29.72	11.79	41.51	54.00	12.49	RMS	Horizontal	PASS
4	17947.00	28.11	16.46	44.57	54.00	9.43	RMS	Horizontal	PASS
5	5240.25	81.57	10.03	91.60	-	-	PK	Horizontal	NA
6	7436.50	41.38	16.54	57.92	74.00	16.08	PK	Horizontal	PASS
7	7710.55	41.27	16.42	57.69	74.00	16.31	PK	Horizontal	PASS
8	17965.33	37.92	16.60	54.52	74.00	19.48	PK	Horizontal	PASS


Project Information			
Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 12.5		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5233.60	85.23	10.00	95.23	-	-	RMS	Vertical	NA
2	7501.60	30.89	16.70	47.59	54.00	6.41	RMS	Vertical	PASS
3	15832.33	30.13	11.46	41.59	54.00	12.41	RMS	Vertical	PASS
4	17948.00	28.57	16.46	45.03	54.00	8.97	RMS	Vertical	PASS
5	5233.95	93.91	10.01	103.92	-	-	PK	Vertical	NA
6	7456.80	41.29	16.66	57.95	74.00	16.05	PK	Vertical	PASS
7	7876.80	40.91	16.49	57.40	68.20	10.80	PK	Vertical	PASS
8	17935.00	37.34	16.37	53.71	74.00	20.29	PK	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5181.45	69.89	9.89	79.78	-	-	RMS	Horizontal	NA
2	7452.25	31.15	16.66	47.81	54.00	6.19	RMS	Horizontal	PASS
3	15821.00	31.08	11.40	42.48	54.00	11.52	RMS	Horizontal	PASS
4	17986.33	28.89	16.76	45.65	54.00	8.35	RMS	Horizontal	PASS
5	5237.10	78.41	10.02	88.43	-	-	PK	Horizontal	NA
6	7306.65	41.65	16.14	57.79	74.00	16.21	PK	Horizontal	PASS
7	15865.33	39.99	11.64	51.63	74.00	22.37	PK	Horizontal	PASS
8	17989.67	37.15	16.78	53.93	74.00	20.07	PK	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5234.65	82.65	10.01	92.66	-	-	RMS	Vertical	NA
2	7638.80	31.48	16.06	47.54	54.00	6.46	RMS	Vertical	PASS
3	15897.67	30.11	11.82	41.93	54.00	12.07	RMS	Vertical	PASS
4	17962.67	28.49	16.58	45.07	54.00	8.93	RMS	Vertical	PASS
5	5232.55	91.48	10.00	101.48	-	-	PK	Vertical	NA
6	6656.70	42.80	14.74	57.54	68.20	10.66	PK	Vertical	PASS
7	7449.80	40.84	16.66	57.50	74.00	16.50	PK	Vertical	PASS
8	17907.00	37.79	16.16	53.95	74.00	20.05	PK	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5247.25	77.07	10.06	87.13	-	-	RMS	Horizontal	NA
2	7391.00	31.35	16.24	47.59	54.00	6.41	RMS	Horizontal	PASS
3	15831.67	30.55	11.46	42.01	54.00	11.99	RMS	Horizontal	PASS
4	17914.00	28.66	16.21	44.87	54.00	9.13	RMS	Horizontal	PASS
5	5246.55	87.70	10.06	97.76	-	-	PK	Horizontal	NA
6	7276.55	41.45	16.18	57.63	74.00	16.37	PK	Horizontal	PASS
7	7655.95	41.80	16.13	57.93	74.00	16.07	PK	Horizontal	PASS
8	17855.00	38.08	15.86	53.94	74.00	20.06	PK	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5237.80	91.56	10.02	101.58	-	-	RMS	Vertical	NA
2	7442.80	31.37	16.59	47.96	54.00	6.04	RMS	Vertical	PASS
3	15876.67	30.63	11.70	42.33	54.00	11.67	RMS	Vertical	PASS
4	17959.00	28.52	16.55	45.07	54.00	8.93	RMS	Vertical	PASS
5	5238.50	101.42	10.02	111.44	-	-	PK	Vertical	NA
6	6618.90	42.76	14.51	57.27	68.20	10.93	PK	Vertical	PASS
7	7480.60	41.14	16.69	57.83	74.00	16.17	PK	Vertical	PASS
8	17990.33	37.60	16.79	54.39	74.00	19.61	PK	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5240.60	74.38	10.03	84.41	-	-	RMS	Horizontal	NA
2	7427.05	31.22	16.46	47.68	54.00	6.32	RMS	Horizontal	PASS
3	15902.33	29.81	11.80	41.61	54.00	12.39	RMS	Horizontal	PASS
4	17996.67	27.33	16.84	44.17	54.00	9.83	RMS	Horizontal	PASS
5	5239.90	84.07	10.03	94.10	-	-	PK	Horizontal	NA
6	6213.25	44.06	13.29	57.35	68.20	10.85	PK	Horizontal	PASS
7	7805.40	41.25	16.54	57.79	68.20	10.41	PK	Horizontal	PASS
8	17930.33	37.56	16.33	53.89	74.00	20.11	PK	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5229.05	86.42	9.99	96.41	-	-	RMS	Vertical	NA
2	7669.95	30.87	16.21	47.08	54.00	6.92	RMS	Vertical	PASS
3	15888.00	29.28	11.77	41.05	54.00	12.95	RMS	Vertical	PASS
4	17956.67	27.74	16.53	44.27	54.00	9.73	RMS	Vertical	PASS
5	5229.05	97.20	9.99	107.19	-	-	PK	Vertical	NA
6	5845.05	43.16	13.52	56.68	68.20	11.52	PK	Vertical	PASS
7	7720.00	41.36	16.45	57.81	74.00	16.19	PK	Vertical	PASS
8	17918.33	37.68	16.24	53.92	74.00	20.08	PK	Vertical	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5229.05	69.24	9.99	79.23	-	-	RMS	Horizontal	NA
2	7514.20	31.02	16.61	47.63	54.00	6.37	RMS	Horizontal	PASS
3	15875.67	30.12	11.70	41.82	54.00	12.18	RMS	Horizontal	PASS
4	17982.33	28.30	16.73	45.03	54.00	8.97	RMS	Horizontal	PASS
5	5225.55	79.73	9.97	89.70	-	-	PK	Horizontal	NA
6	7445.25	41.42	16.62	58.04	74.00	15.96	PK	Horizontal	PASS
7	7816.25	41.39	16.54	57.93	68.20	10.27	PK	Horizontal	PASS
8	17992.33	37.91	16.80	54.71	74.00	19.29	PK	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5225.20	83.42	9.97	93.39	-	-	RMS	Vertical	NA
2	7729.80	31.23	16.49	47.72	54.00	6.28	RMS	Vertical	PASS
3	15813.33	30.27	11.36	41.63	54.00	12.37	RMS	Vertical	PASS
4	17923.00	28.52	16.27	44.79	54.00	9.21	RMS	Vertical	PASS
5	5212.95	94.33	9.91	104.24	-	-	PK	Vertical	NA
6	7410.60	41.64	16.30	57.94	74.00	16.06	PK	Vertical	PASS
7	7904.45	41.21	16.46	57.67	68.20	10.53	PK	Vertical	PASS
8	17977.00	38.09	16.69	54.78	74.00	19.22	PK	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-1
Bandwidth	160MHz	Channel	50
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5239.20	67.26	10.03	77.29	-	-	RMS	Horizontal	NA
2	7461.00	30.87	16.67	47.54	54.00	6.46	RMS	Horizontal	PASS
3	15814.00	30.44	11.37	41.81	54.00	12.19	RMS	Horizontal	PASS
4	17984.33	27.58	16.74	44.32	54.00	9.68	RMS	Horizontal	PASS
5	5239.55	77.73	10.03	87.76	-	-	PK	Horizontal	NA
6	6429.20	42.78	14.05	56.83	68.20	11.37	PK	Horizontal	PASS
7	7661.20	41.60	16.16	57.76	74.00	16.24	PK	Horizontal	PASS
8	17942.67	37.97	16.42	54.39	74.00	19.61	PK	Horizontal	PASS

Project Information

Mode:	802.11be160	Band:	U-NII-1
Bandwidth	160MHz	Channel	50
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 13		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5241.30	79.10	10.04	89.14	-	-	RMS	Vertical	NA
2	7438.60	31.05	16.55	47.60	54.00	6.40	RMS	Vertical	PASS
3	15808.33	30.61	11.34	41.95	54.00	12.05	RMS	Vertical	PASS
4	17920.00	28.76	16.25	45.01	54.00	8.99	RMS	Vertical	PASS
5	5230.80	90.10	9.99	100.09	-	-	PK	Vertical	NA
6	6656.00	41.86	14.74	56.60	68.20	11.60	PK	Vertical	PASS
7	7477.10	41.25	16.69	57.94	74.00	16.06	PK	Vertical	PASS
8	17912.33	38.34	16.19	54.53	74.00	19.47	PK	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5254.25	78.19	10.10	88.29	-	-	RMS	Horizontal	NA
2	7253.10	31.25	16.25	47.50	54.00	6.50	RMS	Horizontal	PASS
3	17921.33	28.09	16.27	44.36	54.00	9.64	RMS	Horizontal	PASS
4	5258.80	86.88	10.12	97.00	-	-	PK	Horizontal	NA
5	6452.65	43.22	14.06	57.28	68.20	10.92	PK	Horizontal	PASS
6	7464.85	41.42	16.67	58.09	74.00	15.91	PK	Horizontal	PASS
7	17973.33	37.62	16.65	54.27	74.00	19.73	PK	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5265.10	90.53	10.16	100.69	-	-	RMS	Vertical	NA
2	7462.40	30.89	16.67	47.56	54.00	6.44	RMS	Vertical	PASS
3	7957.65	31.21	16.59	47.80	-	-	RMS	Vertical	NA
4	15832.00	30.02	11.46	41.48	54.00	12.52	RMS	Vertical	PASS
5	17982.00	28.29	16.73	45.02	54.00	8.98	RMS	Vertical	PASS
6	7503.70	41.35	16.68	58.03	74.00	15.97	PK	Vertical	PASS
7	7722.45	40.96	16.46	57.42	74.00	16.58	PK	Vertical	PASS
8	17916.33	37.59	16.23	53.82	74.00	20.18	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	56
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5305.70	77.12	10.42	87.54	-	-	RMS	Horizontal	NA
2	7482.70	31.09	16.69	47.78	54.00	6.22	RMS	Horizontal	PASS
3	15812.67	30.75	11.36	42.11	54.00	11.89	RMS	Horizontal	PASS
4	17970.00	28.50	16.63	45.13	54.00	8.87	RMS	Horizontal	PASS
5	5295.90	85.14	10.36	95.50	-	-	PK	Horizontal	NA
6	6257.35	43.99	13.29	57.28	68.20	10.92	PK	Horizontal	PASS
7	7478.50	41.07	16.69	57.76	74.00	16.24	PK	Horizontal	PASS
8	17945.67	38.58	16.44	55.02	74.00	18.98	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	56
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5295.20	89.37	10.35	99.72	-	-	RMS	Vertical	NA
2	7597.50	31.84	15.95	47.79	54.00	6.21	RMS	Vertical	PASS
3	15866.00	30.02	11.65	41.67	54.00	12.33	RMS	Vertical	PASS
4	17964.33	28.16	16.59	44.75	54.00	9.25	RMS	Vertical	PASS
5	5305.35	97.67	10.42	108.09	-	-	PK	Vertical	NA
6	6021.45	44.32	13.18	57.50	68.20	10.70	PK	Vertical	PASS
7	6590.90	43.48	14.33	57.81	68.20	10.39	PK	Vertical	PASS
8	7461.00	41.32	16.67	57.99	74.00	16.01	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	Powersetting 15.5		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5322.50	76.71	10.57	87.28	-	-	RMS	Horizontal	NA
2	7295.45	31.38	16.13	47.51	54.00	6.49	RMS	Horizontal	PASS
3	7655.95	31.53	16.13	47.66	54.00	6.34	RMS	Horizontal	PASS
4	17991.00	28.47	16.79	45.26	54.00	8.74	RMS	Horizontal	PASS
5	5322.50	84.93	10.57	95.50	-	-	PK	Horizontal	NA
6	7501.25	41.16	16.70	57.86	74.00	16.14	PK	Horizontal	PASS
7	7766.55	41.45	16.56	58.01	68.20	10.19	PK	Horizontal	PASS
8	17982.33	37.43	16.73	54.16	74.00	19.84	PK	Horizontal	PASS