















BLE_125K-Ant1-2480-0~Reference-PASS




BLE_125K-Ant2-2480-0~Reference-PASS




BLE_125K-Ant1-2480-30~1000-PASS




BLE_125K-Ant2-2480-30~1000-PASS



BLE_125K-Ant1-2480-1000~26500-PASS



BLE_125K-Ant2-2480-1000~26500-PASS







BLE_500K-Ant1-2440-0~Reference-PASS




BLE_500K-Ant2-2440-0~Reference-PASS



BLE_500K-Ant1-2440-30~1000-PASS





BLE_500K-Ant2-2440-30~1000-PASS



BLE_500K-Ant1-2440-1000~26500-PASS



BLE_500K-Ant2-2440-1000~26500-PASS








**Duty Cycle
Test Result**

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
BLE_1M	Ant1	2402	0.40	0.63	63.49	1.97
BLE_1M	Ant2	2402	0.40	0.63	63.49	1.97
BLE_1M	Ant1	2440	0.40	0.63	63.49	1.97
BLE_1M	Ant2	2440	0.40	0.63	63.49	1.97
BLE_1M	Ant1	2480	0.40	0.63	63.49	1.97
BLE_1M	Ant2	2480	0.40	0.63	63.49	1.97
BLE_2M	Ant1	2402	0.21	0.63	33.33	4.77
BLE_2M	Ant2	2402	0.21	0.63	33.33	4.77
BLE_2M	Ant1	2440	0.21	0.63	33.33	4.77
BLE_2M	Ant2	2440	0.21	0.63	33.33	4.77
BLE_2M	Ant1	2480	0.21	0.63	33.33	4.77
BLE_2M	Ant2	2480	0.21	0.63	33.33	4.77
BLE_125K	Ant1	2402	3.11	3.75	82.93	0.81
BLE_125K	Ant2	2402	3.10	3.75	82.67	0.83
BLE_125K	Ant1	2440	3.11	3.75	82.93	0.81
BLE_125K	Ant2	2440	3.11	3.76	82.71	0.82
BLE_125K	Ant1	2480	1.00	1.00	100.00	0.00
BLE_125K	Ant2	2480	15.14	15.64	96.80	0.14
BLE_500K	Ant1	2402	1.08	1.88	57.45	2.41
BLE_500K	Ant2	2402	1.08	1.88	57.45	2.41
BLE_500K	Ant1	2440	1.07	1.87	57.22	2.42
BLE_500K	Ant2	2440	1.07	1.87	57.22	2.42
BLE_500K	Ant1	2480	1.08	1.88	57.45	2.41
BLE_500K	Ant2	2480	1.07	1.87	57.22	2.42

Test Graphs







NTNV-BLE 125K-Ant1-2402




NTNV-BLE 125K-Ant2-2402



NTNV-BLE 125K-Ant1-2440




NTNV-BLE 125K-Ant2-2440



NTNV-BLE 125K-Ant1-2480



NTNV-BLE 125K-Ant2-2480



NTNV-BLE 500K-Ant1-2402




NTNV-BLE 500K-Ant2-2402



NTNV-BLE 500K-Ant1-2440



NTNV-BLE 500K-Ant2-2440



NTNV-BLE 500K-Ant2-2480




NTNV-BLE 500K-Ant1-2480

Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	-
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:			

Test Graph




Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det.	Pol	Verdict
1	52.51	57.55	31.64	-25.91	40.00	8.36	PK	Horizontal	PASS
2	145.97	65.75	35.45	-30.30	43.50	8.05	PK	Horizontal	PASS
3	158.29	64.48	34.70	-29.78	43.50	8.80	PK	Horizontal	PASS
4	253.06	65.40	40.91	-24.49	47.00	6.09	PK	Horizontal	PASS
5	597.38	53.50	36.99	-16.51	47.00	10.01	PK	Horizontal	PASS
6	959.89	46.59	35.44	-11.15	47.00	11.56	PK	Horizontal	PASS

Project Information

Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	-
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:			

Test Graph




Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det.	Pol	Verdict
1	30.24	63.24	32.90	-30.34	40.00	7.10	PK	Vertical	PASS
2	43.92	56.12	29.11	-27.01	40.00	10.89	PK	Vertical	PASS
3	51.10	61.21	35.16	-26.05	40.00	4.84	PK	Vertical	PASS
4	350.41	51.85	29.84	-22.01	47.00	17.16	PK	Vertical	PASS
5	597.67	55.65	39.16	-16.49	47.00	7.84	PK	Vertical	PASS
6	722.13	46.60	31.94	-14.66	47.00	15.06	PK	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2274.07	44.52	-0.96	43.56	54.00	10.44	RMS	Horizontal	PASS
2	2529.93	41.62	0.96	42.58	54.00	11.42	RMS	Horizontal	PASS
3	17967.00	29.82	16.82	46.64	54.00	7.36	RMS	Horizontal	PASS
4	2274.33	47.55	-0.96	46.59	74.00	27.41	PK	Horizontal	PASS
5	2401.73	99.39	-0.31	99.08	-	-	PK	Horizontal	NA
6	2529.93	45.92	0.96	46.88	74.00	27.12	PK	Horizontal	PASS
7	17886.00	38.14	15.93	54.07	74.00	19.93	PK	Horizontal	PASS

Project Information

Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2530.20	48.02	0.96	48.98	54.00	5.02	RMS	Vertical	PASS
2	9605.00	35.09	3.25	38.34	54.00	15.66	RMS	Vertical	PASS
3	17971.00	29.88	16.87	46.75	54.00	7.25	RMS	Vertical	PASS
4	2402.20	99.48	-0.30	99.18	-	-	PK	Vertical	NA
5	2529.67	49.99	0.96	50.95	74.00	23.05	PK	Vertical	PASS
6	9508.50	44.41	2.58	46.99	74.00	27.01	PK	Vertical	PASS
7	17957.50	37.37	16.68	54.05	74.00	19.95	PK	Vertical	PASS

Project Information

Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	19
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4952.00	40.06	-5.98	34.08	54.00	19.92	RMS	Horizontal	PASS
2	11626.00	33.88	6.47	40.35	54.00	13.65	RMS	Horizontal	PASS
3	17985.00	29.03	17.07	46.10	54.00	7.90	RMS	Horizontal	PASS
4	2440.20	99.68	0.16	99.84	-	-	PK	Horizontal	NA
5	4726.50	49.02	-6.94	42.08	74.00	31.92	PK	Horizontal	PASS
6	11755.00	42.15	6.57	48.72	74.00	25.28	PK	Horizontal	PASS
7	17974.00	37.44	16.92	54.36	74.00	19.64	PK	Horizontal	PASS

Project Information

Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	19
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2568.13	47.48	1.10	48.58	54.00	5.42	RMS	Vertical	PASS
2	6711.50	39.45	-1.37	38.08	54.00	15.92	RMS	Vertical	PASS
3	17962.50	29.66	16.75	46.41	54.00	7.59	RMS	Vertical	PASS
4	2440.20	100.71	0.16	100.87	-	-	PK	Vertical	NA
5	2568.13	50.29	1.10	51.39	74.00	22.61	PK	Vertical	PASS
6	6768.50	47.87	-1.34	46.53	74.00	27.47	PK	Vertical	PASS
7	17953.00	38.36	16.62	54.98	74.00	19.02	PK	Vertical	PASS

Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	39
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2351.87	46.35	-0.63	45.72	54.00	8.28	RMS	Horizontal	PASS
2	7405.00	38.91	-0.11	38.80	54.00	15.20	RMS	Horizontal	PASS
3	17998.00	29.18	17.25	46.43	54.00	7.57	RMS	Horizontal	PASS
4	2352.07	48.31	-0.63	47.68	74.00	26.32	PK	Horizontal	PASS
5	2479.80	99.00	0.64	99.64	-	-	PK	Horizontal	NA
6	7805.00	46.43	0.17	46.60	74.00	27.40	PK	Horizontal	PASS
7	17958.00	37.49	16.69	54.18	74.00	19.82	PK	Horizontal	PASS

Project Information

Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	39
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2607.87	47.35	1.22	48.57	54.00	5.43	RMS	Vertical	PASS
2	7127.00	39.58	-0.93	38.65	54.00	15.35	RMS	Vertical	PASS
3	17925.50	30.12	16.23	46.35	54.00	7.65	RMS	Vertical	PASS
4	2480.20	102.17	0.64	102.81	-	-	PK	Vertical	NA
5	2608.20	49.75	1.22	50.97	74.00	23.03	PK	Vertical	PASS
6	6799.50	48.31	-1.36	46.95	74.00	27.05	PK	Vertical	PASS
7	17971.00	38.05	16.87	54.92	74.00	19.08	PK	Vertical	PASS

Project Information

Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2273.93	48.63	-0.96	47.67	54.00	6.33	RMS	Horizontal	PASS
2	6646.00	40.17	-1.59	38.58	54.00	15.42	RMS	Horizontal	PASS
3	17997.50	29.39	17.24	46.63	54.00	7.37	RMS	Horizontal	PASS
4	2273.60	50.89	-0.96	49.93	74.00	24.07	PK	Horizontal	PASS
5	6870.50	48.56	-1.43	47.13	74.00	26.87	PK	Horizontal	PASS
6	17996.00	36.72	17.22	53.94	74.00	20.06	PK	Horizontal	PASS

Project Information

Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2274.13	51.58	-0.96	50.62	54.00	3.38	RMS	Vertical	PASS
2	2529.80	49.37	0.96	50.33	54.00	3.67	RMS	Vertical	PASS
3	17960.50	29.72	16.72	46.44	54.00	7.56	RMS	Vertical	PASS
4	2274.20	53.28	-0.96	52.32	74.00	21.68	PK	Vertical	PASS
5	2529.73	51.76	0.96	52.72	74.00	21.28	PK	Vertical	PASS
6	17971.00	36.85	16.87	53.72	74.00	20.28	PK	Vertical	PASS

Project Information

Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	19
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2312.07	45.75	-0.87	44.88	54.00	9.12	RMS	Horizontal	PASS
2	9196.00	37.19	2.04	39.23	54.00	14.77	RMS	Horizontal	PASS
3	17959.50	30.34	16.71	47.05	54.00	6.95	RMS	Horizontal	PASS
4	2311.73	48.25	-0.87	47.38	74.00	26.62	PK	Horizontal	PASS
5	2440.20	99.55	0.16	99.71	-	-	PK	Horizontal	NA
6	9402.00	43.69	2.73	46.42	74.00	27.58	PK	Horizontal	PASS
7	17924.50	37.67	16.22	53.89	74.00	20.11	PK	Horizontal	PASS

Project Information

Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	19
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2568.20	47.65	1.10	48.75	54.00	5.25	RMS	Vertical	PASS
2	11831.50	33.86	6.62	40.48	54.00	13.52	RMS	Vertical	PASS
3	17951.50	29.57	16.60	46.17	54.00	7.83	RMS	Vertical	PASS
4	2439.73	100.78	0.15	100.93	-	-	PK	Vertical	NA
5	2567.80	49.62	1.10	50.72	74.00	23.28	PK	Vertical	PASS
6	11633.50	41.89	6.47	48.36	74.00	25.64	PK	Vertical	PASS
7	17982.00	37.29	17.03	54.32	74.00	19.68	PK	Vertical	PASS

Project Information

Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	39
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2352.00	46.20	-0.63	45.57	54.00	8.43	RMS	Horizontal	PASS
2	9308.50	35.85	2.65	38.50	54.00	15.50	RMS	Horizontal	PASS
3	17944.50	29.79	16.50	46.29	54.00	7.71	RMS	Horizontal	PASS
4	2352.40	49.12	-0.62	48.50	74.00	25.50	PK	Horizontal	PASS
5	2479.73	98.79	0.64	99.43	-	-	PK	Horizontal	NA
6	9216.50	44.88	2.18	47.06	74.00	26.94	PK	Horizontal	PASS
7	17932.50	38.06	16.33	54.39	74.00	19.61	PK	Horizontal	PASS

Project Information

Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	39
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 2		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2352.00	46.00	-0.63	45.37	54.00	8.63	RMS	Vertical	PASS
2	2608.13	47.28	1.22	48.50	54.00	5.50	RMS	Vertical	PASS
3	17975.50	29.16	16.93	46.09	54.00	7.91	RMS	Vertical	PASS
4	2352.07	48.42	-0.63	47.79	74.00	26.21	PK	Vertical	PASS
5	2479.73	102.30	0.64	102.94	-	-	PK	Vertical	NA
6	2608.20	50.05	1.22	51.27	74.00	22.73	PK	Vertical	PASS
7	17973.50	37.38	16.90	54.28	74.00	19.72	PK	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2353.00	37.69	-0.62	37.07	54.00	16.93	RMS	Horizontal	PASS
2	2369.33	37.55	-0.52	37.03	54.00	16.97	RMS	Horizontal	PASS
3	2384.28	37.86	-0.42	37.44	54.00	16.56	RMS	Horizontal	PASS
4	2354.13	49.36	-0.61	48.75	74.00	25.25	PK	Horizontal	PASS
5	2368.39	49.30	-0.53	48.77	74.00	25.23	PK	Horizontal	PASS
6	2385.44	49.62	-0.42	49.20	74.00	24.80	PK	Horizontal	PASS

Project Information

Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2351.81	37.71	-0.63	37.08	54.00	16.92	RMS	Vertical	PASS
2	2377.20	37.83	-0.47	37.36	54.00	16.64	RMS	Vertical	PASS
3	2384.63	37.88	-0.42	37.46	54.00	16.54	RMS	Vertical	PASS
4	2351.75	50.25	-0.63	49.62	74.00	24.38	PK	Vertical	PASS
5	2376.98	49.15	-0.47	48.68	74.00	25.32	PK	Vertical	PASS
6	2386.10	49.34	-0.42	48.92	74.00	25.08	PK	Vertical	PASS

Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	39
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.88	37.78	0.69	38.47	54.00	15.53	RMS	Horizontal	PASS
2	2488.93	37.78	0.75	38.53	54.00	15.47	RMS	Horizontal	PASS
3	2491.13	37.80	0.77	38.57	54.00	15.43	RMS	Horizontal	PASS
4	2484.12	50.03	0.69	50.72	74.00	23.28	PK	Horizontal	PASS
5	2489.30	49.78	0.75	50.53	74.00	23.47	PK	Horizontal	PASS
6	2491.54	49.70	0.78	50.48	74.00	23.52	PK	Horizontal	PASS


Project Information			
Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	39
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.89	38.00	0.69	38.69	54.00	15.31	RMS	Vertical	PASS
2	2488.25	37.87	0.73	38.60	54.00	15.40	RMS	Vertical	PASS
3	2492.14	37.78	0.79	38.57	54.00	15.43	RMS	Vertical	PASS
4	2484.39	50.06	0.69	50.75	74.00	23.25	PK	Vertical	PASS
5	2487.60	50.44	0.73	51.17	74.00	22.83	PK	Vertical	PASS
6	2492.41	49.32	0.79	50.11	74.00	23.89	PK	Vertical	PASS

Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2348.08	37.78	-0.65	37.13	54.00	16.87	RMS	Horizontal	PASS
2	2366.20	37.85	-0.54	37.31	54.00	16.69	RMS	Horizontal	PASS
3	2385.82	37.80	-0.42	37.38	54.00	16.62	RMS	Horizontal	PASS
4	2346.48	49.54	-0.66	48.88	74.00	25.12	PK	Horizontal	PASS
5	2364.69	49.55	-0.55	49.00	74.00	25.00	PK	Horizontal	PASS
6	2384.94	49.72	-0.42	49.30	74.00	24.70	PK	Horizontal	PASS

Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2332.85	37.73	-0.75	36.98	54.00	17.02	RMS	Vertical	PASS
2	2349.90	37.87	-0.64	37.23	54.00	16.77	RMS	Vertical	PASS
3	2387.98	38.23	-0.41	37.82	54.00	16.18	RMS	Vertical	PASS
4	2331.75	48.89	-0.75	48.14	74.00	25.86	PK	Vertical	PASS
5	2351.75	49.18	-0.63	48.55	74.00	25.45	PK	Vertical	PASS
6	2389.61	51.84	-0.39	51.45	74.00	22.55	PK	Vertical	PASS

Project Information

Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	39
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.01	37.84	0.69	38.53	54.00	15.47	RMS	Horizontal	PASS
2	2487.83	37.81	0.73	38.54	54.00	15.46	RMS	Horizontal	PASS
3	2491.16	37.76	0.77	38.53	54.00	15.47	RMS	Horizontal	PASS
4	2483.63	49.45	0.68	50.13	74.00	23.87	PK	Horizontal	PASS
5	2487.48	49.99	0.73	50.72	74.00	23.28	PK	Horizontal	PASS
6	2490.24	50.18	0.76	50.94	74.00	23.06	PK	Horizontal	PASS

Project Information

Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	39
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.56	38.52	0.68	39.20	54.00	14.80	RMS	Vertical	PASS
2	2487.89	37.91	0.73	38.64	54.00	15.36	RMS	Vertical	PASS
3	2492.44	37.82	0.79	38.61	54.00	15.39	RMS	Vertical	PASS
4	2483.69	51.05	0.68	51.73	74.00	22.27	PK	Vertical	PASS
5	2488.07	51.07	0.73	51.80	74.00	22.20	PK	Vertical	PASS
6	2492.03	49.93	0.79	50.72	74.00	23.28	PK	Vertical	PASS

Project Information			
Mode:	BLE_S8	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2328.84	37.61	-0.77	36.84	54.00	17.16	RMS	Horizontal	PASS
2	2356.89	37.74	-0.59	37.15	54.00	16.85	RMS	Horizontal	PASS
3	2383.88	37.84	-0.43	37.41	54.00	16.59	RMS	Horizontal	PASS
4	2328.68	49.58	-0.78	48.80	74.00	25.20	PK	Horizontal	PASS
5	2356.08	49.39	-0.61	48.78	74.00	25.22	PK	Horizontal	PASS
6	2384.54	49.44	-0.42	49.02	74.00	24.98	PK	Horizontal	PASS


Project Information			
Mode:	BLE_S8	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2329.56	37.70	-0.76	36.94	54.00	17.06	RMS	Vertical	PASS
2	2352.19	37.75	-0.63	37.12	54.00	16.88	RMS	Vertical	PASS
3	2389.61	37.97	-0.39	37.58	54.00	16.42	RMS	Vertical	PASS
4	2326.80	49.76	-0.78	48.98	74.00	25.02	PK	Vertical	PASS
5	2353.44	49.24	-0.62	48.62	74.00	25.38	PK	Vertical	PASS
6	2388.39	50.85	-0.41	50.44	74.00	23.56	PK	Vertical	PASS

Project Information			
Mode:	BLE_S8	Band:	-
Bandwidth	-	Channel	37
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.98	37.80	0.69	38.49	54.00	15.51	RMS	Horizontal	PASS
2	2488.19	37.69	0.73	38.42	54.00	15.58	RMS	Horizontal	PASS
3	2493.17	37.70	0.79	38.49	54.00	15.51	RMS	Horizontal	PASS
4	2483.67	49.63	0.68	50.31	74.00	23.69	PK	Horizontal	PASS
5	2488.21	49.47	0.73	50.20	74.00	23.80	PK	Horizontal	PASS
6	2492.98	49.53	0.79	50.32	74.00	23.68	PK	Horizontal	PASS

Project Information

Mode:	BLE_S8	Band:	-
Bandwidth	-	Channel	38
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2485.00	37.98	0.70	38.68	54.00	15.32	RMS	Vertical	PASS
2	2488.65	37.77	0.74	38.51	54.00	15.49	RMS	Vertical	PASS
3	2496.43	37.78	0.84	38.62	54.00	15.38	RMS	Vertical	PASS
4	2485.33	50.79	0.70	51.49	74.00	22.51	PK	Vertical	PASS
5	2488.80	50.03	0.75	50.78	74.00	23.22	PK	Vertical	PASS
6	2496.96	49.72	0.85	50.57	74.00	23.43	PK	Vertical	PASS

Project Information			
Mode:	BLE_S2	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2340.15	37.65	-0.70	36.95	54.00	17.05	RMS	Horizontal	PASS
2	2369.37	37.65	-0.52	37.13	54.00	16.87	RMS	Horizontal	PASS
3	2387.04	37.90	-0.41	37.49	54.00	16.51	RMS	Horizontal	PASS
4	2341.81	49.16	-0.69	48.47	74.00	25.53	PK	Horizontal	PASS
5	2371.37	49.42	-0.50	48.92	74.00	25.08	PK	Horizontal	PASS
6	2388.92	49.32	-0.39	48.93	74.00	25.07	PK	Horizontal	PASS

Project Information

Mode:	BLE_S2	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2338.05	37.81	-0.72	37.09	54.00	16.91	RMS	Vertical	PASS
2	2356.11	37.66	-0.61	37.05	54.00	16.95	RMS	Vertical	PASS
3	2387.23	37.97	-0.41	37.56	54.00	16.44	RMS	Vertical	PASS
4	2339.12	49.04	-0.70	48.34	74.00	25.66	PK	Vertical	PASS
5	2355.35	49.20	-0.61	48.59	74.00	25.41	PK	Vertical	PASS
6	2388.61	50.48	-0.41	50.07	74.00	23.93	PK	Vertical	PASS


Project Information			
Mode:	BLE_S2	Band:	-
Bandwidth	-	Channel	39
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.42	37.81	0.69	38.50	54.00	15.50	RMS	Horizontal	PASS
2	2487.89	37.79	0.73	38.52	54.00	15.48	RMS	Horizontal	PASS
3	2494.83	38.09	0.82	38.91	54.00	15.09	RMS	Horizontal	PASS
4	2484.44	49.69	0.69	50.38	74.00	23.62	PK	Horizontal	PASS
5	2487.71	50.24	0.73	50.97	74.00	23.03	PK	Horizontal	PASS
6	2494.49	49.78	0.82	50.60	74.00	23.40	PK	Horizontal	PASS

Project Information			
Mode:	BLE_S2	Band:	-
Bandwidth	-	Channel	39
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.09	38.07	0.69	38.76	54.00	15.24	RMS	Vertical	PASS
2	2486.43	37.87	0.72	38.59	54.00	15.41	RMS	Vertical	PASS
3	2490.95	37.87	0.77	38.64	54.00	15.36	RMS	Vertical	PASS
4	2483.57	50.47	0.68	51.15	74.00	22.85	PK	Vertical	PASS
5	2485.75	50.14	0.70	50.84	74.00	23.16	PK	Vertical	PASS
6	2490.62	50.57	0.76	51.33	74.00	22.67	PK	Vertical	PASS

Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	0
SN:	E1Y25JS3K000117	Engineer:	Mike Ou
Remark:	ANT 1		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2336.58	37.79	-0.72	37.07	54.00	16.93	RMS	Horizontal	PASS
2	2351.94	37.61	-0.63	36.98	54.00	17.02	RMS	Horizontal	PASS
3	2389.83	37.82	-0.39	37.43	54.00	16.57	RMS	Horizontal	PASS
4	2337.39	49.72	-0.72	49.00	74.00	25.00	PK	Horizontal	PASS
5	2351.72	49.75	-0.63	49.12	74.00	24.88	PK	Horizontal	PASS
6	2389.36	48.64	-0.39	48.25	74.00	25.75	PK	Horizontal	PASS