Appendix-A LTE Band 26(824-849)

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	ERP (dBm)	Limit (dBm)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	23.43	21.58	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#2	23.48	21.63	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#5	23.43	21.58	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	23.19	21.34	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#0	22.30	20.45	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#2	22.36	20.51	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#5	22.28	20.43	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	22.34	20.49	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	1RB#0	21.20	19.35	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	1RB#2	21.38	19.53	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	1RB#5	21.32	19.47	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	6RB#0	21.46	19.61	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	1RB#0	18.18	16.33	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	1RB#2	18.35	16.50	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	1RB#5	18.28	16.43	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	6RB#0	18.63	16.78	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#0	23.27	21.42	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#2	23.27	21.42	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#5	23.42	21.57	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	22.69	20.84	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#0	22.44	20.59	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#2	22.37	20.52	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#5	22.24	20.39	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	21.78	19.93	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	1RB#0	21.52	19.67	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	1RB#2	21.38	19.53	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	1RB#5	21.43	19.58	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	6RB#0	20.90	19.05	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	1RB#0	18.58	16.73	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	1RB#2	18.41	16.56	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	1RB#5	18.59	16.74	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	6RB#0	18.06	16.21	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	23.36	21.51	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#2	23.34	21.49	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#5	23.12	21.27	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	22.60	20.75	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#0	22.37	20.52	38.45	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band26(824-849)	1.4MHz	16QAM	27033	1RB#2	22.49	20.64	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#5	22.28	20.43	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	21.71	19.86	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	1RB#0	21.33	19.48	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	1RB#2	21.57	19.72	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	1RB#5	21.35	19.50	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	6RB#0	20.91	19.06	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	1RB#0	18.42	16.57	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	1RB#2	18.50	16.65	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	1RB#5	18.52	16.67	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	6RB#0	18.23	16.38	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#0	23.46	21.61	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#8	23.63	21.78	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#14	23.66	21.81	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	22.98	21.13	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#0	22.52	20.67	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#8	22.68	20.83	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#14	22.86	21.01	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	22.05	20.20	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	1RB#0	21.39	19.54	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	1RB#8	21.71	19.86	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	1RB#14	21.80	19.95	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	15RB#0	21.13	19.28	38.45	PASS
Band26(824-849)	3MHz	256QAM	26805	1RB#0	18.33	16.48	38.45	PASS
Band26(824-849)	3MHz	256QAM	26805	1RB#8	18.81	16.96	38.45	PASS
Band26(824-849)	3MHz	256QAM	26805	1RB#14	19.00	17.15	38.45	PASS
Band26(824-849)	3MHz	256QAM	26805	15RB#0	18.46	16.61	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#0	23.45	21.60	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#8	23.66	21.81	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#14	23.38	21.53	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	23.05	21.20	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#0	22.46	20.61	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#8	22.66	20.81	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#14	22.53	20.68	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	22.09	20.24	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	1RB#0	21.47	19.62	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	1RB#8	21.49	19.64	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	1RB#14	21.52	19.67	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	15RB#0	21.28	19.43	38.45	PASS
Band26(824-849)	3MHz	256QAM	26915	1RB#0	18.52	16.67	38.45	PASS
Band26(824-849)	3MHz	256QAM	26915	1RB#8	18.76	16.91	38.45	PASS
Band26(824-849)	3MHz	256QAM	26915	1RB#14	18.74	16.89	38.45	PASS
Band26(824-849)	3MHz	256QAM	26915	15RB#0	18.47	16.62	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	23.31	21.46	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#8	23.32	21.47	38.45	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band26(824-849)	3MHz	QPSK	27025	1RB#14	23.04	21.19	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	22.83	20.98	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#0	22.14	20.29	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#8	22.23	20.38	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#14	22.19	20.34	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	21.85	20.00	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	1RB#0	21.17	19.32	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	1RB#8	21.34	19.49	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	1RB#14	21.10	19.25	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	15RB#0	20.87	19.02	38.45	PASS
Band26(824-849)	3MHz	256QAM	27025	1RB#0	18.35	16.50	38.45	PASS
Band26(824-849)	3MHz	256QAM	27025	1RB#8	18.60	16.75	38.45	PASS
Band26(824-849)	3MHz	256QAM	27025	1RB#14	18.24	16.39	38.45	PASS
Band26(824-849)	3MHz	256QAM	27025	15RB#0	18.01	16.16	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	23.67	21.82	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#12	23.64	21.79	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#24	23.57	21.72	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	23.12	21.27	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#0	22.79	20.94	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#12	22.74	20.89	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#24	22.54	20.69	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	22.21	20.36	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	1RB#0	21.90	20.05	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	1RB#12	21.55	19.70	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	1RB#24	21.66	19.81	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	25RB#0	21.34	19.49	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	1RB#0	18.98	17.13	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	1RB#12	18.74	16.89	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	1RB#24	18.85	17.00	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	25RB#0	18.61	16.76	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#0	23.55	21.70	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#12	23.40	21.55	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#24	23.44	21.59	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	22.84	20.99	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#0	22.42	20.57	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#12	22.30	20.45	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#24	22.42	20.57	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	21.92	20.07	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	1RB#0	21.28	19.43	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	1RB#12	21.25	19.40	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	1RB#24	21.22	19.37	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	25RB#0	21.06	19.21	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	1RB#0	18.38	16.53	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	1RB#12	18.52	16.67	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	1RB#24	18.55	16.70	38.45	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band26(824-849)	5MHz	256QAM	26915	25RB#0	18.35	16.50	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	23.31	21.46	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#12	23.16	21.31	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#24	23.20	21.35	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	22.83	20.98	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#0	22.40	20.55	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#12	22.02	20.17	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#24	22.01	20.16	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	21.93	20.08	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	1RB#0	21.55	19.70	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	1RB#12	21.18	19.33	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	1RB#24	21.17	19.32	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	25RB#0	21.04	19.19	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	1RB#0	18.87	17.02	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	1RB#12	18.17	16.32	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	1RB#24	18.11	16.26	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	25RB#0	18.24	16.39	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	23.62	21.77	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#24	23.43	21.58	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#49	23.68	21.83	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	23.27	21.42	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#0	22.79	20.94	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#24	22.30	20.45	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#49	22.61	20.76	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	50RB#0	22.25	20.40	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	1RB#0	21.81	19.96	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	1RB#24	21.43	19.58	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	1RB#49	21.48	19.63	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	50RB#0	21.29	19.44	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	1RB#0	19.06	17.21	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	1RB#24	18.65	16.80	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	1RB#49	18.85	17.00	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	50RB#0	18.57	16.72	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#0	23.47	21.62	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#24	23.61	21.76	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#49	23.46	21.61	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	22.72	20.87	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#0	22.32	20.47	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#24	22.76	20.91	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#49	22.33	20.48	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	21.86	20.01	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	1RB#0	21.29	19.44	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	1RB#24	21.66	19.81	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	1RB#49	21.21	19.36	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	50RB#0	20.89	19.04	38.45	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band26(824-849)	10MHz	256QAM	26915	1RB#0	18.41	16.56	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	1RB#24	18.73	16.88	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	1RB#49	18.55	16.70	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	50RB#0	18.10	16.25	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#0	23.35	21.50	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#24	23.25	21.40	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#49	23.56	21.71	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	22.90	21.05	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#0	22.20	20.35	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#24	22.10	20.25	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#49	22.63	20.78	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	21.98	20.13	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	1RB#0	21.37	19.52	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	1RB#24	21.23	19.38	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	1RB#49	21.46	19.61	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	50RB#0	21.05	19.20	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	1RB#0	18.44	16.59	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	1RB#24	18.39	16.54	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	1RB#49	18.84	16.99	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	50RB#0	18.45	16.60	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#0	23.63	21.78	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#38	23.34	21.49	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#74	23.58	21.73	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	23.19	21.34	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	22.63	20.78	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#38	22.26	20.41	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#74	22.47	20.62	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	22.26	20.41	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	1RB#0	21.81	19.96	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	1RB#38	21.17	19.32	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	1RB#74	21.62	19.77	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	75RB#0	21.43	19.58	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	1RB#0	18.83	16.98	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	1RB#38	18.30	16.45	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	1RB#74	18.87	17.02	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	75RB#0	18.54	16.69	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#0	23.48	21.63	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#38	23.34	21.49	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#74	23.37	21.52	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	22.93	21.08	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#0	22.54	20.69	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#38	22.26	20.41	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#74	22.55	20.70	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	22.04	20.19	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	1RB#0	21.48	19.63	38.45	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band26(824-849)	15MHz	64QAM	26915	1RB#38	21.23	19.38	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	1RB#74	21.63	19.78	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	75RB#0	21.20	19.35	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	1RB#0	18.57	16.72	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	1RB#38	18.57	16.72	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	1RB#74	18.87	17.02	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	75RB#0	18.41	16.56	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	23.70	21.85	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#38	23.41	21.56	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#74	23.13	21.28	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	22.88	21.03	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	22.89	21.04	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#38	22.47	20.62	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#74	22.20	20.35	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	21.99	20.14	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	1RB#0	21.76	19.91	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	1RB#38	21.48	19.63	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	1RB#74	21.27	19.42	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	75RB#0	21.01	19.16	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	1RB#0	19.07	17.22	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	1RB#38	18.55	16.70	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	1RB#74	18.36	16.51	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	75RB#0	18.17	16.32	38.45	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dB)	Limit (dB)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	4.88	13	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	5.65	13	PASS
Band26(824-849)	1.4MHz	64QAM	26797	6RB#0	6.20	13	PASS
Band26(824-849)	1.4MHz	256QAM	26797	6RB#0	6.53	13	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	5.09	13	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	5.90	13	PASS
Band26(824-849)	1.4MHz	64QAM	26915	6RB#0	6.37	13	PASS
Band26(824-849)	1.4MHz	256QAM	26915	6RB#0	6.60	13	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	4.79	13	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	5.59	13	PASS
Band26(824-849)	1.4MHz	64QAM	27033	6RB#0	6.21	13	PASS
Band26(824-849)	1.4MHz	256QAM	27033	6RB#0	6.68	13	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	5.14	13	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	5.96	13	PASS
Band26(824-849)	3MHz	64QAM	26805	15RB#0	6.37	13	PASS
Band26(824-849)	3MHz	256QAM	26805	15RB#0	6.78	13	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	5.25	13	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	6.07	13	PASS
Band26(824-849)	3MHz	64QAM	26915	15RB#0	6.47	13	PASS
Band26(824-849)	3MHz	256QAM	26915	15RB#0	6.62	13	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	5.18	13	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	6.02	13	PASS
Band26(824-849)	3MHz	64QAM	27025	15RB#0	6.46	13	PASS
Band26(824-849)	3MHz	256QAM	27025	15RB#0	6.71	13	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	5.21	13	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	5.95	13	PASS
Band26(824-849)	5MHz	64QAM	26815	25RB#0	6.34	13	PASS
Band26(824-849)	5MHz	256QAM	26815	25RB#0	6.61	13	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	5.28	13	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	6.06	13	PASS
Band26(824-849)	5MHz	64QAM	26915	25RB#0	6.49	13	PASS
Band26(824-849)	5MHz	256QAM	26915	25RB#0	6.57	13	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	5.25	13	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	6.04	13	PASS
Band26(824-849)	5MHz	64QAM	27015	25RB#0	6.47	13	PASS
Band26(824-849)	5MHz	256QAM	27015	25RB#0	6.66	13	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	5.35	13	PASS
Band26(824-849)	10MHz	16QAM	26840	50RB#0	6.04	13	PASS
Band26(824-849)	10MHz	64QAM	26840	50RB#0	6.41	13	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band26(824-849)	10MHz	256QAM	26840	50RB#0	6.60	13	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	5.29	13	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	6.02	13	PASS
Band26(824-849)	10MHz	64QAM	26915	50RB#0	6.40	13	PASS
Band26(824-849)	10MHz	256QAM	26915	50RB#0	6.56	13	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	5.28	13	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	6.00	13	PASS
Band26(824-849)	10MHz	64QAM	26990	50RB#0	6.40	13	PASS
Band26(824-849)	10MHz	256QAM	26990	50RB#0	6.65	13	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	5.34	13	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	6.10	13	PASS
Band26(824-849)	15MHz	64QAM	26865	75RB#0	6.45	13	PASS
Band26(824-849)	15MHz	256QAM	26865	75RB#0	6.59	13	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	5.24	13	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	6.04	13	PASS
Band26(824-849)	15MHz	64QAM	26915	75RB#0	6.39	13	PASS
Band26(824-849)	15MHz	256QAM	26915	75RB#0	6.55	13	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	5.25	13	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	6.04	13	PASS
Band26(824-849)	15MHz	64QAM	26965	75RB#0	6.44	13	PASS
Band26(824-849)	15MHz	256QAM	26965	75RB#0	6.57	13	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Test Graphs



Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS



Band26(824-849)-1.4MHz-16QAM-26797-6RB#0-PASS



Band26(824-849)-1.4MHz-64QAM-26797-6RB#0-PASS



Band26(824-849)-1.4MHz-256QAM-26797-6RB#0-PASS



Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS



Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-1.4MHz-64QAM-26915-6RB#0-PASS



Band26(824-849)-1.4MHz-256QAM-26915-6RB#0-PASS



Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS



Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PASS



Band26(824-849)-1.4MHz-64QAM-27033-6RB#0-PASS



Band26(824-849)-1.4MHz-256QAM-27033-6RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS



Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS



Band26(824-849)-3MHz-64QAM-26805-15RB#0-PASS



Band26(824-849)-3MHz-256QAM-26805-15RB#0-PASS



Band26(824-849)-3MHz-QPSK-26915-15RB#0-PASS



Band26(824-849)-3MHz-16QAM-26915-15RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-3MHz-64QAM-26915-15RB#0-PASS



Band26(824-849)-3MHz-256QAM-26915-15RB#0-PASS



Band26(824-849)-3MHz-QPSK-27025-15RB#0-PASS



Band26(824-849)-3MHz-16QAM-27025-15RB#0-PASS



Band26(824-849)-3MHz-64QAM-27025-15RB#0-PASS



Band26(824-849)-3MHz-256QAM-27025-15RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-5MHz-QPSK-26815-25RB#0-PASS



Band26(824-849)-5MHz-16QAM-26815-25RB#0-PASS



Band26(824-849)-5MHz-64QAM-26815-25RB#0-PASS



Band26(824-849)-5MHz-256QAM-26815-25RB#0-PASS



Band26(824-849)-5MHz-QPSK-26915-25RB#0-PASS



Band26(824-849)-5MHz-16QAM-26915-25RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-5MHz-64QAM-26915-25RB#0-PASS



Band26(824-849)-5MHz-256QAM-26915-25RB#0-PASS



Band26(824-849)-5MHz-QPSK-27015-25RB#0-PASS



Band26(824-849)-5MHz-16QAM-27015-25RB#0-PASS



Band26(824-849)-5MHz-64QAM-27015-25RB#0-PASS



Band26(824-849)-5MHz-256QAM-27015-25RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-10MHz-QPSK-26840-50RB#0-PASS



Band26(824-849)-10MHz-16QAM-26840-50RB#0-PASS



Band26(824-849)-10MHz-64QAM-26840-50RB#0-PASS



Band26(824-849)-10MHz-256QAM-26840-50RB#0-PASS



Band26(824-849)-10MHz-QPSK-26915-50RB#0-PASS



Band26(824-849)-10MHz-16QAM-26915-50RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-10MHz-64QAM-26915-50RB#0-PASS



Band26(824-849)-10MHz-256QAM-26915-50RB#0-PASS



Band26(824-849)-10MHz-QPSK-26990-50RB#0-PASS



Band26(824-849)-10MHz-16QAM-26990-50RB#0-PASS



Band26(824-849)-10MHz-64QAM-26990-50RB#0-PASS



Band26(824-849)-10MHz-256QAM-26990-50RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-15MHz-QPSK-26865-75RB#0-PASS



Band26(824-849)-15MHz-16QAM-26865-75RB#0-PASS



Band26(824-849)-15MHz-64QAM-26865-75RB#0-PASS



Band26(824-849)-15MHz-256QAM-26865-75RB#0-PASS



Band26(824-849)-15MHz-QPSK-26915-75RB#0-PASS



Band26(824-849)-15MHz-16QAM-26915-75RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-15MHz-64QAM-26915-75RB#0-PASS



Band26(824-849)-15MHz-256QAM-26915-75RB#0-PASS



Band26(824-849)-15MHz-QPSK-26965-75RB#0-PASS



Band26(824-849)-15MHz-16QAM-26965-75RB#0-PASS



Band26(824-849)-15MHz-64QAM-26965-75RB#0-PASS



Band26(824-849)-15MHz-256QAM-26965-75RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	OBW (MHz)	26dB EBW (MHz)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	1.1004	1.339	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	1.1049	1.370	PASS
Band26(824-849)	1.4MHz	64QAM	26797	6RB#0	1.1021	1.353	PASS
Band26(824-849)	1.4MHz	256QAM	26797	6RB#0	1.0997	1.356	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	1.0985	1.346	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	1.1087	1.414	PASS
Band26(824-849)	1.4MHz	64QAM	26915	6RB#0	1.1075	1.367	PASS
Band26(824-849)	1.4MHz	256QAM	26915	6RB#0	1.0960	1.344	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	1.1000	1.343	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	1.1044	1.383	PASS
Band26(824-849)	1.4MHz	64QAM	27033	6RB#0	1.1015	1.355	PASS
Band26(824-849)	1.4MHz	256QAM	27033	6RB#0	1.1000	1.338	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	2.6831	2.984	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	2.6910	2.966	PASS
Band26(824-849)	3MHz	64QAM	26805	15RB#0	2.6838	2.971	PASS
Band26(824-849)	3MHz	256QAM	26805	15RB#0	2.6841	2.982	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	2.6848	2.981	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	2.6834	2.978	PASS
Band26(824-849)	3MHz	64QAM	26915	15RB#0	2.6834	2.987	PASS
Band26(824-849)	3MHz	256QAM	26915	15RB#0	2.6871	2.970	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	2.6894	3.012	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	2.6866	2.977	PASS
Band26(824-849)	3MHz	64QAM	27025	15RB#0	2.6832	2.984	PASS
Band26(824-849)	3MHz	256QAM	27025	15RB#0	2.6889	2.991	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	4.5141	5.150	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	4.5156	5.175	PASS
Band26(824-849)	5MHz	64QAM	26815	25RB#0	4.5106	5.171	PASS
Band26(824-849)	5MHz	256QAM	26815	25RB#0	4.5005	5.151	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	4.5115	5.151	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	4.5089	5.202	PASS
Band26(824-849)	5MHz	64QAM	26915	25RB#0	4.5026	5.202	PASS
Band26(824-849)	5MHz	256QAM	26915	25RB#0	4.5061	5.139	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	4.5216	5.203	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	4.5124	5.192	PASS
Band26(824-849)	5MHz	64QAM	27015	25RB#0	4.5083	5.162	PASS
Band26(824-849)	5MHz	256QAM	27015	25RB#0	4.5063	5.180	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	9.0004	10.14	PASS
Band26(824-849)	10MHz	16QAM	26840	50RB#0	9.0035	9.958	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band26(824-849)	10MHz	64QAM	26840	50RB#0	9.0032	10.07	PASS
Band26(824-849)	10MHz	256QAM	26840	50RB#0	8.9998	10.00	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	8.9896	10.04	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	8.9964	10.04	PASS
Band26(824-849)	10MHz	64QAM	26915	50RB#0	8.9906	10.00	PASS
Band26(824-849)	10MHz	256QAM	26915	50RB#0	8.9910	9.972	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	9.0075	10.01	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	9.0096	10.08	PASS
Band26(824-849)	10MHz	64QAM	26990	50RB#0	8.9972	10.02	PASS
Band26(824-849)	10MHz	256QAM	26990	50RB#0	8.9815	9.970	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	13.516	15.01	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	13.506	15.03	PASS
Band26(824-849)	15MHz	64QAM	26865	75RB#0	13.503	15.04	PASS
Band26(824-849)	15MHz	256QAM	26865	75RB#0	13.498	14.84	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	13.455	14.92	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	13.471	14.91	PASS
Band26(824-849)	15MHz	64QAM	26915	75RB#0	13.464	15.00	PASS
Band26(824-849)	15MHz	256QAM	26915	75RB#0	13.468	14.82	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	13.452	14.94	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	13.457	14.97	PASS
Band26(824-849)	15MHz	64QAM	26965	75RB#0	13.494	14.94	PASS
Band26(824-849)	15MHz	256QAM	26965	75RB#0	13.483	14.77	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Test Graphs



Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS



Band26(824-849)-1.4MHz-16QAM-26797-6RB#0-PASS



Band26(824-849)-1.4MHz-64QAM-26797-6RB#0-PASS



Band26(824-849)-1.4MHz-256QAM-26797-6RB#0-PASS



Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS



Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-1.4MHz-64QAM-26915-6RB#0-PASS



Band26(824-849)-1.4MHz-256QAM-26915-6RB#0-PASS



Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS



Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PASS



Band26(824-849)-1.4MHz-64QAM-27033-6RB#0-PASS



Band26(824-849)-1.4MHz-256QAM-27033-6RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS

Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS

Band26(824-849)-3MHz-64QAM-26805-15RB#0-PASS

Band26(824-849)-3MHz-256QAM-26805-15RB#0-PASS



Band26(824-849)-3MHz-QPSK-26915-15RB#0-PASS



Band26(824-849)-3MHz-16QAM-26915-15RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-3MHz-64QAM-26915-15RB#0-PASS

Band26(824-849)-3MHz-256QAM-26915-15RB#0-PASS



Band26(824-849)-3MHz-QPSK-27025-15RB#0-PASS

Band26(824-849)-3MHz-16QAM-27025-15RB#0-PASS



Band26(824-849)-3MHz-64QAM-27025-15RB#0-PASS

Band26(824-849)-3MHz-256QAM-27025-15RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-5MHz-QPSK-26815-25RB#0-PASS

Band26(824-849)-5MHz-16QAM-26815-25RB#0-PASS



Band26(824-849)-5MHz-64QAM-26815-25RB#0-PASS



Band26(824-849)-5MHz-256QAM-26815-25RB#0-PASS



Band26(824-849)-5MHz-QPSK-26915-25RB#0-PASS



Band26(824-849)-5MHz-16QAM-26915-25RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-5MHz-64QAM-26915-25RB#0-PASS



Band26(824-849)-5MHz-256QAM-26915-25RB#0-PASS



Band26(824-849)-5MHz-QPSK-27015-25RB#0-PASS



Band26(824-849)-5MHz-16QAM-27015-25RB#0-PASS



Band26(824-849)-5MHz-64QAM-27015-25RB#0-PASS



Band26(824-849)-5MHz-256QAM-27015-25RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band26(824-849)-10MHz-QPSK-26840-50RB#0-PASS



Band26(824-849)-10MHz-16QAM-26840-50RB#0-PASS

Band26(824-849)-10MHz-64QAM-26840-50RB#0-PASS



Band26(824-849)-10MHz-256QAM-26840-50RB#0-PASS



Band26(824-849)-10MHz-QPSK-26915-50RB#0-PASS



Band26(824-849)-10MHz-16QAM-26915-50RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-10MHz-64QAM-26915-50RB#0-PASS



Band26(824-849)-10MHz-256QAM-26915-50RB#0-PASS



Band26(824-849)-10MHz-QPSK-26990-50RB#0-PASS



Band26(824-849)-10MHz-16QAM-26990-50RB#0-PASS



Band26(824-849)-10MHz-64QAM-26990-50RB#0-PASS



Band26(824-849)-10MHz-256QAM-26990-50RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-15MHz-QPSK-26865-75RB#0-PASS

Band26(824-849)-15MHz-16QAM-26865-75RB#0-PASS

Band26(824-849)-15MHz-64QAM-26865-75RB#0-PASS

Band26(824-849)-15MHz-256QAM-26865-75RB#0-PASS

Band26(824-849)-15MHz-QPSK-26915-75RB#0-PASS



Band26(824-849)-15MHz-16QAM-26915-75RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-15MHz-64QAM-26915-75RB#0-PASS

Band26(824-849)-15MHz-256QAM-26915-75RB#0-PASS



Band26(824-849)-15MHz-QPSK-26965-75RB#0-PASS

Band26(824-849)-15MHz-16QAM-26965-75RB#0-PASS



Band26(824-849)-15MHz-64QAM-26965-75RB#0-PASS



Band26(824-849)-15MHz-256QAM-26965-75RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band Edge

Test Graphs



Band26(824-849)-1.4MHz-QSPK-26797-1RB#0-PASS

Band26(824-849)-1.4MHz-QSPK-26797-6RB#0-PASS



Band26(824-849)-1.4MHz-QSPK-27033-1RB#5-PASS



Band26(824-849)-1.4MHz-QSPK-27033-6RB#0-PASS



Band26(824-849)-3MHz-QSPK-26805-1RB#0-PASS



Band26(824-849)-3MHz-QSPK-26805-15RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-3MHz-QSPK-27025-1RB#14-PASS

Band26(824-849)-3MHz-QSPK-27025-15RB#0-PASS



Band26(824-849)-5MHz-QSPK-26815-1RB#0-PASS



Band26(824-849)-5MHz-QSPK-26815-25RB#0-PASS



Band26(824-849)-5MHz-QSPK-27015-1RB#24-PASS

Band26(824-849)-5MHz-QSPK-27015-25RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-10MHz-QSPK-26840-1RB#0-PASS



Band26(824-849)-10MHz-QSPK-26840-50RB#0-PASS



Band26(824-849)-10MHz-QSPK-26990-1RB#49-PASS

Band26(824-849)-10MHz-QSPK-26990-50RB#0-PASS



Band26(824-849)-15MHz-QSPK-26865-1RB#0-PASS



Band26(824-849)-15MHz-QSPK-26865-75RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-15MHz-QSPK-26965-1RB#74-PASS

Band26(824-849)-15MHz-QSPK-26965-75RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Conducted Spurious Emission

Test Graphs



Band26(824-849)-15MHz-QSPK-26865-1RB#0-0.009~0.15-PASS



Band26(824-849)-15MHz-QSPK-26865-1RB#0-0.15~30-PASS

Band26(824-849)-15MHz-QSPK-26865-1RB#0-30~1000-PASS

Band26(824-849)-15MHz-QSPK-26865-1RB#0-1000~3000-PASS

Band26(824-849)-15MHz-QSPK-26865-1RB#0-3000~10000-



Band26(824-849)-15MHz-QSPK-26915-1RB#0-0.009~0.15-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

PASS



Band26(824-849)-15MHz-QSPK-26915-1RB#0-0.15~30-PASS

Band26(824-849)-15MHz-QSPK-26915-1RB#0-30~1000-PASS

Band26(824-849)-15MHz-QSPK-26915-1RB#0-1000~3000-PASS

Band26(824-849)-15MHz-QSPK-26915-1RB#0-3000~10000-PASS



Band26(824-849)-15MHz-QSPK-26965-1RB#0-0.009~0.15-PASS



Band26(824-849)-15MHz-QSPK-26965-1RB#0-0.15~30-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band26(824-849)-15MHz-QSPK-26965-1RB#0-30~1000-PASS

Band26(824-849)-15MHz-QSPK-26965-1RB#0-1000~3000-PASS

Band26(824-849)-15MHz-QSPK-26965-1RB#0-3000~10000-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Frequency Stability

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26(824-849)	15MHz	QSPK	26915	75RB#0	VN	NT	-2.70	-0.003228	±2.5	PASS
Band26(824-849)	15MHz	QSPK	26915	75RB#0	VL	NT	-3.60	-0.004304	±2.5	PASS
Band26(824-849)	15MHz	QSPK	26915	75RB#0	VH	NT	-2.50	-0.002989	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26(824-849)	15MHz	QSPK	26915	75RB#0	NV	-30	-1.40	-0.001674	±2.5	PASS
Band26(824-849)	15MHz	QSPK	26915	75RB#0	NV	-20	-2.20	-0.002630	±2.5	PASS
Band26(824-849)	15MHz	QSPK	26915	75RB#0	NV	-10	-2.10	-0.002510	±2.5	PASS
Band26(824-849)	15MHz	QSPK	26915	75RB#0	NV	0	-2.10	-0.002510	±2.5	PASS
Band26(824-849)	15MHz	QSPK	26915	75RB#0	NV	10	-1.50	-0.001793	±2.5	PASS
Band26(824-849)	15MHz	QSPK	26915	75RB#0	NV	20	-2.30	-0.002750	±2.5	PASS
Band26(824-849)	15MHz	QSPK	26915	75RB#0	NV	30	-2.80	-0.003347	±2.5	PASS
Band26(824-849)	15MHz	QSPK	26915	75RB#0	NV	40	-2.00	-0.002391	±2.5	PASS
Band26(824-849)	15MHz	QSPK	26915	75RB#0	NV	50	-2.30	-0.002750	±2.5	PASS

~The End~

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.