



11ax(HE20)_TX_CH_36_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5137.8	31.73	-13.06	42.39	54.00	11.61	Horizontal
2	5145.22	31.77	-13.06	42.59	54.00	11.41	Horizontal

11ax(HE20)_TX_CH_36_Veritical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.06	31.78	-13.06	60.60	74.00	13.40	Vertical
2	5148.3	31.79	-13.06	60.27	74.00	13.73	Vertical

11ax(HE20)_TX_CH_36_Veritical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5137.8	31.73	-13.06	43.11	54.00	10.89	Vertical
2	5148.72	31.79	-13.06	44.84	54.00	9.16	Vertical

11ax(HE20)_TX_CH_64_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5355.7	32.23	-12.74	54.98	74.00	19.02	Horizontal
2	5357.9	32.25	-12.75	56.19	74.00	17.81	Horizontal

11ax(HE20)_TX_CH_64_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351	32.21	-12.73	43.85	54.00	10.15	Horizontal
2	5354.5	32.23	-12.74	43.67	54.00	10.33	Horizontal

11ax(HE20)_TX_CH_64_Veritical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.5	32.20	-12.73	59.30	74.00	14.70	Vertical
2	5352.8	32.22	-12.73	56.99	74.00	17.01	Vertical

11ax(HE20)_TX_CH_64_Veritical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.5	32.20	-12.73	45.10	54.00	8.90	Vertical
2	5354.7	32.23	-12.74	45.40	54.00	8.60	Vertical

11ax(HE20)_TX_CH_100_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.76	32.23	-12.67	56.36	74.00	17.64	Horizontal
2	5465.9	32.26	-12.57	55.37	68.30	12.93	Horizontal

11ax(HE20)_TX_CH_100_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.62	32.23	-12.68	43.58	54.00	10.42	Horizontal
2	5457.73	32.23	-12.61	43.66	54.00	10.34	Horizontal

11ax(HE20)_TX_CH_100_Verical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5447.28	32.22	-12.66	55.92	74.00	18.08	Vertical
2	5467.42	32.27	-12.57	58.33	68.30	9.97	Vertical

11ax(HE20)_TX_CH_100_Veritical_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5440.06	32.26	-12.70	44.33	54.00	9.67	Vertical
2	5452.6	32.21	-12.64	44.92	54.00	9.08	Vertical


11ax(HE20)_TX_CH_140_Horizontal_Peak



Data List


NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5727.2	32.50	-12.25	57.13	68.20	11.07	Horizontal
2	5729.9	32.50	-12.25	57.06	68.20	11.14	Horizontal

11ax(HE20)_TX_CH_140_Verical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.7	32.50	-12.26	63.15	68.20	5.05	Vertical
2	5727.95	32.50	-12.25	62.90	68.20	5.30	Vertical

11ax(HE20)_TX_CH_149_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5638.65	32.52	-12.31	55.75	68.30	12.55	Horizontal
2	5675.05	32.50	-12.33	55.61	86.88	31.27	Horizontal
3	5711.775	32.50	-12.31	56.35	108.60	52.25	Horizontal
4	5724.775	32.50	-12.26	57.53	121.79	64.26	Horizontal

11ax(HE20)_TX_CH_149_Verical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5632.8	32.53	-12.30	54.48	68.30	13.82	Vertical
2	5670.825	32.50	-12.33	55.17	83.75	28.58	Vertical
3	5706.9	32.50	-12.33	55.96	107.23	51.27	Vertical
4	5723.475	32.50	-12.27	66.51	118.82	52.31	Vertical

11ax(HE20)_TX_CH_165_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.85	32.61	-12.03	57.20	118.08	60.88	Horizontal
2	5867.125	32.67	-12.04	56.29	107.50	51.21	Horizontal
3	5889.875	32.76	-12.05	56.76	94.26	37.50	Horizontal
4	5936.025	32.87	-12.01	56.22	68.30	12.08	Horizontal

11ax(HE20)_TX_CH_165_Vetical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.55	32.60	-12.03	57.88	121.05	63.17	Vertical
2	5860.3	32.64	-12.04	56.46	109.41	52.95	Vertical
3	5897.675	32.79	-12.06	56.50	88.48	31.98	Vertical
4	5933.1	32.87	-12.01	57.00	68.30	11.30	Vertical

11ax(HE40)_TX_CH_38_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.4	31.75	-13.06	54.51	74.00	19.49	Horizontal
2	5367	32.30	-12.78	55.16	74.00	18.84	Horizontal

11ax(HE40)_TX_CH_38_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.9	31.78	-13.06	43.06	54.00	10.94	Horizontal
2	5363.1	32.28	-12.77	44.08	54.00	9.92	Horizontal

11ax(HE40)_TX_CH_38_Veritical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5137.8	31.73	-13.06	62.50	74.00	11.50	Vertical
2	5361	32.27	-12.76	54.93	74.00	19.07	Vertical

11ax(HE40)_TX_CH_38_Veritical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.8	31.80	-13.06	46.60	54.00	7.40	Vertical
2	5353.2	32.22	-12.74	44.36	54.00	9.64	Vertical

11ax(HE40)_TX_CH_62_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.4	31.75	-13.06	54.15	74.00	19.85	Horizontal
2	5360.4	32.26	-12.76	56.55	74.00	17.45	Horizontal

11ax(HE40)_TX_CH_62_Horizontal_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.1	31.76	-13.06	42.77	54.00	11.23	Horizontal
2	5353.2	32.22	-12.74	45.02	54.00	8.98	Horizontal


11ax(HE40)_TX_CH_62_Veritical_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5135.7	31.71	-13.07	54.75	74.00	19.25	Vertical
2	5351.7	32.21	-12.73	60.61	74.00	13.39	Vertical




11ax(HE40)_TX_CH_62_Veritical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.4	31.78	-13.06	42.95	54.00	11.05	Vertical
2	5354.1	32.22	-12.74	49.18	54.00	4.82	Vertical

11ax(HE40)_TX_CH_102_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5456.655	32.23	-12.62	56.87	74.00	17.13	Horizontal
2	5467.03	32.27	-12.57	55.98	68.20	12.22	Horizontal
3	5730.97	32.50	-12.24	57.30	68.20	10.90	Horizontal

11ax(HE40)_TX_CH_102_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5441.715	32.25	-12.69	45.06	54.00	8.94	Horizontal
2	5451.675	32.21	-12.64	44.87	54.00	9.13	Horizontal

11ax(HE40)_TX_CH_102_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5427.19	32.34	-12.76	58.00	74.00	16.00	Vertical
2	5467.86	32.27	-12.56	59.20	68.20	9.00	Vertical
3	5732.63	32.50	-12.24	57.08	68.20	11.12	Vertical

11ax(HE40)_TX_CH_102_Vertical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5455.41	32.22	-12.62	45.54	54.00	8.46	Vertical
2	5459.145	32.24	-12.61	46.12	54.00	7.88	Vertical

11ax(HE40)_TX_CH_134_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5442.96	32.24	-12.68	55.44	74.00	18.56	Horizontal
2	5466.615	32.27	-12.57	55.55	68.20	12.65	Horizontal
3	5739.27	32.50	-12.21	57.00	68.20	11.20	Horizontal

11ax(HE40)_TX_CH_134_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5430.51	32.32	-12.74	44.78	54.00	9.22	Horizontal
2	5445.865	32.22	-12.67	44.84	54.00	9.16	Horizontal

11ax(HE40)_TX_CH_134_Verical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5437.15	32.28	-12.71	55.67	74.00	18.33	Vertical
2	5465.785	32.26	-12.57	56.11	68.20	12.09	Vertical
3	5729.31	32.50	-12.25	56.42	68.20	11.78	Vertical

11ax(HE40)_TX_CH_134_Vetical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5438.81	32.27	-12.70	45.05	54.00	8.95	Vertical
2	5451.26	32.21	-12.64	44.88	54.00	9.12	Vertical

11ax(HE40)_TX_CH_151_Horizontal_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.675	32.52	-12.31	55.64	68.30	12.66	Horizontal
2	5677.65	32.50	-12.33	55.68	88.80	33.12	Horizontal
3	5713.4	32.50	-12.30	55.54	109.05	53.51	Horizontal
4	5723.475	32.50	-12.27	56.47	118.82	62.35	Horizontal
5	5850.875	32.60	-12.03	56.29	120.30	64.01	Horizontal
6	5867.45	32.67	-12.04	56.58	107.41	50.83	Horizontal
7	5905.15	32.81	-12.05	56.16	82.95	26.79	Horizontal
8	5938.3	32.88	-12.00	57.36	68.30	10.94	Horizontal


11ax(HE40)_TX_CH_151_Verical_Peak



Data List


NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.675	32.52	-12.31	54.91	68.30	13.39	Vertical
2	5674.4	32.50	-12.33	56.06	86.40	30.34	Vertical
3	5710.8	32.50	-12.31	56.80	108.33	51.53	Vertical
4	5722.5	32.50	-12.27	58.84	116.60	57.76	Vertical
5	5851.85	32.61	-12.03	55.74	118.08	62.34	Vertical
6	5867.45	32.67	-12.04	55.86	107.41	51.55	Vertical
7	5898	32.79	-12.06	56.28	88.24	31.96	Vertical
8	5939.275	32.88	-12.00	56.74	68.30	11.56	Vertical

11ax(HE40)_TX_CH_159_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.95	32.52	-12.31	54.84	68.30	13.46	Horizontal
2	5664.975	32.50	-12.33	55.21	79.42	24.21	Horizontal
3	5713.4	32.50	-12.30	55.20	109.05	53.85	Horizontal
4	5723.475	32.50	-12.27	55.86	118.82	62.96	Horizontal
5	5853.475	32.61	-12.03	57.02	114.38	57.36	Horizontal
6	5868.75	32.68	-12.04	57.36	107.05	49.69	Horizontal
7	5898.325	32.79	-12.06	55.87	88.00	32.13	Horizontal
8	5933.75	32.87	-12.01	56.35	68.30	11.95	Horizontal

11ax(HE40)_TX_CH_159_Verical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5636.7	32.53	-12.31	55.23	68.30	13.07	Vertical
2	5668.55	32.50	-12.33	56.48	82.07	25.59	Vertical
3	5711.45	32.50	-12.31	55.43	108.51	53.08	Vertical
4	5722.825	32.50	-12.27	55.17	117.34	62.17	Vertical
5	5852.175	32.61	-12.03	56.77	117.34	60.57	Vertical
6	5865.5	32.66	-12.04	57.73	107.96	50.23	Vertical
7	5892.8	32.77	-12.06	55.64	92.09	36.45	Vertical
8	5933.425	32.87	-12.01	56.95	68.30	11.35	Vertical

11ax(HE80)_TX_CH_42_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5126.4	31.66	-13.07	58.12	74.00	15.88	Horizontal
2	5360.7	32.26	-12.76	55.78	74.00	18.22	Horizontal

11ax(HE80)_TX_CH_42_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2	31.78	-13.06	45.49	54.00	8.51	Horizontal
2	5360.1	32.26	-12.76	44.15	54.00	9.85	Horizontal

11ax(HE80)_TX_CH_42_Veritical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5136	31.72	-13.07	65.98	74.00	8.02	Vertical
2	5355.9	32.24	-12.74	56.27	74.00	17.73	Vertical

11ax(HE80)_TX_CH_42_Veritical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.4	31.78	-13.06	50.29	54.00	3.71	Vertical
2	5355.3	32.23	-12.74	45.97	54.00	8.03	Vertical

11ax(HE80)_TX_CH_58_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5137.2	31.72	-13.07	54.76	74.00	19.24	Horizontal
2	5355	32.23	-12.74	57.11	74.00	16.89	Horizontal

11ax(HE80)_TX_CH_58_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148	31.79	-13.06	43.47	54.00	10.53	Horizontal
2	5351.4	32.21	-12.73	47.59	54.00	6.41	Horizontal

11ax(HE80)_TX_CH_58_Veritical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5136	31.72	-13.07	54.54	74.00	19.46	Vertical
2	5352.3	32.21	-12.73	62.33	74.00	11.67	Vertical

11ax(HE80)_TX_CH_58_Veritical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148	31.79	-13.06	44.06	54.00	9.94	Vertical
2	5350.5	32.20	-12.73	50.93	54.00	3.07	Vertical

11ax(HE80)_TX_CH_106_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5446.28	32.22	-12.67	57.03	74.00	16.97	Horizontal
2	5464.125	32.26	-12.58	56.85	68.20	11.35	Horizontal
3	5744.665	32.50	-12.19	57.17	68.20	11.03	Horizontal

11ax(HE80)_TX_CH_106_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5446.695	32.22	-12.67	46.15	54.00	7.85	Horizontal
2	5456.24	32.22	-12.62	46.50	54.00	7.50	Horizontal

11ax(HE80)_TX_CH_106_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5455.41	32.22	-12.62	63.07	74.00	10.93	Vertical
2	5467.86	32.27	-12.56	64.30	68.20	3.90	Vertical
3	5742.59	32.50	-12.20	57.08	68.20	11.12	Vertical

11ax(HE80)_TX_CH_106_Vetical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5450.43	32.20	-12.65	50.22	54.00	3.78	Vertical
2	5458.315	32.23	-12.61	50.64	54.00	3.36	Vertical

11ax(HE80)_TX_CH_122_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5418.89	32.39	-12.80	56.82	74.00	17.18	Horizontal
2	5461.22	32.24	-12.60	55.78	68.20	12.42	Horizontal
3	5730.555	32.50	-12.24	56.73	68.20	11.47	Horizontal

11ax(HE80)_TX_CH_122_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5424.285	32.35	-12.77	44.75	54.00	9.25	Horizontal
2	5442.545	32.24	-12.69	44.89	54.00	9.11	Horizontal

11ax(HE80)_TX_CH_122_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5433.415	32.30	-12.73	55.88	74.00	18.12	Vertical
2	5462.465	32.25	-12.59	56.26	68.20	11.94	Vertical
3	5751.72	32.50	-12.17	56.74	68.20	11.46	Vertical

11ax(HE80)_TX_CH_122_Vetical_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5436.32	32.28	-12.72	44.91	54.00	9.09	Vertical
2	5457.485	32.23	-12.61	45.46	54.00	8.54	Vertical


11ax(HE80)_TX_CH_155_Horizontal_Peak



Data List


NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.9	32.52	-12.31	54.80	68.30	13.50	Horizontal
2	5670.175	32.50	-12.33	56.03	83.27	27.24	Horizontal
3	5713.725	32.50	-12.30	56.64	109.15	52.51	Horizontal
4	5723.15	32.50	-12.27	56.99	118.08	61.09	Horizontal
5	5853.15	32.61	-12.03	56.72	115.12	58.40	Horizontal
6	5860.3	32.64	-12.04	56.09	109.41	53.32	Horizontal
7	5903.85	32.81	-12.05	56.31	83.91	27.60	Horizontal
8	5939.925	32.88	-12.00	56.86	68.30	11.44	Horizontal

11ax(HE80)_TX_CH_155_Verical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5642.55	32.51	-12.31	55.54	68.30	12.76	Vertical
2	5678.95	32.50	-12.34	57.20	89.76	32.56	Vertical
3	5712.425	32.50	-12.31	61.00	108.78	47.78	Vertical
4	5722.5	32.50	-12.27	63.53	116.60	53.07	Vertical
5	5851.525	32.61	-12.03	58.01	118.82	60.81	Vertical
6	5872.65	32.69	-12.04	56.71	105.96	49.25	Vertical
7	5895.075	32.78	-12.06	56.47	90.41	33.94	Vertical
8	5936.025	32.87	-12.01	56.49	68.30	11.81	Vertical

11ax(HE160)_TX_CH_50_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5123	31.64	-13.07	53.28	74.00	20.72	Horizontal
2	5375.5	32.35	-12.81	55.15	74.00	18.85	Horizontal
3	5452.5	32.21	-12.64	56.09	68.20	12.11	Horizontal

11ax(HE160)_TX_CH_50_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145	31.77	-13.06	43.66	54.00	10.34	Horizontal
2	5367	32.30	-12.78	44.75	54.00	9.25	Horizontal

11ax(HE160)_TX_CH_50_Veritical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5132	31.69	-13.07	55.01	74.00	18.99	Vertical
2	5384	32.40	-12.84	56.82	74.00	17.18	Vertical
3	5444.5	32.23	-12.68	55.77	68.20	12.43	Vertical

11ax(HE160)_TX_CH_50_Veritical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145	31.77	-13.06	45.81	54.00	8.19	Vertical
2	5375	32.35	-12.81	49.07	54.00	4.93	Vertical

11ax(HE160)_TX_CH_114_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5428.85	32.33	-12.75	55.37	74.00	18.63	Horizontal
2	5466.615	32.27	-12.57	55.33	68.20	12.87	Horizontal
3	5742.175	32.50	-12.20	56.17	68.20	12.03	Horizontal

11ax(HE160)_TX_CH_114_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5433.83	32.30	-12.73	44.99	54.00	9.01	Horizontal
2	5452.09	32.21	-12.64	44.94	54.00	9.06	Horizontal

11ax(HE160)_TX_CH_114_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5438.395	32.27	-12.71	59.21	74.00	14.79	Vertical
2	5464.54	32.26	-12.58	57.42	68.20	10.78	Vertical
3	5737.61	32.50	-12.22	56.41	68.20	11.79	Vertical

11ax(HE160)_TX_CH_114_Veritical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5435.075	32.29	-12.72	47.69	54.00	6.31	Vertical
2	5447.11	32.22	-12.66	47.64	54.00	6.36	Vertical

11ax(HE20)_TX_RU26_Left_CH_36_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.16	31.75	-13.06	53.27	74.00	20.73	Horizontal
2	5147.18	31.78	-13.06	53.67	74.00	20.33	Horizontal

11ax(HE20)_TX_RU26_Left_CH_36_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5135.14	31.71	-13.07	42.23	54.00	11.77	Horizontal
2	5146.48	31.78	-13.06	42.60	54.00	11.40	Horizontal

11ax(HE20)_TX_RU26_Left_CH_36_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.32	31.78	-13.06	58.52	74.00	15.48	Vertical
2	5149.98	31.80	-13.06	59.18	74.00	14.82	Vertical

11ax(HE20)_TX_RU26_Left_CH_36_Vertical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5140.74	31.74	-13.06	43.29	54.00	10.71	Vertical
2	5147.6	31.79	-13.06	43.47	54.00	10.53	Vertical

11ax(HE20)_TX_RU26_Right_CH_64_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.2	32.20	-12.73	59.75	74.00	14.25	Horizontal
2	5355.4	32.23	-12.74	59.36	74.00	14.64	Horizontal

11ax(HE20)_TX_RU26_Right_CH_64_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5353.9	32.22	-12.74	43.68	54.00	10.32	Horizontal
2	5366	32.30	-12.78	43.70	54.00	10.30	Horizontal

11ax(HE20)_TX_RU26_Right_CH_64_Veritical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.6	32.22	-12.73	67.37	74.00	6.63	Vertical
2	5354.5	32.23	-12.74	69.54	74.00	4.46	Vertical

11ax(HE20)_TX_RU26_Right_CH_64_Vertical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5359.6	32.26	-12.76	44.91	54.00	9.09	Vertical
2	5362.9	32.28	-12.77	45.10	54.00	8.90	Vertical

11ax(HE20)_TX_RU26_Left_CH_100_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.62	32.23	-12.68	57.02	74.00	16.98	Horizontal
2	5465.52	32.26	-12.58	56.26	68.30	12.04	Horizontal

11ax(HE20)_TX_RU26_Left_CH_100_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.05	32.24	-12.68	43.68	54.00	10.32	Horizontal
2	5456.97	32.23	-12.62	43.67	54.00	10.33	Horizontal

11ax(HE20)_TX_RU26_Left_CH_100_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.73	32.23	-12.61	62.23	74.00	11.77	Vertical
2	5462.48	32.25	-12.59	63.99	68.30	4.31	Vertical

11ax(HE20)_TX_RU26_Left_CH_100_Vertical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5439.11	32.27	-12.70	44.58	54.00	9.42	Vertical
2	5456.59	32.23	-12.62	44.93	54.00	9.07	Vertical

11ax(HE20)_TX_RU26_Right_CH_140_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5727.95	32.50	-12.25	58.68	68.20	9.52	Horizontal
2	5733.65	32.50	-12.23	58.80	68.20	9.40	Horizontal

11ax(HE20)_TX_RU26_Right_CH_140_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5729.6	32.50	-12.25	59.87	68.20	8.33	Vertical
2	5735	32.50	-12.23	59.75	68.20	8.45	Vertical

11ax(HE20)_TX_RU26_Left_CH_149_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5631.5	32.54	-12.30	55.97	68.30	12.33	Horizontal
2	5657.175	32.50	-12.32	55.53	73.63	18.10	Horizontal
3	5704.3	32.50	-12.33	56.06	106.51	50.45	Horizontal
4	5723.15	32.50	-12.27	63.53	118.08	54.55	Horizontal

11ax(HE20)_TX_RU26_Left_CH_149_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5640.275	32.52	-12.31	55.82	68.30	12.48	Vertical
2	5660.1	32.50	-12.32	56.96	75.80	18.84	Vertical
3	5716.975	32.50	-12.29	69.79	110.05	40.26	Vertical
4	5720.55	32.50	-12.28	66.60	112.15	45.55	Vertical

11ax(HE20)_TX_RU26_Right_CH_165_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.55	32.60	-12.03	60.02	121.05	61.03	Horizontal
2	5868.75	32.68	-12.04	58.39	107.05	48.66	Horizontal
3	5908.725	32.82	-12.05	56.92	80.31	23.39	Horizontal
4	5930.5	32.86	-12.01	56.94	68.30	11.36	Horizontal

11ax(HE20)_TX_RU26_Right_CH_165_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.55	32.60	-12.03	64.13	121.05	56.92	Vertical
2	5857.7	32.63	-12.03	61.46	110.14	48.68	Vertical
3	5899.625	32.80	-12.06	57.09	87.04	29.95	Vertical
4	5934.4	32.87	-12.01	57.34	68.30	10.96	Vertical

11ax(HE20)_TX_RU52_Left_CH_36_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5135.98	31.72	-13.07	53.92	74.00	20.08	Horizontal
2	5144.1	31.76	-13.06	54.74	74.00	19.26	Horizontal

11ax(HE20)_TX_RU52_Left_CH_36_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5131.5	31.69	-13.07	42.38	54.00	11.62	Horizontal
2	5143.4	31.76	-13.06	42.46	54.00	11.54	Horizontal

11ax(HE20)_TX_RU52_Left_CH_36_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5140.18	31.74	-13.06	55.05	74.00	18.95	Vertical
2	5149.42	31.80	-13.06	55.24	74.00	18.76	Vertical

11ax(HE20)_TX_RU52_Left_CH_36_Vertical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5137.94	31.73	-13.06	43.31	54.00	10.69	Vertical
2	5144.66	31.77	-13.06	43.32	54.00	10.68	Vertical

11ax(HE20)_TX_RU52_Right_CH_64_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.4	32.21	-12.73	62.08	74.00	11.92	Horizontal
2	5357.2	32.24	-12.75	59.40	74.00	14.60	Horizontal

11ax(HE20)_TX_RU52_Right_CH_64_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.7	32.21	-12.73	43.69	54.00	10.31	Horizontal
2	5361	32.27	-12.76	43.74	54.00	10.26	Horizontal

11ax(HE20)_TX_RU52_Right_CH_64_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.4	32.20	-12.73	61.48	74.00	12.52	Vertical
2	5352.9	32.22	-12.73	61.44	74.00	12.56	Vertical

11ax(HE20)_TX_RU52_Right_CH_64_Vertical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.2	32.21	-12.73	45.60	54.00	8.40	Vertical
2	5358.9	32.25	-12.75	45.29	54.00	8.71	Vertical

11ax(HE20)_TX_RU52_Left_CH_100_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5438.92	32.27	-12.70	56.51	74.00	17.49	Horizontal
2	5461.72	32.25	-12.59	56.53	68.30	11.77	Horizontal

11ax(HE20)_TX_RU52_Left_CH_100_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.29	32.24	-12.68	43.63	54.00	10.37	Horizontal
2	5453.93	32.22	-12.63	43.78	54.00	10.22	Horizontal

11ax(HE20)_TX_RU52_Left_CH_100_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5439.49	32.26	-12.70	57.34	74.00	16.66	Vertical
2	5469.13	32.28	-12.56	59.30	68.30	9.00	Vertical

11ax(HE20)_TX_RU52_Left_CH_100_Vertical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.1	32.24	-12.68	44.53	54.00	9.47	Vertical
2	5457.35	32.23	-12.61	44.91	54.00	9.09	Vertical

11ax(HE20)_TX_RU52_Right_CH_140_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.25	32.50	-12.26	61.03	68.20	7.17	Horizontal
2	5727.5	32.50	-12.25	59.60	68.20	8.60	Horizontal

11ax(HE20)_TX_RU52_Right_CH_140_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.6	32.50	-12.26	62.05	68.20	6.15	Vertical
2	5730.35	32.50	-12.24	62.26	68.20	5.94	Vertical

11ax(HE20)_TX_RU52_Left_CH_149_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5635.4	32.53	-12.30	55.50	68.30	12.80	Horizontal
2	5674.075	32.50	-12.33	56.36	86.16	29.80	Horizontal
3	5704.625	32.50	-12.33	61.13	106.60	45.47	Horizontal
4	5724.125	32.50	-12.27	66.40	120.31	53.91	Horizontal

11ax(HE20)_TX_RU52_Left_CH_149_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5636.375	32.53	-12.31	57.18	68.30	11.12	Vertical
2	5657.5	32.50	-12.32	56.11	73.87	17.76	Vertical
3	5717.625	32.50	-12.29	70.02	110.24	40.22	Vertical
4	5721.85	32.50	-12.27	70.16	115.12	44.96	Vertical

11ax(HE20)_TX_RU52_Right_CH_165_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5853.475	32.61	-12.03	56.07	114.38	58.31	Horizontal
2	5867.45	32.67	-12.04	56.75	107.41	50.66	Horizontal
3	5906.775	32.81	-12.05	57.02	81.75	24.73	Horizontal
4	5938.3	32.88	-12.00	56.95	68.30	11.35	Horizontal

11ax(HE20)_TX_RU52_Right_CH_165_Veritical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.525	32.61	-12.03	57.18	118.82	61.64	Vertical
2	5860.3	32.64	-12.04	57.61	109.41	51.80	Vertical
3	5896.05	32.78	-12.06	57.19	89.68	32.49	Vertical
4	5932.125	32.86	-12.01	56.04	68.30	12.26	Vertical

11ax(HE20)_TX_RU106_Left_CH_36_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.3	31.79	-13.06	69.98	74.00	4.02	Horizontal
2	5362.2	32.27	-12.77	55.87	74.00	18.13	Horizontal

11ax(HE20)_TX_RU106_Left_CH_36_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.4	31.78	-13.06	43.38	54.00	10.62	Horizontal
2	5358.3	32.25	-12.75	44.13	54.00	9.87	Horizontal

11ax(HE20)_TX_RU106_Left_CH_36_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.3	31.75	-13.06	66.32	74.00	7.68	Vertical
2	5350.5	32.20	-12.73	56.09	74.00	17.91	Vertical

11ax(HE20)_TX_RU106_Left_CH_36_Vertical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.6	31.79	-13.06	45.24	54.00	8.76	Vertical
2	5357.4	32.24	-12.75	44.23	54.00	9.77	Vertical

11ax(HE20)_TX_RU106_Right_CH_64_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.9	32.22	-12.73	63.02	74.00	10.98	Horizontal
2	5353.8	32.22	-12.74	61.21	74.00	12.79	Horizontal

11ax(HE20)_TX_RU106_Right_CH_64_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.7	32.21	-12.73	43.70	54.00	10.30	Horizontal
2	5355.1	32.23	-12.74	43.65	54.00	10.35	Horizontal

11ax(HE20)_TX_RU106_Right_CH_64_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5353.6	32.22	-12.74	68.35	74.00	5.65	Vertical
2	5354.3	32.23	-12.74	68.06	74.00	5.94	Vertical

11ax(HE20)_TX_RU106_Right_CH_64_Vertical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5353	32.22	-12.73	45.65	54.00	8.35	Vertical
2	5356.4	32.24	-12.75	45.19	54.00	8.81	Vertical

11ax(HE20)_TX_RU106_Left_CH_100_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.48	32.24	-12.68	56.05	74.00	17.95	Horizontal
2	5467.23	32.27	-12.57	56.57	68.30	11.73	Horizontal

11ax(HE20)_TX_RU106_Left_CH_100_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.03	32.21	-12.64	43.63	54.00	10.37	Horizontal
2	5458.3	32.23	-12.61	43.68	54.00	10.32	Horizontal

11ax(HE20)_TX_RU106_Left_CH_100_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5451.46	32.21	-12.64	56.45	74.00	17.55	Vertical
2	5466.85	32.27	-12.57	60.65	68.30	7.65	Vertical

11ax(HE20)_TX_RU106_Left_CH_100_Vertical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.18	32.20	-12.65	44.22	54.00	9.78	Vertical
2	5456.02	32.22	-12.62	44.65	54.00	9.35	Vertical

11ax(HE20)_TX_RU106_Right_CH_140_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.7	32.50	-12.26	64.23	68.20	3.97	Horizontal
2	5730.2	32.50	-12.24	63.82	68.20	4.38	Horizontal

11ax(HE20)_TX_RU106_Right_CH_140_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.4	32.50	-12.26	64.79	68.20	3.41	Vertical
2	5737.7	32.50	-12.22	62.86	68.20	5.34	Vertical

11ax(HE20)_TX_RU106_Left_CH_149_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5626.3	32.55	-12.30	56.11	68.30	12.19	Horizontal
2	5665.3	32.50	-12.33	56.49	79.66	23.17	Horizontal
3	5716.975	32.50	-12.29	71.82	110.05	38.23	Horizontal
4	5720.55	32.50	-12.28	64.69	112.15	47.46	Horizontal

11ax(HE20)_TX_RU106_Left_CH_149_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5632.15	32.54	-12.30	56.97	68.30	11.33	Vertical
2	5691.625	32.50	-12.34	59.99	99.13	39.14	Vertical
3	5719.25	32.50	-12.28	79.05	110.69	31.64	Vertical
4	5721.525	32.50	-12.27	75.57	114.38	38.81	Vertical

11ax(HE20)_TX_RU106_Right_CH_165_Horizontal_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5853.475	32.61	-12.03	56.46	114.38	57.92	Horizontal
2	5869.075	32.68	-12.04	56.36	106.96	50.60	Horizontal
3	5913.275	32.83	-12.04	57.78	76.95	19.17	Horizontal
4	5926.925	32.85	-12.02	57.08	68.30	11.22	Horizontal

11ax(HE20)_TX_RU106_Right_CH_165_Vertical_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5854.775	32.62	-12.03	62.49	111.41	48.92	Vertical
2	5863.55	32.65	-12.04	61.39	108.50	47.11	Vertical
3	5914.575	32.83	-12.04	57.80	75.99	18.19	Vertical
4	5948.375	32.90	-11.99	58.21	68.30	10.09	Vertical

7.5 Maximum Conducted output power

Test Requirement 47 CFR Part 15, Subpart E 15.407 (a)

Test Method: ANSI C63.10 (2020) Section 12.4

Limit:

Frequency band(MHz)	Limit
5150-5250	≤1W(30dBm) for master device
	≤250mW(24dBm) for client device
5250-5350	≤250mW(24dBm) or 11dBm+10logB*
5470-5725	≤250mW(24dBm) or 11dBm+10logB*
5725-5850	≤1W(30dBm)
Remark:	* Where B is the 26dB emission bandwidth in MHz. The maximum conducted output power must be measured over any interval of continuous transmission using instrumentation calibrated in terms of an rms-equivalent voltage.

7.5.1 E.U.T. Operation

Operating Environment:

Temperature: 23 °C


Humidity: 45 % RH

Atmospheric Pressure: 1024 mbar

7.5.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	09	TX mode (U-NII-1) _Keep the EUT in continuously transmitting mode with all modulation types and being charged. All data rates for each modulation type have been tested, Only the data of worst case is recorded in the report.
Final test	10	TX mode (U-NII-2A) _Keep the EUT in continuously transmitting mode with all modulation types and being charged. All data rates for each modulation type have been tested, Only the data of worst case is recorded in the report.
Final test	11	TX mode (U-NII-2C) _Keep the EUT in continuously transmitting mode with all modulation types and being charged. All data rates for each modulation type have been tested, Only the data of worst case is recorded in the report.
Final test	12	TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types and being charged. All data rates for each modulation type have been tested, Only the data of worst case is recorded in the report.

7.5.3 Test Setup Diagram



7.5.4 Measurement Procedure and Data

Note: Since the verify power the same operating range bandwidth and smaller power can be covered by the higher power.

AV Output power Level = Reading level + Cable loss + DCCF

Please Refer to Appendix for Details



Report No.: SUCR251000101905

Page: 270 of 289

8 Test Setup Photo

Refer to Appendix - Test Setup Photo for SUCR2510001019AT

9 EUT Constructional Details (EUT Photos)

Refer to Appendix_Photographs of EUT Constructional Details for SUCR2510001019AT

10 Appendix

1. Duty Cycle

1.1 Test Result

1.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	MIMO	5180	/	/	2.096	2.112	99.24	0.03	0.07
802.11n (HT20)	MIMO	5180	/	/	5.367	5.384	99.68	0.01	0.04
802.11n (HT40)	MIMO	5190	/	/	5.392	5.410	99.67	0.01	0.04
802.11ac (VHT20)	MIMO	5180	/	/	5.370	5.387	99.68	0.01	0.03
802.11ac (VHT40)	MIMO	5190	/	/	5.395	5.412	99.69	0.01	0.03
802.11ac (VHT80)	MIMO	5210	/	/	3.119	3.135	99.49	0.02	0.03
802.11ax (HEW20)	MIMO	5180	SU	/	5.359	5.376	99.68	0.01	0.04
802.11ax (HEW40)	MIMO	5190	SU	/	4.821	4.838	99.65	0.02	0.03
802.11ax (HEW80)	MIMO	5210	SU	/	2.556	2.573	99.34	0.03	0.03
802.11ax (HEW160)	MIMO	5570	SU	/	2.209	2.226	99.24	0.03	0.03


1.1.2 Ant2


Ant2									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	MIMO	5180	/	/	2.097	2.113	99.24	0.03	0.03
802.11n (HT20)	MIMO	5180	/	/	5.367	5.384	99.68	0.01	0.03
802.11n (HT40)	MIMO	5190	/	/	5.392	5.408	99.70	0.01	0.00
802.11ac (VHT20)	MIMO	5180	/	/	5.373	5.391	99.67	0.01	0.04
802.11ac (VHT40)	MIMO	5190	/	/	5.394	5.411	99.69	0.01	0.03
802.11ac (VHT80)	MIMO	5210	/	/	3.118	3.134	99.49	0.02	0.03
802.11ax	MIMO	5180	SU	/	5.357	5.376	99.65	0.02	0.03

(HEW20)									
802.11ax (HEW40)	MIMO	5190	SU	/	4.822	4.838	99.67	0.01	0.03
802.11ax (HEW80)	MIMO	5210	SU	/	2.556	2.573	99.34	0.03	0.03
802.11ax (HEW160)	MIMO	5570	SU	/	2.209	2.225	99.28	0.03	0.03


1.2 Test Graph

1.2.1 Ant1







802.11n(HT40) LCH_5190MHz_Ant1_NTNV




802.11ac(VHT20) LCH_5180MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU / Ant1_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU / Ant1_NTNV



802.11ax(HEW80) MCH 5210MHz SU / Ant1 NTN




802.11ax(HEW160) MCH 5570MHz SU / Ant1 NTN




1.2.2 Ant2


802.11a_LCH_5180MHz_Ant2_NTNV




802.11n(HT20)_LCH_5180MHz_Ant2_NTNV




802.11n(HT40) LCH_5190MHz_Ant2_NTNV




802.11ac(VHT20) LCH_5180MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_/_Ant2_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU_/_Ant2_NTNV



802.11ax(HEW80)_MCH_5210MHz_SU_/_Ant2_NTNV



802.11ax(HEW160)_MCH_5570MHz_SU_/_Ant2_NTNV



2. Maximum Conducted Output Power

2.1 Test Result

2.1.1 Power

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11a-CDD	Ant0	5180	15.83	≤30.00	PASS
	Ant1	5180	15.21	≤30.00	PASS
	total	5180	18.53	≤30.00	PASS
	Ant0	5220	15.95	≤30.00	PASS
	Ant1	5220	15.19	≤30.00	PASS
	total	5220	18.58	≤30.00	PASS
	Ant0	5240	15.87	≤30.00	PASS
	Ant1	5240	14.81	≤30.00	PASS
	total	5240	18.35	≤30.00	PASS
	Ant0	5260	15.58	≤23.90	PASS
	Ant1	5260	14.71	≤23.88	PASS
	total	5260	18.16	≤23.98	PASS
	Ant0	5300	15.38	≤23.94	PASS
	Ant1	5300	14.69	≤23.94	PASS
	total	5300	18.05	≤23.98	PASS
	Ant0	5320	14.91	≤23.98	PASS
	Ant1	5320	14.96	≤23.96	PASS
	total	5320	17.95	≤23.98	PASS
	Ant0	5500	14.61	≤23.91	PASS
	Ant1	5500	14.45	≤23.89	PASS
	total	5500	17.54	≤23.98	PASS
	Ant0	5580	14.71	≤23.91	PASS
	Ant1	5580	14.30	≤23.87	PASS
	total	5580	17.52	≤23.98	PASS
	Ant0	5700	14.76	≤23.90	PASS
	Ant1	5700	14.58	≤23.89	PASS
	total	5700	17.68	≤23.98	PASS
	Ant0	5720	14.47	≤22.70	PASS
	Ant1	5720	14.26	≤22.69	PASS
	total	5720	17.38	≤23.98	PASS
	Ant0	5745	15.36	≤30.00	PASS
	Ant1	5745	15.07	≤30.00	PASS
	total	5745	18.23	≤30.00	PASS
	Ant0	5785	15.43	≤30.00	PASS
	Ant1	5785	15.45	≤30.00	PASS
	total	5785	18.45	≤30.00	PASS
	Ant0	5825	15.20	≤30.00	PASS
	Ant1	5825	15.29	≤30.00	PASS
	total	5825	18.26	≤30.00	PASS
11n20MIMO	Ant0	5180	15.90	≤30.00	PASS
	Ant1	5180	15.35	≤30.00	PASS
	total	5180	18.64	≤30.00	PASS
	Ant0	5220	15.80	≤30.00	PASS
	Ant1	5220	15.28	≤30.00	PASS
	total	5220	18.55	≤30.00	PASS
	Ant0	5240	15.82	≤30.00	PASS
	Ant1	5240	15.16	≤30.00	PASS

	total	5240	18.50	≤30.00	PASS
	Ant0	5260	15.53	≤23.98	PASS
	Ant1	5260	14.97	≤23.98	PASS
	total	5260	18.26	≤23.98	PASS
	Ant0	5300	15.60	≤23.98	PASS
	Ant1	5300	15.03	≤23.98	PASS
	total	5300	18.33	≤23.98	PASS
	Ant0	5320	15.48	≤23.98	PASS
	Ant1	5320	15.07	≤23.98	PASS
	total	5320	18.29	≤23.98	PASS
	Ant0	5500	14.57	≤23.98	PASS
	Ant1	5500	13.94	≤23.98	PASS
	total	5500	17.27	≤23.98	PASS
	Ant0	5580	14.52	≤23.98	PASS
	Ant1	5580	13.92	≤23.98	PASS
	total	5580	17.23	≤23.98	PASS
	Ant0	5700	14.55	≤23.98	PASS
	Ant1	5700	14.44	≤23.98	PASS
	total	5700	17.51	≤23.98	PASS
	Ant0	5720	14.65	≤22.80	PASS
	Ant1	5720	14.45	≤22.82	PASS
	total	5720	17.56	≤23.98	PASS
	Ant0	5745	15.52	≤30.00	PASS
	Ant1	5745	15.21	≤30.00	PASS
	total	5745	18.38	≤30.00	PASS
	Ant0	5785	15.44	≤30.00	PASS
	Ant1	5785	15.10	≤30.00	PASS
	total	5785	18.28	≤30.00	PASS
	Ant0	5825	15.54	≤30.00	PASS
	Ant1	5825	15.18	≤30.00	PASS
	total	5825	18.37	≤30.00	PASS
11n40MIMO	Ant0	5190	15.44	≤30.00	PASS
	Ant1	5190	14.82	≤30.00	PASS
	total	5190	18.14	≤30.00	PASS
	Ant0	5230	15.25	≤30.00	PASS
	Ant1	5230	14.75	≤30.00	PASS
	total	5230	18.01	≤30.00	PASS
	Ant0	5270	15.52	≤23.98	PASS
	Ant1	5270	14.77	≤23.98	PASS
	total	5270	18.16	≤23.98	PASS
	Ant0	5310	15.66	≤23.98	PASS
	Ant1	5310	14.76	≤23.98	PASS
	total	5310	18.22	≤23.98	PASS
	Ant0	5510	15.54	≤23.98	PASS
	Ant1	5510	14.82	≤23.98	PASS
	total	5510	18.19	≤23.98	PASS
	Ant0	5550	15.47	≤23.98	PASS
	Ant1	5550	15.15	≤23.98	PASS
	total	5550	18.32	≤23.98	PASS
	Ant0	5670	15.52	≤23.98	PASS
	Ant1	5670	15.33	≤23.98	PASS
	total	5670	18.44	≤23.98	PASS
	Ant0	5710	15.50	≤23.98	PASS
	Ant1	5710	15.26	≤23.98	PASS
	total	5710	18.39	≤23.98	PASS
	Ant0	5755	15.60	≤30.00	PASS
	Ant1	5755	15.27	≤30.00	PASS
	total	5755	18.45	≤30.00	PASS

	Ant0	5795	15.71	≤30.00	PASS
	Ant1	5795	15.29	≤30.00	PASS
	total	5795	18.51	≤30.00	PASS
11ac20MIMO	Ant0	5180	15.80	≤30.00	PASS
	Ant1	5180	15.46	≤30.00	PASS
	total	5180	18.64	≤30.00	PASS
	Ant0	5220	15.81	≤30.00	PASS
	Ant1	5220	15.27	≤30.00	PASS
	total	5220	18.55	≤30.00	PASS
	Ant0	5240	15.78	≤30.00	PASS
	Ant1	5240	15.26	≤30.00	PASS
	total	5240	18.53	≤30.00	PASS
	Ant0	5260	15.65	≤23.98	PASS
	Ant1	5260	15.06	≤23.98	PASS
	total	5260	18.37	≤23.98	PASS
	Ant0	5300	15.53	≤23.98	PASS
	Ant1	5300	15.07	≤23.98	PASS
	total	5300	18.31	≤23.98	PASS
	Ant0	5320	15.61	≤23.98	PASS
	Ant1	5320	15.09	≤23.98	PASS
	total	5320	18.36	≤23.98	PASS
	Ant0	5500	14.50	≤23.98	PASS
	Ant1	5500	14.03	≤23.98	PASS
	total	5500	17.28	≤23.98	PASS
	Ant0	5580	14.53	≤23.98	PASS
	Ant1	5580	14.09	≤23.98	PASS
	total	5580	17.32	≤23.98	PASS
	Ant0	5700	14.63	≤23.98	PASS
	Ant1	5700	14.44	≤23.98	PASS
	total	5700	17.55	≤23.98	PASS
	Ant0	5720	14.61	≤22.80	PASS
	Ant1	5720	14.59	≤22.82	PASS
	total	5720	17.61	≤23.98	PASS
	Ant0	5745	15.64	≤30.00	PASS
	Ant1	5745	15.28	≤30.00	PASS
	total	5745	18.47	≤30.00	PASS
	Ant0	5785	15.55	≤30.00	PASS
	Ant1	5785	15.35	≤30.00	PASS
	total	5785	18.46	≤30.00	PASS
	Ant0	5825	15.50	≤30.00	PASS
	Ant1	5825	15.21	≤30.00	PASS
	total	5825	18.37	≤30.00	PASS
11ac40MIMO	Ant0	5190	15.48	≤30.00	PASS
	Ant1	5190	14.88	≤30.00	PASS
	total	5190	18.19	≤30.00	PASS
	Ant0	5230	15.47	≤30.00	PASS
	Ant1	5230	14.92	≤30.00	PASS
	total	5230	18.21	≤30.00	PASS
	Ant0	5270	15.56	≤23.98	PASS
	Ant1	5270	14.79	≤23.98	PASS
	total	5270	18.19	≤23.98	PASS
	Ant0	5310	15.66	≤23.98	PASS
	Ant1	5310	14.83	≤23.98	PASS
	total	5310	18.26	≤23.98	PASS
	Ant0	5510	15.61	≤23.98	PASS
	Ant1	5510	14.93	≤23.98	PASS
	total	5510	18.28	≤23.98	PASS
	Ant0	5550	15.56	≤23.98	PASS

	Ant1	5550	15.19	≤23.98	PASS
	total	5550	18.39	≤23.98	PASS
	Ant0	5670	15.59	≤23.98	PASS
	Ant1	5670	15.39	≤23.98	PASS
	total	5670	18.50	≤23.98	PASS
	Ant0	5710	15.62	≤23.98	PASS
	Ant1	5710	15.29	≤23.98	PASS
	total	5710	18.47	≤23.98	PASS
	Ant0	5755	15.62	≤30.00	PASS
	Ant1	5755	15.18	≤30.00	PASS
	total	5755	18.41	≤30.00	PASS
	Ant0	5795	15.72	≤30.00	PASS
	Ant1	5795	15.37	≤30.00	PASS
	total	5795	18.56	≤30.00	PASS
11ac80MIMO	Ant0	5210	13.19	≤30.00	PASS
	Ant1	5210	12.86	≤30.00	PASS
	total	5210	16.04	≤30.00	PASS
	Ant0	5290	12.69	≤23.98	PASS
	Ant1	5290	12.49	≤23.98	PASS
	total	5290	15.60	≤23.98	PASS
	Ant0	5530	14.55	≤23.98	PASS
	Ant1	5530	14.08	≤23.98	PASS
	total	5530	17.33	≤23.98	PASS
	Ant0	5610	14.23	≤23.98	PASS
	Ant1	5610	14.15	≤23.98	PASS
	total	5610	17.20	≤23.98	PASS
	Ant0	5690	14.52	≤23.98	PASS
	Ant1	5690	14.18	≤23.98	PASS
	total	5690	17.36	≤23.98	PASS
11ax20MIMO	Ant0	5775	14.48	≤30.00	PASS
	Ant1	5775	14.20	≤30.00	PASS
	total	5775	17.35	≤30.00	PASS
	Ant0	5180	15.79	≤30.00	PASS
	Ant1	5180	15.37	≤30.00	PASS
	total	5180	18.59	≤30.00	PASS
	Ant0	5220	15.77	≤30.00	PASS
	Ant1	5220	15.19	≤30.00	PASS
	total	5220	18.49	≤30.00	PASS
	Ant0	5240	15.67	≤30.00	PASS
	Ant1	5240	15.12	≤30.00	PASS
	total	5240	18.41	≤30.00	PASS
	Ant0	5260	15.62	≤23.98	PASS
	Ant1	5260	15.16	≤23.98	PASS
	total	5260	18.40	≤23.98	PASS
	Ant0	5300	15.67	≤23.98	PASS
	Ant1	5300	15.12	≤23.98	PASS
	total	5300	18.41	≤23.98	PASS
	Ant0	5320	15.56	≤23.98	PASS
	Ant1	5320	15.09	≤23.98	PASS
	total	5320	18.34	≤23.98	PASS
	Ant0	5500	14.08	≤23.98	PASS
	Ant1	5500	13.59	≤23.98	PASS
	total	5500	16.85	≤23.98	PASS
	Ant0	5580	14.17	≤23.98	PASS
	Ant1	5580	13.50	≤23.98	PASS
	total	5580	16.85	≤23.98	PASS
	Ant0	5700	14.18	≤23.98	PASS
	Ant1	5700	13.93	≤23.98	PASS

	total	5700	17.07	≤23.98	PASS
	Ant0	5720	14.13	≤22.85	PASS
	Ant1	5720	14.16	≤22.88	PASS
	total	5720	17.16	≤23.98	PASS
	Ant0	5745	15.61	≤30.00	PASS
	Ant1	5745	15.38	≤30.00	PASS
	total	5745	18.51	≤30.00	PASS
	Ant0	5785	15.56	≤30.00	PASS
	Ant1	5785	15.35	≤30.00	PASS
	total	5785	18.47	≤30.00	PASS
	Ant0	5825	15.55	≤30.00	PASS
	Ant1	5825	15.32	≤30.00	PASS
	total	5825	18.45	≤30.00	PASS
11ax40MIMO	Ant0	5190	13.10	≤30.00	PASS
	Ant1	5190	12.83	≤30.00	PASS
	total	5190	15.98	≤30.00	PASS
	Ant0	5230	13.52	≤30.00	PASS
	Ant1	5230	13.23	≤30.00	PASS
	total	5230	16.39	≤30.00	PASS
	Ant0	5270	13.63	≤23.98	PASS
	Ant1	5270	13.47	≤23.98	PASS
	total	5270	16.56	≤23.98	PASS
	Ant0	5310	13.71	≤23.98	PASS
	Ant1	5310	13.40	≤23.98	PASS
	total	5310	16.57	≤23.98	PASS
	Ant0	5510	14.61	≤23.98	PASS
	Ant1	5510	13.89	≤23.98	PASS
	total	5510	17.26	≤23.98	PASS
	Ant0	5550	14.58	≤23.98	PASS
	Ant1	5550	14.16	≤23.98	PASS
	total	5550	17.38	≤23.98	PASS
	Ant0	5670	14.53	≤23.98	PASS
	Ant1	5670	14.47	≤23.98	PASS
	total	5670	17.51	≤23.98	PASS
	Ant0	5710	14.56	≤23.98	PASS
	Ant1	5710	14.35	≤23.98	PASS
	total	5710	17.47	≤23.98	PASS
	Ant0	5755	15.66	≤30.00	PASS
	Ant1	5755	15.29	≤30.00	PASS
	total	5755	18.49	≤30.00	PASS
	Ant0	5795	15.63	≤30.00	PASS
	Ant1	5795	15.45	≤30.00	PASS
	total	5795	18.55	≤30.00	PASS
11ax80MIMO	Ant0	5210	13.45	≤30.00	PASS
	Ant1	5210	12.53	≤30.00	PASS
	total	5210	16.00	≤30.00	PASS
	Ant0	5290	11.88	≤23.98	PASS
	Ant1	5290	11.57	≤23.98	PASS
	total	5290	14.74	≤23.98	PASS
	Ant0	5530	14.09	≤23.98	PASS
	Ant1	5530	13.61	≤23.98	PASS
	total	5530	16.86	≤23.98	PASS
	Ant0	5610	14.06	≤23.98	PASS
	Ant1	5610	13.75	≤23.98	PASS
	total	5610	16.92	≤23.98	PASS
	Ant0	5690	13.88	≤23.98	PASS
	Ant1	5690	13.77	≤23.98	PASS
	total	5690	16.84	≤23.98	PASS

11ax160MIMO	Ant0	5775	14.54	≤30.00	PASS
	Ant1	5775	15.08	≤30.00	PASS
	total	5775	17.82	≤30.00	PASS
	Ant0	5250	11.05	≤23.98	PASS
	Ant1	5250	10.69	≤23.98	PASS
	total	5250	13.88	≤23.98	PASS
	Ant0	5570	13.62	≤23.98	PASS
	Ant1	5570	13.24	≤23.98	PASS
	total	5570	16.44	≤23.98	PASS

- End of the Report -