



11ax(HE20)_TX_CH_117_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7457.0625	40.42	36.30	-18.01	58.71	74.00	15.29	Vertical
2	8938.3333	47.13	37.96	-38.83	46.25	88.20	41.95	Vertical
3	11575.6667	44.00	38.95	-34.98	47.98	74.00	26.02	Vertical
4	13293.6667	43.34	40.05	-34.72	48.67	74.00	25.33	Vertical
5	17984.3333	41.32	41.65	-30.77	52.20	74.00	21.80	Vertical
6	17839.3333	32.03	41.23	-30.60	42.66	54.00	11.34	Vertical

11ax(HE20)_TX_CH_149_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7452.6875	40.18	36.30	-17.99	58.49	74.00	15.51	Horizontal
2	8827	47.29	37.88	-39.11	46.06	88.20	42.14	Horizontal
3	10933	44.69	39.22	-35.88	48.03	74.00	25.97	Horizontal
4	13325.6667	43.95	40.06	-34.77	49.25	74.00	24.75	Horizontal
5	17998.6667	41.67	41.70	-30.72	52.64	74.00	21.36	Horizontal
6	17988.3333	32.05	41.67	-30.76	42.96	54.00	11.04	Horizontal

11ax(HE20)_TX_CH_149_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7421.625	39.95	36.30	-17.85	58.40	74.00	15.60	Vertical
2	8818	47.11	37.87	-39.12	45.86	88.20	42.34	Vertical
3	10960	45.67	39.25	-35.79	49.14	74.00	24.86	Vertical
4	13283.6667	43.78	40.04	-34.74	49.08	74.00	24.92	Vertical
5	17866.6667	41.35	41.31	-30.80	51.86	74.00	22.14	Vertical
6	17988	32.60	41.67	-30.76	43.51	54.00	10.49	Vertical

11ax(HE20)_TX_CH_181_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7404.125	39.65	36.30	-17.77	58.18	74.00	15.82	Horizontal
2	9065.6667	47.47	38.01	-38.98	46.50	74.00	27.50	Horizontal
3	11559.6667	44.53	38.96	-35.13	48.36	74.00	25.64	Horizontal
4	14339.6667	42.95	40.20	-34.20	48.95	88.20	39.25	Horizontal
5	17834.6667	40.68	41.22	-30.57	51.33	74.00	22.67	Horizontal
6	17992.3333	31.83	41.68	-30.74	42.76	54.00	11.24	Horizontal

11ax(HE20)_TX_CH_181_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7324.5	39.51	36.30	-17.75	58.06	74.00	15.94	Vertical
2	9026	46.91	38.00	-38.71	46.21	74.00	27.79	Vertical
3	12333	43.08	39.10	-34.50	47.68	74.00	26.32	Vertical
4	13797.6667	44.19	40.30	-34.88	49.61	88.20	38.59	Vertical
5	17935	41.00	41.51	-30.93	51.58	74.00	22.42	Vertical
6	17995.3333	32.28	41.69	-30.73	43.23	54.00	10.77	Vertical

11ax(HE20)_TX_CH_189_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7997.375	40.07	37.29	-18.78	58.58	88.20	29.62	Horizontal
2	8915	47.09	37.94	-38.95	46.08	88.20	42.12	Horizontal
3	10934.3333	44.72	39.22	-35.87	48.07	74.00	25.93	Horizontal
4	13598.6667	43.39	40.20	-34.33	49.26	88.20	38.94	Horizontal
5	17998.3333	40.90	41.70	-30.73	51.87	74.00	22.13	Horizontal
6	17827.6667	32.30	41.20	-30.52	42.98	54.00	11.02	Horizontal

11ax(HE20)_TX_CH_189_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7553.75	40.17	36.41	-18.33	58.25	74.00	15.75	Vertical
2	8923.3333	47.17	37.95	-38.91	46.21	88.20	41.99	Vertical
3	10973	44.35	39.27	-35.74	47.88	74.00	26.12	Vertical
4	13811	43.54	40.31	-34.82	49.03	88.20	39.17	Vertical
5	17864.3333	41.31	41.31	-30.78	51.83	74.00	22.17	Vertical
6	17974	32.18	41.62	-30.80	43.00	54.00	11.00	Vertical

11ax(HE20)_TX_CH_209_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7414.625	40.03	36.30	-17.82	58.51	74.00	15.49	Horizontal
2	8928	47.35	37.95	-38.88	46.42	88.20	41.78	Horizontal
3	11021.6667	44.12	39.29	-35.64	47.77	74.00	26.23	Horizontal
4	13911.6667	43.36	40.36	-34.39	49.32	88.20	38.88	Horizontal
5	17981.6667	40.66	41.65	-30.78	51.53	74.00	22.47	Horizontal
6	17959.3333	32.01	41.58	-30.85	42.74	54.00	11.26	Horizontal

11ax(HE20)_TX_CH_209_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7667.0625	40.77	36.63	-18.56	58.84	74.00	15.16	Vertical
2	8745.6667	47.52	37.82	-39.19	46.15	88.20	42.05	Vertical
3	10940.3333	44.36	39.23	-35.85	47.74	74.00	26.26	Vertical
4	14095.6667	43.24	40.34	-34.79	48.79	88.20	39.41	Vertical
5	17979	40.54	41.64	-30.79	51.39	74.00	22.61	Vertical
6	17980.3333	31.98	41.64	-30.78	42.84	54.00	11.16	Vertical

11ax(HE20)_TX_CH_233_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7463.625	40.64	36.30	-18.04	58.90	74.00	15.10	Horizontal
2	8402.3333	49.00	37.58	-40.12	46.46	74.00	27.54	Horizontal
3	10473	44.17	38.67	-36.29	46.55	88.20	41.65	Horizontal
4	13287.3333	43.83	40.04	-34.73	49.14	74.00	24.86	Horizontal
5	17848.6667	39.99	41.26	-30.67	50.58	74.00	23.42	Horizontal
6	17990.3333	32.08	41.67	-30.75	43.00	54.00	11.00	Horizontal

11ax(HE20)_TX_CH_233_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7439.5625	41.21	36.30	-17.93	59.58	74.00	14.42	Vertical
2	9063	47.22	38.01	-38.96	46.27	74.00	27.73	Vertical
3	10927.6667	44.32	39.21	-35.90	47.64	74.00	26.36	Vertical
4	14415.6667	42.74	40.15	-33.88	49.01	88.20	39.19	Vertical
5	17867.3333	41.34	41.32	-30.80	51.85	74.00	22.15	Vertical
6	17987.6667	32.31	41.66	-30.76	43.21	54.00	10.79	Vertical

11ax(HE40)_TX_CH_003_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7051.0625	39.71	36.30	-17.29	58.72	88.20	29.48	Horizontal
2	8711	46.58	37.80	-39.23	45.15	88.20	43.05	Horizontal
3	12210	43.73	38.95	-35.04	47.64	74.00	26.36	Horizontal
4	15027.6667	43.10	39.75	-33.93	48.92	88.20	39.28	Horizontal
5	17902.6667	41.35	41.42	-31.03	51.74	74.00	22.26	Horizontal
6	17985	32.21	41.66	-30.77	43.10	54.00	10.90	Horizontal

11ax(HE40)_TX_CH_003_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7238.75	39.96	36.30	-17.83	58.43	88.20	29.77	Vertical
2	8819.6667	47.03	37.87	-39.12	45.79	88.20	42.41	Vertical
3	11066.3333	44.15	39.26	-35.61	47.80	74.00	26.20	Vertical
4	14354.3333	43.13	40.19	-34.09	49.23	88.20	38.97	Vertical
5	17989.6667	40.66	41.67	-30.75	51.58	74.00	22.42	Vertical
6	17989.6667	32.51	41.67	-30.75	43.43	54.00	10.57	Vertical

11ax(HE40)_TX_CH_043_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7074.25	40.91	36.30	-17.30	59.91	88.20	28.29	Horizontal
2	9060	47.11	38.01	-38.94	46.18	74.00	27.82	Horizontal
3	11552.3333	44.09	38.97	-35.20	47.86	74.00	26.14	Horizontal
4	13867	43.32	40.33	-34.50	49.16	88.20	39.04	Horizontal
5	17920.3333	40.86	41.47	-30.97	51.35	74.00	22.65	Horizontal
6	17995.3333	31.99	41.69	-30.73	42.94	54.00	11.06	Horizontal

11ax(HE40)_TX_CH_043_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6943.875	41.49	36.21	-17.34	60.36	88.20	27.84	Vertical
2	9009.6667	46.28	38.00	-38.60	45.69	74.00	28.31	Vertical
3	11338.3333	44.24	39.10	-35.52	47.82	74.00	26.18	Vertical
4	13939.6667	43.94	40.37	-34.59	49.72	88.20	38.48	Vertical
5	17974.3333	40.48	41.63	-30.80	51.30	74.00	22.70	Vertical
6	17840	32.66	41.24	-30.61	43.29	54.00	10.71	Vertical

11ax(HE40)_TX_CH_091_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7487.25	40.01	36.30	-18.15	58.16	74.00	15.84	Horizontal
2	8701.3333	47.13	37.79	-39.24	45.68	88.20	42.52	Horizontal
3	10967.3333	44.66	39.26	-35.76	48.16	74.00	25.84	Horizontal
4	13977	43.51	40.39	-34.85	49.05	88.20	39.15	Horizontal
5	17758	41.51	41.00	-30.63	51.88	74.00	22.12	Horizontal
6	17978.6667	31.68	41.64	-30.79	42.53	54.00	11.47	Horizontal

11ax(HE40)_TX_CH_091_Veritical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7641.25	40.26	36.58	-18.51	58.33	74.00	15.67	Vertical
2	8824	46.90	37.88	-39.11	45.67	88.20	42.53	Vertical
3	10469.3333	44.94	38.66	-36.30	47.31	88.20	40.89	Vertical
4	13657	44.05	40.23	-34.61	49.67	88.20	38.53	Vertical
5	17951.6667	41.03	41.56	-30.87	51.72	74.00	22.28	Vertical
6	17990	32.53	41.67	-30.75	43.45	54.00	10.55	Vertical

11ax(HE40)_TX_CH_099_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7436.9375	39.99	36.30	-17.92	58.37	74.00	15.63	Horizontal
2	8991.3333	46.54	37.99	-38.57	45.96	88.20	42.24	Horizontal
3	11558.6667	44.31	38.96	-35.14	48.13	74.00	25.87	Horizontal
4	14013	43.74	40.39	-34.98	49.15	88.20	39.05	Horizontal
5	17818.3333	41.01	41.17	-30.45	51.73	74.00	22.27	Horizontal
6	17976	31.88	41.63	-30.80	42.71	54.00	11.29	Horizontal

11ax(HE40)_TX_CH_099_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7343.3125	39.86	36.30	-17.75	58.41	74.00	15.59	Vertical
2	8656	47.08	37.76	-39.17	45.67	88.20	42.53	Vertical
3	10845.6667	44.55	39.11	-36.23	47.44	74.00	26.56	Vertical
4	13884.3333	43.54	40.34	-34.40	49.48	88.20	38.72	Vertical
5	17909.6667	40.45	41.44	-31.01	50.88	74.00	23.12	Vertical
6	17980.3333	31.97	41.64	-30.78	42.83	54.00	11.17	Vertical

11ax(HE40)_TX_CH_107_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7066.8125	39.61	36.30	-17.30	58.61	88.20	29.59	Horizontal
2	8638.3333	47.70	37.75	-39.14	46.31	88.20	41.89	Horizontal
3	10575	44.85	38.79	-36.40	47.24	88.20	40.96	Horizontal
4	13910.6667	43.04	40.36	-34.38	49.01	88.20	39.19	Horizontal
5	17979	41.40	41.64	-30.79	52.25	74.00	21.75	Horizontal
6	17984	31.87	41.65	-30.77	42.75	54.00	11.25	Horizontal

11ax(HE40)_TX_CH_107_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7413.75	39.93	36.30	-17.81	58.42	74.00	15.58	Vertical
2	8670.3333	47.58	37.77	-39.19	46.16	88.20	42.04	Vertical
3	10916.6667	44.75	39.20	-35.93	48.02	74.00	25.98	Vertical
4	13968	43.66	40.38	-34.79	49.26	88.20	38.94	Vertical
5	17987.3333	40.95	41.66	-30.76	51.85	74.00	22.15	Vertical
6	17990	32.67	41.67	-30.75	43.59	54.00	10.41	Vertical

11ax(HE40)_TX_CH_123_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7109.6875	39.54	36.30	-17.37	58.47	88.20	29.73	Horizontal
2	8956	47.02	37.97	-38.75	46.24	88.20	41.96	Horizontal
3	10974	44.02	39.27	-35.74	47.55	74.00	26.45	Horizontal
4	14526.3333	44.17	40.08	-34.55	49.70	88.20	38.50	Horizontal
5	17814.6667	40.70	41.16	-30.43	51.44	74.00	22.56	Horizontal
6	17997.3333	31.73	41.69	-30.73	42.69	54.00	11.31	Horizontal

11ax(HE40)_TX_CH_123_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7121.5	40.68	36.30	-17.43	59.55	88.20	28.65	Vertical
2	8615.3333	47.35	37.73	-39.10	45.98	88.20	42.22	Vertical
3	11166	44.54	39.20	-35.64	48.10	74.00	25.90	Vertical
4	14689.6667	43.40	39.99	-33.61	49.77	88.20	38.43	Vertical
5	17991.6667	40.41	41.68	-30.75	51.34	74.00	22.66	Vertical
6	17995.3333	32.62	41.69	-30.73	43.57	54.00	10.43	Vertical

11ax(HE40)_TX_CH_147_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7412.4375	39.70	36.30	-17.81	58.19	74.00	15.81	Horizontal
2	8828.6667	47.26	37.88	-39.11	46.03	88.20	42.17	Horizontal
3	10914	44.65	39.20	-35.94	47.90	74.00	26.10	Horizontal
4	13954.3333	43.20	40.38	-34.69	48.89	88.20	39.31	Horizontal
5	17990	40.41	41.67	-30.75	51.33	74.00	22.67	Horizontal
6	17939.3333	31.85	41.52	-30.91	42.46	54.00	11.54	Horizontal

11ax(HE40)_TX_CH_147_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7481.125	40.20	36.30	-18.12	58.38	74.00	15.62	Vertical
2	8920.3333	47.28	37.94	-38.92	46.30	88.20	41.90	Vertical
3	10976.6667	46.25	39.27	-35.73	49.79	74.00	24.21	Vertical
4	13870.3333	43.12	40.34	-34.48	48.98	88.20	39.22	Vertical
5	17999.3333	40.44	41.70	-30.72	51.42	74.00	22.58	Vertical
6	17982.3333	33.06	41.65	-30.78	43.93	54.00	10.07	Vertical

11ax(HE40)_TX_CH_179_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7438.25	39.70	36.30	-17.93	58.07	74.00	15.93	Horizontal
2	8945	47.09	37.96	-38.80	46.25	88.20	41.95	Horizontal
3	10944.3333	44.49	39.23	-35.84	47.88	74.00	26.12	Horizontal
4	13743	44.02	40.27	-34.85	49.45	88.20	38.75	Horizontal
5	17991	40.67	41.67	-30.75	51.60	74.00	22.40	Horizontal
6	17983	32.50	41.65	-30.77	43.38	54.00	10.62	Horizontal

11ax(HE40)_TX_CH_179_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7415.9375	39.75	36.30	-17.82	58.23	74.00	15.77	Vertical
2	9030	47.01	38.00	-38.73	46.28	74.00	27.72	Vertical
3	10983.3333	45.31	39.28	-35.71	48.88	74.00	25.12	Vertical
4	13918.3333	43.08	40.36	-34.44	49.00	88.20	39.20	Vertical
5	17934.3333	41.21	41.51	-30.93	51.79	74.00	22.21	Vertical
6	17992	32.10	41.68	-30.75	43.03	54.00	10.97	Vertical

11ax(HE40)_TX_CH_195_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7559.4375	40.02	36.42	-18.34	58.10	74.00	15.90	Horizontal
2	8792.6667	47.30	37.85	-39.15	46.01	88.20	42.19	Horizontal
3	10948.6667	44.68	39.24	-35.82	48.09	74.00	25.91	Horizontal
4	14561.6667	44.12	40.06	-34.41	49.78	88.20	38.42	Horizontal
5	17930.3333	40.84	41.50	-30.94	51.40	74.00	22.60	Horizontal
6	18000	31.94	41.70	-30.72	42.92	54.00	11.08	Horizontal

11ax(HE40)_TX_CH_195_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7594.4375	40.72	36.49	-18.42	58.79	74.00	15.21	Vertical
2	9045	46.76	38.00	-38.84	45.93	74.00	28.07	Vertical
3	10926	44.84	39.21	-35.90	48.15	74.00	25.85	Vertical
4	13442.3333	43.17	40.12	-34.74	48.55	88.20	39.65	Vertical
5	17992.3333	40.78	41.68	-30.74	51.71	74.00	22.29	Vertical
6	17839.6667	32.45	41.24	-30.61	43.08	54.00	10.92	Vertical

11ax(HE40)_TX_CH_203_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7187.5625	40.52	36.30	-17.81	59.01	88.20	29.19	Horizontal
2	8756	46.69	37.83	-39.18	45.34	88.20	42.86	Horizontal
3	10965.6667	44.41	39.26	-35.77	47.90	74.00	26.10	Horizontal
4	14459	43.03	40.12	-34.28	48.87	88.20	39.33	Horizontal
5	17984	40.69	41.65	-30.77	51.57	74.00	22.43	Horizontal
6	17996.3333	32.15	41.69	-30.73	43.11	54.00	10.89	Horizontal

11ax(HE40)_TX_CH_203_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7334.125	40.09	36.30	-17.75	58.64	74.00	15.36	Vertical
2	8655.6667	47.38	37.76	-39.17	45.97	88.20	42.23	Vertical
3	10560.6667	44.26	38.77	-36.38	46.66	88.20	41.54	Vertical
4	13485	43.30	40.14	-34.56	48.89	88.20	39.31	Vertical
5	17894.6667	41.07	41.39	-31.00	51.46	74.00	22.54	Vertical
6	17986.3333	32.08	41.66	-30.76	42.98	54.00	11.02	Vertical

11ax(HE40)_TX_CH_227_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7681.5	40.25	36.66	-18.59	58.32	74.00	15.68	Horizontal
2	8718.3333	46.86	37.80	-39.22	45.44	88.20	42.76	Horizontal
3	10897.6667	44.70	39.18	-36.00	47.88	74.00	26.12	Horizontal
4	14393.6667	43.15	40.16	-33.79	49.53	88.20	38.67	Horizontal
5	17879.3333	41.16	41.35	-30.89	51.62	74.00	22.38	Horizontal
6	17995	31.84	41.69	-30.74	42.79	54.00	11.21	Horizontal

11ax(HE40)_TX_CH_227_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7503	40.20	36.31	-18.22	58.29	74.00	15.71	Vertical
2	8894	47.48	37.93	-39.03	46.38	88.20	41.82	Vertical
3	10979.3333	45.44	39.28	-35.72	48.99	74.00	25.01	Vertical
4	13336	43.67	40.07	-34.79	48.95	74.00	25.05	Vertical
5	17960	40.60	41.58	-30.85	51.34	74.00	22.66	Vertical
6	17997.3333	31.84	41.69	-30.73	42.80	54.00	11.20	Vertical

11ax(HE80)_TX_CH_007_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6895.3125	40.31	36.13	-17.38	59.06	88.20	29.14	Horizontal
2	8958	47.44	37.97	-38.74	46.67	88.20	41.53	Horizontal
3	10989.6667	44.15	39.29	-35.69	47.75	74.00	26.25	Horizontal
4	13845	43.34	40.32	-34.62	49.04	88.20	39.16	Horizontal
5	17974.6667	41.18	41.63	-30.80	52.01	74.00	21.99	Horizontal
6	17975	32.08	41.63	-30.80	42.91	54.00	11.09	Horizontal

11ax(HE80)_TX_CH_007_Veritical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6789.4375	39.62	35.96	-17.01	58.57	88.20	29.63	Vertical
2	9036.3333	46.18	38.00	-38.78	45.41	74.00	28.59	Vertical
3	11559.6667	44.11	38.96	-35.13	47.94	74.00	26.06	Vertical
4	14509.6667	43.76	40.09	-34.62	49.23	88.20	38.97	Vertical
5	17893.6667	40.86	41.39	-30.99	51.26	74.00	22.74	Vertical
6	17983	31.87	41.65	-30.77	42.75	54.00	11.25	Vertical

11ax(HE80)_TX_CH_039_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7062.4375	40.63	36.30	-17.29	59.64	88.20	28.56	Horizontal
2	8818.6667	47.33	37.87	-39.12	46.09	88.20	42.11	Horizontal
3	11559.3333	43.86	38.96	-35.13	47.69	74.00	26.31	Horizontal
4	13896.6667	43.46	40.35	-34.33	49.48	88.20	38.72	Horizontal
5	17938.6667	41.37	41.52	-30.92	51.98	74.00	22.02	Horizontal
6	17926	32.92	41.49	-30.96	43.45	54.00	10.55	Horizontal

11ax(HE80)_TX_CH_039_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7009.0625	39.88	36.30	-17.27	58.91	88.20	29.29	Vertical
2	8929	47.40	37.95	-38.88	46.47	88.20	41.73	Vertical
3	11111.3333	43.89	39.23	-35.60	47.53	74.00	26.47	Vertical
4	13869	43.50	40.33	-34.49	49.35	88.20	38.85	Vertical
5	17997.3333	40.90	41.69	-30.73	51.86	74.00	22.14	Vertical
6	17993.6667	32.24	41.68	-30.74	43.18	54.00	10.82	Vertical

11ax(HE80)_TX_CH_087_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7093.5	39.83	36.30	-17.31	58.82	88.20	29.38	Horizontal
2	9176	47.53	38.02	-38.97	46.58	74.00	27.42	Horizontal
3	11558	43.77	38.97	-35.15	47.59	74.00	26.41	Horizontal
4	14683	42.18	39.99	-33.66	48.51	88.20	39.69	Horizontal
5	17843	41.40	41.24	-30.63	52.02	74.00	21.98	Horizontal
6	17885.3333	32.52	41.37	-30.93	42.95	54.00	11.05	Horizontal

11ax(HE80)_TX_CH_087_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7051.0625	40.99	36.30	-17.29	60.00	88.20	28.20	Vertical
2	8991.3333	46.65	37.99	-38.57	46.07	88.20	42.13	Vertical
3	10981	44.26	39.28	-35.71	47.82	74.00	26.18	Vertical
4	13990.3333	43.63	40.40	-34.94	49.08	88.20	39.12	Vertical
5	17995.3333	40.32	41.69	-30.73	51.27	74.00	22.73	Vertical
6	17879.6667	32.34	41.35	-30.89	42.80	54.00	11.20	Vertical

11ax(HE80)_TX_CH_103_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7055.4375	39.51	36.30	-17.29	58.52	88.20	29.68	Horizontal
2	8709.3333	47.43	37.80	-39.23	46.00	88.20	42.20	Horizontal
3	11022.6667	44.30	39.29	-35.64	47.95	74.00	26.05	Horizontal
4	14390.3333	43.23	40.17	-33.81	49.58	88.20	38.62	Horizontal
5	17977.3333	40.46	41.63	-30.79	51.30	74.00	22.70	Horizontal
6	17873	32.16	41.33	-30.85	42.65	54.00	11.35	Horizontal

11ax(HE80)_TX_CH_103_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7631.1875	40.27	36.56	-18.49	58.34	74.00	15.66	Vertical
2	8897	47.41	37.93	-39.02	46.31	88.20	41.89	Vertical
3	11572	43.92	38.96	-35.01	47.87	74.00	26.13	Vertical
4	14670	42.53	40.00	-33.75	48.78	88.20	39.42	Vertical
5	17980.6667	40.57	41.64	-30.78	51.43	74.00	22.57	Vertical
6	17998.3333	31.88	41.70	-30.73	42.85	54.00	11.15	Vertical

11ax(HE80)_TX_CH_135_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7493.8125	40.53	36.30	-18.18	58.65	74.00	15.35	Horizontal
2	8944.3333	46.83	37.96	-38.80	45.99	88.20	42.21	Horizontal
3	11804.3333	43.85	38.82	-35.34	47.32	74.00	26.68	Horizontal
4	14460	43.38	40.12	-34.29	49.21	88.20	38.99	Horizontal
5	17967	40.75	41.60	-30.83	51.53	74.00	22.47	Horizontal
6	18000	32.32	41.70	-30.72	43.30	54.00	10.70	Horizontal

11ax(HE80)_TX_CH_135_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7523.5625	40.55	36.35	-18.26	58.64	74.00	15.36	Vertical
2	8821	46.79	37.87	-39.11	45.55	88.20	42.65	Vertical
3	10968	44.43	39.26	-35.76	47.93	74.00	26.07	Vertical
4	13857.3333	42.85	40.33	-34.55	48.63	88.20	39.57	Vertical
5	17969.6667	40.48	41.61	-30.82	51.27	74.00	22.73	Vertical
6	17869	32.18	41.32	-30.82	42.68	54.00	11.32	Vertical

11ax(HE80)_TX_CH_151_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7818	40.64	36.94	-18.74	58.84	88.20	29.36	Horizontal
2	9072	46.99	38.01	-39.02	45.98	74.00	28.02	Horizontal
3	11591	43.73	38.95	-34.83	47.85	74.00	26.15	Horizontal
4	14119.6667	43.53	40.33	-34.84	49.02	88.20	39.18	Horizontal
5	17976.3333	40.08	41.63	-30.80	50.92	74.00	23.08	Horizontal
6	17988.3333	32.14	41.67	-30.76	43.05	54.00	10.95	Horizontal

11ax(HE80)_TX_CH_151_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7668.375	40.18	36.64	-18.57	58.25	74.00	15.75	Vertical
2	8804	47.47	37.86	-39.14	46.20	88.20	42.00	Vertical
3	11542.3333	43.66	38.97	-35.30	47.34	74.00	26.66	Vertical
4	13946.3333	43.56	40.37	-34.63	49.30	88.20	38.90	Vertical
5	17842	40.56	41.24	-30.62	51.18	74.00	22.82	Vertical
6	17985.3333	31.89	41.66	-30.77	42.78	54.00	11.22	Vertical

11ax(HE80)_TX_CH_167_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7481.125	40.23	36.30	-18.12	58.41	74.00	15.59	Horizontal
2	8937.3333	47.21	37.96	-38.84	46.33	88.20	41.87	Horizontal
3	10970	44.38	39.26	-35.75	47.89	74.00	26.11	Horizontal
4	13920	43.30	40.36	-34.45	49.21	88.20	38.99	Horizontal
5	17854.6667	41.45	41.28	-30.71	52.01	74.00	21.99	Horizontal
6	17989.3333	31.52	41.67	-30.75	42.43	54.00	11.57	Horizontal

11ax(HE80)_TX_CH_167_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7395.8125	40.06	36.30	-17.75	58.61	74.00	15.39	Vertical
2	9005.6667	46.79	38.00	-38.57	46.22	74.00	27.78	Vertical
3	11755.6667	44.60	38.85	-35.45	47.99	74.00	26.01	Vertical
4	14912	42.81	39.85	-33.41	49.25	88.20	38.95	Vertical
5	17984.3333	40.81	41.65	-30.77	51.69	74.00	22.31	Vertical
6	17986.3333	32.43	41.66	-30.76	43.33	54.00	10.67	Vertical

11ax(HE80)_TX_CH_199_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7426	39.86	36.30	-17.87	58.29	74.00	15.71	Horizontal
2	8955.6667	46.97	37.97	-38.75	46.19	88.20	42.01	Horizontal
3	10986.6667	45.18	39.28	-35.70	48.77	74.00	25.23	Horizontal
4	13652	44.17	40.23	-34.58	49.81	88.20	38.39	Horizontal
5	17977.3333	40.74	41.63	-30.79	51.58	74.00	22.42	Horizontal
6	17990.3333	31.92	41.67	-30.75	42.84	54.00	11.16	Horizontal

11ax(HE80)_TX_CH_199_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7431.25	39.53	36.30	-17.89	57.94	74.00	16.06	Vertical
2	8970.6667	47.23	37.98	-38.67	46.54	88.20	41.66	Vertical
3	11870.6667	44.64	38.78	-34.96	48.46	74.00	25.54	Vertical
4	13996	44.58	40.40	-34.98	50.00	88.20	38.20	Vertical
5	17959	41.24	41.58	-30.85	51.97	74.00	22.03	Vertical
6	17991	31.88	41.67	-30.75	42.81	54.00	11.19	Vertical

11ax(HE80)_TX_CH_215_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7392.75	40.48	36.30	-17.75	59.03	74.00	14.97	Horizontal
2	9068.3333	46.86	38.01	-38.99	45.87	74.00	28.13	Horizontal
3	10966.6667	44.26	39.26	-35.76	47.76	74.00	26.24	Horizontal
4	13886.6667	43.05	40.34	-34.39	49.01	88.20	39.19	Horizontal
5	17996.3333	40.67	41.69	-30.73	51.63	74.00	22.37	Horizontal
6	17882.6667	32.32	41.36	-30.92	42.76	54.00	11.24	Horizontal

11ax(HE80)_TX_CH_215_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7440.4375	40.04	36.30	-17.94	58.40	74.00	15.60	Vertical
2	8923	47.39	37.95	-38.91	46.43	88.20	41.77	Vertical
3	10844.3333	45.53	39.11	-36.23	48.41	74.00	25.59	Vertical
4	13925.3333	43.23	40.36	-34.49	49.11	88.20	39.09	Vertical
5	17872.3333	42.14	41.33	-30.84	52.63	74.00	21.37	Vertical
6	17998.3333	31.72	41.70	-30.73	42.69	54.00	11.31	Vertical

11ax(HE160)_TX_CH_015_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6995.0625	40.33	36.29	-17.28	59.35	88.20	28.85	Horizontal
2	8946.3333	47.76	37.96	-38.79	46.93	88.20	41.27	Horizontal
3	11296.6667	44.13	39.12	-35.30	47.95	74.00	26.05	Horizontal
4	15204	42.43	39.43	-33.30	48.56	88.20	39.64	Horizontal
5	17961.3333	40.73	41.59	-30.84	51.47	74.00	22.53	Horizontal
6	17999.3333	32.23	41.70	-30.72	43.21	54.00	10.79	Horizontal

11ax(HE160)_TX_CH_015_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6983.25	40.94	36.27	-17.29	59.92	88.20	28.28	Vertical
2	8977.6667	47.00	37.98	-38.64	46.34	88.20	41.86	Vertical
3	11584.3333	43.88	38.95	-34.89	47.94	74.00	26.06	Vertical
4	13930	43.01	40.37	-34.52	48.85	88.20	39.35	Vertical
5	17949.6667	40.83	41.55	-30.88	51.50	74.00	22.50	Vertical
6	17940	32.73	41.53	-30.91	43.34	54.00	10.66	Vertical

11ax(HE160)_TX_CH_047_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7173.125	40.87	36.30	-17.73	59.44	88.20	28.76	Horizontal
2	8954.3333	47.70	37.97	-38.75	46.91	88.20	41.29	Horizontal
3	10944.6667	44.68	39.23	-35.84	48.08	74.00	25.92	Horizontal
4	13811.6667	43.90	40.31	-34.81	49.39	88.20	38.81	Horizontal
5	17999.6667	40.51	41.70	-30.72	51.49	74.00	22.51	Horizontal
6	17990.6667	31.75	41.67	-30.75	42.67	54.00	11.33	Horizontal

11ax(HE160)_TX_CH_047_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6985	40.42	36.28	-17.29	59.41	88.20	28.79	Vertical
2	9027.3333	47.05	38.00	-38.72	46.34	74.00	27.66	Vertical
3	11095.6667	44.35	39.24	-35.59	48.00	74.00	26.00	Vertical
4	14715.3333	42.52	39.97	-33.63	48.86	88.20	39.34	Vertical
5	17982.3333	40.23	41.65	-30.78	51.10	74.00	22.90	Vertical
6	17976.3333	32.34	41.63	-30.80	43.18	54.00	10.82	Vertical

11ax(HE160)_TX_CH_079_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7035.75	40.23	36.30	-17.28	59.25	88.20	28.95	Horizontal
2	8609.3333	47.66	37.73	-39.09	46.29	88.20	41.91	Horizontal
3	10942.3333	44.65	39.23	-35.85	48.03	74.00	25.97	Horizontal
4	13874.3333	43.41	40.34	-34.46	49.29	88.20	38.91	Horizontal
5	17868	42.02	41.32	-30.81	52.53	74.00	21.47	Horizontal
6	17972	32.80	41.62	-30.81	43.61	54.00	10.39	Horizontal

11ax(HE160)_TX_CH_079_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6974.9375	40.14	36.26	-17.30	59.10	88.20	29.10	Vertical
2	9119	48.08	38.01	-39.15	46.94	74.00	27.06	Vertical
3	12377	43.98	39.15	-34.85	48.28	74.00	25.72	Vertical
4	14701.6667	42.62	39.98	-33.55	49.05	88.20	39.15	Vertical
5	17811.3333	40.67	41.15	-30.40	51.42	74.00	22.58	Vertical
6	17896	32.72	41.40	-31.01	43.11	54.00	10.89	Vertical

11ax(HE160)_TX_CH_143_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7438.6875	39.72	36.30	-17.93	58.09	74.00	15.91	Horizontal
2	8904.3333	47.34	37.93	-39.00	46.27	88.20	41.93	Horizontal
3	10979.3333	44.40	39.28	-35.72	47.95	74.00	26.05	Horizontal
4	13938.3333	43.22	40.37	-34.58	49.01	88.20	39.19	Horizontal
5	17878.6667	41.17	41.35	-30.89	51.63	74.00	22.37	Horizontal
6	17983	32.05	41.65	-30.77	42.93	54.00	11.07	Horizontal

11ax(HE160)_TX_CH_143_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7366.0625	40.01	36.30	-17.75	58.56	74.00	15.44	Vertical
2	8789.6667	47.77	37.85	-39.15	46.47	88.20	41.73	Vertical
3	10619	44.97	38.84	-36.38	47.43	74.00	26.57	Vertical
4	13655	43.78	40.23	-34.60	49.41	88.20	38.79	Vertical
5	17881	41.11	41.35	-30.90	51.56	74.00	22.44	Vertical
6	17991.6667	32.05	41.68	-30.75	42.98	54.00	11.02	Vertical

11ax(HE160)_TX_CH_207_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7358.625	39.51	36.30	-17.75	58.06	74.00	15.94	Horizontal
2	8948	46.90	37.96	-38.78	46.08	88.20	42.12	Horizontal
3	10978	44.85	39.27	-35.72	48.40	74.00	25.60	Horizontal
4	13647.3333	44.00	40.22	-34.56	49.66	88.20	38.54	Horizontal
5	17926.6667	41.15	41.49	-30.95	51.68	74.00	22.32	Horizontal
6	17980	32.00	41.64	-30.78	42.86	54.00	11.14	Horizontal

11ax(HE160)_TX_CH_207_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7494.6875	40.21	36.30	-18.19	58.32	74.00	15.68	Vertical
2	8898.6667	47.35	37.93	-39.02	46.26	88.20	41.94	Vertical
3	10657.3333	45.46	38.89	-36.25	48.10	74.00	25.90	Vertical
4	13821.3333	43.73	40.31	-34.76	49.28	88.20	38.92	Vertical
5	17991	40.76	41.67	-30.75	51.69	74.00	22.31	Vertical
6	17995.3333	32.64	41.69	-30.73	43.59	54.00	10.41	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

$$\text{Level} = \text{Reading}(\text{dB}\mu\text{V}) + \text{AF}(\text{dB}/\text{m}) + \text{Factor}(\text{dB})$$


$$\text{AF} = \text{Antenna Factor}(\text{dB}/\text{m})$$

$$\text{Factor} = \text{Cable Factor}(\text{dB}) - \text{Preamplifier gain}(\text{dB})$$

$$\text{Margin} = \text{Limit}(\text{dB}\mu\text{V}/\text{m}) - \text{Level}(\text{dB}\mu\text{V}/\text{m})$$
- All channels have been tested, but only the worst case data displayed in this report.


Restricted bands around fundamental frequency

11a_TX_CH_001_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5900.88	32.80	-12.06	56.92	88.20	31.28	Horizontal
2	5911.66	32.82	-12.04	56.73	88.20	31.47	Horizontal

11a_TX_CH_001_Horizontal_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5909.7	32.82	-12.05	45.41	68.20	22.79	Horizontal
2	5922.16	32.84	-12.03	45.47	68.20	22.73	Horizontal


11a_TX_CH_001_Vertical_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5901.44	32.80	-12.06	57.99	88.20	30.21	Vertical
2	5920.76	32.84	-12.03	57.36	88.20	30.84	Vertical




11a_TX_CH_001_Vertical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5918.1	32.84	-12.03	45.44	68.20	22.76	Vertical
2	5922.86	32.85	-12.03	45.59	68.20	22.61	Vertical

11a_TX_CH_233_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.21	36.15	-11.85	74.79	88.20	13.41	Horizontal
2	7126.53	36.17	-11.84	68.67	88.20	19.53	Horizontal

11a_TX_CH_233_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.21	36.15	-11.85	56.62	68.20	11.58	Horizontal
2	7126.035	36.16	-11.84	54.62	68.20	13.58	Horizontal

11a_TX_CH_233_Veritical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.21	36.15	-11.85	74.96	88.20	13.24	Vertical
2	7125.87	36.16	-11.84	71.12	88.20	17.08	Vertical

11a_TX_CH_233_Veritical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.045	36.15	-11.85	58.22	68.20	9.98	Vertical
2	7125.54	36.16	-11.85	56.32	68.20	11.88	Vertical

11ax(HE20)_TX_CH_001_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5899.2	32.80	-12.06	57.09	88.20	31.11	Horizontal
2	5909.56	32.82	-12.05	56.81	88.20	31.39	Horizontal

11ax(HE20)_TX_CH_001_Horizontal_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5900.46	32.80	-12.06	45.24	68.20	22.96	Horizontal
2	5914.04	32.83	-12.04	45.47	68.20	22.73	Horizontal


11ax(HE20)_TX_CH_001_Vertical_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5906.34	32.81	-12.05	57.06	88.20	31.14	Vertical
2	5915.16	32.83	-12.04	57.87	88.20	30.33	Vertical




11ax(HE20)_TX_CH_001_Vertical_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5904.24	32.81	-12.05	45.32	68.20	22.88	Vertical
2	5918.66	32.84	-12.03	45.47	68.20	22.73	Vertical


11ax(HE20)_TX_CH_233_Horizontal_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.045	36.15	-11.85	69.95	88.20	18.25	Horizontal
2	7125.375	36.15	-11.85	67.17	88.20	21.03	Horizontal




11ax(HE20)_TX_CH_233_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.045	36.15	-11.85	61.39	68.20	6.81	Horizontal
2	7125.375	36.15	-11.85	52.76	68.20	15.44	Horizontal

11ax(HE20)_TX_CH_233_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.375	36.15	-11.85	69.10	88.20	19.10	Vertical
2	7125.705	36.16	-11.84	62.66	88.20	25.54	Vertical

11ax(HE20)_TX_CH_233_Vertical_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.045	36.15	-11.85	64.95	68.20	3.25	Vertical
2	7125.21	36.15	-11.85	60.33	68.20	7.87	Vertical


11ax(HE40)_TX_CH_003_Horizontal_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5899.25	32.80	-12.06	57.83	88.20	30.37	Horizontal
2	5917.07	32.83	-12.03	58.20	88.20	30.00	Horizontal




11ax(HE40)_TX_CH_003_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5917.73	32.84	-12.03	45.40	68.20	22.80	Horizontal
2	5924.165	32.85	-12.02	45.72	68.20	22.48	Horizontal

11ax(HE40)_TX_CH_003_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5905.025	32.81	-12.05	57.44	88.20	30.76	Vertical
2	5916.245	32.83	-12.04	57.84	88.20	30.36	Vertical

11ax(HE40)_TX_CH_003_Veritical_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5917.895	32.84	-12.03	46.12	68.20	22.08	Vertical
2	5924.165	32.85	-12.02	47.43	68.20	20.77	Vertical


11ax(HE40)_TX_CH_227_Horizontal_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7133.64	36.24	-11.81	61.20	88.20	27.00	Horizontal
2	7151.64	36.41	-11.73	61.72	88.20	26.48	Horizontal




11ax(HE40)_TX_CH_227_Horizontal_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7143.48	36.33	-11.76	48.93	68.20	19.27	Horizontal
2	7162.44	36.45	-11.68	49.17	68.20	19.03	Horizontal


11ax(HE40)_TX_CH_227_Vertical_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7130.76	36.21	-11.82	60.05	88.20	28.15	Vertical
2	7149.72	36.40	-11.74	61.78	88.20	26.42	Vertical




11ax(HE40)_TX_CH_227_Veritical_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7132.44	36.22	-11.81	48.73	68.20	19.47	Vertical
2	7158.12	36.43	-11.70	49.42	68.20	18.78	Vertical




11ax(HE80)_TX_CH_007_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5876.52	32.71	-12.05	57.81	88.20	30.39	Horizontal
2	5905.64	32.81	-12.05	57.20	88.20	31.00	Horizontal

11ax(HE80)_TX_CH_007_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5878.44	32.71	-12.05	46.24	68.20	21.96	Horizontal
2	5905.32	32.81	-12.05	46.96	68.20	21.24	Horizontal

11ax(HE80)_TX_CH_007_Vertical_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5898.92	32.80	-12.06	59.56	88.20	28.64	Vertical
2	5914.6	32.83	-12.04	59.83	88.20	28.37	Vertical


11ax(HE80)_TX_CH_007_Vertical_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5899.56	32.80	-12.06	48.83	68.20	19.37	Vertical
2	5921.64	32.84	-12.03	49.96	68.20	18.24	Vertical




11ax(HE80)_TX_CH_215_Horizontal_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7138.92	36.29	-11.78	60.20	88.20	28.00	Horizontal
2	7161.32	36.45	-11.68	61.13	88.20	27.07	Horizontal


11ax(HE80)_TX_CH_215_Horizontal_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7144.68	36.35	-11.76	49.61	68.20	18.59	Horizontal
2	7196.2	36.58	-11.53	50.53	68.20	17.67	Horizontal




11ax(HE80)_TX_CH_215_Vertical_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7132.84	36.23	-11.81	60.49	88.20	27.71	Vertical
2	7161	36.44	-11.69	60.58	88.20	27.62	Vertical




11ax(HE80)_TX_CH_215_Veritical_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7143.72	36.34	-11.76	49.47	68.20	18.73	Vertical
2	7176.04	36.50	-11.62	49.82	68.20	18.38	Vertical




11ax(HE160)_TX_CH_015_Horizontal_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5891.92	32.77	-12.06	59.17	88.20	29.03	Horizontal
2	5914.96	32.83	-12.04	58.62	88.20	29.58	Horizontal




11ax(HE160)_TX_CH_015_Horizontal_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5891.2	32.76	-12.05	48.33	68.20	19.87	Horizontal
2	5904.52	32.81	-12.05	48.62	68.20	19.58	Horizontal




11ax(HE160)_TX_CH_015_Veritical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5887.6	32.75	-12.05	63.50	88.20	24.70	Vertical
2	5900.2	32.80	-12.06	64.09	88.20	24.11	Vertical

11ax(HE160)_TX_CH_015_Veritical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5890.84	32.76	-12.05	52.77	68.20	15.43	Vertical
2	5909.56	32.82	-12.05	53.18	68.20	15.02	Vertical

11ax(HE160)_TX_CH_207_Horizontal_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7137.16	36.27	-11.79	60.73	88.20	27.47	Horizontal
2	7152.64	36.41	-11.72	60.70	88.20	27.50	Horizontal


11ax(HE160)_TX_CH_207_Horizontal_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7144.72	36.35	-11.76	49.55	68.20	18.65	Horizontal
2	7178.56	36.51	-11.61	49.94	68.20	18.26	Horizontal




11ax(HE160)_TX_CH_207_Vertical_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7139.68	36.30	-11.78	61.42	88.20	26.78	Vertical
2	7165.24	36.46	-11.67	61.19	88.20	27.01	Vertical




11ax(HE160)_TX_CH_207_Veritical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7132.12	36.22	-11.82	49.51	68.20	18.69	Vertical
2	7163.8	36.46	-11.67	50.23	68.20	17.97	Vertical

11ax(HE20)_TX_RU26_Left_CH_001_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5921.74	32.84	-12.03	61.48	88.20	26.72	Horizontal
2	5923.56	32.85	-12.02	61.83	88.20	26.37	Horizontal

11ax(HE20)_TX_RU26_Left_CH_001_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5912.78	32.83	-12.04	45.39	68.20	22.81	Horizontal
2	5920.2	32.84	-12.03	45.50	68.20	22.70	Horizontal

11ax(HE20)_TX_RU26_Left_CH_001_Vertical_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5921.74	32.84	-12.03	65.42	88.20	22.78	Vertical
2	5923.56	32.85	-12.02	70.01	88.20	18.19	Vertical

11ax(HE20)_TX_RU26_Left_CH_001_Vertical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5913.2	32.83	-12.04	46.21	68.20	21.99	Vertical
2	5923.56	32.85	-12.02	45.95	68.20	22.25	Vertical

11ax(HE20)_TX_RU26_Right_CH_233_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.21	36.15	-11.85	70.15	88.20	18.05	Horizontal
2	7125.87	36.16	-11.84	65.33	88.20	22.87	Horizontal

11ax(HE20)_TX_RU26_Right_CH_233_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.045	36.15	-11.85	62.83	68.20	5.37	Horizontal
2	7125.21	36.15	-11.85	57.92	68.20	10.28	Horizontal

11ax(HE20)_TX_RU26_Right_CH_233_Vertical_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.21	36.15	-11.85	75.21	88.20	12.99	Vertical
2	7125.705	36.16	-11.84	68.11	88.20	20.09	Vertical


11ax(HE20)_TX_RU26_Right_CH_233_Vertical_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.045	36.15	-11.85	65.07	68.20	3.13	Vertical
2	7125.21	36.15	-11.85	59.68	68.20	8.52	Vertical




11ax(HE20)_TX_RU52_Left_CH_001_Horizontal_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5907.74	32.82	-12.05	57.82	88.20	30.38	Horizontal
2	5921.04	32.84	-12.03	57.35	88.20	30.85	Horizontal




11ax(HE20)_TX_RU52_Left_CH_001_Horizontal_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5918.94	32.84	-12.03	45.39	68.20	22.81	Horizontal
2	5923	32.85	-12.03	45.37	68.20	22.83	Horizontal


11ax(HE20)_TX_RU52_Left_CH_001_Vertical_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5918.38	32.84	-12.03	61.11	88.20	27.09	Vertical
2	5923.42	32.85	-12.02	65.48	88.20	22.72	Vertical




11ax(HE20)_TX_RU52_Left_CH_001_Vertical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5915.02	32.83	-12.04	45.79	68.20	22.41	Vertical
2	5922.86	32.85	-12.03	46.22	68.20	21.98	Vertical

11ax(HE20)_TX_RU52_Right_CH_233_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.21	36.15	-11.85	70.16	88.20	18.04	Horizontal
2	7125.87	36.16	-11.84	67.09	88.20	21.11	Horizontal

11ax(HE20)_TX_RU52_Right_CH_233_Horizontal_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.045	36.15	-11.85	62.54	68.20	5.66	Horizontal
2	7125.21	36.15	-11.85	57.24	68.20	10.96	Horizontal


11ax(HE20)_TX_RU52_Right_CH_233_Vertical_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.045	36.15	-11.85	77.73	88.20	10.47	Vertical
2	7125.705	36.16	-11.84	70.07	88.20	18.13	Vertical




11ax(HE20)_TX_RU52_Right_CH_233_Vertical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.045	36.15	-11.85	64.74	68.20	3.46	Vertical
2	7125.21	36.15	-11.85	59.21	68.20	8.99	Vertical

11ax(HE20)_TX_RU106_Left_CH_001_Horizontal_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5922.58	32.85	-12.03	64.76	88.20	23.44	Horizontal
2	5924.54	32.85	-12.02	66.02	88.20	22.18	Horizontal

11ax(HE20)_TX_RU106_Left_CH_001_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5915.86	32.83	-12.04	45.26	68.20	22.94	Horizontal
2	5922.16	32.84	-12.03	45.48	68.20	22.72	Horizontal



Report No.: SUCR251000101906


Page: 240 of 245

11ax(HE20)_TX_RU106_Left_CH_001_Vertical_Peak






11ax(HE20)_TX_RU106_Left_CH_001_Vertical_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5917.82	32.84	-12.03	45.53	68.20	22.67	Vertical
2	5921.88	32.84	-12.03	45.78	68.20	22.42	Vertical

11ax(HE20)_TX_RU106_Right_CH_233_Horizontal_Peak




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.21	36.15	-11.85	68.18	88.20	20.02	Horizontal
2	7125.705	36.16	-11.84	66.90	88.20	21.30	Horizontal

11ax(HE20)_TX_RU106_Right_CH_233_Horizontal_Average




Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.045	36.15	-11.85	62.13	68.20	6.07	Horizontal
2	7125.21	36.15	-11.85	57.79	68.20	10.41	Horizontal

11ax(HE20)_TX_RU106_Right_CH_233_Vertical_Peak



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.045	36.15	-11.85	73.73	88.20	14.47	Vertical
2	7125.54	36.16	-11.85	71.07	88.20	17.13	Vertical

11ax(HE20)_TX_RU106_Right_CH_233_Vertical_Average



Data List							
NO.	Frequency [MHz]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.045	36.15	-11.85	64.37	68.20	3.83	Vertical
2	7125.21	36.15	-11.85	59.80	68.20	8.40	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

$$\text{Level} = \text{Reading}(\text{dB}\mu\text{V}) + \text{AF}(\text{dB/m}) + \text{Factor}(\text{dB})$$

$$\text{AF} = \text{Antenna Factor}(\text{dB/m})$$

$$\text{Factor} = \text{Cable Factor}(\text{dB}) - \text{Preamplifier gain}(\text{dB})$$

$$\text{Margin} = \text{Limit}(\text{dB}\mu\text{V/m}) - \text{Level}(\text{dB}\mu\text{V/m})$$

---End of Report---