

























Band Edge

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
a	5260	Ant1	-43.54	<=-27	Pass
a	5320	Ant1	-31.34	<=-27	Pass
a	5260	Ant2	-44.82	<=-27	Pass
a	5320	Ant2	-31.87	<=-27	Pass
n20	5260	Ant1	-33.66	<=-27	Pass
n20	5260	Ant2	-34.73	<=-27	Pass
n20	5320	Ant1	-38.33	<=-27	Pass
n20	5320	Ant2	-32.68	<=-27	Pass
n40	5270	Ant1	-43.39	<=-27	Pass
n40	5270	Ant2	-44.53	<=-27	Pass
n40	5310	Ant1	-38.26	<=-27	Pass
n40	5310	Ant2	-40.06	<=-27	Pass
ac20	5260	Ant1	-43.75	<=-27	Pass
ac20	5260	Ant2	-45.02	<=-27	Pass
ac20	5320	Ant1	-40.44	<=-27	Pass
ac20	5320	Ant2	-37.1	<=-27	Pass
ac40	5270	Ant1	-43.78	<=-27	Pass
ac40	5270	Ant2	-44.36	<=-27	Pass
ac40	5310	Ant1	-36.76	<=-27	Pass
ac40	5310	Ant2	-38.84	<=-27	Pass
ac80	5290	Ant1	-41.16	<=-27	Pass
ac80	5290	Ant2	-38.25	<=-27	Pass
ac80	5290	Ant1	-46.28	<=-27	Pass
ac80	5290	Ant2	-45.53	<=-27	Pass
ax20	5260	Ant1	-43.89	<=-27	Pass
ax20	5260	Ant2	-44.74	<=-27	Pass
ax20	5320	Ant1	-40.96	<=-27	Pass
ax20	5320	Ant2	-36.42	<=-27	Pass
ax40	5270	Ant1	-43.35	<=-27	Pass
ax40	5270	Ant2	-44.52	<=-27	Pass
ax40	5310	Ant1	-36.74	<=-27	Pass
ax40	5310	Ant2	-37.39	<=-27	Pass
ax80	5290	Ant1	-34.45	<=-27	Pass
ax80	5290	Ant2	-34.18	<=-27	Pass
ax80	5290	Ant1	-43.43	<=-27	Pass
ax80	5290	Ant2	-45.41	<=-27	Pass
n20	5260	MIMO	-41.09	<=-27	Pass
n20	5320	MIMO	-27.73	<=-27	Pass
n40	5270	MIMO	-41.39	<=-27	Pass
n40	5310	MIMO	-29.93	<=-27	Pass
ac20	5260	MIMO	-31.41	<=-27	Pass
ac20	5320	MIMO	-28.83	<=-27	Pass
ac40	5270	MIMO	-40.15	<=-27	Pass
ac40	5310	MIMO	-30.08	<=-27	Pass
ac80	5290	MIMO	-27.8	<=-27	Pass
ac80	5290	MIMO	-41.25	<=-27	Pass
ax20	5260	MIMO	-30.8	<=-27	Pass
ax20	5320	MIMO	-29.82	<=-27	Pass
ax40	5270	MIMO	-40.88	<=-27	Pass
ax40	5310	MIMO	-28.83	<=-27	Pass
ax80	5290	MIMO	-29.13	<=-27	Pass
ax80	5290	MIMO	-40.53	<=-27	Pass










Band Edge NVNT a 5260MHz Low Ant2







Band Edge NVNT a 5320MHz High Ant2





























































































Restrict Band

Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
a	5260	Ant1	4500	-49.08	3.19	0	49.34	Peak	<=68.2	Pass
a	5260	Ant1	4500	-58.22	3.19	0.29	40.49	Average	<=54	Pass
a	5260	Ant1	5038.2	-45.33	3.19	0	53.09	Peak	<=68.2	Pass
a	5260	Ant1	4960.98	-55.22	3.19	0.29	43.49	Average	<=54	Pass
a	5260	Ant1	5150	-48.49	3.19	0	49.93	Peak	<=68.2	Pass
a	5260	Ant1	5150	-56.5	3.19	0.29	42.21	Average	<=54	Pass
a	5320	Ant1	5350	-37.65	3.19	0	60.77	Peak	<=68.2	Pass
a	5320	Ant1	5350	-48.32	3.19	0.29	50.39	Average	<=54	Pass
a	5320	Ant1	5353	-31.34	3.19	0	67.08	Peak	<=68.2	Pass
a	5320	Ant1	5350.4	-47.07	3.19	0.29	51.64	Average	<=54	Pass
a	5320	Ant1	5460	-49.64	3.19	0	48.78	Peak	<=68.2	Pass
a	5320	Ant1	5460	-57.09	3.19	0.29	41.62	Average	<=54	Pass
a	5260	Ant2	4500	-48.96	2.76	0	49.03	Peak	<=68.2	Pass
a	5260	Ant2	4500	-58.1	2.76	0.29	40.18	Average	<=54	Pass
a	5260	Ant2	4968	-45.95	2.76	0	52.04	Peak	<=68.2	Pass
a	5260	Ant2	4937.58	-55.74	2.76	0.29	42.54	Average	<=54	Pass
a	5260	Ant2	5150	-50.24	2.76	0	47.75	Peak	<=68.2	Pass
a	5260	Ant2	5150	-56.67	2.76	0.29	41.61	Average	<=54	Pass
a	5320	Ant2	5350	-39.07	2.76	0	58.92	Peak	<=68.2	Pass
a	5320	Ant2	5350	-48.67	2.76	0.29	49.61	Average	<=54	Pass
a	5320	Ant2	5351.8	-30.57	2.76	0	67.42	Peak	<=68.2	Pass
a	5320	Ant2	5350.2	-47.93	2.76	0.29	50.35	Average	<=54	Pass
a	5320	Ant2	5460	-48.93	2.76	0	49.06	Peak	<=68.2	Pass
a	5320	Ant2	5460	-57.9	2.76	0.29	40.38	Average	<=54	Pass
n20	5260	Ant1	4500	-50.07	3.19	0	48.35	Peak	<=68.2	Pass
n20	5260	Ant1	4500	-57.55	3.19	0.31	41.18	Average	<=54	Pass
n20	5260	Ant1	4864.26	-44.83	3.19	0	53.59	Peak	<=68.2	Pass
n20	5260	Ant1	5067.06	-55.31	3.19	0.31	43.42	Average	<=54	Pass
n20	5260	Ant1	5150	-47.36	3.19	0	51.06	Peak	<=68.2	Pass
n20	5260	Ant1	5150	-56.34	3.19	0.31	42.39	Average	<=54	Pass
n20	5260	Ant2	4500	-49.1	2.76	0	48.89	Peak	<=68.2	Pass
n20	5260	Ant2	4500	-58.39	2.76	0.31	39.91	Average	<=54	Pass
n20	5260	Ant2	5137.26	-46.07	2.76	0	51.92	Peak	<=68.2	Pass
n20	5260	Ant2	4854.12	-55.7	2.76	0.31	42.6	Average	<=54	Pass
n20	5260	Ant2	5150	-47.96	2.76	0	50.03	Peak	<=68.2	Pass
n20	5260	Ant2	5150	-57.49	2.76	0.31	40.81	Average	<=54	Pass
n20	5260	MIMO	4500	-46.55	5.99	0	54.67	Peak	<=68.2	Pass
n20	5260	MIMO	4500	-54.94	5.99	0.31	46.59	Average	<=54	Pass
n20	5260	MIMO	4908.72	-43.37	5.99	0	57.85	Peak	<=68.2	Pass
n20	5260	MIMO	4854.12	-52.66	5.99	0.31	48.87	Average	<=54	Pass
n20	5260	MIMO	5150	-44.64	5.99	0	56.58	Peak	<=68.2	Pass
n20	5260	MIMO	5150	-53.87	5.99	0.31	47.66	Average	<=54	Pass
n20	5320	Ant1	5350	-41.59	3.19	0	56.83	Peak	<=68.2	Pass
n20	5320	Ant1	5350	-52.25	3.19	0.31	46.48	Average	<=54	Pass
n20	5320	Ant1	5350.6	-38.46	3.19	0	59.96	Peak	<=68.2	Pass
n20	5320	Ant1	5460	-48.53	3.19	0	49.89	Peak	<=68.2	Pass
n20	5320	Ant1	5460	-57.39	3.19	0.31	41.34	Average	<=54	Pass
n20	5320	Ant2	5350	-37.85	2.76	0	60.14	Peak	<=68.2	Pass
n20	5320	Ant2	5350	-51.45	2.76	0.31	46.85	Average	<=54	Pass
n20	5320	Ant2	5351.8	-35.58	2.76	0	62.41	Peak	<=68.2	Pass
n20	5320	Ant2	5460	-48.34	2.76	0	49.65	Peak	<=68.2	Pass
n20	5320	Ant2	5460	-56.29	2.76	0.31	42.01	Average	<=54	Pass
n20	5320	MIMO	5350	-36.32	5.99	0	64.9	Peak	<=68.2	Pass
n20	5320	MIMO	5350	-48.82	5.99	0.31	52.71	Average	<=54	Pass
n20	5320	MIMO	5351.8	-34.08	5.99	0	67.14	Peak	<=68.2	Pass
n20	5320	MIMO	5460	-45.42	5.99	0	55.8	Peak	<=68.2	Pass
n20	5320	MIMO	5460	-53.79	5.99	0.31	47.74	Average	<=54	Pass
n40	5270	Ant1	4500	-49.39	3.19	0	49.03	Peak	<=68.2	Pass
n40	5270	Ant1	4500	-57.69	3.19	0.61	41.34	Average	<=54	Pass



n40	5270	Ant1	4846.68	-45.15	3.19	0	53.27	Peak	<=68.2	Pass
n40	5270	Ant1	4898.52	-55.2	3.19	0.61	43.83	Average	<=54	Pass
n40	5270	Ant1	5150	-49.15	3.19	0	49.27	Peak	<=68.2	Pass
n40	5270	Ant1	5150	-56.19	3.19	0.61	42.84	Average	<=54	Pass
n40	5270	Ant2	4500	-50.37	2.76	0	47.62	Peak	<=68.2	Pass
n40	5270	Ant2	4500	-58.49	2.76	0.61	40.11	Average	<=54	Pass
n40	5270	Ant2	4885.56	-45.74	2.76	0	52.25	Peak	<=68.2	Pass
n40	5270	Ant2	4968.99	-55.76	2.76	0.61	42.84	Average	<=54	Pass
n40	5270	Ant2	5150	-48.07	2.76	0	49.92	Peak	<=68.2	Pass
n40	5270	Ant2	5150	-57.37	2.76	0.61	41.23	Average	<=54	Pass
n40	5270	MIMO	4500	-46.84	5.99	0	54.38	Peak	<=68.2	Pass
n40	5270	MIMO	4500	-55.06	5.99	0.61	46.77	Average	<=54	Pass
n40	5270	MIMO	4911.48	-43.54	5.99	0	57.68	Peak	<=68.2	Pass
n40	5270	MIMO	4898.52	-52.58	5.99	0.61	49.25	Average	<=54	Pass
n40	5270	MIMO	5150	-45.57	5.99	0	55.65	Peak	<=68.2	Pass
n40	5270	MIMO	5150	-53.73	5.99	0.61	48.1	Average	<=54	Pass
n40	5310	Ant1	5350	-43.67	3.19	0	54.75	Peak	<=68.2	Pass
n40	5310	Ant1	5350	-51.74	3.19	0.6	47.28	Average	<=54	Pass
n40	5310	Ant1	5353	-40.46	3.19	0	57.96	Peak	<=68.2	Pass
n40	5310	Ant1	5350.4	-51.23	3.19	0.6	47.79	Average	<=54	Pass
n40	5310	Ant1	5460	-48	3.19	0	50.42	Peak	<=68.2	Pass
n40	5310	Ant1	5460	-56.88	3.19	0.6	42.14	Average	<=54	Pass
n40	5310	Ant2	5350	-47.45	2.76	0	50.54	Peak	<=68.2	Pass
n40	5310	Ant2	5350	-56.67	2.76	0.6	41.92	Average	<=54	Pass
n40	5310	Ant2	5356.2	-43.93	2.76	0	54.06	Peak	<=68.2	Pass
n40	5310	Ant2	5357.2	-55.54	2.76	0.6	43.05	Average	<=54	Pass
n40	5310	Ant2	5460	-48.05	2.76	0	49.94	Peak	<=68.2	Pass
n40	5310	Ant2	5460	-56.88	2.76	0.6	41.71	Average	<=54	Pass
n40	5310	MIMO	5350	-42.15	5.99	0	59.07	Peak	<=68.2	Pass
n40	5310	MIMO	5350	-50.53	5.99	0.6	51.29	Average	<=54	Pass
n40	5310	MIMO	5351.4	-39.88	5.99	0	61.34	Peak	<=68.2	Pass
n40	5310	MIMO	5350.4	-50.1	5.99	0.6	51.72	Average	<=54	Pass
n40	5310	MIMO	5460	-45.01	5.99	0	56.21	Peak	<=68.2	Pass
n40	5310	MIMO	5460	-53.87	5.99	0.6	47.95	Average	<=54	Pass
ac20	5260	Ant1	4500	-48.39	3.19	0	50.03	Peak	<=68.2	Pass
ac20	5260	Ant1	4500	-57.76	3.19	0.31	40.97	Average	<=54	Pass
ac20	5260	Ant1	4971.12	-45.71	3.19	0	52.71	Peak	<=68.2	Pass
ac20	5260	Ant1	4886.1	-55.19	3.19	0.31	43.54	Average	<=54	Pass
ac20	5260	Ant1	5150	-48.36	3.19	0	50.06	Peak	<=68.2	Pass
ac20	5260	Ant1	5150	-56.32	3.19	0.31	42.41	Average	<=54	Pass
ac20	5260	Ant2	4500	-49.76	2.76	0	48.23	Peak	<=68.2	Pass
ac20	5260	Ant2	4500	-58.79	2.76	0.31	39.51	Average	<=54	Pass
ac20	5260	Ant2	5097.48	-45.07	2.76	0	52.92	Peak	<=68.2	Pass
ac20	5260	Ant2	4985.94	-55.45	2.76	0.31	42.85	Average	<=54	Pass
ac20	5260	Ant2	5150	-50.19	2.76	0	47.8	Peak	<=68.2	Pass
ac20	5260	Ant2	5150	-57.69	2.76	0.31	40.61	Average	<=54	Pass
ac20	5260	MIMO	4500	-46.01	5.99	0	55.21	Peak	<=68.2	Pass
ac20	5260	MIMO	4500	-55.23	5.99	0.31	46.3	Average	<=54	Pass
ac20	5260	MIMO	5097.48	-42.8	5.99	0	58.42	Peak	<=68.2	Pass
ac20	5260	MIMO	4918.08	-52.79	5.99	0.31	48.74	Average	<=54	Pass
ac20	5260	MIMO	5150	-46.17	5.99	0	55.05	Peak	<=68.2	Pass
ac20	5260	MIMO	5150	-53.94	5.99	0.31	47.59	Average	<=54	Pass
ac20	5320	Ant1	5350	-45.37	3.19	0	53.05	Peak	<=68.2	Pass
ac20	5320	Ant1	5350	-54.03	3.19	0.31	44.7	Average	<=54	Pass
ac20	5320	Ant1	5350.4	-41.72	3.19	0	56.7	Peak	<=68.2	Pass
ac20	5320	Ant1	5350.8	-53.42	3.19	0.31	45.31	Average	<=54	Pass
ac20	5320	Ant1	5460	-48.6	3.19	0	49.82	Peak	<=68.2	Pass
ac20	5320	Ant1	5460	-57.49	3.19	0.31	41.24	Average	<=54	Pass
ac20	5320	Ant2	5350	-46.61	2.76	0	51.38	Peak	<=68.2	Pass
ac20	5320	Ant2	5350	-53.26	2.76	0.31	45.04	Average	<=54	Pass
ac20	5320	Ant2	5351.2	-44.25	2.76	0	53.74	Peak	<=68.2	Pass
ac20	5320	Ant2	5350.6	-53.25	2.76	0.31	45.05	Average	<=54	Pass
ac20	5320	Ant2	5460	-49.67	2.76	0	48.32	Peak	<=68.2	Pass
ac20	5320	Ant2	5460	-57.49	2.76	0.31	40.81	Average	<=54	Pass



ac20	5320	MIMO	5350	-42.94	5.99	0	58.28	Peak	<=68.2	Pass
ac20	5320	MIMO	5350	-50.62	5.99	0.31	50.91	Average	<=54	Pass
ac20	5320	MIMO	5350.4	-40.59	5.99	0	60.63	Peak	<=68.2	Pass
ac20	5320	MIMO	5350.6	-50.41	5.99	0.31	51.12	Average	<=54	Pass
ac20	5320	MIMO	5460	-46.09	5.99	0	55.13	Peak	<=68.2	Pass
ac20	5320	MIMO	5460	-54.48	5.99	0.31	47.05	Average	<=54	Pass
ac40	5270	Ant1	4500	-50.29	3.19	0	48.13	Peak	<=68.2	Pass
ac40	5270	Ant1	4500	-58.23	3.19	0.6	40.79	Average	<=54	Pass
ac40	5270	Ant1	4840.2	-45.93	3.19	0	52.49	Peak	<=68.2	Pass
ac40	5270	Ant1	4892.85	-55.15	3.19	0.6	43.87	Average	<=54	Pass
ac40	5270	Ant1	5150	-48.1	3.19	0	50.32	Peak	<=68.2	Pass
ac40	5270	Ant1	5150	-56.43	3.19	0.6	42.59	Average	<=54	Pass
ac40	5270	Ant2	4500	-49.44	2.76	0	48.55	Peak	<=68.2	Pass
ac40	5270	Ant2	4500	-58.33	2.76	0.6	40.26	Average	<=54	Pass
ac40	5270	Ant2	5078.34	-46.2	2.76	0	51.79	Peak	<=68.2	Pass
ac40	5270	Ant2	4930.11	-55.75	2.76	0.6	42.84	Average	<=54	Pass
ac40	5270	Ant2	5150	-49.91	2.76	0	48.08	Peak	<=68.2	Pass
ac40	5270	Ant2	5150	-57.25	2.76	0.6	41.34	Average	<=54	Pass
ac40	5270	MIMO	4500	-46.83	5.99	0	54.39	Peak	<=68.2	Pass
ac40	5270	MIMO	4500	-55.27	5.99	0.6	46.55	Average	<=54	Pass
ac40	5270	MIMO	5078.34	-43.52	5.99	0	57.7	Peak	<=68.2	Pass
ac40	5270	MIMO	4892.85	-52.66	5.99	0.6	49.16	Average	<=54	Pass
ac40	5270	MIMO	5150	-45.9	5.99	0	55.32	Peak	<=68.2	Pass
ac40	5270	MIMO	5150	-53.81	5.99	0.6	48.01	Average	<=54	Pass
ac40	5310	Ant1	5350	-39.24	3.19	0	59.18	Peak	<=68.2	Pass
ac40	5310	Ant1	5350	-52.62	3.19	0.6	46.4	Average	<=54	Pass
ac40	5310	Ant1	5354.6	-38.29	3.19	0	60.13	Peak	<=68.2	Pass
ac40	5310	Ant1	5350.6	-52.09	3.19	0.6	46.93	Average	<=54	Pass
ac40	5310	Ant1	5460	-47.49	3.19	0	50.93	Peak	<=68.2	Pass
ac40	5310	Ant1	5460	-57.08	3.19	0.6	41.94	Average	<=54	Pass
ac40	5310	Ant2	5350	-46.51	2.76	0	51.48	Peak	<=68.2	Pass
ac40	5310	Ant2	5350	-55.32	2.76	0.6	43.27	Average	<=54	Pass
ac40	5310	Ant2	5351.2	-38.82	2.76	0	59.17	Peak	<=68.2	Pass
ac40	5310	Ant2	5460	-50.5	2.76	0	47.49	Peak	<=68.2	Pass
ac40	5310	Ant2	5460	-56.85	2.76	0.6	41.74	Average	<=54	Pass
ac40	5310	MIMO	5350	-38.49	5.99	0	62.73	Peak	<=68.2	Pass
ac40	5310	MIMO	5350	-50.75	5.99	0.6	51.07	Average	<=54	Pass
ac40	5310	MIMO	5354.6	-36.42	5.99	0	64.8	Peak	<=68.2	Pass
ac40	5310	MIMO	5460	-45.73	5.99	0	55.49	Peak	<=68.2	Pass
ac40	5310	MIMO	5460	-53.95	5.99	0.6	47.87	Average	<=54	Pass
ac80	5290	Ant1	5350	-47.13	3.19	0	51.29	Peak	<=68.2	Pass
ac80	5290	Ant1	5350	-55.33	3.19	1.16	44.25	Average	<=54	Pass
ac80	5290	Ant1	5394.75	-44.27	3.19	0	54.15	Peak	<=68.2	Pass
ac80	5290	Ant1	5350.25	-54.63	3.19	1.16	44.95	Average	<=54	Pass
ac80	5290	Ant1	5460	-48.16	3.19	0	50.26	Peak	<=68.2	Pass
ac80	5290	Ant1	5460	-56.42	3.19	1.16	43.16	Average	<=54	Pass
ac80	5290	Ant2	5350	-47.11	2.76	0	50.88	Peak	<=68.2	Pass
ac80	5290	Ant2	5350	-56.17	2.76	1.16	42.98	Average	<=54	Pass
ac80	5290	Ant2	5352	-39.84	2.76	0	58.15	Peak	<=68.2	Pass
ac80	5290	Ant2	5353.75	-54.83	2.76	1.16	44.32	Average	<=54	Pass
ac80	5290	Ant2	5460	-50.22	2.76	0	47.77	Peak	<=68.2	Pass
ac80	5290	Ant2	5460	-57.12	2.76	1.16	42.03	Average	<=54	Pass
ac80	5290	MIMO	5350	-44.11	5.99	0	57.11	Peak	<=68.2	Pass
ac80	5290	MIMO	5350	-52.72	5.99	1.16	49.66	Average	<=54	Pass
ac80	5290	MIMO	5352	-39	5.99	0	62.22	Peak	<=68.2	Pass
ac80	5290	MIMO	5351.25	-51.87	5.99	1.16	50.51	Average	<=54	Pass
ac80	5290	MIMO	5460	-46.06	5.99	0	55.16	Peak	<=68.2	Pass
ac80	5290	MIMO	5460	-53.75	5.99	1.16	48.63	Average	<=54	Pass
ac80	5290	Ant1	4500	-49.01	3.19	0	49.41	Peak	<=68.2	Pass
ac80	5290	Ant1	4500	-58.49	3.19	1.16	41.10	Average	<=54	Pass
ac80	5290	Ant1	4861.92	-45	3.19	0	53.42	Peak	<=68.2	Pass
ac80	5290	Ant1	5058.54	-55.27	3.19	1.16	44.31	Average	<=54	Pass
ac80	5290	Ant1	5150	-48.41	3.19	0	50.01	Peak	<=68.2	Pass
ac80	5290	Ant1	5150	-56.27	3.19	1.16	43.31	Average	<=54	Pass



ac80	5290	Ant2	4500	-49.12	2.76	0	48.87	Peak	<=68.2	Pass
ac80	5290	Ant2	4500	-58.68	2.76	1.16	40.47	Average	<=54	Pass
ac80	5290	Ant2	5015.91	-45.99	2.76	0	52	Peak	<=68.2	Pass
ac80	5290	Ant2	4863.66	-55.83	2.76	1.16	43.32	Average	<=54	Pass
ac80	5290	Ant2	5150	-48.94	2.76	0	49.05	Peak	<=68.2	Pass
ac80	5290	Ant2	5150	-56.75	2.76	1.16	42.40	Average	<=54	Pass
ac80	5290	MIMO	4500	-46.05	5.99	0	55.17	Peak	<=68.2	Pass
ac80	5290	MIMO	4500	-55.57	5.99	1.16	46.81	Average	<=54	Pass
ac80	5290	MIMO	4861.05	-43.02	5.99	0	58.2	Peak	<=68.2	Pass
ac80	5290	MIMO	4874.1	-52.89	5.99	1.16	49.49	Average	<=54	Pass
ac80	5290	MIMO	5150	-45.66	5.99	0	55.56	Peak	<=68.2	Pass
ac80	5290	MIMO	5150	-53.49	5.99	1.16	48.89	Average	<=54	Pass
ax20	5260	Ant1	4500	-50.43	3.19	0	47.99	Peak	<=68.2	Pass
ax20	5260	Ant1	4500	-57.68	3.19	0.4	41.14	Average	<=54	Pass
ax20	5260	Ant1	4913.4	-44.27	3.19	0	54.15	Peak	<=68.2	Pass
ax20	5260	Ant1	4925.88	-55.38	3.19	0.4	43.44	Average	<=54	Pass
ax20	5260	Ant1	5150	-47.38	3.19	0	51.04	Peak	<=68.2	Pass
ax20	5260	Ant1	5150	-57.34	3.19	0.4	41.48	Average	<=54	Pass
ax20	5260	Ant2	4500	-50.12	2.76	0	47.87	Peak	<=68.2	Pass
ax20	5260	Ant2	4500	-58.48	2.76	0.4	39.91	Average	<=54	Pass
ax20	5260	Ant2	4865.82	-45.47	2.76	0	52.52	Peak	<=68.2	Pass
ax20	5260	Ant2	4908.72	-55.5	2.76	0.4	42.89	Average	<=54	Pass
ax20	5260	Ant2	5150	-48.31	2.76	0	49.68	Peak	<=68.2	Pass
ax20	5260	Ant2	5150	-57.27	2.76	0.4	41.12	Average	<=54	Pass
ax20	5260	MIMO	4500	-47.26	5.99	0	53.96	Peak	<=68.2	Pass
ax20	5260	MIMO	4500	-55.05	5.99	0.4	46.57	Average	<=54	Pass
ax20	5260	MIMO	4913.4	-42.9	5.99	0	58.32	Peak	<=68.2	Pass
ax20	5260	MIMO	4908.72	-52.76	5.99	0.4	48.86	Average	<=54	Pass
ax20	5260	MIMO	5150	-44.81	5.99	0	56.41	Peak	<=68.2	Pass
ax20	5260	MIMO	5150	-54.29	5.99	0.4	47.33	Average	<=54	Pass
ax20	5320	Ant1	5350	-43.09	3.19	0	55.33	Peak	<=68.2	Pass
ax20	5320	Ant1	5350	-54.59	3.19	0.4	44.23	Average	<=54	Pass
ax20	5320	Ant1	5350.8	-53.95	3.19	0.4	44.87	Average	<=54	Pass
ax20	5320	Ant1	5460	-49.5	3.19	0	48.92	Peak	<=68.2	Pass
ax20	5320	Ant1	5460	-57.17	3.19	0.4	41.65	Average	<=54	Pass
ax20	5320	Ant2	5350	-47.35	2.76	0	50.64	Peak	<=68.2	Pass
ax20	5320	Ant2	5350	-53.93	2.76	0.4	44.46	Average	<=54	Pass
ax20	5320	Ant2	5350.6	-41.99	2.76	0	56	Peak	<=68.2	Pass
ax20	5320	Ant2	5460	-48.98	2.76	0	49.01	Peak	<=68.2	Pass
ax20	5320	Ant2	5460	-58.1	2.76	0.4	40.29	Average	<=54	Pass
ax20	5320	MIMO	5350	-41.71	5.99	0	59.51	Peak	<=68.2	Pass
ax20	5320	MIMO	5350	-51.24	5.99	0.4	50.38	Average	<=54	Pass
ax20	5320	MIMO	5352	-40.46	5.99	0	60.76	Peak	<=68.2	Pass
ax20	5320	MIMO	5460	-46.22	5.99	0	55	Peak	<=68.2	Pass
ax20	5320	MIMO	5460	-54.6	5.99	0.4	47.02	Average	<=54	Pass
ax40	5270	Ant1	4500	-49.18	3.19	0	49.24	Peak	<=68.2	Pass
ax40	5270	Ant1	4500	-58.28	3.19	0.72	40.86	Average	<=54	Pass
ax40	5270	Ant1	5071.86	-45.17	3.19	0	53.25	Peak	<=68.2	Pass
ax40	5270	Ant1	4896.09	-55.23	3.19	0.72	43.91	Average	<=54	Pass
ax40	5270	Ant1	5150	-47.73	3.19	0	50.69	Peak	<=68.2	Pass
ax40	5270	Ant1	5150	-56.45	3.19	0.72	42.69	Average	<=54	Pass
ax40	5270	Ant2	4500	-49.51	2.76	0	48.48	Peak	<=68.2	Pass
ax40	5270	Ant2	4500	-58.47	2.76	0.72	40.24	Average	<=54	Pass
ax40	5270	Ant2	4968.18	-45.57	2.76	0	52.42	Peak	<=68.2	Pass
ax40	5270	Ant2	4895.28	-56.11	2.76	0.72	42.60	Average	<=54	Pass
ax40	5270	Ant2	5150	-49.12	2.76	0	48.87	Peak	<=68.2	Pass
ax40	5270	Ant2	5150	-58.04	2.76	0.72	40.67	Average	<=54	Pass
ax40	5270	MIMO	4500	-46.33	5.99	0	54.89	Peak	<=68.2	Pass
ax40	5270	MIMO	4500	-55.36	5.99	0.72	46.58	Average	<=54	Pass
ax40	5270	MIMO	4873.41	-43.46	5.99	0	57.76	Peak	<=68.2	Pass
ax40	5270	MIMO	4896.09	-52.84	5.99	0.72	49.10	Average	<=54	Pass
ax40	5270	MIMO	5150	-45.36	5.99	0	55.86	Peak	<=68.2	Pass
ax40	5270	MIMO	5150	-54.16	5.99	0.72	47.78	Average	<=54	Pass
ax40	5310	Ant1	5350	-42.65	3.19	0	55.77	Peak	<=68.2	Pass




ax40	5310	Ant1	5350	-52.85	3.19	0.72	46.29	Average	<=54	Pass
ax40	5310	Ant1	5353.2	-39.68	3.19	0	58.74	Peak	<=68.2	Pass
ax40	5310	Ant1	5352.6	-51.47	3.19	0.72	47.67	Average	<=54	Pass
ax40	5310	Ant1	5460	-48.43	3.19	0	49.99	Peak	<=68.2	Pass
ax40	5310	Ant1	5460	-56.67	3.19	0.72	42.47	Average	<=54	Pass
ax40	5310	Ant2	5350	-43.74	2.76	0	54.25	Peak	<=68.2	Pass
ax40	5310	Ant2	5350	-55.87	2.76	0.72	42.84	Average	<=54	Pass
ax40	5310	Ant2	5352.6	-39.3	2.76	0	58.69	Peak	<=68.2	Pass
ax40	5310	Ant2	5353	-54.65	2.76	0.72	44.06	Average	<=54	Pass
ax40	5310	Ant2	5460	-49.95	2.76	0	48.04	Peak	<=68.2	Pass
ax40	5310	Ant2	5460	-56.61	2.76	0.72	42.1	Average	<=54	Pass
ax40	5310	MIMO	5350	-40.15	5.99	0	61.07	Peak	<=68.2	Pass
ax40	5310	MIMO	5350	-51.09	5.99	0.72	50.85	Average	<=54	Pass
ax40	5310	MIMO	5352.6	-37.01	5.99	0	64.21	Peak	<=68.2	Pass
ax40	5310	MIMO	5353	-49.93	5.99	0.72	52.01	Average	<=54	Pass
ax40	5310	MIMO	5460	-46.11	5.99	0	55.11	Peak	<=68.2	Pass
ax40	5310	MIMO	5460	-53.63	5.99	0.72	48.31	Average	<=54	Pass
ax80	5290	Ant1	5350	-43.18	3.19	0	55.24	Peak	<=68.2	Pass
ax80	5290	Ant1	5350	-52.41	3.19	1.29	47.30	Average	<=54	Pass
ax80	5290	Ant1	5355	-38.29	3.19	0	60.13	Peak	<=68.2	Pass
ax80	5290	Ant1	5352	-52.25	3.19	1.29	47.46	Average	<=54	Pass
ax80	5290	Ant1	5460	-46.85	3.19	0	51.57	Peak	<=68.2	Pass
ax80	5290	Ant1	5460	-56	3.19	1.29	43.71	Average	<=54	Pass
ax80	5290	Ant2	5350	-45.8	2.76	0	52.19	Peak	<=68.2	Pass
ax80	5290	Ant2	5350	-54.07	2.76	1.29	45.21	Average	<=54	Pass
ax80	5290	Ant2	5367.25	-37.31	2.76	0	60.68	Peak	<=68.2	Pass
ax80	5290	Ant2	5350.25	-53.57	2.76	1.29	45.71	Average	<=54	Pass
ax80	5290	Ant2	5460	-49.11	2.76	0	48.88	Peak	<=68.2	Pass
ax80	5290	Ant2	5460	-56.93	2.76	1.29	42.35	Average	<=54	Pass
ax80	5290	MIMO	5350	-41.29	5.99	0	59.93	Peak	<=68.2	Pass
ax80	5290	MIMO	5350	-50.15	5.99	1.29	52.36	Average	<=54	Pass
ax80	5290	MIMO	5357.75	-36.54	5.99	0	64.68	Peak	<=68.2	Pass
ax80	5290	MIMO	5353.75	-50.06	5.99	1.29	52.45	Average	<=54	Pass
ax80	5290	MIMO	5460	-44.82	5.99	0	56.4	Peak	<=68.2	Pass
ax80	5290	MIMO	5460	-53.43	5.99	1.29	49.08	Average	<=54	Pass
ax80	5290	Ant1	4500	-49.2	3.19	0	49.22	Peak	<=68.2	Pass
ax80	5290	Ant1	4500	-58.29	3.19	1.29	41.42	Average	<=54	Pass
ax80	5290	Ant1	5109.87	-44.58	3.19	0	53.84	Peak	<=68.2	Pass
ax80	5290	Ant1	5134.23	-55.21	3.19	1.29	44.50	Average	<=54	Pass
ax80	5290	Ant1	5150	-47.59	3.19	0	50.83	Peak	<=68.2	Pass
ax80	5290	Ant1	5150	-55.5	3.19	1.29	44.21	Average	<=54	Pass
ax80	5290	Ant2	4500	-50.57	2.76	0	47.42	Peak	<=68.2	Pass
ax80	5290	Ant2	4500	-58.78	2.76	1.29	40.50	Average	<=54	Pass
ax80	5290	Ant2	4900.2	-45.91	2.76	0	52.08	Peak	<=68.2	Pass
ax80	5290	Ant2	4938.48	-55.58	2.76	1.29	43.70	Average	<=54	Pass
ax80	5290	Ant2	5150	-49.45	2.76	0	48.54	Peak	<=68.2	Pass
ax80	5290	Ant2	5150	-57.12	2.76	1.29	42.16	Average	<=54	Pass
ax80	5290	MIMO	4500	-46.82	5.99	0	54.4	Peak	<=68.2	Pass
ax80	5290	MIMO	4500	-55.52	5.99	1.29	46.99	Average	<=54	Pass
ax80	5290	MIMO	5109.87	-42.87	5.99	0	58.35	Peak	<=68.2	Pass
ax80	5290	MIMO	5134.23	-52.72	5.99	1.29	49.79	Average	<=54	Pass
ax80	5290	MIMO	5150	-45.41	5.99	0	55.81	Peak	<=68.2	Pass
ax80	5290	MIMO	5150	-53.22	5.99	1.29	49.29	Average	<=54	Pass






Test Graphs



Restrict Band NVNT a 5260MHz Ant1 Peak





Restrict Band NVNT a 5260MHz Ant1 Average

















Restrict Band NVNT n20 5260MHz Ant1 Peak







Restrict Band NVNT n20 5260MHz Ant1 Average




























































































































U-NNI-2C

Duty Cycle


Mode	Frequency (MHz)	Antenna	On Time (ms)	Period (ms)	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)	Max Variation (%)
a	5500	Ant1	1.396	1.494	93.44	0.29	0.72	0.27
a	5580	Ant1	1.398	1.494	93.57	0.29	0.72	0.22
a	5700	Ant1	1.396	1.494	93.44	0.29	0.72	0.28
a	5500	Ant2	1.396	1.494	93.44	0.29	0.72	0.29
a	5580	Ant2	1.398	1.496	93.45	0.29	0.72	0.24
a	5700	Ant2	1.398	1.496	93.45	0.29	0.72	0.26
n20	5500	Ant1	1.31	1.408	93.04	0.31	0.76	0.22
n20	5500	Ant2	1.31	1.406	93.17	0.31	0.76	0.25
n20	5580	Ant1	1.31	1.408	93.04	0.31	0.76	0.23
n20	5580	Ant2	1.308	1.406	93.03	0.31	0.76	0.24
n20	5700	Ant1	1.308	1.406	93.03	0.31	0.76	0.21
n20	5700	Ant2	1.308	1.406	93.03	0.31	0.76	0.21
n40	5510	Ant1	0.65	0.747	87.01	0.6	1.54	0.21
n40	5510	Ant2	0.65	0.747	87.01	0.6	1.54	0.22
n40	5550	Ant1	0.65	0.747	87.01	0.6	1.54	0.22
n40	5550	Ant2	0.649	0.747	86.88	0.61	1.54	0.20
n40	5670	Ant1	0.65	0.747	87.01	0.6	1.54	0.17
n40	5670	Ant2	0.65	0.747	87.01	0.6	1.54	0.27
ac20	5500	Ant1	1.318	1.416	93.08	0.31	0.76	0.22
ac20	5500	Ant2	1.318	1.414	93.21	0.31	0.76	0.28
ac20	5580	Ant1	1.318	1.414	93.21	0.31	0.76	0.29
ac20	5580	Ant2	1.318	1.416	93.08	0.31	0.76	0.24
ac20	5700	Ant1	1.316	1.414	93.07	0.31	0.76	0.26
ac20	5700	Ant2	1.318	1.416	93.08	0.31	0.76	0.22
ac40	5510	Ant1	0.657	0.755	87.02	0.6	1.52	0.25
ac40	5510	Ant2	0.657	0.755	87.02	0.6	1.52	0.23
ac40	5550	Ant1	0.657	0.755	87.02	0.6	1.52	0.24
ac40	5550	Ant2	0.658	0.755	87.15	0.6	1.52	0.21
ac40	5670	Ant1	0.658	0.755	87.15	0.6	1.52	0.28
ac40	5670	Ant2	0.658	0.755	87.15	0.6	1.52	0.29
ac80	5530	Ant1	0.324	0.423	76.6	1.16	3.08	0.24
ac80	5530	Ant2	0.325	0.424	76.65	1.15	3.09	0.26
ac80	5610	Ant1	0.323	0.423	76.36	1.17	3.09	0.22
ac80	5610	Ant2	0.324	0.423	76.6	1.16	3.09	0.25
ax20	5500	Ant1	1.022	1.12	91.25	0.4	0.98	0.23
ax20	5500	Ant2	1.022	1.12	91.25	0.4	0.98	0.24
ax20	5580	Ant1	1.022	1.12	91.25	0.4	0.98	0.21
ax20	5580	Ant2	1.024	1.12	91.43	0.39	0.98	0.21
ax20	5700	Ant1	1.022	1.12	91.25	0.4	0.98	0.21
ax20	5700	Ant2	1.022	1.12	91.25	0.4	0.98	0.22
ax40	5510	Ant1	0.542	0.64	84.69	0.72	1.85	0.22
ax40	5510	Ant2	0.543	0.64	84.84	0.71	1.84	0.20
ax40	5550	Ant1	0.543	0.64	84.84	0.71	1.84	0.17
ax40	5550	Ant2	0.543	0.64	84.84	0.71	1.84	0.27
ax40	5670	Ant1	0.542	0.64	84.69	0.72	1.85	0.22
ax40	5670	Ant2	0.543	0.641	84.71	0.72	1.84	0.28
ax80	5530	Ant1	0.29	0.39	74.36	1.29	3.44	0.29
ax80	5530	Ant2	0.291	0.39	74.62	1.27	3.44	0.24
ax80	5610	Ant1	0.29	0.39	74.36	1.29	3.45	0.26
ax80	5610	Ant2	0.291	0.39	74.62	1.27	3.44	0.28







Duty Cycle NVNT a 5580MHz Ant2



Duty Cycle NVNT a 5700MHz Ant2

