

































12. Spurious Emission at Antenna Terminal

12.1. Limit

According to FCC section 22.917(a), 24.238(a)(b), 27.53(h)(1), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

According to FCC section 27.53(m)(4), $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. and $55 + 10 \log(P)$ dB at or below 2490.5 MHz.

12.2. Test Procedures

Measurement Procedure: FCC KDB 971168 D01 V03r01


The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyzer, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at three frequencies (low channel and high channel). The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. On any frequency outside a licensee's frequency block, the power of any emission shall be attenuated below the transmitter power (P) by at least $43 + 10 \log(P)$ dB.

Compliance with these provisions is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to at least 10*the fundamental frequency (separated into at least two plots per channel)
2. Detector=RMS
3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
4. Sweep time = auto couple
5. The trace was allowed to stabilize
6. Please see test notes below for RBW and VBW settings

12.3. Test Setup



12.4. Test Results

EUT Name	GPS Tracker	Model	GL33CG
Test Date	2025.09.25 to 2025.11.17	Test Mode	GPRS/EGPRS 850/1900
Test Engineer	Stone Zhang	Environmental Conditions	Temp:23.0 ~ 31.8°C;Humi:25 ~ 63%RH

Band	Channel	Frequency Range (MHz)	Max.Freq. (MHz)	Result (dBm)	Limit (dBm)	Verdict
GPRS850	128	0.009~0.15MHz	0.01	-53.5	-33	PASS
GPRS850	128	0.15~30MHz	0.16	-48.33	-23	PASS
GPRS850	128	30~1000MHz	434.01	-41.82	-13	PASS
GPRS850	128	1000~10000MHz	2472.7	-29.59	-13	PASS
EGPRS850	128	0.009~0.15MHz	0.01	-54.01	-33	PASS
EGPRS850	128	0.15~30MHz	0.15	-49.8	-23	PASS
EGPRS850	128	30~1000MHz	434.01	-41.96	-13	PASS
EGPRS850	128	1000~10000MHz	2472.4	-41.37	-13	PASS
GPRS850	190	0.009~0.15MHz	0.01	-53.66	-33	PASS
GPRS850	190	0.15~30MHz	0.16	-48.51	-23	PASS
GPRS850	190	30~1000MHz	434.01	-42.84	-13	PASS
GPRS850	190	1000~10000MHz	2509.9	-29.79	-13	PASS
EGPRS850	190	0.009~0.15MHz	0.01	-53.86	-33	PASS
EGPRS850	190	0.15~30MHz	0.15	-49.38	-23	PASS
EGPRS850	190	30~1000MHz	434.01	-44.87	-13	PASS

EGPRS850	190	1000~10000MHz	2509.9	-41.26	-13	PASS
GPRS850	251	0.009~0.15MHz	0.01	-52.91	-33	PASS
GPRS850	251	0.15~30MHz	0.15	-48.79	-23	PASS
GPRS850	251	30~1000MHz	434.01	-43.81	-13	PASS
GPRS850	251	1000~10000MHz	1697.5	-37.48	-13	PASS
EGPRS850	251	0.009~0.15MHz	0.01	-54.98	-33	PASS
EGPRS850	251	0.15~30MHz	0.15	-48.01	-23	PASS
EGPRS850	251	30~1000MHz	951.47	-45.21	-13	PASS
EGPRS850	251	1000~10000MHz	2546.2	-41.72	-13	PASS
GPRS1900	512	0.009~0.15MHz	0.01	-53.18	-43	PASS
GPRS1900	512	0.15~30MHz	0.16	-50.6	-33	PASS
GPRS1900	512	30~1000MHz	434.07	-40.49	-13	PASS
GPRS1900	512	1000~3000MHz	2650.67	-32.31	-13	PASS
GPRS1900	512	3000~18000MHz	16525	-43.61	-13	PASS
EGPRS1900	512	0.009~0.15MHz	0.01	-53.51	-43	PASS
EGPRS1900	512	0.15~30MHz	0.15	-48.08	-33	PASS
EGPRS1900	512	30~1000MHz	433.94	-40.22	-13	PASS
EGPRS1900	512	1000~3000MHz	2663.27	-32.31	-13	PASS
EGPRS1900	512	3000~18000MHz	16527.5	-43.62	-13	PASS
GPRS1900	661	0.009~0.15MHz	0.01	-54.08	-43	PASS
GPRS1900	661	0.15~30MHz	0.16	-47.79	-33	PASS
GPRS1900	661	30~1000MHz	433.97	-41.67	-13	PASS
GPRS1900	661	1000~3000MHz	2663.6	-32.27	-13	PASS
GPRS1900	661	3000~18000MHz	16515.5	-43.55	-13	PASS
EGPRS1900	661	0.009~0.15MHz	0.01	-53.38	-43	PASS
EGPRS1900	661	0.15~30MHz	0.15	-48.18	-33	PASS
EGPRS1900	661	30~1000MHz	433.84	-40.54	-13	PASS
EGPRS1900	661	1000~3000MHz	2651.87	-32.2	-13	PASS
EGPRS1900	661	3000~18000MHz	16517	-43.52	-13	PASS
GPRS1900	810	0.009~0.15MHz	0.01	-54.22	-43	PASS
GPRS1900	810	0.15~30MHz	0.16	-47.95	-33	PASS
GPRS1900	810	30~1000MHz	433.94	-41.69	-13	PASS
GPRS1900	810	1000~3000MHz	2665.73	-32.32	-13	PASS
GPRS1900	810	3000~18000MHz	16497	-43.46	-13	PASS
EGPRS1900	810	0.009~0.15MHz	0.01	-53.43	-43	PASS
EGPRS1900	810	0.15~30MHz	0.15	-47.49	-33	PASS
EGPRS1900	810	30~1000MHz	434.04	-40.32	-13	PASS

EGPRS1900	810	1000~3000MHz	2657.07	-32.29	-13	PASS
EGPRS1900	810	3000~18000MHz	16527	-43.57	-13	PASS

EUT Name	GPS Tracker	Model	GL33CG
Test Date	2025.09.25 to 2025.11.17	Test Mode	LTE
Test Engineer	Stone Zhang	Environmental Conditions	Temp:23.0 ~ 31.8°C;Humi:25 ~ 63%RH

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	0.009~0.15	-46.42	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	0.15~30	-57.79	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	30~1000	-59.32	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	1000~3000	-36.84	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	3000~20000	-40.32	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	0.009~0.15	-46.61	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	0.15~30	-59.05	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	30~1000	-60.85	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	1000~3000	-26.02	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	3000~20000	-40.59	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	0.009~0.15	-45.00	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	0.15~30	-58.53	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	30~1000	-60.58	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	1000~3000	-27.24	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	3000~20000	-40.83	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.009~0.15	-46.26	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.15~30	-58.36	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	30~1000	-46.29	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	1000~3000	-26.34	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	3000~20000	-40.89	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	0.009~0.15	-46.91	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	0.15~30	-60.96	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	30~1000	-59.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	1000~3000	-27.65	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	3000~20000	-40.98	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	0.009~0.15	-47.10	PASS

Band2	1.4MHz	QPSK	18900	6RB#0	0.15~30	-58.31	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	30~1000	-46.34	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1000~3000	-38.65	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	3000~20000	-40.66	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.009~0.15	-48.22	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.15~30	-58.06	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	30~1000	-58.41	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	1000~3000	-27.08	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	3000~20000	-41.12	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	0.009~0.15	-49.37	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	0.15~30	-59.45	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	30~1000	-59.72	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	1000~3000	-32.02	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	3000~20000	-40.74	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	0.009~0.15	-46.44	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	0.15~30	-57.79	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	30~1000	-55.73	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1000~3000	-29.91	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	3000~20000	-40.85	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.009~0.15	-45.33	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.15~30	-58.49	PASS
Band2	3MHz	QPSK	18615	1RB#0	30~1000	-60.71	PASS
Band2	3MHz	QPSK	18615	1RB#0	1000~3000	-36.92	PASS
Band2	3MHz	QPSK	18615	1RB#0	3000~20000	-40.37	PASS
Band2	3MHz	QPSK	18615	1RB#14	0.009~0.15	-49.50	PASS
Band2	3MHz	QPSK	18615	1RB#14	0.15~30	-60.92	PASS
Band2	3MHz	QPSK	18615	1RB#14	30~1000	-60.76	PASS
Band2	3MHz	QPSK	18615	1RB#14	1000~3000	-17.39.	PASS
Band2	3MHz	QPSK	18615	1RB#14	3000~20000	-40.61	PASS
Band2	3MHz	QPSK	18615	15RB#0	0.009~0.15	-48.05	PASS
Band2	3MHz	QPSK	18615	15RB#0	0.15~30	-58.86	PASS
Band2	3MHz	QPSK	18615	15RB#0	30~1000	-60.42	PASS
Band2	3MHz	QPSK	18615	15RB#0	1000~3000	-30.52	PASS
Band2	3MHz	QPSK	18615	15RB#0	3000~20000	-40.51	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.009~0.15	-48.59	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.15~30	-57.00	PASS
Band2	3MHz	QPSK	18900	1RB#0	30~1000	-60.67	PASS

Band2	3MHz	QPSK	18900	1RB#0	1000~3000	-32.87	PASS
Band2	3MHz	QPSK	18900	1RB#0	3000~20000	-40.75	PASS
Band2	3MHz	QPSK	18900	1RB#14	0.009~0.15	-46.49	PASS
Band2	3MHz	QPSK	18900	1RB#14	0.15~30	-59.81	PASS
Band2	3MHz	QPSK	18900	1RB#14	30~1000	-61.03	PASS
Band2	3MHz	QPSK	18900	1RB#14	1000~3000	-31.44	PASS
Band2	3MHz	QPSK	18900	1RB#14	3000~20000	-40.46	PASS
Band2	3MHz	QPSK	18900	15RB#0	0.009~0.15	-47.58	PASS
Band2	3MHz	QPSK	18900	15RB#0	0.15~30	-57.47	PASS
Band2	3MHz	QPSK	18900	15RB#0	30~1000	-60.80	PASS
Band2	3MHz	QPSK	18900	15RB#0	1000~3000	-31.09	PASS
Band2	3MHz	QPSK	18900	15RB#0	3000~20000	-40.47	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.009~0.15	-48.03	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.15~30	-56.86	PASS
Band2	3MHz	QPSK	19185	1RB#0	30~1000	-60.59	PASS
Band2	3MHz	QPSK	19185	1RB#0	1000~3000	-37.03	PASS
Band2	3MHz	QPSK	19185	1RB#0	3000~20000	-40.62	PASS
Band2	3MHz	QPSK	19185	1RB#14	0.009~0.15	-45.92	PASS
Band2	3MHz	QPSK	19185	1RB#14	0.15~30	-60.50	PASS
Band2	3MHz	QPSK	19185	1RB#14	30~1000	-46.94	PASS
Band2	3MHz	QPSK	19185	1RB#14	1000~3000	-37.92	PASS
Band2	3MHz	QPSK	19185	1RB#14	3000~20000	-40.74	PASS
Band2	3MHz	QPSK	19185	15RB#0	0.009~0.15	-46.11	PASS
Band2	3MHz	QPSK	19185	15RB#0	0.15~30	-59.23	PASS
Band2	3MHz	QPSK	19185	15RB#0	30~1000	-60.84	PASS
Band2	3MHz	QPSK	19185	15RB#0	1000~3000	-32.05	PASS
Band2	3MHz	QPSK	19185	15RB#0	3000~20000	-40.66	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.009~0.15	-48.78	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.15~30	-58.76	PASS
Band2	5MHz	QPSK	18625	1RB#0	30~1000	-60.69	PASS
Band2	5MHz	QPSK	18625	1RB#0	1000~3000	-21.35	PASS
Band2	5MHz	QPSK	18625	1RB#0	3000~20000	-40.42	PASS
Band2	5MHz	QPSK	18625	1RB#24	0.009~0.15	-47.39	PASS
Band2	5MHz	QPSK	18625	1RB#24	0.15~30	-59.79	PASS
Band2	5MHz	QPSK	18625	1RB#24	30~1000	-60.23	PASS
Band2	5MHz	QPSK	18625	1RB#24	1000~3000	-43.80	PASS
Band2	5MHz	QPSK	18625	1RB#24	3000~20000	-40.56	PASS

Band2	5MHz	QPSK	18625	25RB#0	0.009~0.15	-44.08	PASS
Band2	5MHz	QPSK	18625	25RB#0	0.15~30	-58.51	PASS
Band2	5MHz	QPSK	18625	25RB#0	30~1000	-60.73	PASS
Band2	5MHz	QPSK	18625	25RB#0	1000~3000	-33.25	PASS
Band2	5MHz	QPSK	18625	25RB#0	3000~20000	-39.93	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.009~0.15	-47.37	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.15~30	-58.14	PASS
Band2	5MHz	QPSK	18900	1RB#0	30~1000	-46.87	PASS
Band2	5MHz	QPSK	18900	1RB#0	1000~3000	-44.42	PASS
Band2	5MHz	QPSK	18900	1RB#0	3000~20000	-40.53	PASS
Band2	5MHz	QPSK	18900	1RB#24	0.009~0.15	-46.12	PASS
Band2	5MHz	QPSK	18900	1RB#24	0.15~30	-57.36	PASS
Band2	5MHz	QPSK	18900	1RB#24	30~1000	-60.81	PASS
Band2	5MHz	QPSK	18900	1RB#24	1000~3000	-43.30	PASS
Band2	5MHz	QPSK	18900	1RB#24	3000~20000	-40.84	PASS
Band2	5MHz	QPSK	18900	25RB#0	0.009~0.15	-45.91	PASS
Band2	5MHz	QPSK	18900	25RB#0	0.15~30	-59.21	PASS
Band2	5MHz	QPSK	18900	25RB#0	30~1000	-60.68	PASS
Band2	5MHz	QPSK	18900	25RB#0	1000~3000	-33.90	PASS
Band2	5MHz	QPSK	18900	25RB#0	3000~20000	-40.72	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.009~0.15	-47.51	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.15~30	-57.55	PASS
Band2	5MHz	QPSK	19175	1RB#0	30~1000	-60.78	PASS
Band2	5MHz	QPSK	19175	1RB#0	1000~3000	-44.50	PASS
Band2	5MHz	QPSK	19175	1RB#0	3000~20000	-40.57	PASS
Band2	5MHz	QPSK	19175	1RB#24	0.009~0.15	-48.61	PASS
Band2	5MHz	QPSK	19175	1RB#24	0.15~30	-58.89	PASS
Band2	5MHz	QPSK	19175	1RB#24	30~1000	-46.62	PASS
Band2	5MHz	QPSK	19175	1RB#24	1000~3000	-41.75	PASS
Band2	5MHz	QPSK	19175	1RB#24	3000~20000	-40.56	PASS
Band2	5MHz	QPSK	19175	25RB#0	0.009~0.15	-44.64	PASS
Band2	5MHz	QPSK	19175	25RB#0	0.15~30	-58.49	PASS
Band2	5MHz	QPSK	19175	25RB#0	30~1000	-60.73	PASS
Band2	5MHz	QPSK	19175	25RB#0	1000~3000	-34.21	PASS
Band2	5MHz	QPSK	19175	25RB#0	3000~20000	-40.77	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.009~0.15	-45.30	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.15~30	-60.07	PASS

Band2	10MHz	QPSK	18650	1RB#0	30~1000	-60.72	PASS
Band2	10MHz	QPSK	18650	1RB#0	1000~3000	-18.32	PASS
Band2	10MHz	QPSK	18650	1RB#0	3000~20000	-40.15	PASS
Band2	10MHz	QPSK	18650	1RB#49	0.009~0.15	-44.56	PASS
Band2	10MHz	QPSK	18650	1RB#49	0.15~30	-56.94	PASS
Band2	10MHz	QPSK	18650	1RB#49	30~1000	-60.93	PASS
Band2	10MHz	QPSK	18650	1RB#49	1000~3000	-17.24	PASS
Band2	10MHz	QPSK	18650	1RB#49	3000~20000	-40.78	PASS
Band2	10MHz	QPSK	18650	50RB#0	0.009~0.15	-46.59	PASS
Band2	10MHz	QPSK	18650	50RB#0	0.15~30	-58.27	PASS
Band2	10MHz	QPSK	18650	50RB#0	30~1000	-60.66	PASS
Band2	10MHz	QPSK	18650	50RB#0	1000~3000	-39.57	PASS
Band2	10MHz	QPSK	18650	50RB#0	3000~20000	-40.72	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.009~0.15	-47.32	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.15~30	-59.57	PASS
Band2	10MHz	QPSK	18900	1RB#0	30~1000	-60.45	PASS
Band2	10MHz	QPSK	18900	1RB#0	1000~3000	-45.60	PASS
Band2	10MHz	QPSK	18900	1RB#0	3000~20000	-40.66	PASS
Band2	10MHz	QPSK	18900	1RB#49	0.009~0.15	-44.55	PASS
Band2	10MHz	QPSK	18900	1RB#49	0.15~30	-58.06	PASS
Band2	10MHz	QPSK	18900	1RB#49	30~1000	-60.80	PASS
Band2	10MHz	QPSK	18900	1RB#49	1000~3000	-46.44	PASS
Band2	10MHz	QPSK	18900	1RB#49	3000~20000	-41.04	PASS
Band2	10MHz	QPSK	18900	50RB#0	0.009~0.15	-46.80	PASS
Band2	10MHz	QPSK	18900	50RB#0	0.15~30	-60.01	PASS
Band2	10MHz	QPSK	18900	50RB#0	30~1000	-60.75	PASS
Band2	10MHz	QPSK	18900	50RB#0	1000~3000	-39.50	PASS
Band2	10MHz	QPSK	18900	50RB#0	3000~20000	-40.12	PASS
Band2	10MHz	16QAM	18900	1RB#0	0.009~0.15	-46.83	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.009~0.15	-47.24	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.15~30	-58.73	PASS
Band2	10MHz	QPSK	19150	1RB#0	30~1000	-60.68	PASS
Band2	10MHz	QPSK	19150	1RB#0	1000~3000	-46.54	PASS
Band2	10MHz	QPSK	19150	1RB#0	3000~20000	-40.72	PASS
Band2	10MHz	QPSK	19150	1RB#49	0.009~0.15	-47.33	PASS
Band2	10MHz	QPSK	19150	1RB#49	0.15~30	-59.17	PASS
Band2	10MHz	QPSK	19150	1RB#49	30~1000	-60.88	PASS

Band2	10MHz	QPSK	19150	1RB#49	1000~3000	-46.32	PASS
Band2	10MHz	QPSK	19150	1RB#49	3000~20000	-40.91	PASS
Band2	10MHz	QPSK	19150	50RB#0	0.009~0.15	-44.34	PASS
Band2	10MHz	QPSK	19150	50RB#0	0.15~30	-58.34	PASS
Band2	10MHz	QPSK	19150	50RB#0	30~1000	-60.98	PASS
Band2	10MHz	QPSK	19150	50RB#0	1000~3000	-41.06	PASS
Band2	10MHz	QPSK	19150	50RB#0	3000~20000	-40.64	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.009~0.15	-43.58	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.15~30	-59.38	PASS
Band2	15MHz	QPSK	18675	1RB#0	30~1000	-49.56	PASS
Band2	15MHz	QPSK	18675	1RB#0	1000~3000	-24.06	PASS
Band2	15MHz	QPSK	18675	1RB#0	3000~20000	-41.08	PASS
Band2	15MHz	QPSK	18675	1RB#74	0.009~0.15	-45.70	PASS
Band2	15MHz	QPSK	18675	1RB#74	0.15~30	-58.85	PASS
Band2	15MHz	QPSK	18675	1RB#74	30~1000	-60.64	PASS
Band2	15MHz	QPSK	18675	1RB#74	1000~3000	-46.55	PASS
Band2	15MHz	QPSK	18675	1RB#74	3000~20000	-23.01	PASS
Band2	15MHz	QPSK	18675	75RB#0	0.009~0.15	-48.54	PASS
Band2	15MHz	QPSK	18675	75RB#0	0.15~30	-57.54	PASS
Band2	15MHz	QPSK	18675	75RB#0	30~1000	-49.73	PASS
Band2	15MHz	QPSK	18675	75RB#0	1000~3000	-35.27	PASS
Band2	15MHz	QPSK	18675	75RB#0	3000~20000	-40.81	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.009~0.15	-45.58	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.15~30	-60.64	PASS
Band2	15MHz	QPSK	18900	1RB#0	30~1000	-60.84	PASS
Band2	15MHz	QPSK	18900	1RB#0	1000~3000	-31.73	PASS
Band2	15MHz	QPSK	18900	1RB#0	3000~20000	-41.22	PASS
Band2	15MHz	QPSK	18900	1RB#74	0.009~0.15	-44.46	PASS
Band2	15MHz	QPSK	18900	1RB#74	0.15~30	-59.83	PASS
Band2	15MHz	QPSK	18900	1RB#74	30~1000	-60.94	PASS
Band2	15MHz	QPSK	18900	1RB#74	1000~3000	-27.45	PASS
Band2	15MHz	QPSK	18900	1RB#74	3000~20000	-41.58	PASS
Band2	15MHz	QPSK	18900	75RB#0	0.009~0.15	-43.92	PASS
Band2	15MHz	QPSK	18900	75RB#0	0.15~30	-58.20	PASS
Band2	15MHz	QPSK	18900	75RB#0	30~1000	-60.96	PASS
Band2	15MHz	QPSK	18900	75RB#0	1000~3000	-38.64	PASS
Band2	15MHz	QPSK	18900	75RB#0	3000~20000	-41.10	PASS

Band2	15MHz	QPSK	19125	1RB#0	0.009~0.15	-45.29	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.15~30	-59.02	PASS
Band2	15MHz	QPSK	19125	1RB#0	30~1000	-60.74	PASS
Band2	15MHz	QPSK	19125	1RB#0	1000~3000	-31.40	PASS
Band2	15MHz	QPSK	19125	1RB#0	3000~20000	-41.35	PASS
Band2	15MHz	QPSK	19125	1RB#74	0.009~0.15	-46.32	PASS
Band2	15MHz	QPSK	19125	1RB#74	0.15~30	-59.02	PASS
Band2	15MHz	QPSK	19125	1RB#74	30~1000	-50.45	PASS
Band2	15MHz	QPSK	19125	1RB#74	1000~3000	-46.03	PASS
Band2	15MHz	QPSK	19125	1RB#74	3000~20000	-41.01	PASS
Band2	15MHz	QPSK	19125	75RB#0	0.009~0.15	-45.14	PASS
Band2	15MHz	QPSK	19125	75RB#0	0.15~30	-57.66	PASS
Band2	15MHz	QPSK	19125	75RB#0	30~1000	-61.03	PASS
Band2	15MHz	QPSK	19125	75RB#0	1000~3000	-37.15	PASS
Band2	15MHz	QPSK	19125	75RB#0	3000~20000	-40.97	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.009~0.15	-44.98	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.15~30	-57.50	PASS
Band2	20MHz	QPSK	18700	1RB#0	30~1000	-51.33	PASS
Band2	20MHz	QPSK	18700	1RB#0	1000~3000	-45.75	PASS
Band2	20MHz	QPSK	18700	1RB#0	3000~20000	-40.68	PASS
Band2	20MHz	QPSK	18700	1RB#99	0.009~0.15	-44.77	PASS
Band2	20MHz	QPSK	18700	1RB#99	0.15~30	-59.86	PASS
Band2	20MHz	QPSK	18700	1RB#99	30~1000	-60.78	PASS
Band2	20MHz	QPSK	18700	1RB#99	1000~3000	-46.20	PASS
Band2	20MHz	QPSK	18700	1RB#99	3000~20000	-40.59	PASS
Band2	20MHz	QPSK	18700	100RB#0	0.009~0.15	-49.03	PASS
Band2	20MHz	QPSK	18700	100RB#0	0.15~30	-59.32	PASS
Band2	20MHz	QPSK	18700	100RB#0	30~1000	-60.70	PASS
Band2	20MHz	QPSK	18700	100RB#0	1000~3000	-40.72	PASS
Band2	20MHz	QPSK	18700	100RB#0	3000~20000	-40.77	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.009~0.15	-43.27	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.15~30	-59.48	PASS
Band2	20MHz	QPSK	18900	1RB#0	30~1000	-60.65	PASS
Band2	20MHz	QPSK	18900	1RB#0	1000~3000	-46.21	PASS
Band2	20MHz	QPSK	18900	1RB#0	3000~20000	-40.50	PASS
Band2	20MHz	QPSK	18900	1RB#99	0.009~0.15	-47.10	PASS
Band2	20MHz	QPSK	18900	1RB#99	0.15~30	-58.57	PASS

Band2	20MHz	QPSK	18900	1RB#99	30~1000	-60.76	PASS
Band2	20MHz	QPSK	18900	1RB#99	1000~3000	-46.34	PASS
Band2	20MHz	QPSK	18900	1RB#99	3000~20000	-40.29	PASS
Band2	20MHz	QPSK	18900	100RB#0	0.009~0.15	-45.98	PASS
Band2	20MHz	QPSK	18900	100RB#0	0.15~30	-59.05	PASS
Band2	20MHz	QPSK	18900	100RB#0	30~1000	-60.51	PASS
Band2	20MHz	QPSK	18900	100RB#0	1000~3000	-44.86	PASS
Band2	20MHz	QPSK	18900	100RB#0	3000~20000	-40.30	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.009~0.15	-47.05	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.15~30	-60.40	PASS
Band2	20MHz	QPSK	19100	1RB#0	30~1000	-60.57	PASS
Band2	20MHz	QPSK	19100	1RB#0	1000~3000	-46.22	PASS
Band2	20MHz	QPSK	19100	1RB#0	3000~20000	-40.83	PASS
Band2	20MHz	QPSK	19100	1RB#99	0.009~0.15	-47.42	PASS
Band2	20MHz	QPSK	19100	1RB#99	0.15~30	-58.50	PASS
Band2	20MHz	QPSK	19100	1RB#99	30~1000	-60.13	PASS
Band2	20MHz	QPSK	19100	1RB#99	1000~3000	-46.26	PASS
Band2	20MHz	QPSK	19100	1RB#99	3000~20000	-40.94	PASS
Band2	20MHz	QPSK	19100	100RB#0	0.009~0.15	-43.99	PASS
Band2	20MHz	QPSK	19100	100RB#0	0.15~30	-57.75	PASS
Band2	20MHz	QPSK	19100	100RB#0	30~1000	-51.65	PASS
Band2	20MHz	QPSK	19100	100RB#0	1000~3000	-41.95	PASS
Band2	20MHz	QPSK	19100	100RB#0	3000~20000	-40.48	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	0.009~0.15	-45.63	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	0.15~30	-59.25	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	30~1000	-57.80	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	1000~3000	-30.63	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	3000~20000	-39.97	PASS
Band4	1.4MHz	QPSK	19957	1RB#5	0.009~0.15	-46.46	PASS
Band4	1.4MHz	QPSK	19957	1RB#5	0.15~30	-59.55	PASS
Band4	1.4MHz	QPSK	19957	1RB#5	30~1000	-60.36	PASS
Band4	1.4MHz	QPSK	19957	1RB#5	1000~3000	-31.32	PASS
Band4	1.4MHz	QPSK	19957	1RB#5	3000~20000	-40.52	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	0.009~0.15	-46.84	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	0.15~30	-59.35	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	30~1000	-58.05	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	1000~3000	-33.44	PASS

Band4	1.4MHz	QPSK	19957	6RB#0	3000~20000	-40.29	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	0.009~0.15	-44.01	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	0.15~30	-58.94	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	30~1000	-60.76	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	1000~3000	-32.39	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	3000~20000	-40.29	PASS
Band4	1.4MHz	QPSK	20175	1RB#5	0.009~0.15	-49.05	PASS
Band4	1.4MHz	QPSK	20175	1RB#5	0.15~30	-59.73	PASS
Band4	1.4MHz	QPSK	20175	1RB#5	30~1000	-51.92	PASS
Band4	1.4MHz	QPSK	20175	1RB#5	1000~3000	-31.46	PASS
Band4	1.4MHz	QPSK	20175	1RB#5	3000~20000	-40.65	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	0.009~0.15	-47.16	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	0.15~30	-57.34	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	30~1000	-60.60	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	1000~3000	-32.45	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	3000~20000	-39.65	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	0.009~0.15	-46.06	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	0.15~30	-59.19	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	30~1000	-60.76	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	1000~3000	-29.58	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	3000~20000	-40.38	PASS
Band4	1.4MHz	QPSK	20393	1RB#5	0.009~0.15	-45.32	PASS
Band4	1.4MHz	QPSK	20393	1RB#5	0.15~30	-58.89	PASS
Band4	1.4MHz	QPSK	20393	1RB#5	30~1000	-60.71	PASS
Band4	1.4MHz	QPSK	20393	1RB#5	1000~3000	-32.27	PASS
Band4	1.4MHz	QPSK	20393	1RB#5	3000~20000	-40.55	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	0.009~0.15	-44.88	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	0.15~30	-58.33	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	30~1000	-60.95	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	1000~3000	-40.09	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	3000~20000	-40.97	PASS
Band4	3MHz	QPSK	19965	1RB#0	0.009~0.15	-45.74	PASS
Band4	3MHz	QPSK	19965	1RB#0	0.15~30	-57.74	PASS
Band4	3MHz	QPSK	19965	1RB#0	30~1000	-60.82	PASS
Band4	3MHz	QPSK	19965	1RB#0	1000~3000	-40.03	PASS
Band4	3MHz	QPSK	19965	1RB#0	3000~20000	-40.63	PASS
Band4	3MHz	QPSK	19965	1RB#14	0.009~0.15	-44.69	PASS

Band4	3MHz	QPSK	19965	1RB#14	0.15~30	-58.98	PASS
Band4	3MHz	QPSK	19965	1RB#14	30~1000	-47.32	PASS
Band4	3MHz	QPSK	19965	1RB#14	1000~3000	-38.15	PASS
Band4	3MHz	QPSK	19965	1RB#14	3000~20000	-39.92	PASS
Band4	3MHz	QPSK	19965	15RB#0	0.009~0.15	-46.86	PASS
Band4	3MHz	QPSK	19965	15RB#0	0.15~30	-59.73	PASS
Band4	3MHz	QPSK	19965	15RB#0	30~1000	-61.02	PASS
Band4	3MHz	QPSK	19965	15RB#0	1000~3000	-37.87	PASS
Band4	3MHz	QPSK	19965	15RB#0	3000~20000	-40.94	PASS
Band4	3MHz	QPSK	20175	1RB#0	0.009~0.15	-45.69	PASS
Band4	3MHz	QPSK	20175	1RB#0	0.15~30	-59.52	PASS
Band4	3MHz	QPSK	20175	1RB#0	30~1000	-60.58	PASS
Band4	3MHz	QPSK	20175	1RB#0	1000~3000	-39.19	PASS
Band4	3MHz	QPSK	20175	1RB#0	3000~20000	-40.38	PASS
Band4	3MHz	QPSK	20175	1RB#14	0.009~0.15	-45.48	PASS
Band4	3MHz	QPSK	20175	1RB#14	0.15~30	-60.85	PASS
Band4	3MHz	QPSK	20175	1RB#14	30~1000	-60.76	PASS
Band4	3MHz	QPSK	20175	1RB#14	1000~3000	-38.42	PASS
Band4	3MHz	QPSK	20175	1RB#14	3000~20000	-40.61	PASS
Band4	3MHz	QPSK	20175	15RB#0	0.009~0.15	-46.27	PASS
Band4	3MHz	QPSK	20175	15RB#0	0.15~30	-58.94	PASS
Band4	3MHz	QPSK	20175	15RB#0	30~1000	-47.59	PASS
Band4	3MHz	QPSK	20175	15RB#0	1000~3000	-37.99	PASS
Band4	3MHz	QPSK	20175	15RB#0	3000~20000	-40.80	PASS
Band4	3MHz	QPSK	20385	1RB#0	0.009~0.15	-45.44	PASS
Band4	3MHz	QPSK	20385	1RB#0	0.15~30	-58.78	PASS
Band4	3MHz	QPSK	20385	1RB#0	30~1000	-60.68	PASS
Band4	3MHz	QPSK	20385	1RB#0	1000~3000	-38.32	PASS
Band4	3MHz	QPSK	20385	1RB#0	3000~20000	-40.75	PASS
Band4	3MHz	QPSK	20385	1RB#14	0.009~0.15	-46.30	PASS
Band4	3MHz	QPSK	20385	1RB#14	0.15~30	-57.48	PASS
Band4	3MHz	QPSK	20385	1RB#14	30~1000	-60.68	PASS
Band4	3MHz	QPSK	20385	1RB#14	1000~3000	-38.23	PASS
Band4	3MHz	QPSK	20385	1RB#14	3000~20000	-40.91	PASS
Band4	3MHz	QPSK	20385	15RB#0	0.009~0.15	-48.19	PASS
Band4	3MHz	QPSK	20385	15RB#0	0.15~30	-58.58	PASS
Band4	3MHz	QPSK	20385	15RB#0	30~1000	-60.76	PASS

Band4	3MHz	QPSK	20385	15RB#0	1000~3000	-37.99	PASS
Band4	3MHz	QPSK	20385	15RB#0	3000~20000	-40.85	PASS
Band4	5MHz	QPSK	19975	1RB#0	0.009~0.15	-44.52	PASS
Band4	5MHz	QPSK	19975	1RB#0	0.15~30	-58.92	PASS
Band4	5MHz	QPSK	19975	1RB#0	30~1000	-55.91	PASS
Band4	5MHz	QPSK	19975	1RB#0	1000~3000	-40.54	PASS
Band4	5MHz	QPSK	19975	1RB#0	3000~20000	-39.70	PASS
Band4	5MHz	QPSK	19975	1RB#24	0.009~0.15	-45.84	PASS
Band4	5MHz	QPSK	19975	1RB#24	0.15~30	-57.82	PASS
Band4	5MHz	QPSK	19975	1RB#24	30~1000	-48.25	PASS
Band4	5MHz	QPSK	19975	1RB#24	1000~3000	-40.30	PASS
Band4	5MHz	QPSK	19975	1RB#24	3000~20000	-40.17	PASS
Band4	5MHz	QPSK	19975	25RB#0	0.009~0.15	-44.83	PASS
Band4	5MHz	QPSK	19975	25RB#0	0.15~30	-58.72	PASS
Band4	5MHz	QPSK	19975	25RB#0	30~1000	-50.77	PASS
Band4	5MHz	QPSK	19975	25RB#0	1000~3000	-39.33	PASS
Band4	5MHz	QPSK	19975	25RB#0	3000~20000	-40.41	PASS
Band4	5MHz	QPSK	20175	1RB#0	0.009~0.15	-44.83	PASS
Band4	5MHz	QPSK	20175	1RB#0	0.15~30	-58.95	PASS
Band4	5MHz	QPSK	20175	1RB#0	30~1000	-46.13	PASS
Band4	5MHz	QPSK	20175	1RB#0	1000~3000	-40.35	PASS
Band4	5MHz	QPSK	20175	1RB#0	3000~20000	-40.33	PASS
Band4	5MHz	QPSK	20175	1RB#24	0.009~0.15	-46.90	PASS
Band4	5MHz	QPSK	20175	1RB#24	0.15~30	-57.77	PASS
Band4	5MHz	QPSK	20175	1RB#24	30~1000	-54.63	PASS
Band4	5MHz	QPSK	20175	1RB#24	1000~3000	-40.33	PASS
Band4	5MHz	QPSK	20175	1RB#24	3000~20000	-40.38	PASS
Band4	5MHz	QPSK	20175	25RB#0	0.009~0.15	-43.63	PASS
Band4	5MHz	QPSK	20175	25RB#0	0.15~30	-58.14	PASS
Band4	5MHz	QPSK	20175	25RB#0	30~1000	-47.58	PASS
Band4	5MHz	QPSK	20175	25RB#0	1000~3000	-39.82	PASS
Band4	5MHz	QPSK	20175	25RB#0	3000~20000	-40.62	PASS
Band4	5MHz	QPSK	20375	1RB#0	0.009~0.15	-45.98	PASS
Band4	5MHz	QPSK	20375	1RB#0	0.15~30	-59.33	PASS
Band4	5MHz	QPSK	20375	1RB#0	30~1000	-47.84	PASS
Band4	5MHz	QPSK	20375	1RB#0	1000~3000	-40.21	PASS
Band4	5MHz	QPSK	20375	1RB#0	3000~20000	-40.41	PASS

Band4	5MHz	QPSK	20375	1RB#24	0.009~0.15	-47.47	PASS
Band4	5MHz	QPSK	20375	1RB#24	0.15~30	-59.23	PASS
Band4	5MHz	QPSK	20375	1RB#24	30~1000	-60.43	PASS
Band4	5MHz	QPSK	20375	1RB#24	1000~3000	-39.92	PASS
Band4	5MHz	QPSK	20375	1RB#24	3000~20000	-40.28	PASS
Band4	5MHz	QPSK	20375	25RB#0	0.009~0.15	-45.41	PASS
Band4	5MHz	QPSK	20375	25RB#0	0.15~30	-58.94	PASS
Band4	5MHz	QPSK	20375	25RB#0	30~1000	-56.30	PASS
Band4	5MHz	QPSK	20375	25RB#0	1000~3000	-38.25	PASS
Band4	5MHz	QPSK	20375	25RB#0	3000~20000	-39.97	PASS
Band4	10MHz	QPSK	20000	1RB#0	0.009~0.15	-45.38	PASS
Band4	10MHz	QPSK	20000	1RB#0	0.15~30	-58.90	PASS
Band4	10MHz	QPSK	20000	1RB#0	30~1000	-60.87	PASS
Band4	10MHz	QPSK	20000	1RB#0	1000~3000	-40.55	PASS
Band4	10MHz	QPSK	20000	1RB#0	3000~20000	-40.79	PASS
Band4	10MHz	QPSK	20000	1RB#49	0.009~0.15	-47.02	PASS
Band4	10MHz	QPSK	20000	1RB#49	0.15~30	-58.46	PASS
Band4	10MHz	QPSK	20000	1RB#49	30~1000	-57.66	PASS
Band4	10MHz	QPSK	20000	1RB#49	1000~3000	-40.54	PASS
Band4	10MHz	QPSK	20000	1RB#49	3000~20000	-40.77	PASS
Band4	10MHz	QPSK	20000	50RB#0	0.009~0.15	-45.86	PASS
Band4	10MHz	QPSK	20000	50RB#0	0.15~30	-58.43	PASS
Band4	10MHz	QPSK	20000	50RB#0	30~1000	-59.92	PASS
Band4	10MHz	QPSK	20000	50RB#0	1000~3000	-40.52	PASS
Band4	10MHz	QPSK	20000	50RB#0	3000~20000	-40.37	PASS
Band4	10MHz	QPSK	20175	1RB#0	0.009~0.15	-45.98	PASS
Band4	10MHz	QPSK	20175	1RB#0	0.15~30	-59.33	PASS
Band4	10MHz	QPSK	20175	1RB#0	30~1000	-47.60	PASS
Band4	10MHz	QPSK	20175	1RB#0	1000~3000	-40.06	PASS
Band4	10MHz	QPSK	20175	1RB#0	3000~20000	-40.74	PASS
Band4	10MHz	QPSK	20175	1RB#49	0.009~0.15	-44.64	PASS
Band4	10MHz	QPSK	20175	1RB#49	0.15~30	-58.88	PASS
Band4	10MHz	QPSK	20175	1RB#49	30~1000	-60.63	PASS
Band4	10MHz	QPSK	20175	1RB#49	1000~3000	-40.54	PASS
Band4	10MHz	QPSK	20175	1RB#49	3000~20000	-40.91	PASS
Band4	10MHz	QPSK	20175	50RB#0	0.009~0.15	-48.55	PASS
Band4	10MHz	QPSK	20175	50RB#0	0.15~30	-61.77	PASS

Band4	10MHz	QPSK	20175	50RB#0	30~1000	-60.54	PASS
Band4	10MHz	QPSK	20175	50RB#0	1000~3000	-40.32	PASS
Band4	10MHz	QPSK	20175	50RB#0	3000~20000	-40.81	PASS
Band4	10MHz	QPSK	20350	1RB#0	0.009~0.15	-46.16	PASS
Band4	10MHz	QPSK	20350	1RB#0	0.15~30	-57.10	PASS
Band4	10MHz	QPSK	20350	1RB#0	30~1000	-60.70	PASS
Band4	10MHz	QPSK	20350	1RB#0	1000~3000	-40.54	PASS
Band4	10MHz	QPSK	20350	1RB#0	3000~20000	-40.58	PASS
Band4	10MHz	QPSK	20350	1RB#49	0.009~0.15	-47.86	PASS
Band4	10MHz	QPSK	20350	1RB#49	0.15~30	-58.58	PASS
Band4	10MHz	QPSK	20350	1RB#49	30~1000	-55.58	PASS
Band4	10MHz	QPSK	20350	1RB#49	1000~3000	-40.07	PASS
Band4	10MHz	QPSK	20350	1RB#49	3000~20000	-40.62	PASS
Band4	10MHz	QPSK	20350	50RB#0	0.009~0.15	-45.87	PASS
Band4	10MHz	QPSK	20350	50RB#0	0.15~30	-61.18	PASS
Band4	10MHz	QPSK	20350	50RB#0	30~1000	-60.73	PASS
Band4	10MHz	QPSK	20350	50RB#0	1000~3000	-40.55	PASS
Band4	10MHz	QPSK	20350	50RB#0	3000~20000	-40.73	PASS
Band4	15MHz	QPSK	20025	1RB#0	0.009~0.15	-48.47	PASS
Band4	15MHz	QPSK	20025	1RB#0	0.15~30	-59.17	PASS
Band4	15MHz	QPSK	20025	1RB#0	30~1000	-60.72	PASS
Band4	15MHz	QPSK	20025	1RB#0	1000~3000	-40.08	PASS
Band4	15MHz	QPSK	20025	1RB#0	3000~20000	-40.11	PASS
Band4	15MHz	QPSK	20025	1RB#74	0.009~0.15	-47.54	PASS
Band4	15MHz	QPSK	20025	1RB#74	0.15~30	-57.17	PASS
Band4	15MHz	QPSK	20025	1RB#74	30~1000	-60.97	PASS
Band4	15MHz	QPSK	20025	1RB#74	1000~3000	-40.34	PASS
Band4	15MHz	QPSK	20025	1RB#74	3000~20000	-40.60	PASS
Band4	15MHz	QPSK	20025	75RB#0	0.009~0.15	-49.36	PASS
Band4	15MHz	QPSK	20025	75RB#0	0.15~30	-58.71	PASS
Band4	15MHz	QPSK	20025	75RB#0	30~1000	-60.68	PASS
Band4	15MHz	QPSK	20025	75RB#0	1000~3000	-40.43	PASS
Band4	15MHz	QPSK	20025	75RB#0	3000~20000	-40.76	PASS
Band4	15MHz	QPSK	20175	1RB#0	0.009~0.15	-46.98	PASS
Band4	15MHz	QPSK	20175	1RB#0	0.15~30	-59.03	PASS
Band4	15MHz	QPSK	20175	1RB#0	30~1000	-60.49	PASS
Band4	15MHz	QPSK	20175	1RB#0	1000~3000	-40.50	PASS

Band4	15MHz	QPSK	20175	1RB#0	3000~20000	-39.69	PASS
Band4	15MHz	QPSK	20175	1RB#74	0.009~0.15	-45.32	PASS
Band4	15MHz	QPSK	20175	1RB#74	0.15~30	-58.63	PASS
Band4	15MHz	QPSK	20175	1RB#74	30~1000	-60.45	PASS
Band4	15MHz	QPSK	20175	1RB#74	1000~3000	-40.36	PASS
Band4	15MHz	QPSK	20175	1RB#74	3000~20000	-40.91	PASS
Band4	15MHz	QPSK	20175	75RB#0	0.009~0.15	-45.14	PASS
Band4	15MHz	QPSK	20175	75RB#0	0.15~30	-60.52	PASS
Band4	15MHz	QPSK	20175	75RB#0	30~1000	-60.82	PASS
Band4	15MHz	QPSK	20175	75RB#0	1000~3000	-40.01	PASS
Band4	15MHz	QPSK	20175	75RB#0	3000~20000	-40.46	PASS
Band4	15MHz	QPSK	20325	1RB#0	0.009~0.15	-46.93	PASS
Band4	15MHz	QPSK	20325	1RB#0	0.15~30	-57.70	PASS
Band4	15MHz	QPSK	20325	1RB#0	30~1000	-60.60	PASS
Band4	15MHz	QPSK	20325	1RB#0	1000~3000	-40.11	PASS
Band4	15MHz	QPSK	20325	1RB#0	3000~20000	-40.43	PASS
Band4	15MHz	QPSK	20325	1RB#74	0.009~0.15	-47.55	PASS
Band4	15MHz	QPSK	20325	1RB#74	0.15~30	-59.16	PASS
Band4	15MHz	QPSK	20325	1RB#74	30~1000	-60.68	PASS
Band4	15MHz	QPSK	20325	1RB#74	1000~3000	-40.16	PASS
Band4	15MHz	QPSK	20325	1RB#74	3000~20000	-41.05	PASS
Band4	15MHz	QPSK	20325	75RB#0	0.009~0.15	-45.89	PASS
Band4	15MHz	QPSK	20325	75RB#0	0.15~30	-59.84	PASS
Band4	15MHz	QPSK	20325	75RB#0	30~1000	-60.51	PASS
Band4	15MHz	QPSK	20325	75RB#0	1000~3000	-40.39	PASS
Band4	15MHz	QPSK	20325	75RB#0	3000~20000	-40.96	PASS
Band4	20MHz	QPSK	20050	1RB#0	0.009~0.15	-47.43	PASS
Band4	20MHz	QPSK	20050	1RB#0	0.15~30	-58.47	PASS
Band4	20MHz	QPSK	20050	1RB#0	30~1000	-60.73	PASS
Band4	20MHz	QPSK	20050	1RB#0	1000~3000	-40.30	PASS
Band4	20MHz	QPSK	20050	1RB#0	3000~20000	-38.97	PASS
Band4	20MHz	QPSK	20050	1RB#99	0.009~0.15	-46.80	PASS
Band4	20MHz	QPSK	20050	1RB#99	0.15~30	-57.88	PASS
Band4	20MHz	QPSK	20050	1RB#99	30~1000	-60.79	PASS
Band4	20MHz	QPSK	20050	1RB#99	1000~3000	-40.61	PASS
Band4	20MHz	QPSK	20050	1RB#99	3000~20000	-40.00	PASS
Band4	20MHz	QPSK	20050	100RB#0	0.009~0.15	-49.08	PASS

Band4	20MHz	QPSK	20050	100RB#0	0.15~30	-57.95	PASS
Band4	20MHz	QPSK	20050	100RB#0	30~1000	-60.51	PASS
Band4	20MHz	QPSK	20050	100RB#0	1000~3000	-40.30	PASS
Band4	20MHz	QPSK	20050	100RB#0	3000~20000	-40.49	PASS
Band4	20MHz	QPSK	20175	1RB#0	0.009~0.15	-45.20	PASS
Band4	20MHz	QPSK	20175	1RB#0	0.15~30	-60.56	PASS
Band4	20MHz	QPSK	20175	1RB#0	30~1000	-60.86	PASS
Band4	20MHz	QPSK	20175	1RB#0	1000~3000	-40.27	PASS
Band4	20MHz	QPSK	20175	1RB#0	3000~20000	-40.78	PASS
Band4	20MHz	QPSK	20175	1RB#99	0.009~0.15	-45.56	PASS
Band4	20MHz	QPSK	20175	1RB#99	0.15~30	-59.53	PASS
Band4	20MHz	QPSK	20175	1RB#99	30~1000	-60.75	PASS
Band4	20MHz	QPSK	20175	1RB#99	1000~3000	-40.21	PASS
Band4	20MHz	QPSK	20175	1RB#99	3000~20000	-40.22	PASS
Band4	20MHz	QPSK	20175	100RB#0	0.009~0.15	-45.73	PASS
Band4	20MHz	QPSK	20175	100RB#0	0.15~30	-60.01	PASS
Band4	20MHz	QPSK	20175	100RB#0	30~1000	-47.63	PASS
Band4	20MHz	QPSK	20175	100RB#0	1000~3000	-40.72	PASS
Band4	20MHz	QPSK	20175	100RB#0	3000~20000	-40.78	PASS
Band4	20MHz	QPSK	20300	1RB#0	0.009~0.15	-44.68	PASS
Band4	20MHz	QPSK	20300	1RB#0	0.15~30	-60.26	PASS
Band4	20MHz	QPSK	20300	1RB#0	30~1000	-60.68	PASS
Band4	20MHz	QPSK	20300	1RB#0	1000~3000	-40.62	PASS
Band4	20MHz	QPSK	20300	1RB#0	3000~20000	-40.59	PASS
Band4	20MHz	QPSK	20300	1RB#99	0.009~0.15	-46.02	PASS
Band4	20MHz	QPSK	20300	1RB#99	0.15~30	-59.87	PASS
Band4	20MHz	QPSK	20300	1RB#99	30~1000	-60.36	PASS
Band4	20MHz	QPSK	20300	1RB#99	1000~3000	-40.47	PASS
Band4	20MHz	QPSK	20300	1RB#99	3000~20000	-40.65	PASS
Band4	20MHz	QPSK	20300	100RB#0	0.009~0.15	-47.55	PASS
Band4	20MHz	QPSK	20300	100RB#0	0.15~30	-59.07	PASS
Band4	20MHz	QPSK	20300	100RB#0	30~1000	-60.78	PASS
Band4	20MHz	QPSK	20300	100RB#0	1000~3000	-40.26	PASS
Band4	20MHz	QPSK	20300	100RB#0	3000~20000	-40.52	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	0.009~0.15	-46.37	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	0.15~30	-57.69	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	30~1000	-43.79	PASS

Band5	1.4MHz	QPSK	20407	1RB#0	1000~3000	-37.74	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	3000~10000	-43.98	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	0.009~0.15	-47.59	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	0.15~30	-58.12	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	30~1000	-44.36	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	1000~3000	-41.42	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	3000~10000	-44.32	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	0.009~0.15	-45.15	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	0.15~30	-60.63	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	30~1000	-45.94	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	1000~3000	-42.60	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	3000~10000	-43.96	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	0.009~0.15	-48.11	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	0.15~30	-57.07	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	30~1000	-46.36	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	1000~3000	-31.75	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	3000~10000	-44.10	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	0.009~0.15	-46.76	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	0.15~30	-58.23	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	30~1000	-43.47	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	1000~3000	-32.19	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	3000~10000	-43.25	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	0.009~0.15	-46.74	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	0.15~30	-58.66	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	30~1000	-46.45	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1000~3000	-34.39	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	3000~10000	-43.93	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	0.009~0.15	-44.63	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	0.15~30	-58.48	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	30~1000	-42.90	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	1000~3000	-36.62	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	3000~10000	-44.20	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	0.009~0.15	-43.37	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	0.15~30	-60.03	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	30~1000	-45.94	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	1000~3000	-35.27	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	3000~10000	-44.33	PASS