

Annex A.5 Spurious Emission at Antenna Terminals

GPRS

1. GPRS_GSM850


1.1. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.54	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.25	-13	Pass	2986
30	500	0.1	Peak	468.4	-42.41	-13	Pass	4701
500	1000	0.1	Peak	824.1	21.65	-13	N/A	5001
1000	10000	1	Peak	9959	-18.96	-13	Pass	9001




1.2. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-39.21	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.46	-13	Pass	2986
30	500	0.1	Peak	499.8	-42.12	-13	Pass	4701
500	1000	0.1	Peak	836.7	21.11	-13	N/A	5001
1000	10000	1	Peak	9944	-18.45	-13	Pass	9001



1.3. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-39.56	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.4	-13	Pass	2986
30	500	0.1	Peak	476.8	-42.8	-13	Pass	4701
500	1000	0.1	Peak	848.9	22.83	-13	N/A	5001
1000	10000	1	Peak	8144	-18.81	-13	Pass	9001



2. GPRS_PCS


2.1. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.91	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.58	-13	Pass	2986
30	1000	0.1	Peak	825.9	-46.4	-13	Pass	9701
1000	3000	1	Peak	1850	24.04	-13	N/A	2001
3000	20000	1	Peak	19986	-33.67	-13	Pass	17001




2.2. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.72	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.29	-13	Pass	2986
30	1000	0.1	Peak	887.4	-45.68	-13	Pass	9701
1000	3000	1	Peak	1880	23.92	-13	N/A	2001
3000	20000	1	Peak	19988	-33.62	-13	Pass	17001



2.3. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.28	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.72	-13	Pass	2986
30	1000	0.1	Peak	838.7	-46.12	-13	Pass	9701
1000	3000	1	Peak	1910	24.45	-13	N/A	2001
3000	20000	1	Peak	19967	-33.61	-13	Pass	17001




EGPRS

1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.23	-13	Pass	2986
30	500	0.1	Peak	455.2	-42.65	-13	Pass	4701
500	1000	0.1	Peak	824.1	14.82	-13	N/A	5001
1000	10000	1	Peak	9561	-18.37	-13	Pass	9001




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-38.96	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.21	-13	Pass	2986
30	500	0.1	Peak	417.5	-42.81	-13	Pass	4701
500	1000	0.1	Peak	836.6	17.52	-13	N/A	5001
1000	10000	1	Peak	9979	-18.92	-13	Pass	9001



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-39.35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.14	-13	Pass	2986
30	500	0.1	Peak	451.9	-42.13	-13	Pass	4701
500	1000	0.1	Peak	848.8	20.8	-13	N/A	5001
1000	10000	1	Peak	8178	-18.85	-13	Pass	9001



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-45.27	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.63	-13	Pass	2986
30	1000	0.1	Peak	941	-46.63	-13	Pass	9701
1000	3000	1	Peak	1850	18.68	-13	N/A	2001
3000	20000	1	Peak	19993	-33.67	-13	Pass	17001




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.13	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46	-13	Pass	2986
30	1000	0.1	Peak	945.5	-46.22	-13	Pass	9701
1000	3000	1	Peak	1880	23.48	-13	N/A	2001
3000	20000	1	Peak	19965	-33.89	-13	Pass	17001



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.03	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.37	-13	Pass	2986
30	1000	0.1	Peak	882.4	-46.48	-13	Pass	9701
1000	3000	1	Peak	1910	24.15	-13	N/A	2001
3000	20000	1	Peak	19767	-33.59	-13	Pass	17001




LTE

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-13	Pass	2986
30	1000	0.1	RMS	900.9	-61.8	-13	Pass	9701
1000	1840	1	RMS	1840	-49.81	-13	Pass	841
1840	1920	1	RMS	1850.2	17.23	60	Pass	401
1920	3000	1	RMS	2643	-46.06	-13	Pass	1081
3000	12000	1	RMS	11849	-37.65	-13	Pass	9001
12000	20000	1	RMS	19999	-22.18	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.92	-13	Pass	2986
30	1000	0.1	RMS	940.8	-61.75	-13	Pass	9701
1000	1840	1	RMS	1840	-49.86	-13	Pass	841
1840	1920	1	RMS	1850.2	16.32	60	Pass	401
1920	3000	1	RMS	2646	-46.02	-13	Pass	1081
3000	12000	1	RMS	11850	-37.65	-13	Pass	9001
12000	20000	1	RMS	19988	-22.26	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.14	-13	Pass	2986
30	1000	0.1	RMS	946.5	-61.88	-13	Pass	9701
1000	1840	1	RMS	1839	-50.26	-13	Pass	841
1840	1920	1	RMS	1879.6	16.62	60	Pass	401
1920	3000	1	RMS	2642	-45.99	-13	Pass	1081
3000	12000	1	RMS	11852	-37.67	-13	Pass	9001
12000	20000	1	RMS	19998	-22.1	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.85	-13	Pass	2986
30	1000	0.1	RMS	948.4	-61.84	-13	Pass	9701
1000	1840	1	RMS	1840	-50.26	-13	Pass	841
1840	1920	1	RMS	1879.6	15.77	60	Pass	401
1920	3000	1	RMS	2640	-45.98	-13	Pass	1081
3000	12000	1	RMS	11877	-37.66	-13	Pass	9001
12000	20000	1	RMS	20000	-22.18	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.34	-13	Pass	2986
30	1000	0.1	RMS	907.4	-61.9	-13	Pass	9701
1000	1840	1	RMS	1840	-50.25	-13	Pass	841
1840	1920	1	RMS	1908.8	17.65	60	Pass	401
1920	3000	1	RMS	2644	-46.07	-13	Pass	1081
3000	12000	1	RMS	11856	-37.66	-13	Pass	9001
12000	20000	1	RMS	19995	-22.29	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.27	-13	Pass	2986
30	1000	0.1	RMS	942.6	-61.85	-13	Pass	9701
1000	1840	1	RMS	1839	-50.24	-13	Pass	841
1840	1920	1	RMS	1908.8	16.81	60	Pass	401
1920	3000	1	RMS	2642	-46.06	-13	Pass	1081
3000	12000	1	RMS	11852	-37.64	-13	Pass	9001
12000	20000	1	RMS	19999	-22.21	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.75	-13	Pass	2986
30	1000	0.1	RMS	923.8	-61.8	-13	Pass	9701
1000	1840	1	RMS	1840	-49.82	-13	Pass	841
1840	1920	1	RMS	1850.2	17.22	60	Pass	401
1920	3000	1	RMS	2636	-46.07	-13	Pass	1081
3000	12000	1	RMS	11858	-37.61	-13	Pass	9001
12000	20000	1	RMS	19996	-22.16	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.78	-13	Pass	2986
30	1000	0.1	RMS	919.6	-61.94	-13	Pass	9701
1000	1840	1	RMS	1840	-49.86	-13	Pass	841
1840	1920	1	RMS	1850.2	16.4	60	Pass	401
1920	3000	1	RMS	2642	-46.07	-13	Pass	1081
3000	12000	1	RMS	11856	-37.64	-13	Pass	9001
12000	20000	1	RMS	20000	-22.12	-13	Pass	8001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.78	-13	Pass	2986
30	1000	0.1	RMS	931.5	-61.86	-13	Pass	9701
1000	1840	1	RMS	1840	-50.25	-13	Pass	841
1840	1920	1	RMS	1878.8	16.72	60	Pass	401
1920	3000	1	RMS	2645	-46.05	-13	Pass	1081
3000	12000	1	RMS	11844	-37.65	-13	Pass	9001
12000	20000	1	RMS	20000	-22.25	-13	Pass	8001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.33	-13	Pass	2986
30	1000	0.1	RMS	965.8	-61.96	-13	Pass	9701
1000	1840	1	RMS	1834	-50.35	-13	Pass	841
1840	1920	1	RMS	1878.8	15.77	60	Pass	401
1920	3000	1	RMS	2642	-46.13	-13	Pass	1081
3000	12000	1	RMS	11847	-37.67	-13	Pass	9001
12000	20000	1	RMS	20000	-22.31	-13	Pass	8001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.71	-13	Pass	2986
30	1000	0.1	RMS	930	-61.92	-13	Pass	9701
1000	1840	1	RMS	1833	-50.34	-13	Pass	841
1840	1920	1	RMS	1907.2	17.7	60	Pass	401
1920	3000	1	RMS	2645	-46.18	-13	Pass	1081
3000	12000	1	RMS	11865	-37.73	-13	Pass	9001
12000	20000	1	RMS	20000	-22.27	-13	Pass	8001




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.78	-13	Pass	2986
30	1000	0.1	RMS	922.4	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-50.34	-13	Pass	841
1840	1920	1	RMS	1907.2	16.81	60	Pass	401
1920	3000	1	RMS	2639	-46.19	-13	Pass	1081
3000	12000	1	RMS	11851	-37.75	-13	Pass	9001
12000	20000	1	RMS	20000	-22.29	-13	Pass	8001




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.58	-13	Pass	2986
30	1000	0.1	RMS	950.4	-62.02	-13	Pass	9701
1000	1840	1	RMS	1840	-50	-13	Pass	841
1840	1920	1	RMS	1850.4	17.32	60	Pass	401
1920	3000	1	RMS	2648	-46.18	-13	Pass	1081
3000	12000	1	RMS	11852	-37.79	-13	Pass	9001
12000	20000	1	RMS	19999	-22.3	-13	Pass	8001




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.09	-13	Pass	2986
30	1000	0.1	RMS	904.6	-62.11	-13	Pass	9701
1000	1840	1	RMS	1840	-50.18	-13	Pass	841
1840	1920	1	RMS	1850.4	16.52	60	Pass	401
1920	3000	1	RMS	2646	-46.2	-13	Pass	1081
3000	12000	1	RMS	11863	-37.81	-13	Pass	9001
12000	20000	1	RMS	20000	-22.24	-13	Pass	8001




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.41	-13	Pass	2986
30	1000	0.1	RMS	934.8	-61.72	-13	Pass	9701
1000	1840	1	RMS	1839	-50.4	-13	Pass	841
1840	1920	1	RMS	1877.8	16.8	60	Pass	401
1920	3000	1	RMS	2645	-46.22	-13	Pass	1081
3000	12000	1	RMS	11848	-37.8	-13	Pass	9001
12000	20000	1	RMS	19999	-22.32	-13	Pass	8001




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.7	-13	Pass	2986
30	1000	0.1	RMS	920.1	-61.79	-13	Pass	9701
1000	1840	1	RMS	1839	-50.45	-13	Pass	841
1840	1920	1	RMS	1877.8	16	60	Pass	401
1920	3000	1	RMS	2644	-46.22	-13	Pass	1081
3000	12000	1	RMS	11848	-37.76	-13	Pass	9001
12000	20000	1	RMS	20000	-22.3	-13	Pass	8001




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.66	-13	Pass	2986
30	1000	0.1	RMS	914.9	-62.11	-13	Pass	9701
1000	1840	1	RMS	1838	-50.32	-13	Pass	841
1840	1920	1	RMS	1905.4	17.45	60	Pass	401
1920	3000	1	RMS	2649	-46.17	-13	Pass	1081
3000	12000	1	RMS	11854	-37.76	-13	Pass	9001
12000	20000	1	RMS	19999	-22.28	-13	Pass	8001




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.89	-13	Pass	2986
30	1000	0.1	RMS	955.7	-62.09	-13	Pass	9701
1000	1840	1	RMS	1836	-50.42	-13	Pass	841
1840	1920	1	RMS	1905.4	16.66	60	Pass	401
1920	3000	1	RMS	2654	-46.2	-13	Pass	1081
3000	12000	1	RMS	11848	-37.79	-13	Pass	9001
12000	20000	1	RMS	19999	-22.3	-13	Pass	8001




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.68	-13	Pass	2986
30	1000	0.1	RMS	937.5	-62.05	-13	Pass	9701
1000	1840	1	RMS	1833	-47.77	-13	Pass	841
1840	1920	1	RMS	1850.6	17.36	60	Pass	401
1920	3000	1	RMS	2652	-46.19	-13	Pass	1081
3000	12000	1	RMS	11859	-37.77	-13	Pass	9001
12000	20000	1	RMS	20000	-22.3	-13	Pass	8001




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.41	-13	Pass	2986
30	1000	0.1	RMS	922.3	-62.08	-13	Pass	9701
1000	1840	1	RMS	1833	-48.55	-13	Pass	841
1840	1920	1	RMS	1850.6	16.45	60	Pass	401
1920	3000	1	RMS	2655	-46.19	-13	Pass	1081
3000	12000	1	RMS	11851	-37.79	-13	Pass	9001
12000	20000	1	RMS	19992	-22.42	-13	Pass	8001




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.04	-13	Pass	2986
30	1000	0.1	RMS	927.8	-61.82	-13	Pass	9701
1000	1840	1	RMS	1840	-50.41	-13	Pass	841
1840	1920	1	RMS	1875.6	16.96	60	Pass	401
1920	3000	1	RMS	2647	-46.21	-13	Pass	1081
3000	12000	1	RMS	11885	-37.83	-13	Pass	9001
12000	20000	1	RMS	19999	-22.3	-13	Pass	8001




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.35	-13	Pass	2986
30	1000	0.1	RMS	919	-61.83	-13	Pass	9701
1000	1840	1	RMS	1840	-50.4	-13	Pass	841
1840	1920	1	RMS	1875.6	16.13	60	Pass	401
1920	3000	1	RMS	2640	-46.2	-13	Pass	1081
3000	12000	1	RMS	11855	-37.68	-13	Pass	9001
12000	20000	1	RMS	19998	-22.13	-13	Pass	8001




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.95	-13	Pass	2986
30	1000	0.1	RMS	969.6	-62.02	-13	Pass	9701
1000	1840	1	RMS	1838	-50.4	-13	Pass	841
1840	1920	1	RMS	1900.6	17.12	60	Pass	401
1920	3000	1	RMS	2642	-46.19	-13	Pass	1081
3000	12000	1	RMS	11855	-37.69	-13	Pass	9001
12000	20000	1	RMS	20000	-22.17	-13	Pass	8001




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.15	-13	Pass	2986
30	1000	0.1	RMS	922.2	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-50.34	-13	Pass	841
1840	1920	1	RMS	1900.6	16.3	60	Pass	401
1920	3000	1	RMS	2654	-46.21	-13	Pass	1081
3000	12000	1	RMS	11858	-37.67	-13	Pass	9001
12000	20000	1	RMS	20000	-22.21	-13	Pass	8001




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.37	-13	Pass	2986
30	1000	0.1	RMS	941.2	-62.08	-13	Pass	9701
1000	1840	1	RMS	1840	-49.75	-13	Pass	841
1840	1920	1	RMS	1850.8	17.28	60	Pass	401
1920	3000	1	RMS	2642	-46.14	-13	Pass	1081
3000	12000	1	RMS	11857	-37.7	-13	Pass	9001
12000	20000	1	RMS	20000	-22.14	-13	Pass	8001




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.32	-13	Pass	2986
30	1000	0.1	RMS	930.3	-62	-13	Pass	9701
1000	1840	1	RMS	1840	-49.81	-13	Pass	841
1840	1920	1	RMS	1850.8	16.48	60	Pass	401
1920	3000	1	RMS	2640	-46.16	-13	Pass	1081
3000	12000	1	RMS	11855	-37.71	-13	Pass	9001
12000	20000	1	RMS	19999	-22.22	-13	Pass	8001




1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.09	-13	Pass	2986
30	1000	0.1	RMS	920.7	-61.88	-13	Pass	9701
1000	1840	1	RMS	1839	-50.33	-13	Pass	841
1840	1920	1	RMS	1873.4	17.34	60	Pass	401
1920	3000	1	RMS	2639	-46.15	-13	Pass	1081
3000	12000	1	RMS	11858	-37.65	-13	Pass	9001
12000	20000	1	RMS	20000	-22.24	-13	Pass	8001




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.84	-13	Pass	2986
30	1000	0.1	RMS	893.9	-61.95	-13	Pass	9701
1000	1840	1	RMS	1838	-50.4	-13	Pass	841
1840	1920	1	RMS	1873.4	16.59	60	Pass	401
1920	3000	1	RMS	2647	-46.17	-13	Pass	1081
3000	12000	1	RMS	11853	-37.66	-13	Pass	9001
12000	20000	1	RMS	19999	-22.22	-13	Pass	8001




1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.91	-13	Pass	2986
30	1000	0.1	RMS	912.5	-61.97	-13	Pass	9701
1000	1840	1	RMS	1839	-50.37	-13	Pass	841
1840	1920	1	RMS	1895.8	17.89	60	Pass	401
1920	3000	1	RMS	2647	-46.17	-13	Pass	1081
3000	12000	1	RMS	11851	-37.65	-13	Pass	9001
12000	20000	1	RMS	19995	-22.32	-13	Pass	8001




1.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.18	-13	Pass	2986
30	1000	0.1	RMS	920.6	-61.94	-13	Pass	9701
1000	1840	1	RMS	1840	-50.38	-13	Pass	841
1840	1920	1	RMS	1895.8	17	60	Pass	401
1920	3000	1	RMS	2651	-46.19	-13	Pass	1081
3000	12000	1	RMS	11842	-37.58	-13	Pass	9001
12000	20000	1	RMS	19996	-22.26	-13	Pass	8001




1.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.23	-13	Pass	2986
30	1000	0.1	RMS	936.1	-61.93	-13	Pass	9701
1000	1840	1	RMS	1840	-50.04	-13	Pass	841
1840	1920	1	RMS	1851	17.17	60	Pass	401
1920	3000	1	RMS	2642	-46.15	-13	Pass	1081
3000	12000	1	RMS	11857	-37.7	-13	Pass	9001
12000	20000	1	RMS	20000	-22.24	-13	Pass	8001




1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.86	-13	Pass	2986
30	1000	0.1	RMS	917.3	-61.81	-13	Pass	9701
1000	1840	1	RMS	1840	-49.98	-13	Pass	841
1840	1920	1	RMS	1851	16.37	60	Pass	401
1920	3000	1	RMS	2641	-46.07	-13	Pass	1081
3000	12000	1	RMS	11861	-37.67	-13	Pass	9001
12000	20000	1	RMS	20000	-22.09	-13	Pass	8001




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.81	-13	Pass	2986
30	1000	0.1	RMS	918.1	-61.85	-13	Pass	9701
1000	1840	1	RMS	1835	-48.38	-13	Pass	841
1840	1920	1	RMS	1871	17.7	60	Pass	401
1920	3000	1	RMS	2651	-46.04	-13	Pass	1081
3000	12000	1	RMS	11858	-37.71	-13	Pass	9001
12000	20000	1	RMS	19998	-22.16	-13	Pass	8001




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.78	-13	Pass	2986
30	1000	0.1	RMS	930.9	-61.92	-13	Pass	9701
1000	1840	1	RMS	1835	-49	-13	Pass	841
1840	1920	1	RMS	1871	16.8	60	Pass	401
1920	3000	1	RMS	2648	-46.1	-13	Pass	1081
3000	12000	1	RMS	11859	-37.7	-13	Pass	9001
12000	20000	1	RMS	19997	-22.14	-13	Pass	8001




1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.03	-13	Pass	2986
30	1000	0.1	RMS	945.5	-61.95	-13	Pass	9701
1000	1840	1	RMS	1835	-50.32	-13	Pass	841
1840	1920	1	RMS	1891	17.39	60	Pass	401
1920	3000	1	RMS	2641	-46.11	-13	Pass	1081
3000	12000	1	RMS	11853	-37.69	-13	Pass	9001
12000	20000	1	RMS	19997	-22.21	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.6	-13	Pass	2986
30	1000	0.1	RMS	918.4	-61.96	-13	Pass	9701
1000	1840	1	RMS	1839	-50.32	-13	Pass	841
1840	1920	1	RMS	1891	16.43	60	Pass	401
1920	3000	1	RMS	2650	-46.1	-13	Pass	1081
3000	12000	1	RMS	11852	-37.69	-13	Pass	9001
12000	20000	1	RMS	19997	-22.17	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.76	-13	Pass	2986
30	1000	0.1	RMS	916	-61.74	-13	Pass	9701
1000	1700	1	RMS	1700	-50.6	-13	Pass	701
1700	1765	1	RMS	1710.238	17.45	60	Pass	401
1765	3000	1	RMS	2646	-46.08	-13	Pass	1236
3000	12000	1	RMS	11862	-37.67	-13	Pass	9001
12000	20000	1	RMS	20000	-22.14	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.77	-13	Pass	2986
30	1000	0.1	RMS	919.3	-61.81	-13	Pass	9701
1000	1700	1	RMS	1700	-50.75	-13	Pass	701
1700	1765	1	RMS	1710.238	16.61	60	Pass	401
1765	3000	1	RMS	2651	-46.08	-13	Pass	1236
3000	12000	1	RMS	11850	-37.7	-13	Pass	9001
12000	20000	1	RMS	19994	-22.24	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.78	-13	Pass	2986
30	1000	0.1	RMS	922.7	-61.84	-13	Pass	9701
1000	1700	1	RMS	1700	-50.89	-13	Pass	701
1700	1765	1	RMS	1732.013	16.78	60	Pass	401
1765	3000	1	RMS	2650	-46.05	-13	Pass	1236
3000	12000	1	RMS	11849	-37.67	-13	Pass	9001
12000	20000	1	RMS	19993	-22.1	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.23	-13	Pass	2986
30	1000	0.1	RMS	928.5	-61.79	-13	Pass	9701
1000	1700	1	RMS	1594	-50.91	-13	Pass	701
1700	1765	1	RMS	1732.013	15.86	60	Pass	401
1765	3000	1	RMS	2641	-46.09	-13	Pass	1236
3000	12000	1	RMS	11851	-37.63	-13	Pass	9001
12000	20000	1	RMS	20000	-22.16	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.45	-13	Pass	2986
30	1000	0.1	RMS	926.9	-61.79	-13	Pass	9701
1000	1700	1	RMS	1604	-50.9	-13	Pass	701
1700	1765	1	RMS	1753.788	16.46	60	Pass	401
1765	3000	1	RMS	2642	-45.95	-13	Pass	1236
3000	12000	1	RMS	11851	-37.68	-13	Pass	9001
12000	20000	1	RMS	19993	-22.2	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.57	-13	Pass	2986
30	1000	0.1	RMS	935	-61.69	-13	Pass	9701
1000	1700	1	RMS	1699	-50.9	-13	Pass	701
1700	1765	1	RMS	1753.788	15.5	60	Pass	401
1765	3000	1	RMS	2648	-46.1	-13	Pass	1236
3000	12000	1	RMS	11855	-37.56	-13	Pass	9001
12000	20000	1	RMS	19999	-22.16	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.22	-13	Pass	2986
30	1000	0.1	RMS	932.6	-61.9	-13	Pass	9701
1000	1700	1	RMS	1700	-50.61	-13	Pass	701
1700	1765	1	RMS	1710.238	17.68	60	Pass	401
1765	3000	1	RMS	2645	-46.13	-13	Pass	1236
3000	12000	1	RMS	11851	-37.7	-13	Pass	9001
12000	20000	1	RMS	20000	-22.15	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.63	-13	Pass	2986
30	1000	0.1	RMS	935.1	-61.96	-13	Pass	9701
1000	1700	1	RMS	1700	-50.57	-13	Pass	701
1700	1765	1	RMS	1710.238	16.87	60	Pass	401
1765	3000	1	RMS	2642	-46.04	-13	Pass	1236
3000	12000	1	RMS	11848	-37.67	-13	Pass	9001
12000	20000	1	RMS	19999	-22.18	-13	Pass	8001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.13	-13	Pass	2986
30	1000	0.1	RMS	920.6	-61.94	-13	Pass	9701
1000	1700	1	RMS	1699	-50.9	-13	Pass	701
1700	1765	1	RMS	1731.2	16.81	60	Pass	401
1765	3000	1	RMS	2643	-46.1	-13	Pass	1236
3000	12000	1	RMS	11851	-37.65	-13	Pass	9001
12000	20000	1	RMS	19991	-22.19	-13	Pass	8001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.67	-13	Pass	2986
30	1000	0.1	RMS	923.1	-61.79	-13	Pass	9701
1000	1700	1	RMS	1696	-50.9	-13	Pass	701
1700	1765	1	RMS	1731.2	15.81	60	Pass	401
1765	3000	1	RMS	2648	-46.08	-13	Pass	1236
3000	12000	1	RMS	11849	-37.69	-13	Pass	9001
12000	20000	1	RMS	19994	-22.17	-13	Pass	8001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.41	-13	Pass	2986
30	1000	0.1	RMS	964.2	-61.94	-13	Pass	9701
1000	1700	1	RMS	1697	-50.91	-13	Pass	701
1700	1765	1	RMS	1752.163	16.67	60	Pass	401
1765	3000	1	RMS	2642	-46.04	-13	Pass	1236
3000	12000	1	RMS	11862	-37.67	-13	Pass	9001
12000	20000	1	RMS	20000	-22.11	-13	Pass	8001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.53	-13	Pass	2986
30	1000	0.1	RMS	928.9	-61.82	-13	Pass	9701
1000	1700	1	RMS	1581	-50.92	-13	Pass	701
1700	1765	1	RMS	1752.325	15.78	60	Pass	401
1765	3000	1	RMS	2641	-46.08	-13	Pass	1236
3000	12000	1	RMS	11849	-37.74	-13	Pass	9001
12000	20000	1	RMS	19995	-22.22	-13	Pass	8001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.95	-13	Pass	401
0.15	30	0.01	RMS	0.17	-58.58	-13	Pass	2986
30	1000	0.1	RMS	959.4	-61.85	-13	Pass	9701
1000	1700	1	RMS	1700	-50.51	-13	Pass	701
1700	1765	1	RMS	1710.4	17.89	60	Pass	401
1765	3000	1	RMS	2637	-46.08	-13	Pass	1236
3000	12000	1	RMS	11850	-37.52	-13	Pass	9001
12000	20000	1	RMS	19999	-22.18	-13	Pass	8001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.48	-13	Pass	2986
30	1000	0.1	RMS	925.1	-61.83	-13	Pass	9701
1000	1700	1	RMS	1700	-50.56	-13	Pass	701
1700	1765	1	RMS	1710.4	17.07	60	Pass	401
1765	3000	1	RMS	2645	-46.07	-13	Pass	1236
3000	12000	1	RMS	11851	-37.67	-13	Pass	9001
12000	20000	1	RMS	20000	-22.1	-13	Pass	8001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.82	-13	Pass	2986
30	1000	0.1	RMS	910.1	-61.92	-13	Pass	9701
1000	1700	1	RMS	1595	-50.92	-13	Pass	701
1700	1765	1	RMS	1730.388	17.02	60	Pass	401
1765	3000	1	RMS	2640	-46.07	-13	Pass	1236
3000	12000	1	RMS	11849	-37.62	-13	Pass	9001
12000	20000	1	RMS	20000	-22.16	-13	Pass	8001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.54	-13	Pass	2986
30	1000	0.1	RMS	946.3	-61.97	-13	Pass	9701
1000	1700	1	RMS	1610	-50.92	-13	Pass	701
1700	1765	1	RMS	1730.388	16.08	60	Pass	401
1765	3000	1	RMS	2641	-46.06	-13	Pass	1236
3000	12000	1	RMS	11854	-37.61	-13	Pass	9001
12000	20000	1	RMS	20000	-22.13	-13	Pass	8001




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.84	-13	Pass	2986
30	1000	0.1	RMS	898.8	-61.94	-13	Pass	9701
1000	1700	1	RMS	1594	-50.87	-13	Pass	701
1700	1765	1	RMS	1750.375	17.24	60	Pass	401
1765	3000	1	RMS	2639	-46.07	-13	Pass	1236
3000	12000	1	RMS	11850	-37.67	-13	Pass	9001
12000	20000	1	RMS	20000	-22.15	-13	Pass	8001




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.4	-13	Pass	2986
30	1000	0.1	RMS	934.1	-61.85	-13	Pass	9701
1000	1700	1	RMS	1700	-50.91	-13	Pass	701
1700	1765	1	RMS	1750.375	16.44	60	Pass	401
1765	3000	1	RMS	2646	-46.09	-13	Pass	1236
3000	12000	1	RMS	11854	-37.61	-13	Pass	9001
12000	20000	1	RMS	19998	-22.18	-13	Pass	8001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.35	-13	Pass	2986
30	1000	0.1	RMS	932.7	-61.74	-13	Pass	9701
1000	1700	1	RMS	1693	-49.56	-13	Pass	701
1700	1765	1	RMS	1710.563	18	60	Pass	401
1765	3000	1	RMS	2653	-46.05	-13	Pass	1236
3000	12000	1	RMS	11851	-37.65	-13	Pass	9001
12000	20000	1	RMS	19999	-22.19	-13	Pass	8001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.12	-13	Pass	2986
30	1000	0.1	RMS	926	-61.95	-13	Pass	9701
1000	1700	1	RMS	1693	-50.04	-13	Pass	701
1700	1765	1	RMS	1710.563	17.19	60	Pass	401
1765	3000	1	RMS	2643	-46.05	-13	Pass	1236
3000	12000	1	RMS	11860	-37.65	-13	Pass	9001
12000	20000	1	RMS	19996	-22.21	-13	Pass	8001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.27	-13	Pass	2986
30	1000	0.1	RMS	953.9	-61.89	-13	Pass	9701
1000	1700	1	RMS	1692	-50.85	-13	Pass	701
1700	1765	1	RMS	1728.113	17.24	60	Pass	401
1765	3000	1	RMS	2641	-46.08	-13	Pass	1236
3000	12000	1	RMS	11866	-37.69	-13	Pass	9001
12000	20000	1	RMS	19997	-22.13	-13	Pass	8001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.48	-13	Pass	2986
30	1000	0.1	RMS	946.8	-61.82	-13	Pass	9701
1000	1700	1	RMS	1603	-50.89	-13	Pass	701
1700	1765	1	RMS	1728.113	16.31	60	Pass	401
1765	3000	1	RMS	2641	-46.1	-13	Pass	1236
3000	12000	1	RMS	11851	-37.66	-13	Pass	9001
12000	20000	1	RMS	20000	-22.08	-13	Pass	8001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-13	Pass	2986
30	1000	0.1	RMS	926.6	-61.89	-13	Pass	9701
1000	1700	1	RMS	1592	-50.9	-13	Pass	701
1700	1765	1	RMS	1745.663	17.36	60	Pass	401
1765	3000	1	RMS	2641	-46.07	-13	Pass	1236
3000	12000	1	RMS	11854	-37.65	-13	Pass	9001
12000	20000	1	RMS	20000	-22.14	-13	Pass	8001




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.6	-13	Pass	2986
30	1000	0.1	RMS	938.8	-62	-13	Pass	9701
1000	1700	1	RMS	1698	-50.9	-13	Pass	701
1700	1765	1	RMS	1745.663	16.32	60	Pass	401
1765	3000	1	RMS	2643	-46.06	-13	Pass	1236
3000	12000	1	RMS	11857	-37.65	-13	Pass	9001
12000	20000	1	RMS	20000	-22.19	-13	Pass	8001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.15	-13	Pass	2986
30	1000	0.1	RMS	933.1	-61.9	-13	Pass	9701
1000	1700	1	RMS	1698	-49.17	-13	Pass	701
1700	1765	1	RMS	1710.888	18.07	60	Pass	401
1765	3000	1	RMS	2653	-46.08	-13	Pass	1236
3000	12000	1	RMS	11857	-37.65	-13	Pass	9001
12000	20000	1	RMS	19999	-22.16	-13	Pass	8001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.69	-13	Pass	2986
30	1000	0.1	RMS	902.1	-61.76	-13	Pass	9701
1000	1700	1	RMS	1698	-49.75	-13	Pass	701
1700	1765	1	RMS	1710.888	17.2	60	Pass	401
1765	3000	1	RMS	2644	-46.05	-13	Pass	1236
3000	12000	1	RMS	11847	-37.7	-13	Pass	9001
12000	20000	1	RMS	20000	-22.26	-13	Pass	8001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.95	-13	Pass	2986
30	1000	0.1	RMS	918.7	-61.86	-13	Pass	9701
1000	1700	1	RMS	1699	-49.41	-13	Pass	701
1700	1765	1	RMS	1725.838	17.6	60	Pass	401
1765	3000	1	RMS	2640	-46.08	-13	Pass	1236
3000	12000	1	RMS	11858	-37.65	-13	Pass	9001
12000	20000	1	RMS	19996	-22.19	-13	Pass	8001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.74	-13	Pass	2986
30	1000	0.1	RMS	956	-61.87	-13	Pass	9701
1000	1700	1	RMS	1699	-49.31	-13	Pass	701
1700	1765	1	RMS	1725.838	16.67	60	Pass	401
1765	3000	1	RMS	2642	-46.09	-13	Pass	1236
3000	12000	1	RMS	11848	-37.61	-13	Pass	9001
12000	20000	1	RMS	19999	-22.28	-13	Pass	8001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.99	-13	Pass	2986
30	1000	0.1	RMS	966.6	-61.66	-13	Pass	9701
1000	1700	1	RMS	1689	-50.86	-13	Pass	701
1700	1765	1	RMS	1740.788	17.27	60	Pass	401
1765	3000	1	RMS	1767	-37.47	-13	Pass	1236
3000	12000	1	RMS	11850	-37.69	-13	Pass	9001
12000	20000	1	RMS	20000	-22.17	-13	Pass	8001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.4	-13	Pass	2986
30	1000	0.1	RMS	934.2	-61.87	-13	Pass	9701
1000	1700	1	RMS	1700	-50.86	-13	Pass	701
1700	1765	1	RMS	1740.788	16.39	60	Pass	401
1765	3000	1	RMS	1767	-38.01	-13	Pass	1236
3000	12000	1	RMS	11855	-37.7	-13	Pass	9001
12000	20000	1	RMS	20000	-22.2	-13	Pass	8001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-13	Pass	2986
30	1000	0.1	RMS	944.1	-61.82	-13	Pass	9701
1000	1700	1	RMS	1693	-49.65	-13	Pass	701
1700	1765	1	RMS	1711.05	18.26	60	Pass	401
1765	3000	1	RMS	3000	-46.06	-13	Pass	1236
3000	12000	1	RMS	11849	-37.7	-13	Pass	9001
12000	20000	1	RMS	19999	-22.2	-13	Pass	8001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.46	-13	Pass	2986
30	1000	0.1	RMS	948.2	-61.89	-13	Pass	9701
1000	1700	1	RMS	1693	-50.53	-13	Pass	701
1700	1765	1	RMS	1711.05	17.31	60	Pass	401
1765	3000	1	RMS	2644	-46.08	-13	Pass	1236
3000	12000	1	RMS	11862	-37.68	-13	Pass	9001
12000	20000	1	RMS	19998	-22.2	-13	Pass	8001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.08	-13	Pass	2986
30	1000	0.1	RMS	941.1	-61.88	-13	Pass	9701
1000	1700	1	RMS	1697	-50.79	-13	Pass	701
1700	1765	1	RMS	1723.563	17.77	60	Pass	401
1765	3000	1	RMS	2642	-46.07	-13	Pass	1236
3000	12000	1	RMS	11848	-37.68	-13	Pass	9001
12000	20000	1	RMS	20000	-22.19	-13	Pass	8001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.19	-13	Pass	2986
30	1000	0.1	RMS	888.5	-61.99	-13	Pass	9701
1000	1700	1	RMS	1697	-50.83	-13	Pass	701
1700	1765	1	RMS	1723.563	16.67	60	Pass	401
1765	3000	1	RMS	2639	-46.04	-13	Pass	1236
3000	12000	1	RMS	11856	-37.68	-13	Pass	9001
12000	20000	1	RMS	19998	-22.15	-13	Pass	8001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.16	-13	Pass	2986
30	1000	0.1	RMS	938.2	-61.76	-13	Pass	9701
1000	1700	1	RMS	1700	-49.56	-13	Pass	701
1700	1765	1	RMS	1736.075	17.25	60	Pass	401
1765	3000	1	RMS	1772	-36.96	-13	Pass	1236
3000	12000	1	RMS	11851	-37.62	-13	Pass	9001
12000	20000	1	RMS	19999	-22.13	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.26	-13	Pass	2986
30	1000	0.1	RMS	955	-61.88	-13	Pass	9701
1000	1700	1	RMS	1700	-49.11	-13	Pass	701
1700	1765	1	RMS	1736.075	16.19	60	Pass	401
1765	3000	1	RMS	1772	-37.82	-13	Pass	1236
3000	12000	1	RMS	11845	-37.68	-13	Pass	9001
12000	20000	1	RMS	20000	-22.2	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.21	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.07	-13	Pass	7841
814	860	0.1	RMS	824.3	9.5	60	Pass	461
860	1000	0.1	RMS	928.3	-62.26	-13	Pass	1401
1000	3000	1	RMS	2640	-46.05	-13	Pass	2001
3000	10000	1	RMS	9955	-40.47	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.81	-13	Pass	2986
30	814	0.1	RMS	799.3	-62.07	-13	Pass	7841
814	860	0.1	RMS	824.3	8.76	60	Pass	461
860	1000	0.1	RMS	913.6	-62.16	-13	Pass	1401
1000	3000	1	RMS	2641	-46.11	-13	Pass	2001
3000	10000	1	RMS	9949	-40.43	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.9	-13	Pass	2986
30	814	0.1	RMS	801.1	-62.24	-13	Pass	7841
814	860	0.1	RMS	836	7.6	60	Pass	461
860	1000	0.1	RMS	937.9	-62.21	-13	Pass	1401
1000	3000	1	RMS	2648	-46.12	-13	Pass	2001
3000	10000	1	RMS	9957	-40.45	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.06	-13	Pass	2986
30	814	0.1	RMS	794.8	-62.21	-13	Pass	7841
814	860	0.1	RMS	836	6.9	60	Pass	461
860	1000	0.1	RMS	921.5	-62.34	-13	Pass	1401
1000	3000	1	RMS	2653	-46.12	-13	Pass	2001
3000	10000	1	RMS	9949	-40.47	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.66	-13	Pass	2986
30	814	0.1	RMS	807.9	-62.17	-13	Pass	7841
814	860	0.1	RMS	847.9	9.69	60	Pass	461
860	1000	0.1	RMS	931.5	-62.27	-13	Pass	1401
1000	3000	1	RMS	2646	-46.1	-13	Pass	2001
3000	10000	1	RMS	9955	-40.41	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.53	-13	Pass	2986
30	814	0.1	RMS	783.8	-62.05	-13	Pass	7841
814	860	0.1	RMS	847.9	8.84	60	Pass	461
860	1000	0.1	RMS	915.3	-62.21	-13	Pass	1401
1000	3000	1	RMS	2652	-46.09	-13	Pass	2001
3000	10000	1	RMS	9961	-40.4	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.46	-13	Pass	2986
30	814	0.1	RMS	806.4	-62.23	-13	Pass	7841
814	860	0.1	RMS	824.2	9.76	60	Pass	461
860	1000	0.1	RMS	892.5	-62.21	-13	Pass	1401
1000	3000	1	RMS	2641	-46.1	-13	Pass	2001
3000	10000	1	RMS	9954	-40.38	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.7	-13	Pass	2986
30	814	0.1	RMS	809	-62.04	-13	Pass	7841
814	860	0.1	RMS	824.2	9.04	60	Pass	461
860	1000	0.1	RMS	948.1	-62.22	-13	Pass	1401
1000	3000	1	RMS	2640	-46.11	-13	Pass	2001
3000	10000	1	RMS	9973	-40.47	-13	Pass	7001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.6	-13	Pass	2986
30	814	0.1	RMS	800.9	-62.16	-13	Pass	7841
814	860	0.1	RMS	835.2	7.9	60	Pass	461
860	1000	0.1	RMS	931.7	-62.17	-13	Pass	1401
1000	3000	1	RMS	2644	-46.09	-13	Pass	2001
3000	10000	1	RMS	9943	-40.44	-13	Pass	7001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.1	-13	Pass	2986
30	814	0.1	RMS	812.3	-62.14	-13	Pass	7841
814	860	0.1	RMS	835.2	7.07	60	Pass	461
860	1000	0.1	RMS	932.4	-62.23	-13	Pass	1401
1000	3000	1	RMS	2645	-46.11	-13	Pass	2001
3000	10000	1	RMS	9955	-40.38	-13	Pass	7001




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.41	-13	Pass	2986
30	814	0.1	RMS	781	-62.26	-13	Pass	7841
814	860	0.1	RMS	846.2	9.31	60	Pass	461
860	1000	0.1	RMS	923.9	-62.08	-13	Pass	1401
1000	3000	1	RMS	2643	-46.1	-13	Pass	2001
3000	10000	1	RMS	9953	-40.48	-13	Pass	7001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.82	-13	Pass	2986
30	814	0.1	RMS	808.3	-62.3	-13	Pass	7841
814	860	0.1	RMS	846.2	8.42	60	Pass	461
860	1000	0.1	RMS	931	-62.22	-13	Pass	1401
1000	3000	1	RMS	2653	-46.13	-13	Pass	2001
3000	10000	1	RMS	9954	-40.4	-13	Pass	7001




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.92	-13	Pass	2986
30	814	0.1	RMS	794.4	-62.19	-13	Pass	7841
814	860	0.1	RMS	824.3	9.91	60	Pass	461
860	1000	0.1	RMS	911	-62.2	-13	Pass	1401
1000	3000	1	RMS	2648	-46.12	-13	Pass	2001
3000	10000	1	RMS	9960	-40.46	-13	Pass	7001




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.7	-13	Pass	2986
30	814	0.1	RMS	790.2	-62.22	-13	Pass	7841
814	860	0.1	RMS	824.3	8.98	60	Pass	461
860	1000	0.1	RMS	923.6	-62.26	-13	Pass	1401
1000	3000	1	RMS	2639	-46.14	-13	Pass	2001
3000	10000	1	RMS	9958	-40.41	-13	Pass	7001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.1	-13	Pass	2986
30	814	0.1	RMS	781.5	-62.26	-13	Pass	7841
814	860	0.1	RMS	834.3	8.03	60	Pass	461
860	1000	0.1	RMS	920.3	-62.2	-13	Pass	1401
1000	3000	1	RMS	2644	-46.11	-13	Pass	2001
3000	10000	1	RMS	9950	-40.43	-13	Pass	7001




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.87	-13	Pass	2986
30	814	0.1	RMS	810.7	-62.21	-13	Pass	7841
814	860	0.1	RMS	834.3	7.49	60	Pass	461
860	1000	0.1	RMS	937.1	-62.22	-13	Pass	1401
1000	3000	1	RMS	2646	-46.12	-13	Pass	2001
3000	10000	1	RMS	9966	-40.49	-13	Pass	7001




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.28	-13	Pass	2986
30	814	0.1	RMS	809.2	-62.09	-13	Pass	7841
814	860	0.1	RMS	844.3	9.02	60	Pass	461
860	1000	0.1	RMS	935.8	-62.22	-13	Pass	1401
1000	3000	1	RMS	2650	-46.05	-13	Pass	2001
3000	10000	1	RMS	9965	-40.44	-13	Pass	7001




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.26	-13	Pass	2986
30	814	0.1	RMS	793.1	-62.19	-13	Pass	7841
814	860	0.1	RMS	844.3	8.23	60	Pass	461
860	1000	0.1	RMS	920.6	-62.33	-13	Pass	1401
1000	3000	1	RMS	2642	-46.09	-13	Pass	2001
3000	10000	1	RMS	9953	-40.44	-13	Pass	7001




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.25	-13	Pass	2986
30	814	0.1	RMS	798.3	-62.24	-13	Pass	7841
814	860	0.1	RMS	824.6	10.44	60	Pass	461
860	1000	0.1	RMS	940.1	-62.21	-13	Pass	1401
1000	3000	1	RMS	2640	-46.12	-13	Pass	2001
3000	10000	1	RMS	9952	-40.44	-13	Pass	7001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.08	-13	Pass	2986
30	814	0.1	RMS	779	-62.16	-13	Pass	7841
814	860	0.1	RMS	824.6	9.66	60	Pass	461
860	1000	0.1	RMS	968.9	-62.22	-13	Pass	1401
1000	3000	1	RMS	2646	-46.09	-13	Pass	2001
3000	10000	1	RMS	9952	-40.48	-13	Pass	7001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.12	-13	Pass	2986
30	814	0.1	RMS	814	-60.13	-13	Pass	7841
814	860	0.1	RMS	832.1	9.36	60	Pass	461
860	1000	0.1	RMS	910.5	-62.24	-13	Pass	1401
1000	3000	1	RMS	2653	-46.11	-13	Pass	2001
3000	10000	1	RMS	9949	-40.47	-13	Pass	7001




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.01	-13	Pass	2986
30	814	0.1	RMS	814	-60.92	-13	Pass	7841
814	860	0.1	RMS	832.1	8.43	60	Pass	461
860	1000	0.1	RMS	930.1	-62.11	-13	Pass	1401
1000	3000	1	RMS	2640	-46.09	-13	Pass	2001
3000	10000	1	RMS	9957	-40.5	-13	Pass	7001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.25	-13	Pass	2986
30	814	0.1	RMS	810.7	-62.22	-13	Pass	7841
814	860	0.1	RMS	839.6	9.2	60	Pass	461
860	1000	0.1	RMS	919.1	-62.21	-13	Pass	1401
1000	3000	1	RMS	2646	-46.12	-13	Pass	2001
3000	10000	1	RMS	9953	-40.43	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-56.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.82	-13	Pass	2986
30	814	0.1	RMS	807	-62.26	-13	Pass	7841
814	860	0.1	RMS	839.6	8.48	60	Pass	461
860	1000	0.1	RMS	958.8	-62.26	-13	Pass	1401
1000	3000	1	RMS	2647	-46.1	-13	Pass	2001
3000	10000	1	RMS	9953	-40.47	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.62	-25	Pass	2986
30	1000	0.1	RMS	918.1	-61.86	-25	Pass	9701
1000	2490	1	RMS	2490	-46.96	-25	Pass	1491
2490	2580	1	RMS	2500.35	19.29	60	Pass	401
2580	3000	1	RMS	2650	-46.09	-25	Pass	421
3000	12000	1	RMS	5001	-53.93	-25	Pass	9001
12000	26000	1	RMS	25016	-35.25	-25	Pass	14001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.93	-25	Pass	2986
30	1000	0.1	RMS	930.2	-61.85	-25	Pass	9701
1000	2490	1	RMS	2490	-46.98	-25	Pass	1491
2490	2580	1	RMS	2500.35	18.38	60	Pass	401
2580	3000	1	RMS	2652	-46.11	-25	Pass	421
3000	12000	1	RMS	5001	-54.63	-25	Pass	9001
12000	26000	1	RMS	25013	-35.91	-25	Pass	14001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.83	-25	Pass	401
0.15	30	0.01	RMS	0.16	-58.07	-25	Pass	2986
30	1000	0.1	RMS	932.7	-61.6	-25	Pass	9701
1000	2490	1	RMS	2490	-47.41	-25	Pass	1491
2490	2580	1	RMS	2532.75	17.46	60	Pass	401
2580	3000	1	RMS	2644	-46.09	-25	Pass	421
3000	12000	1	RMS	5066	-53.43	-25	Pass	9001
12000	26000	1	RMS	25011	-35.97	-25	Pass	14001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.53	-25	Pass	2986
30	1000	0.1	RMS	969.4	-61.87	-25	Pass	9701
1000	2490	1	RMS	2486	-47.37	-25	Pass	1491
2490	2580	1	RMS	2532.75	16.75	60	Pass	401
2580	3000	1	RMS	2647	-46.13	-25	Pass	421
3000	12000	1	RMS	5066	-54.13	-25	Pass	9001
12000	26000	1	RMS	25015	-36.02	-25	Pass	14001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.14	-25	Pass	2986
30	1000	0.1	RMS	887.1	-61.78	-25	Pass	9701
1000	2490	1	RMS	2490	-47.43	-25	Pass	1491
2490	2580	1	RMS	2565.375	18.46	60	Pass	401
2580	3000	1	RMS	2642	-46.13	-25	Pass	421
3000	12000	1	RMS	5131	-52.35	-25	Pass	9001
12000	26000	1	RMS	25012	-35.91	-25	Pass	14001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.69	-25	Pass	401
0.15	30	0.01	RMS	0.16	-58.07	-25	Pass	2986
30	1000	0.1	RMS	922	-61.91	-25	Pass	9701
1000	2490	1	RMS	2490	-47.37	-25	Pass	1491
2490	2580	1	RMS	2565.375	17.8	60	Pass	401
2580	3000	1	RMS	2646	-46.12	-25	Pass	421
3000	12000	1	RMS	5131	-53.05	-25	Pass	9001
12000	26000	1	RMS	25011	-36.01	-25	Pass	14001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.73	-25	Pass	2986
30	1000	0.1	RMS	930.8	-61.92	-25	Pass	9701
1000	2490	1	RMS	2490	-47.03	-25	Pass	1491
2490	2580	1	RMS	2500.575	19.23	60	Pass	401
2580	3000	1	RMS	2639	-46.13	-25	Pass	421
3000	12000	1	RMS	5001	-53.55	-25	Pass	9001
12000	26000	1	RMS	25011	-36.04	-25	Pass	14001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.71	-25	Pass	401
0.15	30	0.01	RMS	0.16	-58.18	-25	Pass	2986
30	1000	0.1	RMS	937.9	-61.85	-25	Pass	9701
1000	2490	1	RMS	2483	-46.96	-25	Pass	1491
2490	2580	1	RMS	2500.575	18.39	60	Pass	401
2580	3000	1	RMS	2641	-46.12	-25	Pass	421
3000	12000	1	RMS	5001	-54.36	-25	Pass	9001
12000	26000	1	RMS	25014	-36.06	-25	Pass	14001




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.02	-25	Pass	401
0.15	30	0.01	RMS	0.16	-58.74	-25	Pass	2986
30	1000	0.1	RMS	964.3	-61.9	-25	Pass	9701
1000	2490	1	RMS	2488	-47.39	-25	Pass	1491
2490	2580	1	RMS	2530.5	17.4	60	Pass	401
2580	3000	1	RMS	2646	-46.14	-25	Pass	421
3000	12000	1	RMS	5061	-52.66	-25	Pass	9001
12000	26000	1	RMS	25016	-36.05	-25	Pass	14001




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.45	-25	Pass	2986
30	1000	0.1	RMS	956.3	-61.92	-25	Pass	9701
1000	2490	1	RMS	2487	-47.37	-25	Pass	1491
2490	2580	1	RMS	2530.5	16.63	60	Pass	401
2580	3000	1	RMS	2646	-46.09	-25	Pass	421
3000	12000	1	RMS	5061	-53.58	-25	Pass	9001
12000	26000	1	RMS	25012	-35.94	-25	Pass	14001




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.46	-25	Pass	2986
30	1000	0.1	RMS	906.6	-61.86	-25	Pass	9701
1000	2490	1	RMS	2489	-47.4	-25	Pass	1491
2490	2580	1	RMS	2560.65	18.65	60	Pass	401
2580	3000	1	RMS	2650	-46.1	-25	Pass	421
3000	12000	1	RMS	5121	-51.9	-25	Pass	9001
12000	26000	1	RMS	25012	-35.89	-25	Pass	14001




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.97	-25	Pass	2986
30	1000	0.1	RMS	905.4	-61.85	-25	Pass	9701
1000	2490	1	RMS	2490	-47.41	-25	Pass	1491
2490	2580	1	RMS	2560.65	17.79	60	Pass	401
2580	3000	1	RMS	2641	-46.09	-25	Pass	421
3000	12000	1	RMS	5121	-52.73	-25	Pass	9001
12000	26000	1	RMS	25016	-36.04	-25	Pass	14001




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.05	-25	Pass	2986
30	1000	0.1	RMS	953.9	-61.88	-25	Pass	9701
1000	2490	1	RMS	2490	-46.92	-25	Pass	1491
2490	2580	1	RMS	2500.8	19.18	60	Pass	401
2580	3000	1	RMS	2647	-46.07	-25	Pass	421
3000	12000	1	RMS	5002	-54.04	-25	Pass	9001
12000	26000	1	RMS	25011	-36.06	-25	Pass	14001




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.38	-25	Pass	2986
30	1000	0.1	RMS	917.6	-61.87	-25	Pass	9701
1000	2490	1	RMS	2488	-46.88	-25	Pass	1491
2490	2580	1	RMS	2500.8	18.39	60	Pass	401
2580	3000	1	RMS	2646	-46.06	-25	Pass	421
3000	12000	1	RMS	5002	-54.89	-25	Pass	9001
12000	26000	1	RMS	25012	-36.04	-25	Pass	14001




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.36	-25	Pass	2986
30	1000	0.1	RMS	912.5	-61.85	-25	Pass	9701
1000	2490	1	RMS	2489	-47.44	-25	Pass	1491
2490	2580	1	RMS	2528.25	17.34	60	Pass	401
2580	3000	1	RMS	2648	-46.1	-25	Pass	421
3000	12000	1	RMS	5057	-53.1	-25	Pass	9001
12000	26000	1	RMS	25009	-36	-25	Pass	14001




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.98	-25	Pass	2986
30	1000	0.1	RMS	895.9	-61.87	-25	Pass	9701
1000	2490	1	RMS	2489	-47.34	-25	Pass	1491
2490	2580	1	RMS	2528.25	16.58	60	Pass	401
2580	3000	1	RMS	2642	-46.09	-25	Pass	421
3000	12000	1	RMS	5057	-53.93	-25	Pass	9001
12000	26000	1	RMS	25012	-36.04	-25	Pass	14001




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.21	-25	Pass	2986
30	1000	0.1	RMS	908.2	-61.86	-25	Pass	9701
1000	2490	1	RMS	2486	-47.37	-25	Pass	1491
2490	2580	1	RMS	2555.925	18.54	60	Pass	401
2580	3000	1	RMS	2582	-39.18	-25	Pass	421
3000	12000	1	RMS	5112	-52.59	-25	Pass	9001
12000	26000	1	RMS	25011	-36.02	-25	Pass	14001




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.61	-25	Pass	2986
30	1000	0.1	RMS	949.3	-61.91	-25	Pass	9701
1000	2490	1	RMS	2490	-47.46	-25	Pass	1491
2490	2580	1	RMS	2555.925	17.78	60	Pass	401
2580	3000	1	RMS	2582	-40	-25	Pass	421
3000	12000	1	RMS	5112	-53.54	-25	Pass	9001
12000	26000	1	RMS	25010	-35.98	-25	Pass	14001




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-25	Pass	2986
30	1000	0.1	RMS	926.4	-61.73	-25	Pass	9701
1000	2490	1	RMS	2489	-47.02	-25	Pass	1491
2490	2580	1	RMS	2501.025	19.15	60	Pass	401
2580	3000	1	RMS	2644	-46.1	-25	Pass	421
3000	12000	1	RMS	5002	-53.71	-25	Pass	9001
12000	26000	1	RMS	25015	-35.88	-25	Pass	14001




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.19	-25	Pass	2986
30	1000	0.1	RMS	940.9	-61.78	-25	Pass	9701
1000	2490	1	RMS	2490	-47.03	-25	Pass	1491
2490	2580	1	RMS	2501.025	18.3	60	Pass	401
2580	3000	1	RMS	2641	-46.1	-25	Pass	421
3000	12000	1	RMS	5002	-54.55	-25	Pass	9001
12000	26000	1	RMS	25014	-35.96	-25	Pass	14001




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-57.01	-25	Pass	2986
30	1000	0.1	RMS	916.4	-61.92	-25	Pass	9701
1000	2490	1	RMS	2490	-46.56	-25	Pass	1491
2490	2580	1	RMS	2526	17.33	60	Pass	401
2580	3000	1	RMS	2644	-46.1	-25	Pass	421
3000	12000	1	RMS	5052	-52.97	-25	Pass	9001
12000	26000	1	RMS	25011	-35.96	-25	Pass	14001




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.9	-25	Pass	2986
30	1000	0.1	RMS	963.3	-61.83	-25	Pass	9701
1000	2490	1	RMS	2490	-45.89	-25	Pass	1491
2490	2580	1	RMS	2526	16.57	60	Pass	401
2580	3000	1	RMS	2647	-46.06	-25	Pass	421
3000	12000	1	RMS	5052	-53.84	-25	Pass	9001
12000	26000	1	RMS	25011	-35.95	-25	Pass	14001




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.12	-25	Pass	2986
30	1000	0.1	RMS	925.8	-61.75	-25	Pass	9701
1000	2490	1	RMS	2490	-47.39	-25	Pass	1491
2490	2580	1	RMS	2550.975	18.02	60	Pass	401
2580	3000	1	RMS	2587	-39.34	-25	Pass	421
3000	12000	1	RMS	5102	-52.76	-25	Pass	9001
12000	26000	1	RMS	25011	-35.97	-25	Pass	14001



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.58	-25	Pass	2986
30	1000	0.1	RMS	928.3	-61.93	-25	Pass	9701
1000	2490	1	RMS	2490	-47.32	-25	Pass	1491
2490	2580	1	RMS	2551.2	17.25	60	Pass	401
2580	3000	1	RMS	2587	-40.34	-25	Pass	421
3000	12000	1	RMS	5102	-53.63	-25	Pass	9001
12000	26000	1	RMS	25009	-36.05	-25	Pass	14001



--BLANK BELOW--