SAR Simultaneous Transmission Analysis of L-01K

Head SAR Simultaneous Transmission Analysis

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.132	0.291
	Right Touch	0.103	0.624	**0.727**
	Left Tilt	0.073	0.077	0.150
	Right Tilt	0.058	0.267	0.325

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.132	0.315
	Right Touch	0.114	0.624	**0.738**
	Left Tilt	0.081	0.077	0.158
	Right Tilt	0.065	0.267	0.332

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.132	0.181
	Right Touch	0.045	0.624	**0.669**
	Left Tilt	0.040	0.077	0.117
	Right Tilt	0.019	0.267	0.286

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.132	0.191
	Right Touch	0.052	0.624	**0.676**
	Left Tilt	0.042	0.077	0.119
	Right Tilt	0.022	0.267	0.289

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.132	0.382
	Right Touch	0.152	0.624	**0.776**
	Left Tilt	0.117	0.077	0.194
	Right Tilt	0.093	0.267	0.360

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.132	0.260
	Right Touch	0.107	0.624	**0.731**
	Left Tilt	0.068	0.077	0.145
	Right Tilt	0.055	0.267	0.322

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.132	0.343
	Right Touch	0.135	0.624	**0.759**
	Left Tilt	0.095	0.077	0.172
	Right Tilt	0.093	0.267	0.360

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.370	0.529
	Right Touch	0.103	0.858	**0.961**
	Left Tilt	0.073	0.419	0.492
	Right Tilt	0.058	0.832	0.890

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.370	0.553
	Right Touch	0.114	0.858	**0.972**
	Left Tilt	0.081	0.419	0.500
	Right Tilt	0.065	0.832	0.897

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.370	0.419
	Right Touch	0.045	0.858	**0.903**
	Left Tilt	0.040	0.419	0.459
	Right Tilt	0.019	0.832	0.851

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.370	0.429
	Right Touch	0.052	0.858	**0.910**
	Left Tilt	0.042	0.419	0.461
	Right Tilt	0.022	0.832	0.854

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.370	0.620
	Right Touch	0.152	0.858	**1.010**
	Left Tilt	0.117	0.419	0.536
	Right Tilt	0.093	0.832	0.925

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.370	0.498
	Right Touch	0.107	0.858	**0.965**
	Left Tilt	0.068	0.419	0.487
	Right Tilt	0.055	0.832	0.887

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.370	0.581
	Right Touch	0.135	0.858	**0.993**
	Left Tilt	0.095	0.419	0.514
	Right Tilt	0.093	0.832	0.925

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.440	0.599
	Right Touch	0.103	0.910	**1.013**
	Left Tilt	0.073	0.433	0.506
	Right Tilt	0.058	0.912	0.970

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.440	0.623
	Right Touch	0.114	0.910	**1.024**
	Left Tilt	0.081	0.433	0.514
	Right Tilt	0.065	0.912	0.977

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.440	0.489
	Right Touch	0.045	0.910	**0.955**
	Left Tilt	0.040	0.433	0.473
	Right Tilt	0.019	0.912	0.931

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.440	0.499
	Right Touch	0.052	0.910	**0.962**
	Left Tilt	0.042	0.433	0.475
	Right Tilt	0.022	0.912	0.934

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.440	0.690
	Right Touch	0.152	0.910	**1.062**
	Left Tilt	0.117	0.433	0.550
	Right Tilt	0.093	0.912	1.005

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.440	0.568
	Right Touch	0.107	0.910	**1.017**
	Left Tilt	0.068	0.433	0.501
	Right Tilt	0.055	0.912	0.967

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.440	0.651
	Right Touch	0.135	0.910	**1.045**
	Left Tilt	0.095	0.433	0.528
	Right Tilt	0.093	0.912	1.005

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.067	0.226
	Right Touch	0.103	0.135	**0.238**
	Left Tilt	0.073	0.088	0.161
	Right Tilt	0.058	0.174	0.232

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	**Left Touch**	0.183	0.067	**0.250**
	Right Touch	0.114	0.135	0.249
	Left Tilt	0.081	0.088	0.169
	Right Tilt	0.065	0.174	0.239

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.067	0.116
	Right Touch	0.045	0.135	0.180
	Left Tilt	0.040	0.088	0.128
	Right Tilt	0.019	0.174	**0.193**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.067	0.126
	Right Touch	0.052	0.135	0.187
	Left Tilt	0.042	0.088	0.130
	Right Tilt	0.022	0.174	**0.196**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	**Left Touch**	0.250	0.067	**0.317**
	Right Touch	0.152	0.135	0.287
	Left Tilt	0.117	0.088	0.205
	Right Tilt	0.093	0.174	0.267

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.067	0.195
	Right Touch	0.107	0.135	**0.242**
	Left Tilt	0.068	0.088	0.156
	Right Tilt	0.055	0.174	0.229

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	**Left Touch**	0.211	0.067	**0.278**
	Right Touch	0.135	0.135	0.270
	Left Tilt	0.095	0.088	0.183
	Right Tilt	0.093	0.174	0.267

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.402	0.561
	Right Touch	0.103	0.751	**0.854**
	Left Tilt	0.073	0.436	0.509
	Right Tilt	0.058	0.637	0.695

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.402	0.585
	Right Touch	0.114	0.751	**0.865**
	Left Tilt	0.081	0.436	0.517
	Right Tilt	0.065	0.637	0.702

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.402	0.451
	Right Touch	0.045	0.751	**0.796**
	Left Tilt	0.040	0.436	0.476
	Right Tilt	0.019	0.637	0.656

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.402	0.461
	Right Touch	0.052	0.751	**0.803**
	Left Tilt	0.042	0.436	0.478
	Right Tilt	0.022	0.637	0.659

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.402	0.652
	Right Touch	0.152	0.751	**0.903**
	Left Tilt	0.117	0.436	0.553
	Right Tilt	0.093	0.637	0.730

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.402	0.530
	Right Touch	0.107	0.751	**0.858**
	Left Tilt	0.068	0.436	0.504
	Right Tilt	0.055	0.637	0.692

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.402	0.613
	Right Touch	0.135	0.751	**0.886**
	Left Tilt	0.095	0.436	0.531
	Right Tilt	0.093	0.637	0.730

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.432	0.591
	Right Touch	0.103	0.638	0.741
	Left Tilt	0.073	0.482	0.555
	Right Tilt	0.058	0.800	**0.858**

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.432	0.615
	Right Touch	0.114	0.638	0.752
	Left Tilt	0.081	0.482	0.563
	Right Tilt	0.065	0.800	**0.865**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.432	0.481
	Right Touch	0.045	0.638	0.683
	Left Tilt	0.040	0.482	0.522
	Right Tilt	0.019	0.800	**0.819**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.432	0.491
	Right Touch	0.052	0.638	0.690
	Left Tilt	0.042	0.482	0.524
	Right Tilt	0.022	0.800	**0.822**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.432	0.682
	Right Touch	0.152	0.638	0.790
	Left Tilt	0.117	0.482	0.599
	Right Tilt	0.093	0.800	**0.893**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.432	0.560
	Right Touch	0.107	0.638	0.745
	Left Tilt	0.068	0.482	0.550
	Right Tilt	0.055	0.800	**0.855**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.432	0.643
	Right Touch	0.135	0.638	0.773
	Left Tilt	0.095	0.482	0.577
	Right Tilt	0.093	0.800	**0.893**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.103	0.262
	Right Touch	0.103	0.230	**0.333**
	Left Tilt	0.073	0.108	0.181
	Right Tilt	0.058	0.181	0.239

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.103	0.286
	Right Touch	0.114	0.230	**0.344**
	Left Tilt	0.081	0.108	0.189
	Right Tilt	0.065	0.181	0.246

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.103	0.152
	Right Touch	0.045	0.230	**0.275**
	Left Tilt	0.040	0.108	0.148
	Right Tilt	0.019	0.181	0.200

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.103	0.162
	Right Touch	0.052	0.230	**0.282**
	Left Tilt	0.042	0.108	0.150
	Right Tilt	0.022	0.181	0.203

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.103	0.353
	Right Touch	0.152	0.230	**0.382**
	Left Tilt	0.117	0.108	0.225
	Right Tilt	0.093	0.181	0.274

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.103	0.231
	Right Touch	0.107	0.230	**0.337**
	Left Tilt	0.068	0.108	0.176
	Right Tilt	0.055	0.181	0.236

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.103	0.314
	Right Touch	0.135	0.230	**0.365**
	Left Tilt	0.095	0.108	0.203
	Right Tilt	0.093	0.181	0.274

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.206	0.365
	Right Touch	0.103	0.537	**0.640**
	Left Tilt	0.073	0.281	0.354
	Right Tilt	0.058	0.449	0.507

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.206	0.389
	Right Touch	0.114	0.537	**0.651**
	Left Tilt	0.081	0.281	0.362
	Right Tilt	0.065	0.449	0.514

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.206	0.255
	Right Touch	0.045	0.537	**0.582**
	Left Tilt	0.040	0.281	0.321
	Right Tilt	0.019	0.449	0.468

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.206	0.265
	Right Touch	0.052	0.537	**0.589**
	Left Tilt	0.042	0.281	0.323
	Right Tilt	0.022	0.449	0.471

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.206	0.456
	Right Touch	0.152	0.537	**0.689**
	Left Tilt	0.117	0.281	0.398
	Right Tilt	0.093	0.449	0.542

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.206	0.334
	Right Touch	0.107	0.537	**0.644**
	Left Tilt	0.068	0.281	0.349
	Right Tilt	0.055	0.449	0.504

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.206	0.417
	Right Touch	0.135	0.537	**0.672**
	Left Tilt	0.095	0.281	0.376
	Right Tilt	0.093	0.449	0.542

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.241	0.400
	Right Touch	0.103	0.571	**0.674**
	Left Tilt	0.073	0.345	0.418
	Right Tilt	0.058	0.595	0.653

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.241	0.424
	Right Touch	0.114	0.571	**0.685**
	Left Tilt	0.081	0.345	0.426
	Right Tilt	0.065	0.595	0.660

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.241	0.290
	Right Touch	0.045	0.571	**0.616**
	Left Tilt	0.040	0.345	0.385
	Right Tilt	0.019	0.595	0.614

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.241	0.300
	Right Touch	0.052	0.571	**0.623**
	Left Tilt	0.042	0.345	0.387
	Right Tilt	0.022	0.595	0.617

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.241	0.491
	Right Touch	0.152	0.571	**0.723**
	Left Tilt	0.117	0.345	0.462
	Right Tilt	0.093	0.595	0.688

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.241	0.369
	Right Touch	0.107	0.571	**0.678**
	Left Tilt	0.068	0.345	0.413
	Right Tilt	0.055	0.595	0.650

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.241	0.452
	Right Touch	0.135	0.571	**0.706**
	Left Tilt	0.095	0.345	0.440
	Right Tilt	0.093	0.595	0.688

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.087	0.246
	Right Touch	0.103	0.324	**0.427**
	Left Tilt	0.073	0.082	0.155
	Right Tilt	0.058	0.115	0.173

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.087	0.270
	Right Touch	0.114	0.324	**0.438**
	Left Tilt	0.081	0.082	0.163
	Right Tilt	0.065	0.115	0.180

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.087	0.136
	Right Touch	0.045	0.324	**0.369**
	Left Tilt	0.040	0.082	0.122
	Right Tilt	0.019	0.115	0.134

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.087	0.146
	Right Touch	0.052	0.324	**0.376**
	Left Tilt	0.042	0.082	0.124
	Right Tilt	0.022	0.115	0.137

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.087	0.337
	Right Touch	0.152	0.324	**0.476**
	Left Tilt	0.117	0.082	0.199
	Right Tilt	0.093	0.115	0.208

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.087	0.215
	Right Touch	0.107	0.324	**0.431**
	Left Tilt	0.068	0.082	0.150
	Right Tilt	0.055	0.115	0.170

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.087	0.298
	Right Touch	0.135	0.324	**0.459**
	Left Tilt	0.095	0.082	0.177
	Right Tilt	0.093	0.115	0.208

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	**Left Touch**	0.159	0.247	**0.406**
	Right Touch	0.103	0.285	0.388
	Left Tilt	0.073	0.315	0.388
	Right Tilt	0.058	0.266	0.324

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	**Left Touch**	0.183	0.247	**0.430**
	Right Touch	0.114	0.285	0.399
	Left Tilt	0.081	0.315	0.396
	Right Tilt	0.065	0.266	0.331

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.247	0.296
	Right Touch	0.045	0.285	0.330
	Left Tilt	0.040	0.315	**0.355**
	Right Tilt	0.019	0.266	0.285

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.247	0.306
	Right Touch	0.052	0.285	0.337
	Left Tilt	0.042	0.315	**0.357**
	Right Tilt	0.022	0.266	0.288

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	**Left Touch**	0.250	0.247	**0.497**
	Right Touch	0.152	0.285	0.437
	Left Tilt	0.117	0.315	0.432
	Right Tilt	0.093	0.266	0.359

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.247	0.375
	Right Touch	0.107	0.285	**0.392**
	Left Tilt	0.068	0.315	0.383
	Right Tilt	0.055	0.266	0.321

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	**Left Touch**	0.211	0.247	**0.458**
	Right Touch	0.135	0.285	0.420
	Left Tilt	0.095	0.315	0.410
	Right Tilt	0.093	0.266	0.359

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.264	0.423
	Right Touch	0.103	0.403	**0.506**
	Left Tilt	0.073	0.329	0.402
	Right Tilt	0.058	0.262	0.320

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.264	0.447
	Right Touch	0.114	0.403	**0.517**
	Left Tilt	0.081	0.329	0.410
	Right Tilt	0.065	0.262	0.327

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.264	0.313
	Right Touch	0.045	0.403	**0.448**
	Left Tilt	0.040	0.329	0.369
	Right Tilt	0.019	0.262	0.281

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.264	0.323
	Right Touch	0.052	0.403	**0.455**
	Left Tilt	0.042	0.329	0.371
	Right Tilt	0.022	0.262	0.284

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.264	0.514
	Right Touch	0.152	0.403	**0.555**
	Left Tilt	0.117	0.329	0.446
	Right Tilt	0.093	0.262	0.355

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.264	0.392
	Right Touch	0.107	0.403	**0.510**
	Left Tilt	0.068	0.329	0.397
	Right Tilt	0.055	0.262	0.317

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.264	0.475
	Right Touch	0.135	0.403	**0.538**
	Left Tilt	0.095	0.329	0.424
	Right Tilt	0.093	0.262	0.355

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.132	0.402	0.693
	Right Touch	0.103	0.624	0.751	**1.478**
	Left Tilt	0.073	0.077	0.436	0.586
	Right Tilt	0.058	0.267	0.637	0.962

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.132	0.402	0.717
	Right Touch	0.114	0.624	0.751	**1.489**
	Left Tilt	0.081	0.077	0.436	0.594
	Right Tilt	0.065	0.267	0.637	0.969

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.132	0.402	0.583
	Right Touch	0.045	0.624	0.751	**1.420**
	Left Tilt	0.040	0.077	0.436	0.553
	Right Tilt	0.019	0.267	0.637	0.923

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.132	0.402	0.593
	Right Touch	0.052	0.624	0.751	**1.427**
	Left Tilt	0.042	0.077	0.436	0.555
	Right Tilt	0.022	0.267	0.637	0.926

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.132	0.402	0.784
	Right Touch	0.152	0.624	0.751	**1.527**
	Left Tilt	0.117	0.077	0.436	0.630
	Right Tilt	0.093	0.267	0.637	0.997

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.132	0.402	0.662
	Right Touch	0.107	0.624	0.751	**1.482**
	Left Tilt	0.068	0.077	0.436	0.581
	Right Tilt	0.055	0.267	0.637	0.959

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.132	0.402	0.745
	Right Touch	0.135	0.624	0.751	**1.510**
	Left Tilt	0.095	0.077	0.436	0.608
	Right Tilt	0.093	0.267	0.637	0.997

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.132	0.206	0.497
	Right Touch	0.103	0.624	0.537	**1.264**
	Left Tilt	0.073	0.077	0.281	0.431
	Right Tilt	0.058	0.267	0.449	0.774

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.132	0.206	0.521
	Right Touch	0.114	0.624	0.537	**1.275**
	Left Tilt	0.081	0.077	0.281	0.439
	Right Tilt	0.065	0.267	0.449	0.781

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.132	0.206	0.387
	Right Touch	0.045	0.624	0.537	**1.206**
	Left Tilt	0.040	0.077	0.281	0.398
	Right Tilt	0.019	0.267	0.449	0.735

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.132	0.206	0.397
	Right Touch	0.052	0.624	0.537	**1.213**
	Left Tilt	0.042	0.077	0.281	0.400
	Right Tilt	0.022	0.267	0.449	0.738

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.132	0.206	0.588
	Right Touch	0.152	0.624	0.537	**1.313**
	Left Tilt	0.117	0.077	0.281	0.475
	Right Tilt	0.093	0.267	0.449	0.809

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.132	0.206	0.466
	Right Touch	0.107	0.624	0.537	**1.268**
	Left Tilt	0.068	0.077	0.281	0.426
	Right Tilt	0.055	0.267	0.449	0.771

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.132	0.206	0.549
	Right Touch	0.135	0.624	0.537	**1.296**
	Left Tilt	0.095	0.077	0.281	0.453
	Right Tilt	0.093	0.267	0.449	0.809

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.132	0.247	0.538
	Right Touch	0.103	0.624	0.285	**1.012**
	Left Tilt	0.073	0.077	0.315	0.465
	Right Tilt	0.058	0.267	0.266	0.591

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.132	0.247	0.562
	Right Touch	0.114	0.624	0.285	**1.023**
	Left Tilt	0.081	0.077	0.315	0.473
	Right Tilt	0.065	0.267	0.266	0.598

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.132	0.247	0.428
	Right Touch	0.045	0.624	0.285	**0.954**
	Left Tilt	0.040	0.077	0.315	0.432
	Right Tilt	0.019	0.267	0.266	0.552

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.132	0.247	0.438
	Right Touch	0.052	0.624	0.285	**0.961**
	Left Tilt	0.042	0.077	0.315	0.434
	Right Tilt	0.022	0.267	0.266	0.555

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.132	0.247	0.629
	Right Touch	0.152	0.624	0.285	**1.061**
	Left Tilt	0.117	0.077	0.315	0.509
	Right Tilt	0.093	0.267	0.266	0.626

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.132	0.247	0.507
	Right Touch	0.107	0.624	0.285	**1.016**
	Left Tilt	0.068	0.077	0.315	0.460
	Right Tilt	0.055	0.267	0.266	0.588

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.132	0.247	0.590
	Right Touch	0.135	0.624	0.285	**1.044**
	Left Tilt	0.095	0.077	0.315	0.487
	Right Tilt	0.093	0.267	0.266	0.626

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.067	0.293
	Right Touch	0.103	0.344	0.135	**0.582**
	Left Tilt	0.073	0.033	0.088	0.194
	Right Tilt	0.058	0.137	0.174	0.369

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.067	0.317
	Right Touch	0.114	0.344	0.135	**0.593**
	Left Tilt	0.081	0.033	0.088	0.202
	Right Tilt	0.065	0.137	0.174	0.376

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.067	0.183
	Right Touch	0.045	0.344	0.135	**0.524**
	Left Tilt	0.040	0.033	0.088	0.161
	Right Tilt	0.019	0.137	0.174	0.330

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.067	0.193
	Right Touch	0.052	0.344	0.135	**0.531**
	Left Tilt	0.042	0.033	0.088	0.163
	Right Tilt	0.022	0.137	0.174	0.333

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.067	0.384
	Right Touch	0.152	0.344	0.135	**0.631**
	Left Tilt	0.117	0.033	0.088	0.238
	Right Tilt	0.093	0.137	0.174	0.404

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.067	0.262
	Right Touch	0.107	0.344	0.135	**0.586**
	Left Tilt	0.068	0.033	0.088	0.189
	Right Tilt	0.055	0.137	0.174	0.366

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.067	0.345
	Right Touch	0.135	0.344	0.135	**0.614**
	Left Tilt	0.095	0.033	0.088	0.216
	Right Tilt	0.093	0.137	0.174	0.404

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.103	0.329
	Right Touch	0.103	0.344	0.230	**0.677**
	Left Tilt	0.073	0.033	0.108	0.214
	Right Tilt	0.058	0.137	0.181	0.376

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.103	0.353
	Right Touch	0.114	0.344	0.230	**0.688**
	Left Tilt	0.081	0.033	0.108	0.222
	Right Tilt	0.065	0.137	0.181	0.383

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.103	0.219
	Right Touch	0.045	0.344	0.230	**0.619**
	Left Tilt	0.040	0.033	0.108	0.181
	Right Tilt	0.019	0.137	0.181	0.337

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.103	0.229
	Right Touch	0.052	0.344	0.230	**0.626**
	Left Tilt	0.042	0.033	0.108	0.183
	Right Tilt	0.022	0.137	0.181	0.340

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.103	0.420
	Right Touch	0.152	0.344	0.230	**0.726**
	Left Tilt	0.117	0.033	0.108	0.258
	Right Tilt	0.093	0.137	0.181	0.411

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.103	0.298
	Right Touch	0.107	0.344	0.230	**0.681**
	Left Tilt	0.068	0.033	0.108	0.209
	Right Tilt	0.055	0.137	0.181	0.373

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.103	0.381
	Right Touch	0.135	0.344	0.230	**0.709**
	Left Tilt	0.095	0.033	0.108	0.236
	Right Tilt	0.093	0.137	0.181	0.411

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.087	0.313
	Right Touch	0.103	0.344	0.324	**0.771**
	Left Tilt	0.073	0.033	0.082	0.188
	Right Tilt	0.058	0.137	0.115	0.310

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.087	0.337
	Right Touch	0.114	0.344	0.324	**0.782**
	Left Tilt	0.081	0.033	0.082	0.196
	Right Tilt	0.065	0.137	0.115	0.317

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.087	0.203
	Right Touch	0.045	0.344	0.324	**0.713**
	Left Tilt	0.040	0.033	0.082	0.155
	Right Tilt	0.019	0.137	0.115	0.271

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.087	0.213
	Right Touch	0.052	0.344	0.324	**0.720**
	Left Tilt	0.042	0.033	0.082	0.157
	Right Tilt	0.022	0.137	0.115	0.274

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.087	0.404
	Right Touch	0.152	0.344	0.324	**0.820**
	Left Tilt	0.117	0.033	0.082	0.232
	Right Tilt	0.093	0.137	0.115	0.345

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.087	0.282
	Right Touch	0.107	0.344	0.324	**0.775**
	Left Tilt	0.068	0.033	0.082	0.183
	Right Tilt	0.055	0.137	0.115	0.307

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.087	0.365
	Right Touch	0.135	0.344	0.324	**0.803**
	Left Tilt	0.095	0.033	0.082	0.210
	Right Tilt	0.093	0.137	0.115	0.345

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.402	0.628
	Right Touch	0.103	0.344	0.751	**1.198**
	Left Tilt	0.073	0.033	0.436	0.542
	Right Tilt	0.058	0.137	0.637	0.832

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.402	0.652
	Right Touch	0.114	0.344	0.751	**1.209**
	Left Tilt	0.081	0.033	0.436	0.550
	Right Tilt	0.065	0.137	0.637	0.839

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.402	0.518
	Right Touch	0.045	0.344	0.751	**1.140**
	Left Tilt	0.040	0.033	0.436	0.509
	Right Tilt	0.019	0.137	0.637	0.793

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.402	0.528
	Right Touch	0.052	0.344	0.751	**1.147**
	Left Tilt	0.042	0.033	0.436	0.511
	Right Tilt	0.022	0.137	0.637	0.796

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.402	0.719
	Right Touch	0.152	0.344	0.751	**1.247**
	Left Tilt	0.117	0.033	0.436	0.586
	Right Tilt	0.093	0.137	0.637	0.867

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.402	0.597
	Right Touch	0.107	0.344	0.751	**1.202**
	Left Tilt	0.068	0.033	0.436	0.537
	Right Tilt	0.055	0.137	0.637	0.829

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.402	0.680
	Right Touch	0.135	0.344	0.751	**1.230**
	Left Tilt	0.095	0.033	0.436	0.564
	Right Tilt	0.093	0.137	0.637	0.867

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.206	0.432
	Right Touch	0.103	0.344	0.537	**0.984**
	Left Tilt	0.073	0.033	0.281	0.387
	Right Tilt	0.058	0.137	0.449	0.644

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.206	0.456
	Right Touch	0.114	0.344	0.537	**0.995**
	Left Tilt	0.081	0.033	0.281	0.395
	Right Tilt	0.065	0.137	0.449	0.651

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.206	0.322
	Right Touch	0.045	0.344	0.537	**0.926**
	Left Tilt	0.040	0.033	0.281	0.354
	Right Tilt	0.019	0.137	0.449	0.605

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.206	0.332
	Right Touch	0.052	0.344	0.537	**0.933**
	Left Tilt	0.042	0.033	0.281	0.356
	Right Tilt	0.022	0.137	0.449	0.608

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.206	0.523
	Right Touch	0.152	0.344	0.537	**1.033**
	Left Tilt	0.117	0.033	0.281	0.431
	Right Tilt	0.093	0.137	0.449	0.679

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.206	0.401
	Right Touch	0.107	0.344	0.537	**0.988**
	Left Tilt	0.068	0.033	0.281	0.382
	Right Tilt	0.055	0.137	0.449	0.641

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.206	0.484
	Right Touch	0.135	0.344	0.537	**1.016**
	Left Tilt	0.095	0.033	0.281	0.409
	Right Tilt	0.093	0.137	0.449	0.679

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.247	0.473
	Right Touch	0.103	0.344	0.285	**0.732**
	Left Tilt	0.073	0.033	0.315	0.421
	Right Tilt	0.058	0.137	0.266	0.461

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.247	0.497
	Right Touch	0.114	0.344	0.285	**0.743**
	Left Tilt	0.081	0.033	0.315	0.429
	Right Tilt	0.065	0.137	0.266	0.468

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.247	0.363
	Right Touch	0.045	0.344	0.285	**0.674**
	Left Tilt	0.040	0.033	0.315	0.388
	Right Tilt	0.019	0.137	0.266	0.422

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.247	0.373
	Right Touch	0.052	0.344	0.285	**0.681**
	Left Tilt	0.042	0.033	0.315	0.390
	Right Tilt	0.022	0.137	0.266	0.425

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.247	0.564
	Right Touch	0.152	0.344	0.285	**0.781**
	Left Tilt	0.117	0.033	0.315	0.465
	Right Tilt	0.093	0.137	0.266	0.496

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.247	0.442
	Right Touch	0.107	0.344	0.285	**0.736**
	Left Tilt	0.068	0.033	0.315	0.416
	Right Tilt	0.055	0.137	0.266	0.458

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.247	0.525
	Right Touch	0.135	0.344	0.285	**0.764**
	Left Tilt	0.095	0.033	0.315	0.443
	Right Tilt	0.093	0.137	0.266	0.496

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.432	0.658
	Right Touch	0.103	0.344	0.638	**1.085**
	Left Tilt	0.073	0.033	0.482	0.588
	Right Tilt	0.058	0.137	0.800	0.995

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.432	0.682
	Right Touch	0.114	0.344	0.638	**1.096**
	Left Tilt	0.081	0.033	0.482	0.596
	Right Tilt	0.065	0.137	0.800	1.002

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.432	0.548
	Right Touch	0.045	0.344	0.638	**1.027**
	Left Tilt	0.040	0.033	0.482	0.555
	Right Tilt	0.019	0.137	0.800	0.956

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.432	0.558
	Right Touch	0.052	0.344	0.638	**1.034**
	Left Tilt	0.042	0.033	0.482	0.557
	Right Tilt	0.022	0.137	0.800	0.959

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.432	0.749
	Right Touch	0.152	0.344	0.638	**1.134**
	Left Tilt	0.117	0.033	0.482	0.632
	Right Tilt	0.093	0.137	0.800	1.030

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.432	0.627
	Right Touch	0.107	0.344	0.638	**1.089**
	Left Tilt	0.068	0.033	0.482	0.583
	Right Tilt	0.055	0.137	0.800	0.992

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.432	0.710
	Right Touch	0.135	0.344	0.638	**1.117**
	Left Tilt	0.095	0.033	0.482	0.610
	Right Tilt	0.093	0.137	0.800	1.030

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.241	0.467
	Right Touch	0.103	0.344	0.571	**1.018**
	Left Tilt	0.073	0.033	0.345	0.451
	Right Tilt	0.058	0.137	0.595	0.790

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.241	0.491
	Right Touch	0.114	0.344	0.571	**1.029**
	Left Tilt	0.081	0.033	0.345	0.459
	Right Tilt	0.065	0.137	0.595	0.797

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.241	0.357
	Right Touch	0.045	0.344	0.571	**0.960**
	Left Tilt	0.040	0.033	0.345	0.418
	Right Tilt	0.019	0.137	0.595	0.751

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.241	0.367
	Right Touch	0.052	0.344	0.571	**0.967**
	Left Tilt	0.042	0.033	0.345	0.420
	Right Tilt	0.022	0.137	0.595	0.754

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.241	0.558
	Right Touch	0.152	0.344	0.571	**1.067**
	Left Tilt	0.117	0.033	0.345	0.495
	Right Tilt	0.093	0.137	0.595	0.825

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.241	0.436
	Right Touch	0.107	0.344	0.571	**1.022**
	Left Tilt	0.068	0.033	0.345	0.446
	Right Tilt	0.055	0.137	0.595	0.787

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.241	0.519
	Right Touch	0.135	0.344	0.571	**1.050**
	Left Tilt	0.095	0.033	0.345	0.473
	Right Tilt	0.093	0.137	0.595	0.825

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.264	0.490
	Right Touch	0.103	0.344	0.403	**0.850**
	Left Tilt	0.073	0.033	0.329	0.435
	Right Tilt	0.058	0.137	0.262	0.457

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.264	0.514
	Right Touch	0.114	0.344	0.403	**0.861**
	Left Tilt	0.081	0.033	0.329	0.443
	Right Tilt	0.065	0.137	0.262	0.464

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.264	0.380
	Right Touch	0.045	0.344	0.403	**0.792**
	Left Tilt	0.040	0.033	0.329	0.402
	Right Tilt	0.019	0.137	0.262	0.418

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.264	0.390
	Right Touch	0.052	0.344	0.403	**0.799**
	Left Tilt	0.042	0.033	0.329	0.404
	Right Tilt	0.022	0.137	0.262	0.421

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.264	0.581
	Right Touch	0.152	0.344	0.403	**0.899**
	Left Tilt	0.117	0.033	0.329	0.479
	Right Tilt	0.093	0.137	0.262	0.492

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.264	0.459
	Right Touch	0.107	0.344	0.403	**0.854**
	Left Tilt	0.068	0.033	0.329	0.430
	Right Tilt	0.055	0.137	0.262	0.454

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.264	0.542
	Right Touch	0.135	0.344	0.403	**0.882**
	Left Tilt	0.095	0.033	0.329	0.457
	Right Tilt	0.093	0.137	0.262	0.492

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.132	0.402	0.534
	Right Touch	0.624	0.751	**1.375**
	Left Tilt	0.077	0.436	0.513
	Right Tilt	0.267	0.637	0.904

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.132	0.206	0.338
	Right Touch	0.624	0.537	**1.161**
	Left Tilt	0.077	0.281	0.358
	Right Tilt	0.267	0.449	0.716

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.132	0.247	0.379
	Right Touch	0.624	0.285	**0.909**
	Left Tilt	0.077	0.315	0.392
	Right Tilt	0.267	0.266	0.533

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.067	0.134
	Right Touch	0.344	0.135	**0.479**
	Left Tilt	0.033	0.088	0.121
	Right Tilt	0.137	0.174	0.311

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.103	0.170
	Right Touch	0.344	0.230	**0.574**
	Left Tilt	0.033	0.108	0.141
	Right Tilt	0.137	0.181	0.318

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.087	0.154
	Right Touch	0.344	0.324	**0.668**
	Left Tilt	0.033	0.082	0.115
	Right Tilt	0.137	0.115	0.252

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.402	0.469
	Right Touch	0.344	0.751	**1.095**
	Left Tilt	0.033	0.436	0.469
	Right Tilt	0.137	0.637	0.774

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.206	0.273
	Right Touch	0.344	0.537	**0.881**
	Left Tilt	0.033	0.281	0.314
	Right Tilt	0.137	0.449	0.586

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.247	0.314
	Right Touch	0.344	0.285	**0.629**
	Left Tilt	0.033	0.315	0.348
	Right Tilt	0.137	0.266	0.403

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.432	0.499
	Right Touch	0.344	0.638	**0.982**
	Left Tilt	0.033	0.482	0.515
	Right Tilt	0.137	0.800	0.937

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.241	0.308
	Right Touch	0.344	0.571	**0.915**
	Left Tilt	0.033	0.345	0.378
	Right Tilt	0.137	0.595	0.732

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.264	0.331
	Right Touch	0.344	0.403	**0.747**
	Left Tilt	0.033	0.329	0.362
	Right Tilt	0.137	0.262	0.399

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.067	0.226
	Right Touch	0.103	0.344	**0.447**
	Left Tilt	0.073	0.033	0.106
	Right Tilt	0.058	0.137	0.195

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.067	0.250
	Right Touch	0.114	0.344	**0.458**
	Left Tilt	0.081	0.033	0.114
	Right Tilt	0.065	0.137	0.202

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.067	0.116
	Right Touch	0.045	0.344	**0.389**
	Left Tilt	0.040	0.033	0.073
	Right Tilt	0.019	0.137	0.156

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.067	0.126
	Right Touch	0.052	0.344	**0.396**
	Left Tilt	0.042	0.033	0.075
	Right Tilt	0.022	0.137	0.159

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.067	0.317
	Right Touch	0.152	0.344	**0.496**
	Left Tilt	0.117	0.033	0.150
	Right Tilt	0.093	0.137	0.230

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.067	0.195
	Right Touch	0.107	0.344	**0.451**
	Left Tilt	0.068	0.033	0.101
	Right Tilt	0.055	0.137	0.192

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.067	0.278
	Right Touch	0.135	0.344	**0.479**
	Left Tilt	0.095	0.033	0.128
	Right Tilt	0.093	0.137	0.230

Body-Worn SAR Simultaneous Transmission Analysis

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.066	0.580
	Rear	0.542	0.108	**0.650**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.066	0.646
	Rear	0.600	0.108	**0.708**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.066	0.274
	Rear	0.177	0.108	**0.285**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.066	0.301
	Rear	0.209	0.108	**0.317**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	**Front**	0.868	0.066	**0.934**
	Rear	0.775	0.108	0.883

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.066	0.535
	Rear	0.485	0.108	**0.593**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.066	0.689
	Rear	0.669	0.108	**0.777**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	**Front**	0.514	0.114	**0.628**
	Rear	0.542	0.074	0.616

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	**Front**	0.580	0.114	**0.694**
	Rear	0.600	0.074	0.674

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	**Front**	0.208	0.114	**0.322**
	Rear	0.177	0.074	0.251

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	**Front**	0.235	0.114	**0.349**
	Rear	0.209	0.074	0.283

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	**Front**	0.868	0.114	**0.982**
	Rear	0.775	0.074	0.849

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	**Front**	0.469	0.114	**0.583**
	Rear	0.485	0.074	0.559

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.114	0.737
	Rear	0.669	0.074	**0.743**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.124	0.638
	Rear	0.542	0.174	**0.716**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.124	0.704
	Rear	0.600	0.174	**0.774**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.124	0.332
	Rear	0.177	0.174	**0.351**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.124	0.359
	Rear	0.209	0.174	**0.383**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	**Front**	0.868	0.124	**0.992**
	Rear	0.775	0.174	0.949

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.124	0.593
	Rear	0.485	0.174	**0.659**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.124	0.747
	Rear	0.669	0.174	**0.843**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.021	0.535
	Rear	0.542	0.311	**0.853**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.021	0.601
	Rear	0.600	0.311	**0.911**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.021	0.229
	Rear	0.177	0.311	**0.488**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.021	0.256
	Rear	0.209	0.311	**0.520**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.021	0.889
	Rear	0.775	0.311	**1.086**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.021	0.490
	Rear	0.485	0.311	**0.796**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.021	0.644
	Rear	0.669	0.311	**0.980**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.130	0.644
	Rear	0.542	0.475	**1.017**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.130	0.710
	Rear	0.600	0.475	**1.075**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.130	0.338
	Rear	0.177	0.475	**0.652**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.130	0.365
	Rear	0.209	0.475	**0.684**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.130	0.998
	Rear	0.775	0.475	**1.250**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.130	0.599
	Rear	0.485	0.475	**0.960**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.130	0.753
	Rear	0.669	0.475	**1.144**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.128	0.642
	Rear	0.542	0.639	**1.181**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.128	0.708
	Rear	0.600	0.639	**1.239**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.128	0.336
	Rear	0.177	0.639	**0.816**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.128	0.363
	Rear	0.209	0.639	**0.848**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.128	0.996
	Rear	0.775	0.639	**1.414**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.128	0.597
	Rear	0.485	0.639	**1.124**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.128	0.751
	Rear	0.669	0.639	**1.308**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.049	0.563
	Rear	0.542	0.429	**0.971**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.049	0.629
	Rear	0.600	0.429	**1.029**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.049	0.257
	Rear	0.177	0.429	**0.606**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.049	0.284
	Rear	0.209	0.429	**0.638**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.049	0.917
	Rear	0.775	0.429	**1.204**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.049	0.518
	Rear	0.485	0.429	**0.914**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.049	0.672
	Rear	0.669	0.429	**1.098**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.055	0.569
	Rear	0.542	0.606	**1.148**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.055	0.635
	Rear	0.600	0.606	**1.206**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.055	0.263
	Rear	0.177	0.606	**0.783**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.055	0.290
	Rear	0.209	0.606	**0.815**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.055	0.923
	Rear	0.775	0.606	**1.381**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.055	0.524
	Rear	0.485	0.606	**1.091**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.055	0.678
	Rear	0.669	0.606	**1.275**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.087	0.601
	Rear	0.542	0.659	**1.201**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.087	0.667
	Rear	0.600	0.659	**1.259**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.087	0.295
	Rear	0.177	0.659	**0.836**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.087	0.322
	Rear	0.209	0.659	**0.868**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.087	0.955
	Rear	0.775	0.659	**1.434**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.087	0.556
	Rear	0.485	0.659	**1.144**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.087	0.710
	Rear	0.669	0.659	**1.328**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.063	0.577
	Rear	0.542	0.543	**1.085**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.063	0.643
	Rear	0.600	0.543	**1.143**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.063	0.271
	Rear	0.177	0.543	**0.720**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.063	0.298
	Rear	0.209	0.543	**0.752**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.063	0.931
	Rear	0.775	0.543	**1.318**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.063	0.532
	Rear	0.485	0.543	**1.028**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.063	0.686
	Rear	0.669	0.543	**1.212**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.017	0.531
	Rear	0.542	0.350	**0.892**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.017	0.597
	Rear	0.600	0.350	**0.950**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.017	0.225
	Rear	0.177	0.350	**0.527**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.017	0.252
	Rear	0.209	0.350	**0.559**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.017	0.885
	Rear	0.775	0.350	**1.125**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.017	0.486
	Rear	0.485	0.350	**0.835**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.017	0.640
	Rear	0.669	0.350	**1.019**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.070	0.584
	Rear	0.542	0.546	**1.088**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.070	0.650
	Rear	0.600	0.546	**1.146**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.070	0.278
	Rear	0.177	0.546	**0.723**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.070	0.305
	Rear	0.209	0.546	**0.755**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.070	0.938
	Rear	0.775	0.546	**1.321**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.070	0.539
	Rear	0.485	0.546	**1.031**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.070	0.693
	Rear	0.669	0.546	**1.215**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.066	0.130	0.710
	Rear	0.542	0.108	0.475	**1.125**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.066	0.130	0.776
	Rear	0.600	0.108	0.475	**1.183**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.066	0.130	0.404
	Rear	0.177	0.108	0.475	**0.760**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.066	0.130	0.431
	Rear	0.209	0.108	0.475	**0.792**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.066	0.130	1.064
	Rear	0.775	0.108	0.475	**1.358**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.066	0.130	0.665
	Rear	0.485	0.108	0.475	**1.068**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.066	0.130	0.819
	Rear	0.669	0.108	0.475	**1.252**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.066	0.055	0.635
	Rear	0.542	0.108	0.606	**1.256**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.066	0.055	0.701
	Rear	0.600	0.108	0.606	**1.314**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.066	0.055	0.329
	Rear	0.177	0.108	0.606	**0.891**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.066	0.055	0.356
	Rear	0.209	0.108	0.606	**0.923**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.066	0.055	0.989
	Rear	0.775	0.108	0.606	**1.489**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.066	0.055	0.590
	Rear	0.485	0.108	0.606	**1.199**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.066	0.055	0.744
	Rear	0.669	0.108	0.606	**1.383**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.066	0.017	0.597
	Rear	0.542	0.108	0.350	**1.000**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.066	0.017	0.663
	Rear	0.600	0.108	0.350	**1.058**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.066	0.017	0.291
	Rear	0.177	0.108	0.350	**0.635**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.066	0.017	0.318
	Rear	0.209	0.108	0.350	**0.667**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.066	0.017	0.951
	Rear	0.775	0.108	0.350	**1.233**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.066	0.017	0.552
	Rear	0.485	0.108	0.350	**0.943**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.066	0.017	0.706
	Rear	0.669	0.108	0.350	**1.127**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.021	0.586
	Rear	0.542	0.062	0.311	**0.915**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.021	0.652
	Rear	0.600	0.062	0.311	**0.973**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.021	0.280
	Rear	0.177	0.062	0.311	**0.550**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.021	0.307
	Rear	0.209	0.062	0.311	**0.582**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.021	0.940
	Rear	0.775	0.062	0.311	**1.148**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.021	0.541
	Rear	0.485	0.062	0.311	**0.858**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.021	0.695
	Rear	0.669	0.062	0.311	**1.042**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.049	0.614
	Rear	0.542	0.062	0.429	**1.033**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.049	0.680
	Rear	0.600	0.062	0.429	**1.091**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.049	0.308
	Rear	0.177	0.062	0.429	**0.668**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.049	0.335
	Rear	0.209	0.062	0.429	**0.700**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.049	0.968
	Rear	0.775	0.062	0.429	**1.266**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.049	0.569
	Rear	0.485	0.062	0.429	**0.976**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.049	0.723
	Rear	0.669	0.062	0.429	**1.160**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.063	0.628
	Rear	0.542	0.062	0.543	**1.147**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.063	0.694
	Rear	0.600	0.062	0.543	**1.205**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.063	0.322
	Rear	0.177	0.062	0.543	**0.782**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.063	0.349
	Rear	0.209	0.062	0.543	**0.814**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.063	0.982
	Rear	0.775	0.062	0.543	**1.380**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.063	0.583
	Rear	0.485	0.062	0.543	**1.090**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.063	0.737
	Rear	0.669	0.062	0.543	**1.274**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.130	0.695
	Rear	0.542	0.062	0.475	**1.079**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.130	0.761
	Rear	0.600	0.062	0.475	**1.137**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.130	0.389
	Rear	0.177	0.062	0.475	**0.714**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.130	0.416
	Rear	0.209	0.062	0.475	**0.746**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.130	1.049
	Rear	0.775	0.062	0.475	**1.312**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.130	0.650
	Rear	0.485	0.062	0.475	**1.022**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.130	0.804
	Rear	0.669	0.062	0.475	**1.206**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.055	0.620
	Rear	0.542	0.062	0.606	**1.210**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.055	0.686
	Rear	0.600	0.062	0.606	**1.268**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.055	0.314
	Rear	0.177	0.062	0.606	**0.845**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.055	0.341
	Rear	0.209	0.062	0.606	**0.877**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.055	0.974
	Rear	0.775	0.062	0.606	**1.443**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.055	0.575
	Rear	0.485	0.062	0.606	**1.153**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.055	0.729
	Rear	0.669	0.062	0.606	**1.337**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.017	0.582
	Rear	0.542	0.062	0.350	**0.954**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.017	0.648
	Rear	0.600	0.062	0.350	**1.012**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.017	0.276
	Rear	0.177	0.062	0.350	**0.589**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.017	0.303
	Rear	0.209	0.062	0.350	**0.621**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.017	0.936
	Rear	0.775	0.062	0.350	**1.187**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.017	0.537
	Rear	0.485	0.062	0.350	**0.897**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.017	0.691
	Rear	0.669	0.062	0.350	**1.081**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.128	0.693
	Rear	0.542	0.062	0.639	**1.243**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.128	0.759
	Rear	0.600	0.062	0.639	**1.301**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.128	0.387
	Rear	0.177	0.062	0.639	**0.878**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.128	0.414
	Rear	0.209	0.062	0.639	**0.910**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.128	1.047
	Rear	0.775	0.062	0.639	**1.476**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.128	0.648
	Rear	0.485	0.062	0.639	**1.186**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.128	0.802
	Rear	0.669	0.062	0.639	**1.370**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.087	0.652
	Rear	0.542	0.062	0.659	**1.263**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.087	0.718
	Rear	0.600	0.062	0.659	**1.321**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.087	0.346
	Rear	0.177	0.062	0.659	**0.898**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.087	0.373
	Rear	0.209	0.062	0.659	**0.930**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.087	1.006
	Rear	0.775	0.062	0.659	**1.496**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.087	0.607
	Rear	0.485	0.062	0.659	**1.206**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.087	0.761
	Rear	0.669	0.062	0.659	**1.390**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.070	0.635
	Rear	0.542	0.062	0.546	**1.150**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.070	0.701
	Rear	0.600	0.062	0.546	**1.208**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.070	0.329
	Rear	0.177	0.062	0.546	**0.785**

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.070	0.356
	Rear	0.209	0.062	0.546	**0.817**

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.070	0.989
	Rear	0.775	0.062	0.546	**1.383**

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.070	0.590
	Rear	0.485	0.062	0.546	**1.093**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.070	0.744
	Rear	0.669	0.062	0.546	**1.277**

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.066	0.130	0.196
	Rear	0.108	0.475	**0.583**

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.066	0.055	0.121
	Rear	0.108	0.606	**0.714**

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.066	0.017	0.083
	Rear	0.108	0.350	**0.458**

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.021	0.072
	Rear	0.062	0.311	**0.373**

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN An.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.049	0.100
	Rear	0.062	0.429	**0.491**

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.063	0.114
	Rear	0.062	0.543	**0.605**

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.130	0.181
	Rear	0.062	0.475	**0.537**

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.055	0.106
	Rear	0.062	0.606	**0.668**

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.017	0.068
	Rear	0.062	0.350	**0.412**

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.128	0.179
	Rear	0.062	0.639	**0.701**

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.087	0.138
	Rear	0.062	0.659	**0.721**

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.070	0.121
	Rear	0.062	0.546	**0.608**

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.051	0.565
	Rear	0.542	0.062	**0.604**

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.051	0.631
	Rear	0.600	0.062	**0.662**

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	**Front**	0.208	0.051	**0.259**
	Rear	0.177	0.062	0.239

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	**Front**	0.235	0.051	**0.286**
	Rear	0.209	0.062	0.271

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	**Front**	0.868	0.051	**0.919**
	Rear	0.775	0.062	0.837

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.051	0.520
	Rear	0.485	0.062	**0.547**

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.051	0.674
	Rear	0.669	0.062	**0.731**

Hotspot SAR Simultaneous Transmission Analysis

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.036	0.036
	Bottom	0.322	-	0.322
	Front	0.580	0.066	0.646
	Rear	0.600	0.108	**0.708**
	Right	0.080	-	0.080
	Left	0.268	0.168	0.436

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.036	0.036
	Bottom	0.253	-	0.253
	Front	0.235	0.066	0.301
	Rear	0.209	0.108	**0.317**
	Right	-	-	-
	Left	0.111	0.168	0.279

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.036	0.036
	Bottom	0.436	-	0.436
	Front	0.868	0.066	**0.934**
	Rear	0.775	0.108	0.883
	Right	0.130	-	0.130
	Left	0.391	0.168	0.559

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.036	0.036
	Bottom	0.293	-	0.293
	Front	0.469	0.066	0.535
	Rear	0.485	0.108	**0.593**
	Right	0.176	-	0.176
	Left	0.086	0.168	0.254

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.036	0.036
	Bottom	0.386	-	0.386
	Front	0.623	0.066	0.689
	Rear	0.669	0.108	**0.777**
	Right	0.113	-	0.113
	Left	0.333	0.168	0.501

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.108	0.108
	Bottom	0.322	-	0.322
	Front	0.580	0.114	**0.694**
	Rear	0.600	0.074	0.674
	Right	0.080	-	0.080
	Left	0.268	0.099	0.367

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.108	0.108
	Bottom	0.253	-	0.253
	Front	0.235	0.114	**0.349**
	Rear	0.209	0.074	0.283
	Right	-	-	-
	Left	0.111	0.099	0.210

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.108	0.108
	Bottom	0.436	-	0.436
	Front	0.868	0.114	**0.982**
	Rear	0.775	0.074	0.849
	Right	0.130	-	0.130
	Left	0.391	0.099	0.490

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.108	0.108
	Bottom	0.293	-	0.293
	Front	0.469	0.114	**0.583**
	Rear	0.485	0.074	0.559
	Right	0.176	-	0.176
	Left	0.086	0.099	0.185

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.108	0.108
	Bottom	0.386	-	0.386
	Front	0.623	0.114	0.737
	Rear	0.669	0.074	**0.743**
	Right	0.113	-	0.113
	Left	0.333	0.099	0.432

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.127	0.127
	Bottom	0.322	-	0.322
	Front	0.580	0.124	0.704
	Rear	0.600	0.174	**0.774**
	Right	0.080	-	0.080
	Left	0.268	0.158	0.426

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.127	0.127
	Bottom	0.253	-	0.253
	Front	0.235	0.124	0.359
	Rear	0.209	0.174	**0.383**
	Right	-	-	-
	Left	0.111	0.158	0.269

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.127	0.127
	Bottom	0.436	-	0.436
	Front	0.868	0.124	**0.992**
	Rear	0.775	0.174	0.949
	Right	0.130	-	0.130
	Left	0.391	0.158	0.549

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.127	0.127
	Bottom	0.293	-	0.293
	Front	0.469	0.124	0.593
	Rear	0.485	0.174	**0.659**
	Right	0.176	-	0.176
	Left	0.086	0.158	0.244

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.127	0.127
	Bottom	0.386	-	0.386
	Front	0.623	0.124	0.747
	Rear	0.669	0.174	**0.843**
	Right	0.113	-	0.113
	Left	0.333	0.158	0.491

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.059	0.059
	Bottom	0.322	-	0.322
	Front	0.580	0.021	0.601
	Rear	0.600	0.283	**0.883**
	Right	0.080	-	0.080
	Left	0.268	0.138	0.406

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.059	0.059
	Bottom	0.253	-	0.253
	Front	0.235	0.021	0.256
	Rear	0.209	0.283	**0.492**
	Right	-	-	-
	Left	0.111	0.138	0.249

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.059	0.059
	Bottom	0.436	-	0.436
	Front	0.868	0.021	0.889
	Rear	0.775	0.283	**1.058**
	Right	0.130	-	0.130
	Left	0.391	0.138	0.529

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.059	0.059
	Bottom	0.293	-	0.293
	Front	0.469	0.021	0.490
	Rear	0.485	0.283	**0.768**
	Right	0.176	-	0.176
	Left	0.086	0.138	0.224

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.059	0.059
	Bottom	0.386	-	0.386
	Front	0.623	0.021	0.644
	Rear	0.669	0.283	**0.952**
	Right	0.113	-	0.113
	Left	0.333	0.138	0.471

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.137	0.137
	Bottom	0.322	-	0.322
	Front	0.580	0.123	0.703
	Rear	0.600	0.463	**1.063**
	Right	0.080	-	0.080
	Left	0.268	0.119	0.387

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.137	0.137
	Bottom	0.253	-	0.253
	Front	0.235	0.123	0.358
	Rear	0.209	0.463	**0.672**
	Right	-	-	-
	Left	0.111	0.119	0.230

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.137	0.137
	Bottom	0.436	-	0.436
	Front	0.868	0.123	0.991
	Rear	0.775	0.463	**1.238**
	Right	0.130	-	0.130
	Left	0.391	0.119	0.510

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.137	0.137
	Bottom	0.293	-	0.293
	Front	0.469	0.123	0.592
	Rear	0.485	0.463	**0.948**
	Right	0.176	-	0.176
	Left	0.086	0.119	0.205

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.137	0.137
	Bottom	0.386	-	0.386
	Front	0.623	0.123	0.746
	Rear	0.669	0.463	**1.132**
	Right	0.113	-	0.113
	Left	0.333	0.119	0.452

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.192	0.192
	Bottom	0.322	-	0.322
	Front	0.580	0.142	0.722
	Rear	0.600	0.658	**1.258**
	Right	0.080	-	0.080
	Left	0.268	0.277	0.545

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.192	0.192
	Bottom	0.253	-	0.253
	Front	0.235	0.142	0.377
	Rear	0.209	0.658	**0.867**
	Right	-	-	-
	Left	0.111	0.277	0.388

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.192	0.192
	Bottom	0.436	-	0.436
	Front	0.868	0.142	1.010
	Rear	0.775	0.658	**1.433**
	Right	0.130	-	0.130
	Left	0.391	0.277	0.668

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.192	0.192
	Bottom	0.293	-	0.293
	Front	0.469	0.142	0.611
	Rear	0.485	0.658	**1.143**
	Right	0.176	-	0.176
	Left	0.086	0.277	0.363

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.192	0.192
	Bottom	0.386	-	0.386
	Front	0.623	0.142	0.765
	Rear	0.669	0.658	**1.327**
	Right	0.113	-	0.113
	Left	0.333	0.277	0.610

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.050	0.050
	Bottom	0.322	-	0.322
	Front	0.580	0.063	0.643
	Rear	0.600	0.543	**1.143**
	Right	0.080	-	0.080
	Left	0.268	0.234	0.502

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.050	0.050
	Bottom	0.253	-	0.253
	Front	0.235	0.063	0.298
	Rear	0.209	0.543	**0.752**
	Right	-	-	-
	Left	0.111	0.234	0.345

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.050	0.050
	Bottom	0.436	-	0.436
	Front	0.868	0.063	0.931
	Rear	0.775	0.543	**1.318**
	Right	0.130	-	0.130
	Left	0.391	0.234	0.625

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.050	0.050
	Bottom	0.293	-	0.293
	Front	0.469	0.063	0.532
	Rear	0.485	0.543	**1.028**
	Right	0.176	-	0.176
	Left	0.086	0.234	0.320

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.050	0.050
	Bottom	0.386	-	0.386
	Front	0.623	0.063	0.686
	Rear	0.669	0.543	**1.212**
	Right	0.113	-	0.113
	Left	0.333	0.234	0.567

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.204	0.204
	Bottom	0.322	-	0.322
	Front	0.580	0.017	0.597
	Rear	0.600	0.350	**0.950**
	Right	0.080	-	0.080
	Left	0.268	0.011	0.279

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.204	0.204
	Bottom	0.253	-	0.253
	Front	0.235	0.017	0.252
	Rear	0.209	0.350	**0.559**
	Right	-	-	-
	Left	0.111	0.011	0.122

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.204	0.204
	Bottom	0.436	-	0.436
	Front	0.868	0.017	0.885
	Rear	0.775	0.350	**1.125**
	Right	0.130	-	0.130
	Left	0.391	0.011	0.402

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.204	0.204
	Bottom	0.293	-	0.293
	Front	0.469	0.017	0.486
	Rear	0.485	0.350	**0.835**
	Right	0.176	-	0.176
	Left	0.086	0.011	0.097

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.204	0.204
	Bottom	0.386	-	0.386
	Front	0.623	0.017	0.640
	Rear	0.669	0.350	**1.019**
	Right	0.113	-	0.113
	Left	0.333	0.011	0.344

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.220	0.220
	Bottom	0.322	-	0.322
	Front	0.580	0.070	0.650
	Rear	0.600	0.546	**1.146**
	Right	0.080	-	0.080
	Left	0.268	0.302	0.570

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.220	0.220
	Bottom	0.253	-	0.253
	Front	0.235	0.070	0.305
	Rear	0.209	0.546	**0.755**
	Right	-	-	-
	Left	0.111	0.302	0.413

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.220	0.220
	Bottom	0.436	-	0.436
	Front	0.868	0.070	0.938
	Rear	0.775	0.546	**1.321**
	Right	0.130	-	0.130
	Left	0.391	0.302	0.693

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.220	0.220
	Bottom	0.293	-	0.293
	Front	0.469	0.070	0.539
	Rear	0.485	0.546	**1.031**
	Right	0.176	-	0.176
	Left	0.086	0.302	0.388

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.220	0.220
	Bottom	0.386	-	0.386
	Front	0.623	0.070	0.693
	Rear	0.669	0.546	**1.215**
	Right	0.113	-	0.113
	Left	0.333	0.302	0.635

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.137	0.173
	Bottom	0.322	-	-	0.322
	Front	0.580	0.066	0.123	0.769
	Rear	0.600	0.108	0.463	**1.171**
	Right	0.080	-	-	0.080
	Left	0.268	0.168	0.119	0.555

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.137	0.173
	Bottom	0.253	-	-	0.253
	Front	0.235	0.066	0.123	0.424
	Rear	0.209	0.108	0.463	**0.780**
	Right	-	-	-	-
	Left	0.111	0.168	0.119	0.398

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.137	0.173
	Bottom	0.436	-	-	0.436
	Front	0.868	0.066	0.123	1.057
	Rear	0.775	0.108	0.463	**1.346**
	Right	0.130	-	-	0.130
	Left	0.391	0.168	0.119	0.678

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.137	0.173
	Bottom	0.293	-	-	0.293
	Front	0.469	0.066	0.123	0.658
	Rear	0.485	0.108	0.463	**1.056**
	Right	0.176	-	-	0.176
	Left	0.086	0.168	0.119	0.373

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.137	0.173
	Bottom	0.386	-	-	0.386
	Front	0.623	0.066	0.123	0.812
	Rear	0.669	0.108	0.463	**1.240**
	Right	0.113	-	-	0.113
	Left	0.333	0.168	0.119	0.501

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.204	0.240
	Bottom	0.322	-	-	0.322
	Front	0.580	0.066	0.017	0.663
	Rear	0.600	0.108	0.350	**1.058**
	Right	0.080	-	-	0.080
	Left	0.268	0.168	0.011	0.447

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.204	0.240
	Bottom	0.253	-	-	0.253
	Front	0.235	0.066	0.017	0.318
	Rear	0.209	0.108	0.350	**0.667**
	Right	-	-	-	-
	Left	0.111	0.168	0.011	0.290

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.204	0.240
	Bottom	0.436	-	-	0.436
	Front	0.868	0.066	0.017	0.951
	Rear	0.775	0.108	0.350	**1.233**
	Right	0.130	-	-	0.130
	Left	0.391	0.168	0.011	0.570

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.204	0.240
	Bottom	0.293	-	-	0.293
	Front	0.469	0.066	0.017	0.552
	Rear	0.485	0.108	0.350	**0.943**
	Right	0.176	-	-	0.176
	Left	0.086	0.168	0.011	0.265

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.204	0.240
	Bottom	0.386	-	-	0.386
	Front	0.623	0.066	0.017	0.706
	Rear	0.669	0.108	0.350	**1.127**
	Right	0.113	-	-	0.113
	Left	0.333	0.168	0.011	0.512

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.059	0.073
	Bottom	0.322	-	-	0.322
	Front	0.580	0.051	0.021	0.652
	Rear	0.600	0.062	0.283	**0.945**
	Right	0.080	-	-	0.080
	Left	0.268	0.077	0.138	0.483

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.059	0.073
	Bottom	0.253	-	-	0.253
	Front	0.235	0.051	0.021	0.307
	Rear	0.209	0.062	0.283	**0.554**
	Right	-	-	-	-
	Left	0.111	0.077	0.138	0.326

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.059	0.073
	Bottom	0.436	-	-	0.436
	Front	0.868	0.051	0.021	0.940
	Rear	0.775	0.062	0.283	**1.120**
	Right	0.130	-	-	0.130
	Left	0.391	0.077	0.138	0.606

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.059	0.073
	Bottom	0.293	-	-	0.293
	Front	0.469	0.051	0.021	0.541
	Rear	0.485	0.062	0.283	**0.830**
	Right	0.176	-	-	0.176
	Left	0.086	0.077	0.138	0.301

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.059	0.073
	Bottom	0.386	-	-	0.386
	Front	0.623	0.051	0.021	0.695
	Rear	0.669	0.062	0.283	**1.014**
	Right	0.113	-	-	0.113
	Left	0.333	0.077	0.138	0.410

imul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.050	0.064
	Bottom	0.322	-	-	0.322
	Front	0.580	0.051	0.063	0.694
	Rear	0.600	0.062	0.543	**1.205**
	Right	0.080	-	-	0.080
	Left	0.268	0.077	0.234	0.579

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.050	0.064
	Bottom	0.253	-	-	0.253
	Front	0.235	0.051	0.063	0.349
	Rear	0.209	0.062	0.543	**0.814**
	Right	-	-	-	-
	Left	0.111	0.077	0.234	0.422

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.050	0.064
	Bottom	0.436	-	-	0.436
	Front	0.868	0.051	0.063	0.982
	Rear	0.775	0.062	0.543	**1.380**
	Right	0.130	-	-	0.130
	Left	0.391	0.077	0.234	0.702

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.050	0.064
	Bottom	0.293	-	-	0.293
	Front	0.469	0.051	0.063	0.583
	Rear	0.485	0.062	0.543	**1.090**
	Right	0.176	-	-	0.176
	Left	0.086	0.077	0.234	0.397

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.050	0.064
	Bottom	0.386	-	-	0.386
	Front	0.623	0.051	0.063	0.737
	Rear	0.669	0.062	0.543	**1.274**
	Right	0.113	-	-	0.113
	Left	0.333	0.077	0.234	0.644

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.137	0.151
	Bottom	0.322	-	-	0.322
	Front	0.580	0.051	0.123	0.754
	Rear	0.600	0.062	0.463	**1.125**
	Right	0.080	-	-	0.080
	Left	0.268	0.077	0.119	0.464

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.137	0.151
	Bottom	0.253	-	-	0.253
	Front	0.235	0.051	0.123	0.409
	Rear	0.209	0.062	0.463	**0.734**
	Right	-	-	-	-
	Left	0.111	0.077	0.119	0.307

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.137	0.151
	Bottom	0.436	-	-	0.436
	Front	0.868	0.051	0.123	1.042
	Rear	0.775	0.062	0.463	**1.300**
	Right	0.130	-	-	0.130
	Left	0.391	0.077	0.119	0.587

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.137	0.151
	Bottom	0.293	-	-	0.293
	Front	0.469	0.051	0.123	0.643
	Rear	0.485	0.062	0.463	**1.010**
	Right	0.176	-	-	0.176
	Left	0.086	0.077	0.119	0.282

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.137	0.151
	Bottom	0.386	-	-	0.386
	Front	0.623	0.051	0.123	0.797
	Rear	0.669	0.062	0.463	**1.194**
	Right	0.113	-	-	0.113
	Left	0.333	0.077	0.119	0.410

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.204	0.218
	Bottom	0.322	-	-	0.322
	Front	0.580	0.051	0.017	0.648
	Rear	0.600	0.062	0.350	**1.012**
	Right	0.080	-	-	0.080
	Left	0.268	0.077	0.011	0.356

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.204	0.218
	Bottom	0.253	-	-	0.253
	Front	0.235	0.051	0.017	0.303
	Rear	0.209	0.062	0.350	**0.621**
	Right	-	-	-	-
	Left	0.111	0.077	0.011	0.199

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.204	0.218
	Bottom	0.436	-	-	0.436
	Front	0.868	0.051	0.017	0.936
	Rear	0.775	0.062	0.350	**1.187**
	Right	0.130	-	-	0.130
	Left	0.391	0.077	0.011	0.479

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.204	0.218
	Bottom	0.293	-	-	0.293
	Front	0.469	0.051	0.017	0.537
	Rear	0.485	0.062	0.350	**0.897**
	Right	0.176	-	-	0.176
	Left	0.086	0.077	0.011	0.174

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.204	0.218
	Bottom	0.386	-	-	0.386
	Front	0.623	0.051	0.017	0.691
	Rear	0.669	0.062	0.350	**1.081**
	Right	0.113	-	-	0.113
	Left	0.333	0.077	0.011	0.421

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.192	0.206
	Bottom	0.322	-	-	0.322
	Front	0.580	0.051	0.142	0.773
	Rear	0.600	0.062	0.658	**1.320**
	Right	0.080	-	-	0.080
	Left	0.268	0.077	0.277	0.622

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.192	0.206
	Bottom	0.253	-	-	0.253
	Front	0.235	0.051	0.142	0.428
	Rear	0.209	0.062	0.658	**0.929**
	Right	-	-	-	-
	Left	0.111	0.077	0.277	0.465

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.192	0.206
	Bottom	0.436	-	-	0.436
	Front	0.868	0.051	0.142	1.061
	Rear	0.775	0.062	0.658	**1.495**
	Right	0.130	-	-	0.130
	Left	0.391	0.077	0.277	0.745

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.192	0.206
	Bottom	0.293	-	-	0.293
	Front	0.469	0.051	0.142	0.662
	Rear	0.485	0.062	0.658	**1.205**
	Right	0.176	-	-	0.176
	Left	0.086	0.077	0.277	0.440

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.192	0.206
	Bottom	0.386	-	-	0.386
	Front	0.623	0.051	0.142	0.816
	Rear	0.669	0.062	0.658	**1.389**
	Right	0.113	-	-	0.113
	Left	0.333	0.077	0.277	0.410

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.220	0.234
	Bottom	0.322	-	-	0.322
	Front	0.580	0.051	0.070	0.701
	Rear	0.600	0.062	0.546	**1.208**
	Right	0.080	-	-	0.080
	Left	0.268	0.077	0.302	0.647

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.220	0.234
	Bottom	0.253	-	-	0.253
	Front	0.235	0.051	0.070	0.356
	Rear	0.209	0.062	0.546	**0.817**
	Right	-	-	-	-
	Left	0.111	0.077	0.302	0.490

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.220	0.234
	Bottom	0.436	-	-	0.436
	Front	0.868	0.051	0.070	0.989
	Rear	0.775	0.062	0.546	**1.383**
	Right	0.130	-	-	0.130
	Left	0.391	0.077	0.302	0.770

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.220	0.234
	Bottom	0.293	-	-	0.293
	Front	0.469	0.051	0.070	0.590
	Rear	0.485	0.062	0.546	**1.093**
	Right	0.176	-	-	0.176
	Left	0.086	0.077	0.302	0.465

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.220	0.234
	Bottom	0.386	-	-	0.386
	Front	0.623	0.051	0.070	0.744
	Rear	0.669	0.062	0.546	**1.277**
	Right	0.113	-	-	0.113
	Left	0.333	0.077	0.302	0.712

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.036	0.137	0.173
	Bottom	-	-	-
	Front	0.066	0.123	0.189
	Rear	0.108	0.463	**0.571**
	Right	-	-	-
	Left	0.168	0.119	0.287

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.036	0.204	0.240
	Bottom	-	-	-
	Front	0.066	0.017	0.083
	Rear	0.108	0.350	**0.458**
	Right	-	-	-
	Left	0.168	0.011	0.179

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.014	0.059	0.073
	Bottom	-	-	-
	Front	0.051	0.021	0.072
	Rear	0.062	0.283	**0.345**
	Right	-	-	-
	Left	0.077	0.138	0.215

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.014	0.050	0.064
	Bottom	-	-	-
	Front	0.051	0.063	0.114
	Rear	0.062	0.543	**0.605**
	Right	-	-	-
	Left	0.077	0.234	0.311

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.014	0.137	0.151
	Bottom	-	-	-
	Front	0.051	0.123	0.174
	Rear	0.062	0.463	**0.525**
	Right	-	-	-
	Left	0.077	0.119	0.196

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.014	0.204	0.218
	Bottom	-	-	-
	Front	0.051	0.017	0.068
	Rear	0.062	0.350	**0.412**
	Right	-	-	-
	Left	0.077	0.011	0.088

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.014	0.192	0.206
	Bottom	-	-	-
	Front	0.051	0.142	0.193
	Rear	0.062	0.658	**0.720**
	Right	-	-	-
	Left	0.077	0.277	0.354

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.014	0.220	0.234
	Bottom	-	-	-
	Front	0.051	0.070	0.121
	Rear	0.062	0.546	**0.608**
	Right	-	-	-
	Left	0.077	0.302	0.379

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.014	0.014
	Bottom	0.322	-	0.322
	Front	0.580	0.051	0.631
	Rear	0.600	0.062	**0.662**
	Right	0.080	-	0.080
	Left	0.268	0.077	0.345

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.014	0.014
	Bottom	0.253	-	0.253
	Front	0.235	0.051	**0.286**
	Rear	0.209	0.062	0.271
	Right	-	-	-
	Left	0.111	0.077	0.188

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.014	0.014
	Bottom	0.436	-	0.436
	Front	0.868	0.051	**0.919**
	Rear	0.775	0.062	0.837
	Right	0.130	-	0.130
	Left	0.391	0.077	0.468

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.014	0.014
	Bottom	0.293	-	0.293
	Front	0.469	0.051	0.520
	Rear	0.485	0.062	**0.547**
	Right	0.176	-	0.176
	Left	0.086	0.077	0.163

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.014	0.014
	Bottom	0.386	-	0.386
	Front	0.623	0.051	0.674
	Rear	0.669	0.062	**0.731**
	Right	0.113	-	0.113
	Left	0.333	0.077	0.410