

## SAR Simultaneous Transmission Analysis of QVR

### Head SAR Simultaneous Transmission Analysis

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|-----------------------------|---------------------|
|          |                    | 1                  | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.195              | 0.110                       | 0.305               |
|          | <b>Right Touch</b> | 0.109              | 0.484                       | <b>0.593</b>        |
|          | Left Tilt          | 0.096              | 0.062                       | 0.158               |
|          | Right Tilt         | 0.073              | 0.234                       | 0.307               |

| Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.251               | 0.110                       | 0.361               |
|          | <b>Right Touch</b> | 0.136               | 0.484                       | <b>0.620</b>        |
|          | Left Tilt          | 0.122               | 0.062                       | 0.184               |
|          | Right Tilt         | 0.089               | 0.234                       | 0.323               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.181               | 0.110                       | 0.291               |
|          | <b>Right Touch</b> | 0.150               | 0.484                       | <b>0.634</b>        |
|          | Left Tilt          | 0.154               | 0.062                       | 0.216               |
|          | Right Tilt         | 0.103               | 0.234                       | 0.337               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.227                | 0.110                       | 0.337               |
|          | <b>Right Touch</b> | 0.205                | 0.484                       | <b>0.689</b>        |
|          | Left Tilt          | 0.194                | 0.062                       | 0.256               |
|          | Right Tilt         | 0.140                | 0.234                       | 0.374               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.254                | 0.110                       | 0.364               |
|          | <b>Right Touch</b> | 0.161                | 0.484                       | <b>0.645</b>        |
|          | Left Tilt          | 0.129                | 0.062                       | 0.191               |
|          | Right Tilt         | 0.113                | 0.234                       | 0.347               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.167                 | 0.110                       | 0.277               |
|          | <b>Right Touch</b> | 0.143                 | 0.484                       | <b>0.627</b>        |
|          | Left Tilt          | 0.096                 | 0.062                       | 0.158               |
|          | Right Tilt         | 0.097                 | 0.234                       | 0.331               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.207                 | 0.110                       | 0.317               |
|          | <b>Right Touch</b> | 0.181                 | 0.484                       | <b>0.665</b>        |
|          | Left Tilt          | 0.182                 | 0.062                       | 0.244               |
|          | Right Tilt         | 0.113                 | 0.234                       | 0.347               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.095                  | 0.110                       | 0.205               |
|          | <b>Right Touch</b> | 0.082                  | 0.484                       | <b>0.566</b>        |
|          | Left Tilt          | 0.051                  | 0.062                       | 0.113               |
|          | Right Tilt         | 0.087                  | 0.234                       | 0.321               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.063                  | 0.110                       | 0.173               |
|          | <b>Right Touch</b> | 0.046                  | 0.484                       | <b>0.530</b>        |
|          | Left Tilt          | 0.027                  | 0.062                       | 0.089               |
|          | Right Tilt         | 0.035                  | 0.234                       | 0.269               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.221                 | 0.110                       | 0.331               |
|          | <b>Right Touch</b> | 0.148                 | 0.484                       | <b>0.632</b>        |
|          | Left Tilt          | 0.112                 | 0.062                       | 0.174               |
|          | Right Tilt         | 0.127                 | 0.234                       | 0.361               |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|-----------------------------|---------------------|
|          |                    | 1                  | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.195              | 0.298                       | 0.493               |
|          | <b>Right Touch</b> | 0.109              | 0.629                       | <b>0.738</b>        |
|          | Left Tilt          | 0.096              | 0.415                       | 0.511               |
|          | Right Tilt         | 0.073              | 0.649                       | 0.722               |

| Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.251               | 0.298                       | 0.549               |
|          | <b>Right Touch</b> | 0.136               | 0.629                       | <b>0.765</b>        |
|          | Left Tilt          | 0.122               | 0.415                       | 0.537               |
|          | Right Tilt         | 0.089               | 0.649                       | 0.738               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.181               | 0.298                       | 0.479               |
|          | <b>Right Touch</b> | 0.150               | 0.629                       | <b>0.779</b>        |
|          | Left Tilt          | 0.154               | 0.415                       | 0.569               |
|          | Right Tilt         | 0.103               | 0.649                       | 0.752               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.227                | 0.298                       | 0.525               |
|          | <b>Right Touch</b> | 0.205                | 0.629                       | <b>0.834</b>        |
|          | Left Tilt          | 0.194                | 0.415                       | 0.609               |
|          | Right Tilt         | 0.140                | 0.649                       | 0.789               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.254                | 0.298                       | 0.552               |
|          | <b>Right Touch</b> | 0.161                | 0.629                       | <b>0.790</b>        |
|          | Left Tilt          | 0.129                | 0.415                       | 0.544               |
|          | Right Tilt         | 0.113                | 0.649                       | 0.762               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.167                 | 0.298                       | 0.465               |
|          | <b>Right Touch</b> | 0.143                 | 0.629                       | <b>0.772</b>        |
|          | Left Tilt          | 0.096                 | 0.415                       | 0.511               |
|          | Right Tilt         | 0.097                 | 0.649                       | 0.746               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.207                 | 0.298                       | 0.505               |
|          | <b>Right Touch</b> | 0.181                 | 0.629                       | <b>0.810</b>        |
|          | Left Tilt          | 0.182                 | 0.415                       | 0.597               |
|          | Right Tilt         | 0.113                 | 0.649                       | 0.762               |

| Simul Tx | Configuration     | LTE Band 17 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|------------------------|-----------------------------|---------------------|
|          |                   | 1                      | 2                           | 1+2                 |
| Head SAR | Left Touch        | 0.095                  | 0.298                       | 0.393               |
|          | Right Touch       | 0.082                  | 0.629                       | 0.711               |
|          | Left Tilt         | 0.051                  | 0.415                       | 0.466               |
|          | <b>Right Tilt</b> | 0.087                  | 0.649                       | <b>0.736</b>        |

| Simul Tx | Configuration     | LTE Band 13 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|------------------------|-----------------------------|---------------------|
|          |                   | 1                      | 2                           | 1+2                 |
| Head SAR | Left Touch        | 0.063                  | 0.298                       | 0.361               |
|          | Right Touch       | 0.046                  | 0.629                       | 0.675               |
|          | Left Tilt         | 0.027                  | 0.415                       | 0.442               |
|          | <b>Right Tilt</b> | 0.035                  | 0.649                       | <b>0.684</b>        |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.221                 | 0.298                       | 0.519               |
|          | <b>Right Touch</b> | 0.148                 | 0.629                       | <b>0.777</b>        |
|          | Left Tilt          | 0.112                 | 0.415                       | 0.527               |
|          | Right Tilt         | 0.127                 | 0.649                       | 0.776               |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|----------------------------|---------------------|
|          |                    | 1                  | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.195              | 0.366                      | 0.561               |
|          | <b>Right Touch</b> | 0.109              | 0.903                      | <b>1.012</b>        |
|          | Left Tilt          | 0.096              | 0.498                      | 0.594               |
|          | Right Tilt         | 0.073              | 0.758                      | 0.831               |

| .Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-----------|--------------------|---------------------|----------------------------|---------------------|
|           |                    | 1                   | 2                          | 1+2                 |
| Head SAR  | Left Touch         | 0.251               | 0.366                      | 0.617               |
|           | <b>Right Touch</b> | 0.136               | 0.903                      | <b>1.039</b>        |
|           | Left Tilt          | 0.122               | 0.498                      | 0.620               |
|           | Right Tilt         | 0.089               | 0.758                      | 0.847               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|---------------------|
|          |                    | 1                   | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.181               | 0.366                      | 0.547               |
|          | <b>Right Touch</b> | 0.150               | 0.903                      | <b>1.053</b>        |
|          | Left Tilt          | 0.154               | 0.498                      | 0.652               |
|          | Right Tilt         | 0.103               | 0.758                      | 0.861               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|---------------------|
|          |                    | 1                    | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.227                | 0.366                      | 0.593               |
|          | <b>Right Touch</b> | 0.205                | 0.903                      | <b>1.108</b>        |
|          | Left Tilt          | 0.194                | 0.498                      | 0.692               |
|          | Right Tilt         | 0.140                | 0.758                      | 0.898               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|---------------------|
|          |                    | 1                    | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.254                | 0.366                      | 0.620               |
|          | <b>Right Touch</b> | 0.161                | 0.903                      | <b>1.064</b>        |
|          | Left Tilt          | 0.129                | 0.498                      | 0.627               |
|          | Right Tilt         | 0.113                | 0.758                      | 0.871               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|---------------------|
|          |                    | 1                     | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.167                 | 0.366                      | 0.533               |
|          | <b>Right Touch</b> | 0.143                 | 0.903                      | <b>1.046</b>        |
|          | Left Tilt          | 0.096                 | 0.498                      | 0.594               |
|          | Right Tilt         | 0.097                 | 0.758                      | 0.855               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|---------------------|
|          |                    | 1                     | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.207                 | 0.366                      | 0.573               |
|          | <b>Right Touch</b> | 0.181                 | 0.903                      | <b>1.084</b>        |
|          | Left Tilt          | 0.182                 | 0.498                      | 0.680               |
|          | Right Tilt         | 0.113                 | 0.758                      | 0.871               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|---------------------|
|          |                    | 1                      | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.095                  | 0.366                      | 0.461               |
|          | <b>Right Touch</b> | 0.082                  | 0.903                      | <b>0.985</b>        |
|          | Left Tilt          | 0.051                  | 0.498                      | 0.549               |
|          | Right Tilt         | 0.087                  | 0.758                      | 0.845               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|---------------------|
|          |                    | 1                      | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.063                  | 0.366                      | 0.429               |
|          | <b>Right Touch</b> | 0.046                  | 0.903                      | <b>0.949</b>        |
|          | Left Tilt          | 0.027                  | 0.498                      | 0.525               |
|          | Right Tilt         | 0.035                  | 0.758                      | 0.793               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|---------------------|
|          |                    | 1                     | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.221                 | 0.366                      | 0.587               |
|          | <b>Right Touch</b> | 0.148                 | 0.903                      | <b>1.051</b>        |
|          | Left Tilt          | 0.112                 | 0.498                      | 0.610               |
|          | Right Tilt         | 0.127                 | 0.758                      | 0.885               |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|-----------------------------|---------------------|
|          |                    | 1                  | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.195              | 0.064                       | 0.259               |
|          | <b>Right Touch</b> | 0.109              | 0.176                       | <b>0.285</b>        |
|          | Left Tilt          | 0.096              | 0.060                       | 0.156               |
|          | Right Tilt         | 0.073              | 0.157                       | 0.230               |

| Simul Tx | Configuration     | GPRS 850 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|---------------------|-----------------------------|---------------------|
|          |                   | 1                   | 2                           | 1+2                 |
| Head SAR | <b>Left Touch</b> | 0.251               | 0.064                       | <b>0.315</b>        |
|          | Right Touch       | 0.136               | 0.176                       | 0.312               |
|          | Left Tilt         | 0.122               | 0.060                       | 0.182               |
|          | Right Tilt        | 0.089               | 0.157                       | 0.246               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.181               | 0.064                       | 0.245               |
|          | <b>Right Touch</b> | 0.150               | 0.176                       | <b>0.326</b>        |
|          | Left Tilt          | 0.154               | 0.060                       | 0.214               |
|          | Right Tilt         | 0.103               | 0.157                       | 0.260               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.227                | 0.064                       | 0.291               |
|          | <b>Right Touch</b> | 0.205                | 0.176                       | <b>0.381</b>        |
|          | Left Tilt          | 0.194                | 0.060                       | 0.254               |
|          | Right Tilt         | 0.140                | 0.157                       | 0.297               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.254                | 0.064                       | 0.318               |
|          | <b>Right Touch</b> | 0.161                | 0.176                       | <b>0.337</b>        |
|          | Left Tilt          | 0.129                | 0.060                       | 0.189               |
|          | Right Tilt         | 0.113                | 0.157                       | 0.270               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.167                 | 0.064                       | 0.231               |
|          | <b>Right Touch</b> | 0.143                 | 0.176                       | <b>0.319</b>        |
|          | Left Tilt          | 0.096                 | 0.060                       | 0.156               |
|          | Right Tilt         | 0.097                 | 0.157                       | 0.254               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.207                 | 0.064                       | 0.271               |
|          | <b>Right Touch</b> | 0.181                 | 0.176                       | <b>0.357</b>        |
|          | Left Tilt          | 0.182                 | 0.060                       | 0.242               |
|          | Right Tilt         | 0.113                 | 0.157                       | 0.270               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.095                  | 0.064                       | 0.159               |
|          | <b>Right Touch</b> | 0.082                  | 0.176                       | <b>0.258</b>        |
|          | Left Tilt          | 0.051                  | 0.060                       | 0.111               |
|          | Right Tilt         | 0.087                  | 0.157                       | 0.244               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.063                  | 0.064                       | 0.127               |
|          | <b>Right Touch</b> | 0.046                  | 0.176                       | <b>0.222</b>        |
|          | Left Tilt          | 0.027                  | 0.060                       | 0.087               |
|          | Right Tilt         | 0.035                  | 0.157                       | 0.192               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.221                 | 0.064                       | 0.285               |
|          | <b>Right Touch</b> | 0.148                 | 0.176                       | <b>0.324</b>        |
|          | Left Tilt          | 0.112                 | 0.060                       | 0.172               |
|          | Right Tilt         | 0.127                 | 0.157                       | 0.284               |

| Simul Tx | Configuration     | GSM 850 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|--------------------|-----------------------------|---------------------|
|          |                   | 1                  | 2                           | 1+2                 |
| Head SAR | Left Touch        | 0.195              | 0.239                       | 0.434               |
|          | Right Touch       | 0.109              | 0.586                       | 0.695               |
|          | Left Tilt         | 0.096              | 0.289                       | 0.385               |
|          | <b>Right Tilt</b> | 0.073              | 0.688                       | <b>0.761</b>        |

| Simul Tx | Configuration     | GPRS 850 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|---------------------|-----------------------------|---------------------|
|          |                   | 1                   | 2                           | 1+2                 |
| Head SAR | Left Touch        | 0.251               | 0.239                       | 0.490               |
|          | Right Touch       | 0.136               | 0.586                       | 0.722               |
|          | Left Tilt         | 0.122               | 0.289                       | 0.411               |
|          | <b>Right Tilt</b> | 0.089               | 0.688                       | <b>0.777</b>        |

| Simul Tx | Configuration     | GSM 1900 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|---------------------|-----------------------------|---------------------|
|          |                   | 1                   | 2                           | 1+2                 |
| Head SAR | Left Touch        | 0.181               | 0.239                       | 0.420               |
|          | Right Touch       | 0.150               | 0.586                       | 0.736               |
|          | Left Tilt         | 0.154               | 0.289                       | 0.443               |
|          | <b>Right Tilt</b> | 0.103               | 0.688                       | <b>0.791</b>        |

| Simul Tx | Configuration     | GPRS 1900 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|----------------------|-----------------------------|---------------------|
|          |                   | 1                    | 2                           | 1+2                 |
| Head SAR | Left Touch        | 0.227                | 0.239                       | 0.466               |
|          | Right Touch       | 0.205                | 0.586                       | 0.791               |
|          | Left Tilt         | 0.194                | 0.289                       | 0.483               |
|          | <b>Right Tilt</b> | 0.140                | 0.688                       | <b>0.828</b>        |

| Simul Tx | Configuration     | WCDMA 850 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|----------------------|-----------------------------|---------------------|
|          |                   | 1                    | 2                           | 1+2                 |
| Head SAR | Left Touch        | 0.254                | 0.239                       | 0.493               |
|          | Right Touch       | 0.161                | 0.586                       | 0.747               |
|          | Left Tilt         | 0.129                | 0.289                       | 0.418               |
|          | <b>Right Tilt</b> | 0.113                | 0.688                       | <b>0.801</b>        |

| Simul Tx | Configuration     | WCDMA 1700 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|-----------------------|-----------------------------|---------------------|
|          |                   | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch        | 0.167                 | 0.239                       | 0.406               |
|          | Right Touch       | 0.143                 | 0.586                       | 0.729               |
|          | Left Tilt         | 0.096                 | 0.289                       | 0.385               |
|          | <b>Right Tilt</b> | 0.097                 | 0.688                       | <b>0.785</b>        |

| Simul Tx | Configuration     | WCDMA 1900 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|-----------------------|-----------------------------|---------------------|
|          |                   | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch        | 0.207                 | 0.239                       | 0.446               |
|          | Right Touch       | 0.181                 | 0.586                       | 0.767               |
|          | Left Tilt         | 0.182                 | 0.289                       | 0.471               |
|          | <b>Right Tilt</b> | 0.113                 | 0.688                       | <b>0.801</b>        |

| Simul Tx | Configuration     | LTE Band 17 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|------------------------|-----------------------------|---------------------|
|          |                   | 1                      | 2                           | 1+2                 |
| Head SAR | Left Touch        | 0.095                  | 0.239                       | 0.334               |
|          | Right Touch       | 0.082                  | 0.586                       | 0.668               |
|          | Left Tilt         | 0.051                  | 0.289                       | 0.340               |
|          | <b>Right Tilt</b> | 0.087                  | 0.688                       | <b>0.775</b>        |

| Simul Tx | Configuration     | LTE Band 13 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|------------------------|-----------------------------|---------------------|
|          |                   | 1                      | 2                           | 1+2                 |
| Head SAR | Left Touch        | 0.063                  | 0.239                       | 0.302               |
|          | Right Touch       | 0.046                  | 0.586                       | 0.632               |
|          | Left Tilt         | 0.027                  | 0.289                       | 0.316               |
|          | <b>Right Tilt</b> | 0.035                  | 0.688                       | <b>0.723</b>        |

| Simul Tx | Configuration     | LTE Band 5 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|-----------------------|-----------------------------|---------------------|
|          |                   | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch        | 0.221                 | 0.239                       | 0.460               |
|          | Right Touch       | 0.148                 | 0.586                       | 0.734               |
|          | Left Tilt         | 0.112                 | 0.289                       | 0.401               |
|          | <b>Right Tilt</b> | 0.127                 | 0.688                       | <b>0.815</b>        |

| Simul Tx | Configuration | GSM 850 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|---------------|--------------------|----------------------------|---------------------|
|          |               | 1                  | 2                          | 1+2                 |
| Head SAR | Left Touch    | 0.195              | 0.314                      | 0.509               |
|          | Right Touch   | 0.109              | 0.785                      | 0.894               |
|          | Left Tilt     | 0.096              | 0.415                      | 0.511               |
|          | Right Tilt    | 0.073              | 0.948                      | 1.021               |

| Simul Tx | Configuration | GPRS 850 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|---------------|---------------------|----------------------------|---------------------|
|          |               | 1                   | 2                          | 1+2                 |
| Head SAR | Left Touch    | 0.251               | 0.314                      | 0.565               |
|          | Right Touch   | 0.136               | 0.785                      | 0.921               |
|          | Left Tilt     | 0.122               | 0.415                      | 0.537               |
|          | Right Tilt    | 0.089               | 0.948                      | 1.037               |

| Simul Tx | Configuration | GSM 1900 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|---------------|---------------------|----------------------------|---------------------|
|          |               | 1                   | 2                          | 1+2                 |
| Head SAR | Left Touch    | 0.181               | 0.314                      | 0.495               |
|          | Right Touch   | 0.150               | 0.785                      | 0.935               |
|          | Left Tilt     | 0.154               | 0.415                      | 0.569               |
|          | Right Tilt    | 0.103               | 0.948                      | 1.051               |

| Simul Tx | Configuration | GPRS 1900 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|---------------|----------------------|----------------------------|---------------------|
|          |               | 1                    | 2                          | 1+2                 |
| Head SAR | Left Touch    | 0.227                | 0.314                      | 0.541               |
|          | Right Touch   | 0.205                | 0.785                      | 0.990               |
|          | Left Tilt     | 0.194                | 0.415                      | 0.609               |
|          | Right Tilt    | 0.140                | 0.948                      | 1.088               |

| Simul Tx | Configuration | WCDMA 850 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|---------------|----------------------|----------------------------|---------------------|
|          |               | 1                    | 2                          | 1+2                 |
| Head SAR | Left Touch    | 0.254                | 0.314                      | 0.568               |
|          | Right Touch   | 0.161                | 0.785                      | 0.946               |
|          | Left Tilt     | 0.129                | 0.415                      | 0.544               |
|          | Right Tilt    | 0.113                | 0.948                      | 1.061               |

| Simul Tx | Configuration     | WCDMA 1700 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|-----------------------|----------------------------|---------------------|
|          |                   | 1                     | 2                          | 1+2                 |
| Head SAR | Left Touch        | 0.167                 | 0.314                      | 0.481               |
|          | Right Touch       | 0.143                 | 0.785                      | 0.928               |
|          | Left Tilt         | 0.096                 | 0.415                      | 0.511               |
|          | <b>Right Tilt</b> | 0.097                 | 0.948                      | <b>1.045</b>        |

| Simul Tx | Configuration     | WCDMA 1900 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|-----------------------|----------------------------|---------------------|
|          |                   | 1                     | 2                          | 1+2                 |
| Head SAR | Left Touch        | 0.207                 | 0.314                      | 0.521               |
|          | Right Touch       | 0.181                 | 0.785                      | 0.966               |
|          | Left Tilt         | 0.182                 | 0.415                      | 0.597               |
|          | <b>Right Tilt</b> | 0.113                 | 0.948                      | <b>1.061</b>        |

| Simul Tx | Configuration     | LTE Band 17 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|------------------------|----------------------------|---------------------|
|          |                   | 1                      | 2                          | 1+2                 |
| Head SAR | Left Touch        | 0.095                  | 0.314                      | 0.409               |
|          | Right Touch       | 0.082                  | 0.785                      | 0.867               |
|          | Left Tilt         | 0.051                  | 0.415                      | 0.466               |
|          | <b>Right Tilt</b> | 0.087                  | 0.948                      | <b>1.035</b>        |

| Simul Tx | Configuration     | LTE Band 13 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|------------------------|----------------------------|---------------------|
|          |                   | 1                      | 2                          | 1+2                 |
| Head SAR | Left Touch        | 0.063                  | 0.314                      | 0.377               |
|          | Right Touch       | 0.046                  | 0.785                      | 0.831               |
|          | Left Tilt         | 0.027                  | 0.415                      | 0.442               |
|          | <b>Right Tilt</b> | 0.035                  | 0.948                      | <b>0.983</b>        |

| Simul Tx | Configuration     | LTE Band 5 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|-----------------------|----------------------------|---------------------|
|          |                   | 1                     | 2                          | 1+2                 |
| Head SAR | Left Touch        | 0.221                 | 0.314                      | 0.535               |
|          | Right Touch       | 0.148                 | 0.785                      | 0.933               |
|          | Left Tilt         | 0.112                 | 0.415                      | 0.527               |
|          | <b>Right Tilt</b> | 0.127                 | 0.948                      | <b>1.075</b>        |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|-----------------------------|---------------------|
|          |                    | 1                  | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.195              | 0.069                       | 0.264               |
|          | <b>Right Touch</b> | 0.109              | 0.275                       | <b>0.384</b>        |
|          | Left Tilt          | 0.096              | 0.101                       | 0.197               |
|          | Right Tilt         | 0.073              | 0.216                       | 0.289               |

| Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.251               | 0.069                       | 0.320               |
|          | <b>Right Touch</b> | 0.136               | 0.275                       | <b>0.411</b>        |
|          | Left Tilt          | 0.122               | 0.101                       | 0.223               |
|          | Right Tilt         | 0.089               | 0.216                       | 0.305               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.181               | 0.069                       | 0.250               |
|          | <b>Right Touch</b> | 0.150               | 0.275                       | <b>0.425</b>        |
|          | Left Tilt          | 0.154               | 0.101                       | 0.255               |
|          | Right Tilt         | 0.103               | 0.216                       | 0.319               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.227                | 0.069                       | 0.296               |
|          | <b>Right Touch</b> | 0.205                | 0.275                       | <b>0.480</b>        |
|          | Left Tilt          | 0.194                | 0.101                       | 0.295               |
|          | Right Tilt         | 0.140                | 0.216                       | 0.356               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.254                | 0.069                       | 0.323               |
|          | <b>Right Touch</b> | 0.161                | 0.275                       | <b>0.436</b>        |
|          | Left Tilt          | 0.129                | 0.101                       | 0.230               |
|          | Right Tilt         | 0.113                | 0.216                       | 0.329               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.167                 | 0.069                       | 0.236               |
|          | <b>Right Touch</b> | 0.143                 | 0.275                       | <b>0.418</b>        |
|          | Left Tilt          | 0.096                 | 0.101                       | 0.197               |
|          | Right Tilt         | 0.097                 | 0.216                       | 0.313               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.207                 | 0.069                       | 0.276               |
|          | <b>Right Touch</b> | 0.181                 | 0.275                       | <b>0.456</b>        |
|          | Left Tilt          | 0.182                 | 0.101                       | 0.283               |
|          | Right Tilt         | 0.113                 | 0.216                       | 0.329               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.095                  | 0.069                       | 0.164               |
|          | <b>Right Touch</b> | 0.082                  | 0.275                       | <b>0.357</b>        |
|          | Left Tilt          | 0.051                  | 0.101                       | 0.152               |
|          | Right Tilt         | 0.087                  | 0.216                       | 0.303               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.063                  | 0.069                       | 0.132               |
|          | <b>Right Touch</b> | 0.046                  | 0.275                       | <b>0.321</b>        |
|          | Left Tilt          | 0.027                  | 0.101                       | 0.128               |
|          | Right Tilt         | 0.035                  | 0.216                       | 0.251               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.221                 | 0.069                       | 0.290               |
|          | <b>Right Touch</b> | 0.148                 | 0.275                       | <b>0.423</b>        |
|          | Left Tilt          | 0.112                 | 0.101                       | 0.213               |
|          | Right Tilt         | 0.127                 | 0.216                       | 0.343               |

| Simul Tx | Configuration | GSM 850 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|---------------|--------------------|-----------------------------|---------------------|
|          |               | 1                  | 2                           | 1+2                 |
| Head SAR | Left Touch    | 0.195              | 0.110                       | <b>0.305</b>        |
|          | Right Touch   | 0.109              | 0.183                       | 0.292               |
|          | Left Tilt     | 0.096              | 0.154                       | 0.250               |
|          | Right Tilt    | 0.073              | 0.207                       | 0.280               |

| Simul Tx | Configuration | GPRS 850 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|---------------|---------------------|-----------------------------|---------------------|
|          |               | 1                   | 2                           | 1+2                 |
| Head SAR | Left Touch    | 0.251               | 0.110                       | <b>0.361</b>        |
|          | Right Touch   | 0.136               | 0.183                       | 0.319               |
|          | Left Tilt     | 0.122               | 0.154                       | 0.276               |
|          | Right Tilt    | 0.089               | 0.207                       | 0.296               |

| Simul Tx | Configuration | GSM 1900 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|---------------|---------------------|-----------------------------|---------------------|
|          |               | 1                   | 2                           | 1+2                 |
| Head SAR | Left Touch    | 0.181               | 0.110                       | 0.291               |
|          | Right Touch   | 0.150               | 0.183                       | <b>0.333</b>        |
|          | Left Tilt     | 0.154               | 0.154                       | 0.308               |
|          | Right Tilt    | 0.103               | 0.207                       | 0.310               |

| Simul Tx | Configuration | GPRS 1900 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|---------------|----------------------|-----------------------------|---------------------|
|          |               | 1                    | 2                           | 1+2                 |
| Head SAR | Left Touch    | 0.227                | 0.11                        | 0.337               |
|          | Right Touch   | 0.205                | 0.183                       | <b>0.388</b>        |
|          | Left Tilt     | 0.194                | 0.154                       | 0.348               |
|          | Right Tilt    | 0.140                | 0.207                       | 0.347               |

| Simul Tx | Configuration | WCDMA 850 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|---------------|----------------------|-----------------------------|---------------------|
|          |               | 1                    | 2                           | 1+2                 |
| Head SAR | Left Touch    | 0.254                | 0.110                       | <b>0.364</b>        |
|          | Right Touch   | 0.161                | 0.183                       | 0.344               |
|          | Left Tilt     | 0.129                | 0.154                       | 0.283               |
|          | Right Tilt    | 0.113                | 0.207                       | 0.320               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.167                 | 0.11                        | 0.277               |
|          | <b>Right Touch</b> | 0.143                 | 0.183                       | <b>0.326</b>        |
|          | Left Tilt          | 0.096                 | 0.154                       | 0.250               |
|          | Right Tilt         | 0.097                 | 0.207                       | 0.304               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.207                 | 0.11                        | 0.317               |
|          | <b>Right Touch</b> | 0.181                 | 0.183                       | <b>0.364</b>        |
|          | Left Tilt          | 0.182                 | 0.154                       | 0.336               |
|          | Right Tilt         | 0.113                 | 0.207                       | 0.320               |

| Simul Tx | Configuration     | LTE Band 17 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|------------------------|-----------------------------|---------------------|
|          |                   | 1                      | 2                           | 1+2                 |
| Head SAR | Left Touch        | 0.095                  | 0.110                       | 0.205               |
|          | Right Touch       | 0.082                  | 0.183                       | 0.265               |
|          | Left Tilt         | 0.051                  | 0.154                       | 0.205               |
|          | <b>Right Tilt</b> | 0.087                  | 0.207                       | <b>0.294</b>        |

| Simul Tx | Configuration     | LTE Band 13 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|------------------------|-----------------------------|---------------------|
|          |                   | 1                      | 2                           | 1+2                 |
| Head SAR | Left Touch        | 0.063                  | 0.11                        | 0.173               |
|          | Right Touch       | 0.046                  | 0.183                       | 0.229               |
|          | Left Tilt         | 0.027                  | 0.154                       | 0.181               |
|          | <b>Right Tilt</b> | 0.035                  | 0.207                       | <b>0.242</b>        |

| Simul Tx | Configuration     | LTE Band 5 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|-----------------------|-----------------------------|---------------------|
|          |                   | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch        | 0.221                 | 0.110                       | 0.331               |
|          | Right Touch       | 0.148                 | 0.183                       | 0.331               |
|          | Left Tilt         | 0.112                 | 0.154                       | 0.266               |
|          | <b>Right Tilt</b> | 0.127                 | 0.207                       | <b>0.334</b>        |

| Simul Tx | Configuration     | GSM 850 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|--------------------|----------------------------|---------------------|
|          |                   | 1                  | 2                          | 1+2                 |
| Head SAR | Left Touch        | 0.195              | 0.214                      | 0.409               |
|          | Right Touch       | 0.109              | 0.525                      | 0.634               |
|          | Left Tilt         | 0.096              | 0.224                      | 0.320               |
|          | <b>Right Tilt</b> | 0.073              | 0.607                      | <b>0.680</b>        |

| Simul Tx | Configuration     | GPRS 850 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|---------------------|----------------------------|---------------------|
|          |                   | 1                   | 2                          | 1+2                 |
| Head SAR | Left Touch        | 0.251               | 0.214                      | 0.465               |
|          | Right Touch       | 0.136               | 0.525                      | 0.661               |
|          | Left Tilt         | 0.122               | 0.224                      | 0.346               |
|          | <b>Right Tilt</b> | 0.089               | 0.607                      | <b>0.696</b>        |

| Simul Tx | Configuration     | GSM 1900 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|---------------------|----------------------------|---------------------|
|          |                   | 1                   | 2                          | 1+2                 |
| Head SAR | Left Touch        | 0.181               | 0.214                      | 0.395               |
|          | Right Touch       | 0.150               | 0.525                      | 0.675               |
|          | Left Tilt         | 0.154               | 0.224                      | 0.378               |
|          | <b>Right Tilt</b> | 0.103               | 0.607                      | <b>0.710</b>        |

| Simul Tx | Configuration     | GPRS 1900 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|----------------------|----------------------------|---------------------|
|          |                   | 1                    | 2                          | 1+2                 |
| Head SAR | Left Touch        | 0.227                | 0.214                      | 0.441               |
|          | Right Touch       | 0.205                | 0.525                      | 0.730               |
|          | Left Tilt         | 0.194                | 0.224                      | 0.418               |
|          | <b>Right Tilt</b> | 0.140                | 0.607                      | <b>0.747</b>        |

| Simul Tx | Configuration     | WCDMA 850 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|----------------------|----------------------------|---------------------|
|          |                   | 1                    | 2                          | 1+2                 |
| Head SAR | Left Touch        | 0.254                | 0.214                      | 0.468               |
|          | Right Touch       | 0.161                | 0.525                      | 0.686               |
|          | Left Tilt         | 0.129                | 0.224                      | 0.353               |
|          | <b>Right Tilt</b> | 0.113                | 0.607                      | <b>0.720</b>        |

| Simul Tx | Configuration     | WCDMA 1700 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|-----------------------|----------------------------|---------------------|
|          |                   | 1                     | 2                          | 1+2                 |
| Head SAR | Left Touch        | 0.167                 | 0.214                      | 0.381               |
|          | Right Touch       | 0.143                 | 0.525                      | 0.668               |
|          | Left Tilt         | 0.096                 | 0.224                      | 0.320               |
|          | <b>Right Tilt</b> | 0.097                 | 0.607                      | <b>0.704</b>        |

| Simul Tx | Configuration     | WCDMA 1900 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|-----------------------|----------------------------|---------------------|
|          |                   | 1                     | 2                          | 1+2                 |
| Head SAR | Left Touch        | 0.207                 | 0.214                      | 0.421               |
|          | Right Touch       | 0.181                 | 0.525                      | 0.706               |
|          | Left Tilt         | 0.182                 | 0.224                      | 0.406               |
|          | <b>Right Tilt</b> | 0.113                 | 0.607                      | <b>0.720</b>        |

| Simul Tx | Configuration     | LTE Band 17 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|------------------------|----------------------------|---------------------|
|          |                   | 1                      | 2                          | 1+2                 |
| Head SAR | Left Touch        | 0.095                  | 0.214                      | 0.309               |
|          | Right Touch       | 0.082                  | 0.525                      | 0.607               |
|          | Left Tilt         | 0.051                  | 0.224                      | 0.275               |
|          | <b>Right Tilt</b> | 0.087                  | 0.607                      | <b>0.694</b>        |

| Simul Tx | Configuration     | LTE Band 13 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|------------------------|----------------------------|---------------------|
|          |                   | 1                      | 2                          | 1+2                 |
| Head SAR | Left Touch        | 0.063                  | 0.214                      | 0.277               |
|          | Right Touch       | 0.046                  | 0.525                      | 0.571               |
|          | Left Tilt         | 0.027                  | 0.224                      | 0.251               |
|          | <b>Right Tilt</b> | 0.035                  | 0.607                      | <b>0.642</b>        |

| Simul Tx | Configuration     | LTE Band 5 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|-----------------------|----------------------------|---------------------|
|          |                   | 1                     | 2                          | 1+2                 |
| Head SAR | Left Touch        | 0.221                 | 0.214                      | 0.435               |
|          | Right Touch       | 0.148                 | 0.525                      | 0.673               |
|          | Left Tilt         | 0.112                 | 0.224                      | 0.336               |
|          | <b>Right Tilt</b> | 0.127                 | 0.607                      | <b>0.734</b>        |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|-----------------------------|---------------------|
|          |                    | 1                  | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.195              | 0.081                       | 0.276               |
|          | <b>Right Touch</b> | 0.109              | 0.384                       | <b>0.493</b>        |
|          | Left Tilt          | 0.096              | 0.079                       | 0.175               |
|          | Right Tilt         | 0.073              | 0.198                       | 0.271               |

| Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.251               | 0.081                       | 0.332               |
|          | <b>Right Touch</b> | 0.136               | 0.384                       | <b>0.520</b>        |
|          | Left Tilt          | 0.122               | 0.079                       | 0.201               |
|          | Right Tilt         | 0.089               | 0.198                       | 0.287               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.181               | 0.081                       | 0.262               |
|          | <b>Right Touch</b> | 0.150               | 0.384                       | <b>0.534</b>        |
|          | Left Tilt          | 0.154               | 0.079                       | 0.233               |
|          | Right Tilt         | 0.103               | 0.198                       | 0.301               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.227                | 0.081                       | 0.308               |
|          | <b>Right Touch</b> | 0.205                | 0.384                       | <b>0.589</b>        |
|          | Left Tilt          | 0.194                | 0.079                       | 0.273               |
|          | Right Tilt         | 0.140                | 0.198                       | 0.338               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.254                | 0.081                       | 0.335               |
|          | <b>Right Touch</b> | 0.161                | 0.384                       | <b>0.545</b>        |
|          | Left Tilt          | 0.129                | 0.079                       | 0.208               |
|          | Right Tilt         | 0.113                | 0.198                       | 0.311               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.167                 | 0.081                       | 0.248               |
|          | <b>Right Touch</b> | 0.143                 | 0.384                       | <b>0.527</b>        |
|          | Left Tilt          | 0.096                 | 0.079                       | 0.175               |
|          | Right Tilt         | 0.097                 | 0.198                       | 0.295               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.207                 | 0.081                       | 0.288               |
|          | <b>Right Touch</b> | 0.181                 | 0.384                       | <b>0.565</b>        |
|          | Left Tilt          | 0.182                 | 0.079                       | 0.261               |
|          | Right Tilt         | 0.113                 | 0.198                       | 0.311               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.095                  | 0.081                       | 0.176               |
|          | <b>Right Touch</b> | 0.082                  | 0.384                       | <b>0.466</b>        |
|          | Left Tilt          | 0.051                  | 0.079                       | 0.130               |
|          | Right Tilt         | 0.087                  | 0.198                       | 0.285               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.063                  | 0.081                       | 0.144               |
|          | <b>Right Touch</b> | 0.046                  | 0.384                       | <b>0.430</b>        |
|          | Left Tilt          | 0.027                  | 0.079                       | 0.106               |
|          | Right Tilt         | 0.035                  | 0.198                       | 0.233               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.221                 | 0.081                       | 0.302               |
|          | <b>Right Touch</b> | 0.148                 | 0.384                       | <b>0.532</b>        |
|          | Left Tilt          | 0.112                 | 0.079                       | 0.191               |
|          | Right Tilt         | 0.127                 | 0.198                       | 0.325               |

| Simul Tx | Configuration | GSM 850 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|---------------|--------------------|-----------------------------|---------------------|
|          |               | 1                  | 2                           | 1+2                 |
| Head SAR | Left Touch    | 0.195              | 0.095                       | 0.290               |
|          | Right Touch   | 0.109              | 0.165                       | 0.274               |
|          | Left Tilt     | 0.096              | 0.120                       | 0.216               |
|          | Right Tilt    | 0.073              | 0.176                       | 0.249               |

| .Simul Tx | Configuration | GPRS 850 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-----------|---------------|---------------------|-----------------------------|---------------------|
|           |               | 1                   | 2                           | 1+2                 |
| Head SAR  | Left Touch    | 0.251               | 0.095                       | 0.346               |
|           | Right Touch   | 0.136               | 0.165                       | 0.301               |
|           | Left Tilt     | 0.122               | 0.120                       | 0.242               |
|           | Right Tilt    | 0.089               | 0.176                       | 0.265               |

| Simul Tx | Configuration | GSM 1900 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|---------------|---------------------|-----------------------------|---------------------|
|          |               | 1                   | 2                           | 1+2                 |
| Head SAR | Left Touch    | 0.181               | 0.095                       | 0.276               |
|          | Right Touch   | 0.150               | 0.165                       | 0.315               |
|          | Left Tilt     | 0.154               | 0.120                       | 0.274               |
|          | Right Tilt    | 0.103               | 0.176                       | 0.279               |

| Simul Tx | Configuration | GPRS 1900 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|---------------|----------------------|-----------------------------|---------------------|
|          |               | 1                    | 2                           | 1+2                 |
| Head SAR | Left Touch    | 0.227                | 0.095                       | 0.322               |
|          | Right Touch   | 0.205                | 0.165                       | 0.370               |
|          | Left Tilt     | 0.194                | 0.120                       | 0.314               |
|          | Right Tilt    | 0.140                | 0.176                       | 0.316               |

| Simul Tx | Configuration | WCDMA 850 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|---------------|----------------------|-----------------------------|---------------------|
|          |               | 1                    | 2                           | 1+2                 |
| Head SAR | Left Touch    | 0.254                | 0.095                       | 0.349               |
|          | Right Touch   | 0.161                | 0.165                       | 0.326               |
|          | Left Tilt     | 0.129                | 0.12                        | 0.249               |
|          | Right Tilt    | 0.113                | 0.176                       | 0.289               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.167                 | 0.095                       | 0.262               |
|          | <b>Right Touch</b> | 0.143                 | 0.165                       | <b>0.308</b>        |
|          | Left Tilt          | 0.096                 | 0.120                       | 0.216               |
|          | Right Tilt         | 0.097                 | 0.176                       | 0.273               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.207                 | 0.095                       | 0.302               |
|          | <b>Right Touch</b> | 0.181                 | 0.165                       | <b>0.346</b>        |
|          | Left Tilt          | 0.182                 | 0.120                       | 0.302               |
|          | Right Tilt         | 0.113                 | 0.176                       | 0.289               |

| Simul Tx | Configuration     | LTE Band 17 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|------------------------|-----------------------------|---------------------|
|          |                   | 1                      | 2                           | 1+2                 |
| Head SAR | Left Touch        | 0.095                  | 0.095                       | 0.190               |
|          | Right Touch       | 0.082                  | 0.165                       | 0.247               |
|          | Left Tilt         | 0.051                  | 0.120                       | 0.171               |
|          | <b>Right Tilt</b> | 0.087                  | 0.176                       | <b>0.263</b>        |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                           | 1+2                 |
| Head SAR | Left Touch         | 0.063                  | 0.095                       | 0.158               |
|          | <b>Right Touch</b> | 0.046                  | 0.165                       | <b>0.211</b>        |
|          | Left Tilt          | 0.027                  | 0.120                       | 0.147               |
|          | Right Tilt         | 0.035                  | 0.176                       | 0.211               |

| Simul Tx | Configuration     | LTE Band 5 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|-------------------|-----------------------|-----------------------------|---------------------|
|          |                   | 1                     | 2                           | 1+2                 |
| Head SAR | <b>Left Touch</b> | 0.221                 | 0.095                       | <b>0.316</b>        |
|          | Right Touch       | 0.148                 | 0.165                       | 0.313               |
|          | Left Tilt         | 0.112                 | 0.120                       | 0.232               |
|          | Right Tilt        | 0.127                 | 0.176                       | 0.303               |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|----------------------------|---------------------|
|          |                    | 1                  | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.195              | 0.148                      | 0.343               |
|          | <b>Right Touch</b> | 0.109              | 0.555                      | <b>0.664</b>        |
|          | Left Tilt          | 0.096              | 0.194                      | 0.290               |
|          | Right Tilt         | 0.073              | 0.401                      | 0.474               |

| .Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-----------|--------------------|---------------------|----------------------------|---------------------|
|           |                    | 1                   | 2                          | 1+2                 |
| Head SAR  | Left Touch         | 0.251               | 0.148                      | 0.399               |
|           | <b>Right Touch</b> | 0.136               | 0.555                      | <b>0.691</b>        |
|           | Left Tilt          | 0.122               | 0.194                      | 0.316               |
|           | Right Tilt         | 0.089               | 0.401                      | 0.490               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|---------------------|
|          |                    | 1                   | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.181               | 0.148                      | 0.329               |
|          | <b>Right Touch</b> | 0.150               | 0.555                      | <b>0.705</b>        |
|          | Left Tilt          | 0.154               | 0.194                      | 0.348               |
|          | Right Tilt         | 0.103               | 0.401                      | 0.504               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|---------------------|
|          |                    | 1                    | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.227                | 0.148                      | 0.375               |
|          | <b>Right Touch</b> | 0.205                | 0.555                      | <b>0.760</b>        |
|          | Left Tilt          | 0.194                | 0.194                      | 0.388               |
|          | Right Tilt         | 0.140                | 0.401                      | 0.541               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|---------------------|
|          |                    | 1                    | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.254                | 0.148                      | 0.402               |
|          | <b>Right Touch</b> | 0.161                | 0.555                      | <b>0.716</b>        |
|          | Left Tilt          | 0.129                | 0.194                      | 0.323               |
|          | Right Tilt         | 0.113                | 0.401                      | 0.514               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|---------------------|
|          |                    | 1                     | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.167                 | 0.148                      | 0.315               |
|          | <b>Right Touch</b> | 0.143                 | 0.555                      | <b>0.698</b>        |
|          | Left Tilt          | 0.096                 | 0.194                      | 0.290               |
|          | Right Tilt         | 0.097                 | 0.401                      | 0.498               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|---------------------|
|          |                    | 1                     | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.207                 | 0.148                      | 0.355               |
|          | <b>Right Touch</b> | 0.181                 | 0.555                      | <b>0.736</b>        |
|          | Left Tilt          | 0.182                 | 0.194                      | 0.376               |
|          | Right Tilt         | 0.113                 | 0.401                      | 0.514               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|---------------------|
|          |                    | 1                      | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.095                  | 0.148                      | 0.243               |
|          | <b>Right Touch</b> | 0.082                  | 0.555                      | <b>0.637</b>        |
|          | Left Tilt          | 0.051                  | 0.194                      | 0.245               |
|          | Right Tilt         | 0.087                  | 0.401                      | 0.488               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|---------------------|
|          |                    | 1                      | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.063                  | 0.148                      | 0.211               |
|          | <b>Right Touch</b> | 0.046                  | 0.555                      | <b>0.601</b>        |
|          | Left Tilt          | 0.027                  | 0.194                      | 0.221               |
|          | Right Tilt         | 0.035                  | 0.401                      | 0.436               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|---------------------|
|          |                    | 1                     | 2                          | 1+2                 |
| Head SAR | Left Touch         | 0.221                 | 0.148                      | 0.369               |
|          | <b>Right Touch</b> | 0.148                 | 0.555                      | <b>0.703</b>        |
|          | Left Tilt          | 0.112                 | 0.194                      | 0.306               |
|          | Right Tilt         | 0.127                 | 0.401                      | 0.528               |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                  | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.195              | 0.110                       | 0.239                       | 0.544               |
|          | <b>Right Touch</b> | 0.109              | 0.484                       | 0.586                       | <b>1.179</b>        |
|          | Left Tilt          | 0.096              | 0.062                       | 0.289                       | 0.447               |
|          | Right Tilt         | 0.073              | 0.234                       | 0.688                       | 0.995               |

| Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.251               | 0.110                       | 0.239                       | 0.600               |
|          | <b>Right Touch</b> | 0.136               | 0.484                       | 0.586                       | <b>1.206</b>        |
|          | Left Tilt          | 0.122               | 0.062                       | 0.289                       | 0.473               |
|          | Right Tilt         | 0.089               | 0.234                       | 0.688                       | 1.011               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.181               | 0.110                       | 0.239                       | 0.530               |
|          | <b>Right Touch</b> | 0.150               | 0.484                       | 0.586                       | <b>1.220</b>        |
|          | Left Tilt          | 0.154               | 0.062                       | 0.289                       | 0.505               |
|          | Right Tilt         | 0.103               | 0.234                       | 0.688                       | 1.025               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.227                | 0.110                       | 0.239                       | 0.576               |
|          | <b>Right Touch</b> | 0.205                | 0.484                       | 0.586                       | <b>1.275</b>        |
|          | Left Tilt          | 0.194                | 0.062                       | 0.289                       | 0.545               |
|          | Right Tilt         | 0.140                | 0.234                       | 0.688                       | 1.062               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.254                | 0.110                       | 0.239                       | 0.603               |
|          | <b>Right Touch</b> | 0.161                | 0.484                       | 0.586                       | <b>1.231</b>        |
|          | Left Tilt          | 0.129                | 0.062                       | 0.289                       | 0.480               |
|          | Right Tilt         | 0.113                | 0.234                       | 0.688                       | 1.035               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.167                 | 0.110                       | 0.239                       | 0.516               |
|          | <b>Right Touch</b> | 0.143                 | 0.484                       | 0.586                       | <b>1.213</b>        |
|          | Left Tilt          | 0.096                 | 0.062                       | 0.289                       | 0.447               |
|          | Right Tilt         | 0.097                 | 0.234                       | 0.688                       | 1.019               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.207                 | 0.110                       | 0.239                       | 0.556               |
|          | <b>Right Touch</b> | 0.181                 | 0.484                       | 0.586                       | <b>1.251</b>        |
|          | Left Tilt          | 0.182                 | 0.062                       | 0.289                       | 0.533               |
|          | Right Tilt         | 0.113                 | 0.234                       | 0.688                       | 1.035               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.095                  | 0.110                       | 0.239                       | 0.444               |
|          | <b>Right Touch</b> | 0.082                  | 0.484                       | 0.586                       | <b>1.152</b>        |
|          | Left Tilt          | 0.051                  | 0.062                       | 0.289                       | 0.402               |
|          | Right Tilt         | 0.087                  | 0.234                       | 0.688                       | 1.009               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.063                  | 0.110                       | 0.239                       | 0.412               |
|          | <b>Right Touch</b> | 0.046                  | 0.484                       | 0.586                       | <b>1.116</b>        |
|          | Left Tilt          | 0.027                  | 0.062                       | 0.289                       | 0.378               |
|          | Right Tilt         | 0.035                  | 0.234                       | 0.688                       | 0.957               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.221                 | 0.110                       | 0.239                       | 0.570               |
|          | <b>Right Touch</b> | 0.148                 | 0.484                       | 0.586                       | <b>1.218</b>        |
|          | Left Tilt          | 0.112                 | 0.062                       | 0.289                       | 0.463               |
|          | Right Tilt         | 0.127                 | 0.234                       | 0.688                       | 1.049               |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                  | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.195              | 0.110                       | 0.110                       | 0.415               |
|          | <b>Right Touch</b> | 0.109              | 0.484                       | 0.183                       | <b>0.776</b>        |
|          | Left Tilt          | 0.096              | 0.062                       | 0.154                       | 0.312               |
|          | Right Tilt         | 0.073              | 0.234                       | 0.207                       | 0.514               |

| Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.251               | 0.110                       | 0.110                       | 0.471               |
|          | <b>Right Touch</b> | 0.136               | 0.484                       | 0.183                       | <b>0.803</b>        |
|          | Left Tilt          | 0.122               | 0.062                       | 0.154                       | 0.338               |
|          | Right Tilt         | 0.089               | 0.234                       | 0.207                       | 0.530               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.181               | 0.110                       | 0.110                       | 0.401               |
|          | <b>Right Touch</b> | 0.150               | 0.484                       | 0.183                       | <b>0.817</b>        |
|          | Left Tilt          | 0.154               | 0.062                       | 0.154                       | 0.370               |
|          | Right Tilt         | 0.103               | 0.234                       | 0.207                       | 0.544               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.227                | 0.110                       | 0.110                       | 0.447               |
|          | <b>Right Touch</b> | 0.205                | 0.484                       | 0.183                       | <b>0.872</b>        |
|          | Left Tilt          | 0.194                | 0.062                       | 0.154                       | 0.410               |
|          | Right Tilt         | 0.140                | 0.234                       | 0.207                       | 0.581               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.254                | 0.110                       | 0.110                       | 0.474               |
|          | <b>Right Touch</b> | 0.161                | 0.484                       | 0.183                       | <b>0.828</b>        |
|          | Left Tilt          | 0.129                | 0.062                       | 0.154                       | 0.345               |
|          | Right Tilt         | 0.113                | 0.234                       | 0.207                       | 0.554               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.167                 | 0.110                       | 0.110                       | 0.387               |
|          | <b>Right Touch</b> | 0.143                 | 0.484                       | 0.183                       | <b>0.810</b>        |
|          | Left Tilt          | 0.096                 | 0.062                       | 0.154                       | 0.312               |
|          | Right Tilt         | 0.097                 | 0.234                       | 0.207                       | 0.538               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.207                 | 0.110                       | 0.110                       | 0.427               |
|          | <b>Right Touch</b> | 0.181                 | 0.484                       | 0.183                       | <b>0.848</b>        |
|          | Left Tilt          | 0.182                 | 0.062                       | 0.154                       | 0.398               |
|          | Right Tilt         | 0.113                 | 0.234                       | 0.207                       | 0.554               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.095                  | 0.110                       | 0.110                       | 0.315               |
|          | <b>Right Touch</b> | 0.082                  | 0.484                       | 0.183                       | <b>0.749</b>        |
|          | Left Tilt          | 0.051                  | 0.062                       | 0.154                       | 0.267               |
|          | Right Tilt         | 0.087                  | 0.234                       | 0.207                       | 0.528               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.063                  | 0.110                       | 0.110                       | 0.283               |
|          | <b>Right Touch</b> | 0.046                  | 0.484                       | 0.183                       | <b>0.713</b>        |
|          | Left Tilt          | 0.027                  | 0.062                       | 0.154                       | 0.243               |
|          | Right Tilt         | 0.035                  | 0.234                       | 0.207                       | 0.476               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.221                 | 0.110                       | 0.110                       | 0.441               |
|          | <b>Right Touch</b> | 0.148                 | 0.484                       | 0.183                       | <b>0.815</b>        |
|          | Left Tilt          | 0.112                 | 0.062                       | 0.154                       | 0.328               |
|          | Right Tilt         | 0.127                 | 0.234                       | 0.207                       | 0.568               |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                  | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.195              | 0.110                       | 0.095                       | 0.400               |
|          | <b>Right Touch</b> | 0.109              | 0.484                       | 0.165                       | <b>0.758</b>        |
|          | Left Tilt          | 0.096              | 0.062                       | 0.120                       | 0.278               |
|          | Right Tilt         | 0.073              | 0.234                       | 0.176                       | 0.483               |

| Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.251               | 0.110                       | 0.095                       | 0.456               |
|          | <b>Right Touch</b> | 0.136               | 0.484                       | 0.165                       | <b>0.785</b>        |
|          | Left Tilt          | 0.122               | 0.062                       | 0.120                       | 0.304               |
|          | Right Tilt         | 0.089               | 0.234                       | 0.176                       | 0.499               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.181               | 0.110                       | 0.095                       | 0.386               |
|          | <b>Right Touch</b> | 0.150               | 0.484                       | 0.165                       | <b>0.799</b>        |
|          | Left Tilt          | 0.154               | 0.062                       | 0.120                       | 0.336               |
|          | Right Tilt         | 0.103               | 0.234                       | 0.176                       | 0.513               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.227                | 0.110                       | 0.095                       | 0.432               |
|          | <b>Right Touch</b> | 0.205                | 0.484                       | 0.165                       | <b>0.854</b>        |
|          | Left Tilt          | 0.194                | 0.062                       | 0.120                       | 0.376               |
|          | Right Tilt         | 0.140                | 0.234                       | 0.176                       | 0.550               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.254                | 0.110                       | 0.095                       | 0.459               |
|          | <b>Right Touch</b> | 0.161                | 0.484                       | 0.165                       | <b>0.810</b>        |
|          | Left Tilt          | 0.129                | 0.062                       | 0.120                       | 0.311               |
|          | Right Tilt         | 0.113                | 0.234                       | 0.176                       | 0.523               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.167                 | 0.110                       | 0.095                       | 0.372               |
|          | <b>Right Touch</b> | 0.143                 | 0.484                       | 0.165                       | <b>0.792</b>        |
|          | Left Tilt          | 0.096                 | 0.062                       | 0.120                       | 0.278               |
|          | Right Tilt         | 0.097                 | 0.234                       | 0.176                       | 0.507               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.207                 | 0.110                       | 0.095                       | 0.412               |
|          | <b>Right Touch</b> | 0.181                 | 0.484                       | 0.165                       | <b>0.830</b>        |
|          | Left Tilt          | 0.182                 | 0.062                       | 0.120                       | 0.364               |
|          | Right Tilt         | 0.113                 | 0.234                       | 0.176                       | 0.523               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.095                  | 0.110                       | 0.095                       | 0.300               |
|          | <b>Right Touch</b> | 0.082                  | 0.484                       | 0.165                       | <b>0.731</b>        |
|          | Left Tilt          | 0.051                  | 0.062                       | 0.120                       | 0.233               |
|          | Right Tilt         | 0.087                  | 0.234                       | 0.176                       | 0.497               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.063                  | 0.110                       | 0.095                       | 0.268               |
|          | <b>Right Touch</b> | 0.046                  | 0.484                       | 0.165                       | <b>0.695</b>        |
|          | Left Tilt          | 0.027                  | 0.062                       | 0.120                       | 0.209               |
|          | Right Tilt         | 0.035                  | 0.234                       | 0.176                       | 0.445               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                           | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.221                 | 0.110                       | 0.095                       | 0.426               |
|          | <b>Right Touch</b> | 0.148                 | 0.484                       | 0.165                       | <b>0.797</b>        |
|          | Left Tilt          | 0.112                 | 0.062                       | 0.120                       | 0.294               |
|          | Right Tilt         | 0.127                 | 0.234                       | 0.176                       | 0.537               |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                  | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.195              | 0.035                      | 0.064                       | 0.294               |
|          | <b>Right Touch</b> | 0.109              | 0.228                      | 0.176                       | <b>0.513</b>        |
|          | Left Tilt          | 0.096              | 0.019                      | 0.060                       | 0.175               |
|          | Right Tilt         | 0.073              | 0.081                      | 0.157                       | 0.311               |

| Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.251               | 0.035                      | 0.064                       | 0.350               |
|          | <b>Right Touch</b> | 0.136               | 0.228                      | 0.176                       | <b>0.540</b>        |
|          | Left Tilt          | 0.122               | 0.019                      | 0.060                       | 0.201               |
|          | Right Tilt         | 0.089               | 0.081                      | 0.157                       | 0.327               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.181               | 0.035                      | 0.064                       | 0.280               |
|          | <b>Right Touch</b> | 0.150               | 0.228                      | 0.176                       | <b>0.554</b>        |
|          | Left Tilt          | 0.154               | 0.019                      | 0.060                       | 0.233               |
|          | Right Tilt         | 0.103               | 0.081                      | 0.157                       | 0.341               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.227                | 0.035                      | 0.064                       | 0.326               |
|          | <b>Right Touch</b> | 0.205                | 0.228                      | 0.176                       | <b>0.609</b>        |
|          | Left Tilt          | 0.194                | 0.019                      | 0.060                       | 0.273               |
|          | Right Tilt         | 0.140                | 0.081                      | 0.157                       | 0.378               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.254                | 0.035                      | 0.064                       | 0.353               |
|          | <b>Right Touch</b> | 0.161                | 0.228                      | 0.176                       | <b>0.565</b>        |
|          | Left Tilt          | 0.129                | 0.019                      | 0.060                       | 0.208               |
|          | Right Tilt         | 0.113                | 0.081                      | 0.157                       | 0.351               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.167                 | 0.035                      | 0.064                       | 0.266               |
|          | <b>Right Touch</b> | 0.143                 | 0.228                      | 0.176                       | <b>0.547</b>        |
|          | Left Tilt          | 0.096                 | 0.019                      | 0.060                       | 0.175               |
|          | Right Tilt         | 0.097                 | 0.081                      | 0.157                       | 0.335               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.207                 | 0.035                      | 0.064                       | 0.306               |
|          | <b>Right Touch</b> | 0.181                 | 0.228                      | 0.176                       | <b>0.585</b>        |
|          | Left Tilt          | 0.182                 | 0.019                      | 0.060                       | 0.261               |
|          | Right Tilt         | 0.113                 | 0.081                      | 0.157                       | 0.351               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.095                  | 0.035                      | 0.064                       | 0.194               |
|          | <b>Right Touch</b> | 0.082                  | 0.228                      | 0.176                       | <b>0.486</b>        |
|          | Left Tilt          | 0.051                  | 0.019                      | 0.060                       | 0.130               |
|          | Right Tilt         | 0.087                  | 0.081                      | 0.157                       | 0.325               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.063                  | 0.035                      | 0.064                       | 0.162               |
|          | <b>Right Touch</b> | 0.046                  | 0.228                      | 0.176                       | <b>0.450</b>        |
|          | Left Tilt          | 0.027                  | 0.019                      | 0.060                       | 0.106               |
|          | Right Tilt         | 0.035                  | 0.081                      | 0.157                       | 0.273               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.221                 | 0.035                      | 0.064                       | 0.320               |
|          | <b>Right Touch</b> | 0.148                 | 0.228                      | 0.176                       | <b>0.552</b>        |
|          | Left Tilt          | 0.112                 | 0.019                      | 0.060                       | 0.191               |
|          | Right Tilt         | 0.127                 | 0.081                      | 0.157                       | 0.365               |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                  | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.195              | 0.035                      | 0.069                       | 0.299               |
|          | <b>Right Touch</b> | 0.109              | 0.228                      | 0.275                       | <b>0.612</b>        |
|          | Left Tilt          | 0.096              | 0.019                      | 0.101                       | 0.216               |
|          | Right Tilt         | 0.073              | 0.081                      | 0.216                       | 0.370               |

| Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.251               | 0.035                      | 0.069                       | 0.355               |
|          | <b>Right Touch</b> | 0.136               | 0.228                      | 0.275                       | <b>0.639</b>        |
|          | Left Tilt          | 0.122               | 0.019                      | 0.101                       | 0.242               |
|          | Right Tilt         | 0.089               | 0.081                      | 0.216                       | 0.386               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.181               | 0.035                      | 0.069                       | 0.285               |
|          | <b>Right Touch</b> | 0.150               | 0.228                      | 0.275                       | <b>0.653</b>        |
|          | Left Tilt          | 0.154               | 0.019                      | 0.101                       | 0.274               |
|          | Right Tilt         | 0.103               | 0.081                      | 0.216                       | 0.400               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.227                | 0.035                      | 0.069                       | 0.331               |
|          | <b>Right Touch</b> | 0.205                | 0.228                      | 0.275                       | <b>0.708</b>        |
|          | Left Tilt          | 0.194                | 0.019                      | 0.101                       | 0.314               |
|          | Right Tilt         | 0.140                | 0.081                      | 0.216                       | 0.437               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.254                | 0.035                      | 0.069                       | 0.358               |
|          | <b>Right Touch</b> | 0.161                | 0.228                      | 0.275                       | <b>0.664</b>        |
|          | Left Tilt          | 0.129                | 0.019                      | 0.101                       | 0.249               |
|          | Right Tilt         | 0.113                | 0.081                      | 0.216                       | 0.410               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.167                 | 0.035                      | 0.069                       | 0.271               |
|          | <b>Right Touch</b> | 0.143                 | 0.228                      | 0.275                       | <b>0.646</b>        |
|          | Left Tilt          | 0.096                 | 0.019                      | 0.101                       | 0.216               |
|          | Right Tilt         | 0.097                 | 0.081                      | 0.216                       | 0.394               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.207                 | 0.035                      | 0.069                       | 0.311               |
|          | <b>Right Touch</b> | 0.181                 | 0.228                      | 0.275                       | <b>0.684</b>        |
|          | Left Tilt          | 0.182                 | 0.019                      | 0.101                       | 0.302               |
|          | Right Tilt         | 0.113                 | 0.081                      | 0.216                       | 0.410               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.095                  | 0.035                      | 0.069                       | 0.199               |
|          | <b>Right Touch</b> | 0.082                  | 0.228                      | 0.275                       | <b>0.585</b>        |
|          | Left Tilt          | 0.051                  | 0.019                      | 0.101                       | 0.171               |
|          | Right Tilt         | 0.087                  | 0.081                      | 0.216                       | 0.384               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.063                  | 0.035                      | 0.069                       | 0.167               |
|          | <b>Right Touch</b> | 0.046                  | 0.228                      | 0.275                       | <b>0.549</b>        |
|          | Left Tilt          | 0.027                  | 0.019                      | 0.101                       | 0.147               |
|          | Right Tilt         | 0.035                  | 0.081                      | 0.216                       | 0.332               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.221                 | 0.035                      | 0.069                       | 0.325               |
|          | <b>Right Touch</b> | 0.148                 | 0.228                      | 0.275                       | <b>0.651</b>        |
|          | Left Tilt          | 0.112                 | 0.019                      | 0.101                       | 0.232               |
|          | Right Tilt         | 0.127                 | 0.081                      | 0.216                       | 0.424               |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                  | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.195              | 0.035                      | 0.081                       | 0.311               |
|          | <b>Right Touch</b> | 0.109              | 0.228                      | 0.384                       | <b>0.721</b>        |
|          | Left Tilt          | 0.096              | 0.019                      | 0.079                       | 0.194               |
|          | Right Tilt         | 0.073              | 0.081                      | 0.198                       | 0.352               |

| Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.251               | 0.035                      | 0.081                       | 0.367               |
|          | <b>Right Touch</b> | 0.136               | 0.228                      | 0.384                       | <b>0.748</b>        |
|          | Left Tilt          | 0.122               | 0.019                      | 0.079                       | 0.220               |
|          | Right Tilt         | 0.089               | 0.081                      | 0.198                       | 0.368               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.181               | 0.035                      | 0.081                       | 0.297               |
|          | <b>Right Touch</b> | 0.150               | 0.228                      | 0.384                       | <b>0.762</b>        |
|          | Left Tilt          | 0.154               | 0.019                      | 0.079                       | 0.252               |
|          | Right Tilt         | 0.103               | 0.035                      | 0.081                       | 0.297               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.227                | 0.035                      | 0.081                       | 0.343               |
|          | <b>Right Touch</b> | 0.205                | 0.228                      | 0.384                       | <b>0.817</b>        |
|          | Left Tilt          | 0.194                | 0.019                      | 0.079                       | 0.292               |
|          | Right Tilt         | 0.140                | 0.081                      | 0.198                       | 0.419               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.254                | 0.035                      | 0.081                       | 0.370               |
|          | <b>Right Touch</b> | 0.161                | 0.228                      | 0.384                       | <b>0.773</b>        |
|          | Left Tilt          | 0.129                | 0.019                      | 0.079                       | 0.227               |
|          | Right Tilt         | 0.113                | 0.081                      | 0.198                       | 0.392               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.167                 | 0.035                      | 0.081                       | 0.283               |
|          | <b>Right Touch</b> | 0.143                 | 0.228                      | 0.384                       | <b>0.755</b>        |
|          | Left Tilt          | 0.096                 | 0.019                      | 0.079                       | 0.194               |
|          | Right Tilt         | 0.097                 | 0.081                      | 0.198                       | 0.376               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.207                 | 0.035                      | 0.081                       | 0.323               |
|          | <b>Right Touch</b> | 0.181                 | 0.228                      | 0.384                       | <b>0.793</b>        |
|          | Left Tilt          | 0.182                 | 0.019                      | 0.079                       | 0.280               |
|          | Right Tilt         | 0.113                 | 0.081                      | 0.198                       | 0.392               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.095                  | 0.035                      | 0.081                       | 0.211               |
|          | <b>Right Touch</b> | 0.082                  | 0.228                      | 0.384                       | <b>0.694</b>        |
|          | Left Tilt          | 0.051                  | 0.019                      | 0.079                       | 0.149               |
|          | Right Tilt         | 0.087                  | 0.081                      | 0.198                       | 0.366               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.063                  | 0.035                      | 0.081                       | 0.179               |
|          | <b>Right Touch</b> | 0.046                  | 0.228                      | 0.384                       | <b>0.658</b>        |
|          | Left Tilt          | 0.027                  | 0.019                      | 0.079                       | 0.125               |
|          | Right Tilt         | 0.035                  | 0.081                      | 0.198                       | 0.314               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.221                 | 0.035                      | 0.081                       | 0.337               |
|          | <b>Right Touch</b> | 0.148                 | 0.228                      | 0.384                       | <b>0.760</b>        |
|          | Left Tilt          | 0.112                 | 0.019                      | 0.079                       | 0.210               |
|          | Right Tilt         | 0.127                 | 0.081                      | 0.198                       | 0.406               |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                  | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.195              | 0.035                      | 0.239                       | 0.469               |
|          | <b>Right Touch</b> | 0.109              | 0.228                      | 0.586                       | <b>0.923</b>        |
|          | Left Tilt          | 0.096              | 0.019                      | 0.289                       | 0.404               |
|          | Right Tilt         | 0.073              | 0.081                      | 0.688                       | 0.842               |

| Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.251               | 0.035                      | 0.239                       | 0.525               |
|          | <b>Right Touch</b> | 0.136               | 0.228                      | 0.586                       | <b>0.950</b>        |
|          | Left Tilt          | 0.122               | 0.019                      | 0.289                       | 0.430               |
|          | Right Tilt         | 0.089               | 0.081                      | 0.688                       | 0.858               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.181               | 0.035                      | 0.239                       | 0.455               |
|          | <b>Right Touch</b> | 0.150               | 0.228                      | 0.586                       | <b>0.964</b>        |
|          | Left Tilt          | 0.154               | 0.019                      | 0.289                       | 0.462               |
|          | Right Tilt         | 0.103               | 0.081                      | 0.688                       | 0.872               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.227                | 0.035                      | 0.239                       | 0.501               |
|          | <b>Right Touch</b> | 0.205                | 0.228                      | 0.586                       | <b>1.019</b>        |
|          | Left Tilt          | 0.194                | 0.019                      | 0.289                       | 0.502               |
|          | Right Tilt         | 0.140                | 0.081                      | 0.688                       | 0.909               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.254                | 0.035                      | 0.239                       | 0.528               |
|          | <b>Right Touch</b> | 0.161                | 0.228                      | 0.586                       | <b>0.975</b>        |
|          | Left Tilt          | 0.129                | 0.019                      | 0.289                       | 0.437               |
|          | Right Tilt         | 0.113                | 0.081                      | 0.688                       | 0.882               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.167                 | 0.035                      | 0.239                       | 0.441               |
|          | <b>Right Touch</b> | 0.143                 | 0.228                      | 0.586                       | <b>0.957</b>        |
|          | Left Tilt          | 0.096                 | 0.019                      | 0.289                       | 0.404               |
|          | Right Tilt         | 0.097                 | 0.081                      | 0.688                       | 0.866               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.207                 | 0.035                      | 0.239                       | 0.481               |
|          | <b>Right Touch</b> | 0.181                 | 0.228                      | 0.586                       | <b>0.995</b>        |
|          | Left Tilt          | 0.182                 | 0.019                      | 0.289                       | 0.490               |
|          | Right Tilt         | 0.113                 | 0.081                      | 0.688                       | 0.882               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.095                  | 0.035                      | 0.239                       | 0.369               |
|          | <b>Right Touch</b> | 0.082                  | 0.228                      | 0.586                       | <b>0.896</b>        |
|          | Left Tilt          | 0.051                  | 0.019                      | 0.289                       | 0.359               |
|          | Right Tilt         | 0.087                  | 0.081                      | 0.688                       | 0.856               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.063                  | 0.035                      | 0.239                       | 0.337               |
|          | <b>Right Touch</b> | 0.046                  | 0.228                      | 0.586                       | <b>0.860</b>        |
|          | Left Tilt          | 0.027                  | 0.019                      | 0.289                       | 0.335               |
|          | Right Tilt         | 0.035                  | 0.081                      | 0.688                       | 0.804               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.221                 | 0.035                      | 0.239                       | 0.495               |
|          | <b>Right Touch</b> | 0.148                 | 0.228                      | 0.586                       | <b>0.962</b>        |
|          | Left Tilt          | 0.112                 | 0.019                      | 0.289                       | 0.420               |
|          | Right Tilt         | 0.127                 | 0.081                      | 0.688                       | 0.896               |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                  | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.195              | 0.035                      | 0.110                       | 0.340               |
|          | <b>Right Touch</b> | 0.109              | 0.228                      | 0.183                       | <b>0.520</b>        |
|          | Left Tilt          | 0.096              | 0.019                      | 0.154                       | 0.269               |
|          | Right Tilt         | 0.073              | 0.081                      | 0.207                       | 0.361               |

| Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.251               | 0.035                      | 0.110                       | 0.396               |
|          | <b>Right Touch</b> | 0.136               | 0.228                      | 0.183                       | <b>0.547</b>        |
|          | Left Tilt          | 0.122               | 0.019                      | 0.154                       | 0.295               |
|          | Right Tilt         | 0.089               | 0.081                      | 0.207                       | 0.377               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.181               | 0.035                      | 0.110                       | 0.326               |
|          | <b>Right Touch</b> | 0.150               | 0.228                      | 0.183                       | <b>0.561</b>        |
|          | Left Tilt          | 0.154               | 0.019                      | 0.154                       | 0.327               |
|          | Right Tilt         | 0.103               | 0.081                      | 0.207                       | 0.391               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.227                | 0.035                      | 0.110                       | 0.372               |
|          | <b>Right Touch</b> | 0.205                | 0.228                      | 0.183                       | <b>0.616</b>        |
|          | Left Tilt          | 0.194                | 0.019                      | 0.154                       | 0.367               |
|          | Right Tilt         | 0.140                | 0.081                      | 0.207                       | 0.428               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.254                | 0.035                      | 0.110                       | 0.399               |
|          | <b>Right Touch</b> | 0.161                | 0.228                      | 0.183                       | <b>0.572</b>        |
|          | Left Tilt          | 0.129                | 0.019                      | 0.154                       | 0.302               |
|          | Right Tilt         | 0.113                | 0.081                      | 0.207                       | 0.401               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.167                 | 0.035                      | 0.110                       | 0.312               |
|          | <b>Right Touch</b> | 0.143                 | 0.228                      | 0.183                       | <b>0.554</b>        |
|          | Left Tilt          | 0.096                 | 0.019                      | 0.154                       | 0.269               |
|          | Right Tilt         | 0.097                 | 0.081                      | 0.207                       | 0.385               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.207                 | 0.035                      | 0.110                       | 0.352               |
|          | <b>Right Touch</b> | 0.181                 | 0.228                      | 0.183                       | <b>0.592</b>        |
|          | Left Tilt          | 0.182                 | 0.019                      | 0.154                       | 0.355               |
|          | Right Tilt         | 0.113                 | 0.081                      | 0.207                       | 0.401               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.095                  | 0.035                      | 0.110                       | 0.240               |
|          | <b>Right Touch</b> | 0.082                  | 0.228                      | 0.183                       | <b>0.493</b>        |
|          | Left Tilt          | 0.051                  | 0.019                      | 0.154                       | 0.224               |
|          | Right Tilt         | 0.087                  | 0.081                      | 0.207                       | 0.375               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.063                  | 0.035                      | 0.110                       | 0.208               |
|          | <b>Right Touch</b> | 0.046                  | 0.228                      | 0.183                       | <b>0.457</b>        |
|          | Left Tilt          | 0.027                  | 0.019                      | 0.154                       | 0.200               |
|          | Right Tilt         | 0.035                  | 0.081                      | 0.207                       | 0.323               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.221                 | 0.035                      | 0.110                       | 0.366               |
|          | <b>Right Touch</b> | 0.148                 | 0.228                      | 0.183                       | <b>0.559</b>        |
|          | Left Tilt          | 0.112                 | 0.019                      | 0.154                       | 0.285               |
|          | Right Tilt         | 0.127                 | 0.081                      | 0.207                       | 0.415               |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                  | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.195              | 0.035                      | 0.095                       | 0.325               |
|          | <b>Right Touch</b> | 0.109              | 0.228                      | 0.165                       | <b>0.502</b>        |
|          | Left Tilt          | 0.096              | 0.019                      | 0.120                       | 0.235               |
|          | Right Tilt         | 0.073              | 0.081                      | 0.176                       | 0.330               |

| Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.251               | 0.035                      | 0.095                       | 0.381               |
|          | <b>Right Touch</b> | 0.136               | 0.228                      | 0.165                       | <b>0.529</b>        |
|          | Left Tilt          | 0.122               | 0.019                      | 0.120                       | 0.261               |
|          | Right Tilt         | 0.089               | 0.081                      | 0.176                       | 0.346               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.181               | 0.035                      | 0.095                       | 0.311               |
|          | <b>Right Touch</b> | 0.150               | 0.228                      | 0.165                       | <b>0.543</b>        |
|          | Left Tilt          | 0.154               | 0.019                      | 0.120                       | 0.293               |
|          | Right Tilt         | 0.103               | 0.081                      | 0.176                       | 0.360               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.227                | 0.035                      | 0.095                       | 0.357               |
|          | <b>Right Touch</b> | 0.205                | 0.228                      | 0.165                       | <b>0.598</b>        |
|          | Left Tilt          | 0.194                | 0.019                      | 0.120                       | 0.333               |
|          | Right Tilt         | 0.140                | 0.081                      | 0.176                       | 0.397               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.254                | 0.035                      | 0.095                       | 0.384               |
|          | <b>Right Touch</b> | 0.161                | 0.228                      | 0.165                       | <b>0.554</b>        |
|          | Left Tilt          | 0.129                | 0.019                      | 0.120                       | 0.268               |
|          | Right Tilt         | 0.113                | 0.081                      | 0.176                       | 0.370               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.167                 | 0.035                      | 0.095                       | 0.297               |
|          | <b>Right Touch</b> | 0.143                 | 0.228                      | 0.165                       | <b>0.536</b>        |
|          | Left Tilt          | 0.096                 | 0.019                      | 0.120                       | 0.235               |
|          | Right Tilt         | 0.097                 | 0.081                      | 0.176                       | 0.354               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.207                 | 0.035                      | 0.095                       | 0.337               |
|          | <b>Right Touch</b> | 0.181                 | 0.228                      | 0.165                       | <b>0.574</b>        |
|          | Left Tilt          | 0.182                 | 0.019                      | 0.120                       | 0.321               |
|          | Right Tilt         | 0.113                 | 0.081                      | 0.176                       | 0.370               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.095                  | 0.035                      | 0.095                       | 0.225               |
|          | <b>Right Touch</b> | 0.082                  | 0.228                      | 0.165                       | <b>0.475</b>        |
|          | Left Tilt          | 0.051                  | 0.019                      | 0.120                       | 0.190               |
|          | Right Tilt         | 0.087                  | 0.081                      | 0.176                       | 0.344               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.063                  | 0.035                      | 0.095                       | 0.193               |
|          | <b>Right Touch</b> | 0.046                  | 0.228                      | 0.165                       | <b>0.439</b>        |
|          | Left Tilt          | 0.027                  | 0.019                      | 0.120                       | 0.166               |
|          | Right Tilt         | 0.035                  | 0.081                      | 0.176                       | 0.292               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|-----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                           | 1+2+3               |
| Head SAR | Left Touch         | 0.221                 | 0.035                      | 0.095                       | 0.351               |
|          | <b>Right Touch</b> | 0.148                 | 0.228                      | 0.165                       | <b>0.541</b>        |
|          | Left Tilt          | 0.112                 | 0.019                      | 0.120                       | 0.251               |
|          | Right Tilt         | 0.127                 | 0.081                      | 0.176                       | 0.384               |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                  | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.195              | 0.035                      | 0.314                      | 0.544               |
|          | <b>Right Touch</b> | 0.109              | 0.228                      | 0.785                      | <b>1.122</b>        |
|          | Left Tilt          | 0.096              | 0.019                      | 0.415                      | 0.530               |
|          | Right Tilt         | 0.073              | 0.081                      | 0.948                      | 1.102               |

| Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.251               | 0.035                      | 0.314                      | 0.600               |
|          | <b>Right Touch</b> | 0.136               | 0.228                      | 0.785                      | <b>1.149</b>        |
|          | Left Tilt          | 0.122               | 0.019                      | 0.415                      | 0.556               |
|          | Right Tilt         | 0.089               | 0.081                      | 0.948                      | 1.118               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.181               | 0.035                      | 0.314                      | 0.530               |
|          | <b>Right Touch</b> | 0.150               | 0.228                      | 0.785                      | <b>1.163</b>        |
|          | Left Tilt          | 0.154               | 0.019                      | 0.415                      | 0.588               |
|          | Right Tilt         | 0.103               | 0.081                      | 0.948                      | 1.132               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.227                | 0.035                      | 0.314                      | 0.576               |
|          | <b>Right Touch</b> | 0.205                | 0.228                      | 0.785                      | <b>1.218</b>        |
|          | Left Tilt          | 0.194                | 0.019                      | 0.415                      | 0.628               |
|          | Right Tilt         | 0.140                | 0.081                      | 0.948                      | 1.169               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.254                | 0.035                      | 0.314                      | 0.603               |
|          | <b>Right Touch</b> | 0.161                | 0.228                      | 0.785                      | <b>1.174</b>        |
|          | Left Tilt          | 0.129                | 0.019                      | 0.415                      | 0.563               |
|          | Right Tilt         | 0.113                | 0.081                      | 0.948                      | 1.142               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.167                 | 0.035                      | 0.314                      | 0.516               |
|          | <b>Right Touch</b> | 0.143                 | 0.228                      | 0.785                      | <b>1.156</b>        |
|          | Left Tilt          | 0.096                 | 0.019                      | 0.415                      | 0.530               |
|          | Right Tilt         | 0.097                 | 0.081                      | 0.948                      | 1.126               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.207                 | 0.035                      | 0.314                      | 0.556               |
|          | <b>Right Touch</b> | 0.181                 | 0.228                      | 0.785                      | <b>1.194</b>        |
|          | Left Tilt          | 0.182                 | 0.019                      | 0.415                      | 0.616               |
|          | Right Tilt         | 0.113                 | 0.081                      | 0.948                      | 1.142               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.095                  | 0.035                      | 0.314                      | 0.444               |
|          | <b>Right Touch</b> | 0.082                  | 0.228                      | 0.785                      | <b>1.095</b>        |
|          | Left Tilt          | 0.051                  | 0.019                      | 0.415                      | 0.485               |
|          | Right Tilt         | 0.087                  | 0.081                      | 0.948                      | 1.116               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.063                  | 0.035                      | 0.314                      | 0.412               |
|          | <b>Right Touch</b> | 0.046                  | 0.228                      | 0.785                      | <b>1.059</b>        |
|          | Left Tilt          | 0.027                  | 0.019                      | 0.415                      | 0.461               |
|          | Right Tilt         | 0.035                  | 0.081                      | 0.948                      | 1.064               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.221                 | 0.035                      | 0.314                      | 0.570               |
|          | <b>Right Touch</b> | 0.148                 | 0.228                      | 0.785                      | <b>1.161</b>        |
|          | Left Tilt          | 0.112                 | 0.019                      | 0.415                      | 0.546               |
|          | Right Tilt         | 0.127                 | 0.081                      | 0.948                      | 1.156               |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                  | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.195              | 0.035                      | 0.214                      | 0.444               |
|          | <b>Right Touch</b> | 0.109              | 0.228                      | 0.525                      | <b>0.862</b>        |
|          | Left Tilt          | 0.096              | 0.019                      | 0.224                      | 0.339               |
|          | Right Tilt         | 0.073              | 0.081                      | 0.607                      | 0.761               |

| Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.251               | 0.035                      | 0.214                      | 0.500               |
|          | <b>Right Touch</b> | 0.136               | 0.228                      | 0.525                      | <b>0.889</b>        |
|          | Left Tilt          | 0.122               | 0.019                      | 0.224                      | 0.365               |
|          | Right Tilt         | 0.089               | 0.081                      | 0.607                      | 0.777               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.181               | 0.035                      | 0.214                      | 0.430               |
|          | <b>Right Touch</b> | 0.150               | 0.228                      | 0.525                      | <b>0.903</b>        |
|          | Left Tilt          | 0.154               | 0.019                      | 0.224                      | 0.397               |
|          | Right Tilt         | 0.103               | 0.081                      | 0.607                      | 0.791               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.227                | 0.035                      | 0.214                      | 0.476               |
|          | <b>Right Touch</b> | 0.205                | 0.228                      | 0.525                      | <b>0.958</b>        |
|          | Left Tilt          | 0.194                | 0.019                      | 0.224                      | 0.437               |
|          | Right Tilt         | 0.140                | 0.081                      | 0.607                      | 0.828               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.254                | 0.035                      | 0.214                      | 0.503               |
|          | <b>Right Touch</b> | 0.161                | 0.228                      | 0.525                      | <b>0.914</b>        |
|          | Left Tilt          | 0.129                | 0.019                      | 0.224                      | 0.372               |
|          | Right Tilt         | 0.113                | 0.081                      | 0.607                      | 0.801               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.167                 | 0.035                      | 0.214                      | 0.416               |
|          | <b>Right Touch</b> | 0.143                 | 0.228                      | 0.525                      | <b>0.896</b>        |
|          | Left Tilt          | 0.096                 | 0.019                      | 0.224                      | 0.339               |
|          | Right Tilt         | 0.097                 | 0.081                      | 0.607                      | 0.785               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.207                 | 0.035                      | 0.214                      | 0.456               |
|          | <b>Right Touch</b> | 0.181                 | 0.228                      | 0.525                      | <b>0.934</b>        |
|          | Left Tilt          | 0.182                 | 0.019                      | 0.224                      | 0.425               |
|          | Right Tilt         | 0.113                 | 0.081                      | 0.607                      | 0.801               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.095                  | 0.035                      | 0.214                      | 0.344               |
|          | <b>Right Touch</b> | 0.082                  | 0.228                      | 0.525                      | <b>0.835</b>        |
|          | Left Tilt          | 0.051                  | 0.019                      | 0.224                      | 0.294               |
|          | Right Tilt         | 0.087                  | 0.081                      | 0.607                      | 0.775               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.063                  | 0.035                      | 0.214                      | 0.312               |
|          | <b>Right Touch</b> | 0.046                  | 0.228                      | 0.525                      | <b>0.799</b>        |
|          | Left Tilt          | 0.027                  | 0.019                      | 0.224                      | 0.270               |
|          | Right Tilt         | 0.035                  | 0.081                      | 0.607                      | 0.723               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.221                 | 0.035                      | 0.214                      | 0.470               |
|          | <b>Right Touch</b> | 0.148                 | 0.228                      | 0.525                      | <b>0.901</b>        |
|          | Left Tilt          | 0.112                 | 0.019                      | 0.224                      | 0.355               |
|          | Right Tilt         | 0.127                 | 0.081                      | 0.607                      | 0.815               |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                  | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.195              | 0.035                      | 0.148                      | 0.378               |
|          | <b>Right Touch</b> | 0.109              | 0.228                      | 0.555                      | <b>0.892</b>        |
|          | Left Tilt          | 0.096              | 0.019                      | 0.194                      | 0.309               |
|          | Right Tilt         | 0.073              | 0.081                      | 0.401                      | 0.555               |

| Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.251               | 0.035                      | 0.148                      | 0.434               |
|          | <b>Right Touch</b> | 0.136               | 0.228                      | 0.555                      | <b>0.919</b>        |
|          | Left Tilt          | 0.122               | 0.019                      | 0.194                      | 0.335               |
|          | Right Tilt         | 0.089               | 0.081                      | 0.401                      | 0.571               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                   | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.181               | 0.035                      | 0.148                      | 0.364               |
|          | <b>Right Touch</b> | 0.150               | 0.228                      | 0.555                      | <b>0.933</b>        |
|          | Left Tilt          | 0.154               | 0.019                      | 0.194                      | 0.367               |
|          | Right Tilt         | 0.103               | 0.081                      | 0.401                      | 0.585               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.227                | 0.035                      | 0.148                      | 0.410               |
|          | <b>Right Touch</b> | 0.205                | 0.228                      | 0.555                      | <b>0.988</b>        |
|          | Left Tilt          | 0.194                | 0.019                      | 0.194                      | 0.407               |
|          | Right Tilt         | 0.140                | 0.081                      | 0.401                      | 0.622               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                    | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.254                | 0.035                      | 0.148                      | 0.437               |
|          | <b>Right Touch</b> | 0.161                | 0.228                      | 0.555                      | <b>0.944</b>        |
|          | Left Tilt          | 0.129                | 0.019                      | 0.194                      | 0.342               |
|          | Right Tilt         | 0.113                | 0.081                      | 0.401                      | 0.595               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.167                 | 0.035                      | 0.148                      | 0.350               |
|          | <b>Right Touch</b> | 0.143                 | 0.228                      | 0.555                      | <b>0.926</b>        |
|          | Left Tilt          | 0.096                 | 0.019                      | 0.194                      | 0.309               |
|          | Right Tilt         | 0.097                 | 0.081                      | 0.401                      | 0.579               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.207                 | 0.035                      | 0.148                      | 0.390               |
|          | <b>Right Touch</b> | 0.181                 | 0.228                      | 0.555                      | <b>0.964</b>        |
|          | Left Tilt          | 0.182                 | 0.019                      | 0.194                      | 0.395               |
|          | Right Tilt         | 0.113                 | 0.081                      | 0.401                      | 0.595               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.095                  | 0.035                      | 0.148                      | 0.278               |
|          | <b>Right Touch</b> | 0.082                  | 0.228                      | 0.555                      | <b>0.865</b>        |
|          | Left Tilt          | 0.051                  | 0.019                      | 0.194                      | 0.264               |
|          | Right Tilt         | 0.087                  | 0.081                      | 0.401                      | 0.569               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                      | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.063                  | 0.035                      | 0.148                      | 0.246               |
|          | <b>Right Touch</b> | 0.046                  | 0.228                      | 0.555                      | <b>0.829</b>        |
|          | Left Tilt          | 0.027                  | 0.019                      | 0.194                      | 0.240               |
|          | Right Tilt         | 0.035                  | 0.081                      | 0.401                      | 0.517               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------------|----------------------------|---------------------|
|          |                    | 1                     | 2                          | 3                          | 1+2+3               |
| Head SAR | Left Touch         | 0.221                 | 0.035                      | 0.148                      | 0.404               |
|          | <b>Right Touch</b> | 0.148                 | 0.228                      | 0.555                      | <b>0.931</b>        |
|          | Left Tilt          | 0.112                 | 0.019                      | 0.194                      | 0.325               |
|          | Right Tilt         | 0.127                 | 0.081                      | 0.401                      | 0.609               |

| Simul Tx | Configuration      | 2.4G W-LAN<br>Ant.1 SAR<br>(W/kg) | 5.3G W-LAN<br>Ant.2 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|----------|--------------------|-----------------------------------|-----------------------------------|------------------------|
|          |                    | 1                                 | 2                                 | 1+2                    |
| Head SAR | Left Touch         | 0.110                             | 0.239                             | 0.349                  |
|          | <b>Right Touch</b> | 0.484                             | 0.586                             | <b>1.070</b>           |
|          | Left Tilt          | 0.062                             | 0.289                             | 0.351                  |
|          | Right Tilt         | 0.234                             | 0.688                             | 0.922                  |

| Simul Tx | Configuration      | 2.4G W-LAN<br>Ant.1 SAR<br>(W/kg) | 5.6G W-LAN<br>Ant.2 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|----------|--------------------|-----------------------------------|-----------------------------------|------------------------|
|          |                    | 1                                 | 2                                 | 1+2                    |
| Head SAR | Left Touch         | 0.110                             | 0.110                             | 0.220                  |
|          | <b>Right Touch</b> | 0.484                             | 0.183                             | <b>0.667</b>           |
|          | Left Tilt          | 0.062                             | 0.154                             | 0.216                  |
|          | Right Tilt         | 0.234                             | 0.207                             | 0.441                  |

| Simul Tx | Configuration      | 2.4G W-LAN<br>Ant.1 SAR<br>(W/kg) | 5.8G W-LAN<br>Ant.2 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|----------|--------------------|-----------------------------------|-----------------------------------|------------------------|
|          |                    | 1                                 | 2                                 | 1+2                    |
| Head SAR | Left Touch         | 0.110                             | 0.095                             | 0.205                  |
|          | <b>Right Touch</b> | 0.484                             | 0.165                             | <b>0.649</b>           |
|          | Left Tilt          | 0.062                             | 0.120                             | 0.182                  |
|          | Right Tilt         | 0.234                             | 0.176                             | 0.410                  |

| Simul Tx    | Configuration      | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.3G W-LAN<br>Ant.1 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|-------------|--------------------|----------------------------------|-----------------------------------|------------------------|
|             |                    | 1                                | 2                                 | 1+2                    |
| Head<br>SAR | Left Touch         | 0.035                            | 0.064                             | 0.099                  |
|             | <b>Right Touch</b> | 0.228                            | 0.176                             | <b>0.404</b>           |
|             | Left Tilt          | 0.019                            | 0.060                             | 0.079                  |
|             | Right Tilt         | 0.081                            | 0.157                             | 0.238                  |

| Simul Tx    | Configuration      | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.6G W-LAN<br>Ant.1 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|-------------|--------------------|----------------------------------|-----------------------------------|------------------------|
|             |                    | 1                                | 2                                 | 1+2                    |
| Head<br>SAR | Left Touch         | 0.035                            | 0.069                             | 0.104                  |
|             | <b>Right Touch</b> | 0.228                            | 0.275                             | <b>0.503</b>           |
|             | Left Tilt          | 0.019                            | 0.101                             | 0.120                  |
|             | Right Tilt         | 0.081                            | 0.216                             | 0.297                  |

| Simul Tx    | Configuration      | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.8G W-LAN<br>Ant.1 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|-------------|--------------------|----------------------------------|-----------------------------------|------------------------|
|             |                    | 1                                | 2                                 | 1+2                    |
| Head<br>SAR | Left Touch         | 0.035                            | 0.081                             | 0.116                  |
|             | <b>Right Touch</b> | 0.228                            | 0.384                             | <b>0.612</b>           |
|             | Left Tilt          | 0.019                            | 0.079                             | 0.098                  |
|             | Right Tilt         | 0.081                            | 0.198                             | 0.279                  |

| Simul Tx    | Configuration      | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.3G W-LAN<br>Ant.2 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|-------------|--------------------|----------------------------------|-----------------------------------|------------------------|
|             |                    | 1                                | 2                                 | 1+2                    |
| Head<br>SAR | Left Touch         | 0.035                            | 0.239                             | 0.274                  |
|             | <b>Right Touch</b> | 0.228                            | 0.586                             | <b>0.814</b>           |
|             | Left Tilt          | 0.019                            | 0.289                             | 0.308                  |
|             | Right Tilt         | 0.081                            | 0.688                             | 0.769                  |

| Simul Tx    | Configuration      | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.6G W-LAN<br>Ant.2 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|-------------|--------------------|----------------------------------|-----------------------------------|------------------------|
|             |                    | 1                                | 2                                 | 1+2                    |
| Head<br>SAR | Left Touch         | 0.035                            | 0.110                             | 0.145                  |
|             | <b>Right Touch</b> | 0.228                            | 0.183                             | <b>0.411</b>           |
|             | Left Tilt          | 0.019                            | 0.154                             | 0.173                  |
|             | Right Tilt         | 0.081                            | 0.207                             | 0.288                  |

| Simul Tx    | Configuration      | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.8G W-LAN<br>Ant.2 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|-------------|--------------------|----------------------------------|-----------------------------------|------------------------|
|             |                    | 1                                | 2                                 | 1+2                    |
| Head<br>SAR | Left Touch         | 0.035                            | 0.095                             | 0.130                  |
|             | <b>Right Touch</b> | 0.228                            | 0.165                             | <b>0.393</b>           |
|             | Left Tilt          | 0.019                            | 0.120                             | 0.139                  |
|             | Right Tilt         | 0.081                            | 0.176                             | 0.257                  |

| Simul Tx    | Configuration     | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.3G W-LAN<br>MIMO SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|-------------|-------------------|----------------------------------|----------------------------------|------------------------|
|             |                   | 1                                | 2                                | 1+2                    |
| Head<br>SAR | Left Touch        | 0.035                            | 0.314                            | 0.349                  |
|             | Right Touch       | 0.228                            | 0.785                            | 1.013                  |
|             | Left Tilt         | 0.019                            | 0.415                            | 0.434                  |
|             | <b>Right Tilt</b> | 0.081                            | 0.948                            | <b>1.029</b>           |

| Simul Tx    | Configuration      | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.6G W-LAN<br>MIMO SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|-------------|--------------------|----------------------------------|----------------------------------|------------------------|
|             |                    | 1                                | 2                                | 1+2                    |
| Head<br>SAR | Left Touch         | 0.035                            | 0.214                            | 0.249                  |
|             | <b>Right Touch</b> | 0.228                            | 0.525                            | <b>0.753</b>           |
|             | Left Tilt          | 0.019                            | 0.224                            | 0.243                  |
|             | Right Tilt         | 0.081                            | 0.607                            | 0.688                  |

| Simul Tx    | Configuration      | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.8G W-LAN<br>MIMO SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|-------------|--------------------|----------------------------------|----------------------------------|------------------------|
|             |                    | 1                                | 2                                | 1+2                    |
| Head<br>SAR | Left Touch         | 0.035                            | 0.148                            | 0.183                  |
|             | <b>Right Touch</b> | 0.228                            | 0.555                            | <b>0.783</b>           |
|             | Left Tilt          | 0.019                            | 0.194                            | 0.213                  |
|             | Right Tilt         | 0.081                            | 0.401                            | 0.482                  |

| Simul Tx | Configuration      | GSM 850 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|--------------------|----------------------|---------------------|
|          |                    | 1                  | 2                    | 1+2                 |
| Head SAR | Left Touch         | 0.195              | 0.035                | 0.230               |
|          | <b>Right Touch</b> | 0.109              | 0.228                | <b>0.337</b>        |
|          | Left Tilt          | 0.096              | 0.019                | 0.115               |
|          | Right Tilt         | 0.073              | 0.081                | 0.154               |

| .Simul Tx | Configuration      | GPRS 850 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-----------|--------------------|---------------------|----------------------|---------------------|
|           |                    | 1                   | 2                    | 1+2                 |
| Head SAR  | Left Touch         | 0.251               | 0.035                | 0.286               |
|           | <b>Right Touch</b> | 0.136               | 0.228                | <b>0.364</b>        |
|           | Left Tilt          | 0.122               | 0.019                | 0.141               |
|           | Right Tilt         | 0.089               | 0.081                | 0.170               |

| Simul Tx | Configuration      | GSM 1900 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|---------------------|----------------------|---------------------|
|          |                    | 1                   | 2                    | 1+2                 |
| Head SAR | Left Touch         | 0.181               | 0.035                | 0.216               |
|          | <b>Right Touch</b> | 0.150               | 0.228                | <b>0.378</b>        |
|          | Left Tilt          | 0.154               | 0.019                | 0.173               |
|          | Right Tilt         | 0.103               | 0.081                | 0.184               |

| Simul Tx | Configuration      | GPRS 1900 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------|---------------------|
|          |                    | 1                    | 2                    | 1+2                 |
| Head SAR | Left Touch         | 0.227                | 0.035                | 0.262               |
|          | <b>Right Touch</b> | 0.205                | 0.228                | <b>0.433</b>        |
|          | Left Tilt          | 0.194                | 0.019                | 0.213               |
|          | Right Tilt         | 0.140                | 0.081                | 0.221               |

| Simul Tx | Configuration      | WCDMA 850 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|----------------------|----------------------|---------------------|
|          |                    | 1                    | 2                    | 1+2                 |
| Head SAR | Left Touch         | 0.254                | 0.035                | 0.289               |
|          | <b>Right Touch</b> | 0.161                | 0.228                | <b>0.389</b>        |
|          | Left Tilt          | 0.129                | 0.019                | 0.148               |
|          | Right Tilt         | 0.113                | 0.081                | 0.194               |

| Simul Tx | Configuration      | WCDMA 1700 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------|---------------------|
|          |                    | 1                     | 2                    | 1+2                 |
| Head SAR | Left Touch         | 0.167                 | 0.035                | 0.202               |
|          | <b>Right Touch</b> | 0.143                 | 0.228                | <b>0.371</b>        |
|          | Left Tilt          | 0.096                 | 0.019                | 0.115               |
|          | Right Tilt         | 0.097                 | 0.081                | 0.178               |

| Simul Tx | Configuration      | WCDMA 1900 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------|---------------------|
|          |                    | 1                     | 2                    | 1+2                 |
| Head SAR | Left Touch         | 0.207                 | 0.035                | 0.242               |
|          | <b>Right Touch</b> | 0.181                 | 0.228                | <b>0.409</b>        |
|          | Left Tilt          | 0.182                 | 0.019                | 0.201               |
|          | Right Tilt         | 0.113                 | 0.081                | 0.194               |

| Simul Tx | Configuration      | LTE Band 17 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------|---------------------|
|          |                    | 1                      | 2                    | 1+2                 |
| Head SAR | Left Touch         | 0.095                  | 0.035                | 0.130               |
|          | <b>Right Touch</b> | 0.082                  | 0.228                | <b>0.310</b>        |
|          | Left Tilt          | 0.051                  | 0.019                | 0.070               |
|          | Right Tilt         | 0.087                  | 0.081                | 0.168               |

| Simul Tx | Configuration      | LTE Band 13 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|------------------------|----------------------|---------------------|
|          |                    | 1                      | 2                    | 1+2                 |
| Head SAR | Left Touch         | 0.063                  | 0.035                | 0.098               |
|          | <b>Right Touch</b> | 0.046                  | 0.228                | <b>0.274</b>        |
|          | Left Tilt          | 0.027                  | 0.019                | 0.046               |
|          | Right Tilt         | 0.035                  | 0.081                | 0.116               |

| Simul Tx | Configuration      | LTE Band 5 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|----------|--------------------|-----------------------|----------------------|---------------------|
|          |                    | 1                     | 2                    | 1+2                 |
| Head SAR | Left Touch         | 0.221                 | 0.035                | 0.256               |
|          | <b>Right Touch</b> | 0.148                 | 0.228                | <b>0.376</b>        |
|          | Left Tilt          | 0.112                 | 0.019                | 0.131               |
|          | Right Tilt         | 0.127                 | 0.081                | 0.208               |

## Body-Worn SAR Simultaneous Transmission Analysis

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | 2.4G W-LAN Ant.1. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|------------------------------|---------------------|
|               |               | 1                  | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.511              | 0.107                        | 0.618               |
|               | Rear          | 0.577              | 0.104                        | <b>0.681</b>        |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | 2.4G W-LAN Ant.1. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|------------------------------|---------------------|
|               |               | 1                   | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.680               | 0.107                        | 0.787               |
|               | Rear          | 0.746               | 0.104                        | <b>0.850</b>        |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | 2.4G W-LAN Ant.1. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|------------------------------|---------------------|
|               |               | 1                   | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.715               | 0.107                        | <b>0.822</b>        |
|               | Rear          | 0.678               | 0.104                        | 0.782               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | 2.4G W-LAN Ant.1. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|------------------------------|---------------------|
|               |               | 1                    | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.989                | 0.107                        | <b>1.096</b>        |
|               | Rear          | 0.873                | 0.104                        | 0.977               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | 2.4G W-LAN Ant.1. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|------------------------------|---------------------|
|               |               | 1                    | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.705                | 0.107                        | 0.812               |
|               | Rear          | 0.759                | 0.104                        | <b>0.863</b>        |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | 2.4G W-LAN Ant.1. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|------------------------------|---------------------|
|               |               | 1                     | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.500                 | 0.107                        | <b>0.607</b>        |
|               | Rear          | 0.490                 | 0.104                        | 0.594               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | 2.4G W-LAN Ant.1. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|------------------------------|---------------------|
|               |               | 1                     | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.956                 | 0.107                        | 1.063               |
|               | Rear          | 0.862                 | 0.104                        | 0.966               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | 2.4G W-LAN Ant.1. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|------------------------------|---------------------|
|               |               | 1                      | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.424                  | 0.107                        | 0.531               |
|               | Rear          | 0.458                  | 0.104                        | 0.562               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | 2.4G W-LAN Ant.1. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|------------------------------|---------------------|
|               |               | 1                      | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.236                  | 0.107                        | 0.343               |
|               | Rear          | 0.271                  | 0.104                        | 0.375               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | 2.4G W-LAN Ant.1. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|------------------------------|---------------------|
|               |               | 1                     | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.665                 | 0.107                        | 0.772               |
|               | Rear          | 0.729                 | 0.104                        | 0.833               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | 2.4G W-LAN Ant.2. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|------------------------------|---------------------|
|               |               | 1                  | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.511              | 0.121                        | 0.632               |
|               | Rear          | 0.577              | 0.127                        | 0.704               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | 2.4G W-LAN Ant.2. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|------------------------------|---------------------|
|               |               | 1                   | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.680               | 0.121                        | 0.801               |
|               | Rear          | 0.746               | 0.127                        | 0.873               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | 2.4G W-LAN Ant.2. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|------------------------------|---------------------|
|               |               | 1                   | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.715               | 0.121                        | 0.836               |
|               | Rear          | 0.678               | 0.127                        | 0.805               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | 2.4G W-LAN Ant.2. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|------------------------------|---------------------|
|               |               | 1                    | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.989                | 0.121                        | 1.110               |
|               | Rear          | 0.873                | 0.127                        | 1.000               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | 2.4G W-LAN Ant.2. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|------------------------------|---------------------|
|               |               | 1                    | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.705                | 0.121                        | 0.826               |
|               | Rear          | 0.759                | 0.127                        | 0.886               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | 2.4G W-LAN Ant.2. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|------------------------------|---------------------|
|               |               | 1                     | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.500                 | 0.121                        | 0.621               |
|               | Rear          | 0.490                 | 0.127                        | 0.617               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | 2.4G W-LAN Ant.2. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|------------------------------|---------------------|
|               |               | 1                     | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.956                 | 0.121                        | 1.077               |
|               | Rear          | 0.862                 | 0.127                        | 0.989               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | 2.4G W-LAN Ant.2. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|------------------------------|---------------------|
|               |               | 1                      | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.424                  | 0.121                        | 0.545               |
|               | Rear          | 0.458                  | 0.127                        | 0.585               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | 2.4G W-LAN Ant.2. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|------------------------------|---------------------|
|               |               | 1                      | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.236                  | 0.121                        | 0.357               |
|               | Rear          | 0.271                  | 0.127                        | 0.398               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | 2.4G W-LAN Ant.2. SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|------------------------------|---------------------|
|               |               | 1                     | 2                            | 1+2                 |
| Body-Worn SAR | Front         | 0.665                 | 0.121                        | 0.786               |
|               | Rear          | 0.729                 | 0.127                        | 0.856               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|----------------------------|---------------------|
|               |               | 1                  | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.511              | 0.159                      | 0.670               |
|               | Rear          | 0.577              | 0.183                      | 0.760               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|---------------------|
|               |               | 1                   | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.680               | 0.159                      | 0.839               |
|               | Rear          | 0.746               | 0.183                      | 0.929               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|---------------------|
|               |               | 1                   | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.715               | 0.159                      | 0.874               |
|               | Rear          | 0.678               | 0.183                      | 0.861               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|---------------------|
|               |               | 1                    | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.989                | 0.159                      | 1.148               |
|               | Rear          | 0.873                | 0.183                      | 1.056               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|---------------------|
|               |               | 1                    | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.705                | 0.159                      | 0.864               |
|               | Rear          | 0.759                | 0.183                      | 0.942               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.500                 | 0.159                      | 0.659               |
|               | Rear          | 0.490                 | 0.183                      | 0.673               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.956                 | 0.159                      | 1.115               |
|               | Rear          | 0.862                 | 0.183                      | 1.045               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|---------------------|
|               |               | 1                      | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.424                  | 0.159                      | 0.583               |
|               | Rear          | 0.458                  | 0.183                      | 0.641               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|---------------------|
|               |               | 1                      | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.236                  | 0.159                      | 0.395               |
|               | Rear          | 0.271                  | 0.183                      | 0.454               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.665                 | 0.159                      | 0.824               |
|               | Rear          | 0.729                 | 0.183                      | 0.912               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|-----------------------------|---------------------|
|               |               | 1                  | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.511              | 0.041                       | 0.552               |
|               | Rear          | 0.577              | 0.550                       | 1.127               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.680               | 0.041                       | 0.721               |
|               | Rear          | 0.746               | 0.550                       | 1.296               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.715               | 0.041                       | 0.756               |
|               | Rear          | 0.678               | 0.550                       | 1.228               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.989                | 0.041                       | 1.030               |
|               | Rear          | 0.873                | 0.550                       | 1.423               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.705                | 0.041                       | 0.746               |
|               | Rear          | 0.759                | 0.550                       | 1.309               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.500                 | 0.041                       | 0.541               |
|               | Rear          | 0.490                 | 0.550                       | 1.040               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.956                 | 0.041                       | 0.997               |
|               | Rear          | 0.862                 | 0.550                       | 1.412               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.424                  | 0.041                       | 0.465               |
|               | Rear          | 0.458                  | 0.550                       | 1.008               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.236                  | 0.041                       | 0.277               |
|               | Rear          | 0.271                  | 0.550                       | 0.821               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.665                 | 0.041                       | 0.706               |
|               | Rear          | 0.729                 | 0.550                       | 1.279               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|-----------------------------|---------------------|
|               |               | 1                  | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.511              | 0.059                       | 0.570               |
|               | Rear          | 0.577              | 0.333                       | 0.910               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.680               | 0.059                       | 0.739               |
|               | Rear          | 0.746               | 0.333                       | 1.079               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.715               | 0.059                       | 0.774               |
|               | Rear          | 0.678               | 0.333                       | 1.011               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.989                | 0.059                       | 1.048               |
|               | Rear          | 0.873                | 0.333                       | 1.206               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.705                | 0.059                       | 0.764               |
|               | Rear          | 0.759                | 0.333                       | 1.092               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.500                 | 0.059                       | 0.559               |
|               | Rear          | 0.490                 | 0.333                       | 0.823               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.956                 | 0.059                       | 1.015               |
|               | Rear          | 0.862                 | 0.333                       | 1.195               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.424                  | 0.059                       | 0.483               |
|               | Rear          | 0.458                  | 0.333                       | 0.791               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.236                  | 0.059                       | 0.295               |
|               | Rear          | 0.271                  | 0.333                       | 0.604               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.665                 | 0.059                       | 0.724               |
|               | Rear          | 0.729                 | 0.333                       | 1.062               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|----------------------------|---------------------|
|               |               | 1                  | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.511              | 0.092                      | 0.603               |
|               | Rear          | 0.577              | 0.567                      | 1.144               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|---------------------|
|               |               | 1                   | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.680               | 0.092                      | 0.772               |
|               | Rear          | 0.746               | 0.567                      | 1.313               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|---------------------|
|               |               | 1                   | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.715               | 0.092                      | 0.807               |
|               | Rear          | 0.678               | 0.567                      | 1.245               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|---------------------|
|               |               | 1                    | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.989                | 0.092                      | 1.081               |
|               | Rear          | 0.873                | 0.567                      | 1.440               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|---------------------|
|               |               | 1                    | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.705                | 0.092                      | 0.797               |
|               | Rear          | 0.759                | 0.567                      | 1.326               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.500                 | 0.092                      | 0.592               |
|               | Rear          | 0.490                 | 0.567                      | 1.057               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.956                 | 0.092                      | 1.048               |
|               | Rear          | 0.862                 | 0.567                      | 1.429               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|---------------------|
|               |               | 1                      | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.424                  | 0.092                      | 0.516               |
|               | Rear          | 0.458                  | 0.567                      | 1.025               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|---------------------|
|               |               | 1                      | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.236                  | 0.092                      | 0.328               |
|               | Rear          | 0.271                  | 0.567                      | 0.838               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.665                 | 0.092                      | 0.757               |
|               | Rear          | 0.729                 | 0.567                      | 1.296               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|-----------------------------|---------------------|
|               |               | 1                  | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.511              | 0.047                       | 0.558               |
|               | Rear          | 0.577              | 0.478                       | 1.055               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.680               | 0.047                       | 0.727               |
|               | Rear          | 0.746               | 0.478                       | 1.224               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.715               | 0.047                       | 0.762               |
|               | Rear          | 0.678               | 0.478                       | 1.156               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.989                | 0.047                       | 1.036               |
|               | Rear          | 0.873                | 0.478                       | 1.351               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.705                | 0.047                       | 0.752               |
|               | Rear          | 0.759                | 0.478                       | 1.237               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.500                 | 0.047                       | 0.547               |
|               | Rear          | 0.490                 | 0.478                       | 0.968               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.956                 | 0.047                       | 1.003               |
|               | Rear          | 0.862                 | 0.478                       | 1.340               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.424                  | 0.047                       | 0.471               |
|               | Rear          | 0.458                  | 0.478                       | 0.936               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.236                  | 0.047                       | 0.283               |
|               | Rear          | 0.271                  | 0.478                       | 0.749               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.665                 | 0.047                       | 0.712               |
|               | Rear          | 0.729                 | 0.478                       | 1.207               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|-----------------------------|---------------------|
|               |               | 1                  | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.511              | 0.035                       | 0.546               |
|               | Rear          | 0.577              | 0.315                       | 0.892               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.680               | 0.035                       | 0.715               |
|               | Rear          | 0.746               | 0.315                       | 1.061               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.715               | 0.035                       | 0.750               |
|               | Rear          | 0.678               | 0.315                       | 0.993               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.989                | 0.035                       | 1.024               |
|               | Rear          | 0.873                | 0.315                       | 1.188               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.705                | 0.035                       | 0.740               |
|               | Rear          | 0.759                | 0.315                       | 1.074               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.500                 | 0.035                       | 0.535               |
|               | Rear          | 0.490                 | 0.315                       | 0.805               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.956                 | 0.035                       | 0.991               |
|               | Rear          | 0.862                 | 0.315                       | 1.177               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.424                  | 0.035                       | 0.459               |
|               | Rear          | 0.458                  | 0.315                       | 0.773               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.236                  | 0.035                       | 0.271               |
|               | Rear          | 0.271                  | 0.315                       | 0.586               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.665                 | 0.035                       | 0.700               |
|               | Rear          | 0.729                 | 0.315                       | 1.044               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|----------------------------|---------------------|
|               |               | 1                  | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.511              | 0.075                      | 0.586               |
|               | Rear          | 0.577              | 0.504                      | 1.081               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|---------------------|
|               |               | 1                   | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.680               | 0.075                      | 0.755               |
|               | Rear          | 0.746               | 0.504                      | 1.250               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|---------------------|
|               |               | 1                   | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.715               | 0.075                      | 0.790               |
|               | Rear          | 0.678               | 0.504                      | 1.182               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|---------------------|
|               |               | 1                    | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.989                | 0.075                      | 1.064               |
|               | Rear          | 0.873                | 0.504                      | 1.377               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|---------------------|
|               |               | 1                    | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.705                | 0.075                      | 0.780               |
|               | Rear          | 0.759                | 0.504                      | 1.263               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.500                 | 0.075                      | 0.575               |
|               | Rear          | 0.490                 | 0.504                      | 0.994               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.956                 | 0.075                      | 1.031               |
|               | Rear          | 0.862                 | 0.504                      | 1.366               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|---------------------|
|               |               | 1                      | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.424                  | 0.075                      | 0.499               |
|               | Rear          | 0.458                  | 0.504                      | 0.962               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|---------------------|
|               |               | 1                      | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.236                  | 0.075                      | 0.311               |
|               | Rear          | 0.271                  | 0.504                      | 0.775               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.665                 | 0.075                      | 0.740               |
|               | Rear          | 0.729                 | 0.504                      | 1.233               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|-----------------------------|---------------------|
|               |               | 1                  | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.511              | 0.070                       | 0.581               |
|               | Rear          | 0.577              | 0.636                       | 1.213               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.680               | 0.070                       | 0.750               |
|               | Rear          | 0.746               | 0.636                       | 1.382               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.715               | 0.070                       | 0.785               |
|               | Rear          | 0.678               | 0.636                       | 1.314               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.989                | 0.070                       | 1.059               |
|               | Rear          | 0.873                | 0.636                       | 1.509               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.705                | 0.070                       | 0.775               |
|               | Rear          | 0.759                | 0.636                       | 1.395               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.500                 | 0.070                       | 0.570               |
|               | Rear          | 0.490                 | 0.636                       | 1.126               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.956                 | 0.070                       | 1.026               |
|               | Rear          | 0.862                 | 0.636                       | 1.498               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.424                  | 0.070                       | 0.494               |
|               | Rear          | 0.458                  | 0.636                       | 1.094               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.236                  | 0.070                       | 0.306               |
|               | Rear          | 0.271                  | 0.636                       | 0.907               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.665                 | 0.070                       | 0.735               |
|               | Rear          | 0.729                 | 0.636                       | 1.365               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|-----------------------------|---------------------|
|               |               | 1                  | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.511              | 0.016                       | 0.527               |
|               | Rear          | 0.577              | 0.181                       | 0.758               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.680               | 0.016                       | 0.696               |
|               | Rear          | 0.746               | 0.181                       | 0.927               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.715               | 0.016                       | 0.731               |
|               | Rear          | 0.678               | 0.181                       | 0.859               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.989                | 0.016                       | 1.005               |
|               | Rear          | 0.873                | 0.181                       | 1.054               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.705                | 0.016                       | 0.721               |
|               | Rear          | 0.759                | 0.181                       | 0.940               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.500                 | 0.016                       | 0.516               |
|               | Rear          | 0.490                 | 0.181                       | 0.671               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.956                 | 0.016                       | 0.972               |
|               | Rear          | 0.862                 | 0.181                       | 1.043               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.424                  | 0.016                       | 0.440               |
|               | Rear          | 0.458                  | 0.181                       | 0.639               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.236                  | 0.016                       | 0.252               |
|               | Rear          | 0.271                  | 0.181                       | 0.452               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 1+2                 |
| Body-Worn SAR | Front         | 0.665                 | 0.016                       | 0.681               |
|               | Rear          | 0.729                 | 0.181                       | 0.910               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|----------------------------|---------------------|
|               |               | 1                  | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.511              | 0.075                      | 0.586               |
|               | Rear          | 0.577              | 0.527                      | 1.104               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|---------------------|
|               |               | 1                   | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.680               | 0.075                      | 0.755               |
|               | Rear          | 0.746               | 0.527                      | 1.273               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|---------------------|
|               |               | 1                   | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.715               | 0.075                      | 0.790               |
|               | Rear          | 0.678               | 0.527                      | 1.205               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|---------------------|
|               |               | 1                    | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.989                | 0.075                      | 1.064               |
|               | Rear          | 0.873                | 0.527                      | 1.400               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|---------------------|
|               |               | 1                    | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.705                | 0.075                      | 0.780               |
|               | Rear          | 0.759                | 0.527                      | 1.286               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.500                 | 0.075                      | 0.575               |
|               | Rear          | 0.490                 | 0.527                      | 1.017               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.956                 | 0.075                      | 1.031               |
|               | Rear          | 0.862                 | 0.527                      | 1.389               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|---------------------|
|               |               | 1                      | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.424                  | 0.075                      | 0.499               |
|               | Rear          | 0.458                  | 0.527                      | 0.985               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|---------------------|
|               |               | 1                      | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.236                  | 0.075                      | 0.311               |
|               | Rear          | 0.271                  | 0.527                      | 0.798               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 1+2                 |
| Body-Worn SAR | Front         | 0.665                 | 0.075                      | 0.740               |
|               | Rear          | 0.729                 | 0.527                      | 1.256               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                  | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.511              | 0.107                       | 0.059                       | 0.677               |
|               | Rear          | 0.577              | 0.104                       | 0.333                       | 1.014               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.680               | 0.107                       | 0.059                       | 0.846               |
|               | Rear          | 0.746               | 0.104                       | 0.333                       | 1.183               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.715               | 0.107                       | 0.059                       | 0.881               |
|               | Rear          | 0.678               | 0.104                       | 0.333                       | 1.115               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.989                | 0.107                       | 0.059                       | 1.155               |
|               | Rear          | 0.873                | 0.104                       | 0.333                       | 1.310               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.705                | 0.107                       | 0.059                       | 0.871               |
|               | Rear          | 0.759                | 0.104                       | 0.333                       | 1.196               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.500                 | 0.107                       | 0.059                       | 0.666               |
|               | Rear          | 0.490                 | 0.104                       | 0.333                       | 0.927               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.956                 | 0.107                       | 0.059                       | 1.122               |
|               | Rear          | 0.862                 | 0.104                       | 0.333                       | 1.299               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.424                  | 0.107                       | 0.059                       | 0.590               |
|               | Rear          | 0.458                  | 0.104                       | 0.333                       | 0.895               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.236                  | 0.107                       | 0.059                       | 0.402               |
|               | Rear          | 0.271                  | 0.104                       | 0.333                       | 0.708               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.665                 | 0.107                       | 0.059                       | 0.831               |
|               | Rear          | 0.729                 | 0.104                       | 0.333                       | 1.166               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|---------------|---------------|--------------------|-----------------------------|-----------------------------|--------------|
|               |               | 1                  | 2                           | 3                           | 1+2+3        |
| Body-Worn SAR | Front         | 0.511              | 0.107                       | 0.035                       | 0.653        |
|               | Rear          | 0.577              | 0.104                       | 0.315                       | <b>0.996</b> |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|---------------|---------------|---------------------|-----------------------------|-----------------------------|--------------|
|               |               | 1                   | 2                           | 3                           | 1+2+3        |
| Body-Worn SAR | Front         | 0.680               | 0.107                       | 0.035                       | 0.822        |
|               | Rear          | 0.746               | 0.104                       | 0.315                       | <b>1.165</b> |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|---------------|---------------|---------------------|-----------------------------|-----------------------------|--------------|
|               |               | 1                   | 2                           | 3                           | 1+2+3        |
| Body-Worn SAR | Front         | 0.715               | 0.107                       | 0.035                       | 0.857        |
|               | Rear          | 0.678               | 0.104                       | 0.315                       | <b>1.097</b> |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|---------------|---------------|----------------------|-----------------------------|-----------------------------|--------------|
|               |               | 1                    | 2                           | 3                           | 1+2+3        |
| Body-Worn SAR | Front         | 0.989                | 0.107                       | 0.035                       | 1.131        |
|               | Rear          | 0.873                | 0.104                       | 0.315                       | <b>1.292</b> |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|---------------|---------------|----------------------|-----------------------------|-----------------------------|--------------|
|               |               | 1                    | 2                           | 3                           | 1+2+3        |
| Body-Worn SAR | Front         | 0.705                | 0.107                       | 0.035                       | 0.847        |
|               | Rear          | 0.759                | 0.104                       | 0.315                       | <b>1.178</b> |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|---------------|---------------|-----------------------|-----------------------------|-----------------------------|--------------|
|               |               | 1                     | 2                           | 3                           | 1+2+3        |
| Body-Worn SAR | Front         | 0.500                 | 0.107                       | 0.035                       | 0.642        |
|               | Rear          | 0.490                 | 0.104                       | 0.315                       | <b>0.909</b> |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.956                 | 0.107                       | 0.035                       | 1.098               |
|               | Rear          | 0.862                 | 0.104                       | 0.315                       | 1.281               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.424                  | 0.107                       | 0.035                       | 0.566               |
|               | Rear          | 0.458                  | 0.104                       | 0.315                       | 0.877               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.236                  | 0.107                       | 0.035                       | 0.378               |
|               | Rear          | 0.271                  | 0.104                       | 0.315                       | 0.690               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.665                 | 0.107                       | 0.035                       | 0.807               |
|               | Rear          | 0.729                 | 0.104                       | 0.315                       | 1.148               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                  | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.511              | 0.107                       | 0.016                       | 0.634               |
|               | Rear          | 0.577              | 0.104                       | 0.181                       | <b>0.862</b>        |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.680               | 0.107                       | 0.016                       | 0.803               |
|               | Rear          | 0.746               | 0.104                       | 0.181                       | <b>1.031</b>        |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.715               | 0.107                       | 0.016                       | 0.838               |
|               | Rear          | 0.678               | 0.104                       | 0.181                       | <b>0.963</b>        |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.989                | 0.107                       | 0.016                       | 1.112               |
|               | Rear          | 0.873                | 0.104                       | 0.181                       | <b>1.158</b>        |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.705                | 0.107                       | 0.016                       | 0.828               |
|               | Rear          | 0.759                | 0.104                       | 0.181                       | <b>1.044</b>        |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.500                 | 0.107                       | 0.016                       | 0.623               |
|               | Rear          | 0.490                 | 0.104                       | 0.181                       | <b>0.775</b>        |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.956                 | 0.107                       | 0.016                       | 1.079               |
|               | Rear          | 0.862                 | 0.104                       | 0.181                       | 1.147               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.424                  | 0.107                       | 0.016                       | 0.547               |
|               | Rear          | 0.458                  | 0.104                       | 0.181                       | 0.743               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.236                  | 0.107                       | 0.016                       | 0.359               |
|               | Rear          | 0.271                  | 0.104                       | 0.181                       | 0.556               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                           | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.665                 | 0.107                       | 0.016                       | 0.788               |
|               | Rear          | 0.729                 | 0.104                       | 0.181                       | 1.014               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                  | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.511              | 0.035                      | 0.041                       | 0.587               |
|               | Rear          | 0.577              | 0.031                      | 0.550                       | 1.158               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.680               | 0.035                      | 0.041                       | 0.756               |
|               | Rear          | 0.746               | 0.031                      | 0.550                       | 1.327               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.715               | 0.035                      | 0.041                       | 0.791               |
|               | Rear          | 0.678               | 0.031                      | 0.550                       | 1.259               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.989                | 0.035                      | 0.041                       | 1.065               |
|               | Rear          | 0.873                | 0.031                      | 0.550                       | 1.454               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.705                | 0.035                      | 0.041                       | 0.781               |
|               | Rear          | 0.759                | 0.031                      | 0.550                       | 1.340               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.500                 | 0.035                      | 0.041                       | 0.576               |
|               | Rear          | 0.490                 | 0.031                      | 0.550                       | 1.071               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.956                 | 0.035                      | 0.041                       | 1.032               |
|               | Rear          | 0.862                 | 0.031                      | 0.550                       | 1.443               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.424                  | 0.035                      | 0.041                       | 0.500               |
|               | Rear          | 0.458                  | 0.031                      | 0.550                       | 1.039               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.236                  | 0.035                      | 0.041                       | 0.312               |
|               | Rear          | 0.271                  | 0.031                      | 0.550                       | 0.852               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.665                 | 0.035                      | 0.041                       | 0.741               |
|               | Rear          | 0.729                 | 0.031                      | 0.550                       | 1.310               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                  | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.511              | 0.035                      | 0.047                       | 0.593               |
|               | Rear          | 0.577              | 0.031                      | 0.478                       | 1.086               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.680               | 0.035                      | 0.047                       | 0.762               |
|               | Rear          | 0.746               | 0.031                      | 0.478                       | 1.255               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.715               | 0.035                      | 0.047                       | 0.797               |
|               | Rear          | 0.678               | 0.031                      | 0.478                       | 1.187               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.989                | 0.035                      | 0.047                       | 1.071               |
|               | Rear          | 0.873                | 0.031                      | 0.478                       | 1.382               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.705                | 0.035                      | 0.047                       | 0.787               |
|               | Rear          | 0.759                | 0.031                      | 0.478                       | 1.268               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.500                 | 0.035                      | 0.047                       | 0.582               |
|               | Rear          | 0.490                 | 0.031                      | 0.478                       | 0.999               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.956                 | 0.035                      | 0.047                       | 1.038               |
|               | Rear          | 0.862                 | 0.031                      | 0.478                       | 1.371               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.424                  | 0.035                      | 0.047                       | 0.506               |
|               | Rear          | 0.458                  | 0.031                      | 0.478                       | 0.967               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.236                  | 0.035                      | 0.047                       | 0.318               |
|               | Rear          | 0.271                  | 0.031                      | 0.478                       | 0.780               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.665                 | 0.035                      | 0.047                       | 0.747               |
|               | Rear          | 0.729                 | 0.031                      | 0.478                       | 1.238               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                  | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.511              | 0.035                      | 0.070                       | 0.616               |
|               | Rear          | 0.577              | 0.031                      | 0.636                       | 1.244               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.680               | 0.035                      | 0.070                       | 0.785               |
|               | Rear          | 0.746               | 0.031                      | 0.636                       | 1.413               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.715               | 0.035                      | 0.070                       | 0.820               |
|               | Rear          | 0.678               | 0.031                      | 0.636                       | 1.345               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.989                | 0.035                      | 0.070                       | 1.094               |
|               | Rear          | 0.873                | 0.031                      | 0.636                       | 1.540               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.705                | 0.035                      | 0.070                       | 0.810               |
|               | Rear          | 0.759                | 0.031                      | 0.636                       | 1.426               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.500                 | 0.035                      | 0.070                       | 0.605               |
|               | Rear          | 0.490                 | 0.031                      | 0.636                       | 1.157               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.956                 | 0.035                      | 0.070                       | 1.061               |
|               | Rear          | 0.862                 | 0.031                      | 0.636                       | 1.529               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.424                  | 0.035                      | 0.070                       | 0.529               |
|               | Rear          | 0.458                  | 0.031                      | 0.636                       | 1.125               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.236                  | 0.035                      | 0.070                       | 0.341               |
|               | Rear          | 0.271                  | 0.031                      | 0.636                       | 0.938               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.665                 | 0.035                      | 0.070                       | 0.770               |
|               | Rear          | 0.729                 | 0.031                      | 0.636                       | 1.396               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                  | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.511              | 0.035                      | 0.059                       | 0.605               |
|               | Rear          | 0.577              | 0.031                      | 0.333                       | 0.941               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.680               | 0.035                      | 0.059                       | 0.774               |
|               | Rear          | 0.746               | 0.031                      | 0.333                       | 1.110               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.715               | 0.035                      | 0.059                       | 0.809               |
|               | Rear          | 0.678               | 0.031                      | 0.333                       | 1.042               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.989                | 0.035                      | 0.059                       | 1.083               |
|               | Rear          | 0.873                | 0.031                      | 0.333                       | 1.237               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.705                | 0.035                      | 0.059                       | 0.799               |
|               | Rear          | 0.759                | 0.031                      | 0.333                       | 1.123               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.500                 | 0.035                      | 0.059                       | 0.594               |
|               | Rear          | 0.490                 | 0.031                      | 0.333                       | 0.854               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.956                 | 0.035                      | 0.059                       | 1.050               |
|               | Rear          | 0.862                 | 0.031                      | 0.333                       | 1.226               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.424                  | 0.035                      | 0.059                       | 0.518               |
|               | Rear          | 0.458                  | 0.031                      | 0.333                       | 0.822               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.236                  | 0.035                      | 0.059                       | 0.330               |
|               | Rear          | 0.271                  | 0.031                      | 0.333                       | 0.635               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.665                 | 0.035                      | 0.059                       | 0.759               |
|               | Rear          | 0.729                 | 0.031                      | 0.333                       | 1.093               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                  | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.511              | 0.035                      | 0.035                       | 0.581               |
|               | Rear          | 0.577              | 0.031                      | 0.315                       | <b>0.923</b>        |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.680               | 0.035                      | 0.035                       | 0.750               |
|               | Rear          | 0.746               | 0.031                      | 0.315                       | <b>1.092</b>        |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.715               | 0.035                      | 0.035                       | 0.785               |
|               | Rear          | 0.678               | 0.031                      | 0.315                       | <b>1.024</b>        |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.989                | 0.035                      | 0.035                       | 1.059               |
|               | Rear          | 0.873                | 0.031                      | 0.315                       | <b>1.219</b>        |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.705                | 0.035                      | 0.035                       | 0.775               |
|               | Rear          | 0.759                | 0.031                      | 0.315                       | <b>1.105</b>        |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.500                 | 0.035                      | 0.035                       | 0.570               |
|               | Rear          | 0.490                 | 0.031                      | 0.315                       | <b>0.836</b>        |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.956                 | 0.035                      | 0.035                       | 1.026               |
|               | Rear          | 0.862                 | 0.031                      | 0.315                       | 1.208               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.424                  | 0.035                      | 0.035                       | 0.494               |
|               | Rear          | 0.458                  | 0.031                      | 0.315                       | 0.804               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.236                  | 0.035                      | 0.035                       | 0.306               |
|               | Rear          | 0.271                  | 0.031                      | 0.315                       | 0.617               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.665                 | 0.035                      | 0.035                       | 0.735               |
|               | Rear          | 0.729                 | 0.031                      | 0.315                       | 1.075               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                  | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.511              | 0.035                      | 0.016                       | 0.562               |
|               | Rear          | 0.577              | 0.031                      | 0.181                       | <b>0.789</b>        |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.680               | 0.035                      | 0.016                       | 0.731               |
|               | Rear          | 0.746               | 0.031                      | 0.181                       | <b>0.958</b>        |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.715               | 0.035                      | 0.016                       | 0.766               |
|               | Rear          | 0.678               | 0.031                      | 0.181                       | <b>0.890</b>        |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.989                | 0.035                      | 0.016                       | 1.040               |
|               | Rear          | 0.873                | 0.031                      | 0.181                       | <b>1.085</b>        |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.705                | 0.035                      | 0.016                       | 0.756               |
|               | Rear          | 0.759                | 0.031                      | 0.181                       | <b>0.971</b>        |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.500                 | 0.035                      | 0.016                       | 0.551               |
|               | Rear          | 0.490                 | 0.031                      | 0.181                       | <b>0.702</b>        |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.956                 | 0.035                      | 0.016                       | 1.007               |
|               | Rear          | 0.862                 | 0.031                      | 0.181                       | <b>1.074</b>        |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.424                  | 0.035                      | 0.016                       | 0.475               |
|               | Rear          | 0.458                  | 0.031                      | 0.181                       | <b>0.670</b>        |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.236                  | 0.035                      | 0.016                       | 0.287               |
|               | Rear          | 0.271                  | 0.031                      | 0.181                       | <b>0.483</b>        |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                           | 1+2+3               |
| Body-Worn SAR | Front         | 0.665                 | 0.035                      | 0.016                       | 0.716               |
|               | Rear          | 0.729                 | 0.031                      | 0.181                       | <b>0.941</b>        |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                  | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.511              | 0.035                      | 0.092                      | 0.638               |
|               | Rear          | 0.577              | 0.031                      | 0.567                      | 1.175               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.680               | 0.035                      | 0.092                      | 0.807               |
|               | Rear          | 0.746               | 0.031                      | 0.567                      | 1.344               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.715               | 0.035                      | 0.092                      | 0.842               |
|               | Rear          | 0.678               | 0.031                      | 0.567                      | 1.276               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.989                | 0.035                      | 0.092                      | 1.116               |
|               | Rear          | 0.873                | 0.031                      | 0.567                      | 1.471               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.705                | 0.035                      | 0.092                      | 0.832               |
|               | Rear          | 0.759                | 0.031                      | 0.567                      | 1.357               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.500                 | 0.035                      | 0.092                      | 0.627               |
|               | Rear          | 0.490                 | 0.031                      | 0.567                      | 1.088               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.956                 | 0.035                      | 0.092                      | 1.083               |
|               | Rear          | 0.862                 | 0.031                      | 0.567                      | 1.460               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.424                  | 0.035                      | 0.092                      | 0.551               |
|               | Rear          | 0.458                  | 0.031                      | 0.567                      | 1.056               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.236                  | 0.035                      | 0.092                      | 0.363               |
|               | Rear          | 0.271                  | 0.031                      | 0.567                      | 0.869               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.3G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.665                 | 0.035                      | 0.092                      | 0.792               |
|               | Rear          | 0.729                 | 0.031                      | 0.567                      | 1.327               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                  | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.511              | 0.035                      | 0.075                      | 0.621               |
|               | Rear          | 0.577              | 0.031                      | 0.504                      | 1.112               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.680               | 0.035                      | 0.075                      | 0.790               |
|               | Rear          | 0.746               | 0.031                      | 0.504                      | 1.281               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.715               | 0.035                      | 0.075                      | 0.825               |
|               | Rear          | 0.678               | 0.031                      | 0.504                      | 1.213               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.989                | 0.035                      | 0.075                      | 1.099               |
|               | Rear          | 0.873                | 0.031                      | 0.504                      | 1.408               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.705                | 0.035                      | 0.075                      | 0.815               |
|               | Rear          | 0.759                | 0.031                      | 0.504                      | 1.294               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.500                 | 0.035                      | 0.075                      | 0.610               |
|               | Rear          | 0.490                 | 0.031                      | 0.504                      | 1.025               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.956                 | 0.035                      | 0.075                      | 1.066               |
|               | Rear          | 0.862                 | 0.031                      | 0.504                      | 1.397               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.424                  | 0.035                      | 0.075                      | 0.534               |
|               | Rear          | 0.458                  | 0.031                      | 0.504                      | 0.993               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.236                  | 0.035                      | 0.075                      | 0.346               |
|               | Rear          | 0.271                  | 0.031                      | 0.504                      | 0.806               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.6G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.665                 | 0.035                      | 0.075                      | 0.775               |
|               | Rear          | 0.729                 | 0.031                      | 0.504                      | 1.264               |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                  | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.511              | 0.035                      | 0.075                      | 0.621               |
|               | Rear          | 0.577              | 0.031                      | 0.527                      | 1.135               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.680               | 0.035                      | 0.075                      | 0.790               |
|               | Rear          | 0.746               | 0.031                      | 0.527                      | 1.304               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                   | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.715               | 0.035                      | 0.075                      | 0.825               |
|               | Rear          | 0.678               | 0.031                      | 0.527                      | 1.236               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.989                | 0.035                      | 0.075                      | 1.099               |
|               | Rear          | 0.873                | 0.031                      | 0.527                      | 1.431               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                    | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.705                | 0.035                      | 0.075                      | 0.815               |
|               | Rear          | 0.759                | 0.031                      | 0.527                      | 1.317               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.500                 | 0.035                      | 0.075                      | 0.610               |
|               | Rear          | 0.490                 | 0.031                      | 0.527                      | 1.048               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.956                 | 0.035                      | 0.075                      | 1.066               |
|               | Rear          | 0.862                 | 0.031                      | 0.527                      | 1.420               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.424                  | 0.035                      | 0.075                      | 0.534               |
|               | Rear          | 0.458                  | 0.031                      | 0.527                      | 1.016               |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                      | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.236                  | 0.035                      | 0.075                      | 0.346               |
|               | Rear          | 0.271                  | 0.031                      | 0.527                      | 0.829               |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------------|----------------------------|---------------------|
|               |               | 1                     | 2                          | 3                          | 1+2+3               |
| Body-Worn SAR | Front         | 0.665                 | 0.035                      | 0.075                      | 0.775               |
|               | Rear          | 0.729                 | 0.031                      | 0.527                      | 1.287               |

| Simul Tx         | Configuration | 2.4G W-LAN<br>Ant.1 SAR<br>(W/kg) | 5.3G W-LAN<br>Ant.2 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|------------------|---------------|-----------------------------------|-----------------------------------|------------------------|
|                  |               | 1                                 | 2                                 | 1+2                    |
| Body-Worn<br>SAR | Front         | 0.107                             | 0.059                             | 0.166                  |
|                  | Rear          | 0.104                             | 0.333                             | <b>0.437</b>           |

| Simul Tx         | Configuration | 2.4G W-LAN<br>Ant.1 SAR<br>(W/kg) | 5.6G W-LAN<br>Ant.2 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|------------------|---------------|-----------------------------------|-----------------------------------|------------------------|
|                  |               | 1                                 | 2                                 | 1+2                    |
| Body-Worn<br>SAR | Front         | 0.107                             | 0.035                             | 0.142                  |
|                  | Rear          | 0.104                             | 0.315                             | <b>0.419</b>           |

| Simul Tx         | Configuration | 2.4G W-LAN<br>Ant.1 SAR<br>(W/kg) | 5.8G W-LAN<br>Ant.2 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|------------------|---------------|-----------------------------------|-----------------------------------|------------------------|
|                  |               | 1                                 | 2                                 | 1+2                    |
| Body-Worn<br>SAR | Front         | 0.107                             | 0.016                             | 0.123                  |
|                  | Rear          | 0.104                             | 0.181                             | <b>0.285</b>           |

| Simul Tx         | Configuration | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.3G W-LAN<br>Ant.1 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|------------------|---------------|----------------------------------|-----------------------------------|------------------------|
|                  |               | 1                                | 2                                 | 1+2                    |
| Body-Worn<br>SAR | Front         | 0.035                            | 0.041                             | 0.076                  |
|                  | Rear          | 0.031                            | 0.550                             | <b>0.581</b>           |

| Simul Tx         | Configuration | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.6G W-LAN<br>Ant.1 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|------------------|---------------|----------------------------------|-----------------------------------|------------------------|
|                  |               | 1                                | 2                                 | 1+2                    |
| Body-Worn<br>SAR | Front         | 0.035                            | 0.047                             | 0.082                  |
|                  | Rear          | 0.031                            | 0.478                             | <b>0.509</b>           |

| Simul Tx         | Configuration | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.8G W-LAN<br>Ant.1 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|------------------|---------------|----------------------------------|-----------------------------------|------------------------|
|                  |               | 1                                | 2                                 | 1+2                    |
| Body-Worn<br>SAR | Front         | 0.035                            | 0.070                             | 0.105                  |
|                  | Rear          | 0.031                            | 0.636                             | <b>0.667</b>           |

| Simul Tx         | Configuration | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.3G W-LAN<br>Ant.2 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|------------------|---------------|----------------------------------|-----------------------------------|------------------------|
|                  |               | 1                                | 2                                 | 1+2                    |
| Body-Worn<br>SAR | Front         | 0.035                            | 0.059                             | 0.094                  |
|                  | Rear          | 0.031                            | 0.333                             | 0.364                  |

| Simul Tx         | Configuration | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.6G W-LAN<br>Ant.2 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|------------------|---------------|----------------------------------|-----------------------------------|------------------------|
|                  |               | 1                                | 2                                 | 1+2                    |
| Body-Worn<br>SAR | Front         | 0.035                            | 0.035                             | 0.070                  |
|                  | Rear          | 0.031                            | 0.315                             | 0.346                  |

| Simul Tx         | Configuration | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.8G W-LAN<br>Ant.2 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|------------------|---------------|----------------------------------|-----------------------------------|------------------------|
|                  |               | 1                                | 2                                 | 1+2                    |
| Body-Worn<br>SAR | Front         | 0.035                            | 0.016                             | 0.051                  |
|                  | Rear          | 0.031                            | 0.181                             | 0.212                  |

| Simul Tx         | Configuration | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.3G W-LAN<br>MIMO SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|------------------|---------------|----------------------------------|----------------------------------|------------------------|
|                  |               | 1                                | 2                                | 1+2                    |
| Body-Worn<br>SAR | Front         | 0.035                            | 0.092                            | 0.127                  |
|                  | Rear          | 0.031                            | 0.567                            | 0.598                  |

| Simul Tx         | Configuration | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.6G W-LAN<br>MIMO SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|------------------|---------------|----------------------------------|----------------------------------|------------------------|
|                  |               | 1                                | 2                                | 1+2                    |
| Body-Worn<br>SAR | Front         | 0.035                            | 0.075                            | 0.110                  |
|                  | Rear          | 0.031                            | 0.504                            | 0.535                  |

| Simul Tx         | Configuration | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.8G W-LAN<br>MIMO SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|------------------|---------------|----------------------------------|----------------------------------|------------------------|
|                  |               | 1                                | 2                                | 1+2                    |
| Body-Worn<br>SAR | Front         | 0.035                            | 0.075                            | 0.110                  |
|                  | Rear          | 0.031                            | 0.527                            | 0.558                  |

| Simul Tx      | Configuration | GSM 850 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|--------------------|----------------------|---------------------|
|               |               | 1                  | 2                    | 1+2                 |
| Body-Worn SAR | Front         | 0.511              | 0.035                | 0.546               |
|               | Rear          | 0.577              | 0.031                | 0.608               |

| Simul Tx      | Configuration | GPRS 850 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------|---------------------|
|               |               | 1                   | 2                    | 1+2                 |
| Body-Worn SAR | Front         | 0.680               | 0.035                | 0.715               |
|               | Rear          | 0.746               | 0.031                | 0.777               |

| Simul Tx      | Configuration | GSM 1900 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|---------------------|----------------------|---------------------|
|               |               | 1                   | 2                    | 1+2                 |
| Body-Worn SAR | Front         | 0.715               | 0.035                | 0.750               |
|               | Rear          | 0.678               | 0.031                | 0.709               |

| Simul Tx      | Configuration | GPRS 1900 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------|---------------------|
|               |               | 1                    | 2                    | 1+2                 |
| Body-Worn SAR | Front         | 0.989                | 0.035                | 1.024               |
|               | Rear          | 0.873                | 0.031                | 0.904               |

| Simul Tx      | Configuration | WCDMA 850 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|----------------------|----------------------|---------------------|
|               |               | 1                    | 2                    | 1+2                 |
| Body-Worn SAR | Front         | 0.705                | 0.035                | 0.740               |
|               | Rear          | 0.759                | 0.031                | 0.790               |

| Simul Tx      | Configuration | WCDMA 1700 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------|---------------------|
|               |               | 1                     | 2                    | 1+2                 |
| Body-Worn SAR | Front         | 0.500                 | 0.035                | 0.535               |
|               | Rear          | 0.490                 | 0.031                | 0.521               |

| Simul Tx      | Configuration | WCDMA 1900 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------|---------------------|
|               |               | 1                     | 2                    | 1+2                 |
| Body-Worn SAR | Front         | 0.956                 | 0.035                | <b>0.991</b>        |
|               | Rear          | 0.862                 | 0.031                | 0.893               |

| Simul Tx      | Configuration | LTE Band 17 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------|---------------------|
|               |               | 1                      | 2                    | 1+2                 |
| Body-Worn SAR | Front         | 0.424                  | 0.035                | 0.459               |
|               | Rear          | 0.458                  | 0.031                | <b>0.489</b>        |

| Simul Tx      | Configuration | LTE Band 13 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|------------------------|----------------------|---------------------|
|               |               | 1                      | 2                    | 1+2                 |
| Body-Worn SAR | Front         | 0.236                  | 0.035                | 0.271               |
|               | Rear          | 0.271                  | 0.031                | <b>0.302</b>        |

| Simul Tx      | Configuration | LTE Band 5 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|---------------|---------------|-----------------------|----------------------|---------------------|
|               |               | 1                     | 2                    | 1+2                 |
| Body-Worn SAR | Front         | 0.665                 | 0.035                | 0.700               |
|               | Rear          | 0.729                 | 0.031                | <b>0.760</b>        |

## Hotspot SAR Simultaneous Transmission Analysis

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|---------------------|-----------------------------|--------------|
|             |               | 1                   | 2                           | 1+2          |
| Hotspot SAR | Top           | -                   | 0.027                       | 0.027        |
|             | Bottom        | 0.375               | -                           | 0.375        |
|             | Front         | 0.680               | 0.107                       | 0.787        |
|             | <b>Rear</b>   | 0.746               | 0.104                       | <b>0.850</b> |
|             | Right         | 0.125               | -                           | 0.125        |
|             | Left          | 0.344               | 0.111                       | 0.455        |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|----------------------|-----------------------------|--------------|
|             |               | 1                    | 2                           | 1+2          |
| Hotspot SAR | Top           | -                    | 0.027                       | 0.027        |
|             | Bottom        | 0.987                | -                           | 0.987        |
|             | <b>Front</b>  | 0.989                | 0.107                       | <b>1.096</b> |
|             | Rear          | 0.873                | 0.104                       | 0.977        |
|             | Right         | -                    | -                           | -            |
|             | Left          | 0.486                | 0.111                       | 0.597        |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|----------------------|-----------------------------|--------------|
|             |               | 1                    | 2                           | 1+2          |
| Hotspot SAR | Top           | -                    | 0.027                       | 0.027        |
|             | Bottom        | 0.407                | -                           | 0.407        |
|             | Front         | 0.705                | 0.107                       | 0.812        |
|             | <b>Rear</b>   | 0.759                | 0.104                       | <b>0.863</b> |
|             | Right         | 0.134                | -                           | 0.134        |
|             | Left          | 0.363                | 0.111                       | 0.474        |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|-----------------------|-----------------------------|--------------|
|             |               | 1                     | 2                           | 1+2          |
| Hotspot SAR | Top           | -                     | 0.027                       | 0.027        |
|             | Bottom        | 0.511                 | -                           | 0.511        |
|             | <b>Front</b>  | 0.500                 | 0.107                       | <b>0.607</b> |
|             | Rear          | 0.490                 | 0.104                       | 0.594        |
|             | Right         | -                     | -                           | -            |
|             | Left          | 0.332                 | 0.111                       | 0.443        |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.027                       | 0.027               |
|             | Bottom        | 0.917                 | -                           | 0.917               |
|             | <b>Front</b>  | 0.956                 | 0.107                       | <b>1.063</b>        |
|             | Rear          | 0.862                 | 0.104                       | 0.966               |
|             | Right         | -                     | -                           | -                   |
|             | Left          | 0.421                 | 0.111                       | 0.532               |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.027                       | 0.027               |
|             | Bottom        | 0.242                  | -                           | 0.242               |
|             | Front         | 0.424                  | 0.107                       | 0.531               |
|             | <b>Rear</b>   | 0.458                  | 0.104                       | <b>0.562</b>        |
|             | Right         | 0.158                  | -                           | 0.158               |
|             | Left          | 0.084                  | 0.111                       | 0.195               |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.027                       | 0.027               |
|             | Bottom        | 0.132                  | -                           | 0.132               |
|             | Front         | 0.236                  | 0.107                       | 0.343               |
|             | <b>Rear</b>   | 0.271                  | 0.104                       | <b>0.375</b>        |
|             | Right         | 0.061                  | -                           | 0.061               |
|             | Left          | 0.114                  | 0.111                       | 0.225               |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.027                       | 0.027               |
|             | Bottom        | 0.375                 | -                           | 0.375               |
|             | Front         | 0.665                 | 0.107                       | 0.772               |
|             | <b>Rear</b>   | 0.729                 | 0.104                       | <b>0.833</b>        |
|             | Right         | 0.125                 | -                           | 0.125               |
|             | Left          | 0.347                 | 0.111                       | 0.458               |

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|---------------------|-----------------------------|---------------------|
|             |               | 1                   | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                   | 0.159                       | 0.159               |
|             | Bottom        | 0.375               | -                           | 0.375               |
|             | Front         | 0.680               | 0.121                       | 0.801               |
|             | <b>Rear</b>   | 0.746               | 0.127                       | <b>0.873</b>        |
|             | Right         | 0.125               | -                           | 0.125               |
|             | Left          | 0.344               | 0.019                       | 0.363               |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|-----------------------------|---------------------|
|             |               | 1                    | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.159                       | 0.159               |
|             | Bottom        | 0.987                | -                           | 0.987               |
|             | <b>Front</b>  | 0.989                | 0.121                       | <b>1.110</b>        |
|             | Rear          | 0.873                | 0.127                       | 1.000               |
|             | Right         | -                    | -                           | -                   |
|             | Left          | 0.486                | 0.019                       | 0.505               |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|-----------------------------|---------------------|
|             |               | 1                    | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.159                       | 0.159               |
|             | Bottom        | 0.407                | -                           | 0.407               |
|             | Front         | 0.705                | 0.121                       | 0.826               |
|             | <b>Rear</b>   | 0.759                | 0.127                       | <b>0.886</b>        |
|             | Right         | 0.134                | -                           | 0.134               |
|             | Left          | 0.363                | 0.019                       | 0.382               |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.159                       | 0.159               |
|             | Bottom        | 0.511                 | -                           | 0.511               |
|             | <b>Front</b>  | 0.500                 | 0.121                       | <b>0.621</b>        |
|             | Rear          | 0.490                 | 0.127                       | 0.617               |
|             | Right         | -                     | -                           | -                   |
|             | Left          | 0.332                 | 0.019                       | 0.351               |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.159                       | 0.159               |
|             | Bottom        | 0.917                 | -                           | 0.917               |
|             | <b>Front</b>  | 0.956                 | 0.121                       | <b>1.077</b>        |
|             | Rear          | 0.862                 | 0.127                       | 0.989               |
|             | Right         | -                     | -                           | -                   |
|             | Left          | 0.421                 | 0.019                       | 0.440               |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.159                       | 0.159               |
|             | Bottom        | 0.242                  | -                           | 0.242               |
|             | Front         | 0.424                  | 0.121                       | 0.545               |
|             | <b>Rear</b>   | 0.458                  | 0.127                       | <b>0.585</b>        |
|             | Right         | 0.158                  | -                           | 0.158               |
|             | Left          | 0.084                  | 0.019                       | 0.103               |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.159                       | 0.159               |
|             | Bottom        | 0.132                  | -                           | 0.132               |
|             | Front         | 0.236                  | 0.121                       | 0.357               |
|             | <b>Rear</b>   | 0.271                  | 0.127                       | <b>0.398</b>        |
|             | Right         | 0.061                  | -                           | 0.061               |
|             | Left          | 0.114                  | 0.019                       | 0.133               |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | 2.4G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.159                       | 0.159               |
|             | Bottom        | 0.375                 | -                           | 0.375               |
|             | Front         | 0.665                 | 0.121                       | 0.786               |
|             | <b>Rear</b>   | 0.729                 | 0.127                       | <b>0.856</b>        |
|             | Right         | 0.125                 | -                           | 0.125               |
|             | Left          | 0.347                 | 0.019                       | 0.366               |

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|---------------------|----------------------------|---------------------|
|             |               | 1                   | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                   | 0.191                      | 0.191               |
|             | Bottom        | 0.375               | -                          | 0.375               |
|             | Front         | 0.680               | 0.159                      | 0.839               |
|             | <b>Rear</b>   | 0.746               | 0.183                      | <b>0.929</b>        |
|             | Right         | 0.125               | -                          | 0.125               |
|             | Left          | 0.344               | 0.150                      | 0.494               |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|----------------------------|---------------------|
|             |               | 1                    | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.191                      | 0.191               |
|             | Bottom        | 0.987                | -                          | 0.987               |
|             | <b>Front</b>  | 0.989                | 0.159                      | <b>1.148</b>        |
|             | Rear          | 0.873                | 0.183                      | 1.056               |
|             | Right         | -                    | -                          | -                   |
|             | Left          | 0.486                | 0.150                      | 0.636               |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|----------------------------|---------------------|
|             |               | 1                    | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.191                      | 0.191               |
|             | Bottom        | 0.407                | -                          | 0.407               |
|             | Front         | 0.705                | 0.159                      | 0.864               |
|             | <b>Rear</b>   | 0.759                | 0.183                      | <b>0.942</b>        |
|             | Right         | 0.134                | -                          | 0.134               |
|             | Left          | 0.363                | 0.15                       | 0.513               |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|---------------------|
|             |               | 1                     | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.191                      | 0.191               |
|             | Bottom        | 0.511                 | -                          | 0.511               |
|             | Front         | 0.500                 | 0.159                      | 0.659               |
|             | <b>Rear</b>   | 0.490                 | 0.183                      | <b>0.673</b>        |
|             | Right         | -                     | -                          | -                   |
|             | Left          | 0.332                 | 0.150                      | 0.482               |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|---------------------|
|             |               | 1                     | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.191                      | 0.191               |
|             | Bottom        | 0.917                 | -                          | 0.917               |
|             | <b>Front</b>  | 0.956                 | 0.159                      | <b>1.115</b>        |
|             | Rear          | 0.862                 | 0.183                      | 1.045               |
|             | Right         | -                     | -                          | -                   |
|             | Left          | 0.421                 | 0.150                      | 0.571               |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|----------------------------|---------------------|
|             |               | 1                      | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.191                      | 0.191               |
|             | Bottom        | 0.242                  | -                          | 0.242               |
|             | Front         | 0.424                  | 0.159                      | 0.583               |
|             | <b>Rear</b>   | 0.458                  | 0.183                      | <b>0.641</b>        |
|             | Right         | 0.158                  | -                          | 0.158               |
|             | Left          | 0.084                  | 0.150                      | 0.234               |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|----------------------------|---------------------|
|             |               | 1                      | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.191                      | 0.191               |
|             | Bottom        | 0.132                  | -                          | 0.132               |
|             | Front         | 0.236                  | 0.159                      | 0.395               |
|             | <b>Rear</b>   | 0.271                  | 0.183                      | <b>0.454</b>        |
|             | Right         | 0.061                  | -                          | 0.061               |
|             | Left          | 0.114                  | 0.150                      | 0.264               |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | 2.4G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|---------------------|
|             |               | 1                     | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.191                      | 0.191               |
|             | Bottom        | 0.375                 | -                          | 0.375               |
|             | Front         | 0.665                 | 0.159                      | 0.824               |
|             | <b>Rear</b>   | 0.729                 | 0.183                      | <b>0.912</b>        |
|             | Right         | 0.125                 | -                          | 0.125               |
|             | Left          | 0.347                 | 0.150                      | 0.497               |

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | 5.2G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|---------------------|-----------------------------|---------------------|
|             |               | 1                   | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                   | 0.101                       | 0.101               |
|             | Bottom        | 0.375               | -                           | 0.375               |
|             | Front         | 0.680               | 0.040                       | 0.720               |
|             | <b>Rear</b>   | 0.746               | 0.532                       | <b>1.278</b>        |
|             | Right         | 0.125               | -                           | 0.125               |
|             | Left          | 0.344               | 0.254                       | 0.598               |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | 5.2G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|-----------------------------|---------------------|
|             |               | 1                    | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.101                       | 0.101               |
|             | Bottom        | 0.987                | -                           | 0.987               |
|             | Front         | 0.989                | 0.040                       | 1.029               |
|             | <b>Rear</b>   | 0.873                | 0.532                       | <b>1.405</b>        |
|             | Right         | -                    | -                           | -                   |
|             | Left          | 0.486                | 0.254                       | 0.740               |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | 5.2G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|-----------------------------|---------------------|
|             |               | 1                    | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.101                       | 0.101               |
|             | Bottom        | 0.407                | -                           | 0.407               |
|             | Front         | 0.705                | 0.040                       | 0.745               |
|             | <b>Rear</b>   | 0.759                | 0.532                       | <b>1.291</b>        |
|             | Right         | 0.134                | -                           | 0.134               |
|             | Left          | 0.363                | 0.254                       | 0.617               |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | 5.2G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.101                       | 0.101               |
|             | Bottom        | 0.511                 | -                           | 0.511               |
|             | Front         | 0.500                 | 0.040                       | 0.540               |
|             | <b>Rear</b>   | 0.490                 | 0.532                       | <b>1.022</b>        |
|             | Right         | -                     | -                           | -                   |
|             | Left          | 0.332                 | 0.254                       | 0.586               |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | 5.2G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.101                       | 0.101               |
|             | Bottom        | 0.917                 | -                           | 0.917               |
|             | Front         | 0.956                 | 0.040                       | 0.996               |
|             | <b>Rear</b>   | 0.862                 | 0.532                       | <b>1.394</b>        |
|             | Right         | -                     | -                           | -                   |
|             | Left          | 0.421                 | 0.254                       | 0.675               |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | 5.2G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.101                       | 0.101               |
|             | Bottom        | 0.242                  | -                           | 0.242               |
|             | Front         | 0.424                  | 0.04                        | 0.464               |
|             | <b>Rear</b>   | 0.458                  | 0.532                       | <b>0.990</b>        |
|             | Right         | 0.158                  | -                           | 0.158               |
|             | Left          | 0.084                  | 0.254                       | 0.338               |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | 5.2G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.101                       | 0.101               |
|             | Bottom        | 0.132                  | -                           | 0.132               |
|             | Front         | 0.236                  | 0.040                       | 0.276               |
|             | <b>Rear</b>   | 0.271                  | 0.532                       | <b>0.803</b>        |
|             | Right         | 0.061                  | -                           | 0.061               |
|             | Left          | 0.114                  | 0.254                       | 0.368               |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | 5.2G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.101                       | 0.101               |
|             | Bottom        | 0.375                 | -                           | 0.375               |
|             | Front         | 0.665                 | 0.040                       | 0.705               |
|             | <b>Rear</b>   | 0.729                 | 0.532                       | <b>1.261</b>        |
|             | Right         | 0.125                 | -                           | 0.125               |
|             | Left          | 0.347                 | 0.254                       | 0.601               |

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|---------------------|-----------------------------|---------------------|
|             |               | 1                   | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                   | 0.116                       | 0.116               |
|             | Bottom        | 0.375               | -                           | 0.375               |
|             | Front         | 0.680               | 0.058                       | 0.738               |
|             | <b>Rear</b>   | 0.746               | 0.328                       | <b>1.074</b>        |
|             | Right         | 0.125               | -                           | 0.125               |
|             | Left          | 0.344               | 0.056                       | 0.400               |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|-----------------------------|---------------------|
|             |               | 1                    | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.116                       | 0.116               |
|             | Bottom        | 0.987                | -                           | 0.987               |
|             | Front         | 0.989                | 0.058                       | 1.047               |
|             | <b>Rear</b>   | 0.873                | 0.328                       | <b>1.201</b>        |
|             | Right         | -                    | -                           | -                   |
|             | Left          | 0.486                | 0.056                       | 0.542               |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|-----------------------------|---------------------|
|             |               | 1                    | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.116                       | 0.116               |
|             | Bottom        | 0.407                | -                           | 0.407               |
|             | Front         | 0.705                | 0.058                       | 0.763               |
|             | <b>Rear</b>   | 0.759                | 0.328                       | <b>1.087</b>        |
|             | Right         | 0.134                | -                           | 0.134               |
|             | Left          | 0.363                | 0.056                       | 0.419               |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.116                       | 0.116               |
|             | Bottom        | 0.511                 | -                           | 0.511               |
|             | Front         | 0.500                 | 0.058                       | 0.558               |
|             | <b>Rear</b>   | 0.490                 | 0.328                       | <b>0.818</b>        |
|             | Right         | -                     | -                           | -                   |
|             | Left          | 0.332                 | 0.056                       | 0.388               |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.116                       | 0.116               |
|             | Bottom        | 0.917                 | -                           | 0.917               |
|             | Front         | 0.956                 | 0.058                       | 1.014               |
|             | <b>Rear</b>   | 0.862                 | 0.328                       | <b>1.190</b>        |
|             | Right         | -                     | -                           | -                   |
|             | Left          | 0.421                 | 0.056                       | 0.477               |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.116                       | 0.116               |
|             | Bottom        | 0.242                  | -                           | 0.242               |
|             | Front         | 0.424                  | 0.058                       | 0.482               |
|             | <b>Rear</b>   | 0.458                  | 0.328                       | <b>0.786</b>        |
|             | Right         | 0.158                  | -                           | 0.158               |
|             | Left          | 0.084                  | 0.056                       | 0.140               |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.116                       | 0.116               |
|             | Bottom        | 0.132                  | -                           | 0.132               |
|             | Front         | 0.236                  | 0.058                       | 0.294               |
|             | <b>Rear</b>   | 0.271                  | 0.328                       | <b>0.599</b>        |
|             | Right         | 0.061                  | -                           | 0.061               |
|             | Left          | 0.114                  | 0.056                       | 0.170               |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.116                       | 0.116               |
|             | Bottom        | 0.375                 | -                           | 0.375               |
|             | Front         | 0.665                 | 0.058                       | 0.723               |
|             | <b>Rear</b>   | 0.729                 | 0.328                       | <b>1.057</b>        |
|             | Right         | 0.125                 | -                           | 0.125               |
|             | Left          | 0.347                 | 0.056                       | 0.403               |

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | 5.2G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|---------------------|----------------------------|---------------------|
|             |               | 1                   | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                   | 0.209                      | 0.209               |
|             | Bottom        | 0.375               | -                          | 0.375               |
|             | Front         | 0.680               | 0.089                      | 0.769               |
|             | <b>Rear</b>   | 0.746               | 0.586                      | <b>1.332</b>        |
|             | Right         | 0.125               | -                          | 0.125               |
|             | Left          | 0.344               | 0.279                      | 0.623               |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | 5.2G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|----------------------------|---------------------|
|             |               | 1                    | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.209                      | 0.209               |
|             | Bottom        | 0.987                | -                          | 0.987               |
|             | Front         | 0.989                | 0.089                      | 1.078               |
|             | <b>Rear</b>   | 0.873                | 0.586                      | <b>1.459</b>        |
|             | Right         | -                    | -                          | -                   |
|             | Left          | 0.486                | 0.279                      | 0.765               |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | 5.2G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|----------------------------|---------------------|
|             |               | 1                    | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.209                      | 0.209               |
|             | Bottom        | 0.407                | -                          | 0.407               |
|             | Front         | 0.705                | 0.089                      | 0.794               |
|             | <b>Rear</b>   | 0.759                | 0.586                      | <b>1.345</b>        |
|             | Right         | 0.134                | -                          | 0.134               |
|             | Left          | 0.363                | 0.279                      | 0.642               |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | 5.2G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|---------------------|
|             |               | 1                     | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.209                      | 0.209               |
|             | Bottom        | 0.511                 | -                          | 0.511               |
|             | Front         | 0.500                 | 0.089                      | 0.589               |
|             | <b>Rear</b>   | 0.490                 | 0.586                      | <b>1.076</b>        |
|             | Right         | -                     | -                          | -                   |
|             | Left          | 0.332                 | 0.279                      | 0.611               |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | 5.2G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|---------------------|
|             |               | 1                     | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.209                      | 0.209               |
|             | Bottom        | 0.917                 | -                          | 0.917               |
|             | Front         | 0.956                 | 0.089                      | 1.045               |
|             | <b>Rear</b>   | 0.862                 | 0.586                      | <b>1.448</b>        |
|             | Right         | -                     | -                          | -                   |
|             | Left          | 0.421                 | 0.279                      | 0.700               |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | 5.2G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|----------------------------|---------------------|
|             |               | 1                      | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.209                      | 0.209               |
|             | Bottom        | 0.242                  | -                          | 0.242               |
|             | Front         | 0.424                  | 0.089                      | 0.513               |
|             | <b>Rear</b>   | 0.458                  | 0.586                      | <b>1.044</b>        |
|             | Right         | 0.158                  | -                          | 0.158               |
|             | Left          | 0.084                  | 0.279                      | 0.363               |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | 5.2G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|----------------------------|---------------------|
|             |               | 1                      | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.209                      | 0.209               |
|             | Bottom        | 0.132                  | -                          | 0.132               |
|             | Front         | 0.236                  | 0.089                      | 0.325               |
|             | <b>Rear</b>   | 0.271                  | 0.586                      | <b>0.857</b>        |
|             | Right         | 0.061                  | -                          | 0.061               |
|             | Left          | 0.114                  | 0.279                      | 0.393               |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | 5.2G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|---------------------|
|             |               | 1                     | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.209                      | 0.209               |
|             | Bottom        | 0.375                 | -                          | 0.375               |
|             | Front         | 0.665                 | 0.089                      | 0.754               |
|             | <b>Rear</b>   | 0.729                 | 0.586                      | <b>1.315</b>        |
|             | Right         | 0.125                 | -                          | 0.125               |
|             | Left          | 0.347                 | 0.279                      | 0.626               |

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|---------------------|-----------------------------|---------------------|
|             |               | 1                   | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                   | 0.060                       | 0.060               |
|             | Bottom        | 0.375               | -                           | 0.375               |
|             | Front         | 0.680               | 0.070                       | 0.750               |
|             | <b>Rear</b>   | 0.746               | 0.636                       | <b>1.382</b>        |
|             | Right         | 0.125               | -                           | 0.125               |
|             | Left          | 0.344               | 0.317                       | 0.661               |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|-----------------------------|---------------------|
|             |               | 1                    | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.060                       | 0.060               |
|             | Bottom        | 0.987                | -                           | 0.987               |
|             | Front         | 0.989                | 0.070                       | 1.059               |
|             | <b>Rear</b>   | 0.873                | 0.636                       | <b>1.509</b>        |
|             | Right         | -                    | -                           | -                   |
|             | Left          | 0.486                | 0.317                       | 0.803               |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|-----------------------------|---------------------|
|             |               | 1                    | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.060                       | 0.060               |
|             | Bottom        | 0.407                | -                           | 0.407               |
|             | Front         | 0.705                | 0.070                       | 0.775               |
|             | <b>Rear</b>   | 0.759                | 0.636                       | <b>1.395</b>        |
|             | Right         | 0.134                | -                           | 0.134               |
|             | Left          | 0.363                | 0.317                       | 0.680               |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.060                       | 0.060               |
|             | Bottom        | 0.511                 | -                           | 0.511               |
|             | Front         | 0.500                 | 0.070                       | 0.570               |
|             | <b>Rear</b>   | 0.490                 | 0.636                       | <b>1.126</b>        |
|             | Right         | -                     | -                           | -                   |
|             | Left          | 0.332                 | 0.317                       | 0.649               |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.060                       | 0.060               |
|             | Bottom        | 0.917                 | -                           | 0.917               |
|             | Front         | 0.956                 | 0.070                       | 1.026               |
|             | <b>Rear</b>   | 0.862                 | 0.636                       | <b>1.498</b>        |
|             | Right         | -                     | -                           | -                   |
|             | Left          | 0.421                 | 0.317                       | 0.738               |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.060                       | 0.060               |
|             | Bottom        | 0.242                  | -                           | 0.242               |
|             | Front         | 0.424                  | 0.070                       | 0.494               |
|             | <b>Rear</b>   | 0.458                  | 0.636                       | <b>1.094</b>        |
|             | Right         | 0.158                  | -                           | 0.158               |
|             | Left          | 0.084                  | 0.317                       | 0.401               |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.060                       | 0.060               |
|             | Bottom        | 0.132                  | -                           | 0.132               |
|             | Front         | 0.236                  | 0.070                       | 0.306               |
|             | <b>Rear</b>   | 0.271                  | 0.636                       | <b>0.907</b>        |
|             | Right         | 0.061                  | -                           | 0.061               |
|             | Left          | 0.114                  | 0.317                       | 0.431               |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.060                       | 0.060               |
|             | Bottom        | 0.375                 | -                           | 0.375               |
|             | Front         | 0.665                 | 0.070                       | 0.735               |
|             | <b>Rear</b>   | 0.729                 | 0.636                       | <b>1.365</b>        |
|             | Right         | 0.125                 | -                           | 0.125               |
|             | Left          | 0.347                 | 0.317                       | 0.664               |

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|---------------------|-----------------------------|---------------------|
|             |               | 1                   | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                   | 0.152                       | 0.152               |
|             | Bottom        | 0.375               | -                           | 0.375               |
|             | Front         | 0.680               | 0.016                       | 0.696               |
|             | <b>Rear</b>   | 0.746               | 0.181                       | <b>0.927</b>        |
|             | Right         | 0.125               | -                           | 0.125               |
|             | Left          | 0.344               | 0.016                       | 0.360               |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|-----------------------------|---------------------|
|             |               | 1                    | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.152                       | 0.152               |
|             | Bottom        | 0.987                | -                           | 0.987               |
|             | Front         | 0.989                | 0.016                       | 1.005               |
|             | <b>Rear</b>   | 0.873                | 0.181                       | <b>1.054</b>        |
|             | Right         | -                    | -                           | -                   |
|             | Left          | 0.486                | 0.016                       | 0.502               |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|-----------------------------|---------------------|
|             |               | 1                    | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.152                       | 0.152               |
|             | Bottom        | 0.407                | -                           | 0.407               |
|             | Front         | 0.705                | 0.016                       | 0.721               |
|             | <b>Rear</b>   | 0.759                | 0.181                       | <b>0.940</b>        |
|             | Right         | 0.134                | -                           | 0.134               |
|             | Left          | 0.363                | 0.016                       | 0.379               |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.152                       | 0.152               |
|             | Bottom        | 0.511                 | -                           | 0.511               |
|             | Front         | 0.500                 | 0.016                       | 0.516               |
|             | <b>Rear</b>   | 0.490                 | 0.181                       | <b>0.671</b>        |
|             | Right         | -                     | -                           | -                   |
|             | Left          | 0.332                 | 0.016                       | 0.348               |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.152                       | 0.152               |
|             | Bottom        | 0.917                 | -                           | 0.917               |
|             | Front         | 0.956                 | 0.016                       | 0.972               |
|             | <b>Rear</b>   | 0.862                 | 0.181                       | <b>1.043</b>        |
|             | Right         | -                     | -                           | -                   |
|             | Left          | 0.421                 | 0.016                       | 0.437               |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.152                       | 0.152               |
|             | Bottom        | 0.242                  | -                           | 0.242               |
|             | Front         | 0.424                  | 0.016                       | 0.440               |
|             | <b>Rear</b>   | 0.458                  | 0.181                       | <b>0.639</b>        |
|             | Right         | 0.158                  | -                           | 0.158               |
|             | Left          | 0.084                  | 0.016                       | 0.100               |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.152                       | 0.152               |
|             | Bottom        | 0.132                  | -                           | 0.132               |
|             | Front         | 0.236                  | 0.016                       | 0.252               |
|             | <b>Rear</b>   | 0.271                  | 0.181                       | <b>0.452</b>        |
|             | Right         | 0.061                  | -                           | 0.061               |
|             | Left          | 0.114                  | 0.016                       | 0.130               |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.152                       | 0.152               |
|             | Bottom        | 0.375                 | -                           | 0.375               |
|             | Front         | 0.665                 | 0.016                       | 0.681               |
|             | <b>Rear</b>   | 0.729                 | 0.181                       | <b>0.910</b>        |
|             | Right         | 0.125                 | -                           | 0.125               |
|             | Left          | 0.347                 | 0.016                       | 0.363               |

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|---------------------|----------------------------|---------------------|
|             |               | 1                   | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                   | 0.177                      | 0.177               |
|             | Bottom        | 0.375               | -                          | 0.375               |
|             | Front         | 0.680               | 0.075                      | 0.755               |
|             | <b>Rear</b>   | 0.746               | 0.527                      | <b>1.273</b>        |
|             | Right         | 0.125               | -                          | 0.125               |
|             | Left          | 0.344               | 0.338                      | 0.682               |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|----------------------------|---------------------|
|             |               | 1                    | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.177                      | 0.177               |
|             | Bottom        | 0.987                | -                          | 0.987               |
|             | Front         | 0.989                | 0.075                      | 1.064               |
|             | <b>Rear</b>   | 0.873                | 0.527                      | <b>1.400</b>        |
|             | Right         | -                    | -                          | -                   |
|             | Left          | 0.486                | 0.338                      | 0.824               |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|----------------------------|---------------------|
|             |               | 1                    | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.177                      | 0.177               |
|             | Bottom        | 0.407                | -                          | 0.407               |
|             | Front         | 0.705                | 0.075                      | 0.780               |
|             | <b>Rear</b>   | 0.759                | 0.527                      | <b>1.286</b>        |
|             | Right         | 0.134                | -                          | 0.134               |
|             | Left          | 0.363                | 0.338                      | 0.701               |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|---------------------|
|             |               | 1                     | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.177                      | 0.177               |
|             | Bottom        | 0.511                 | -                          | 0.511               |
|             | Front         | 0.500                 | 0.075                      | 0.575               |
|             | <b>Rear</b>   | 0.490                 | 0.527                      | <b>1.017</b>        |
|             | Right         | -                     | -                          | -                   |
|             | Left          | 0.332                 | 0.338                      | 0.670               |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|---------------------|
|             |               | 1                     | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.177                      | 0.177               |
|             | Bottom        | 0.917                 | -                          | 0.917               |
|             | Front         | 0.956                 | 0.075                      | 1.031               |
|             | <b>Rear</b>   | 0.862                 | 0.527                      | <b>1.389</b>        |
|             | Right         | -                     | -                          | -                   |
|             | Left          | 0.421                 | 0.338                      | 0.759               |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|----------------------------|---------------------|
|             |               | 1                      | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.177                      | 0.177               |
|             | Bottom        | 0.242                  | -                          | 0.242               |
|             | Front         | 0.424                  | 0.075                      | 0.499               |
|             | <b>Rear</b>   | 0.458                  | 0.527                      | <b>0.985</b>        |
|             | Right         | 0.158                  | -                          | 0.158               |
|             | Left          | 0.084                  | 0.338                      | 0.422               |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|----------------------------|---------------------|
|             |               | 1                      | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.177                      | 0.177               |
|             | Bottom        | 0.132                  | -                          | 0.132               |
|             | Front         | 0.236                  | 0.075                      | 0.311               |
|             | <b>Rear</b>   | 0.271                  | 0.527                      | <b>0.798</b>        |
|             | Right         | 0.061                  | -                          | 0.061               |
|             | Left          | 0.114                  | 0.338                      | 0.452               |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|---------------------|
|             |               | 1                     | 2                          | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.177                      | 0.177               |
|             | Bottom        | 0.375                 | -                          | 0.375               |
|             | Front         | 0.665                 | 0.075                      | 0.740               |
|             | <b>Rear</b>   | 0.729                 | 0.527                      | <b>1.256</b>        |
|             | Right         | 0.125                 | -                          | 0.125               |
|             | Left          | 0.347                 | 0.338                      | 0.685               |

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|---------------------|-----------------------------|-----------------------------|---------------------|
|             |               | 1                   | 2                           | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                   | 0.027                       | 0.116                       | 0.143               |
|             | Bottom        | 0.375               | -                           | -                           | 0.375               |
|             | Front         | 0.680               | 0.107                       | 0.058                       | 0.845               |
|             | <b>Rear</b>   | 0.746               | 0.104                       | 0.328                       | <b>1.178</b>        |
|             | Right         | 0.125               | -                           | -                           | 0.125               |
|             | Left          | 0.344               | 0.111                       | 0.056                       | 0.511               |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|-----------------------------|-----------------------------|---------------------|
|             |               | 1                    | 2                           | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                    | 0.027                       | 0.116                       | 0.143               |
|             | Bottom        | 0.987                | -                           | -                           | 0.987               |
|             | Front         | 0.989                | 0.107                       | 0.058                       | 1.154               |
|             | <b>Rear</b>   | 0.873                | 0.104                       | 0.328                       | <b>1.305</b>        |
|             | Right         | -                    | -                           | -                           | -                   |
|             | Left          | 0.486                | 0.111                       | 0.056                       | 0.653               |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|-----------------------------|-----------------------------|---------------------|
|             |               | 1                    | 2                           | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                    | 0.027                       | 0.116                       | 0.143               |
|             | Bottom        | 0.407                | -                           | -                           | 0.407               |
|             | Front         | 0.705                | 0.107                       | 0.058                       | 0.870               |
|             | <b>Rear</b>   | 0.759                | 0.104                       | 0.328                       | <b>1.191</b>        |
|             | Right         | 0.134                | -                           | -                           | 0.134               |
|             | Left          | 0.363                | 0.111                       | 0.056                       | 0.530               |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                     | 0.027                       | 0.116                       | 0.143               |
|             | Bottom        | 0.511                 | -                           | -                           | 0.511               |
|             | Front         | 0.500                 | 0.107                       | 0.058                       | 0.665               |
|             | <b>Rear</b>   | 0.490                 | 0.104                       | 0.328                       | <b>0.922</b>        |
|             | Right         | -                     | -                           | -                           | -                   |
|             | Left          | 0.332                 | 0.111                       | 0.056                       | 0.499               |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                     | 0.027                       | 0.116                       | 0.143               |
|             | Bottom        | 0.917                 | -                           | -                           | 0.917               |
|             | Front         | 0.956                 | 0.107                       | 0.058                       | 1.121               |
|             | <b>Rear</b>   | 0.862                 | 0.104                       | 0.328                       | <b>1.294</b>        |
|             | Right         | -                     | -                           | -                           | -                   |
|             | Left          | 0.421                 | 0.111                       | 0.056                       | 0.588               |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|-----------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                           | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                      | 0.027                       | 0.116                       | 0.143               |
|             | Bottom        | 0.242                  | -                           | -                           | 0.242               |
|             | Front         | 0.424                  | 0.107                       | 0.058                       | 0.589               |
|             | <b>Rear</b>   | 0.458                  | 0.104                       | 0.328                       | <b>0.890</b>        |
|             | Right         | 0.158                  | -                           | -                           | 0.158               |
|             | Left          | 0.084                  | 0.111                       | 0.056                       | 0.251               |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|-----------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                           | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                      | 0.027                       | 0.116                       | 0.143               |
|             | Bottom        | 0.132                  | -                           | -                           | 0.132               |
|             | Front         | 0.236                  | 0.107                       | 0.058                       | 0.401               |
|             | <b>Rear</b>   | 0.271                  | 0.104                       | 0.328                       | <b>0.703</b>        |
|             | Right         | 0.061                  | -                           | -                           | 0.061               |
|             | Left          | 0.114                  | 0.111                       | 0.056                       | 0.281               |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                     | 0.027                       | 0.116                       | 0.143               |
|             | Bottom        | 0.375                 | -                           | -                           | 0.375               |
|             | Front         | 0.665                 | 0.107                       | 0.058                       | 0.830               |
|             | <b>Rear</b>   | 0.729                 | 0.104                       | 0.328                       | <b>1.161</b>        |
|             | Right         | 0.125                 | -                           | -                           | 0.125               |
|             | Left          | 0.347                 | 0.111                       | 0.056                       | 0.458               |

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|---------------------|-----------------------------|-----------------------------|--------------|
|             |               | 1                   | 2                           | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                   | 0.027                       | 0.152                       | 0.179        |
|             | Bottom        | 0.375               | -                           | -                           | 0.375        |
|             | Front         | 0.680               | 0.107                       | 0.016                       | 0.803        |
|             | <b>Rear</b>   | 0.746               | 0.104                       | 0.181                       | <b>1.031</b> |
|             | Right         | 0.125               | -                           | -                           | 0.125        |
|             | Left          | 0.344               | 0.111                       | 0.016                       | 0.471        |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|----------------------|-----------------------------|-----------------------------|--------------|
|             |               | 1                    | 2                           | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                    | 0.027                       | 0.152                       | 0.179        |
|             | Bottom        | 0.987                | -                           | -                           | 0.987        |
|             | Front         | 0.989                | 0.107                       | 0.016                       | 1.112        |
|             | <b>Rear</b>   | 0.873                | 0.104                       | 0.181                       | <b>1.158</b> |
|             | Right         | -                    | -                           | -                           | -            |
|             | Left          | 0.486                | 0.111                       | 0.016                       | 0.613        |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|----------------------|-----------------------------|-----------------------------|--------------|
|             |               | 1                    | 2                           | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                    | 0.027                       | 0.152                       | 0.179        |
|             | Bottom        | 0.407                | -                           | -                           | 0.407        |
|             | Front         | 0.705                | 0.107                       | 0.016                       | 0.828        |
|             | <b>Rear</b>   | 0.759                | 0.104                       | 0.181                       | <b>1.044</b> |
|             | Right         | 0.134                | -                           | -                           | 0.134        |
|             | Left          | 0.363                | 0.111                       | 0.016                       | 0.490        |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|-----------------------|-----------------------------|-----------------------------|--------------|
|             |               | 1                     | 2                           | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                     | 0.027                       | 0.152                       | 0.179        |
|             | Bottom        | 0.511                 | -                           | -                           | 0.511        |
|             | Front         | 0.500                 | 0.107                       | 0.016                       | 0.623        |
|             | <b>Rear</b>   | 0.490                 | 0.104                       | 0.181                       | <b>0.775</b> |
|             | Right         | -                     | -                           | -                           | -            |
|             | Left          | 0.332                 | 0.111                       | 0.016                       | 0.459        |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                     | 0.027                       | 0.152                       | 0.179               |
|             | Bottom        | 0.917                 | -                           | -                           | 0.917               |
|             | Front         | 0.956                 | 0.107                       | 0.016                       | 1.079               |
|             | <b>Rear</b>   | 0.862                 | 0.104                       | 0.181                       | <b>1.147</b>        |
|             | Right         | -                     | -                           | -                           | -                   |
|             | Left          | 0.421                 | 0.111                       | 0.016                       | 0.548               |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|-----------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                           | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                      | 0.027                       | 0.152                       | 0.179               |
|             | Bottom        | 0.242                  | -                           | -                           | 0.242               |
|             | Front         | 0.424                  | 0.107                       | 0.016                       | 0.547               |
|             | <b>Rear</b>   | 0.458                  | 0.104                       | 0.181                       | <b>0.743</b>        |
|             | Right         | 0.158                  | -                           | -                           | 0.158               |
|             | Left          | 0.084                  | 0.111                       | 0.016                       | 0.211               |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|-----------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                           | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                      | 0.027                       | 0.152                       | 0.179               |
|             | Bottom        | 0.132                  | -                           | -                           | 0.132               |
|             | Front         | 0.236                  | 0.107                       | 0.016                       | 0.359               |
|             | <b>Rear</b>   | 0.271                  | 0.104                       | 0.181                       | <b>0.556</b>        |
|             | Right         | 0.061                  | -                           | -                           | 0.061               |
|             | Left          | 0.114                  | 0.111                       | 0.016                       | 0.241               |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | 2.4G W-LAN Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|-----------------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                           | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                     | 0.027                       | 0.152                       | 0.179               |
|             | Bottom        | 0.375                 | -                           | -                           | 0.375               |
|             | Front         | 0.665                 | 0.107                       | 0.016                       | 0.788               |
|             | <b>Rear</b>   | 0.729                 | 0.104                       | 0.181                       | <b>1.014</b>        |
|             | Right         | 0.125                 | -                           | -                           | 0.125               |
|             | Left          | 0.347                 | 0.111                       | 0.016                       | 0.474               |

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.1 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|---------------------|----------------------------|-----------------------------|--------------|
|             |               | 1                   | 2                          | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                   | 0.017                      | 0.101                       | 0.118        |
|             | Bottom        | 0.375               | -                          | -                           | 0.375        |
|             | Front         | 0.680               | 0.035                      | 0.040                       | 0.755        |
|             | <b>Rear</b>   | 0.746               | 0.031                      | 0.532                       | <b>1.309</b> |
|             | Right         | 0.125               | -                          | -                           | 0.125        |
|             | Left          | 0.344               | 0.056                      | 0.254                       | 0.654        |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.1 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|----------------------|----------------------------|-----------------------------|--------------|
|             |               | 1                    | 2                          | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                    | 0.017                      | 0.101                       | 0.118        |
|             | Bottom        | 0.987                | -                          | -                           | 0.987        |
|             | Front         | 0.989                | 0.035                      | 0.040                       | 1.064        |
|             | <b>Rear</b>   | 0.873                | 0.031                      | 0.532                       | <b>1.436</b> |
|             | Right         | -                    | -                          | -                           | -            |
|             | Left          | 0.486                | 0.056                      | 0.254                       | 0.796        |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.1 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|----------------------|----------------------------|-----------------------------|--------------|
|             |               | 1                    | 2                          | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                    | 0.017                      | 0.101                       | 0.118        |
|             | Bottom        | 0.407                | -                          | -                           | 0.407        |
|             | Front         | 0.705                | 0.035                      | 0.040                       | 0.780        |
|             | <b>Rear</b>   | 0.759                | 0.031                      | 0.532                       | <b>1.322</b> |
|             | Right         | 0.134                | -                          | -                           | 0.134        |
|             | Left          | 0.363                | 0.056                      | 0.254                       | 0.673        |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.1 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|-----------------------|----------------------------|-----------------------------|--------------|
|             |               | 1                     | 2                          | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.101                       | 0.118        |
|             | Bottom        | 0.511                 | -                          | -                           | 0.511        |
|             | Front         | 0.500                 | 0.035                      | 0.040                       | 0.575        |
|             | <b>Rear</b>   | 0.490                 | 0.031                      | 0.532                       | <b>1.053</b> |
|             | Right         | -                     | -                          | -                           | -            |
|             | Left          | 0.332                 | 0.056                      | 0.254                       | 0.642        |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.1 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|-----------------------|----------------------------|-----------------------------|--------------|
|             |               | 1                     | 2                          | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.101                       | 0.118        |
|             | Bottom        | 0.917                 | -                          | -                           | 0.917        |
|             | Front         | 0.956                 | 0.035                      | 0.040                       | 1.031        |
|             | <b>Rear</b>   | 0.862                 | 0.031                      | 0.532                       | <b>1.425</b> |
|             | Right         | -                     | -                          | -                           | -            |
|             | Left          | 0.421                 | 0.056                      | 0.254                       | 0.731        |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.1 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|------------------------|----------------------------|-----------------------------|--------------|
|             |               | 1                      | 2                          | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                      | 0.017                      | 0.101                       | 0.118        |
|             | Bottom        | 0.242                  | -                          | -                           | 0.242        |
|             | Front         | 0.424                  | 0.035                      | 0.040                       | 0.499        |
|             | <b>Rear</b>   | 0.458                  | 0.031                      | 0.532                       | <b>1.021</b> |
|             | Right         | 0.158                  | -                          | -                           | 0.158        |
|             | Left          | 0.084                  | 0.056                      | 0.254                       | 0.394        |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.1 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|------------------------|----------------------------|-----------------------------|--------------|
|             |               | 1                      | 2                          | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                      | 0.017                      | 0.101                       | 0.118        |
|             | Bottom        | 0.132                  | -                          | -                           | 0.132        |
|             | Front         | 0.236                  | 0.035                      | 0.040                       | 0.311        |
|             | <b>Rear</b>   | 0.271                  | 0.031                      | 0.532                       | <b>0.834</b> |
|             | Right         | 0.061                  | -                          | -                           | 0.061        |
|             | Left          | 0.114                  | 0.056                      | 0.254                       | 0.424        |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.1 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|-----------------------|----------------------------|-----------------------------|--------------|
|             |               | 1                     | 2                          | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.101                       | 0.118        |
|             | Bottom        | 0.375                 | -                          | -                           | 0.375        |
|             | Front         | 0.665                 | 0.035                      | 0.040                       | 0.740        |
|             | <b>Rear</b>   | 0.729                 | 0.031                      | 0.532                       | <b>1.292</b> |
|             | Right         | 0.125                 | -                          | -                           | 0.125        |
|             | Left          | 0.347                 | 0.056                      | 0.254                       | 0.403        |

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|---------------------|----------------------------|-----------------------------|---------------------|
|             |               | 1                   | 2                          | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                   | 0.017                      | 0.060                       | 0.077               |
|             | Bottom        | 0.375               | -                          | -                           | 0.375               |
|             | Front         | 0.680               | 0.035                      | 0.070                       | 0.785               |
|             | <b>Rear</b>   | 0.746               | 0.031                      | 0.636                       | <b>1.413</b>        |
|             | Right         | 0.125               | -                          | -                           | 0.125               |
|             | Left          | 0.344               | 0.056                      | 0.317                       | 0.717               |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|----------------------------|-----------------------------|---------------------|
|             |               | 1                    | 2                          | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                    | 0.017                      | 0.060                       | 0.077               |
|             | Bottom        | 0.987                | -                          | -                           | 0.987               |
|             | Front         | 0.989                | 0.035                      | 0.070                       | 1.094               |
|             | <b>Rear</b>   | 0.873                | 0.031                      | 0.636                       | <b>1.540</b>        |
|             | Right         | -                    | -                          | -                           | -                   |
|             | Left          | 0.486                | 0.056                      | 0.317                       | 0.859               |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|----------------------------|-----------------------------|---------------------|
|             |               | 1                    | 2                          | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                    | 0.017                      | 0.060                       | 0.077               |
|             | Bottom        | 0.407                | -                          | -                           | 0.407               |
|             | Front         | 0.705                | 0.035                      | 0.070                       | 0.810               |
|             | <b>Rear</b>   | 0.759                | 0.031                      | 0.636                       | <b>1.426</b>        |
|             | Right         | 0.134                | -                          | -                           | 0.134               |
|             | Left          | 0.363                | 0.056                      | 0.317                       | 0.736               |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                          | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.060                       | 0.077               |
|             | Bottom        | 0.511                 | -                          | -                           | 0.511               |
|             | Front         | 0.500                 | 0.035                      | 0.070                       | 0.605               |
|             | <b>Rear</b>   | 0.490                 | 0.031                      | 0.636                       | <b>1.157</b>        |
|             | Right         | -                     | -                          | -                           | -                   |
|             | Left          | 0.332                 | 0.056                      | 0.317                       | 0.705               |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                          | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.060                       | 0.077               |
|             | Bottom        | 0.917                 | -                          | -                           | 0.917               |
|             | Front         | 0.956                 | 0.035                      | 0.070                       | 1.061               |
|             | <b>Rear</b>   | 0.862                 | 0.031                      | 0.636                       | <b>1.529</b>        |
|             | Right         | -                     | -                          | -                           | -                   |
|             | Left          | 0.421                 | 0.056                      | 0.317                       | 0.794               |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                          | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                      | 0.017                      | 0.060                       | 0.077               |
|             | Bottom        | 0.242                  | -                          | -                           | 0.242               |
|             | Front         | 0.424                  | 0.035                      | 0.070                       | 0.529               |
|             | <b>Rear</b>   | 0.458                  | 0.031                      | 0.636                       | <b>1.125</b>        |
|             | Right         | 0.158                  | -                          | -                           | 0.158               |
|             | Left          | 0.084                  | 0.056                      | 0.317                       | 0.457               |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                          | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                      | 0.017                      | 0.060                       | 0.077               |
|             | Bottom        | 0.132                  | -                          | -                           | 0.132               |
|             | Front         | 0.236                  | 0.035                      | 0.070                       | 0.341               |
|             | <b>Rear</b>   | 0.271                  | 0.031                      | 0.636                       | <b>0.938</b>        |
|             | Right         | 0.061                  | -                          | -                           | 0.061               |
|             | Left          | 0.114                  | 0.056                      | 0.317                       | 0.487               |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.1 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                          | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.060                       | 0.077               |
|             | Bottom        | 0.375                 | -                          | -                           | 0.375               |
|             | Front         | 0.665                 | 0.035                      | 0.070                       | 0.770               |
|             | <b>Rear</b>   | 0.729                 | 0.031                      | 0.636                       | <b>1.396</b>        |
|             | Right         | 0.125                 | -                          | -                           | 0.125               |
|             | Left          | 0.347                 | 0.056                      | 0.317                       | 0.720               |

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|---------------------|----------------------------|-----------------------------|--------------|
|             |               | 1                   | 2                          | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                   | 0.017                      | 0.116                       | 0.133        |
|             | Bottom        | 0.375               | -                          | -                           | 0.375        |
|             | Front         | 0.680               | 0.035                      | 0.058                       | 0.773        |
|             | <b>Rear</b>   | 0.746               | 0.031                      | 0.328                       | <b>1.105</b> |
|             | Right         | 0.125               | -                          | -                           | 0.125        |
|             | Left          | 0.344               | 0.056                      | 0.056                       | 0.456        |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|----------------------|----------------------------|-----------------------------|--------------|
|             |               | 1                    | 2                          | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                    | 0.017                      | 0.116                       | 0.133        |
|             | Bottom        | 0.987                | -                          | -                           | 0.987        |
|             | Front         | 0.989                | 0.035                      | 0.058                       | 1.082        |
|             | <b>Rear</b>   | 0.873                | 0.031                      | 0.328                       | <b>1.232</b> |
|             | Right         | -                    | -                          | -                           | -            |
|             | Left          | 0.486                | 0.056                      | 0.056                       | 0.598        |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|----------------------|----------------------------|-----------------------------|--------------|
|             |               | 1                    | 2                          | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                    | 0.017                      | 0.116                       | 0.133        |
|             | Bottom        | 0.407                | -                          | -                           | 0.407        |
|             | Front         | 0.705                | 0.035                      | 0.058                       | 0.798        |
|             | <b>Rear</b>   | 0.759                | 0.031                      | 0.328                       | <b>1.118</b> |
|             | Right         | 0.134                | -                          | -                           | 0.134        |
|             | Left          | 0.363                | 0.056                      | 0.056                       | 0.475        |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|-----------------------|----------------------------|-----------------------------|--------------|
|             |               | 1                     | 2                          | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.116                       | 0.133        |
|             | Bottom        | 0.511                 | -                          | -                           | 0.511        |
|             | Front         | 0.500                 | 0.035                      | 0.058                       | 0.593        |
|             | <b>Rear</b>   | 0.490                 | 0.031                      | 0.328                       | <b>0.849</b> |
|             | Right         | -                     | -                          | -                           | -            |
|             | Left          | 0.332                 | 0.056                      | 0.056                       | 0.444        |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                          | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.116                       | 0.133               |
|             | Bottom        | 0.917                 | -                          | -                           | 0.917               |
|             | Front         | 0.956                 | 0.035                      | 0.058                       | 1.049               |
|             | <b>Rear</b>   | 0.862                 | 0.031                      | 0.328                       | <b>1.221</b>        |
|             | Right         | -                     | -                          | -                           | -                   |
|             | Left          | 0.421                 | 0.056                      | 0.056                       | 0.533               |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                          | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                      | 0.017                      | 0.116                       | 0.133               |
|             | Bottom        | 0.242                  | -                          | -                           | 0.242               |
|             | Front         | 0.424                  | 0.035                      | 0.058                       | 0.517               |
|             | <b>Rear</b>   | 0.458                  | 0.031                      | 0.328                       | <b>0.817</b>        |
|             | Right         | 0.158                  | -                          | -                           | 0.158               |
|             | Left          | 0.084                  | 0.056                      | 0.056                       | 0.196               |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                          | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                      | 0.017                      | 0.116                       | 0.133               |
|             | Bottom        | 0.132                  | -                          | -                           | 0.132               |
|             | Front         | 0.236                  | 0.035                      | 0.058                       | 0.329               |
|             | <b>Rear</b>   | 0.271                  | 0.031                      | 0.328                       | <b>0.630</b>        |
|             | Right         | 0.061                  | -                          | -                           | 0.061               |
|             | Left          | 0.114                  | 0.056                      | 0.056                       | 0.226               |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                          | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.116                       | 0.133               |
|             | Bottom        | 0.375                 | -                          | -                           | 0.375               |
|             | Front         | 0.665                 | 0.035                      | 0.058                       | 0.758               |
|             | <b>Rear</b>   | 0.729                 | 0.031                      | 0.328                       | <b>1.088</b>        |
|             | Right         | 0.125                 | -                          | -                           | 0.125               |
|             | Left          | 0.347                 | 0.056                      | 0.056                       | 0.403               |

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|---------------------|----------------------------|-----------------------------|--------------|
|             |               | 1                   | 2                          | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                   | 0.017                      | 0.152                       | 0.169        |
|             | Bottom        | 0.375               | -                          | -                           | 0.375        |
|             | Front         | 0.680               | 0.035                      | 0.016                       | 0.731        |
|             | <b>Rear</b>   | 0.746               | 0.031                      | 0.181                       | <b>0.958</b> |
|             | Right         | 0.125               | -                          | -                           | 0.125        |
|             | Left          | 0.344               | 0.056                      | 0.016                       | 0.416        |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|----------------------|----------------------------|-----------------------------|--------------|
|             |               | 1                    | 2                          | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                    | 0.017                      | 0.152                       | 0.169        |
|             | Bottom        | 0.987                | -                          | -                           | 0.987        |
|             | Front         | 0.989                | 0.035                      | 0.016                       | 1.040        |
|             | <b>Rear</b>   | 0.873                | 0.031                      | 0.181                       | <b>1.085</b> |
|             | Right         | -                    | -                          | -                           | -            |
|             | Left          | 0.486                | 0.056                      | 0.016                       | 0.558        |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|----------------------|----------------------------|-----------------------------|--------------|
|             |               | 1                    | 2                          | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                    | 0.017                      | 0.152                       | 0.169        |
|             | Bottom        | 0.407                | -                          | -                           | 0.407        |
|             | Front         | 0.705                | 0.035                      | 0.016                       | 0.756        |
|             | <b>Rear</b>   | 0.759                | 0.031                      | 0.181                       | <b>0.971</b> |
|             | Right         | 0.134                | -                          | -                           | 0.134        |
|             | Left          | 0.363                | 0.056                      | 0.016                       | 0.435        |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|-----------------------|----------------------------|-----------------------------|--------------|
|             |               | 1                     | 2                          | 3                           | 1+2+3        |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.152                       | 0.169        |
|             | Bottom        | 0.511                 | -                          | -                           | 0.511        |
|             | Front         | 0.500                 | 0.035                      | 0.016                       | 0.551        |
|             | <b>Rear</b>   | 0.490                 | 0.031                      | 0.181                       | <b>0.702</b> |
|             | Right         | -                     | -                          | -                           | -            |
|             | Left          | 0.332                 | 0.056                      | 0.016                       | 0.404        |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                          | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.152                       | 0.169               |
|             | Bottom        | 0.917                 | -                          | -                           | 0.917               |
|             | Front         | 0.956                 | 0.035                      | 0.016                       | 1.007               |
|             | <b>Rear</b>   | 0.862                 | 0.031                      | 0.181                       | <b>1.074</b>        |
|             | Right         | -                     | -                          | -                           | -                   |
|             | Left          | 0.421                 | 0.056                      | 0.016                       | 0.493               |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                          | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                      | 0.017                      | 0.152                       | 0.169               |
|             | Bottom        | 0.242                  | -                          | -                           | 0.242               |
|             | Front         | 0.424                  | 0.035                      | 0.016                       | 0.475               |
|             | <b>Rear</b>   | 0.458                  | 0.031                      | 0.181                       | <b>0.670</b>        |
|             | Right         | 0.158                  | -                          | -                           | 0.158               |
|             | Left          | 0.084                  | 0.056                      | 0.016                       | 0.156               |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|----------------------------|-----------------------------|---------------------|
|             |               | 1                      | 2                          | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                      | 0.017                      | 0.152                       | 0.169               |
|             | Bottom        | 0.132                  | -                          | -                           | 0.132               |
|             | Front         | 0.236                  | 0.035                      | 0.016                       | 0.287               |
|             | <b>Rear</b>   | 0.271                  | 0.031                      | 0.181                       | <b>0.483</b>        |
|             | Right         | 0.061                  | -                          | -                           | 0.061               |
|             | Left          | 0.114                  | 0.056                      | 0.016                       | 0.186               |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN Ant.2 SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|-----------------------------|---------------------|
|             |               | 1                     | 2                          | 3                           | 1+2+3               |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.152                       | 0.169               |
|             | Bottom        | 0.375                 | -                          | -                           | 0.375               |
|             | Front         | 0.665                 | 0.035                      | 0.016                       | 0.716               |
|             | <b>Rear</b>   | 0.729                 | 0.031                      | 0.181                       | <b>0.941</b>        |
|             | Right         | 0.125                 | -                          | -                           | 0.125               |
|             | Left          | 0.347                 | 0.056                      | 0.016                       | 0.419               |

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|---------------------|----------------------------|----------------------------|---------------------|
|             |               | 1                   | 2                          | 3                          | 1+2+3               |
| Hotspot SAR | Top           | -                   | 0.017                      | 0.209                      | 0.226               |
|             | Bottom        | 0.375               | -                          | -                          | 0.375               |
|             | Front         | 0.680               | 0.035                      | 0.089                      | 0.804               |
|             | <b>Rear</b>   | 0.746               | 0.031                      | 0.586                      | <b>1.363</b>        |
|             | Right         | 0.125               | -                          | -                          | 0.125               |
|             | Left          | 0.344               | 0.056                      | 0.279                      | 0.679               |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|----------------------------|----------------------------|---------------------|
|             |               | 1                    | 2                          | 3                          | 1+2+3               |
| Hotspot SAR | Top           | -                    | 0.017                      | 0.209                      | 0.226               |
|             | Bottom        | 0.987                | -                          | -                          | 0.987               |
|             | Front         | 0.989                | 0.035                      | 0.089                      | 1.113               |
|             | <b>Rear</b>   | 0.873                | 0.031                      | 0.586                      | <b>1.490</b>        |
|             | Right         | -                    | -                          | -                          | -                   |
|             | Left          | 0.486                | 0.056                      | 0.279                      | 0.821               |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|----------------------------|----------------------------|---------------------|
|             |               | 1                    | 2                          | 3                          | 1+2+3               |
| Hotspot SAR | Top           | -                    | 0.017                      | 0.209                      | 0.226               |
|             | Bottom        | 0.407                | -                          | -                          | 0.407               |
|             | Front         | 0.705                | 0.035                      | 0.089                      | 0.829               |
|             | <b>Rear</b>   | 0.759                | 0.031                      | 0.586                      | <b>1.376</b>        |
|             | Right         | 0.134                | -                          | -                          | 0.134               |
|             | Left          | 0.363                | 0.056                      | 0.279                      | 0.698               |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|----------------------------|---------------------|
|             |               | 1                     | 2                          | 3                          | 1+2+3               |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.209                      | 0.226               |
|             | Bottom        | 0.511                 | -                          | -                          | 0.511               |
|             | Front         | 0.500                 | 0.035                      | 0.089                      | 0.624               |
|             | <b>Rear</b>   | 0.490                 | 0.031                      | 0.586                      | <b>1.107</b>        |
|             | Right         | -                     | -                          | -                          | -                   |
|             | Left          | 0.332                 | 0.056                      | 0.279                      | 0.667               |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN MIMO SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|-----------------------|----------------------------|----------------------------|--------------|
|             |               | 1                     | 2                          | 3                          | 1+2+3        |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.209                      | 0.226        |
|             | Bottom        | 0.917                 | -                          | -                          | 0.917        |
|             | Front         | 0.956                 | 0.035                      | 0.089                      | 1.080        |
|             | <b>Rear</b>   | 0.862                 | 0.031                      | 0.586                      | <b>1.479</b> |
|             | Right         | -                     | -                          | -                          | -            |
|             | Left          | 0.421                 | 0.056                      | 0.279                      | 0.756        |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN MIMO SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|------------------------|----------------------------|----------------------------|--------------|
|             |               | 1                      | 2                          | 3                          | 1+2+3        |
| Hotspot SAR | Top           | -                      | 0.017                      | 0.209                      | 0.226        |
|             | Bottom        | 0.242                  | -                          | -                          | 0.242        |
|             | Front         | 0.424                  | 0.035                      | 0.089                      | 0.548        |
|             | <b>Rear</b>   | 0.458                  | 0.031                      | 0.586                      | <b>1.075</b> |
|             | Right         | 0.158                  | -                          | -                          | 0.158        |
|             | Left          | 0.084                  | 0.056                      | 0.279                      | 0.419        |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN MIMO SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|------------------------|----------------------------|----------------------------|--------------|
|             |               | 1                      | 2                          | 3                          | 1+2+3        |
| Hotspot SAR | Top           | -                      | 0.017                      | 0.209                      | 0.226        |
|             | Bottom        | 0.132                  | -                          | -                          | 0.132        |
|             | Front         | 0.236                  | 0.035                      | 0.089                      | 0.360        |
|             | <b>Rear</b>   | 0.271                  | 0.031                      | 0.586                      | <b>0.888</b> |
|             | Right         | 0.061                  | -                          | -                          | 0.061        |
|             | Left          | 0.114                  | 0.056                      | 0.279                      | 0.449        |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.2G W-LAN MIMO SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|-----------------------|----------------------------|----------------------------|--------------|
|             |               | 1                     | 2                          | 3                          | 1+2+3        |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.209                      | 0.226        |
|             | Bottom        | 0.375                 | -                          | -                          | 0.375        |
|             | Front         | 0.665                 | 0.035                      | 0.089                      | 0.789        |
|             | <b>Rear</b>   | 0.729                 | 0.031                      | 0.586                      | <b>1.346</b> |
|             | Right         | 0.125                 | -                          | -                          | 0.125        |
|             | Left          | 0.347                 | 0.056                      | 0.279                      | 0.403        |

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|---------------------|----------------------------|----------------------------|--------------|
|             |               | 1                   | 2                          | 3                          | 1+2+3        |
| Hotspot SAR | Top           | -                   | 0.017                      | 0.177                      | 0.194        |
|             | Bottom        | 0.375               | -                          | -                          | 0.375        |
|             | Front         | 0.680               | 0.035                      | 0.075                      | 0.790        |
|             | <b>Rear</b>   | 0.746               | 0.031                      | 0.527                      | <b>1.304</b> |
|             | Right         | 0.125               | -                          | -                          | 0.125        |
|             | Left          | 0.344               | 0.056                      | 0.338                      | 0.738        |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|----------------------|----------------------------|----------------------------|--------------|
|             |               | 1                    | 2                          | 3                          | 1+2+3        |
| Hotspot SAR | Top           | -                    | 0.017                      | 0.177                      | 0.194        |
|             | Bottom        | 0.987                | -                          | -                          | 0.987        |
|             | Front         | 0.989                | 0.035                      | 0.075                      | 1.099        |
|             | <b>Rear</b>   | 0.873                | 0.031                      | 0.527                      | <b>1.431</b> |
|             | Right         | -                    | -                          | -                          | -            |
|             | Left          | 0.486                | 0.056                      | 0.338                      | 0.880        |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|----------------------|----------------------------|----------------------------|--------------|
|             |               | 1                    | 2                          | 3                          | 1+2+3        |
| Hotspot SAR | Top           | -                    | 0.017                      | 0.177                      | 0.194        |
|             | Bottom        | 0.407                | -                          | -                          | 0.407        |
|             | Front         | 0.705                | 0.035                      | 0.075                      | 0.815        |
|             | <b>Rear</b>   | 0.759                | 0.031                      | 0.527                      | <b>1.317</b> |
|             | Right         | 0.134                | -                          | -                          | 0.134        |
|             | Left          | 0.363                | 0.056                      | 0.338                      | 0.757        |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | ΣSAR (W/kg)  |
|-------------|---------------|-----------------------|----------------------------|----------------------------|--------------|
|             |               | 1                     | 2                          | 3                          | 1+2+3        |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.177                      | 0.194        |
|             | Bottom        | 0.511                 | -                          | -                          | 0.511        |
|             | Front         | 0.500                 | 0.035                      | 0.075                      | 0.610        |
|             | <b>Rear</b>   | 0.490                 | 0.031                      | 0.527                      | <b>1.048</b> |
|             | Right         | -                     | -                          | -                          | -            |
|             | Left          | 0.332                 | 0.056                      | 0.338                      | 0.726        |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|----------------------------|---------------------|
|             |               | 1                     | 2                          | 3                          | 1+2+3               |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.177                      | 0.194               |
|             | Bottom        | 0.917                 | -                          | -                          | 0.917               |
|             | Front         | 0.956                 | 0.035                      | 0.075                      | 1.066               |
|             | <b>Rear</b>   | 0.862                 | 0.031                      | 0.527                      | <b>1.420</b>        |
|             | Right         | -                     | -                          | -                          | -                   |
|             | Left          | 0.421                 | 0.056                      | 0.338                      | 0.815               |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|----------------------------|----------------------------|---------------------|
|             |               | 1                      | 2                          | 3                          | 1+2+3               |
| Hotspot SAR | Top           | -                      | 0.017                      | 0.177                      | 0.194               |
|             | Bottom        | 0.242                  | -                          | -                          | 0.242               |
|             | Front         | 0.424                  | 0.035                      | 0.075                      | 0.534               |
|             | <b>Rear</b>   | 0.458                  | 0.031                      | 0.527                      | <b>1.016</b>        |
|             | Right         | 0.158                  | -                          | -                          | 0.158               |
|             | Left          | 0.084                  | 0.056                      | 0.338                      | 0.478               |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|----------------------------|----------------------------|---------------------|
|             |               | 1                      | 2                          | 3                          | 1+2+3               |
| Hotspot SAR | Top           | -                      | 0.017                      | 0.177                      | 0.194               |
|             | Bottom        | 0.132                  | -                          | -                          | 0.132               |
|             | Front         | 0.236                  | 0.035                      | 0.075                      | 0.346               |
|             | <b>Rear</b>   | 0.271                  | 0.031                      | 0.527                      | <b>0.829</b>        |
|             | Right         | 0.061                  | -                          | -                          | 0.061               |
|             | Left          | 0.114                  | 0.056                      | 0.338                      | 0.508               |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | Bluetooth Ant.1 SAR (W/kg) | 5.8G W-LAN MIMO SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------------|----------------------------|---------------------|
|             |               | 1                     | 2                          | 3                          | 1+2+3               |
| Hotspot SAR | Top           | -                     | 0.017                      | 0.177                      | 0.194               |
|             | Bottom        | 0.375                 | -                          | -                          | 0.375               |
|             | Front         | 0.665                 | 0.035                      | 0.075                      | 0.775               |
|             | <b>Rear</b>   | 0.729                 | 0.031                      | 0.527                      | <b>1.287</b>        |
|             | Right         | 0.125                 | -                          | -                          | 0.125               |
|             | Left          | 0.347                 | 0.056                      | 0.338                      | 0.741               |

| Simul Tx    | Configuration | 2.4G W-LAN<br>Ant.1 SAR<br>(W/kg) | 5.2G W-LAN<br>Ant.2 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|-------------|---------------|-----------------------------------|-----------------------------------|------------------------|
|             |               | 1                                 | 2                                 | 1+2                    |
| Hotspot SAR | Top           | 0.027                             | 0.116                             | 0.143                  |
|             | Bottom        | -                                 | -                                 | -                      |
|             | Front         | 0.107                             | 0.058                             | 0.165                  |
|             | <b>Rear</b>   | 0.104                             | 0.328                             | <b>0.432</b>           |
|             | Right         | -                                 | -                                 | -                      |
|             | Left          | 0.111                             | 0.056                             | 0.167                  |

| Simul Tx    | Configuration | 2.4G W-LAN<br>Ant.1 SAR<br>(W/kg) | 5.8G W-LAN<br>Ant.2 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|-------------|---------------|-----------------------------------|-----------------------------------|------------------------|
|             |               | 1                                 | 2                                 | 1+2                    |
| Hotspot SAR | Top           | 0.027                             | 0.152                             | 0.179                  |
|             | Bottom        | -                                 | -                                 | -                      |
|             | Front         | 0.107                             | 0.016                             | 0.123                  |
|             | <b>Rear</b>   | 0.104                             | 0.181                             | <b>0.285</b>           |
|             | Right         | -                                 | -                                 | -                      |
|             | Left          | 0.111                             | 0.016                             | 0.127                  |

| Simul Tx    | Configuration | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.2G W-LAN<br>Ant.1 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|-------------|---------------|----------------------------------|-----------------------------------|------------------------|
|             |               | 1                                | 2                                 | 1+2                    |
| Hotspot SAR | Top           | 0.017                            | 0.101                             | 0.118                  |
|             | Bottom        | -                                | -                                 | -                      |
|             | Front         | 0.035                            | 0.040                             | 0.075                  |
|             | <b>Rear</b>   | 0.031                            | 0.532                             | <b>0.563</b>           |
|             | Right         | -                                | -                                 | -                      |
|             | Left          | 0.056                            | 0.254                             | 0.310                  |

| Simul Tx    | Configuration | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.8G W-LAN<br>Ant.1 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|-------------|---------------|----------------------------------|-----------------------------------|------------------------|
|             |               | 1                                | 2                                 | 1+2                    |
| Hotspot SAR | Top           | 0.017                            | 0.060                             | 0.077                  |
|             | Bottom        | -                                | -                                 | -                      |
|             | Front         | 0.035                            | 0.070                             | 0.105                  |
|             | <b>Rear</b>   | 0.031                            | 0.636                             | <b>0.667</b>           |
|             | Right         | -                                | -                                 | -                      |
|             | Left          | 0.056                            | 0.317                             | 0.373                  |

| Simul Tx       | Configuration | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.2G W-LAN<br>Ant.2 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|----------------|---------------|----------------------------------|-----------------------------------|------------------------|
|                |               | 1                                | 2                                 | 1+2                    |
| Hotspot<br>SAR | Top           | 0.017                            | 0.116                             | 0.133                  |
|                | Bottom        | -                                | -                                 | -                      |
|                | Front         | 0.035                            | 0.058                             | 0.093                  |
|                | <b>Rear</b>   | 0.031                            | 0.328                             | <b>0.359</b>           |
|                | Right         | -                                | -                                 | -                      |
|                | Left          | 0.056                            | 0.056                             | 0.112                  |

| Simul Tx       | Configuration | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.8G W-LAN<br>Ant.2 SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|----------------|---------------|----------------------------------|-----------------------------------|------------------------|
|                |               | 1                                | 2                                 | 1+2                    |
| Hotspot<br>SAR | Top           | 0.017                            | 0.152                             | 0.169                  |
|                | Bottom        | -                                | -                                 | -                      |
|                | Front         | 0.035                            | 0.016                             | 0.051                  |
|                | <b>Rear</b>   | 0.031                            | 0.181                             | <b>0.212</b>           |
|                | Right         | -                                | -                                 | -                      |
|                | Left          | 0.056                            | 0.016                             | 0.072                  |

| Simul Tx       | Configuration | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.2G W-LAN<br>MIMO SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|----------------|---------------|----------------------------------|----------------------------------|------------------------|
|                |               | 1                                | 2                                | 1+2                    |
| Hotspot<br>SAR | Top           | 0.017                            | 0.209                            | 0.226                  |
|                | Bottom        | -                                | -                                | -                      |
|                | Front         | 0.035                            | 0.089                            | 0.124                  |
|                | <b>Rear</b>   | 0.031                            | 0.586                            | <b>0.617</b>           |
|                | Right         | -                                | -                                | -                      |
|                | Left          | 0.056                            | 0.279                            | 0.335                  |

| Simul Tx       | Configuration | Bluetooth<br>Ant.1 SAR<br>(W/kg) | 5.8G W-LAN<br>MIMO SAR<br>(W/kg) | $\Sigma$ SAR<br>(W/kg) |
|----------------|---------------|----------------------------------|----------------------------------|------------------------|
|                |               | 1                                | 2                                | 1+2                    |
| Hotspot<br>SAR | Top           | 0.017                            | 0.177                            | 0.194                  |
|                | Bottom        | -                                | -                                | -                      |
|                | Front         | 0.035                            | 0.075                            | 0.110                  |
|                | <b>Rear</b>   | 0.031                            | 0.527                            | <b>0.558</b>           |
|                | Right         | -                                | -                                | -                      |
|                | Left          | 0.056                            | 0.338                            | 0.394                  |

| Simul Tx    | Configuration | GPRS 850 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|---------------------|----------------------|---------------------|
|             |               | 1                   | 2                    | 1+2                 |
| Hotspot SAR | Top           | -                   | 0.017                | 0.017               |
|             | Bottom        | 0.375               | -                    | 0.375               |
|             | Front         | 0.680               | 0.035                | 0.715               |
|             | <b>Rear</b>   | 0.746               | 0.031                | <b>0.777</b>        |
|             | Right         | 0.125               | -                    | 0.125               |
|             | Left          | 0.344               | 0.056                | 0.400               |

| Simul Tx    | Configuration | GPRS 1900 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|----------------------|---------------------|
|             |               | 1                    | 2                    | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.017                | 0.017               |
|             | Bottom        | 0.987                | -                    | 0.987               |
|             | <b>Front</b>  | 0.989                | 0.035                | <b>1.024</b>        |
|             | Rear          | 0.873                | 0.031                | 0.904               |
|             | Right         | -                    | -                    | -                   |
|             | Left          | 0.486                | 0.056                | 0.542               |

| Simul Tx    | Configuration | WCDMA 850 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|----------------------|----------------------|---------------------|
|             |               | 1                    | 2                    | 1+2                 |
| Hotspot SAR | Top           | -                    | 0.017                | 0.017               |
|             | Bottom        | 0.407                | -                    | 0.407               |
|             | Front         | 0.705                | 0.035                | 0.740               |
|             | <b>Rear</b>   | 0.759                | 0.031                | <b>0.790</b>        |
|             | Right         | 0.134                | -                    | 0.134               |
|             | Left          | 0.363                | 0.056                | 0.419               |

| Simul Tx    | Configuration | WCDMA 1700 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------|---------------------|
|             |               | 1                     | 2                    | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.017                | 0.017               |
|             | Bottom        | 0.511                 | -                    | 0.511               |
|             | <b>Front</b>  | 0.500                 | 0.035                | <b>0.535</b>        |
|             | Rear          | 0.490                 | 0.031                | 0.521               |
|             | Right         | -                     | -                    | -                   |
|             | Left          | 0.332                 | 0.056                | 0.388               |

| Simul Tx    | Configuration | WCDMA 1900 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------|---------------------|
|             |               | 1                     | 2                    | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.017                | 0.017               |
|             | Bottom        | 0.917                 | -                    | 0.917               |
|             | <b>Front</b>  | 0.956                 | 0.035                | <b>0.991</b>        |
|             | Rear          | 0.862                 | 0.031                | 0.893               |
|             | Right         | -                     | -                    | -                   |
|             | Left          | 0.421                 | 0.056                | 0.477               |

| Simul Tx    | Configuration | LTE Band 17 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|----------------------|---------------------|
|             |               | 1                      | 2                    | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.017                | 0.017               |
|             | Bottom        | 0.242                  | -                    | 0.242               |
|             | Front         | 0.424                  | 0.035                | 0.459               |
|             | <b>Rear</b>   | 0.458                  | 0.031                | <b>0.489</b>        |
|             | Right         | 0.158                  | -                    | 0.158               |
|             | Left          | 0.084                  | 0.056                | 0.140               |

| Simul Tx    | Configuration | LTE Band 13 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|------------------------|----------------------|---------------------|
|             |               | 1                      | 2                    | 1+2                 |
| Hotspot SAR | Top           | -                      | 0.017                | 0.017               |
|             | Bottom        | 0.132                  | -                    | 0.132               |
|             | Front         | 0.236                  | 0.035                | 0.271               |
|             | <b>Rear</b>   | 0.271                  | 0.031                | <b>0.302</b>        |
|             | Right         | 0.061                  | -                    | 0.061               |
|             | Left          | 0.114                  | 0.056                | 0.170               |

| Simul Tx    | Configuration | LTE Band 5 SAR (W/kg) | Bluetooth SAR (W/kg) | $\Sigma$ SAR (W/kg) |
|-------------|---------------|-----------------------|----------------------|---------------------|
|             |               | 1                     | 2                    | 1+2                 |
| Hotspot SAR | Top           | -                     | 0.017                | 0.017               |
|             | Bottom        | 0.375                 | -                    | 0.375               |
|             | Front         | 0.665                 | 0.035                | 0.700               |
|             | <b>Rear</b>   | 0.729                 | 0.031                | <b>0.760</b>        |
|             | Right         | 0.125                 | -                    | 0.125               |
|             | Left          | 0.347                 | 0.056                | 0.403               |