




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6445	39.53	37.51	320	Pass
6485	40.00	37.56	320	Pass
6525	39.64	37.51	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6565	40.14	37.41	320	Pass
6725	39.89	37.52	320	Pass
6845	39.88	37.49	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6885	39.80	37.50	320	Pass
7005	39.68	37.48	320	Pass
7085	40.07	37.51	320	Pass





Test Mode	IEEE 802.11be(EHT80)_Ant_1
-----------	----------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
5985	81.16	76.51	320	Pass
6145	81.19	76.79	320	Pass
6385	81.18	76.72	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6465	80.87	76.72	320	Pass

6465 26 dB Bandwidth  Center Freq 6.465 GHz #Res BW 820 kHz VBW 8 MHz Span 200 MHz #Sweep 50 ms Occupied Bandwidth 76.751 MHz Total Power 8.14 dBm Transmit Freq Error 66.958 kHz x dB Bandwidth 80.87 MHz OBW Power 99.00 % x dB -26.00 dB	-	-
99 % Occupied Bandwidth  Center Freq 6.465 GHz #Res BW 1.0 MHz #VBW 5 MHz Span 200 MHz #Sweep 50 ms Occupied Bandwidth 76.721 MHz Total Power 8.58 dBm Transmit Freq Error 22.113 kHz x dB Bandwidth 82.60 MHz OBW Power 99.00 % x dB -26.00 dB	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6545	81.34	76.56	320	Pass
6705	81.07	76.77	320	Pass
6865	81.36	76.42	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6945	81.15	76.65	320	Pass
7025	81.25	76.73	320	Pass





Test Mode	IEEE 802.11be(EHT80)_Ant_2
-----------	----------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
5985	80.87	76.78	320	Pass
6145	81.27	76.76	320	Pass
6385	81.14	76.77	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6465	81.48	76.73	320	Pass

6465 26 dB Bandwidth  Occupied Bandwidth 76.930 MHz Total Power 8.70 dBm Transmit Freq Error 38.344 kHz x dB Bandwidth 81.48 MHz OBW Power 99.00 % x dB -26.00 dB	-	-
99 % Occupied Bandwidth  Occupied Bandwidth 76.734 MHz Total Power 9.33 dBm Transmit Freq Error 88.884 kHz x dB Bandwidth 82.52 MHz OBW Power 99.00 % x dB -26.00 dB	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6545	81.04	76.65	320	Pass
6705	81.26	76.77	320	Pass
6865	81.53	76.58	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6945	80.74	76.73	320	Pass
7025	81.29	76.60	320	Pass



APPENDIX F - MAXIMUM E.I.R.P.

For 6XD

Test Mode	IEEE 802.11a_Ant.1
-----------	--------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-3.32	2.18	0.0017	24.00	0.2512	Pass
6175	-5.87	-0.37	0.0009	24.00	0.2512	Pass
6415	-6.94	-1.44	0.0007	24.00	0.2512	Pass
6435	-6.96	-1.46	0.0007	24.00	0.2512	Pass
6475	-2.95	2.55	0.0018	24.00	0.2512	Pass
6515	-4.95	0.55	0.0011	24.00	0.2512	Pass
6535	-5.88	-0.38	0.0009	24.00	0.2512	Pass
6695	-3.41	2.09	0.0016	24.00	0.2512	Pass
6855	-1.95	3.55	0.0023	24.00	0.2512	Pass
6875	-2.35	3.15	0.0021	24.00	0.2512	Pass
6995	-2.37	3.13	0.0021	24.00	0.2512	Pass
7115	-2.31	3.19	0.0021	24.00	0.2512	Pass

Test Mode	IEEE 802.11a_Ant.2
-----------	--------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-2.91	2.59	0.0018	24.00	0.2512	Pass
6175	-5.49	0.01	0.0010	24.00	0.2512	Pass
6415	-6.43	-0.93	0.0008	24.00	0.2512	Pass
6435	-6.86	-1.36	0.0007	24.00	0.2512	Pass
6475	-3.41	2.09	0.0016	24.00	0.2512	Pass
6515	-4.97	0.53	0.0011	24.00	0.2512	Pass
6535	-5.42	0.08	0.0010	24.00	0.2512	Pass
6695	-3.97	1.53	0.0014	24.00	0.2512	Pass
6855	-2.36	3.14	0.0021	24.00	0.2512	Pass
6875	-2.31	3.19	0.0021	24.00	0.2512	Pass
6995	-2.27	3.23	0.0021	24.00	0.2512	Pass
7115	-3.05	2.45	0.0018	24.00	0.2512	Pass

Test Mode	IEEE 802.11a_Total
-----------	--------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-0.10	5.40	0.0035	24.00	0.2512	Pass
6175	-2.67	2.83	0.0019	24.00	0.2512	Pass
6415	-3.67	1.83	0.0015	24.00	0.2512	Pass
6435	-3.90	1.60	0.0014	24.00	0.2512	Pass
6475	-0.16	5.34	0.0034	24.00	0.2512	Pass
6515	-1.95	3.55	0.0023	24.00	0.2512	Pass
6535	-2.63	2.87	0.0019	24.00	0.2512	Pass
6695	-0.67	4.83	0.0030	24.00	0.2512	Pass
6855	0.86	6.36	0.0043	24.00	0.2512	Pass
6875	0.68	6.18	0.0041	24.00	0.2512	Pass
6995	0.69	6.19	0.0042	24.00	0.2512	Pass
7115	0.35	5.85	0.0038	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-1.33	4.17	0.0026	24.00	0.2512	Pass
6175	-4.81	0.69	0.0012	24.00	0.2512	Pass
6415	-1.34	4.16	0.0026	24.00	0.2512	Pass
6435	-0.87	4.63	0.0029	24.00	0.2512	Pass
6475	-0.95	4.55	0.0029	24.00	0.2512	Pass
6515	-3.87	1.63	0.0015	24.00	0.2512	Pass
6535	-4.76	0.74	0.0012	24.00	0.2512	Pass
6695	-0.95	4.55	0.0029	24.00	0.2512	Pass
6855	-0.05	5.45	0.0035	24.00	0.2512	Pass
6875	1.27	6.77	0.0048	24.00	0.2512	Pass
6995	0.85	6.35	0.0043	24.00	0.2512	Pass
7115	0.91	6.41	0.0044	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-1.38	4.12	0.0026	24.00	0.2512	Pass
6175	-4.73	0.77	0.0012	24.00	0.2512	Pass
6415	-1.28	4.22	0.0026	24.00	0.2512	Pass
6435	-1.29	4.21	0.0026	24.00	0.2512	Pass
6475	-1.22	4.28	0.0027	24.00	0.2512	Pass
6515	-3.32	2.18	0.0017	24.00	0.2512	Pass
6535	-4.38	1.12	0.0013	24.00	0.2512	Pass
6695	-1.30	4.20	0.0026	24.00	0.2512	Pass
6855	-0.42	5.08	0.0032	24.00	0.2512	Pass
6875	0.06	5.56	0.0036	24.00	0.2512	Pass
6995	0.33	5.83	0.0038	24.00	0.2512	Pass
7115	0.36	5.86	0.0039	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	1.66	7.16	0.0052	24.00	0.2512	Pass
6175	-1.76	3.74	0.0024	24.00	0.2512	Pass
6415	1.70	7.20	0.0052	24.00	0.2512	Pass
6435	1.94	7.44	0.0055	24.00	0.2512	Pass
6475	1.93	7.43	0.0055	24.00	0.2512	Pass
6515	-0.58	4.92	0.0031	24.00	0.2512	Pass
6535	-1.56	3.94	0.0025	24.00	0.2512	Pass
6695	1.89	7.39	0.0055	24.00	0.2512	Pass
6855	2.78	8.28	0.0067	24.00	0.2512	Pass
6875	3.72	9.22	0.0084	24.00	0.2512	Pass
6995	3.61	9.11	0.0081	24.00	0.2512	Pass
7115	3.65	9.15	0.0082	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	3.41	8.91	0.0078	24.00	0.2512	Pass
6165	1.24	6.74	0.0047	24.00	0.2512	Pass
6405	3.26	8.76	0.0075	24.00	0.2512	Pass
6445	3.36	8.86	0.0077	24.00	0.2512	Pass
6485	2.31	7.81	0.0060	24.00	0.2512	Pass
6525	1.34	6.84	0.0048	24.00	0.2512	Pass
6565	0.37	5.87	0.0039	24.00	0.2512	Pass
6725	3.33	8.83	0.0076	24.00	0.2512	Pass
6845	4.37	9.87	0.0097	24.00	0.2512	Pass
6885	4.25	9.75	0.0094	24.00	0.2512	Pass
7005	4.35	9.85	0.0097	24.00	0.2512	Pass
7085	4.26	9.76	0.0095	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	2.45	7.95	0.0062	24.00	0.2512	Pass
6165	0.43	5.93	0.0039	24.00	0.2512	Pass
6405	2.74	8.24	0.0067	24.00	0.2512	Pass
6445	2.73	8.23	0.0067	24.00	0.2512	Pass
6485	1.23	6.73	0.0047	24.00	0.2512	Pass
6525	0.82	6.32	0.0043	24.00	0.2512	Pass
6565	-0.60	4.90	0.0031	24.00	0.2512	Pass
6725	2.82	8.32	0.0068	24.00	0.2512	Pass
6845	3.65	9.15	0.0082	24.00	0.2512	Pass
6885	3.66	9.16	0.0082	24.00	0.2512	Pass
7005	3.58	9.08	0.0081	24.00	0.2512	Pass
7085	3.64	9.14	0.0082	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	5.97	11.47	0.0140	24.00	0.2512	Pass
6165	3.86	9.36	0.0086	24.00	0.2512	Pass
6405	6.02	11.52	0.0142	24.00	0.2512	Pass
6445	6.07	11.57	0.0144	24.00	0.2512	Pass
6485	4.81	10.31	0.0107	24.00	0.2512	Pass
6525	4.10	9.60	0.0091	24.00	0.2512	Pass
6565	2.92	8.42	0.0070	24.00	0.2512	Pass
6725	6.09	11.59	0.0144	24.00	0.2512	Pass
6845	7.04	12.54	0.0179	24.00	0.2512	Pass
6885	6.98	12.48	0.0177	24.00	0.2512	Pass
7005	6.99	12.49	0.0177	24.00	0.2512	Pass
7085	6.97	12.47	0.0177	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	4.74	10.24	0.0106	24.00	0.2512	Pass
6145	2.42	7.92	0.0062	24.00	0.2512	Pass
6385	5.81	11.31	0.0135	24.00	0.2512	Pass
6465	4.55	10.05	0.0101	24.00	0.2512	Pass
6545	2.45	7.95	0.0062	24.00	0.2512	Pass
6705	4.49	9.99	0.0100	24.00	0.2512	Pass
6865	5.67	11.17	0.0131	24.00	0.2512	Pass
6945	5.72	11.22	0.0132	24.00	0.2512	Pass
7025	4.81	10.31	0.0107	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	4.47	9.97	0.0099	24.00	0.2512	Pass
6145	2.78	8.28	0.0067	24.00	0.2512	Pass
6385	5.63	11.13	0.0130	24.00	0.2512	Pass
6465	4.74	10.24	0.0106	24.00	0.2512	Pass
6545	2.24	7.74	0.0059	24.00	0.2512	Pass
6705	4.72	10.22	0.0105	24.00	0.2512	Pass
6865	5.57	11.07	0.0128	24.00	0.2512	Pass
6945	5.59	11.09	0.0129	24.00	0.2512	Pass
7025	5.57	11.07	0.0128	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	7.62	13.12	0.0205	24.00	0.2512	Pass
6145	5.61	11.11	0.0129	24.00	0.2512	Pass
6385	8.73	14.23	0.0265	24.00	0.2512	Pass
6465	7.66	13.16	0.0207	24.00	0.2512	Pass
6545	5.36	10.86	0.0122	24.00	0.2512	Pass
6705	7.62	13.12	0.0205	24.00	0.2512	Pass
6865	8.63	14.13	0.0259	24.00	0.2512	Pass
6945	8.67	14.17	0.0261	24.00	0.2512	Pass
7025	8.22	13.72	0.0236	24.00	0.2512	Pass

Note: Conducted power = Measure result + Cable loss + Duty factor

For VLP

Test Mode	IEEE 802.11a_Ant.1
-----------	--------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-7.25	-1.75	0.0007	14.00	0.0251	Pass
6175	-9.28	-3.78	0.0004	14.00	0.0251	Pass
6415	-7.25	-1.75	0.0007	14.00	0.0251	Pass
6435	-7.28	-1.78	0.0007	14.00	0.0251	Pass
6475	-6.71	-1.21	0.0008	14.00	0.0251	Pass
6515	-9.24	-3.74	0.0004	14.00	0.0251	Pass
6535	-9.27	-3.77	0.0004	14.00	0.0251	Pass
6695	-7.29	-1.79	0.0007	14.00	0.0251	Pass
6855	-6.27	-0.77	0.0008	14.00	0.0251	Pass
6875	-5.83	-0.33	0.0009	14.00	0.0251	Pass
6995	-5.43	0.07	0.0010	14.00	0.0251	Pass
7115	-6.25	-0.75	0.0008	14.00	0.0251	Pass

Test Mode	IEEE 802.11a_Ant.2
-----------	--------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-6.94	-1.44	0.0007	14.00	0.0251	Pass
6175	-8.89	-3.39	0.0005	14.00	0.0251	Pass
6415	-6.92	-1.42	0.0007	14.00	0.0251	Pass
6435	-6.90	-1.40	0.0007	14.00	0.0251	Pass
6475	-6.82	-1.32	0.0007	14.00	0.0251	Pass
6515	-8.85	-3.35	0.0005	14.00	0.0251	Pass
6535	-8.91	-3.41	0.0005	14.00	0.0251	Pass
6695	-6.91	-1.41	0.0007	14.00	0.0251	Pass
6855	-5.84	-0.34	0.0009	14.00	0.0251	Pass
6875	-5.86	-0.36	0.0009	14.00	0.0251	Pass
6995	-4.92	0.58	0.0011	14.00	0.0251	Pass
7115	-5.80	-0.30	0.0009	14.00	0.0251	Pass

Test Mode	IEEE 802.11a_Total
-----------	--------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-4.08	1.42	0.0014	14.00	0.0251	Pass
6175	-6.07	-0.57	0.0009	14.00	0.0251	Pass
6415	-4.07	1.43	0.0014	14.00	0.0251	Pass
6435	-4.08	1.42	0.0014	14.00	0.0251	Pass
6475	-3.75	1.75	0.0015	14.00	0.0251	Pass
6515	-6.03	-0.53	0.0009	14.00	0.0251	Pass
6535	-6.08	-0.58	0.0009	14.00	0.0251	Pass
6695	-4.09	1.41	0.0014	14.00	0.0251	Pass
6855	-3.04	2.46	0.0018	14.00	0.0251	Pass
6875	-2.83	2.67	0.0018	14.00	0.0251	Pass
6995	-2.16	3.34	0.0022	14.00	0.0251	Pass
7115	-3.01	2.49	0.0018	14.00	0.0251	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-5.06	0.44	0.0011	14.00	0.0251	Pass
6175	-7.18	-1.68	0.0007	14.00	0.0251	Pass
6415	-5.15	0.35	0.0011	14.00	0.0251	Pass
6435	-5.16	0.34	0.0011	14.00	0.0251	Pass
6475	-6.13	-0.63	0.0009	14.00	0.0251	Pass
6515	-7.16	-1.66	0.0007	14.00	0.0251	Pass
6535	-8.10	-2.60	0.0005	14.00	0.0251	Pass
6695	-5.05	0.45	0.0011	14.00	0.0251	Pass
6855	-4.21	1.29	0.0013	14.00	0.0251	Pass
6875	-4.21	1.29	0.0013	14.00	0.0251	Pass
6995	-3.21	2.29	0.0017	14.00	0.0251	Pass
7115	-4.26	1.24	0.0013	14.00	0.0251	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-4.69	0.81	0.0012	14.00	0.0251	Pass
6175	-6.74	-1.24	0.0008	14.00	0.0251	Pass
6415	-4.72	0.78	0.0012	14.00	0.0251	Pass
6435	-4.73	0.77	0.0012	14.00	0.0251	Pass
6475	-5.73	-0.23	0.0009	14.00	0.0251	Pass
6515	-7.09	-1.59	0.0007	14.00	0.0251	Pass
6535	-7.65	-2.15	0.0006	14.00	0.0251	Pass
6695	-4.70	0.80	0.0012	14.00	0.0251	Pass
6855	-3.75	1.75	0.0015	14.00	0.0251	Pass
6875	-3.76	1.74	0.0015	14.00	0.0251	Pass
6995	-3.34	2.16	0.0016	14.00	0.0251	Pass
7115	-3.74	1.76	0.0015	14.00	0.0251	Pass

Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-1.86	3.64	0.0023	14.00	0.0251	Pass
6175	-3.94	1.56	0.0014	14.00	0.0251	Pass
6415	-1.92	3.58	0.0023	14.00	0.0251	Pass
6435	-1.93	3.57	0.0023	14.00	0.0251	Pass
6475	-2.92	2.58	0.0018	14.00	0.0251	Pass
6515	-4.11	1.39	0.0014	14.00	0.0251	Pass
6535	-4.86	0.64	0.0012	14.00	0.0251	Pass
6695	-1.86	3.64	0.0023	14.00	0.0251	Pass
6855	-0.96	4.54	0.0028	14.00	0.0251	Pass
6875	-0.97	4.53	0.0028	14.00	0.0251	Pass
6995	-0.26	5.24	0.0033	14.00	0.0251	Pass
7115	-0.98	4.52	0.0028	14.00	0.0251	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	-2.98	2.52	0.0018	14.00	0.0251	Pass
6165	-4.88	0.62	0.0012	14.00	0.0251	Pass
6405	-1.92	3.58	0.0023	14.00	0.0251	Pass
6445	-3.02	2.48	0.0018	14.00	0.0251	Pass
6485	-3.86	1.64	0.0015	14.00	0.0251	Pass
6525	-4.82	0.68	0.0012	14.00	0.0251	Pass
6565	-4.85	0.65	0.0012	14.00	0.0251	Pass
6725	-2.98	2.52	0.0018	14.00	0.0251	Pass
6845	-2.11	3.39	0.0022	14.00	0.0251	Pass
6885	-2.49	3.01	0.0020	14.00	0.0251	Pass
7005	-0.67	4.83	0.0030	14.00	0.0251	Pass
7085	-0.69	4.81	0.0030	14.00	0.0251	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	-2.57	2.93	0.0020	14.00	0.0251	Pass
6165	-4.42	1.08	0.0013	14.00	0.0251	Pass
6405	-1.59	3.91	0.0025	14.00	0.0251	Pass
6445	-2.61	2.89	0.0019	14.00	0.0251	Pass
6485	-3.53	1.97	0.0016	14.00	0.0251	Pass
6525	-4.33	1.17	0.0013	14.00	0.0251	Pass
6565	-4.36	1.14	0.0013	14.00	0.0251	Pass
6725	-2.57	2.93	0.0020	14.00	0.0251	Pass
6845	-1.42	4.08	0.0026	14.00	0.0251	Pass
6885	-1.59	3.91	0.0025	14.00	0.0251	Pass
7005	-0.82	4.68	0.0029	14.00	0.0251	Pass
7085	-0.66	4.84	0.0030	14.00	0.0251	Pass

Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	0.24	5.74	0.0037	14.00	0.0251	Pass
6165	-1.63	3.87	0.0024	14.00	0.0251	Pass
6405	1.26	6.76	0.0047	14.00	0.0251	Pass
6445	0.20	5.70	0.0037	14.00	0.0251	Pass
6485	-0.68	4.82	0.0030	14.00	0.0251	Pass
6525	-1.56	3.94	0.0025	14.00	0.0251	Pass
6565	-1.59	3.91	0.0025	14.00	0.0251	Pass
6725	0.24	5.74	0.0037	14.00	0.0251	Pass
6845	1.26	6.76	0.0047	14.00	0.0251	Pass
6885	0.99	6.49	0.0045	14.00	0.0251	Pass
7005	2.27	7.77	0.0060	14.00	0.0251	Pass
7085	2.34	7.84	0.0061	14.00	0.0251	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	0.42	5.92	0.0039	14.00	0.0251	Pass
6145	-2.09	3.41	0.0022	14.00	0.0251	Pass
6385	1.37	6.87	0.0049	14.00	0.0251	Pass
6465	0.52	6.02	0.0040	14.00	0.0251	Pass
6545	-1.52	3.98	0.0025	14.00	0.0251	Pass
6705	0.51	6.01	0.0040	14.00	0.0251	Pass
6865	1.43	6.93	0.0049	14.00	0.0251	Pass
6945	2.41	7.91	0.0062	14.00	0.0251	Pass
7025	2.91	8.41	0.0069	14.00	0.0251	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	0.65	6.15	0.0041	14.00	0.0251	Pass
6145	-1.28	4.22	0.0026	14.00	0.0251	Pass
6385	1.72	7.22	0.0053	14.00	0.0251	Pass
6465	0.37	5.87	0.0039	14.00	0.0251	Pass
6545	-1.65	3.85	0.0024	14.00	0.0251	Pass
6705	0.32	5.82	0.0038	14.00	0.0251	Pass
6865	1.73	7.23	0.0053	14.00	0.0251	Pass
6945	2.77	8.27	0.0067	14.00	0.0251	Pass
7025	2.71	8.21	0.0066	14.00	0.0251	Pass

Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	3.55	9.05	0.0080	14.00	0.0251	Pass
6145	1.34	6.84	0.0048	14.00	0.0251	Pass
6385	4.56	10.06	0.0101	14.00	0.0251	Pass
6465	3.46	8.96	0.0079	14.00	0.0251	Pass
6545	1.43	6.93	0.0049	14.00	0.0251	Pass
6705	3.43	8.93	0.0078	14.00	0.0251	Pass
6865	4.59	10.09	0.0102	14.00	0.0251	Pass
6945	5.60	11.10	0.0129	14.00	0.0251	Pass
7025	5.82	11.32	0.0136	14.00	0.0251	Pass

Note: Conducted power = Measure result + Cable loss + Duty factor

APPENDIX G - MAXIMUM POWER SPECTRAL DENSITY (E.I.R.P.)