







Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#Max



Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2494	1000	2489.82	-39.85	-25
2	2494	2496	1000	2495.828	-39.61	-13
3	2496	2499	1000	2498.985	-11.93	-10
4	2499	2500	100	2499.977	-28.6	-10

Band7 QAM16 BW=5MHz Channel=20775 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2494	1000	2488.167	-39.74	-25
2	2494	2496	1000	2494.174	-39.7	-13
3	2496	2499	1000	2496.009	-39.82	-10
4	2499	2500	100	2500	-44.64	-10


Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0



Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0



Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	100	2570.004	-26.24	-10
2	2571	2575	1000	2571.004	-11.65	-10
3	2575	2576	1000	2575.063	-39.93	-13
4	2576	2595	1000	2593.518	-39.87	-25

Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	100	2570.026	-36.69	-10
2	2571	2575	1000	2571.004	-24.09	-10
3	2575	2576	1000	2575.009	-39.7	-13
4	2576	2595	1000	2594.145	-39.7	-25


Band7 QAM16 BW=5MHz Channel=21425 RB Size=1 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=1 Position=#Max




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0



Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#0



Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2481.165	-39.96	-25
2	2490	2496	1000	2492.034	-39.5	-13
3	2496	2499	1000	2498.487	-39.83	-10
4	2499	2500	200	2499.977	-44.5	-10

Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2485.14	-39.69	-25
2	2490	2496	1000	2495.88	-37.36	-13
3	2496	2499	1000	2498.985	-34.3	-10
4	2499	2500	200	2499.95	-39.54	-10

Band7 QAM16 BW=10MHz Channel=20800 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2485.38	-39.96	-25
2	2490	2496	1000	2495.82	-39.96	-13
3	2496	2499	1000	2498.991	-22.93	-10
4	2499	2500	200	2499.973	-28.48	-10

Band7 QAM16 BW=10MHz Channel=20800 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2486.85	-39.87	-25
2	2490	2496	1000	2492.07	-38.88	-13
3	2496	2499	1000	2496.141	-39.87	-10
4	2499	2500	200	2499.986	-45.37	-10

Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2489.385	-39.76	-25
2	2490	2496	1000	2495.706	-37.55	-13
3	2496	2499	1000	2499	-35.11	-10
4	2499	2500	200	2499.999	-40.3	-10

Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	200	2570.029	-44.65	-10
2	2571	2575	1000	2572.888	-40.03	-10
3	2575	2580	1000	2578.27	-39.14	-13
4	2580	2595	1000	2586.885	-40.23	-25

Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	200	2570.005	-27.09	-10
2	2571	2575	1000	2571.004	-22.56	-10
3	2575	2580	1000	2577.935	-40.04	-13
4	2580	2595	1000	2588.85	-39.96	-25

Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	200	2570.005	-37.78	-10
2	2571	2575	1000	2571.004	-33.09	-10
3	2575	2580	1000	2575.09	-37.5	-13
4	2580	2595	1000	2594.31	-40.1	-25


Band7 QAM16 BW=10MHz Channel=21400 RB Size=1 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=1 Position=#Max




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#Max



Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0



Band7 QAM16 BW=15MHz Channel=20825 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2485	1000	2483.04	-39.89	-25
2	2485	2496	1000	2493.734	-39.69	-13
3	2496	2499	1000	2498.994	-33.31	-10
4	2499	2500	300	2499.992	-25.27	-10

Band7 QAM16 BW=15MHz Channel=20825 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2485	1000	2477.29	-39.91	-25
2	2485	2496	1000	2487.079	-39.63	-13
3	2496	2499	1000	2498.028	-39.98	-10
4	2499	2500	300	2499.961	-44.41	-10

Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2485	1000	2479.81	-39.98	-25
2	2485	2496	1000	2495.307	-37.8	-13
3	2496	2499	1000	2498.061	-36.13	-10
4	2499	2500	300	2499.984	-38.76	-10

Band7 QPSK BW=15MHz Channel=21375 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	300	2570.02	-44.52	-10
2	2571	2575	1000	2573.548	-40.16	-10
3	2575	2585	1000	2582.45	-39.3	-13
4	2585	2595	1000	2587.5	-40.05	-25

Band7 QPSK BW=15MHz Channel=21375 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	300	2570.001	-26.21	-10
2	2571	2575	1000	2571.008	-33.3	-10
3	2575	2585	1000	2579.16	-39.85	-13
4	2585	2595	1000	2593.38	-40.19	-25

Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	300	2570.042	-36.7	-10
2	2571	2575	1000	2571.676	-34.54	-10
3	2575	2585	1000	2575.34	-37.36	-13
4	2585	2595	1000	2589.79	-40.09	-25

Band7 QAM16 BW=15MHz Channel=21375 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	300	2570.044	-44.14	-10
2	2571	2575	1000	2571.12	-40.12	-10
3	2575	2585	1000	2582.65	-39.95	-13
4	2585	2595	1000	2591	-40.1	-25

Band7 QAM16 BW=15MHz Channel=21375 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	300	2570.006	-25.72	-10
2	2571	2575	1000	2571.004	-34.28	-10
3	2575	2585	1000	2575.53	-40.08	-13
4	2585	2595	1000	2589.46	-40.1	-25

Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	300	2570.004	-37.19	-10
2	2571	2575	1000	2571.352	-36.12	-10
3	2575	2585	1000	2575.43	-38.38	-13
4	2585	2595	1000	2587.92	-39.91	-25

Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2476.805	-40.11	-25
2	2480	2496	1000	2492.192	-39.6	-13
3	2496	2499	1000	2498.985	-37	-10
4	2499	2500	430	2499.994	-28.24	-10


Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#Max



Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0



Band7 QAM16 BW=20MHz Channel=20850 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2478.775	-39.97	-25
2	2480	2496	1000	2495.904	-36.12	-13
3	2496	2499	1000	2496.147	-35.25	-10
4	2499	2500	430	2499.965	-27.8	-10

Band7 QAM16 BW=20MHz Channel=20850 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2475.37	-39.82	-25
2	2480	2496	1000	2483.184	-38.46	-13
3	2496	2499	1000	2497.107	-39.72	-10
4	2499	2500	430	2499.067	-43.04	-10

Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2479.67	-39.88	-25
2	2480	2496	1000	2495.648	-38.16	-13
3	2496	2499	1000	2498.673	-37.02	-10
4	2499	2500	430	2499.992	-39.21	-10

Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	430	2570.052	-43.26	-10
2	2571	2575	1000	2572.212	-40.11	-10
3	2575	2590	1000	2577.925	-39.78	-13
4	2590	2595	1000	2594.575	-40.03	-25


Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#Max



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	430	2570.031	-42.92	-10
2	2571	2575	1000	2571.488	-40.16	-10
3	2575	2590	1000	2577.835	-40.09	-13
4	2590	2595	1000	2592.655	-40.1	-25

Band7 QAM16 BW=20MHz Channel=21350 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	430	2570.03	-28.12	-10
2	2571	2575	1000	2573.936	-33.29	-10
3	2575	2590	1000	2575.15	-40.16	-13
4	2590	2595	1000	2592.84	-40.15	-25

Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0



06 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	25956.85	-32.11	-13	PASS
Band2	1.4	18607	6	#0	QPSK	26058.85	-32.17	-13	PASS
Band2	1.4	18607	1	#0	QAM16	26252.65	-32.66	-13	PASS
Band2	1.4	18607	6	#0	QAM16	25594.75	-31.81	-13	PASS
Band2	1.4	18900	1	#0	QPSK	25666.15	-31.52	-13	PASS
Band2	1.4	18900	6	#0	QPSK	25168.90	-31.29	-13	PASS
Band2	1.4	18900	1	#0	QAM16	26092.00	-32.05	-13	PASS
Band2	1.4	18900	6	#0	QAM16	26094.55	-31.64	-13	PASS
Band2	1.4	19193	1	#0	QPSK	25648.30	-32.04	-13	PASS
Band2	1.4	19193	6	#0	QPSK	25673.80	-31.75	-13	PASS
Band2	1.4	19193	1	#0	QAM16	26099.65	-32.24	-13	PASS
Band2	1.4	19193	6	#0	QAM16	25640.65	-31.30	-13	PASS
Band2	3	18615	1	#0	QPSK	25655.95	-32.06	-13	PASS
Band2	3	18615	15	#0	QPSK	25551.40	-32.32	-13	PASS
Band2	3	18615	1	#0	QAM16	25242.85	-32.05	-13	PASS
Band2	3	18615	15	#0	QAM16	25564.15	-31.96	-13	PASS
Band2	3	18900	1	#0	QPSK	25625.35	-31.89	-13	PASS
Band2	3	18900	15	#0	QPSK	25668.70	-31.40	-13	PASS
Band2	3	18900	1	#0	QAM16	25594.75	-31.87	-13	PASS
Band2	3	18900	15	#0	QAM16	25905.85	-31.94	-13	PASS

Band2	3	19185	1	#0	QPSK	26069.05	-31.81	-13	PASS
Band2	3	19185	15	#0	QPSK	25204.60	-32.16	-13	PASS
Band2	3	19185	1	#0	QAM16	26035.90	-31.91	-13	PASS
Band2	3	19185	15	#0	QAM16	25276.00	-31.13	-13	PASS
Band2	5	18625	1	#0	QPSK	26441.35	-31.90	-13	PASS
Band2	5	18625	25	#0	QPSK	25571.80	-32.31	-13	PASS
Band2	5	18625	1	#0	QAM16	25380.55	-32.63	-13	PASS
Band2	5	18625	25	#0	QAM16	26117.50	-31.85	-13	PASS
Band2	5	18900	1	#0	QPSK	25253.05	-32.40	-13	PASS
Band2	5	18900	25	#0	QPSK	25852.30	-31.87	-13	PASS
Band2	5	18900	1	#0	QAM16	25245.40	-31.29	-13	PASS
Band2	5	18900	25	#0	QAM16	25594.75	-32.15	-13	PASS
Band2	5	19175	1	#0	QPSK	26117.50	-31.56	-13	PASS
Band2	5	19175	25	#0	QPSK	25370.35	-32.04	-13	PASS
Band2	5	19175	1	#0	QAM16	25592.20	-32.35	-13	PASS
Band2	5	19175	25	#0	QAM16	25553.95	-30.96	-13	PASS
Band2	10	18650	1	#0	QPSK	26494.90	-32.17	-13	PASS
Band2	10	18650	50	#0	QPSK	26030.80	-32.27	-13	PASS
Band2	10	18650	1	#0	QAM16	25768.15	-31.90	-13	PASS
Band2	10	18650	50	#0	QAM16	25553.95	-31.43	-13	PASS
Band2	10	18900	1	#0	QPSK	25219.90	-31.55	-13	PASS
Band2	10	18900	50	#0	QPSK	25278.55	-31.89	-13	PASS
Band2	10	18900	1	#0	QAM16	25987.45	-31.93	-13	PASS
Band2	10	18900	50	#0	QAM16	25747.75	-31.87	-13	PASS
Band2	10	19150	1	#0	QPSK	25429.00	-31.81	-13	PASS
Band2	10	19150	50	#0	QPSK	25464.70	-31.87	-13	PASS
Band2	10	19150	1	#0	QAM16	25204.60	-31.80	-13	PASS
Band2	10	19150	50	#0	QAM16	26000.20	-31.72	-13	PASS
Band2	15	18675	1	#0	QPSK	26155.75	-31.34	-13	PASS
Band2	15	18675	75	#0	QPSK	25342.30	-32.01	-13	PASS
Band2	15	18675	1	#0	QAM16	25212.25	-31.91	-13	PASS
Band2	15	18675	75	#0	QAM16	25227.55	-32.05	-13	PASS
Band2	15	18900	1	#0	QPSK	26015.50	-32.23	-13	PASS
Band2	15	18900	75	#0	QPSK	25760.50	-32.10	-13	PASS
Band2	15	18900	1	#0	QAM16	25339.75	-31.77	-13	PASS
Band2	15	18900	75	#0	QAM16	25569.25	-32.20	-13	PASS
Band2	15	19125	1	#0	QPSK	25207.15	-31.89	-13	PASS
Band2	15	19125	75	#0	QPSK	25490.20	-31.36	-13	PASS
Band2	15	19125	1	#0	QAM16	25877.80	-32.41	-13	PASS
Band2	15	19125	75	#0	QAM16	26076.70	-32.40	-13	PASS
Band2	20	18700	1	#0	QPSK	25237.75	-31.84	-13	PASS
Band2	20	18700	100	#0	QPSK	25281.10	-31.58	-13	PASS
Band2	20	18700	1	#0	QAM16	25566.70	-31.90	-13	PASS
Band2	20	18700	100	#0	QAM16	25179.10	-32.21	-13	PASS

Band2	20	18900	1	#0	QPSK	25194.40	-31.64	-13	PASS
Band2	20	18900	100	#0	QPSK	25967.05	-32.08	-13	PASS
Band2	20	18900	1	#0	QAM16	25648.30	-31.97	-13	PASS
Band2	20	18900	100	#0	QAM16	26125.15	-31.77	-13	PASS
Band2	20	19100	1	#0	QPSK	25627.90	-31.44	-13	PASS
Band2	20	19100	100	#0	QPSK	26084.35	-32.23	-13	PASS
Band2	20	19100	1	#0	QAM16	25347.40	-32.30	-13	PASS
Band2	20	19100	100	#0	QAM16	25959.40	-31.93	-13	PASS
Band38	5	37775	1	#0	QPSK	26438.80	-31.01	-25	PASS
Band38	5	37775	25	#0	QPSK	26018.05	-29.16	-25	PASS
Band38	5	37775	1	#0	QAM16	26063.95	-31.02	-25	PASS
Band38	5	37775	25	#0	QAM16	2545.30	-26.04	-25	PASS
Band38	5	38000	1	#0	QPSK	25972.15	-30.84	-25	PASS
Band38	5	38000	25	#0	QPSK	25625.35	-30.90	-25	PASS
Band38	5	38000	1	#0	QAM16	26112.40	-30.87	-25	PASS
Band38	5	38000	25	#0	QAM16	26163.40	-31.26	-25	PASS
Band38	5	38225	1	#0	QPSK	26137.90	-30.57	-25	PASS
Band38	5	38225	25	#0	QPSK	25566.70	-30.92	-25	PASS
Band38	5	38225	1	#0	QAM16	25232.65	-30.20	-25	PASS
Band38	5	38225	25	#0	QAM16	25209.70	-31.11	-25	PASS
Band38	10	37800	1	#0	QPSK	26471.95	-30.95	-25	PASS
Band38	10	37800	50	#0	QPSK	26489.80	-30.72	-25	PASS
Band38	10	37800	1	#0	QAM16	25653.40	-30.11	-25	PASS
Band38	10	37800	50	#0	QAM16	25304.05	-31.13	-25	PASS
Band38	10	38000	1	#0	QPSK	25630.45	-30.70	-25	PASS
Band38	10	38000	50	#0	QPSK	25227.55	-29.55	-25	PASS
Band38	10	38000	1	#0	QAM16	25520.80	-30.99	-25	PASS
Band38	10	38000	50	#0	QAM16	25699.30	-31.51	-25	PASS
Band38	10	38200	1	#0	QPSK	26130.25	-30.15	-25	PASS
Band38	10	38200	50	#0	QPSK	25617.70	-29.44	-25	PASS
Band38	10	38200	1	#0	QAM16	25250.50	-30.61	-25	PASS
Band38	10	38200	50	#0	QAM16	25301.50	-31.04	-25	PASS
Band38	15	37825	1	#0	QPSK	25745.20	-31.26	-25	PASS
Band38	15	37825	75	#0	QPSK	25225.00	-30.88	-25	PASS
Band38	15	37825	1	#0	QAM16	25615.15	-30.73	-25	PASS
Band38	15	37825	75	#0	QAM16	25268.35	-30.56	-25	PASS
Band38	15	38000	1	#0	QPSK	25253.05	-30.86	-25	PASS
Band38	15	38000	75	#0	QPSK	25589.65	-30.72	-25	PASS
Band38	15	38000	1	#0	QAM16	25327.00	-30.88	-25	PASS
Band38	15	38000	75	#0	QAM16	25337.20	-30.89	-25	PASS
Band38	15	38175	1	#0	QPSK	26043.55	-30.77	-25	PASS
Band38	15	38175	75	#0	QPSK	26168.50	-30.80	-25	PASS
Band38	15	38175	1	#0	QAM16	26176.15	-30.32	-25	PASS
Band38	15	38175	75	#0	QAM16	26066.50	-31.06	-25	PASS

Band38	20	37850	1	#0	QPSK	25240.30	-30.76	-25	PASS
Band38	20	37850	100	#0	QPSK	26018.05	-31.29	-25	PASS
Band38	20	37850	1	#0	QAM16	25908.40	-30.70	-25	PASS
Band38	20	37850	100	#0	QAM16	25566.70	-30.64	-25	PASS
Band38	20	38000	1	#0	QPSK	26058.85	-30.63	-25	PASS
Band38	20	38000	100	#0	QPSK	25597.30	-30.16	-25	PASS
Band38	20	38000	1	#0	QAM16	25191.85	-30.60	-25	PASS
Band38	20	38000	100	#0	QAM16	25510.60	-30.71	-25	PASS
Band38	20	38150	1	#0	QPSK	26061.40	-30.48	-25	PASS
Band38	20	38150	100	#0	QPSK	25286.20	-30.55	-25	PASS
Band38	20	38150	1	#0	QAM16	26497.45	-30.80	-25	PASS
Band38	20	38150	100	#0	QAM16	25352.50	-30.52	-25	PASS
Band4	1.4	19957	1	#0	QPSK	25304.05	-31.91	-13	PASS
Band4	1.4	19957	6	#0	QPSK	26270.50	-32.34	-13	PASS
Band4	1.4	19957	1	#0	QAM16	25082.20	-31.79	-13	PASS
Band4	1.4	19957	6	#0	QAM16	26048.65	-32.09	-13	PASS
Band4	1.4	20175	1	#0	QPSK	26109.85	-32.00	-13	PASS
Band4	1.4	20175	6	#0	QPSK	25128.10	-31.86	-13	PASS
Band4	1.4	20175	1	#0	QAM16	26038.45	-31.47	-13	PASS
Band4	1.4	20175	6	#0	QAM16	25617.70	-32.29	-13	PASS
Band4	1.4	20393	1	#0	QPSK	25599.85	-32.58	-13	PASS
Band4	1.4	20393	6	#0	QPSK	25551.40	-31.85	-13	PASS
Band4	1.4	20393	1	#0	QAM16	25579.45	-32.62	-13	PASS
Band4	1.4	20393	6	#0	QAM16	26005.30	-31.70	-13	PASS
Band4	3	19965	1	#0	QPSK	26410.75	-32.33	-13	PASS
Band4	3	19965	15	#0	QPSK	25620.25	-32.29	-13	PASS
Band4	3	19965	1	#0	QAM16	25360.15	-32.74	-13	PASS
Band4	3	19965	15	#0	QAM16	25255.60	-32.06	-13	PASS
Band4	3	20175	1	#0	QPSK	25597.30	-32.20	-13	PASS
Band4	3	20175	15	#0	QPSK	26487.25	-32.55	-13	PASS
Band4	3	20175	1	#0	QAM16	25176.55	-31.05	-13	PASS
Band4	3	20175	15	#0	QAM16	25982.35	-32.65	-13	PASS
Band4	3	20385	1	#0	QPSK	25627.90	-31.63	-13	PASS
Band4	3	20385	15	#0	QPSK	25551.40	-32.44	-13	PASS
Band4	3	20385	1	#0	QAM16	26492.35	-32.09	-13	PASS
Band4	3	20385	15	#0	QAM16	25214.80	-32.49	-13	PASS
Band4	5	19975	1	#0	QPSK	26178.70	-31.97	-13	PASS
Band4	5	19975	25	#0	QPSK	25286.20	-32.29	-13	PASS
Band4	5	19975	1	#0	QAM16	25724.80	-32.29	-13	PASS
Band4	5	19975	25	#0	QAM16	26028.25	-32.14	-13	PASS
Band4	5	20175	1	#0	QPSK	25495.30	-32.38	-13	PASS
Band4	5	20175	25	#0	QPSK	25230.10	-32.20	-13	PASS
Band4	5	20175	1	#0	QAM16	26043.55	-32.51	-13	PASS
Band4	5	20175	25	#0	QAM16	25344.85	-31.89	-13	PASS

Band4	5	20375	1	#0	QPSK	25967.05	-32.13	-13	PASS
Band4	5	20375	25	#0	QPSK	25217.35	-31.68	-13	PASS
Band4	5	20375	1	#0	QAM16	26392.90	-31.50	-13	PASS
Band4	5	20375	25	#0	QAM16	25538.65	-31.49	-13	PASS
Band4	10	20000	1	#0	QPSK	25574.35	-32.17	-13	PASS
Band4	10	20000	50	#0	QPSK	25227.55	-32.80	-13	PASS
Band4	10	20000	1	#0	QAM16	25569.25	-32.10	-13	PASS
Band4	10	20000	50	#0	QAM16	26069.05	-31.90	-13	PASS
Band4	10	20175	1	#0	QPSK	25321.90	-32.56	-13	PASS
Band4	10	20175	50	#0	QPSK	25202.05	-32.44	-13	PASS
Band4	10	20175	1	#0	QAM16	25214.80	-32.40	-13	PASS
Band4	10	20175	50	#0	QAM16	25528.45	-32.19	-13	PASS
Band4	10	20350	1	#0	QPSK	25635.55	-32.20	-13	PASS
Band4	10	20350	50	#0	QPSK	26063.95	-32.48	-13	PASS
Band4	10	20350	1	#0	QAM16	25242.85	-32.07	-13	PASS
Band4	10	20350	50	#0	QAM16	26002.75	-32.00	-13	PASS
Band4	15	20025	1	#0	QPSK	25227.55	-32.36	-13	PASS
Band4	15	20025	75	#0	QPSK	26104.75	-32.26	-13	PASS
Band4	15	20025	1	#0	QAM16	25643.20	-31.07	-13	PASS
Band4	15	20025	75	#0	QAM16	25227.55	-31.69	-13	PASS
Band4	15	20175	1	#0	QPSK	26183.80	-32.55	-13	PASS
Band4	15	20175	75	#0	QPSK	25263.25	-31.36	-13	PASS
Band4	15	20175	1	#0	QAM16	25655.95	-32.34	-13	PASS
Band4	15	20175	75	#0	QAM16	26454.10	-32.55	-13	PASS
Band4	15	20325	1	#0	QPSK	25337.20	-31.74	-13	PASS
Band4	15	20325	75	#0	QPSK	26094.55	-31.49	-13	PASS
Band4	15	20325	1	#0	QAM16	26048.65	-31.85	-13	PASS
Band4	15	20325	75	#0	QAM16	26114.95	-32.16	-13	PASS
Band4	20	20050	1	#0	QPSK	26127.70	-32.59	-13	PASS
Band4	20	20050	100	#0	QPSK	25556.50	-31.89	-13	PASS
Band4	20	20050	1	#0	QAM16	26229.70	-32.59	-13	PASS
Band4	20	20050	100	#0	QAM16	25225.00	-32.22	-13	PASS
Band4	20	20175	1	#0	QPSK	25423.90	-32.25	-13	PASS
Band4	20	20175	100	#0	QPSK	25556.50	-31.67	-13	PASS
Band4	20	20175	1	#0	QAM16	26163.40	-31.05	-13	PASS
Band4	20	20175	100	#0	QAM16	25541.20	-32.44	-13	PASS
Band4	20	20300	1	#0	QPSK	25245.40	-32.26	-13	PASS
Band4	20	20300	100	#0	QPSK	26025.70	-32.53	-13	PASS
Band4	20	20300	1	#0	QAM16	25263.25	-32.08	-13	PASS
Band4	20	20300	100	#0	QAM16	25671.25	-31.66	-13	PASS
Band5	1.4	20407	1	#0	QPSK	2473.90	-27.93	-13	PASS
Band5	1.4	20407	6	#0	QPSK	2473.90	-33.31	-13	PASS
Band5	1.4	20407	1	#0	QAM16	2473.90	-30.32	-13	PASS
Band5	1.4	20407	6	#0	QAM16	25587.10	-33.33	-13	PASS


Band5	1.4	20525	1	#0	QPSK	2509.60	-31.20	-13	PASS
Band5	1.4	20525	6	#0	QPSK	25582.00	-33.80	-13	PASS
Band5	1.4	20525	1	#0	QAM16	2509.60	-29.42	-13	PASS
Band5	1.4	20525	6	#0	QAM16	25650.85	-33.14	-13	PASS
Band5	1.4	20643	1	#0	QPSK	2542.75	-28.64	-13	PASS
Band5	1.4	20643	6	#0	QPSK	25643.20	-33.88	-13	PASS
Band5	1.4	20643	1	#0	QAM16	2542.75	-28.54	-13	PASS
Band5	1.4	20643	6	#0	QAM16	2545.30	-33.54	-13	PASS
Band5	3	20415	1	#0	QPSK	2473.90	-30.14	-13	PASS
Band5	3	20415	15	#0	QPSK	25668.70	-34.05	-13	PASS
Band5	3	20415	1	#0	QAM16	2473.90	-27.11	-13	PASS
Band5	3	20415	15	#0	QAM16	25263.25	-34.30	-13	PASS
Band5	3	20525	1	#0	QPSK	25179.10	-33.37	-13	PASS
Band5	3	20525	15	#0	QPSK	25235.20	-33.81	-13	PASS
Band5	3	20525	1	#0	QAM16	2507.05	-32.20	-13	PASS
Band5	3	20525	15	#0	QAM16	25531.00	-33.31	-13	PASS
Band5	3	20635	1	#0	QPSK	2540.20	-30.75	-13	PASS
Band5	3	20635	15	#0	QPSK	25686.55	-33.41	-13	PASS
Band5	3	20635	1	#0	QAM16	2540.20	-30.30	-13	PASS
Band5	3	20635	15	#0	QAM16	25653.40	-33.28	-13	PASS
Band5	5	20425	1	#0	QPSK	2473.90	-28.84	-13	PASS
Band5	5	20425	25	#0	QPSK	25964.50	-33.07	-13	PASS
Band5	5	20425	1	#0	QAM16	25872.70	-33.73	-13	PASS
Band5	5	20425	25	#0	QAM16	26041.00	-33.55	-13	PASS
Band5	5	20525	1	#0	QPSK	26033.35	-33.16	-13	PASS
Band5	5	20525	25	#0	QPSK	25997.65	-33.34	-13	PASS
Band5	5	20525	1	#0	QAM16	2501.95	-32.32	-13	PASS
Band5	5	20525	25	#0	QAM16	25574.35	-33.74	-13	PASS
Band5	5	20625	1	#0	QPSK	2532.55	-32.90	-13	PASS
Band5	5	20625	25	#0	QPSK	25286.20	-33.51	-13	PASS
Band5	5	20625	1	#0	QAM16	26155.75	-33.25	-13	PASS
Band5	5	20625	25	#0	QAM16	25265.80	-33.40	-13	PASS
Band5	10	20450	1	#0	QPSK	2473.90	-30.09	-13	PASS
Band5	10	20450	50	#0	QPSK	25237.75	-33.94	-13	PASS
Band5	10	20450	1	#0	QAM16	2473.90	-32.97	-13	PASS
Band5	10	20450	50	#0	QAM16	25276.00	-33.92	-13	PASS
Band5	10	20525	1	#0	QPSK	2496.85	-32.57	-13	PASS
Band5	10	20525	50	#0	QPSK	26418.40	-33.54	-13	PASS
Band5	10	20525	1	#0	QAM16	2496.85	-28.95	-13	PASS
Band5	10	20525	50	#0	QAM16	25648.30	-33.55	-13	PASS
Band5	10	20600	1	#0	QPSK	2519.80	-29.65	-13	PASS
Band5	10	20600	50	#0	QPSK	25531.00	-33.48	-13	PASS
Band5	10	20600	1	#0	QAM16	2519.80	-27.48	-13	PASS
Band5	10	20600	50	#0	QAM16	25592.20	-33.48	-13	PASS

Band66	1.4	131979	1	#0	QPSK	25288.75	-31.03	-13	PASS
Band66	1.4	131979	6	#0	QPSK	25666.15	-31.54	-13	PASS
Band66	1.4	131979	1	#0	QAM16	25212.25	-32.31	-13	PASS
Band66	1.4	131979	6	#0	QAM16	25273.45	-31.78	-13	PASS
Band66	1.4	132322	1	#0	QPSK	26104.75	-31.37	-13	PASS
Band66	1.4	132322	6	#0	QPSK	25661.05	-31.60	-13	PASS
Band66	1.4	132322	1	#0	QAM16	25788.55	-31.93	-13	PASS
Band66	1.4	132322	6	#0	QAM16	25571.80	-31.85	-13	PASS
Band66	1.4	132665	1	#0	QPSK	25283.65	-32.54	-13	PASS
Band66	1.4	132665	6	#0	QPSK	26097.10	-32.14	-13	PASS
Band66	1.4	132665	1	#0	QAM16	25258.15	-32.02	-13	PASS
Band66	1.4	132665	6	#0	QAM16	25984.90	-32.06	-13	PASS
Band66	3	131987	1	#0	QPSK	26066.50	-32.77	-13	PASS
Band66	3	131987	15	#0	QPSK	25250.50	-31.17	-13	PASS
Band66	3	131987	1	#0	QAM16	25181.65	-32.10	-13	PASS
Band66	3	131987	15	#0	QAM16	25916.05	-31.00	-13	PASS
Band66	3	132322	1	#0	QPSK	25755.40	-32.05	-13	PASS
Band66	3	132322	15	#0	QPSK	25352.50	-31.85	-13	PASS
Band66	3	132322	1	#0	QAM16	25250.50	-31.49	-13	PASS
Band66	3	132322	15	#0	QAM16	25604.95	-31.79	-13	PASS
Band66	3	132657	1	#0	QPSK	26028.25	-31.15	-13	PASS
Band66	3	132657	15	#0	QPSK	26163.40	-30.68	-13	PASS
Band66	3	132657	1	#0	QAM16	26000.20	-32.36	-13	PASS
Band66	3	132657	15	#0	QAM16	25311.70	-32.02	-13	PASS
Band66	5	131997	1	#0	QPSK	25556.50	-31.28	-13	PASS
Band66	5	131997	25	#0	QPSK	26015.50	-32.39	-13	PASS
Band66	5	131997	1	#0	QAM16	26056.30	-32.84	-13	PASS
Band66	5	131997	25	#0	QAM16	25735.00	-31.83	-13	PASS
Band66	5	132322	1	#0	QPSK	25676.35	-32.57	-13	PASS
Band66	5	132322	25	#0	QPSK	26041.00	-32.05	-13	PASS
Band66	5	132322	1	#0	QAM16	26086.90	-31.91	-13	PASS
Band66	5	132322	25	#0	QAM16	25513.15	-32.17	-13	PASS
Band66	5	132647	1	#0	QPSK	26058.85	-32.33	-13	PASS
Band66	5	132647	25	#0	QPSK	25765.60	-32.19	-13	PASS
Band66	5	132647	1	#0	QAM16	25712.05	-32.08	-13	PASS
Band66	5	132647	25	#0	QAM16	26043.55	-31.89	-13	PASS
Band66	10	132022	1	#0	QPSK	25594.75	-31.97	-13	PASS
Band66	10	132022	50	#0	QPSK	25615.15	-32.21	-13	PASS
Band66	10	132022	1	#0	QAM16	26056.30	-32.25	-13	PASS
Band66	10	132022	50	#0	QAM16	25505.50	-32.17	-13	PASS
Band66	10	132322	1	#0	QPSK	25645.75	-32.30	-13	PASS
Band66	10	132322	50	#0	QPSK	25309.15	-32.62	-13	PASS
Band66	10	132322	1	#0	QAM16	25658.50	-32.16	-13	PASS
Band66	10	132322	50	#0	QAM16	25171.45	-32.01	-13	PASS


Band66	10	132622	1	#0	QPSK	25584.55	-30.70	-13	PASS
Band66	10	132622	50	#0	QPSK	25497.85	-31.96	-13	PASS
Band66	10	132622	1	#0	QAM16	26114.95	-32.28	-13	PASS
Band66	10	132622	50	#0	QAM16	25579.45	-31.75	-13	PASS
Band66	15	132047	1	#0	QPSK	25153.60	-32.43	-13	PASS
Band66	15	132047	75	#0	QPSK	26209.30	-32.56	-13	PASS
Band66	15	132047	1	#0	QAM16	25278.55	-32.27	-13	PASS
Band66	15	132047	75	#0	QAM16	25214.80	-32.40	-13	PASS
Band66	15	132322	1	#0	QPSK	25202.05	-32.29	-13	PASS
Band66	15	132322	75	#0	QPSK	26114.95	-32.68	-13	PASS
Band66	15	132322	1	#0	QAM16	25691.65	-31.94	-13	PASS
Band66	15	132322	75	#0	QAM16	25599.85	-31.46	-13	PASS
Band66	15	132597	1	#0	QPSK	25309.15	-32.35	-13	PASS
Band66	15	132597	75	#0	QPSK	25145.95	-32.37	-13	PASS
Band66	15	132597	1	#0	QAM16	24921.55	-31.70	-13	PASS
Band66	15	132597	75	#0	QAM16	25556.50	-32.20	-13	PASS
Band66	20	132072	1	#0	QPSK	25622.80	-31.44	-13	PASS
Band66	20	132072	100	#0	QPSK	25321.90	-31.44	-13	PASS
Band66	20	132072	1	#0	QAM16	25451.95	-31.97	-13	PASS
Band66	20	132072	100	#0	QAM16	25319.35	-32.14	-13	PASS
Band66	20	132322	1	#0	QPSK	25663.60	-31.66	-13	PASS
Band66	20	132322	100	#0	QPSK	26418.40	-32.19	-13	PASS
Band66	20	132322	1	#0	QAM16	25316.80	-32.45	-13	PASS
Band66	20	132322	100	#0	QAM16	26109.85	-31.73	-13	PASS
Band66	20	132572	1	#0	QPSK	25400.95	-32.26	-13	PASS
Band66	20	132572	100	#0	QPSK	25227.55	-32.14	-13	PASS
Band66	20	132572	1	#0	QAM16	26130.25	-32.15	-13	PASS
Band66	20	132572	100	#0	QAM16	26104.75	-31.45	-13	PASS
Band7	5	20775	1	#0	QPSK	26471.95	-30.66	-25	PASS
Band7	5	20775	25	#0	QPSK	25360.15	-30.37	-25	PASS
Band7	5	20775	1	#0	QAM16	25242.85	-30.20	-25	PASS
Band7	5	20775	25	#0	QAM16	25576.90	-30.29	-25	PASS
Band7	5	21100	1	#0	QPSK	25434.10	-30.70	-25	PASS
Band7	5	21100	25	#0	QPSK	25668.70	-30.75	-25	PASS
Band7	5	21100	1	#0	QAM16	25268.35	-31.31	-25	PASS
Band7	5	21100	25	#0	QAM16	26023.15	-30.53	-25	PASS
Band7	5	21425	1	#0	QPSK	25145.95	-30.93	-25	PASS
Band7	5	21425	25	#0	QPSK	25704.40	-30.61	-25	PASS
Band7	5	21425	1	#0	QAM16	25166.35	-30.56	-25	PASS
Band7	5	21425	25	#0	QAM16	26028.25	-30.65	-25	PASS
Band7	10	20800	1	#0	QPSK	25668.70	-30.76	-25	PASS
Band7	10	20800	50	#0	QPSK	25604.95	-30.56	-25	PASS
Band7	10	20800	1	#0	QAM16	25209.70	-30.76	-25	PASS
Band7	10	20800	50	#0	QAM16	25597.30	-30.97	-25	PASS

Band7	10	21100	1	#0	QPSK	25337.20	-30.32	-25	PASS
Band7	10	21100	50	#0	QPSK	25633.00	-31.09	-25	PASS
Band7	10	21100	1	#0	QAM16	25260.70	-31.03	-25	PASS
Band7	10	21100	50	#0	QAM16	25757.95	-31.16	-25	PASS
Band7	10	21400	1	#0	QPSK	25597.30	-30.87	-25	PASS
Band7	10	21400	50	#0	QPSK	26069.05	-31.05	-25	PASS
Band7	10	21400	1	#0	QAM16	25617.70	-31.10	-25	PASS
Band7	10	21400	50	#0	QAM16	26497.45	-30.72	-25	PASS
Band7	15	20825	1	#0	QPSK	25928.80	-30.39	-25	PASS
Band7	15	20825	75	#0	QPSK	25186.75	-30.92	-25	PASS
Band7	15	20825	1	#0	QAM16	25967.05	-30.69	-25	PASS
Band7	15	20825	75	#0	QAM16	25235.20	-30.14	-25	PASS
Band7	15	21100	1	#0	QPSK	25531.00	-30.06	-25	PASS
Band7	15	21100	75	#0	QPSK	25464.70	-30.95	-25	PASS
Band7	15	21100	1	#0	QAM16	26089.45	-30.91	-25	PASS
Band7	15	21100	75	#0	QAM16	25722.25	-31.25	-25	PASS
Band7	15	21375	1	#0	QPSK	26023.15	-30.50	-25	PASS
Band7	15	21375	75	#0	QPSK	25191.85	-31.05	-25	PASS
Band7	15	21375	1	#0	QAM16	25199.50	-30.66	-25	PASS
Band7	15	21375	75	#0	QAM16	25918.60	-31.12	-25	PASS
Band7	20	20850	1	#0	QPSK	25633.00	-30.52	-25	PASS
Band7	20	20850	100	#0	QPSK	25594.75	-30.78	-25	PASS
Band7	20	20850	1	#0	QAM16	25569.25	-30.91	-25	PASS
Band7	20	20850	100	#0	QAM16	25253.05	-30.80	-25	PASS
Band7	20	21100	1	#0	QPSK	25525.90	-30.69	-25	PASS
Band7	20	21100	100	#0	QPSK	25196.95	-31.09	-25	PASS
Band7	20	21100	1	#0	QAM16	25327.00	-30.74	-25	PASS
Band7	20	21100	100	#0	QAM16	25214.80	-30.94	-25	PASS
Band7	20	21350	1	#0	QPSK	25607.50	-30.82	-25	PASS
Band7	20	21350	100	#0	QPSK	25727.35	-30.41	-25	PASS
Band7	20	21350	1	#0	QAM16	26145.55	-31.18	-25	PASS
Band7	20	21350	100	#0	QAM16	26104.75	-31.07	-25	PASS


Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101844	-45.08	-13
2	0.15	30	10	0.15	-47.72	-13
3	30	1000	100	783.981	-56.24	-13
4	1000	26500	1000	26099.65	-32.24	-13

Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093384	-44.77	-13
2	0.15	30	10	0.158955	-48.55	-13
3	30	1000	100	810.559	-55.74	-13
4	1000	26500	1000	25640.65	-31.3	-13


Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=1 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=1 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#0



Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093243	-45.41	-13
2	0.15	30	10	0.164925	-47.94	-13
3	30	1000	100	759.925	-55.76	-13
4	1000	26500	1000	25380.55	-32.63	-13

Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0112701	-44.94	-13
2	0.15	30	10	0.15	-45.75	-13
3	30	1000	100	976.332	-56.2	-13
4	1000	26500	1000	26117.5	-31.85	-13


Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=1 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096063	-45.14	-13
2	0.15	30	10	0.15	-49.12	-13
3	30	1000	100	259.987	-55.87	-13
4	1000	26500	1000	25987.45	-31.93	-13

Band2 QAM16 BW=10MHz Channel=18900 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0107343	-45.26	-13
2	0.15	30	10	0.15	-48.92	-13
3	30	1000	100	979.145	-55.79	-13
4	1000	26500	1000	25747.75	-31.87	-13


Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=1 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#0



Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46.9	-13
2	0.15	30	10	0.15597	-46.84	-13
3	30	1000	100	983.704	-56.33	-13
4	1000	26500	1000	25212.25	-31.91	-13

Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091551	-45	-13
2	0.15	30	10	0.158955	-46.91	-13
3	30	1000	100	363.098	-56.29	-13
4	1000	26500	1000	25227.55	-32.05	-13


Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=1 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=1 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=20MHz Channel=18900 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#0



Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098601	-45.21	-13
2	0.15	30	10	0.15	-48.01	-13
3	30	1000	100	865.073	-56.11	-13
4	1000	26500	1000	25347.4	-32.3	-13

Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0113829	-45.77	-13
2	0.15	30	10	0.15	-49.34	-13
3	30	1000	100	788.055	-56.12	-13
4	1000	26500	1000	25959.4	-31.93	-13


Band38 QPSK BW=5MHz Channel=37775 RB Size=1 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=1 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QAM16 BW=5MHz Channel=38000 RB Size=1 Position=#0




Band38 QAM16 BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=1 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=1 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=1 Position=#0



Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=37800 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101421	-42.69	-25
2	0.15	30	10	0.15597	-47.42	-25
3	30	1000	100	856.828	-54.9	-25
4	1000	26500	1000	25653.4	-30.11	-25

Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102972	-42.82	-25
2	0.15	30	10	0.16194	-45.73	-25
3	30	1000	100	833.839	-54.68	-25
4	1000	26500	1000	25304.05	-31.13	-25


Band38 QPSK BW=10MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38000 RB Size=1 Position=#0




Band38 QAM16 BW=10MHz Channel=38000 RB Size=50 Position=#0



Band38 QPSK BW=10MHz Channel=38200 RB Size=1 Position=#0



Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0



Band38 QAM16 BW=10MHz Channel=38200 RB Size=1 Position=#0