

Appendix B - LTE Band 28(718-748)

Frequency Tolerance

Test Result

Condition	Band	Bandwidth	Modulation	Channel	RB Configure	Result (Hz)	Limit (Hz)	Verdict
Normal	Band28	5MHz	QPSK	27385	25RB#0	-3.461838	±87.05	PASS
High temperature	Band28	5MHz	QPSK	27385	25RB#0	-3.647804	±87.05	PASS
Low temperature	Band28	5MHz	QPSK	27385	25RB#0	-3.862381	±87.05	PASS
Vibration	Band28	5MHz	QPSK	27385	25RB#0	-3.13282	±87.05	PASS
Humidity	Band28	5MHz	QPSK	27385	25RB#0	-3.361702	±87.05	PASS
Normal	Band28	5MHz	QPSK	27510	25RB#0	-2.832413	±88.3	PASS
High temperature	Band28	5MHz	QPSK	27510	25RB#0	-2.918243	±88.3	PASS
Low temperature	Band28	5MHz	QPSK	27510	25RB#0	-3.77655	±88.3	PASS
Vibration	Band28	5MHz	QPSK	27510	25RB#0	-2.417564	±88.3	PASS
Humidity	Band28	5MHz	QPSK	27510	25RB#0	-3.705025	±88.3	PASS
Normal	Band28	5MHz	QPSK	27635	25RB#0	-2.46048	±89.55	PASS
High temperature	Band28	5MHz	QPSK	27635	25RB#0	-3.547668	±89.55	PASS
Low temperature	Band28	5MHz	QPSK	27635	25RB#0	-3.333092	±89.55	PASS
Vibration	Band28	5MHz	QPSK	27635	25RB#0	-4.30584	±89.55	PASS
Humidity	Band28	5MHz	QPSK	27635	25RB#0	-3.71933	±89.55	PASS
Normal	Band28	10MHz	QPSK	27410	25RB#0	-3.976822	±87.3	PASS
High temperature	Band28	10MHz	QPSK	27410	25RB#0	-3.519058	±87.3	PASS
Low temperature	Band28	10MHz	QPSK	27410	25RB#0	-4.005432	±87.3	PASS
Vibration	Band28	10MHz	QPSK	27410	25RB#0	-3.13282	±87.3	PASS
Humidity	Band28	10MHz	QPSK	27410	25RB#0	-3.662109	±87.3	PASS
Normal	Band28	10MHz	QPSK	27510	25RB#0	-2.574921	±88.3	PASS
High temperature	Band28	10MHz	QPSK	27510	25RB#0	-2.260208	±88.3	PASS
Low temperature	Band28	10MHz	QPSK	27510	25RB#0	-2.975464	±88.3	PASS
Vibration	Band28	10MHz	QPSK	27510	25RB#0	-2.160072	±88.3	PASS
Humidity	Band28	10MHz	QPSK	27510	25RB#0	-2.875328	±88.3	PASS
Normal	Band28	10MHz	QPSK	27610	25RB#0	-3.662109	±89.3	PASS
High temperature	Band28	10MHz	QPSK	27610	25RB#0	-4.763603	±89.3	PASS
Low temperature	Band28	10MHz	QPSK	27610	25RB#0	-3.089905	±89.3	PASS
Vibration	Band28	10MHz	QPSK	27610	25RB#0	-4.262924	±89.3	PASS
Humidity	Band28	10MHz	QPSK	27610	25RB#0	-3.848076	±89.3	PASS
Normal	Band28	15MHz	QPSK	27435	75RB#0	-3.418922	±87.55	PASS
High temperature	Band28	15MHz	QPSK	27435	75RB#0	-4.234314	±87.55	PASS

Low temperature	Band28	15MHz	QPSK	27435	75RB#0	-4.162788	±87.55	PASS
Vibration	Band28	15MHz	QPSK	27435	75RB#0	-4.048347	±87.55	PASS
Humidity	Band28	15MHz	QPSK	27435	75RB#0	-3.10421	±87.55	PASS
Normal	Band28	15MHz	QPSK	27510	75RB#0	-2.417564	±88.3	PASS
High temperature	Band28	15MHz	QPSK	27510	75RB#0	-4.162788	±88.3	PASS
Low temperature	Band28	15MHz	QPSK	27510	75RB#0	-4.048347	±88.3	PASS
Vibration	Band28	15MHz	QPSK	27510	75RB#0	-3.762245	±88.3	PASS
Humidity	Band28	15MHz	QPSK	27510	75RB#0	-4.506111	±88.3	PASS
Normal	Band28	15MHz	QPSK	27585	75RB#0	-5.335808	±89.05	PASS
High temperature	Band28	15MHz	QPSK	27585	75RB#0	-3.16143	±89.05	PASS
Low temperature	Band28	15MHz	QPSK	27585	75RB#0	-3.390312	±89.05	PASS
Vibration	Band28	15MHz	QPSK	27585	75RB#0	-2.989769	±89.05	PASS
Humidity	Band28	15MHz	QPSK	27585	75RB#0	-3.662109	±89.05	PASS
Normal	Band28	20MHz	QPSK	27460	100RB#0	-4.30584	±87.8	PASS
High temperature	Band28	20MHz	QPSK	27460	100RB#0	-4.520416	±87.8	PASS
Low temperature	Band28	20MHz	QPSK	27460	100RB#0	-3.390312	±87.8	PASS
Vibration	Band28	20MHz	QPSK	27460	100RB#0	-3.890991	±87.8	PASS
Humidity	Band28	20MHz	QPSK	27460	100RB#0	-2.48909	±87.8	PASS
Normal	Band28	20MHz	QPSK	27510	100RB#0	-1.716614	±88.3	PASS
High temperature	Band28	20MHz	QPSK	27510	100RB#0	-3.418922	±88.3	PASS
Low temperature	Band28	20MHz	QPSK	27510	100RB#0	-1.84536	±88.3	PASS
Vibration	Band28	20MHz	QPSK	27510	100RB#0	-4.162788	±88.3	PASS
Humidity	Band28	20MHz	QPSK	27510	100RB#0	-2.975464	±88.3	PASS
Normal	Band28	20MHz	QPSK	27560	100RB#0	-3.218651	±88.8	PASS
High temperature	Band28	20MHz	QPSK	27560	100RB#0	-4.534721	±88.8	PASS
Low temperature	Band28	20MHz	QPSK	27560	100RB#0	-2.818108	±88.8	PASS
Vibration	Band28	20MHz	QPSK	27560	100RB#0	-3.833771	±88.8	PASS
Humidity	Band28	20MHz	QPSK	27560	100RB#0	-2.689362	±88.8	PASS

RF Output Power Tolerance

Test Result

Condition	Band	Bandwidth	Modulation	Channel	RB Configure	Power (dBm)	DecPower (dBm)	Tol (%)	Limit (%)	Verdict
NTNV	Band28	5MHz	QPSK	27385	1RB#0	22.16	23.00	-17.59	-79 to 87	PASS
NTNV	Band28	5MHz	QPSK	27385	1RB#24	22.14	23.00	-17.96	-79 to 87	PASS
NTNV	Band28	5MHz	QPSK	27385	12RB#6	20.99	23.00	-37.05	-79 to 87	PASS
NTNV	Band28	5MHz	QPSK	27385	25RB#0	21.12	23.00	-35.14	-79 to 87	PASS
NTNV	Band28	5MHz	QPSK	27510	1RB#0	22.14	23.00	-17.96	-79 to 87	PASS
NTNV	Band28	5MHz	QPSK	27510	1RB#24	22.36	23.00	-13.7	-79 to 87	PASS
NTNV	Band28	5MHz	QPSK	27510	12RB#6	21.10	23.00	-35.43	-79 to 87	PASS
NTNV	Band28	5MHz	QPSK	27510	25RB#0	21.27	23.00	-32.86	-79 to 87	PASS
NTNV	Band28	5MHz	QPSK	27635	1RB#0	21.98	23.00	-20.93	-79 to 87	PASS
NTNV	Band28	5MHz	QPSK	27635	1RB#24	22.11	23.00	-18.53	-79 to 87	PASS
NTNV	Band28	5MHz	QPSK	27635	12RB#6	21.19	23.00	-34.08	-79 to 87	PASS
NTNV	Band28	5MHz	QPSK	27635	25RB#0	21.31	23.00	-32.24	-79 to 87	PASS
NTNV	Band28	10MHz	QPSK	27410	1RB#0	21.90	23.00	-22.38	-79 to 87	PASS
NTNV	Band28	10MHz	QPSK	27410	1RB#49	22.08	23.00	-19.09	-79 to 87	PASS
NTNV	Band28	10MHz	QPSK	27410	25RB#12	21.21	23.00	-33.78	-79 to 87	PASS
NTNV	Band28	10MHz	QPSK	27410	50RB#0	21.15	23.00	-34.69	-79 to 87	PASS
NTNV	Band28	10MHz	QPSK	27510	1RB#0	21.98	23.00	-20.93	-79 to 87	PASS
NTNV	Band28	10MHz	QPSK	27510	1RB#49	22.18	23.00	-17.21	-79 to 87	PASS
NTNV	Band28	10MHz	QPSK	27510	25RB#12	21.03	23.00	-36.47	-79 to 87	PASS
NTNV	Band28	10MHz	QPSK	27510	50RB#0	21.04	23.00	-36.32	-79 to 87	PASS
NTNV	Band28	10MHz	QPSK	27610	1RB#0	22.18	23.00	-17.21	-79 to 87	PASS
NTNV	Band28	10MHz	QPSK	27610	1RB#49	21.82	23.00	-23.79	-79 to 87	PASS
NTNV	Band28	10MHz	QPSK	27610	25RB#12	21.08	23.00	-35.73	-79 to 87	PASS
NTNV	Band28	10MHz	QPSK	27610	50RB#0	21.14	23.00	-34.84	-79 to 87	PASS
NTNV	Band28	15MHz	QPSK	27435	1RB#0	21.86	23.00	-23.09	-79 to 87	PASS
NTNV	Band28	15MHz	QPSK	27435	1RB#74	21.93	23.00	-21.84	-79 to 87	PASS
NTNV	Band28	15MHz	QPSK	27435	36RB#37	21.16	23.00	-34.54	-79 to 87	PASS
NTNV	Band28	15MHz	QPSK	27435	75RB#0	21.06	23.00	-36.03	-79 to 87	PASS
NTNV	Band28	15MHz	QPSK	27510	1RB#0	22.00	23.00	-20.57	-79 to 87	PASS
NTNV	Band28	15MHz	QPSK	27510	1RB#74	22.14	23.00	-17.96	-79 to 87	PASS
NTNV	Band28	15MHz	QPSK	27510	36RB#37	21.16	23.00	-34.54	-79 to 87	PASS
NTNV	Band28	15MHz	QPSK	27510	75RB#0	21.09	23.00	-35.58	-79 to 87	PASS
NTNV	Band28	15MHz	QPSK	27585	1RB#0	22.01	23.00	-20.38	-79 to 87	PASS
NTNV	Band28	15MHz	QPSK	27585	1RB#74	21.81	23.00	-23.97	-79 to 87	PASS

NTNV	Band28	15MHz	QPSK	27585	36RB#37	21.21	23.00	-33.78	-79 to 87	PASS
NTNV	Band28	15MHz	QPSK	27585	75RB#0	21.05	23.00	-36.17	-79 to 87	PASS
NTNV	Band28	20MHz	QPSK	27460	1RB#0	21.95	23.00	-21.48	-79 to 87	PASS
NTNV	Band28	20MHz	QPSK	27460	1RB#99	21.93	23.00	-21.84	-79 to 87	PASS
NTNV	Band28	20MHz	QPSK	27460	50RB#24	21.06	23.00	-36.03	-79 to 87	PASS
NTNV	Band28	20MHz	QPSK	27460	100RB#0	21.02	23.00	-36.61	-79 to 87	PASS
NTNV	Band28	20MHz	QPSK	27510	1RB#0	22.05	23.00	-19.65	-79 to 87	PASS
NTNV	Band28	20MHz	QPSK	27510	1RB#99	21.90	23.00	-22.38	-79 to 87	PASS
NTNV	Band28	20MHz	QPSK	27510	50RB#24	20.99	23.00	-37.05	-79 to 87	PASS
NTNV	Band28	20MHz	QPSK	27510	100RB#0	21.06	23.00	-36.03	-79 to 87	PASS
NTNV	Band28	20MHz	QPSK	27560	1RB#0	21.72	23.00	-25.53	-79 to 87	PASS
NTNV	Band28	20MHz	QPSK	27560	1RB#99	22.23	23.00	-16.25	-79 to 87	PASS
NTNV	Band28	20MHz	QPSK	27560	50RB#24	21.05	23.00	-36.17	-79 to 87	PASS
NTNV	Band28	20MHz	QPSK	27560	100RB#0	20.99	23.00	-37.05	-79 to 87	PASS

Occupied Bandwidth

Test Result

Condition	Band	Bandwidth	Modulation	Channel	RB Configure	Result (MHz)	Limit (MHz)	Verdict
NTNV	Band28	5MHz	QPSK	27385	25RB#0	4.4961	5	PASS
NTNV	Band28	5MHz	QPSK	27510	25RB#0	4.4800	5	PASS
NTNV	Band28	5MHz	QPSK	27635	25RB#0	4.4774	5	PASS
NTNV	Band28	10MHz	QPSK	27410	50RB#0	8.9565	10	PASS
NTNV	Band28	10MHz	QPSK	27510	50RB#0	8.9385	10	PASS
NTNV	Band28	10MHz	QPSK	27610	50RB#0	8.9261	10	PASS
NTNV	Band28	15MHz	QPSK	27435	75RB#0	13.413	15	PASS
NTNV	Band28	15MHz	QPSK	27510	75RB#0	13.387	15	PASS
NTNV	Band28	15MHz	QPSK	27585	75RB#0	13.401	15	PASS
NTNV	Band28	20MHz	QPSK	27460	100RB#0	17.833	20	PASS
NTNV	Band28	20MHz	QPSK	27510	100RB#0	17.770	20	PASS
NTNV	Band28	20MHz	QPSK	27560	100RB#0	17.794	20	PASS

Adjacent Channel Leakage Power

Test Result

Condition	Band	Bandwidth	Modulation	Channel	RB Configure	Freq (MHz)	Result	Limit	Verdict
NTNV	Band28	5MHz	QPSK	27385	25RB#0	-10	-59.68dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	5MHz	QPSK	27385	25RB#0	-5	-36.26dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	5MHz	QPSK	27385	25RB#0	-5	-35.53dBc	≤-29.2dBc/4.5MHz	PASS
NTNV	Band28	5MHz	QPSK	27385	25RB#0	+5	-39.10dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	5MHz	QPSK	27385	25RB#0	+5	-38.28dBc	≤-29.2dBc/4.5MHz	PASS
NTNV	Band28	5MHz	QPSK	27385	25RB#0	+10	-57.16dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	5MHz	QPSK	27510	25RB#0	-10	-57.36dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	5MHz	QPSK	27510	25RB#0	-5	-39.89dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	5MHz	QPSK	27510	25RB#0	-5	-39.06dBc	≤-29.2dBc/4.5MHz	PASS
NTNV	Band28	5MHz	QPSK	27510	25RB#0	+5	-39.28dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	5MHz	QPSK	27510	25RB#0	+5	-38.53dBc	≤-29.2dBc/4.5MHz	PASS
NTNV	Band28	5MHz	QPSK	27510	25RB#0	+10	-57.44dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	5MHz	QPSK	27635	25RB#0	-10	-55.40dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	5MHz	QPSK	27635	25RB#0	-5	-36.68dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	5MHz	QPSK	27635	25RB#0	-5	-35.93dBc	≤-29.2dBc/4.5MHz	PASS
NTNV	Band28	5MHz	QPSK	27635	25RB#0	+5	-39.13dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	5MHz	QPSK	27635	25RB#0	+5	-38.06dBc	≤-29.2dBc/4.5MHz	PASS
NTNV	Band28	5MHz	QPSK	27635	25RB#0	+10	-62.73dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	10MHz	QPSK	27410	50RB#0	-12.5	-50.82dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	10MHz	QPSK	27410	50RB#0	-10	-38.64dBc	≤-29.2dBc/9MHz	PASS
NTNV	Band28	10MHz	QPSK	27410	50RB#0	-7.5	-39.57dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	10MHz	QPSK	27410	50RB#0	+7.5	-41.46dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	10MHz	QPSK	27410	50RB#0	+10	-39.88dBc	≤-29.2dBc/9MHz	PASS
NTNV	Band28	10MHz	QPSK	27410	50RB#0	+12.5	-47.91dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	10MHz	QPSK	27510	50RB#0	-12.5	-48.45dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	10MHz	QPSK	27510	50RB#0	-10	-40.62dBc	≤-29.2dBc/9MHz	PASS
NTNV	Band28	10MHz	QPSK	27510	50RB#0	-7.5	-42.17dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	10MHz	QPSK	27510	50RB#0	+7.5	-41.91dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	10MHz	QPSK	27510	50RB#0	+10	-40.39dBc	≤-29.2dBc/9MHz	PASS
NTNV	Band28	10MHz	QPSK	27510	50RB#0	+12.5	-48.34dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	10MHz	QPSK	27610	50RB#0	-12.5	-45.19dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	10MHz	QPSK	27610	50RB#0	-10	-36.70dBc	≤-29.2dBc/9MHz	PASS
NTNV	Band28	10MHz	QPSK	27610	50RB#0	-7.5	-38.10dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	10MHz	QPSK	27610	50RB#0	+7.5	-42.44dBc	≤-32.2dBc/3.84MHz	PASS

NTNV	Band28	10MHz	QPSK	27610	50RB#0	+10	-41.81dBc	≤-29.2dBc/9MHz	PASS
NTNV	Band28	10MHz	QPSK	27610	50RB#0	+12.5	-56.55dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	15MHz	QPSK	27435	75RB#0	-15	-50.08dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	15MHz	QPSK	27435	75RB#0	-15	-39.48dBc	≤-29.2dBc/13.5MHz	PASS
NTNV	Band28	15MHz	QPSK	27435	75RB#0	-10	-40.24dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	15MHz	QPSK	27435	75RB#0	+10	-40.71dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	15MHz	QPSK	27435	75RB#0	+15	-44.45dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	15MHz	QPSK	27435	75RB#0	+15	-38.32dBc	≤-29.2dBc/13.5MHz	PASS
NTNV	Band28	15MHz	QPSK	27510	75RB#0	-15	-46.07dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	15MHz	QPSK	27510	75RB#0	-15	-40.35dBc	≤-29.2dBc/13.5MHz	PASS
NTNV	Band28	15MHz	QPSK	27510	75RB#0	-10	-42.98dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	15MHz	QPSK	27510	75RB#0	+10	-43.33dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	15MHz	QPSK	27510	75RB#0	+15	-47.35dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	15MHz	QPSK	27510	75RB#0	+15	-41.21dBc	≤-29.2dBc/13.5MHz	PASS
NTNV	Band28	15MHz	QPSK	27585	75RB#0	-15	-41.60dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	15MHz	QPSK	27585	75RB#0	-15	-35.44dBc	≤-29.2dBc/13.5MHz	PASS
NTNV	Band28	15MHz	QPSK	27585	75RB#0	-10	-37.83dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	15MHz	QPSK	27585	75RB#0	+10	-43.34dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	15MHz	QPSK	27585	75RB#0	+15	-55.74dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	15MHz	QPSK	27585	75RB#0	+15	-43.02dBc	≤-29.2dBc/13.5MHz	PASS
NTNV	Band28	20MHz	QPSK	27460	100RB#0	-20	-41.86dBc	≤-29.2dBc/18MHz	PASS
NTNV	Band28	20MHz	QPSK	27460	100RB#0	-17.5	-51.77dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	20MHz	QPSK	27460	100RB#0	-12.5	-42.39dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	20MHz	QPSK	27460	100RB#0	+12.5	-43.59dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	20MHz	QPSK	27460	100RB#0	+17.5	-45.28dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	20MHz	QPSK	27460	100RB#0	+20	-40.33dBc	≤-29.2dBc/18MHz	PASS
NTNV	Band28	20MHz	QPSK	27510	100RB#0	-20	-41.75dBc	≤-29.2dBc/18MHz	PASS
NTNV	Band28	20MHz	QPSK	27510	100RB#0	-17.5	-46.84dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	20MHz	QPSK	27510	100RB#0	-12.5	-44.33dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	20MHz	QPSK	27510	100RB#0	+12.5	-45.66dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	20MHz	QPSK	27510	100RB#0	+17.5	-50.38dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	20MHz	QPSK	27510	100RB#0	+20	-43.94dBc	≤-29.2dBc/18MHz	PASS
NTNV	Band28	20MHz	QPSK	27560	100RB#0	-20	-38.79dBc	≤-29.2dBc/18MHz	PASS
NTNV	Band28	20MHz	QPSK	27560	100RB#0	-17.5	-44.11dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	20MHz	QPSK	27560	100RB#0	-12.5	-42.47dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	20MHz	QPSK	27560	100RB#0	+12.5	-47.01dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band28	20MHz	QPSK	27560	100RB#0	+17.5	-58.37dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band28	20MHz	QPSK	27560	100RB#0	+20	-46.77dBc	≤-29.2dBc/18MHz	PASS

Unwanted Emission Strength in Out-band Area

Test Result

Condition	Band	Bandwidth	Modulation	Channel	RB Configure	Start Freq. (MHz)	Stop Freq. (MHz)	Freq (MHz)	Result	Limit	Verdict
NTNV	Band28	5MHz	QPSK	27385	25RB#0	-12.50	-8.50	712.00	-38.21dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	5MHz	QPSK	27385	25RB#0	-8.50	-7.50	713.00	-32.96dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	5MHz	QPSK	27385	25RB#0	-7.50	-3.50	717.00	-17.10dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	5MHz	QPSK	27385	25RB#0	-3.50	-2.50	718.00	-28.06dBm	-13.50dBm/30.00kHz	PASS
NTNV	Band28	5MHz	QPSK	27385	25RB#0	2.50	3.50	723.01	-29.08dBm	-13.50dBm/30.00kHz	PASS
NTNV	Band28	5MHz	QPSK	27385	25RB#0	3.50	7.50	724.00	-19.67dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	5MHz	QPSK	27385	25RB#0	7.50	8.50	728.01	-33.58dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	5MHz	QPSK	27385	25RB#0	8.50	12.50	729.00	-37.85dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	5MHz	QPSK	27510	25RB#0	-12.50	-8.50	724.50	-37.76dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	5MHz	QPSK	27510	25RB#0	-8.50	-7.50	725.50	-33.93dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	5MHz	QPSK	27510	25RB#0	-7.50	-3.50	729.48	-20.74dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	5MHz	QPSK	27510	25RB#0	-3.50	-2.50	730.50	-29.41dBm	-13.50dBm/30.00kHz	PASS
NTNV	Band28	5MHz	QPSK	27510	25RB#0	2.50	3.50	735.51	-29.78dBm	-13.50dBm/30.00kHz	PASS
NTNV	Band28	5MHz	QPSK	27510	25RB#0	3.50	7.50	736.50	-20.32dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	5MHz	QPSK	27510	25RB#0	7.50	8.50	740.51	-33.80dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	5MHz	QPSK	27510	25RB#0	8.50	12.50	741.52	-37.82dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	5MHz	QPSK	27635	25RB#0	-12.50	-8.50	736.98	-35.22dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	5MHz	QPSK	27635	25RB#0	-8.50	-7.50	738.00	-31.10dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	5MHz	QPSK	27635	25RB#0	-7.50	-3.50	742.00	-17.83dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	5MHz	QPSK	27635	25RB#0	-3.50	-2.50	742.99	-28.27dBm	-13.50dBm/30.00kHz	PASS
NTNV	Band28	5MHz	QPSK	27635	25RB#0	2.50	3.50	748.00	-29.17dBm	-13.50dBm/30.00kHz	PASS
NTNV	Band28	5MHz	QPSK	27635	25RB#0	3.50	7.50	749.00	-19.35dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	5MHz	QPSK	27635	25RB#0	7.50	8.50	753.00	-37.65dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	5MHz	QPSK	27635	25RB#0	8.50	12.50	754.02	-43.01dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	10MHz	QPSK	27410	50RB#0	-20.00	-15.00	706.72	-48.35dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	10MHz	QPSK	27410	50RB#0	-15.00	-10.00	713.00	-26.80dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	10MHz	QPSK	27410	50RB#0	-10.00	-6.00	717.00	-22.07dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	10MHz	QPSK	27410	50RB#0	-6.00	-5.00	718.00	-33.25dBm	-16.50dBm/30.00kHz	PASS
NTNV	Band28	10MHz	QPSK	27410	50RB#0	5.00	6.00	728.03	-35.19dBm	-16.50dBm/30.00kHz	PASS
NTNV	Band28	10MHz	QPSK	27410	50RB#0	6.00	10.00	729.00	-24.45dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	10MHz	QPSK	27410	50RB#0	10.00	15.00	733.00	-27.40dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	10MHz	QPSK	27410	50RB#0	15.00	20.00	738.00	-41.31dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	10MHz	QPSK	27510	50RB#0	-20.00	-15.00	718.00	-37.91dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	10MHz	QPSK	27510	50RB#0	-15.00	-10.00	723.00	-28.40dBm	-11.50dBm/1MHz	PASS

NTNV	Band28	10MHz	QPSK	27510	50RB#0	-10.00	-6.00	727.00	-24.36dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	10MHz	QPSK	27510	50RB#0	-6.00	-5.00	727.99	-35.20dBm	-16.50dBm/30.00kHz	PASS
NTNV	Band28	10MHz	QPSK	27510	50RB#0	5.00	6.00	738.02	-35.46dBm	-16.50dBm/30.00kHz	PASS
NTNV	Band28	10MHz	QPSK	27510	50RB#0	6.00	10.00	739.00	-24.12dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	10MHz	QPSK	27510	50RB#0	10.00	15.00	743.03	-28.05dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	10MHz	QPSK	27510	50RB#0	15.00	20.00	748.03	-39.89dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	10MHz	QPSK	27610	50RB#0	-20.00	-15.00	728.00	-37.26dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	10MHz	QPSK	27610	50RB#0	-15.00	-10.00	732.97	-24.48dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	10MHz	QPSK	27610	50RB#0	-10.00	-6.00	737.00	-20.75dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	10MHz	QPSK	27610	50RB#0	-6.00	-5.00	737.96	-33.25dBm	-16.50dBm/30.00kHz	PASS
NTNV	Band28	10MHz	QPSK	27610	50RB#0	5.00	6.00	748.02	-35.34dBm	-16.50dBm/30.00kHz	PASS
NTNV	Band28	10MHz	QPSK	27610	50RB#0	6.00	10.00	749.00	-23.93dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	10MHz	QPSK	27610	50RB#0	10.00	15.00	753.00	-32.07dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	10MHz	QPSK	27610	50RB#0	15.00	20.00	761.15	-48.17dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27435	75RB#0	-27.50	-22.50	702.25	-48.42dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27435	75RB#0	-22.50	-12.50	713.00	-26.68dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27435	75RB#0	-12.50	-8.50	716.98	-22.65dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27435	75RB#0	-8.50	-7.50	718.00	-35.11dBm	-18.50dBm/30.00kHz	PASS
NTNV	Band28	15MHz	QPSK	27435	75RB#0	7.50	8.50	733.00	-35.17dBm	-18.50dBm/30.00kHz	PASS
NTNV	Band28	15MHz	QPSK	27435	75RB#0	8.50	12.50	734.00	-23.56dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27435	75RB#0	12.50	22.50	738.00	-25.71dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27435	75RB#0	22.50	27.50	748.03	-40.40dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27510	75RB#0	-27.50	-22.50	710.50	-46.82dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27510	75RB#0	-22.50	-12.50	720.40	-27.49dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27510	75RB#0	-12.50	-8.50	724.50	-25.85dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27510	75RB#0	-8.50	-7.50	725.50	-37.74dBm	-18.50dBm/30.00kHz	PASS
NTNV	Band28	15MHz	QPSK	27510	75RB#0	7.50	8.50	740.52	-37.75dBm	-18.50dBm/30.00kHz	PASS
NTNV	Band28	15MHz	QPSK	27510	75RB#0	8.50	12.50	741.50	-26.29dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27510	75RB#0	12.50	22.50	745.50	-28.16dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27510	75RB#0	22.50	27.50	755.50	-48.03dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27585	75RB#0	-27.50	-22.50	718.00	-36.29dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27585	75RB#0	-22.50	-12.50	728.00	-23.24dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27585	75RB#0	-12.50	-8.50	732.00	-20.97dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27585	75RB#0	-8.50	-7.50	732.97	-33.79dBm	-18.50dBm/30.00kHz	PASS
NTNV	Band28	15MHz	QPSK	27585	75RB#0	7.50	8.50	748.02	-36.69dBm	-18.50dBm/30.00kHz	PASS
NTNV	Band28	15MHz	QPSK	27585	75RB#0	8.50	12.50	749.00	-24.93dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27585	75RB#0	12.50	22.50	753.00	-32.00dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	15MHz	QPSK	27585	75RB#0	22.50	27.50	763.90	-48.18dBm	-23.50dBm/1MHz	PASS

NTNV	Band28	20MHz	QPSK	27460	100RB#0	-35.00	-30.00	696.87	-48.44dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	20MHz	QPSK	27460	100RB#0	-30.00	-15.00	713.00	-29.27dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	20MHz	QPSK	27460	100RB#0	-15.00	-11.00	716.98	-25.43dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	20MHz	QPSK	27460	100RB#0	-11.00	-10.00	717.93	-38.70dBm	-19.50dBm/30.00kHz	PASS
NTNV	Band28	20MHz	QPSK	27460	100RB#0	10.00	11.00	738.00	-39.41dBm	-19.50dBm/30.00kHz	PASS
NTNV	Band28	20MHz	QPSK	27460	100RB#0	11.00	15.00	739.00	-26.88dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	20MHz	QPSK	27460	100RB#0	15.00	30.00	743.30	-28.54dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	20MHz	QPSK	27460	100RB#0	30.00	35.00	762.33	-48.21dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	20MHz	QPSK	27510	100RB#0	-35.00	-30.00	698.52	-48.47dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	20MHz	QPSK	27510	100RB#0	-30.00	-15.00	717.92	-29.28dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	20MHz	QPSK	27510	100RB#0	-15.00	-11.00	720.78	-28.03dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	20MHz	QPSK	27510	100RB#0	-11.00	-10.00	722.88	-41.11dBm	-19.50dBm/30.00kHz	PASS
NTNV	Band28	20MHz	QPSK	27510	100RB#0	10.00	11.00	743.01	-41.24dBm	-19.50dBm/30.00kHz	PASS
NTNV	Band28	20MHz	QPSK	27510	100RB#0	11.00	15.00	744.02	-28.99dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	20MHz	QPSK	27510	100RB#0	15.00	30.00	748.08	-31.69dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	20MHz	QPSK	27510	100RB#0	30.00	35.00	767.73	-48.12dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	20MHz	QPSK	27560	100RB#0	-35.00	-30.00	705.30	-48.43dBm	-23.50dBm/1MHz	PASS
NTNV	Band28	20MHz	QPSK	27560	100RB#0	-30.00	-15.00	722.92	-27.07dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	20MHz	QPSK	27560	100RB#0	-15.00	-11.00	726.98	-25.38dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	20MHz	QPSK	27560	100RB#0	-11.00	-10.00	728.00	-38.52dBm	-19.50dBm/30.00kHz	PASS
NTNV	Band28	20MHz	QPSK	27560	100RB#0	10.00	11.00	748.06	-41.30dBm	-19.50dBm/30.00kHz	PASS
NTNV	Band28	20MHz	QPSK	27560	100RB#0	11.00	15.00	749.00	-28.92dBm	-8.50dBm/1MHz	PASS
NTNV	Band28	20MHz	QPSK	27560	100RB#0	15.00	30.00	753.00	-35.31dBm	-11.50dBm/1MHz	PASS
NTNV	Band28	20MHz	QPSK	27560	100RB#0	30.00	35.00	772.23	-48.08dBm	-23.50dBm/1MHz	PASS

Unwanted Emission Strength in Spurious Area

Test Result

Band	Bandwidth	Modulation	Channel	RB Configure	Test Frequency	Freq (MHz)	Result	Limit	Verdict
Band28	5MHz	QPSK	27385	25RB#0	0.009~0.15MHz	0.07	-52.36dBm	-36dBm/1kHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	0.15~30MHz	0.15	-55.14dBm	-36dBm/10kHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	30~708MHz	497.82	-67.78dBm	-36dBm/100kHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	470~704MHz	524.05	-53.38dBm	-26.2dBm/6MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	704~710MHz	---	-53.61dBm	-26.2dBm/100kHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	733~1000MHz	733.72	-53.64dBm	-36dBm/100kHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	770~773MHz	772.51	-70.38dBm	-36dBm/100kHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	773~803MHz	775.58	-65.84dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	860~890MHz	889.28	-65.44dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	945~960MHz	946.10	-60.64dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	1000~3000MHz	2660.00	-49.56dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	1475.9~1496.6MHz	1494.65	-64.65dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	1496.6~1510.9MHz	1504.68	-64.64dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	1805~1845MHz	1841.60	-63.8dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	1845~1880MHz	1877.90	-63.41dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	1906.6~1910MHz	1907.41	-63.16dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	1910~1915.7MHz	1910.14	-63.21dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	2010~2025MHz	2012.96	-61.75dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	2110~2144.4MHz	2135.39	-71.93dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	2144.4~2170MHz	2161.60	-68.08dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	2330~2370MHz	2368.84	-70.9dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	3000~12750MHz	12487.97	-37.2dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	3400~3419.3MHz	3415.58	-69.57dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	3419.3~3500.7MHz	3445.43	-69.62dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	3500.7~3574.7MHz	3571.37	-69.68dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	3574.7~3590.3MHz	3590.22	-69.23dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	3590.3~3600MHz	3594.62	-69.04dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	3600~4100MHz	3602.00	-68.19dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27385	25RB#0	4500~4900MHz	4863.20	-66.88dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	0.009~0.15MHz	0.09	-52.61dBm	-36dBm/1kHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	0.15~30MHz	0.15	-52.52dBm	-36dBm/10kHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	30~720.5MHz	719.81	-51.92dBm	-36dBm/100kHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	470~704MHz	528.97	-53.57dBm	-26.2dBm/6MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	704~710MHz	---	-54.01dBm	-26.2dBm/100kHz	PASS

Band28	5MHz	QPSK	27510	25RB#0	745.5~1000MHz	746.14	-55.39dBm	-36dBm/100kHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	770~773MHz	772.76	-70dBm	-36dBm/100kHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	773~803MHz	787.10	-65.59dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	860~890MHz	889.61	-66.2dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	945~960MHz	946.47	-60.34dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	1000~3000MHz	2667.00	-49.66dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	1475.9~1496.6MHz	1490.25	-64.66dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	1496.6~1510.9MHz	1509.58	-64.59dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	1805~1845MHz	1845.00	-63.83dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	1845~1880MHz	1879.69	-63.51dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	1906.6~1910MHz	1908.93	-63.25dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	1910~1915.7MHz	1912.58	-63.24dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	2010~2025MHz	2010.87	-61.75dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	2110~2144.4MHz	2136.90	-71.85dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	2144.4~2170MHz	2169.92	-71.81dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	2330~2370MHz	2365.56	-70.96dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	3000~12750MHz	12488.21	-36.63dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	3400~3419.3MHz	3416.23	-69.65dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	3419.3~3500.7MHz	3435.58	-69.63dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	3500.7~3574.7MHz	3573.37	-69.59dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	3574.7~3590.3MHz	3587.82	-69.23dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	3590.3~3600MHz	3597.44	-69.07dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	3600~4100MHz	3623.50	-68.19dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27510	25RB#0	4500~4900MHz	4852.00	-66.91dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	0.009~0.15MHz	0.10	-53.86dBm	-36dBm/1kHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	0.15~30MHz	0.15	-54.45dBm	-36dBm/10kHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	30~733MHz	732.72	-53.33dBm	-36dBm/100kHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	470~704MHz	539.50	-53.9dBm	-26.2dBm/6MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	704~710MHz	---	-54.08dBm	-26.2dBm/100kHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	758~1000MHz	940.66	-69.34dBm	-36dBm/100kHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	770~773MHz	770.29	-69.91dBm	-36dBm/100kHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	773~803MHz	799.58	-66.02dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	860~890MHz	888.23	-66.95dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	945~960MHz	947.34	-60.17dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	1000~3000MHz	2656.00	-49.69dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	1475.9~1496.6MHz	1492.67	-56.29dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	1496.6~1510.9MHz	1496.97	-64.44dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	1805~1845MHz	1841.56	-63.8dBm	-30dBm/1MHz	PASS

Band28	5MHz	QPSK	27635	25RB#0	1845~1880MHz	1879.90	-63.48dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	1906.6~1910MHz	1907.59	-63.2dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	1910~1915.7MHz	1912.88	-63.17dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	2010~2025MHz	2015.51	-61.8dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	2110~2144.4MHz	2139.52	-71.82dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	2144.4~2170MHz	2165.11	-71.85dBm	-50dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	2330~2370MHz	2366.88	-70.89dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	3000~12750MHz	11623.14	-37.23dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	3400~3419.3MHz	3415.61	-69.65dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	3419.3~3500.7MHz	3454.22	-69.61dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	3500.7~3574.7MHz	3553.91	-69.64dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	3574.7~3590.3MHz	3586.48	-69.22dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	3590.3~3600MHz	3599.39	-69.1dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	3600~4100MHz	3611.50	-68.22dBm	-30dBm/1MHz	PASS
Band28	5MHz	QPSK	27635	25RB#0	4500~4900MHz	4865.60	-66.95dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	0.009~0.15MHz	0.12	-53.74dBm	-36dBm/1kHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	0.15~30MHz	0.18	-58.11dBm	-36dBm/10kHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	30~703MHz	532.39	-69.9dBm	-36dBm/100kHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	470~704MHz	519.61	-53.43dBm	-26.2dBm/6MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	704~710MHz	---	-52.68dBm	-26.2dBm/100kHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	743~1000MHz	743.18	-56.44dBm	-36dBm/100kHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	770~773MHz	772.08	-70.3dBm	-36dBm/100kHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	773~803MHz	775.37	-65.99dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	860~890MHz	889.07	-65.56dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	945~960MHz	945.47	-60.43dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	1000~3000MHz	2653.00	-49.37dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	1475.9~1496.6MHz	1492.19	-64.64dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	1496.6~1510.9MHz	1507.35	-64.65dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	1805~1845MHz	1842.36	-63.84dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	1845~1880MHz	1873.49	-63.44dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	1906.6~1910MHz	1909.12	-63.18dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	1910~1915.7MHz	1915.39	-63.23dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	2010~2025MHz	2012.34	-61.78dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	2110~2144.4MHz	2138.24	-71.83dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	2144.4~2170MHz	2167.82	-65.97dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	2330~2370MHz	2369.68	-70.83dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	3000~12750MHz	11698.71	-37.25dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	3400~3419.3MHz	3409.84	-69.61dBm	-30dBm/1MHz	PASS

Band28	10MHz	QPSK	27410	50RB#0	3419.3~3500.7MHz	3433.30	-69.53dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	3500.7~3574.7MHz	3572.18	-69.56dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	3574.7~3590.3MHz	3588.10	-69.24dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	3590.3~3600MHz	3597.43	-69.04dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	3600~4100MHz	3605.00	-68.21dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27410	50RB#0	4500~4900MHz	4866.40	-66.85dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	0.009~0.15MHz	0.08	-53.39dBm	-36dBm/1kHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	0.15~30MHz	0.18	-55dBm	-36dBm/10kHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	30~713MHz	712.59	-55.91dBm	-36dBm/100kHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	470~704MHz	535.75	-53.6dBm	-26.2dBm/6MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	704~710MHz	---	-53.95dBm	-26.2dBm/100kHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	753~1000MHz	753.17	-61.71dBm	-36dBm/100kHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	770~773MHz	772.14	-70.11dBm	-36dBm/100kHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	773~803MHz	786.17	-65.52dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	860~890MHz	886.70	-66.24dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	945~960MHz	952.10	-60.31dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	1000~3000MHz	2652.00	-49.46dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	1475.9~1496.6MHz	1485.30	-64.64dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	1496.6~1510.9MHz	1501.45	-64.58dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	1805~1845MHz	1835.40	-63.83dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	1845~1880MHz	1870.27	-63.48dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	1906.6~1910MHz	1906.63	-63.23dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	1910~1915.7MHz	1914.96	-63.18dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	2010~2025MHz	2010.83	-61.76dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	2110~2144.4MHz	2138.10	-71.88dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	2144.4~2170MHz	2149.70	-71.85dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	2330~2370MHz	2368.28	-70.86dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	3000~12750MHz	12492.11	-36.91dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	3400~3419.3MHz	3409.32	-69.66dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	3419.3~3500.7MHz	3423.94	-69.63dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	3500.7~3574.7MHz	3543.84	-69.56dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	3574.7~3590.3MHz	3589.82	-69.28dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	3590.3~3600MHz	3595.34	-69.09dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	3600~4100MHz	3600.50	-68.18dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27510	50RB#0	4500~4900MHz	4855.20	-66.82dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	0.009~0.15MHz	0.06	-50.28dBm	-36dBm/1kHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	0.15~30MHz	0.18	-54.39dBm	-36dBm/10kHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	30~723MHz	722.45	-54.97dBm	-36dBm/100kHz	PASS

Band28	10MHz	QPSK	27610	50RB#0	470~704MHz	546.28	-53.7dBm	-26.2dBm/6MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	704~710MHz	---	-54.02dBm	-26.2dBm/100kHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	763~1000MHz	901.53	-66.84dBm	-36dBm/100kHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	770~773MHz	770.92	-69.95dBm	-36dBm/100kHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	773~803MHz	799.28	-65.85dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	860~890MHz	889.22	-66.47dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	945~960MHz	945.71	-60.04dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	1000~3000MHz	2665.00	-49.62dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	1475.9~1496.6MHz	1482.15	-59.62dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	1496.6~1510.9MHz	1498.00	-64.49dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	1805~1845MHz	1836.72	-63.85dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	1845~1880MHz	1877.80	-63.23dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	1906.6~1910MHz	1908.32	-63.18dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	1910~1915.7MHz	1912.83	-63.21dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	2010~2025MHz	2015.40	-61.73dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	2110~2144.4MHz	2131.33	-71.87dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	2144.4~2170MHz	2146.52	-71.8dBm	-50dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	2330~2370MHz	2368.04	-70.86dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	3000~12750MHz	11628.26	-37.37dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	3400~3419.3MHz	3414.94	-69.62dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	3419.3~3500.7MHz	3447.63	-69.55dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	3500.7~3574.7MHz	3551.54	-69.63dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	3574.7~3590.3MHz	3589.97	-69.27dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	3590.3~3600MHz	3595.64	-69.15dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	3600~4100MHz	3607.00	-68.23dBm	-30dBm/1MHz	PASS
Band28	10MHz	QPSK	27610	50RB#0	4500~4900MHz	4871.20	-66.89dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	0.009~0.15MHz	0.09	-52.74dBm	-36dBm/1kHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	0.15~30MHz	0.15	-54.93dBm	-36dBm/10kHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	30~698MHz	510.83	-67.99dBm	-36dBm/100kHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	470~704MHz	704.00	-53.11dBm	-26.2dBm/6MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	704~710MHz	---	-50.76dBm	-26.2dBm/100kHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	753~1000MHz	753.37	-61.03dBm	-36dBm/100kHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	770~773MHz	772.91	-70.12dBm	-36dBm/100kHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	773~803MHz	785.42	-65.65dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	860~890MHz	887.51	-65.81dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	945~960MHz	946.14	-60.52dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	1000~3000MHz	2671.00	-49.44dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	1475.9~1496.6MHz	1490.93	-64.7dBm	-50dBm/1MHz	PASS

Band28	15MHz	QPSK	27435	75RB#0	1496.6~1510.9MHz	1502.83	-64.59dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	1805~1845MHz	1842.92	-63.84dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	1845~1880MHz	1878.36	-63.49dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	1906.6~1910MHz	1908.21	-63.19dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	1910~1915.7MHz	1910.24	-63.22dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	2010~2025MHz	2011.98	-61.79dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	2110~2144.4MHz	2140.55	-71.97dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	2144.4~2170MHz	2169.95	-68.5dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	2330~2370MHz	2365.28	-70.98dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	3000~12750MHz	12540.86	-37.22dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	3400~3419.3MHz	3414.09	-69.68dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	3419.3~3500.7MHz	3435.09	-69.65dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	3500.7~3574.7MHz	3571.67	-69.47dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	3574.7~3590.3MHz	3585.65	-69.32dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	3590.3~3600MHz	3599.86	-69.07dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	3600~4100MHz	3618.00	-68.35dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27435	75RB#0	4500~4900MHz	4870.80	-66.92dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	0.009~0.15MHz	0.06	-54.55dBm	-36dBm/1kHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	0.15~30MHz	0.15	-56.25dBm	-36dBm/10kHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	30~705.5MHz	440.77	-68.15dBm	-36dBm/100kHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	470~704MHz	531.78	-53.74dBm	-26.2dBm/6MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	704~710MHz	---	-53.78dBm	-26.2dBm/100kHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	760.5~1000MHz	911.10	-66.75dBm	-36dBm/100kHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	770~773MHz	772.66	-70.15dBm	-36dBm/100kHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	773~803MHz	786.23	-65.76dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	860~890MHz	889.49	-66.28dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	945~960MHz	947.85	-60.35dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	1000~3000MHz	2650.00	-49.48dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	1475.9~1496.6MHz	1475.90	-61.75dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	1496.6~1510.9MHz	1508.48	-64.62dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	1805~1845MHz	1836.16	-63.79dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	1845~1880MHz	1879.48	-63.41dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	1906.6~1910MHz	1908.37	-63.2dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	1910~1915.7MHz	1913.61	-63.17dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	2010~2025MHz	2011.29	-61.73dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	2110~2144.4MHz	2137.21	-71.88dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	2144.4~2170MHz	2166.77	-71.86dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	2330~2370MHz	2366.04	-70.95dBm	-30dBm/1MHz	PASS

Band28	15MHz	QPSK	27510	75RB#0	3000~12750MHz	12517.71	-37.2dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	3400~3419.3MHz	3407.60	-69.57dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	3419.3~3500.7MHz	3430.21	-69.5dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	3500.7~3574.7MHz	3574.63	-69.49dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	3574.7~3590.3MHz	3589.72	-69.2dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	3590.3~3600MHz	3597.65	-68.99dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	3600~4100MHz	3601.00	-68.21dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27510	75RB#0	4500~4900MHz	4865.20	-66.91dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	0.009~0.15MHz	0.05	-53.94dBm	-36dBm/1kHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	0.15~30MHz	0.15	-52.61dBm	-36dBm/10kHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	30~713MHz	712.93	-54.35dBm	-36dBm/100kHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	470~704MHz	539.50	-53.83dBm	-26.2dBm/6MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	704~710MHz	---	-53.97dBm	-26.2dBm/100kHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	768~1000MHz	789.67	-66.98dBm	-36dBm/100kHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	770~773MHz	770.17	-70.14dBm	-36dBm/100kHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	773~803MHz	799.19	-66.01dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	860~890MHz	889.85	-66.41dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	945~960MHz	946.37	-60.09dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	1000~3000MHz	2655.00	-49.56dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	1475.9~1496.6MHz	1476.15	-59.72dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	1496.6~1510.9MHz	1497.09	-64.48dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	1805~1845MHz	1840.96	-63.91dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	1845~1880MHz	1876.12	-63.49dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	1906.6~1910MHz	1909.36	-63.17dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	1910~1915.7MHz	1913.27	-63.21dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	2010~2025MHz	2010.60	-61.75dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	2110~2144.4MHz	2129.13	-71.8dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	2144.4~2170MHz	2150.67	-71.79dBm	-50dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	2330~2370MHz	2365.96	-70.88dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	3000~12750MHz	12632.03	-36.92dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	3400~3419.3MHz	3417.02	-69.65dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	3419.3~3500.7MHz	3433.63	-69.6dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	3500.7~3574.7MHz	3571.96	-69.55dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	3574.7~3590.3MHz	3590.07	-69.21dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	3590.3~3600MHz	3599.37	-69.13dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	3600~4100MHz	3611.50	-68.2dBm	-30dBm/1MHz	PASS
Band28	15MHz	QPSK	27585	75RB#0	4500~4900MHz	4870.40	-66.73dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	0.009~0.15MHz	0.07	-52.9dBm	-36dBm/1kHz	PASS

Band28	20MHz	QPSK	27460	100RB#0	0.15~30MHz	0.15	-54.53dBm	-36dBm/10kHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	30~693MHz	520.09	-68.02dBm	-36dBm/100kHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	470~704MHz	703.53	-52.68dBm	-26.2dBm/6MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	704~710MHz	---	-51.53dBm	-26.2dBm/100kHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	763~1000MHz	786.13	-66.86dBm	-36dBm/100kHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	770~773MHz	772.18	-70.24dBm	-36dBm/100kHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	773~803MHz	775.43	-65.34dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	860~890MHz	889.52	-65.97dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	945~960MHz	945.78	-60.4dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	1000~3000MHz	2670.00	-49.63dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	1475.9~1496.6MHz	1487.29	-64.57dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	1496.6~1510.9MHz	1501.71	-64.6dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	1805~1845MHz	1840.64	-63.88dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	1845~1880MHz	1879.27	-63.35dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	1906.6~1910MHz	1907.68	-63.19dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	1910~1915.7MHz	1911.32	-63.21dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	2010~2025MHz	2017.08	-61.86dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	2110~2144.4MHz	2140.44	-72.01dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	2144.4~2170MHz	2169.44	-70.28dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	2330~2370MHz	2369.88	-70.97dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	3000~12750MHz	12568.16	-37.23dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	3400~3419.3MHz	3416.79	-69.63dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	3419.3~3500.7MHz	3445.19	-69.66dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	3500.7~3574.7MHz	3573.96	-69.71dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	3574.7~3590.3MHz	3589.54	-69.33dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	3590.3~3600MHz	3593.09	-69.1dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	3600~4100MHz	3600.50	-68.17dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27460	100RB#0	4500~4900MHz	4862.40	-66.89dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	0.009~0.15MHz	0.08	-52.97dBm	-36dBm/1kHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	0.15~30MHz	0.15	-56.84dBm	-36dBm/10kHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	30~698MHz	528.86	-68.03dBm	-36dBm/100kHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	470~704MHz	537.63	-53.7dBm	-26.2dBm/6MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	704~710MHz	---	-53.07dBm	-26.2dBm/100kHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	768~1000MHz	788.00	-66.93dBm	-36dBm/100kHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	770~773MHz	771.33	-70.15dBm	-36dBm/100kHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	773~803MHz	785.90	-65.57dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	860~890MHz	888.71	-66.36dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	945~960MHz	945.62	-60.43dBm	-50dBm/1MHz	PASS

Band28	20MHz	QPSK	27510	100RB#0	1000~3000MHz	2660.00	-49.6dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	1475.9~1496.6MHz	1476.00	-61.37dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	1496.6~1510.9MHz	1500.53	-64.65dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	1805~1845MHz	1841.84	-63.91dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	1845~1880MHz	1874.02	-63.51dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	1906.6~1910MHz	1907.02	-63.14dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	1910~1915.7MHz	1913.51	-63.33dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	2010~2025MHz	2010.27	-61.82dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	2110~2144.4MHz	2138.93	-71.93dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	2144.4~2170MHz	2169.72	-71.87dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	2330~2370MHz	2369.68	-70.92dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	3000~12750MHz	12570.36	-37.09dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	3400~3419.3MHz	3404.40	-69.68dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	3419.3~3500.7MHz	3454.71	-69.69dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	3500.7~3574.7MHz	3529.49	-69.68dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	3574.7~3590.3MHz	3588.04	-69.26dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	3590.3~3600MHz	3598.26	-69.1dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	3600~4100MHz	3616.00	-68.3dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27510	100RB#0	4500~4900MHz	4864.00	-66.82dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	0.009~0.15MHz	0.06	-52.98dBm	-36dBm/1kHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	0.15~30MHz	0.15	-56.62dBm	-36dBm/10kHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	30~703MHz	702.13	-68.24dBm	-36dBm/100kHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	470~704MHz	531.07	-53.68dBm	-26.2dBm/6MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	704~710MHz	---	-53.37dBm	-26.2dBm/100kHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	770~773MHz	772.56	-70.05dBm	-36dBm/100kHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	773~803MHz	773.03	-61.47dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	773~1000MHz	934.78	-66.69dBm	-36dBm/100kHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	860~890MHz	890.00	-66.39dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	945~960MHz	945.96	-60.24dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	1000~3000MHz	2681.00	-49.63dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	1475.9~1496.6MHz	1476.00	-60.33dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	1496.6~1510.9MHz	1498.70	-64.61dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	1805~1845MHz	1844.96	-63.85dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	1845~1880MHz	1876.15	-63.5dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	1906.6~1910MHz	1908.03	-63.27dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	1910~1915.7MHz	1913.27	-63.23dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	2010~2025MHz	2015.94	-61.71dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	2110~2144.4MHz	2136.63	-71.95dBm	-50dBm/1MHz	PASS

Band28	20MHz	QPSK	27560	100RB#0	2144.4~2170MHz	2168.90	-71.87dBm	-50dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	2330~2370MHz	2367.08	-70.94dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	3000~12750MHz	12494.31	-37.12dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	3400~3419.3MHz	3417.70	-69.67dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	3419.3~3500.7MHz	3422.80	-69.58dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	3500.7~3574.7MHz	3566.19	-69.68dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	3574.7~3590.3MHz	3589.99	-69.2dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	3590.3~3600MHz	3599.35	-69.05dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	3600~4100MHz	3600.00	-68.09dBm	-30dBm/1MHz	PASS
Band28	20MHz	QPSK	27560	100RB#0	4500~4900MHz	4868.80	-66.89dBm	-30dBm/1MHz	PASS

Secondarily Emitted Radio Wave Strength Measurement

Test Result

Condition	Band	Bandwidth	Modulation	Channel	RB Configure	Test Frequency (MHz)	Freq (MHz)	Result (dBm)	Limit	Verdict
NTNV	Band28	5MHz	RX1	27635	25RB#0	30~1000	994.86	-83.74	-57dBm/100kHz	PASS
NTNV	Band28	5MHz	RX1	27635	25RB#0	1000~12750	11645.89	-60.41	-47dBm/1MHz	PASS
NTNV	Band28	5MHz	RX2	27635	25RB#0	30~1000	979.24	-83.54	-57dBm/100kHz	PASS
NTNV	Band28	5MHz	RX2	27635	25RB#0	1000~12750	11638.45	-60.44	-47dBm/1MHz	PASS
NTNV	Band28	5MHz	RX1+ RX2	27635	25RB#0	30~1000	-	-80.63	-57dBm/100kHz	PASS
NTNV	Band28	5MHz	RX1+ RX2	27635	25RB#0	1000~12750	-	-57.41	-47dBm/1MHz	PASS
NTNV	Band28	5MHz	RX1	27510	25RB#0	30~1000	934.14	-84.09	-57dBm/100kHz	PASS
NTNV	Band28	5MHz	RX1	27510	25RB#0	1000~12750	12602.73	-60.29	-47dBm/1MHz	PASS
NTNV	Band28	5MHz	RX2	27510	25RB#0	30~1000	790.67	-83.35	-57dBm/100kHz	PASS
NTNV	Band28	5MHz	RX2	27510	25RB#0	1000~12750	11656.47	-60.45	-47dBm/1MHz	PASS
NTNV	Band28	5MHz	RX1+ RX2	27510	25RB#0	30~1000	-	-80.69	-57dBm/100kHz	PASS
NTNV	Band28	5MHz	RX1+ RX2	27510	25RB#0	1000~12750	-	-57.36	-47dBm/1MHz	PASS
NTNV	Band28	5MHz	RX1	27385	25RB#0	30~1000	881.76	-83.09	-57dBm/100kHz	PASS
NTNV	Band28	5MHz	RX1	27385	25RB#0	1000~12750	11650.59	-60.39	-47dBm/1MHz	PASS
NTNV	Band28	5MHz	RX2	27385	25RB#0	30~1000	817.83	-83.78	-57dBm/100kHz	PASS
NTNV	Band28	5MHz	RX2	27385	25RB#0	1000~12750	11638.45	-60.48	-47dBm/1MHz	PASS
NTNV	Band28	5MHz	RX1+ RX2	27385	25RB#0	30~1000	-	-80.41	-57dBm/100kHz	PASS
NTNV	Band28	5MHz	RX1+ RX2	27385	25RB#0	1000~12750	-	-57.42	-47dBm/1MHz	PASS
NTNV	Band28	10MHz	RX1	27610	50RB#0	30~1000	829.86	-83.31	-57dBm/100kHz	PASS
NTNV	Band28	10MHz	RX1	27610	50RB#0	1000~12750	11654.9	-60.42	-47dBm/1MHz	PASS
NTNV	Band28	10MHz	RX2	27610	50RB#0	30~1000	891.07	-84.29	-57dBm/100kHz	PASS
NTNV	Band28	10MHz	RX2	27610	50RB#0	1000~12750	11640.41	-60.37	-47dBm/1MHz	PASS
NTNV	Band28	10MHz	RX1+ RX2	27610	50RB#0	30~1000	-	-80.76	-57dBm/100kHz	PASS
NTNV	Band28	10MHz	RX1+ RX2	27610	50RB#0	1000~12750	-	#NAME?	-47dBm/1MHz	PASS
NTNV	Band28	10MHz	RX1	27510	50RB#0	30~1000	733.83	-84.22	-57dBm/100kHz	PASS
NTNV	Band28	10MHz	RX1	27510	50RB#0	1000~12750	12549.08	-60.48	-47dBm/1MHz	PASS
NTNV	Band28	10MHz	RX2	27510	50RB#0	30~1000	870.8	-83.8	-57dBm/100kHz	PASS
NTNV	Band28	10MHz	RX2	27510	50RB#0	1000~12750	12549.08	-60.38	-47dBm/1MHz	PASS
NTNV	Band28	10MHz	RX1+ RX2	27510	50RB#0	30~1000	-	-80.99	-57dBm/100kHz	PASS
NTNV	Band28	10MHz	RX1+ RX2	27510	50RB#0	1000~12750	-	-57.42	-47dBm/1MHz	PASS
NTNV	Band28	10MHz	RX1	27410	50RB#0	30~1000	919.2	-84.1	-57dBm/100kHz	PASS
NTNV	Band28	10MHz	RX1	27410	50RB#0	1000~12750	11665.87	-60.47	-47dBm/1MHz	PASS
NTNV	Band28	10MHz	RX2	27410	50RB#0	30~1000	900.48	-83.55	-57dBm/100kHz	PASS
NTNV	Band28	10MHz	RX2	27410	50RB#0	1000~12750	11644.33	-60.43	-47dBm/1MHz	PASS

NTNV	Band28	10MHz	RX1+ RX2	27410	50RB#0	30~1000	-	-80.81	-57dBm/100kHz	PASS
NTNV	Band28	10MHz	RX1+ RX2	27410	50RB#0	1000~12750	-	-57.44	-47dBm/1MHz	PASS
NTNV	Band28	15MHz	RX1	27585	75RB#0	30~1000	942.38	-83.53	-57dBm/100kHz	PASS
NTNV	Band28	15MHz	RX1	27585	75RB#0	1000~12750	12628.19	-60.23	-47dBm/1MHz	PASS
NTNV	Band28	15MHz	RX2	27585	75RB#0	30~1000	963.43	-83.73	-57dBm/100kHz	PASS
NTNV	Band28	15MHz	RX2	27585	75RB#0	1000~12750	11623.96	-60.46	-47dBm/1MHz	PASS
NTNV	Band28	15MHz	RX1+ RX2	27585	75RB#0	30~1000	-	-80.62	-57dBm/100kHz	PASS
NTNV	Band28	15MHz	RX1+ RX2	27585	75RB#0	1000~12750	-	-57.33	-47dBm/1MHz	PASS
NTNV	Band28	15MHz	RX1	27510	75RB#0	30~1000	841.21	-79.89	-57dBm/100kHz	PASS
NTNV	Band28	15MHz	RX1	27510	75RB#0	1000~12750	11650.2	-60.24	-47dBm/1MHz	PASS
NTNV	Band28	15MHz	RX2	27510	75RB#0	30~1000	908.14	-83.96	-57dBm/100kHz	PASS
NTNV	Band28	15MHz	RX2	27510	75RB#0	1000~12750	11669	-60.33	-47dBm/1MHz	PASS
NTNV	Band28	15MHz	RX1+ RX2	27510	75RB#0	30~1000	-	-78.45	-57dBm/100kHz	PASS
NTNV	Band28	15MHz	RX1+ RX2	27510	75RB#0	1000~12750	-	-57.27	-47dBm/1MHz	PASS
NTNV	Band28	15MHz	RX1	27435	75RB#0	30~1000	989.23	-83.98	-57dBm/100kHz	PASS
NTNV	Band28	15MHz	RX1	27435	75RB#0	1000~12750	11650.59	-60.3	-47dBm/1MHz	PASS
NTNV	Band28	15MHz	RX2	27435	75RB#0	30~1000	917.65	-83.76	-57dBm/100kHz	PASS
NTNV	Band28	15MHz	RX2	27435	75RB#0	1000~12750	11663.13	-60.4	-47dBm/1MHz	PASS
NTNV	Band28	15MHz	RX1+ RX2	27435	75RB#0	30~1000	-	-80.86	-57dBm/100kHz	PASS
NTNV	Band28	15MHz	RX1+ RX2	27435	75RB#0	1000~12750	-	-57.34	-47dBm/1MHz	PASS
NTNV	Band28	20MHz	RX1	27560	100RB#0	30~1000	892.04	-83.95	-57dBm/100kHz	PASS
NTNV	Band28	20MHz	RX1	27560	100RB#0	1000~12750	11661.56	-60.24	-47dBm/1MHz	PASS
NTNV	Band28	20MHz	RX2	27560	100RB#0	30~1000	897.96	-83.85	-57dBm/100kHz	PASS
NTNV	Band28	20MHz	RX2	27560	100RB#0	1000~12750	12650.91	-60.49	-47dBm/1MHz	PASS
NTNV	Band28	20MHz	RX1+ RX2	27560	100RB#0	30~1000	-	-80.89	-57dBm/100kHz	PASS
NTNV	Band28	20MHz	RX1+ RX2	27560	100RB#0	1000~12750	-	-57.35	-47dBm/1MHz	PASS
NTNV	Band28	20MHz	RX1	27510	100RB#0	30~1000	923.08	-83.95	-57dBm/100kHz	PASS
NTNV	Band28	20MHz	RX1	27510	100RB#0	1000~12750	12555.34	-60.52	-47dBm/1MHz	PASS
NTNV	Band28	20MHz	RX2	27510	100RB#0	30~1000	991.08	-83.22	-57dBm/100kHz	PASS
NTNV	Band28	20MHz	RX2	27510	100RB#0	1000~12750	11663.13	-60.29	-47dBm/1MHz	PASS
NTNV	Band28	20MHz	RX1+ RX2	27510	100RB#0	30~1000	-	-80.56	-57dBm/100kHz	PASS
NTNV	Band28	20MHz	RX1+ RX2	27510	100RB#0	1000~12750	-	-57.39	-47dBm/1MHz	PASS
NTNV	Band28	20MHz	RX1	27460	100RB#0	30~1000	890.88	-83.82	-57dBm/100kHz	PASS
NTNV	Band28	20MHz	RX1	27460	100RB#0	1000~12750	11656.47	-60.5	-47dBm/1MHz	PASS
NTNV	Band28	20MHz	RX2	27460	100RB#0	30~1000	984.38	-83.99	-57dBm/100kHz	PASS
NTNV	Band28	20MHz	RX2	27460	100RB#0	1000~12750	11563.25	-60.41	-47dBm/1MHz	PASS
NTNV	Band28	20MHz	RX1+ RX2	27460	100RB#0	30~1000	-	-80.89	-57dBm/100kHz	PASS
NTNV	Band28	20MHz	RX1+ RX2	27460	100RB#0	1000~12750	-	-57.44	-47dBm/1MHz	PASS

Leakage Power at No-carrier Transmission Measurement

Test Result

Condition	Band	Bandwidth	Modulation	Channel	RB Configure	Freq (MHz)	Result	Limit	Verdict
NTNV	Band28	5MHz	QPSK	27385	25RB#0	718.25~722.75	-82.38dBm	-48.5dBm/4.5MHz	PASS
NTNV	Band28	5MHz	QPSK	27510	25RB#0	730.75~735.25	-82.59dBm	-48.5dBm/4.5MHz	PASS
NTNV	Band28	5MHz	QPSK	27635	25RB#0	743.25~747.75	-82.37dBm	-48.5dBm/4.5MHz	PASS
NTNV	Band28	10MHz	QPSK	27410	50RB#0	718.5~727.5	-79.38dBm	-48.5dBm/9MHz	PASS
NTNV	Band28	10MHz	QPSK	27510	50RB#0	728.5~737.5	-79.22dBm	-48.5dBm/9MHz	PASS
NTNV	Band28	10MHz	QPSK	27610	50RB#0	738.5~747.5	-79.45dBm	-48.5dBm/9MHz	PASS
NTNV	Band28	15MHz	QPSK	27435	75RB#0	718.75~732.25	-77.54dBm	-48.5dBm/13.5MHz	PASS
NTNV	Band28	15MHz	QPSK	27510	75RB#0	726.25~739.75	-77.42dBm	-48.5dBm/13.5MHz	PASS
NTNV	Band28	15MHz	QPSK	27585	75RB#0	733.75~747.25	-77.69dBm	-48.5dBm/13.5MHz	PASS
NTNV	Band28	20MHz	QPSK	27460	100RB#0	719~737	-76.29dBm	-48.5dBm/18MHz	PASS
NTNV	Band28	20MHz	QPSK	27510	100RB#0	724~742	-76.21dBm	-48.5dBm/18MHz	PASS
NTNV	Band28	20MHz	QPSK	27560	100RB#0	729~747	-76.11dBm	-48.5dBm/18MHz	PASS

Comprehensive Operation Test Measurement

		Unit	Regulation	Result
Calling and response test	GOOD	-	-	PASS
Reading test of an unique numb	GOOD	-	-	PASS
Automatic power control test	GOOD	-	-	PASS

Compliance of below detail item

Automatic Identification	The transmitter of each land mobile station communicating with a base station shall be identified automatically by a base station.
Hand Over Function	The radio equipment shall be the one in which the call channel of the base station is automatically switched to the call channel of another base station.
Traffic control	The area that is related to the provision of service of the base station prescribed in land where field intensity necessary for providing the said service is available shall be capable of being segmentalized to suit the traffic of the said area.
Reception Characteristic Improvement	The radio equipment shall have the function to separate the multi-path propagation received in temporal dispersion and improve the receive characteristics by synthesizing multi-path components.

~The End~