















































































7.3. SPURIOUS EMISSIONS OF Tx

7.3.1. Limit

ARIB STD-T71, Clause 3.1.2 (8)

W52 Band, W53 Band

Frequency(MHz)	Limit
below 18MHz bandwidth	
5140<f<5360	N/A
All other frequencies	2.5μW (-26dBm) orless
between 18MHz to 19MHz bandwidth	
5135<f<5365	N/A
All other frequencies	2.5μW (-26dBm) orless
approximately 40MHz bandwidth	
5100<f<5400	N/A
All other frequencies	2.5μW (-26dBm) orless
approximately 80MHz bandwidth	
5020<f<5480	N/A
All other frequencies	2.5μW (-26dBm) orless

W56 Band

Frequency(MHz)	Limit
approximately 20MHz bandwidth	
5455<f<5745	N/A
All other frequencies	2.5μW (-26dBm) orless
approximately 40MHz bandwidth	
5420<f<5760	N/A
All other frequencies	2.5μW (-26dBm) orless
approximately 80MHz bandwidth	
5340<f<5800	N/A
All other frequencies	2.5μW (-26dBm) orless


7.3.2. Test Procedure

Test Method for Radio Equipment mentioned in Certification Regulations Article 2, Item 19-3-2

MIC Notice No.88 Annex45 Clause 5

7.3.3. Test Configuration

Temperature and Voltage Measurement (under normal and extreme test conditions)



Remarks:

The spectrum analyzer could be connected to a monopole antenna or directly connected to the EUT, if the EUT has already employing an antenna connector.

7.3.4. TEST RESULT

TestCondition	TestMode	Antenna	Freq (MHz)	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Gain [dBi]	EIRP [dBm]	Result [μW]	Limit [μW]	Verdict
NTNV	11A	Ant1	5180	30~5142	2748.90	-43.64	1.4	-42.24	0.05970	≤2.5	PASS
NTNV	11A	Ant1	5180	5142~5150	5143.61	-34.95	1.4	-33.55	0.44157	≤15	PASS
NTNV	11A	Ant1	5180	5250~5251	5251.00	-48.68	1.4	-47.28	0.01871	≤100.0	PASS
NTNV	11A	Ant1	5180	5251~5260	5258.70	-48.40	1.4	-47.00	0.01995	≤20.7	PASS
NTNV	11A	Ant1	5180	5260~5266.7	5260.09	-47.66	1.4	-46.26	0.02366	≤15.8	PASS
NTNV	11A	Ant1	5180	5266.7~26000	25975.12	-31.39	1.4	-29.99	1.00231	≤2.5	PASS
NTNV	11A	Ant1	5200	30~5142	2611.73	-44.88	1.4	-43.48	0.04487	≤2.5	PASS
NTNV	11A	Ant1	5200	5142~5150	5147.10	-44.50	1.4	-43.10	0.04898	≤15	PASS
NTNV	11A	Ant1	5200	5250~5251	5250.83	-43.00	1.4	-41.60	0.06918	≤147.9	PASS
NTNV	11A	Ant1	5200	5251~5260	5259.96	-48.20	1.4	-46.80	0.02089	≤16.0	PASS
NTNV	11A	Ant1	5200	5260~5266.7	5262.47	-46.50	1.4	-45.10	0.03090	≤15.8	PASS
NTNV	11A	Ant1	5200	5266.7~26000	24959.19	-31.60	1.4	-30.20	0.95499	≤2.5	PASS
NTNV	11A	Ant1	5240	30~5142	3018.48	-44.08	1.4	-42.68	0.05395	≤2.5	PASS
NTNV	11A	Ant1	5240	5142~5150	5142.02	-47.69	1.4	-46.29	0.02350	≤15	PASS
NTNV	11A	Ant1	5240	5250~5251	5250.32	-10.56	1.4	-9.16	121.33889	≤478.6	PASS
NTNV	11A	Ant1	5240	5251~5260	5251.04	-14.77	1.4	-13.37	46.02566	≤99.2	PASS
NTNV	11A	Ant1	5240	5260~5266.7	5261.75	-30.54	1.4	-29.14	1.21899	≤15.8	PASS
NTNV	11A	Ant1	5240	5266.7~26000	25172.05	-31.74	1.4	-30.34	0.92470	≤2.5	PASS
NTNV	11A	Ant1	5260	30~5233.3	2436.01	-42.11	1.6	-40.51	0.08892	≤2.5	PASS
NTNV	11A	Ant1	5260	5233.3~5240	5235.02	-39.19	1.6	-37.59	0.17418	≤4.0	PASS
NTNV	11A	Ant1	5260	5240~5249	5240.31	-48.10	1.6	-46.50	0.02239	≤16.9	PASS
NTNV	11A	Ant1	5260	5249~5250	5249.1	-12.97	1.6	-11.37	72.94575	≤125.9	See table below
NTNV	11A	Ant1	5260	5350~26000	25784.55	-31.26	1.6	-29.66	1.08143	≤2.5	PASS
NTNV	11A	Ant1	5280	30~5233.3	5217.52	-44.62	1.6	-43.02	0.04989	≤2.5	PASS
NTNV	11A	Ant1	5280	5233.3~5240	5234.82	-42.45	1.6	-40.85	0.08222	≤3.8	PASS
NTNV	11A	Ant1	5280	5240~5249	5244.17	-38.66	1.6	-37.06	0.19679	≤37.2	PASS
NTNV	11A	Ant1	5280	5249~5250	5249.15	-37.40	1.6	-35.80	0.26303	≤141.3	PASS
NTNV	11A	Ant1	5280	5350~26000	25900.19	-31.80	1.6	-30.20	0.95499	≤2.5	PASS
NTNV	11A	Ant1	5320	30~5233.3	2435.49	-41.14	1.6	-39.54	0.11117	≤2.5	PASS

NTNV	11A	Ant1	5320	5233.3~5240	5234.19	-48.26	1.6	-46.66	0.02158	≤3.2	PASS
NTNV	11A	Ant1	5320	5240~5249	5240.23	-48.48	1.6	-46.88	0.02051	≤16.6	PASS
NTNV	11A	Ant1	5320	5249~5250	5249.09	-48.02	1.6	-46.42	0.02280	≤123.0	PASS
NTNV	11A	Ant1	5320	5350~26000	24842.91	-31.67	1.6	-30.07	0.98401	≤2.5	PASS
NTNV	11A	Ant1	5500	30~5460	2434.04	-43.84	2.2	-41.64	0.06855	≤2.5	PASS
NTNV	11A	Ant1	5500	5460~5470	5467.09	-37.12	2.2	-34.92	0.32211	≤12.5	PASS
NTNV	11A	Ant1	5500	5745~5765	5762.66	-47.74	2.2	-45.54	0.02793	≤12.5	PASS
NTNV	11A	Ant1	5500	5765~26000	25351.81	-30.95	2.2	-28.75	1.33352	≤2.5	See table below
NTNV	11A	Ant1	5580	30~5460	2434.40	-43.49	2.2	-41.29	0.07430	≤2.5	PASS
NTNV	11A	Ant1	5580	5460~5470	5465.83	-47.64	2.2	-45.44	0.02858	≤12.5	PASS
NTNV	11A	Ant1	5580	5745~5765	5750.98	-48.15	2.2	-45.95	0.02541	≤12.5	PASS
NTNV	11A	Ant1	5580	5765~26000	25928.5	-30.87	2.2	-28.67	1.35831	≤2.5	See table below
NTNV	11A	Ant1	5700	30~5460	3016.14	-44.22	2.2	-42.02	0.06281	≤2.5	PASS
NTNV	11A	Ant1	5700	5460~5470	5464.39	-45.75	2.2	-43.55	0.04416	≤12.5	PASS
NTNV	11A	Ant1	5700	5745~5765	5748.70	-41.60	2.2	-39.40	0.11482	≤12.5	PASS
NTNV	11A	Ant1	5700	5765~26000	25182.51	-31.02	2.2	-28.82	1.31220	≤2.5	See table below
NTNV	11N20SI SO	Ant1	5180	30~5142	3195.01	-43.89	1.4	-42.49	0.05636	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5180	5142~5150	5147.74	-36.07	1.4	-34.67	0.34119	≤15	PASS
NTNV	11N20SI SO	Ant1	5180	5250~5251	5251.00	-48.08	1.4	-46.68	0.02148	≤100.0	PASS
NTNV	11N20SI SO	Ant1	5180	5251~5260	5259.52	-47.36	1.4	-45.96	0.02535	≤17.5	PASS
NTNV	11N20SI SO	Ant1	5180	5260~5266.7	5263.17	-47.00	1.4	-45.60	0.02754	≤15.8	PASS
NTNV	11N20SI SO	Ant1	5180	5266.7~26000	24877.64	-31.67	1.4	-30.27	0.93972	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5200	30~5142	2597.93	-44.37	1.4	-42.97	0.05047	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5200	5142~5150	5143.38	-46.10	1.4	-44.70	0.03388	≤15	PASS
NTNV	11N20SI SO	Ant1	5200	5250~5251	5250.92	-43.23	1.4	-41.83	0.06561	≤120.2	PASS
NTNV	11N20SI SO	Ant1	5200	5251~5260	5259.06	-45.97	1.4	-44.57	0.03491	≤19.2	PASS
NTNV	11N20SI SO	Ant1	5200	5260~5266.7	5263.36	-46.82	1.4	-45.42	0.02871	≤15.8	PASS
NTNV	11N20SI SO	Ant1	5200	5266.7~26000	25435.36	-31.64	1.4	-30.24	0.94624	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5240	30~5142	2438.77	-43.03	1.4	-41.63	0.06871	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5240	5142~5150	5143.62	-47.71	1.4	-46.31	0.02339	≤15	PASS

NTNV	11N20SI SO	Ant1	5240	5250~5251	5250.74	-13.55	1.4	-12.15	60.95 369	≤182.0	PASS
NTNV	11N20SI SO	Ant1	5240	5251~5260	5251.03	-17.04	1.4	-15.64	27.28 978	≤99.4	PASS
NTNV	11N20SI SO	Ant1	5240	5260~5266.7	5260.07	-37.21	1.4	-35.81	0.262 42	≤15.8	PASS
NTNV	11N20SI SO	Ant1	5240	5266.7~26000	25421.54	-30.08	1.4	-28.68	1.355 19	≤2.5	See table below
NTNV	11N20SI SO	Ant1	5260	30~5233.3	3173.31	-43.39	1.6	-41.79	0.066 22	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5260	5233.3~5240	5234.79	-35.76	1.6	-34.16	0.383 71	≤3.8	PASS
NTNV	11N20SI SO	Ant1	5260	5240~5249	5248.98	-12.76	1.6	-11.16	76.55 966	≤99.6	See table below
NTNV	11N20SI SO	Ant1	5260	5249~5250	5249.03	-12.68	1.6	-11.08	77.98 301	≤107.2	See table below
NTNV	11N20SI SO	Ant1	5260	5350~26000	25971.78	-30.56	1.6	-28.96	1.270 57	≤2.5	See table below
NTNV	11N20SI SO	Ant1	5280	30~5233.3	2426.47	-43.87	1.6	-42.27	0.059 29	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5280	5233.3~5240	5235.10	-41.39	1.6	-39.79	0.104 95	≤4.1	PASS
NTNV	11N20SI SO	Ant1	5280	5240~5249	5240.55	-45.05	1.6	-43.45	0.045 19	≤17.7	PASS
NTNV	11N20SI SO	Ant1	5280	5249~5250	5249.45	-36.34	1.6	-34.74	0.335 74	≤281.8	PASS
NTNV	11N20SI SO	Ant1	5280	5350~26000	25500.27	-31.85	1.6	-30.25	0.944 06	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5320	30~5233.3	2784.28	-44.70	1.6	-43.10	0.048 98	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5320	5233.3~5240	5233.35	-47.94	1.6	-46.34	0.023 23	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5320	5240~5249	5240.07	-49.83	1.6	-48.23	0.015 03	≤16.1	PASS
NTNV	11N20SI SO	Ant1	5320	5249~5250	5249.05	-48.90	1.6	-47.30	0.018 62	≤112.2	PASS
NTNV	11N20SI SO	Ant1	5320	5350~26000	25653.77	-31.85	1.6	-30.25	0.944 06	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5500	30~5460	2962.56	-42.88	2.2	-40.68	0.085 51	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5500	5460~5470	5466.08	-38.88	2.2	-36.68	0.214 78	≤12.5	PASS
NTNV	11N20SI SO	Ant1	5500	5745~5765	5756.32	-48.14	2.2	-45.94	0.025 47	≤12.5	PASS
NTNV	11N20SI SO	Ant1	5500	5765~26000	25724.13	-30.50	2.2	-28.30	1.479 11	≤2.5	See table below
NTNV	11N20SI SO	Ant1	5580	30~5460	2662.65	-43.57	2.2	-41.37	0.072 95	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5580	5460~5470	5466.34	-46.92	2.2	-44.72	0.033 73	≤12.5	PASS
NTNV	11N20SI SO	Ant1	5580	5745~5765	5760.16	-46.43	2.2	-44.23	0.037 76	≤12.5	PASS
NTNV	11N20SI SO	Ant1	5580	5765~26000	25424.65	-29.45	2.2	-27.25	1.883 65	≤2.5	See table below
NTNV	11N20SI SO	Ant1	5700	30~5460	2435.49	-42.47	2.2	-40.27	0.093 97	≤2.5	PASS
NTNV	11N20SI	Ant1	5700	5460~5470	5466.81	-47.51	2.2	-45.31	0.029	≤12.5	PASS

NTNV	SO 11N20SI SO	Ant1	5700	5745~5765	5750.38	-40.30	2.2	-38.10	44 0.154 88	≤12.5	PASS
NTNV	11N20SI SO	Ant1	5700	5765~26000	25927.83	-31.10	2.2	-28.90	1.288 25	≤2.5	See table below
NTNV	11N40SI SO	Ant1	5190	30~5141.6	2436.03	-43.58	1.4	-42.18	0.060 53	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5190	5141.6~5150	5148.75	-31.87	1.4	-30.47	0.897 43	≤15	PASS
NTNV	11N40SI SO	Ant1	5190	5250~5251	5250.49	-39.38	1.4	-37.98	0.159 22	≤161.8	PASS
NTNV	11N40SI SO	Ant1	5190	5251~5270	5269.64	-43.98	1.4	-42.58	0.055 21	≤8.2	PASS
NTNV	11N40SI SO	Ant1	5190	5270~5278.4	5274.86	-44.50	1.4	-43.10	0.048 98	≤4.0	PASS
NTNV	11N40SI SO	Ant1	5190	5278.4~26000	24819.56	-31.27	1.4	-29.87	1.030 39	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5230	30~5141.6	2679.51	-43.58	1.4	-42.18	0.060 53	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5230	5141.6~5150	5147.42	-45.99	1.4	-44.59	0.034 75	≤15	PASS
NTNV	11N40SI SO	Ant1	5230	5250~5251	5250.97	-16.17	1.4	-14.77	33.34 264	≤53.6	See table below
NTNV	11N40SI SO	Ant1	5230	5251~5270	5251.38	-18.59	1.4	-17.19	19.09 853	≤48.2	PASS
NTNV	11N40SI SO	Ant1	5230	5270~5278.4	5277.38	-31.26	1.4	-29.86	1.032 76	≤2.9	PASS
NTNV	11N40SI SO	Ant1	5230	5278.4~26000	24807.82	-31.40	1.4	-30.00	1.000 00	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5270	30~5221.6	5208.79	-42.83	1.4	-41.43	0.071 94	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5270	5221.6~5230	5223.73	-31.84	1.4	-30.44	0.903 65	≤3.3	PASS
NTNV	11N40SI SO	Ant1	5270	5230~5249	5248.47	-18.28	1.4	-16.88	20.51 162	≤47.5	PASS
NTNV	11N40SI SO	Ant1	5270	5249~5250	5249.01	-17.40	1.4	-16.00	25.11 886	≤51.2	PASS
NTNV	11N40SI SO	Ant1	5270	5350~5358.4	5353.28	-41.39	1.4	-39.99	0.100 23	≤15	PASS
NTNV	11N40SI SO	Ant1	5270	5358.4~26000	25623.63	-30.70	1.4	-29.30	1.174 90	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5310	30~5221.6	2703.67	-44.79	1.4	-43.39	0.045 81	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5310	5221.6~5230	5223.56	-45.51	1.4	-44.11	0.038 82	≤3.3	PASS
NTNV	11N40SI SO	Ant1	5310	5230~5249	5233.38	-43.71	1.4	-42.31	0.058 75	≤11.0	PASS
NTNV	11N40SI SO	Ant1	5310	5249~5250	5249.14	-40.46	1.4	-39.06	0.124 17	≤69.0	PASS
NTNV	11N40SI SO	Ant1	5310	5350~5358.4	5351.65	-30.64	1.4	-29.24	1.191 24	≤15	PASS
NTNV	11N40SI SO	Ant1	5310	5358.4~26000	25084.20	-31.14	1.4	-29.74	1.061 70	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5510	30~5460	5460.00	-30.38	2.2	-28.18	1.520 55	≤12.5	PASS
NTNV	11N40SI SO	Ant1	5510	5460~5470	5467.17	-26.41	2.2	-24.21	3.793 15	≤50	PASS
NTNV	11N40SI SO	Ant1	5510	5770~26000	24733.60	-31.27	2.2	-29.07	1.238 80	≤12.5	PASS
NTNV	11N40SI SO	Ant1	5670	30~5460	2326.17	-43.91	2.2	-41.71	0.067 45	≤12.5	PASS

NTNV	11N40SI SO	Ant1	5670	5460~5470	5466.24	-46.67	2.2	-44.47	0.035 73	≤50	PASS
NTNV	11N40SI SO	Ant1	5670	5770~26000	24850.94	-31.78	2.2	-29.58	1.101 54	≤12.5	PASS
NTNV	11AC20 SISO	Ant1	5180	30~5142	2672.90	-43.59	2.2	-41.39	0.072 61	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5180	5142~5150	5145.60	-38.34	2.2	-36.14	0.243 22	≤15	PASS
NTNV	11AC20 SISO	Ant1	5180	5250~5251	5250.95	-47.43	2.2	-45.23	0.029 99	≤112.2	PASS
NTNV	11AC20 SISO	Ant1	5180	5251~5260	5258.25	-47.19	2.2	-44.99	0.031 70	≤22.7	PASS
NTNV	11AC20 SISO	Ant1	5180	5260~5266.7	5263.03	-47.11	2.2	-44.91	0.032 28	≤15.8	PASS
NTNV	11AC20 SISO	Ant1	5180	5266.7~26000	25435.36	-30.99	2.2	-28.79	1.321 30	≤2.5	See table below
NTNV	11AC20 SISO	Ant1	5200	30~5142	2565.89	-44.00	1.4	-42.60	0.054 95	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5200	5142~5150	5147.55	-45.37	1.4	-43.97	0.040 09	≤15	PASS
NTNV	11AC20 SISO	Ant1	5200	5250~5251	5250.87	-45.37	1.4	-43.97	0.040 09	≤134.9	PASS
NTNV	11AC20 SISO	Ant1	5200	5251~5260	5259.47	-46.45	1.4	-45.05	0.031 26	≤17.7	PASS
NTNV	11AC20 SISO	Ant1	5200	5260~5266.7	5263.10	-47.20	1.4	-45.80	0.026 30	≤15.8	PASS
NTNV	11AC20 SISO	Ant1	5200	5266.7~26000	25698.68	-30.97	1.4	-29.57	1.104 08	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5240	30~5142	3189.39	-43.91	1.4	-42.51	0.056 10	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5240	5142~5150	5143.13	-48.44	1.4	-47.04	0.019 77	≤15	PASS
NTNV	11AC20 SISO	Ant1	5240	5250~5251	5250.96	-13.32	1.4	-11.92	64.26 877	≤109.6	See table below
NTNV	11AC20 SISO	Ant1	5240	5251~5260	5251.39	-14.27	1.4	-12.87	51.64 164	≤92.3	See table below
NTNV	11AC20 SISO	Ant1	5240	5260~5266.7	5266.57	-31.86	1.4	-30.46	0.899 50	≤15.7	PASS
NTNV	11AC20 SISO	Ant1	5240	5266.7~26000	25756.73	-30.95	1.4	-29.55	1.109 17	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5260	30~5233.3	3121.97	-44.34	1.6	-42.74	0.053 21	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5260	5233.3~5240	5236.09	-35.98	1.6	-34.38	0.364 75	≤5.4	PASS
NTNV	11AC20 SISO	Ant1	5260	5240~5249	5248.94	-12.29	1.6	-10.69	85.31 001	≤98.8	See table below
NTNV	11AC20 SISO	Ant1	5260	5249~5250	5249.02	-12.53	1.6	-10.93	80.72 350	≤104.7	See table below
NTNV	11AC20 SISO	Ant1	5260	5350~26000	24827.77	-31.55	1.6	-29.95	1.011 58	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5280	30~5233.3	2710.39	-44.23	1.6	-42.63	0.054 58	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5280	5233.3~5240	5235.93	-37.85	1.6	-36.25	0.237 14	≤5.1	PASS
NTNV	11AC20 SISO	Ant1	5280	5240~5249	5241.86	-36.74	1.6	-35.14	0.306 20	≤23.2	PASS
NTNV	11AC20 SISO	Ant1	5280	5249~5250	5249.15	-38.09	1.6	-36.49	0.224 39	≤141.3	PASS

NTNV	11AC20 SISO	Ant1	5280	5350~26000	25811.40	-31.93	1.6	-30.33	0.92683	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5320	30~5233.3	3171.93	-44.23	1.6	-42.63	0.05458	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5320	5233.3~5240	5233.70	-47.36	1.6	-45.76	0.02655	≤2.8	PASS
NTNV	11AC20 SISO	Ant1	5320	5240~5249	5240.27	-48.52	1.6	-46.92	0.02032	≤16.7	PASS
NTNV	11AC20 SISO	Ant1	5320	5249~5250	5249.01	-48.37	1.6	-46.77	0.02104	≤102.3	PASS
NTNV	11AC20 SISO	Ant1	5320	5350~26000	25412.16	-31.32	1.6	-29.72	1.06660	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5500	30~5460	5460.00	-43.26	2.2	-41.06	0.07834	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5500	5460~5470	5468.86	-33.80	2.2	-31.60	0.69183	≤12.5	PASS
NTNV	11AC20 SISO	Ant1	5500	5745~5765	5760.78	-47.67	2.2	-45.47	0.02838	≤12.5	PASS
NTNV	11AC20 SISO	Ant1	5500	5765~26000	24857.40	-31.81	2.2	-29.61	1.09396	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5580	30~5460	2438.57	-42.89	2.2	-40.69	0.08531	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5580	5460~5470	5468.38	-47.22	2.2	-45.02	0.03148	≤12.5	PASS
NTNV	11AC20 SISO	Ant1	5580	5745~5765	5748.02	-47.20	2.2	-45.00	0.03162	≤12.5	PASS
NTNV	11AC20 SISO	Ant1	5580	5765~26000	25995.28	-30.97	2.2	-28.77	1.32739	≤2.5	See table below
NTNV	11AC20 SISO	Ant1	5700	30~5460	2703.19	-44.01	2.2	-41.81	0.06592	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5700	5460~5470	5463.00	-47.16	2.2	-44.96	0.03192	≤12.5	PASS
NTNV	11AC20 SISO	Ant1	5700	5745~5765	5746.36	-36.97	2.2	-34.77	0.33343	≤12.5	PASS
NTNV	11AC20 SISO	Ant1	5700	5765~26000	24872.91	-31.06	2.2	-28.86	1.30017	≤2.5	See table below
NTNV	11AC40 SISO	Ant1	5190	30~5141.6	5132.91	-39.79	1.4	-38.39	0.14488	≤2.5	PASS
NTNV	11AC40 SISO	Ant1	5190	5141.6~5150	5149.14	-27.87	1.4	-26.47	2.25424	≤15	PASS
NTNV	11AC40 SISO	Ant1	5190	5250~5251	5250.80	-36.60	1.4	-35.20	0.30200	≤79.2	PASS
NTNV	11AC40 SISO	Ant1	5190	5251~5270	5263.79	-37.36	1.4	-35.96	0.25351	≤14.5	PASS
NTNV	11AC40 SISO	Ant1	5190	5270~5278.4	5276.54	-41.59	1.4	-40.19	0.09572	≤3.2	PASS
NTNV	11AC40 SISO	Ant1	5190	5278.4~26000	25068.22	-31.27	1.4	-29.87	1.03039	≤2.5	PASS
NTNV	11AC40 SISO	Ant1	5230	30~5141.6	2664.52	-43.66	1.4	-42.26	0.05943	≤2.5	PASS
NTNV	11AC40 SISO	Ant1	5230	5141.6~5150	5142.05	-46.56	1.4	-45.16	0.03048	≤15	PASS
NTNV	11AC40 SISO	Ant1	5230	5250~5251	5250.71	-13.77	1.4	-12.37	57.94287	≤97.5	See table below
NTNV	11AC40 SISO	Ant1	5230	5251~5270	5251.68	-17.36	1.4	-15.96	25.35129	≤46.8	See table below
NTNV	11AC40 SISO	Ant1	5230	5270~5278.4	5277.88	-36.76	1.4	-35.36	0.29107	≤2.7	PASS
NTNV	11AC40	Ant1	5230	5278.4~26000	25687.1	-30.32	1.4	-28.92	1.282	≤2.5	See

	SISO								33		table below
NTNV	11AC40 SISO	Ant1	5270	30~5221.6	5211.22	-36.13	1.6	-34.53	0.35237	≤2.5	PASS
NTNV	11AC40 SISO	Ant1	5270	5221.6~5230	5224.19	-35.02	1.6	-33.42	0.45499	≤3.6	PASS
NTNV	11AC40 SISO	Ant1	5270	5230~5249	5248.54	-18.48	1.6	-16.88	20.51162	≤47.8	PASS
NTNV	11AC40 SISO	Ant1	5270	5249~5250	5249.38	-13.61	1.6	-12.01	62.95062	≤119.9	See table below
NTNV	11AC40 SISO	Ant1	5270	5350~5358.4	5350.05	-45.04	1.6	-43.44	0.04529	≤15	PASS
NTNV	11AC40 SISO	Ant1	5270	5358.4~26000	25805.97	-31.82	1.6	-30.22	0.95060	≤2.5	PASS
NTNV	11AC40 SISO	Ant1	5310	30~5221.6	3419.42	-38.59	1.6	-36.99	0.19999	≤2.5	PASS
NTNV	11AC40 SISO	Ant1	5310	5221.6~5230	5222.31	-47.75	1.6	-46.15	0.02427	≤2.7	PASS
NTNV	11AC40 SISO	Ant1	5310	5230~5249	5248.98	-38.11	1.6	-36.51	0.22336	≤49.9	PASS
NTNV	11AC40 SISO	Ant1	5310	5249~5250	5249.01	-40.20	1.6	-38.60	0.13804	≤51.2	PASS
NTNV	11AC40 SISO	Ant1	5310	5350~5358.4	5350.90	-28.02	1.6	-26.42	2.28034	≤15	PASS
NTNV	11AC40 SISO	Ant1	5310	5358.4~26000	24930.77	-31.82	1.6	-30.22	0.95060	≤2.5	PASS
NTNV	11AC40 SISO	Ant1	5510	30~5460	5457.29	-32.04	2.2	-29.84	1.03753	≤12.5	PASS
NTNV	11AC40 SISO	Ant1	5510	5460~5470	5469.78	-27.23	2.2	-25.03	3.14051	≤50	PASS
NTNV	11AC40 SISO	Ant1	5510	5770~26000	25458.51	-30.93	2.2	-28.73	1.33968	≤12.5	PASS
NTNV	11AC40 SISO	Ant1	5670	30~5460	3292.89	-43.59	2.2	-41.39	0.07261	≤12.5	PASS
NTNV	11AC40 SISO	Ant1	5670	5460~5470	5463.09	-47.64	2.2	-45.44	0.02858	≤50	PASS
NTNV	11AC40 SISO	Ant1	5670	5770~26000	24780.81	-30.83	2.2	-28.63	1.37088	≤12.5	PASS
NTNV	11AX20 SISO	Ant1	5180	30~5142	2425.14	-42.40	1.4	-41.00	0.07943	≤2.5	PASS
NTNV	11AX20 SISO	Ant1	5180	5142~5150	5144.91	-36.75	1.4	-35.35	0.29174	≤15	PASS
NTNV	11AX20 SISO	Ant1	5180	5250~5250.2	5250.15	-47.56	1.4	-46.16	0.02421	≤857.7	PASS
NTNV	11AX20 SISO	Ant1	5180	5250.2~5251	5250.92	-46.66	1.4	-45.26	0.02979	≤120.2	PASS
NTNV	11AX20 SISO	Ant1	5180	5251~5260	5256.84	-45.83	1.4	-44.43	0.03606	≤30.3	PASS
NTNV	11AX20 SISO	Ant1	5180	5260~5266.7	5262.59	-46.33	1.4	-44.93	0.03214	≤15.8	PASS
NTNV	11AX20 SISO	Ant1	5180	5266.7~26000	25736.69	-31.10	1.4	-29.70	1.07152	≤2.5	PASS
NTNV	11AX20 SISO	Ant1	5200	30~5142	3157.69	-44.57	1.4	-43.17	0.04819	≤2.5	PASS
NTNV	11AX20 SISO	Ant1	5200	5142~5150	5147.70	-46.23	1.4	-44.83	0.03289	≤15	PASS
NTNV	11AX20 SISO	Ant1	5200	5250~5250.2	5250.20	-43.23	1.4	-41.83	0.06561	≤631.0	PASS
NTNV	11AX20 SISO	Ant1	5200	5250.2~5251	5250.92	-45.37	1.4	-43.97	0.04009	≤120.2	PASS
NTNV	11AX20 SISO	Ant1	5200	5251~5260	5255.88	-43.48	1.4	-42.08	0.06194	≤36.8	PASS

NTNV	11AX20 SISO	Ant1	5200	5260~5266.7	5260.94	-42.60	1.4	-41.20	0.075 86	≤15.8	PASS
NTNV	11AX20 SISO	Ant1	5200	5266.7~26000	25696.60	-31.07	1.4	-29.67	1.078 95	≤2.5	PASS
NTNV	11AX20 SISO	Ant1	5240	30~5142	3058.86	-44.66	1.4	-43.26	0.047 21	≤2.5	PASS
NTNV	11AX20 SISO	Ant1	5240	5142~5150	5148.63	-47.46	1.4	-46.06	0.024 77	≤15	PASS
NTNV	11AX20 SISO	Ant1	5240	5250~5250.2	5250.15	-7.68	1.4	-6.28	235.5 0493	≤857.7	PASS
NTNV	11AX20 SISO	Ant1	5240	5250.2~5251	5250.75	-10.63	1.4	-9.23	119.3 9881	≤177.8	See table below
NTNV	11AX20 SISO	Ant1	5240	5251~5260	5251.66	-15.70	1.4	-14.30	37.15 352	≤87.4	PASS
NTNV	11AX20 SISO	Ant1	5240	5260~5266.7	5260.56	-33.33	1.4	-31.93	0.641 21	≤15.8	PASS
NTNV	11AX20 SISO	Ant1	5240	5266.7~26000	24909.43	-30.46	1.4	-29.06	1.241 65	≤2.5	PASS
NTNV	11AX20 SISO	Ant1	5260	30~5233.3	5229.14	-43.65	1.6	-42.05	0.062 37	≤2.5	PASS
NTNV	11AX20 SISO	Ant1	5260	5233.3~5240	5233.72	-36.21	1.6	-34.61	0.345 94	≤2.8	PASS
NTNV	11AX20 SISO	Ant1	5260	5240~5249	5248.7	-13.12	1.6	-11.52	70.46 931	≤94.0	See table below
NTNV	11AX20 SISO	Ant1	5260	5249~5249.8	5249.33	-8.48	1.6	-6.88	205.1 1622	≤213.8	See table below
NTNV	11AX20 SISO	Ant1	5260	5249.8~5250	5249.86	-4.93	1.6	-3.33	464.5 1528	≤912.0	PASS
NTNV	11AX20 SISO	Ant1	5260	5350~26000	24900.73	-32.27	1.6	-30.67	0.857 04	≤2.5	PASS
NTNV	11AX20 SISO	Ant1	5280	30~5233.3	3219.97	-44.68	1.6	-43.08	0.049 20	≤2.5	PASS
NTNV	11AX20 SISO	Ant1	5280	5233.3~5240	5234.08	-41.29	1.6	-39.69	0.107 40	≤3.1	PASS
NTNV	11AX20 SISO	Ant1	5280	5240~5249	5242.61	-39.85	1.6	-38.25	0.149 62	≤27.0	PASS
NTNV	11AX20 SISO	Ant1	5280	5249~5249.8	5249.11	-37.56	1.6	-35.96	0.253 51	≤128.8	PASS
NTNV	11AX20 SISO	Ant1	5280	5249.8~5250	5249.80	-35.28	1.6	-33.68	0.428 55	≤631.0	PASS
NTNV	11AX20 SISO	Ant1	5280	5350~26000	25413.54	-31.35	1.6	-29.75	1.059 25	≤2.5	PASS
NTNV	11AX20 SISO	Ant1	5320	30~5233.3	2640.84	-44.22	1.6	-42.62	0.054 70	≤2.5	PASS
NTNV	11AX20 SISO	Ant1	5320	5233.3~5240	5233.65	-48.07	1.6	-46.47	0.022 54	≤2.7	PASS
NTNV	11AX20 SISO	Ant1	5320	5240~5249	5240.07	-48.58	1.6	-46.98	0.020 04	≤16.1	PASS
NTNV	11AX20 SISO	Ant1	5320	5249~5249.8	5249.10	-46.96	1.6	-45.36	0.029 11	≤125.9	PASS
NTNV	11AX20 SISO	Ant1	5320	5249.8~5250	5249.80	-46.63	1.6	-45.03	0.031 41	≤631.0	PASS
NTNV	11AX20 SISO	Ant1	5320	5350~26000	25708.15	-31.85	1.6	-30.25	0.944 06	≤2.5	PASS
NTNV	11AX20 SISO	Ant1	5500	30~5460	2707.53	-41.85	2.2	-39.65	0.108 39	≤2.5	PASS
NTNV	11AX20 SISO	Ant1	5500	5460~5470	5463.26	-36.04	2.2	-33.84	0.413 05	≤12.5	PASS
NTNV	11AX20 SISO	Ant1	5500	5745~5765	5759.02	-47.72	2.2	-45.52	0.028 05	≤12.5	PASS


NTNV	11AX20 SISO	Ant1	5500	5765~26000	24857.40	-31.67	2.2	-29.47	1.129 80	≤2.5	PASS
NTNV	11AX20 SISO	Ant1	5580	30~5460	5111.39	-43.57	2.2	-41.37	0.072 95	≤2.5	PASS
NTNV	11AX20 SISO	Ant1	5580	5460~5470	5461.16	-47.49	2.2	-45.29	0.029 58	≤12.5	PASS
NTNV	11AX20 SISO	Ant1	5580	5745~5765	5745.02	-47.70	2.2	-45.50	0.028 18	≤12.5	PASS
NTNV	11AX20 SISO	Ant1	5580	5765~26000	24848.63	-30.94	2.2	-28.74	1.336 60	≤2.5	See table below
NTNV	11AX20 SISO	Ant1	5700	30~5460	2442.37	-42.77	2.2	-40.57	0.087 70	≤2.5	PASS
NTNV	11AX20 SISO	Ant1	5700	5460~5470	5462.07	-45.61	2.2	-43.41	0.045 60	≤12.5	PASS
NTNV	11AX20 SISO	Ant1	5700	5745~5765	5745.22	-37.11	2.2	-34.91	0.322 85	≤12.5	PASS
NTNV	11AX20 SISO	Ant1	5700	5765~26000	25386.21	-31.63	2.2	-29.43	1.140 25	≤2.5	PASS
NTNV	11AX40 SISO	Ant1	5190	30~5141.6	5138.02	-33.99	1.4	-32.59	0.550 81	≤2.5	PASS
NTNV	11AX40 SISO	Ant1	5190	5141.6~5150	5147.63	-27.94	1.4	-26.54	2.218 20	≤15	PASS
NTNV	11AX40 SISO	Ant1	5190	5250~5251	5250.98	-33.56	1.4	-32.16	0.608 14	≤52.4	PASS
NTNV	11AX40 SISO	Ant1	5190	5251~5270	5268.21	-36.66	1.4	-35.26	0.297 85	≤9.4	PASS
NTNV	11AX40 SISO	Ant1	5190	5270~5278.4	5277.11	-39.72	1.4	-38.32	0.147 23	≤3.0	PASS
NTNV	11AX40 SISO	Ant1	5190	5278.4~26000	25821.79	-31.73	1.4	-30.33	0.926 83	≤2.5	PASS
NTNV	11AX40 SISO	Ant1	5230	30~5141.6	2562.12	-43.72	1.4	-42.32	0.058 61	≤2.5	PASS
NTNV	11AX40 SISO	Ant1	5230	5141.6~5150	5144.19	-48.48	1.4	-47.08	0.019 59	≤15	PASS
NTNV	11AX40 SISO	Ant1	5230	5250~5251	5250.85	-13.89	1.4	-12.49	56.36 377	≤70.6	See table below
NTNV	11AX40 SISO	Ant1	5230	5251~5270	5254	-17.53	1.4	-16.13	24.37 811	≤37.4	See table below
NTNV	11AX40 SISO	Ant1	5230	5270~5278.4	5273.59	-32.59	1.4	-31.19	0.760 33	≤4.8	PASS
NTNV	11AX40 SISO	Ant1	5230	5278.4~26000	25414.27	-31.84	1.4	-30.44	0.903 65	≤2.5	PASS
NTNV	11AX40 SISO	Ant1	5270	30~5221.6	5207.76	-42.87	1.6	-41.27	0.074 64	≤2.5	PASS
NTNV	11AX40 SISO	Ant1	5270	5221.6~5230	5223.46	-35.54	1.6	-33.94	0.403 65	≤3.2	PASS
NTNV	11AX40 SISO	Ant1	5270	5230~5249	5248.41	-17.90	1.6	-16.30	23.44 229	≤47.2	PASS
NTNV	11AX40 SISO	Ant1	5270	5249~5250	5249.28	-12.92	1.6	-11.32	73.79 042	≤95.3	See table below
NTNV	11AX40 SISO	Ant1	5270	5350~5358.4	5350.47	-44.37	1.6	-42.77	0.052 84	≤15	PASS
NTNV	11AX40 SISO	Ant1	5270	5358.4~26000	25802.53	-31.63	1.6	-30.03	0.993 12	≤2.5	PASS
NTNV	11AX40 SISO	Ant1	5310	30~5221.6	3184.59	-44.61	1.6	-43.01	0.050 00	≤2.5	PASS
NTNV	11AX40 SISO	Ant1	5310	5221.6~5230	5223.46	-45.68	1.6	-44.08	0.039 08	≤3.2	PASS
NTNV	11AX40 SISO	Ant1	5310	5230~5249	5230.21	-43.96	1.6	-42.36	0.058	≤8.1	PASS

NTNV	SISO	Ant1	5310	5249~5250	5249.02	-42.15	1.6	-40.55	0.08810	≤52.4	PASS
NTNV	11AX40 SISO	Ant1	5310	5350~5358.4	5355.10	-33.08	1.6	-31.48	0.71121	≤15	PASS
NTNV	11AX40 SISO	Ant1	5310	5358.4~26000	25391.76	-31.64	1.6	-30.04	0.99083	≤2.5	PASS
NTNV	11AX40 SISO	Ant1	5510	30~5460	5450.59	-32.84	2.2	-30.64	0.86298	≤12.5	PASS
NTNV	11AX40 SISO	Ant1	5510	5460~5470	5468.46	-24.91	2.2	-22.71	5.35797	≤50	PASS
NTNV	11AX40 SISO	Ant1	5510	5770~26000	24890.05	-30.85	2.2	-28.65	1.36458	≤12.5	PASS
NTNV	11AX40 SISO	Ant1	5670	30~5460	5424.71	-44.10	2.2	-41.90	0.06457	≤12.5	PASS
NTNV	11AX40 SISO	Ant1	5670	5460~5470	5463.09	-47.44	2.2	-45.24	0.02992	≤50	PASS
NTNV	11AX40 SISO	Ant1	5670	5770~26000	25442.33	-30.80	2.2	-28.60	1.38038	≤12.5	PASS


Step2

TestCondition	TestMode	Antenna	Freq(MHz)	Freq.[MHz]	Result[dBm]	Gain[dBI]	EIRP[dBm]	Result[μW]	Limit[μW]	Verdict
NTNV	11A	Ant1	5260	5249.10	-27.07	1.6	-25.47	2.83792	≤110	PASS
NTNV	11A	Ant1	5500	25351.81	-47.79	2.2	-45.59	0.02761	≤2.5	PASS
NTNV	11A	Ant1	5580	25928.50	-47.63	2.2	-45.43	0.02864	≤2.5	PASS
NTNV	11A	Ant1	5700	25182.51	-48.27	2.2	-46.07	0.02472	≤2.5	PASS
NTNV	11N20SISO	Ant1	5240	25421.54	-47.88	1.4	-46.48	0.02249	≤2.5	PASS
NTNV	11N20SISO	Ant1	5260	5248.98	-28.32	1.6	-26.72	2.12814	≤100	PASS
NTNV	11N20SISO	Ant1	5260	5249.29	-28.22	1.6	-26.62	2.17771	≤100	PASS
NTNV	11N20SISO	Ant1	5260	25971.78	-48.11	1.6	-46.51	0.02234	≤2.5	PASS
NTNV	11N20SISO	Ant1	5500	25724.13	-47.68	2.2	-45.48	0.02831	≤2.5	PASS
NTNV	11N20SISO	Ant1	5500	25938.62	-47.87	2.2	-45.67	0.02710	≤2.5	PASS
NTNV	11N20SISO	Ant1	5580	25424.65	-47.32	2.2	-45.12	0.03076	≤2.5	PASS
NTNV	11N20SISO	Ant1	5700	25927.83	-48.23	2.2	-46.03	0.02495	≤2.5	PASS
NTNV	11N40SISO	Ant1	5230	5250.88	-31.42	1.4	-30.02	0.99541	≤71	PASS
NTNV	11AC20SISO	Ant1	5180	25435.36	-47.85	2.2	-45.65	0.02723	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5240	5250.96	-28.27	1.4	-26.87	2.05589	≤112	PASS
NTNV	11AC20SISO	Ant1	5240	5251.39	-29.12	1.4	-27.72	1.69044	≤95	PASS
NTNV	11AC20SISO	Ant1	5260	5248.94	-28.97	1.6	-27.37	1.83231	≤95	PASS
NTNV	11AC20SISO	Ant1	5260	5249.39	-27.81	1.6	-26.21	2.39332	≤141	PASS
NTNV	11AC20SISO	Ant1	5580	25995.28	-47.76	2.2	-45.56	0.02780	≤2.5	PASS


NTNV	11AC20S ISO	Ant1	5700	24872.91	-47.92	2.2	-45.72	0.0267 9	≤2.5	PASS
NTNV	11AC40S ISO	Ant1	5230	5250.71	-30.99	1.4	-29.59	1.0990 1	≤74	PASS
NTNV	11AC40S ISO	Ant1	5230	5251.68	-31.89	1.4	-30.49	0.8933 1	≤50	PASS
NTNV	11AC40S ISO	Ant1	5230	25687.10	-48.23	1.4	-46.83	0.0207 5	≤2.5	PASS
NTNV	11AC40S ISO	Ant1	5270	5249.38	-31.40	1.6	-29.80	1.0471 3	≤54	PASS
NTNV	11AX20S ISO	Ant1	5240	5250.59	-27.38	1.4	-25.98	2.5234 8	≤288	PASS
NTNV	11AX20S ISO	Ant1	5260	5248.70	-28.25	1.6	-26.65	2.1627 2	≤94	PASS
NTNV	11AX20S ISO	Ant1	5260	5249.33	-27.53	1.6	-25.93	2.5527 0	≤123	PASS
NTNV	11AX20S ISO	Ant1	5580	24848.63	-47.24	2.2	-45.04	0.0313 3	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5580	25891.41	-47.56	2.2	-45.36	0.0291 1	≤2.5	PASS
NTNV	11AX40S ISO	Ant1	5230	5250.85	-32.25	1.4	-30.85	0.8222 4	≤95	PASS
NTNV	11AX40S ISO	Ant1	5230	5254.00	-36.09	1.4	-34.69	0.3396 3	≤47	PASS
NTNV	11AX40S ISO	Ant1	5270	5249.92	-30.02	1.6	-28.42	1.4388 0	≤97	PASS





NTNV-11A-Ant1-5180-30~5142-PASS





NTNV-11A-Ant1-5180-5142~5150-PASS





















NTNV-11A-Ant1-5240-5250~5251-PASS




NTNV-11A-Ant1-5240-5251~5260-PASS








NTNV-11A-Ant1-5260-5240~5249-PASS




NTNV-11A-Ant1-5260-5249~5250-See table below





NTNV-11A-Ant1-5260-5350~26000-PASS





NTNV-11A-Ant1-5280-30~5233.3-PASS



















NTNV-11A-Ant1-5500-5765~26000-See table below




NTNV-11A-Ant1-5580-30~5460-PASS








NTNV-11A-Ant1-5580-5765~26000-See table below





NTNV-11A-Ant1-5700-30~5460-PASS






















NTNV-11N20SISO-Ant1-5200-5266.7~26000-PASS




NTNV-11N20SISO-Ant1-5240-30~5142-PASS







NTNV-11N20SISO-Ant1-5240-5251~5260-PASS




NTNV-11N20SISO-Ant1-5240-5260~5266.7-PASS







NTNV-11N20SISO-Ant1-5260-5233.3~5240-PASS



NTNV-11N20SISO-Ant1-5260-5240~5249-See table below



NTNV-11N20SISO-Ant1-5260-5249~5250-See table below



NTNV-11N20SISO-Ant1-5260-5350~26000-See table below

