

Appendix Test Data-Module2

Report No.:	1813C60177212504-01	Test Sample No.:	1-2-2
Start Test Date:	2026-5-13	Finish Test Date:	2026-5-19
Test Engineer:	Tracy Liang	Auditor:	Justin Feng
Temperature:	25.4℃	Relative Humidity:	49%
Pressure:	101kPa		


Appendix A: Frequency Error

Test Result


Test Condition	Test Mode	Antenna	Frequency [MHz]	Center Freq. [MHz]	Result [ppm]	Limit [ppm]	Verdict
NTNV	CW	Ant1	5180	5179.991	-1.73745	±20	PASS
NTNV	CW	Ant1	5190	5189.993	-1.34875	±20	PASS
NTNV	CW	Ant1	5200	5199.994	-1.15385	±20	PASS
NTNV	CW	Ant1	5210	5209.994	-1.15163	±20	PASS
NTNV	CW	Ant1	5230	5229.993	-1.33843	±20	PASS
NTNV	CW	Ant1	5240	5239.995	-0.95420	±20	PASS
NTNV	CW	Ant1	5260	5259.995	-0.95057	±20	PASS
NTNV	CW	Ant1	5270	5269.993	-1.32827	±20	PASS
NTNV	CW	Ant1	5280	5279.997	-0.56818	±20	PASS
NTNV	CW	Ant1	5290	5289.994	-1.13422	±20	PASS
NTNV	CW	Ant1	5310	5309.993	-1.31827	±20	PASS
NTNV	CW	Ant1	5320	5319.991	-1.69173	±20	PASS
NTNV	CW	Ant1	5500	5499.991	-1.63636	±20	PASS
NTNV	CW	Ant1	5510	5509.993	-1.27042	±20	PASS
NTNV	CW	Ant1	5530	5529.993	-1.26582	±20	PASS
NTNV	CW	Ant1	5550	5549.993	-1.26126	±20	PASS
NTNV	CW	Ant1	5600	5599.991	-1.60714	±20	PASS
NTNV	CW	Ant1	5610	5609.994	-1.06952	±20	PASS
NTNV	CW	Ant1	5670	5669.993	-1.23457	±20	PASS
NTNV	CW	Ant1	5700	5699.992	-1.40351	±20	PASS



Test Graphs




NTVN-CW-Ant1-5180-PASS




NTVN-CW-Ant1-5190-PASS






NTNV-CW-Ant1-5200-PASS




NTNV-CW-Ant1-5210-PASS







NTNV-CW-Ant1-5230-PASS




NTNV-CW-Ant1-5240-PASS








NTNV-CW-Ant1-5280-PASS




NTNV-CW-Ant1-5290-PASS






NTNV-CW-Ant1-5310-PASS




NTNV-CW-Ant1-5320-PASS






NTNV-CW-Ant1-5500-PASS




NTNV-CW-Ant1-5510-PASS





NTNV-CW-Ant1-5530-PASS




NTNV-CW-Ant1-5550-PASS






NTNV-CW-Ant1-5600-PASS




NTNV-CW-Ant1-5610-PASS





NTNV-CW-Ant1-5670-PASS



NTNV-CW-Ant1-5700-PASS



Appendix B: Antenna Power

Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Result [mW/MHz]	Limit [mW/MHz]	Verdict
NTNV	11A	Ant1	5180	2.68	1.8535	≤10	PASS
NTNV	11A	Ant1	5200	2.02	1.5922	≤10	PASS
NTNV	11A	Ant1	5240	1.81	1.5171	≤10	PASS
NTNV	11A	Ant1	5260	1.33	1.3583	≤10	PASS
NTNV	11A	Ant1	5280	1.03	1.2677	≤10	PASS
NTNV	11A	Ant1	5320	1.61	1.4488	≤10	PASS
NTNV	11A	Ant1	5500	2.77	1.8923	≤10	PASS
NTNV	11A	Ant1	5600	2.47	1.7660	≤10	PASS
NTNV	11A	Ant1	5700	1.68	1.4723	≤10	PASS
NTNV	11N20SISO	Ant1	5180	2.10	1.6218	≤10	PASS
NTNV	11N20SISO	Ant1	5200	1.66	1.4655	≤10	PASS
NTNV	11N20SISO	Ant1	5240	1.37	1.3709	≤10	PASS
NTNV	11N20SISO	Ant1	5260	1.32	1.3552	≤10	PASS
NTNV	11N20SISO	Ant1	5280	1.10	1.2882	≤10	PASS
NTNV	11N20SISO	Ant1	5320	1.28	1.3428	≤10	PASS
NTNV	11N20SISO	Ant1	5500	1.27	1.3397	≤10	PASS
NTNV	11N20SISO	Ant1	5600	2.37	1.7258	≤10	PASS
NTNV	11N20SISO	Ant1	5700	1.45	1.3964	≤10	PASS
NTNV	11N40SISO	Ant1	5190	-0.17	0.9616	≤5	PASS
NTNV	11N40SISO	Ant1	5230	-0.16	0.9638	≤5	PASS
NTNV	11N40SISO	Ant1	5270	-0.09	0.9795	≤5	PASS
NTNV	11N40SISO	Ant1	5310	-0.46	0.8995	≤5	PASS
NTNV	11N40SISO	Ant1	5510	0.36	1.0864	≤5	PASS
NTNV	11N40SISO	Ant1	5550	0.45	1.1092	≤5	PASS
NTNV	11N40SISO	Ant1	5670	0.28	1.0666	≤5	PASS
NTNV	11AC20SISO	Ant1	5180	2.67	1.8493	≤10	PASS
NTNV	11AC20SISO	Ant1	5200	1.97	1.5740	≤10	PASS
NTNV	11AC20SISO	Ant1	5240	1.87	1.5382	≤10	PASS
NTNV	11AC20SISO	Ant1	5260	1.80	1.5136	≤10	PASS
NTNV	11AC20SISO	Ant1	5280	1.02	1.2647	≤10	PASS
NTNV	11AC20SISO	Ant1	5320	1.43	1.3900	≤10	PASS
NTNV	11AC20SISO	Ant1	5500	1.55	1.4289	≤10	PASS
NTNV	11AC20SISO	Ant1	5600	2.41	1.7418	≤10	PASS
NTNV	11AC20SISO	Ant1	5700	1.61	1.4488	≤10	PASS
NTNV	11AC40SISO	Ant1	5190	0.39	1.0940	≤5	PASS
NTNV	11AC40SISO	Ant1	5230	-0.06	0.9863	≤5	PASS
NTNV	11AC40SISO	Ant1	5270	-0.34	0.9247	≤5	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline

400-003-0500

www.anbotech.com



NTNV	11AC40SISO	Ant1	5310	-0.29	0.9354	≤5	PASS
NTNV	11AC40SISO	Ant1	5510	0.97	1.2503	≤5	PASS
NTNV	11AC40SISO	Ant1	5550	0.33	1.0789	≤5	PASS
NTNV	11AC40SISO	Ant1	5670	0.06	1.0139	≤5	PASS
NTNV	11AC80SISO	Ant1	5210	-2.95	0.5070	≤2.5	PASS
NTNV	11AC80SISO	Ant1	5290	-3.39	0.4581	≤2.5	PASS
NTNV	11AC80SISO	Ant1	5530	0.05	1.0116	≤2.5	PASS
NTNV	11AC80SISO	Ant1	5610	0.63	1.1561	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5180	2.00	1.5849	≤10	PASS
NTNV	11AX20SISO	Ant1	5200	1.40	1.3804	≤10	PASS
NTNV	11AX20SISO	Ant1	5240	1.17	1.3092	≤10	PASS
NTNV	11AX20SISO	Ant1	5260	1.51	1.4158	≤10	PASS
NTNV	11AX20SISO	Ant1	5280	0.60	1.1482	≤10	PASS
NTNV	11AX20SISO	Ant1	5320	1.01	1.2618	≤10	PASS
NTNV	11AX20SISO	Ant1	5500	2.40	1.7378	≤10	PASS
NTNV	11AX20SISO	Ant1	5600	2.02	1.5922	≤10	PASS
NTNV	11AX20SISO	Ant1	5700	1.86	1.5346	≤10	PASS
NTNV	11AX40SISO	Ant1	5190	0.13	1.0304	≤5	PASS
NTNV	11AX40SISO	Ant1	5230	-1.48	0.7112	≤5	PASS
NTNV	11AX40SISO	Ant1	5270	-0.35	0.9226	≤5	PASS
NTNV	11AX40SISO	Ant1	5310	-0.75	0.8414	≤5	PASS
NTNV	11AX40SISO	Ant1	5510	-0.17	0.9616	≤5	PASS
NTNV	11AX40SISO	Ant1	5550	0.41	1.0990	≤5	PASS
NTNV	11AX40SISO	Ant1	5670	0.01	1.0023	≤5	PASS
NTNV	11AX80SISO	Ant1	5210	-3.70	0.4266	≤2.5	PASS
NTNV	11AX80SISO	Ant1	5290	-3.48	0.4487	≤2.5	PASS
NTNV	11AX80SISO	Ant1	5530	-0.23	0.9484	≤2.5	PASS
NTNV	11AX80SISO	Ant1	5610	0.53	1.1298	≤2.5	PASS



Test Condition	Test Mode	Antenna	Frequency [MHz]	Power [mW/MHz]	RatedPower [mW/MHz]	Result [%]	Limit[%]	Verdict
NTNV	11A	Ant1	5180	1.8535	2	-7.33	-80 to +20	PASS
NTNV	11A	Ant1	5200	1.5922	2	-20.39	-80 to +20	PASS
NTNV	11A	Ant1	5240	1.5171	2	-24.15	-80 to +20	PASS
NTNV	11A	Ant1	5260	1.3583	2	-32.09	-80 to +20	PASS
NTNV	11A	Ant1	5280	1.2677	2	-36.62	-80 to +20	PASS
NTNV	11A	Ant1	5320	1.4488	2	-27.56	-80 to +20	PASS
NTNV	11A	Ant1	5500	1.8923	2	-5.39	-50 to +50	PASS
NTNV	11A	Ant1	5600	1.766	2	-11.70	-50 to +50	PASS
NTNV	11A	Ant1	5700	1.4723	2	-26.39	-50 to +50	PASS
NTNV	11N20SISO	Ant1	5180	1.6218	2	-18.91	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5200	1.4655	2	-26.73	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5240	1.3709	2	-31.46	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5260	1.3552	2	-32.24	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5280	1.2882	2	-35.59	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5320	1.3428	2	-32.86	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5500	1.3397	2	-33.02	-50 to +50	PASS
NTNV	11N20SISO	Ant1	5600	1.7258	2	-13.71	-50 to +50	PASS
NTNV	11N20SISO	Ant1	5700	1.3964	2	-30.18	-50 to +50	PASS
NTNV	11N40SISO	Ant1	5190	0.9616	1	-3.84	-80 to +20	PASS
NTNV	11N40SISO	Ant1	5230	0.9638	1	-3.62	-80 to +20	PASS
NTNV	11N40SISO	Ant1	5270	0.9795	1	-2.05	-80 to +20	PASS
NTNV	11N40SISO	Ant1	5310	0.8995	1	-10.05	-80 to +20	PASS
NTNV	11N40SISO	Ant1	5510	1.0864	1	8.64	-50 to +50	PASS
NTNV	11N40SISO	Ant1	5550	1.1092	1	10.92	-50 to +50	PASS
NTNV	11N40SISO	Ant1	5670	1.0666	1	6.66	-50 to +50	PASS
NTNV	11AC20SISO	Ant1	5180	1.8493	2	-7.54	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5200	1.574	2	-21.30	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5240	1.5382	2	-23.09	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5260	1.5136	2	-24.32	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5280	1.2647	2	-36.77	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5320	1.39	2	-30.50	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5500	1.4289	2	-28.56	-50 to +50	PASS
NTNV	11AC20SISO	Ant1	5600	1.7418	2	-12.91	-50 to +50	PASS
NTNV	11AC20SISO	Ant1	5700	1.4488	2	-27.56	-50 to +50	PASS
NTNV	11AC40SISO	Ant1	5190	1.094	1	9.40	-80 to +20	PASS
NTNV	11AC40SISO	Ant1	5230	0.9863	1	-1.37	-80 to +20	PASS
NTNV	11AC40SISO	Ant1	5270	0.9247	1	-7.53	-80 to +20	PASS
NTNV	11AC40SISO	Ant1	5310	0.9354	1	-6.46	-80 to +20	PASS
NTNV	11AC40SISO	Ant1	5510	1.2503	1	25.03	-50 to +50	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86)0755-26066440 Email: service@anbotech.com



Hotline

400-003-0500

www.anbotech.com



NTNV	11AC40SISO	Ant1	5550	1.0789	1	7.89	-50 to +50	PASS
NTNV	11AC40SISO	Ant1	5670	1.0139	1	1.39	-50 to +50	PASS
NTNV	11AC80SISO	Ant1	5210	0.507	2	-74.65	-80 to +20	PASS
NTNV	11AC80SISO	Ant1	5290	0.4581	2	-77.10	-80 to +20	PASS
NTNV	11AC80SISO	Ant1	5530	1.0116	2	-49.42	-50 to +50	PASS
NTNV	11AC80SISO	Ant1	5610	1.1561	2	-42.20	-50 to +50	PASS
NTNV	11AX20SISO	Ant1	5180	1.5849	2	-20.76	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5200	1.3804	2	-30.98	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5240	1.3092	2	-34.54	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5260	1.4158	2	-29.21	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5280	1.1482	2	-42.59	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5320	1.2618	2	-36.91	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5500	1.7378	2	-13.11	-50 to +50	PASS
NTNV	11AX20SISO	Ant1	5600	1.5922	2	-20.39	-50 to +50	PASS
NTNV	11AX20SISO	Ant1	5700	1.5346	2	-23.27	-50 to +50	PASS
NTNV	11AX40SISO	Ant1	5190	1.0304	1	3.04	-80 to +20	PASS
NTNV	11AX40SISO	Ant1	5230	0.7112	1	-28.88	-80 to +20	PASS
NTNV	11AX40SISO	Ant1	5270	0.9226	1	-7.74	-80 to +20	PASS
NTNV	11AX40SISO	Ant1	5310	0.8414	1	-15.86	-80 to +20	PASS
NTNV	11AX40SISO	Ant1	5510	0.9616	1	-3.84	-50 to +50	PASS
NTNV	11AX40SISO	Ant1	5550	1.099	1	9.90	-50 to +50	PASS
NTNV	11AX40SISO	Ant1	5670	1.0023	1	0.23	-50 to +50	PASS
NTNV	11AX80SISO	Ant1	5210	0.4266	1	-57.34	-80 to +20	PASS
NTNV	11AX80SISO	Ant1	5290	0.4487	1	-55.13	-80 to +20	PASS
NTNV	11AX80SISO	Ant1	5530	0.9484	1	-5.16	-50 to +50	PASS
NTNV	11AX80SISO	Ant1	5610	1.1298	1	12.98	-50 to +50	PASS



Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [mW/MHz]	Gain[dBi]	EIRP [mW/MHz]	Limit [mW/MHz]	Verdict
NTNV	11A	Ant1	5180	1.8535	1.32	2.5119	≤10	PASS
NTNV	11A	Ant1	5200	1.5922	2.08	2.1577	≤10	PASS
NTNV	11A	Ant1	5240	1.5171	1.32	2.0559	≤10	PASS
NTNV	11A	Ant1	5260	1.3583	2.08	2.1928	≤5	PASS
NTNV	11A	Ant1	5280	1.2677	2.08	2.0464	≤5	PASS
NTNV	11A	Ant1	5320	1.4488	2.08	2.3388	≤5	PASS
NTNV	11A	Ant1	5500	1.8923	3.52	4.256	≤25	PASS
NTNV	11A	Ant1	5600	1.766	3.52	3.9719	≤25	PASS
NTNV	11A	Ant1	5700	1.4723	3.52	3.3113	≤25	PASS
NTNV	11N20SISO	Ant1	5180	1.6218	1.32	2.1979	≤10	PASS
NTNV	11N20SISO	Ant1	5200	1.4655	1.32	1.9861	≤10	PASS
NTNV	11N20SISO	Ant1	5240	1.3709	1.32	1.8578	≤10	PASS
NTNV	11N20SISO	Ant1	5260	1.3552	2.08	2.1878	≤5	PASS
NTNV	11N20SISO	Ant1	5280	1.2882	2.08	2.0797	≤5	PASS
NTNV	11N20SISO	Ant1	5320	1.3428	2.08	2.1677	≤5	PASS
NTNV	11N20SISO	Ant1	5500	1.3397	3.52	3.013	≤25	PASS
NTNV	11N20SISO	Ant1	5600	1.7258	3.52	3.8815	≤25	PASS
NTNV	11N20SISO	Ant1	5700	1.3964	3.52	3.1405	≤25	PASS
NTNV	11N40SISO	Ant1	5190	0.9616	1.32	1.3032	≤5	PASS
NTNV	11N40SISO	Ant1	5230	0.9638	1.32	1.3062	≤5	PASS
NTNV	11N40SISO	Ant1	5270	0.9795	2.08	1.5812	≤2.5	PASS
NTNV	11N40SISO	Ant1	5310	0.8995	2.08	1.4521	≤2.5	PASS
NTNV	11N40SISO	Ant1	5510	1.0864	3.52	2.4434	≤12.5	PASS
NTNV	11N40SISO	Ant1	5550	1.1092	3.52	2.4946	≤12.5	PASS
NTNV	11N40SISO	Ant1	5670	1.0666	3.52	2.3988	≤12.5	PASS
NTNV	11AC20SISO	Ant1	5180	1.8493	1.32	2.5061	≤10	PASS
NTNV	11AC20SISO	Ant1	5200	1.574	1.32	2.133	≤10	PASS
NTNV	11AC20SISO	Ant1	5240	1.5382	1.32	2.0845	≤10	PASS
NTNV	11AC20SISO	Ant1	5260	1.5136	2.08	2.4434	≤5	PASS
NTNV	11AC20SISO	Ant1	5280	1.2647	2.08	2.0417	≤5	PASS
NTNV	11AC20SISO	Ant1	5320	1.39	2.08	2.2439	≤5	PASS
NTNV	11AC20SISO	Ant1	5500	1.4289	3.52	3.2137	≤25	PASS
NTNV	11AC20SISO	Ant1	5600	1.7418	3.52	3.9174	≤25	PASS
NTNV	11AC20SISO	Ant1	5700	1.4488	3.52	3.2584	≤25	PASS
NTNV	11AC40SISO	Ant1	5190	1.094	1.32	1.4825	≤5	PASS
NTNV	11AC40SISO	Ant1	5230	0.9863	1.32	1.3366	≤5	PASS
NTNV	11AC40SISO	Ant1	5270	0.9247	2.08	1.4928	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5310	0.9354	2.08	1.5101	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5510	1.2503	3.52	2.8119	≤12.5	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline

400-003-0500

www.anbotech.com



NTNV	11AC40SISO	Ant1	5550	1.0789	3.52	2.4266	≤12.5	PASS
NTNV	11AC40SISO	Ant1	5670	1.0139	3.52	2.2803	≤12.5	PASS
NTNV	11AC80SISO	Ant1	5210	0.507	1.32	0.6871	≤2.5	PASS
NTNV	11AC80SISO	Ant1	5290	0.4581	2.08	0.7396	≤1.25	PASS
NTNV	11AC80SISO	Ant1	5530	1.0116	3.52	2.2751	≤6.25	PASS
NTNV	11AC80SISO	Ant1	5610	1.1561	3.52	2.6002	≤6.25	PASS
NTNV	11AX20SISO	Ant1	5180	1.5849	1.32	2.1478	≤10	PASS
NTNV	11AX20SISO	Ant1	5200	1.3804	1.32	1.8707	≤10	PASS
NTNV	11AX20SISO	Ant1	5240	1.3092	1.32	1.7742	≤10	PASS
NTNV	11AX20SISO	Ant1	5260	1.4158	2.08	2.2856	≤5	PASS
NTNV	11AX20SISO	Ant1	5280	1.1482	2.08	1.8535	≤5	PASS
NTNV	11AX20SISO	Ant1	5320	1.2618	2.08	2.037	≤5	PASS
NTNV	11AX20SISO	Ant1	5500	1.7378	3.52	3.9084	≤25	PASS
NTNV	11AX20SISO	Ant1	5600	1.5922	3.52	3.581	≤25	PASS
NTNV	11AX20SISO	Ant1	5700	1.5346	3.52	3.4514	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5190	1.0304	1.32	1.3964	≤5	PASS
NTNV	11AX40SISO	Ant1	5230	0.7112	1.32	0.9638	≤5	PASS
NTNV	11AX40SISO	Ant1	5270	0.9226	2.08	1.4894	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5310	0.8414	2.08	1.3583	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5510	0.9616	3.52	2.1627	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5550	1.099	3.52	2.4717	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5670	1.0023	3.52	2.2542	≤12.5	PASS
NTNV	11AX80SISO	Ant1	5210	0.4266	1.32	0.5781	≤2.5	PASS
NTNV	11AX80SISO	Ant1	5290	0.4487	2.08	0.7244	≤1.25	PASS
NTNV	11AX80SISO	Ant1	5530	0.9484	3.52	2.133	≤6.25	PASS
NTNV	11AX80SISO	Ant1	5610	1.1298	3.52	2.541	≤6.25	PASS


Note:

1.Result[dBm/MHz]=10log(Power [mW/MHz])


2.EIRP[dBm/MHz]=Result[dBm/MHz]+Gain(dBi)





Test Graphs





NTNV-11A-Ant1-5180-PASS
















































NTNV-11N20SISO-Ant1-5500-PASS







NTNV-11N20SISO-Ant1-5600-PASS













NTNV-11N40SISO-Ant1-5230-PASS







NTNV-11N40SISO-Ant1-5270-PASS







NTNV-11N40SISO-Ant1-5310-PASS







NTNV-11N40SISO-Ant1-5510-PASS







NTNV-11N40SISO-Ant1-5550-PASS








NTNV-11N40SISO-Ant1-5670-PASS

































NTNV-11AC40SISO-Ant1-5190-PASS







NTNV-11AC40SISO-Ant1-5230-PASS







NTNV-11AC40SISO-Ant1-5270-PASS








NTNV-11AC40SISO-Ant1-5310-PASS





















NTNV-11AC80SISO-Ant1-5530-PASS











NTNV-11AX20SISO-Ant1-5180-PASS






























NTNV-11AX40SISO-Ant1-5190-PASS










NTNV-11AX40SISO-Ant1-5270-PASS







NTNV-11AX40SISO-Ant1-5310-PASS














NTNV-11AX40SISO-Ant1-5670-PASS












NTNV-11AX80SISO-Ant1-5610-PASS



Appendix C: Occupied Bandwidth

Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [MHz]	Limit [MHz]	Verdict
NTNV	11A	Ant1	5180	17.023	≤20	PASS
NTNV	11A	Ant1	5200	16.823	≤20	PASS
NTNV	11A	Ant1	5240	16.743	≤20	PASS
NTNV	11A	Ant1	5260	17.263	≤20	PASS
NTNV	11A	Ant1	5280	17.183	≤20	PASS
NTNV	11A	Ant1	5320	17.103	≤20	PASS
NTNV	11A	Ant1	5500	17.063	≤20	PASS
NTNV	11A	Ant1	5600	16.783	≤20	PASS
NTNV	11A	Ant1	5700	16.943	≤20	PASS
NTNV	11N20SISO	Ant1	5180	17.942	≤20	PASS
NTNV	11N20SISO	Ant1	5200	18.222	≤20	PASS
NTNV	11N20SISO	Ant1	5240	18.022	≤20	PASS
NTNV	11N20SISO	Ant1	5260	18.022	≤20	PASS
NTNV	11N20SISO	Ant1	5280	17.942	≤20	PASS
NTNV	11N20SISO	Ant1	5320	18.741	≤20	PASS
NTNV	11N20SISO	Ant1	5500	18.182	≤20	PASS
NTNV	11N20SISO	Ant1	5600	18.142	≤20	PASS
NTNV	11N20SISO	Ant1	5700	18.382	≤20	PASS
NTNV	11N40SISO	Ant1	5190	36.284	≤40	PASS
NTNV	11N40SISO	Ant1	5230	36.284	≤40	PASS
NTNV	11N40SISO	Ant1	5270	36.603	≤40	PASS
NTNV	11N40SISO	Ant1	5310	36.284	≤40	PASS
NTNV	11N40SISO	Ant1	5510	36.364	≤40	PASS
NTNV	11N40SISO	Ant1	5550	36.523	≤40	PASS
NTNV	11N40SISO	Ant1	5670	36.364	≤40	PASS
NTNV	11AC20SISO	Ant1	5180	18.182	≤20	PASS
NTNV	11AC20SISO	Ant1	5200	18.342	≤20	PASS
NTNV	11AC20SISO	Ant1	5240	18.302	≤20	PASS
NTNV	11AC20SISO	Ant1	5260	18.142	≤20	PASS
NTNV	11AC20SISO	Ant1	5280	18.062	≤20	PASS
NTNV	11AC20SISO	Ant1	5320	18.501	≤20	PASS
NTNV	11AC20SISO	Ant1	5500	18.342	≤20	PASS
NTNV	11AC20SISO	Ant1	5600	18.302	≤20	PASS
NTNV	11AC20SISO	Ant1	5700	19.021	≤20	PASS
NTNV	11AC40SISO	Ant1	5190	36.284	≤40	PASS
NTNV	11AC40SISO	Ant1	5230	36.284	≤40	PASS
NTNV	11AC40SISO	Ant1	5270	36.284	≤40	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86)0755-26066440 Email: service@anbotek.com



Hotline

400-003-0500


www.anbotek.com




NTNV	11AC40SISO	Ant1	5310	36.683	≤40	PASS
NTNV	11AC40SISO	Ant1	5510	36.444	≤40	PASS
NTNV	11AC40SISO	Ant1	5550	36.683	≤40	PASS
NTNV	11AC40SISO	Ant1	5670	36.683	≤40	PASS
NTNV	11AC80SISO	Ant1	5210	75.924	≤80	PASS
NTNV	11AC80SISO	Ant1	5290	75.924	≤80	PASS
NTNV	11AC80SISO	Ant1	5530	76.244	≤80	PASS
NTNV	11AC80SISO	Ant1	5610	76.244	≤80	PASS
NTNV	11AX20SISO	Ant1	5180	19.181	≤20	PASS
NTNV	11AX20SISO	Ant1	5200	19.421	≤20	PASS
NTNV	11AX20SISO	Ant1	5240	19.021	≤20	PASS
NTNV	11AX20SISO	Ant1	5260	19.261	≤20	PASS
NTNV	11AX20SISO	Ant1	5280	19.540	≤20	PASS
NTNV	11AX20SISO	Ant1	5320	19.061	≤20	PASS
NTNV	11AX20SISO	Ant1	5500	19.461	≤20	PASS
NTNV	11AX20SISO	Ant1	5600	19.461	≤20	PASS
NTNV	11AX20SISO	Ant1	5700	19.141	≤20	PASS
NTNV	11AX40SISO	Ant1	5190	37.962	≤40	PASS
NTNV	11AX40SISO	Ant1	5230	37.802	≤40	PASS
NTNV	11AX40SISO	Ant1	5270	38.042	≤40	PASS
NTNV	11AX40SISO	Ant1	5310	37.802	≤40	PASS
NTNV	11AX40SISO	Ant1	5510	38.042	≤40	PASS
NTNV	11AX40SISO	Ant1	5550	38.122	≤40	PASS
NTNV	11AX40SISO	Ant1	5670	37.882	≤40	PASS
NTNV	11AX80SISO	Ant1	5210	77.363	≤80	PASS
NTNV	11AX80SISO	Ant1	5290	77.522	≤80	PASS
NTNV	11AX80SISO	Ant1	5530	77.682	≤80	PASS
NTNV	11AX80SISO	Ant1	5610	78.162	≤80	PASS



Test Graphs




NTNV-11A-Ant1-5180-PASS




NTNV-11A-Ant1-5200-PASS






NTNV-11A-Ant1-5240-PASS




NTNV-11A-Ant1-5260-PASS






NTNV-11A-Ant1-5280-PASS




NTNV-11A-Ant1-5320-PASS






NTNV-11A-Ant1-5500-PASS




NTNV-11A-Ant1-5600-PASS






NTNV-11A-Ant1-5700-PASS




NTNV-11N20SISO-Ant1-5180-PASS






NTNV-11N20SISO-Ant1-5200-PASS




NTNV-11N20SISO-Ant1-5240-PASS






NTNV-11N20SISO-Ant1-5260-PASS




NTNV-11N20SISO-Ant1-5280-PASS






NTNV-11N20SISO-Ant1-5320-PASS




NTNV-11N20SISO-Ant1-5500-PASS






NTNV-11N20SISO-Ant1-5600-PASS




NTNV-11N20SISO-Ant1-5700-PASS






NTNV-11N40SISO-Ant1-5190-PASS




NTNV-11N40SISO-Ant1-5230-PASS





NTNV-11N40SISO-Ant1-5270-PASS




NTNV-11N40SISO-Ant1-5310-PASS






NTNV-11N40SISO-Ant1-5510-PASS




NTNV-11N40SISO-Ant1-5550-PASS






NTNV-11N40SISO-Ant1-5670-PASS




NTNV-11AC20SISO-Ant1-5180-PASS






NTNV-11AC20SISO-Ant1-5200-PASS




NTNV-11AC20SISO-Ant1-5240-PASS






NTNV-11AC20SISO-Ant1-5260-PASS



NTNV-11AC20SISO-Ant1-5280-PASS






NTNV-11AC20SISO-Ant1-5320-PASS




NTNV-11AC20SISO-Ant1-5500-PASS






NTNV-11AC20SISO-Ant1-5600-PASS




NTNV-11AC20SISO-Ant1-5700-PASS






NTNV-11AC40SISO-Ant1-5190-PASS




NTNV-11AC40SISO-Ant1-5230-PASS






NTNV-11AC40SISO-Ant1-5270-PASS




NTNV-11AC40SISO-Ant1-5310-PASS






NTNV-11AC40SISO-Ant1-5510-PASS




NTNV-11AC40SISO-Ant1-5550-PASS






NTNV-11AC40SISO-Ant1-5670-PASS




NTNV-11AC80SISO-Ant1-5210-PASS






NTNV-11AC80SISO-Ant1-5290-PASS




NTNV-11AC80SISO-Ant1-5530-PASS






NTNV-11AC80SISO-Ant1-5610-PASS




NTNV-11AX20SISO-Ant1-5180-PASS






NTNV-11AX20SISO-Ant1-5200-PASS




NTNV-11AX20SISO-Ant1-5240-PASS






NTNV-11AX20SISO-Ant1-5260-PASS




NTNV-11AX20SISO-Ant1-5280-PASS






NTNV-11AX20SISO-Ant1-5320-PASS




NTNV-11AX20SISO-Ant1-5500-PASS






NTNV-11AX20SISO-Ant1-5600-PASS




NTNV-11AX20SISO-Ant1-5700-PASS






NTNV-11AX40SISO-Ant1-5190-PASS




NTNV-11AX40SISO-Ant1-5230-PASS






NTNV-11AX40SISO-Ant1-5270-PASS




NTNV-11AX40SISO-Ant1-5310-PASS






NTNV-11AX40SISO-Ant1-5510-PASS




NTNV-11AX40SISO-Ant1-5550-PASS






NTNV-11AX40SISO-Ant1-5670-PASS




NTNV-11AX80SISO-Ant1-5210-PASS






NTNV-11AX80SISO-Ant1-5290-PASS



NTNV-11AX80SISO-Ant1-5530-PASS





Appendix D: Spurious Emission of TX

Test Result

Test Condition	Test Mode	Antenna	Freq [MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Result [μW/MHz]	Limit [μW/MHz]	Verdict
NTNV	11A	Ant1	5180	30~5142	4742.24	-40.71	1.32	-39.39	0.11508	≤2.5	PASS
NTNV	11A	Ant1	5180	5142~5150	5147.14	-23.26	1.32	-21.94	6.39735	≤15	PASS
NTNV	11A	Ant1	5180	5250~5251	5250.97	-42.61	1.32	-41.29	0.07430	≤107.2	PASS
NTNV	11A	Ant1	5180	5251~5260	5259.87	-40.58	1.32	-39.26	0.11858	≤16.3	PASS
NTNV	11A	Ant1	5180	5260~5266.7	5266.64	-40.39	1.32	-39.07	0.12388	≤2.5	PASS
NTNV	11A	Ant1	5180	5266.7~26000	16327.92	-39.07	1.32	-37.75	0.16788	≤2.5	PASS
NTNV	11A	Ant1	5200	30~5142	5139.96	-39.35	1.32	-38.03	0.15740	≤2.5	PASS
NTNV	11A	Ant1	5200	5142~5150	5149.54	-28.35	1.32	-27.03	1.98153	≤15	PASS
NTNV	11A	Ant1	5200	5250~5251	5250.91	-28.83	1.32	-27.51	1.77419	≤123.0	PASS
NTNV	11A	Ant1	5200	5251~5260	5258.97	-33.14	1.32	-31.82	0.65766	≤19.6	PASS
NTNV	11A	Ant1	5200	5260~5266.7	5266.26	-36.41	1.32	-35.09	0.30974	≤2.8	PASS
NTNV	11A	Ant1	5200	5266.7~26000	6909.47	-39.86	1.32	-38.54	0.13996	≤2.5	PASS
NTNV	11A	Ant1	5240	30~5142	5003.98	-40.62	1.32	-39.30	0.11749	≤2.5	PASS
NTNV	11A	Ant1	5240	5142~5150	5146.28	-38.96	1.32	-37.64	0.17219	≤15	PASS
NTNV	11A	Ant1	5240	5250~5251	5250.76	-0.89	1.32	0.43	1104.07862	≤173.8	See table below
NTNV	11A	Ant1	5240	5251~5260	5256.27	-7.13	1.32	-5.81	262.42185	≤34.0	See table below
NTNV	11A	Ant1	5240	5260~5266.7	5265.04	-17.82	1.32	-16.50	22.38721	≤4.0	See table below
NTNV	11A	Ant1	5240	5266.7~26000	5277.07	-29.58	1.32	-28.26	1.49279	≤2.5	See table below
NTNV	11A	Ant1	5260	30~5233.3	5232.78	-28.56	2.08	-26.48	2.24905	≤2.5	See table below
NTNV	11A	Ant1	5260	5233.3~5240	5233.73	-17.74	2.08	-15.66	27.16439	≤2.8	See table below
NTNV	11A	Ant1	5260	5240~5249	5242.02	-7.37	2.08	-5.29	295.80125	≤24.0	See table below
NTNV	11A	Ant1	5260	5249~5250	5249.09	0.34	2.08	2.42	1745.82215	≤123.0	See table below
NTNV	11A	Ant1	5260	5350~26000	21226.41	-38.55	2.08	-36.47	0.22542	≤2.5	PASS
NTNV	11A	Ant1	5280	30~5233.3	5232.26	-32.75	2.08	-30.67	0.85704	≤2.5	PASS
NTNV	11A	Ant1	5280	5233.3~5240	5233.59	-29.13	2.08	-27.05	1.97242	≤2.7	See table below
NTNV	11A	Ant1	5280	5240~5249	5240.61	-22.30	2.08	-20.22	9.50605	≤18.0	See table below
NTNV	11A	Ant1	5280	5249~5250	5249.10	-21.16	2.08	-19.08	12.35947	≤125.9	PASS
NTNV	11A	Ant1	5280	5350~26000	16348.88	-39.43	2.08	-37.35	0.18408	≤2.5	PASS
NTNV	11A	Ant1	5320	30~5233.3	5081.36	-39.75	2.08	-37.67	0.17100	≤2.5	PASS
NTNV	11A	Ant1	5320	5233.3~5240	5233.78	-39.67	2.08	-37.59	0.17418	≤2.8	PASS
NTNV	11A	Ant1	5320	5240~5249	5240.67	-39.46	2.08	-37.38	0.18281	≤18.2	PASS
NTNV	11A	Ant1	5320	5249~5250	5249.02	-37.03	2.08	-34.95	0.31989	≤104.7	PASS
NTNV	11A	Ant1	5320	5350~26000	5350	-30.43	2.08	-28.35	1.46218	≤2.5	See table below
NTNV	11A	Ant1	5500	30~5460	5459.46	-33.46	3.52	-29.94	1.01391	≤2.5	PASS
NTNV	11A	Ant1	5500	5460~5470	5468.26	-19.93	3.52	-16.41	22.85599	≤12.5	See table below
NTNV	11A	Ant1	5500	5745~5765	5750.80	-38.91	3.52	-35.39	0.28907	≤12.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)0755-26066440 Email: service@anbotek.com

Hotline 400-003-0500
www.anbotek.com



NTNV	11A	Ant1	5500	5765~26000	10993.72	-38.76	3.52	-35.24	0.29923	≤2.5	PASS
NTNV	11A	Ant1	5600	30~5460	1392.93	-37.72	3.52	-34.20	0.38019	≤2.5	PASS
NTNV	11A	Ant1	5600	5460~5470	5462.53	-38.28	3.52	-34.76	0.33420	≤12.5	PASS
NTNV	11A	Ant1	5600	5745~5765	5756.18	-38.65	3.52	-35.13	0.30690	≤12.5	PASS
NTNV	11A	Ant1	5600	5765~26000	16807.24	-38.19	3.52	-34.67	0.34119	≤2.5	PASS
NTNV	11A	Ant1	5700	30~5460	1494.47	-38.63	3.52	-35.11	0.30832	≤2.5	PASS
NTNV	11A	Ant1	5700	5460~5470	5462.04	-37.67	3.52	-34.15	0.38459	≤12.5	PASS
NTNV	11A	Ant1	5700	5745~5765	5747.48	-30.93	3.52	-27.41	1.81552	≤12.5	PASS
NTNV	11A	Ant1	5700	5765~26000	11399.1	-30.00	3.52	-26.48	2.24905	≤2.5	See table below
NTNV	11N20SISO	Ant1	5180	30~5142	5141.49	-29.71	1.32	-28.39	1.44877	≤2.5	See table below
NTNV	11N20SISO	Ant1	5180	5142~5150	5147.58	-19.62	1.32	-18.30	14.79108	≤15	See table below
NTNV	11N20SISO	Ant1	5180	5250~5251	5250.84	-38.66	1.32	-37.34	0.18450	≤144.5	PASS
NTNV	11N20SISO	Ant1	5180	5251~5260	5259.32	-39.55	1.32	-38.23	0.15031	≤18.2	PASS
NTNV	11N20SISO	Ant1	5180	5260~5266.7	5266.68	-40.20	1.32	-38.88	0.12942	≤2.5	PASS
NTNV	11N20SISO	Ant1	5180	5266.7~26000	6894.26	-39.21	1.32	-37.89	0.16255	≤2.5	PASS
NTNV	11N20SISO	Ant1	5200	30~5142	5033.63	-39.71	1.32	-38.39	0.14488	≤2.5	PASS
NTNV	11N20SISO	Ant1	5200	5142~5150	5147.74	-28.02	1.32	-26.70	2.13796	≤15	PASS
NTNV	11N20SISO	Ant1	5200	5250~5250.2	5250.19	-30.17	1.32	-28.85	1.30317	≤670.9	PASS
NTNV	11N20SISO	Ant1	5200	5250.2~5251	5250.85	-29.57	1.32	-28.25	1.49624	≤141.3	PASS
NTNV	11N20SISO	Ant1	5200	5251~5260	5258.85	-31.19	1.32	-29.87	1.03039	≤20.1	PASS
NTNV	11N20SISO	Ant1	5200	5260~5266.7	5266.34	-37.31	1.32	-35.99	0.25177	≤2.8	PASS
NTNV	11N20SISO	Ant1	5200	5266.7~26000	6982.73	-38.71	1.32	-37.39	0.18239	≤2.5	PASS
NTNV	11N20SISO	Ant1	5240	30~5142	4192.19	-39.50	1.32	-38.18	0.15205	≤2.5	PASS
NTNV	11N20SISO	Ant1	5240	5142~5150	5142.63	-35.66	1.32	-34.34	0.36813	≤15	PASS
NTNV	11N20SISO	Ant1	5240	5250~5250.2	5250.2	1.41	1.32	2.73	1874.99451	≤631.0	See table below
NTNV	11N20SISO	Ant1	5240	5250.2~5251	5250.88	-0.60	1.32	0.72	1180.32064	≤131.8	See table below
NTNV	11N20SISO	Ant1	5240	5251~5260	5251.25	-1.98	1.32	-0.66	859.01352	≤95.0	See table below
NTNV	11N20SISO	Ant1	5240	5260~5266.7	5265.98	-18.69	1.32	-17.37	18.32314	≤3.0	See table below
NTNV	11N20SISO	Ant1	5240	5266.7~26000	5268.77	-26.79	1.32	-25.47	2.83792	≤2.5	See table below
NTNV	11N20SISO	Ant1	5260	30~5233.3	5231.74	-24.38	2.08	-22.30	5.88844	≤2.5	See table below
NTNV	11N20SISO	Ant1	5260	5233.3~5240	5233.82	-17.87	2.08	-15.79	26.36331	≤2.9	See table below
NTNV	11N20SISO	Ant1	5260	5240~5249	5248.76	-0.41	2.08	1.67	1468.92628	≤95.2	See table below
NTNV	11N20SISO	Ant1	5260	5249~5249.8	5249.01	0.38	2.08	2.46	1761.97605	≤102.3	See table below
NTNV	11N20SISO	Ant1	5260	5249.8~5250	5249.84	4.19	2.08	6.27	4236.42966	≤806.6	See table below
NTNV	11N20SISO	Ant1	5260	5350~26000	5414.02	-39.18	2.08	-37.10	0.19498	≤2.5	PASS
NTNV	11N20SISO	Ant1	5280	30~5233.3	5231.74	-35.87	2.08	-33.79	0.41783	≤2.5	PASS
NTNV	11N20SISO	Ant1	5280	5233.3~5240	5234.67	-25.55	2.08	-23.47	4.49780	≤3.6	See table below
NTNV	11N20SISO	Ant1	5280	5240~5249	5241.92	-25.72	2.08	-23.64	4.32514	≤23.5	PASS
NTNV	11N20SISO	Ant1	5280	5249~5250	5249.24	-20.96	2.08	-18.88	12.94196	≤173.8	PASS
NTNV	11N20SISO	Ant1	5280	5350~26000	24763.75	-38.81	2.08	-36.73	0.21232	≤2.5	PASS
NTNV	11N20SISO	Ant1	5320	30~5233.3	4256.64	-38.89	2.08	-36.81	0.20845	≤2.5	PASS
NTNV	11N20SISO	Ant1	5320	5233.3~5240	5233.34	-40.24	2.08	-38.16	0.15276	≤2.5	PASS



NTNV	11N20SISO	Ant1	5320	5240~5249	5240.49	-39.64	2.08	-37.56	0.17539	≤17.5	PASS
NTNV	11N20SISO	Ant1	5320	5249~5249.8	5249.10	-38.44	2.08	-36.36	0.23121	≤125.9	PASS
NTNV	11N20SISO	Ant1	5320	5249.8~5250	5249.80	-35.81	2.08	-33.73	0.42364	≤631.0	PASS
NTNV	11N20SISO	Ant1	5320	5350~26000	5350.00	-31.88	2.08	-29.80	1.04713	≤2.5	PASS
NTNV	11N20SISO	Ant1	5500	30~5460	5452.94	-34.81	3.52	-31.29	0.74302	≤2.5	PASS
NTNV	11N20SISO	Ant1	5500	5460~5470	5469.97	-19.51	3.52	-15.99	25.17677	≤12.5	See table below
NTNV	11N20SISO	Ant1	5500	5745~5765	5752.14	-38.99	3.52	-35.47	0.28379	≤12.5	PASS
NTNV	11N20SISO	Ant1	5500	5765~26000	15527.71	-39.04	3.52	-35.52	0.28054	≤2.5	PASS
NTNV	11N20SISO	Ant1	5600	30~5460	1394.56	-37.65	3.52	-34.13	0.38637	≤2.5	PASS
NTNV	11N20SISO	Ant1	5600	5460~5470	5461.72	-38.68	3.52	-35.16	0.30479	≤12.5	PASS
NTNV	11N20SISO	Ant1	5600	5745~5765	5755.60	-39.19	3.52	-35.67	0.27102	≤12.5	PASS
NTNV	11N20SISO	Ant1	5600	5765~26000	16859.85	-38.85	3.52	-35.33	0.29309	≤2.5	PASS
NTNV	11N20SISO	Ant1	5700	30~5460	4560.25	-38.81	3.52	-35.29	0.29580	≤2.5	PASS
NTNV	11N20SISO	Ant1	5700	5460~5470	5461.42	-38.28	3.52	-34.76	0.33420	≤12.5	PASS
NTNV	11N20SISO	Ant1	5700	5745~5765	5751.52	-32.26	3.52	-28.74	1.33660	≤12.5	PASS
NTNV	11N20SISO	Ant1	5700	5765~26000	11400.45	-28.15	3.52	-24.63	3.44350	≤2.5	See table below
NTNV	11N40SISO	Ant1	5190	30~5141.6	5130.87	-27.09	1.32	-25.77	2.64850	≤2.5	See table below
NTNV	11N40SISO	Ant1	5190	5141.6~5150	5144.62	-14.20	1.32	-12.88	51.52286	≤15	See table below
NTNV	11N40SISO	Ant1	5190	5250~5251	5250.97	-23.76	1.32	-22.44	5.70164	≤53.6	PASS
NTNV	11N40SISO	Ant1	5190	5251~5270	5254.72	-27.62	1.32	-26.30	2.34423	≤34.9	PASS
NTNV	11N40SISO	Ant1	5190	5270~5278.4	5275.97	-35.88	1.32	-34.56	0.34995	≤3.5	PASS
NTNV	11N40SISO	Ant1	5190	5278.4~26000	5278.40	-38.52	1.32	-37.20	0.19055	≤2.5	PASS
NTNV	11N40SISO	Ant1	5230	30~5141.6	4950.43	-40.25	1.32	-38.93	0.12794	≤2.5	PASS
NTNV	11N40SISO	Ant1	5230	5141.6~5150	5149.19	-32.73	1.32	-31.41	0.72277	≤15	PASS
NTNV	11N40SISO	Ant1	5230	5250~5251	5250.94	-4.72	1.32	-3.40	457.08819	≤57.4	See table below
NTNV	11N40SISO	Ant1	5230	5251~5270	5251.08	-4.46	1.32	-3.14	485.28850	≤49.6	See table below
NTNV	11N40SISO	Ant1	5230	5270~5278.4	5276.92	-20.11	1.32	-18.79	13.21296	≤3.0	See table below
NTNV	11N40SISO	Ant1	5230	5278.4~26000	5281.16	-27.37	1.32	-26.05	2.48313	≤2.5	See table below
NTNV	11N40SISO	Ant1	5270	30~5221.6	5209.14	-28.17	2.08	-26.09	2.46037	≤2.5	See table below
NTNV	11N40SISO	Ant1	5270	5221.6~5230	5221.73	-17.82	2.08	-15.74	26.66859	≤2.5	See table below
NTNV	11N40SISO	Ant1	5270	5230~5249	5249	-4.41	2.08	-2.33	584.79008	≤50	See table below
NTNV	11N40SISO	Ant1	5270	5249~5250	5249.14	-1.95	2.08	0.13	1030.38612	≤69.0	See table below
NTNV	11N40SISO	Ant1	5270	5350~5348.4	5348.40	-31.46	2.08	-29.38	1.15345	≤15	PASS
NTNV	11N40SISO	Ant1	5270	5348.4~26000	5354.60	-38.48	2.08	-36.40	0.22909	≤2.5	PASS
NTNV	11N40SISO	Ant1	5310	30~5221.6	4247.66	-39.60	2.08	-37.52	0.17701	≤2.5	PASS
NTNV	11N40SISO	Ant1	5310	5221.6~5230	5221.60	-34.78	2.08	-32.70	0.53703	≤2.5	PASS
NTNV	11N40SISO	Ant1	5310	5230~5249	5241.42	-27.84	2.08	-25.76	2.65461	≤24.0	PASS
NTNV	11N40SISO	Ant1	5310	5249~5250	5249.01	-25.68	2.08	-23.60	4.36516	≤51.2	PASS
NTNV	11N40SISO	Ant1	5310	5350~5348.4	5348.4	-15.21	2.08	-13.13	48.64072	≤15	See table below
NTNV	11N40SISO	Ant1	5310	5348.4~26000	5349.78	-23.34	2.08	-21.26	7.48170	≤2.5	See table below
NTNV	11N40SISO	Ant1	5510	30~5460	5454.57	-23.27	3.52	-19.75	10.59254	≤12.5	See table below
NTNV	11N40SISO	Ant1	5510	5460~5470	5462.74	-14.68	3.52	-11.16	76.55966	≤50	See table below



NTNV	11N40SISO	Ant1	5510	5770~26000	18159.53	-39.32	3.52	-35.80	0.26303	≤12.5	PASS
NTNV	11N40SISO	Ant1	5550	30~5460	5456.74	-38.25	3.52	-34.73	0.33651	≤12.5	PASS
NTNV	11N40SISO	Ant1	5550	5460~5470	5468.75	-32.13	3.52	-28.61	1.37721	≤50	PASS
NTNV	11N40SISO	Ant1	5550	5770~26000	6952.11	-38.45	3.52	-34.93	0.32137	≤12.5	PASS
NTNV	11N40SISO	Ant1	5670	30~5460	4535.81	-37.75	3.52	-34.23	0.37757	≤12.5	PASS
NTNV	11N40SISO	Ant1	5670	5460~5470	5468.54	-38.83	3.52	-35.31	0.29444	≤50	PASS
NTNV	11N40SISO	Ant1	5670	5770~26000	11339.99	-33.69	3.52	-30.17	0.96161	≤12.5	PASS
NTNV	11AC20SISO	Ant1	5180	30~5142	5142	-27.99	1.32	-26.67	2.15278	≤2.5	See table below
NTNV	11AC20SISO	Ant1	5180	5142~5150	5149.5	-17.67	1.32	-16.35	23.17395	≤15	See table below
NTNV	11AC20SISO	Ant1	5180	5250~5250.2	5250.16	-37.08	1.32	-35.76	0.26546	≤806.6	PASS
NTNV	11AC20SISO	Ant1	5180	5250.2~5251	5250.87	-39.57	1.32	-38.25	0.14962	≤134.9	PASS
NTNV	11AC20SISO	Ant1	5180	5251~5260	5259.88	-39.99	1.32	-38.67	0.13583	≤16.2	PASS
NTNV	11AC20SISO	Ant1	5180	5260~5266.7	5266.34	-39.24	1.32	-37.92	0.16144	≤2.8	PASS
NTNV	11AC20SISO	Ant1	5180	5266.7~26000	15542.12	-38.79	1.32	-37.47	0.17906	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5200	30~5142	5134.84	-39.72	1.32	-38.40	0.14454	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5200	5142~5150	5148.62	-29.59	1.32	-28.27	1.48936	≤15	PASS
NTNV	11AC20SISO	Ant1	5200	5250~5250.2	5250.18	-28.82	1.32	-27.50	1.77828	≤713.4	PASS
NTNV	11AC20SISO	Ant1	5200	5250.2~5251	5250.94	-30.51	1.32	-29.19	1.20504	≤114.8	PASS
NTNV	11AC20SISO	Ant1	5200	5251~5260	5257.71	-31.62	1.32	-30.30	0.93325	≤25.3	PASS
NTNV	11AC20SISO	Ant1	5200	5260~5266.7	5265.79	-36.87	1.32	-35.55	0.27861	≤3.2	PASS
NTNV	11AC20SISO	Ant1	5200	5266.7~26000	16790.27	-38.97	1.32	-37.65	0.17179	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5240	30~5142	5118.48	-39.98	1.32	-38.66	0.13614	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5240	5142~5150	5145.59	-38.65	1.32	-37.33	0.18493	≤15	PASS
NTNV	11AC20SISO	Ant1	5240	5250~5250.2	5250.19	2.12	1.32	3.44	2208.00473	≤670.9	See table below
NTNV	11AC20SISO	Ant1	5240	5250.2~5251	5250.93	0.54	1.32	1.86	1534.61698	≤117.5	See table below
NTNV	11AC20SISO	Ant1	5240	5251~5260	5251.56	-1.81	1.32	-0.49	893.30548	≤89.2	See table below
NTNV	11AC20SISO	Ant1	5240	5260~5266.7	5266.53	-19.66	1.32	-18.34	14.65548	≤2.6	See table below
NTNV	11AC20SISO	Ant1	5240	5266.7~26000	5279.14	-30.29	1.32	-28.97	1.26765	≤2.5	See table below
NTNV	11AC20SISO	Ant1	5260	30~5233.3	5224.97	-26.91	2.08	-24.83	3.28852	≤2.5	See table below
NTNV	11AC20SISO	Ant1	5260	5233.3~5240	5237.13	-13.65	2.08	-11.57	69.66265	≤7.2	See table below
NTNV	11AC20SISO	Ant1	5260	5240~5249	5248.7	-0.61	2.08	1.47	1402.81370	≤94.0	See table below
NTNV	11AC20SISO	Ant1	5260	5249~5249.8	5249.01	0.77	2.08	2.85	1927.52491	≤102.3	See table below
NTNV	11AC20SISO	Ant1	5260	5249.8~5250	5249.86	4.83	2.08	6.91	4909.07876	≤912.0	See table below
NTNV	11AC20SISO	Ant1	5260	5350~26000	6911.14	-39.50	2.08	-37.42	0.18113	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5280	30~5233.3	5227.58	-36.84	2.08	-34.76	0.33420	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5280	5233.3~5240	5234.01	-28.38	2.08	-26.30	2.34423	≤3.0	See table below
NTNV	11AC20SISO	Ant1	5280	5240~5249	5243.03	-22.05	2.08	-19.97	10.06932	≤29.5	PASS
NTNV	11AC20SISO	Ant1	5280	5249~5249.8	5249.00	-19.86	2.08	-17.78	16.67247	≤100.0	PASS
NTNV	11AC20SISO	Ant1	5280	5249.8~5250	5249.81	-17.82	2.08	-15.74	26.66859	≤670.9	PASS
NTNV	11AC20SISO	Ant1	5280	5350~26000	6136.08	-39.12	2.08	-37.04	0.19770	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5320	30~5233.3	4932.03	-39.92	2.08	-37.84	0.16444	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5320	5233.3~5240	5234.21	-38.93	2.08	-36.85	0.20654	≤3.2	PASS



NTNV	11AC20SISO	Ant1	5320	5240~5249	5240.60	-39.52	2.08	-37.44	0.18030	≤17.9	PASS
NTNV	11AC20SISO	Ant1	5320	5249~5249.8	5249.02	-39.50	2.08	-37.42	0.18113	≤104.7	PASS
NTNV	11AC20SISO	Ant1	5320	5249.8~5250	5249.81	-38.31	2.08	-36.23	0.23823	≤670.9	PASS
NTNV	11AC20SISO	Ant1	5320	5350~26000	5350.69	-26.74	2.08	-24.66	3.41979	≤2.5	See table below
NTNV	11AC20SISO	Ant1	5500	30~5460	5458.91	-34.34	3.52	-30.82	0.82794	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5500	5460~5470	5468.85	-18.49	3.52	-14.97	31.84198	≤12.5	See table below
NTNV	11AC20SISO	Ant1	5500	5745~5765	5749.30	-39.19	3.52	-35.67	0.27102	≤12.5	PASS
NTNV	11AC20SISO	Ant1	5500	5765~26000	22899.32	-37.56	3.52	-34.04	0.39446	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5600	30~5460	4479.89	-38.88	3.52	-35.36	0.29107	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5600	5460~5470	5466.18	-38.74	3.52	-35.22	0.30061	≤12.5	PASS
NTNV	11AC20SISO	Ant1	5600	5745~5765	5760.70	-39.11	3.52	-35.59	0.27606	≤12.5	PASS
NTNV	11AC20SISO	Ant1	5600	5765~26000	11206.19	-38.38	3.52	-34.86	0.32659	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5700	30~5460	4560.79	-37.43	3.52	-33.91	0.40644	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5700	5460~5470	5466.13	-38.77	3.52	-35.25	0.29854	≤12.5	PASS
NTNV	11AC20SISO	Ant1	5700	5745~5765	5748.38	-27.76	3.52	-24.24	3.76704	≤12.5	PASS
NTNV	11AC20SISO	Ant1	5700	5765~26000	11395.73	-28.59	3.52	-25.07	3.11172	≤2.5	See table below
NTNV	11AC40SISO	Ant1	5190	30~5141.6	5140.07	-21.92	1.32	-20.60	8.70964	≤2.5	See table below
NTNV	11AC40SISO	Ant1	5190	5141.6~5150	5147.31	-13.66	1.32	-12.34	58.34451	≤15	See table below
NTNV	11AC40SISO	Ant1	5190	5250~5251	5250.86	-24.12	1.32	-22.80	5.24807	≤69.0	PASS
NTNV	11AC40SISO	Ant1	5190	5251~5270	5266.64	-31.08	1.32	-29.76	1.05682	≤11.0	PASS
NTNV	11AC40SISO	Ant1	5190	5270~5278.4	5276.04	-34.56	1.32	-33.24	0.47424	≤3.4	PASS
NTNV	11AC40SISO	Ant1	5190	5278.4~26000	5441.41	-38.99	1.32	-37.67	0.17100	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5230	30~5141.6	4184.20	-40.30	1.32	-38.98	0.12647	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5230	5141.6~5150	5149.94	-32.87	1.32	-31.55	0.69984	≤15	PASS
NTNV	11AC40SISO	Ant1	5230	5250~5251	5250.94	-4.42	1.32	-3.10	489.77882	≤57.4	See table below
NTNV	11AC40SISO	Ant1	5230	5251~5270	5251.3	-5.46	1.32	-4.14	385.47836	≤48.6	See table below
NTNV	11AC40SISO	Ant1	5230	5270~5278.4	5277.34	-17.08	1.32	-15.76	26.54606	≤2.9	See table below
NTNV	11AC40SISO	Ant1	5230	5278.4~26000	5282.54	-30.99	1.32	-29.67	1.07895	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5270	30~5221.6	5218.49	-21.33	2.08	-19.25	11.88502	≤2.5	See table below
NTNV	11AC40SISO	Ant1	5270	5221.6~5230	5229.22	-13.69	2.08	-11.61	69.02398	≤7.1	See table below
NTNV	11AC40SISO	Ant1	5270	5230~5249	5248.79	-4.85	2.08	-2.77	528.44525	≤49.0	See table below
NTNV	11AC40SISO	Ant1	5270	5249~5250	5249.01	-2.44	2.08	-0.36	920.44957	≤51.2	See table below
NTNV	11AC40SISO	Ant1	5270	5350~5348.4	5348.40	-31.30	2.08	-29.22	1.19674	≤15	PASS
NTNV	11AC40SISO	Ant1	5270	5348.4~26000	5348.40	-39.62	2.08	-37.54	0.17620	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5310	30~5221.6	5220.56	-38.31	2.08	-36.23	0.23823	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5310	5221.6~5230	5222.56	-34.75	2.08	-32.67	0.54075	≤2.8	PASS
NTNV	11AC40SISO	Ant1	5310	5230~5249	5235.47	-30.34	2.08	-28.26	1.49279	≤13.5	PASS
NTNV	11AC40SISO	Ant1	5310	5249~5250	5249.10	-25.09	2.08	-23.01	5.00035	≤62.9	PASS
NTNV	11AC40SISO	Ant1	5310	5350~5348.4	5348.4	-14.16	2.08	-12.08	61.94411	≤15	See table below
NTNV	11AC40SISO	Ant1	5310	5348.4~26000	5364.23	-26.18	2.08	-24.10	3.89045	≤2.5	See table below
NTNV	11AC40SISO	Ant1	5510	30~5460	5457.83	-24.68	3.52	-21.16	7.65597	≤12.5	See table below
NTNV	11AC40SISO	Ant1	5510	5460~5470	5468.55	-14.42	3.52	-10.90	81.28305	≤50	See table below



NTNV	11AC40SISO	Ant1	5510	5770~26000	16855.37	-39.20	3.52	-35.68	0.27040	≤12.5	PASS
NTNV	11AC40SISO	Ant1	5550	30~5460	5442.08	-38.50	3.52	-34.98	0.31769	≤12.5	PASS
NTNV	11AC40SISO	Ant1	5550	5460~5470	5468.87	-31.52	3.52	-28.00	1.58489	≤50	PASS
NTNV	11AC40SISO	Ant1	5550	5770~26000	24665.49	-38.72	3.52	-35.20	0.30200	≤12.5	PASS
NTNV	11AC40SISO	Ant1	5670	30~5460	4536.36	-37.77	3.52	-34.25	0.37584	≤12.5	PASS
NTNV	11AC40SISO	Ant1	5670	5460~5470	5467.83	-38.66	3.52	-35.14	0.30620	≤50	PASS
NTNV	11AC40SISO	Ant1	5670	5770~26000	11332.58	-33.42	3.52	-29.90	1.02329	≤12.5	PASS
NTNV	11AC80SISO	Ant1	5210	30~5123.2	5119.63	-18.43	1.32	-17.11	19.45360	≤2.5	See table below
NTNV	11AC80SISO	Ant1	5210	5132.5~5150	5148.93	-14.11	1.32	-12.79	52.60173	≤15	See table below
NTNV	11AC80SISO	Ant1	5210	5250~5251	5250.97	-8.60	1.32	-7.28	187.06821	≤26.8	See table below
NTNV	11AC80SISO	Ant1	5210	5251~5290	5252.29	-9.96	1.32	-8.64	136.77288	≤23.5	See table below
NTNV	11AC80SISO	Ant1	5210	5290~5296.7	5292.67	-21.20	1.32	-19.88	10.28016	≤3.3	See table below
NTNV	11AC80SISO	Ant1	5210	5296.7~26000	5305.67	-30.82	1.32	-29.50	1.12202	≤2.5	PASS
NTNV	11AC80SISO	Ant1	5290	30~5203.3	5202.78	-22.06	2.08	-19.98	10.04616	≤2.5	See table below
NTNV	11AC80SISO	Ant1	5290	5203.3~5210	5203.79	-21.02	2.08	-18.94	12.76439	≤2.6	See table below
NTNV	11AC80SISO	Ant1	5290	5210~5249	5248.84	-8.81	2.08	-6.73	212.32445	≤24.8	See table below
NTNV	11AC80SISO	Ant1	5290	5249~5250	5249	-7.71	2.08	-5.63	273.52687	≤25.0	See table below
NTNV	11AC80SISO	Ant1	5290	5350~5376.8	5356.24	-17.98	2.08	-15.90	25.70396	≤15	See table below
NTNV	11AC80SISO	Ant1	5290	5376.8~26000	5376.8	-28.26	2.08	-26.18	2.40991	≤2.5	See table below
NTNV	11AC80SISO	Ant1	5530	30~5460	5434.48	-33.97	3.52	-30.45	0.90157	≤12.5	PASS
NTNV	11AC80SISO	Ant1	5530	5460~5469.5	5469.43	-26.80	3.52	-23.28	4.69894	≤50	PASS
NTNV	11AC80SISO	Ant1	5530	5469.5~5470	5469.91	-26.92	3.52	-23.40	4.57088	≤51.2	PASS
NTNV	11AC80SISO	Ant1	5530	5770~26000	24244.71	-45.10	3.52	-41.58	0.06950	≤12.5	PASS
NTNV	11AC80SISO	Ant1	5610	30~5460	5451.31	-32.97	3.52	-29.45	1.13501	≤12.5	PASS
NTNV	11AC80SISO	Ant1	5610	5460~5469.5	5466.03	-24.63	3.52	-21.11	7.74462	≤50	PASS
NTNV	11AC80SISO	Ant1	5610	5469.5~5470	5469.63	-24.97	3.52	-21.45	7.16143	≤51.2	PASS
NTNV	11AC80SISO	Ant1	5610	5770~26000	6915.02	-37.86	3.52	-34.34	0.36813	≤12.5	PASS
NTNV	11AX20SISO	Ant1	5180	30~5142	5142	-29.57	1.32	-28.25	1.49624	≤2.5	See table below
NTNV	11AX20SISO	Ant1	5180	5142~5150	5147.88	-19.39	1.32	-18.07	15.59553	≤15	See table below
NTNV	11AX20SISO	Ant1	5180	5250~5250.2	5250.14	-37.81	1.32	-36.49	0.22439	≤912.0	PASS
NTNV	11AX20SISO	Ant1	5180	5250.2~5251	5250.90	-40.58	1.32	-39.26	0.11858	≤125.9	PASS
NTNV	11AX20SISO	Ant1	5180	5251~5260	5259.56	-40.10	1.32	-38.78	0.13243	≤17.3	PASS
NTNV	11AX20SISO	Ant1	5180	5260~5266.7	5266.06	-39.28	1.32	-37.96	0.15996	≤3.0	PASS
NTNV	11AX20SISO	Ant1	5180	5266.7~26000	6937.11	-40.05	1.32	-38.73	0.13397	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5200	30~5142	5140.47	-38.24	1.32	-36.92	0.20324	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5200	5142~5150	5148.01	-27.34	1.32	-26.02	2.50035	≤15	PASS
NTNV	11AX20SISO	Ant1	5200	5250~5250.2	5250.10	-25.21	1.32	-23.89	4.08319	≤1165.9	PASS
NTNV	11AX20SISO	Ant1	5200	5250.2~5251	5250.74	-27.72	1.32	-26.40	2.29087	≤182.0	PASS
NTNV	11AX20SISO	Ant1	5200	5251~5260	5256.65	-29.32	1.32	-28.00	1.58489	≤31.5	PASS
NTNV	11AX20SISO	Ant1	5200	5260~5266.7	5265.07	-35.03	1.32	-33.71	0.42560	≤3.9	PASS
NTNV	11AX20SISO	Ant1	5200	5266.7~26000	25097.41	-39.02	1.32	-37.70	0.16982	≤2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com



NTNV	11AX20SISO	Ant1	5240	30~5142	5005.00	-37.91	1.32	-36.59	0.21928	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5240	5142~5150	5142.26	-38.52	1.32	-37.20	0.19055	≤15	PASS
NTNV	11AX20SISO	Ant1	5240	5250~5250.2	5250.09	9.22	1.32	10.54	11324.0036 3	≤1239. 7	See table below
NTNV	11AX20SISO	Ant1	5240	5250.2~5251	5250.9	2.67	1.32	3.99	2506.10925	≤125.9	See table below
NTNV	11AX20SISO	Ant1	5240	5251~5260	5251.19	-0.15	1.32	1.17	1309.18192	≤96.2	See table below
NTNV	11AX20SISO	Ant1	5240	5260~5266.7	5263.88	-15.75	1.32	-14.43	36.05786	≤5.4	See table below
NTNV	11AX20SISO	Ant1	5240	5266.7~26000	5267.39	-30.71	1.32	-29.39	1.15080	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5260	30~5233.3	5229.66	-26.05	2.08	-23.97	4.00867	≤2.5	See table below
NTNV	11AX20SISO	Ant1	5260	5233.3~5240	5234.6	-15.85	2.08	-13.77	41.97590	≤3.6	See table below
NTNV	11AX20SISO	Ant1	5260	5240~5249	5249	1.63	2.08	3.71	2349.63282	≤100.0	See table below
NTNV	11AX20SISO	Ant1	5260	5249~5249.8	5249.24	4.25	2.08	6.33	4295.36427	≤173.8	See table below
NTNV	11AX20SISO	Ant1	5260	5249.8~5250	5249.8	8.48	2.08	10.56	11376.2728 6	≤631.0	See table below
NTNV	11AX20SISO	Ant1	5260	5350~26000	21203.01	-38.66	2.08	-36.58	0.21979	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5280	30~5233.3	5231.74	-34.67	2.08	-32.59	0.55081	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5280	5233.3~5240	5233.49	-26.45	2.08	-24.37	3.65595	≤2.6	See table below
NTNV	11AX20SISO	Ant1	5280	5240~5249	5245.33	-18.24	2.08	-16.16	24.21029	≤47.2	See table below
NTNV	11AX20SISO	Ant1	5280	5249~5249.8	5249.12	-20.31	2.08	-18.23	15.03142	≤131.8	PASS
NTNV	11AX20SISO	Ant1	5280	5249.8~5250	5249.82	-19.26	2.08	-17.18	19.14256	≤713.4	PASS
NTNV	11AX20SISO	Ant1	5280	5350~26000	6929.73	-39.90	2.08	-37.82	0.16520	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5320	30~5233.3	5050.66	-39.84	2.08	-37.76	0.16749	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5320	5233.3~5240	5233.74	-39.45	2.08	-37.37	0.18323	≤2.8	PASS
NTNV	11AX20SISO	Ant1	5320	5240~5249	5241.96	-38.49	2.08	-36.41	0.22856	≤23.7	PASS
NTNV	11AX20SISO	Ant1	5320	5249~5249.8	5249.06	-35.87	2.08	-33.79	0.41783	≤114.8	PASS
NTNV	11AX20SISO	Ant1	5320	5249.8~5250	5249.81	-36.19	2.08	-34.11	0.38815	≤670.9	PASS
NTNV	11AX20SISO	Ant1	5320	5350~26000	5357.57	-33.12	2.08	-31.04	0.78705	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5500	30~5460	5458.37	-25.75	3.52	-22.23	5.98412	≤2.5	See table below
NTNV	11AX20SISO	Ant1	5500	5460~5470	5462.65	-18.86	3.52	-15.34	29.24152	≤12.5	See table below
NTNV	11AX20SISO	Ant1	5500	5745~5765	5746.36	-38.58	3.52	-35.06	0.31189	≤12.5	PASS
NTNV	11AX20SISO	Ant1	5500	5765~26000	10994.40	-38.15	3.52	-34.63	0.34435	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5600	30~5460	1396.73	-35.13	3.52	-31.61	0.69024	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5600	5460~5470	5467.17	-39.30	3.52	-35.78	0.26424	≤12.5	PASS
NTNV	11AX20SISO	Ant1	5600	5745~5765	5754.30	-38.83	3.52	-35.31	0.29444	≤12.5	PASS
NTNV	11AX20SISO	Ant1	5600	5765~26000	11195.40	-38.34	3.52	-34.82	0.32961	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5700	30~5460	4560.25	-38.64	3.52	-35.12	0.30761	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5700	5460~5470	5467.85	-38.44	3.52	-34.92	0.32211	≤12.5	PASS
NTNV	11AX20SISO	Ant1	5700	5745~5765	5745.30	-29.38	3.52	-25.86	2.59418	≤12.5	PASS
NTNV	11AX20SISO	Ant1	5700	5765~26000	11399.77	-26.21	3.52	-22.69	5.38270	≤2.5	See table below
NTNV	11AX40SISO	Ant1	5190	30~5141.6	5138.53	-23.03	1.32	-21.71	6.74528	≤2.5	See table below
NTNV	11AX40SISO	Ant1	5190	5141.6~5150	5145.84	-10.95	1.32	-9.63	108.89301	≤15	See table below
NTNV	11AX40SISO	Ant1	5190	5250~5251	5250.75	-24.14	1.32	-22.82	5.22396	≤88.9	PASS



NTNV	11AX40SISO	Ant1	5190	5251~5270	5251.59	-25.18	1.32	-23.86	4.11150	≤47.2	PASS
NTNV	11AX40SISO	Ant1	5190	5270~5278.4	5275.22	-33.84	1.32	-32.52	0.55976	≤3.9	PASS
NTNV	11AX40SISO	Ant1	5190	5278.4~26000	5428.98	-38.68	1.32	-37.36	0.18365	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5230	30~5141.6	5138.02	-36.15	1.32	-34.83	0.32885	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5230	5141.6~5150	5148.90	-32.31	1.32	-30.99	0.79616	≤15	PASS
NTNV	11AX40SISO	Ant1	5230	5250~5251	5250.98	-3.87	1.32	-2.55	555.90426	≤52.4	See table below
NTNV	11AX40SISO	Ant1	5230	5251~5270	5251.23	-3.48	1.32	-2.16	608.13500	≤48.9	See table below
NTNV	11AX40SISO	Ant1	5230	5270~5278.4	5274.63	-13.71	1.32	-12.39	57.67665	≤4.2	See table below
NTNV	11AX40SISO	Ant1	5230	5278.4~26000	5278.4	-27.63	1.32	-26.31	2.33884	≤2.5	See table below
NTNV	11AX40SISO	Ant1	5270	30~5221.6	5215.89	-21.26	2.08	-19.18	12.07814	≤2.5	See table below
NTNV	11AX40SISO	Ant1	5270	5221.6~5230	5223.11	-12.50	2.08	-10.42	90.78205	≤3.1	See table below
NTNV	11AX40SISO	Ant1	5270	5230~5249	5237.98	-7.62	2.08	-5.54	279.25438	≤17.2	See table below
NTNV	11AX40SISO	Ant1	5270	5249~5250	5249.02	-2.16	2.08	-0.08	981.74794	≤52.4	See table below
NTNV	11AX40SISO	Ant1	5270	5350~5348.4	5348.40	-31.00	2.08	-28.92	1.28233	≤15	PASS
NTNV	11AX40SISO	Ant1	5270	5348.4~26000	5357.35	-36.23	2.08	-34.15	0.38459	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5310	30~5221.6	4248.18	-39.10	2.08	-37.02	0.19861	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5310	5221.6~5230	5221.97	-34.66	2.08	-32.58	0.55208	≤2.6	PASS
NTNV	11AX40SISO	Ant1	5310	5230~5249	5244.29	-24.22	2.08	-22.14	6.10942	≤31.7	PASS
NTNV	11AX40SISO	Ant1	5310	5249~5250	5249.00	-25.76	2.08	-23.68	4.28549	≤50	PASS
NTNV	11AX40SISO	Ant1	5310	5350~5348.4	5348.4	-14.95	2.08	-12.87	51.64164	≤15	See table below
NTNV	11AX40SISO	Ant1	5310	5348.4~26000	5360.1	-27.75	2.08	-25.67	2.71019	≤2.5	See table below
NTNV	11AX40SISO	Ant1	5510	30~5460	5457.29	-24.21	3.52	-20.69	8.53100	≤12.5	See table below
NTNV	11AX40SISO	Ant1	5510	5460~5470	5468.14	-14.83	3.52	-11.31	73.96053	≤50	See table below
NTNV	11AX40SISO	Ant1	5510	5770~26000	11034.52	-38.76	3.52	-35.24	0.29923	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5550	30~5460	4440.25	-38.35	3.52	-34.83	0.32885	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5550	5460~5470	5469.60	-29.60	3.52	-26.08	2.46604	≤50	PASS
NTNV	11AX40SISO	Ant1	5550	5770~26000	14985.44	-38.76	3.52	-35.24	0.29923	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5670	30~5460	4536.36	-38.51	3.52	-34.99	0.31696	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5670	5460~5470	5460.96	-38.20	3.52	-34.68	0.34041	≤50	PASS
NTNV	11AX40SISO	Ant1	5670	5770~26000	11342.02	-31.73	3.52	-28.21	1.51008	≤12.5	PASS
NTNV	11AX80SISO	Ant1	5210	30~5123.2	5120.14	-20.37	1.32	-19.05	12.44515	≤2.5	See table below
NTNV	11AX80SISO	Ant1	5210	5132.5~5150	5150	-12.87	1.32	-11.55	69.98420	≤15	See table below
NTNV	11AX80SISO	Ant1	5210	5250~5251	5250.88	-5.18	1.32	-3.86	411.14972	≤33.0	See table below
NTNV	11AX80SISO	Ant1	5210	5251~5290	5251.04	-9.13	1.32	-7.81	165.57700	≤25.0	See table below
NTNV	11AX80SISO	Ant1	5210	5290~5296.7	5296.06	-23.53	1.32	-22.21	6.01174	≤2.6	See table below
NTNV	11AX80SISO	Ant1	5210	5296.7~26000	6477.48	-37.85	1.32	-36.53	0.22233	≤2.5	PASS
NTNV	11AX80SISO	Ant1	5290	30~5203.3	5203.3	-26.92	2.08	-24.84	3.28095	≤2.5	See table below
NTNV	11AX80SISO	Ant1	5290	5203.3~5210	5208.49	-19.75	2.08	-17.67	17.10015	≤3.6	See table below
NTNV	11AX80SISO	Ant1	5290	5210~5249	5248.96	-7.44	2.08	-5.36	291.07171	≤25.0	See table below
NTNV	11AX80SISO	Ant1	5290	5249~5250	5249.06	-4.18	2.08	-2.10	616.59500	≤28.7	See table below
NTNV	11AX80SISO	Ant1	5290	5350~5376.8	5351.9	-14.77	2.08	-12.69	53.82698	≤15	See table below
NTNV	11AX80SISO	Ant1	5290	5376.8~26000	5382.3	-30.33	2.08	-28.25	1.49624	≤2.5	See table below



NTNV	11AX80SISO	Ant1	5530	30~5460	5450.23	-35.41	3.52	-31.89	0.64714	≤12.5	PASS
NTNV	11AX80SISO	Ant1	5530	5460~5469.5	5469.46	-31.48	3.52	-27.96	1.59956	≤50	PASS
NTNV	11AX80SISO	Ant1	5530	5469.5~5470	5469.90	-30.52	3.52	-27.00	1.99526	≤51.2	PASS
NTNV	11AX80SISO	Ant1	5530	5770~26000	16787.93	-44.95	3.52	-41.43	0.07194	≤12.5	PASS
NTNV	11AX80SISO	Ant1	5610	30~5460	5457.29	-29.17	3.52	-25.65	2.72270	≤12.5	PASS
NTNV	11AX80SISO	Ant1	5610	5460~5469.5	5467.74	-25.60	3.52	-22.08	6.19441	≤50	PASS
NTNV	11AX80SISO	Ant1	5610	5469.5~5470	5469.85	-26.29	3.52	-22.77	5.28445	≤51.2	PASS
NTNV	11AX80SISO	Ant1	5610	5770~26000	11233.45	-37.42	3.52	-33.90	0.40738	≤12.5	PASS



Test Result_Step2

Test Condition	Test Mode	Antenna	Freq [MHz]	Freq. [MHz]	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Result [μW/MHz]	Limit [μW/MHz]	Verdict
NTNV	11A	Ant1	5240	5250.28	-18.99	1.32	-17.67	17.10015	≤129	PASS
NTNV	11A	Ant1	5240	5251.26	-22.63	1.32	-21.31	7.39605	≤73	PASS
NTNV	11A	Ant1	5240	5260.38	-38.15	1.32	-36.83	0.20749	≤5	PASS
NTNV	11A	Ant1	5260	5232.78	-39.21	2.08	-37.13	0.19364	≤2.5	PASS
NTNV	11A	Ant1	5260	5239.69	-37.71	2.08	-35.63	0.27353	≤5	PASS
NTNV	11A	Ant1	5260	5248.70	-19.22	2.08	-17.14	19.31968	≤88	PASS
NTNV	11A	Ant1	5260	5249.83	-18.15	2.08	-16.07	24.71724	≤105	PASS
NTNV	11A	Ant1	5280	5237.27	-45.99	2.08	-43.91	0.04064	≤2.7	PASS
NTNV	11A	Ant1	5500	5468.26	-41.03	3.52	-37.51	0.17742	≤12.5	PASS
NTNV	11A	Ant1	5700	11399.10	-35.43	3.52	-31.91	0.64417	≤2.5	PASS
NTNV	11N20SISO	Ant1	5180	5147.58	-35.49	1.32	-34.17	0.38282	≤15	PASS
NTNV	11N20SISO	Ant1	5240	5250.05	-14.63	1.32	-13.31	46.66594	≤713	PASS
NTNV	11N20SISO	Ant1	5240	5250.25	-18.04	1.32	-16.72	21.28139	≤105	PASS
NTNV	11N20SISO	Ant1	5240	5251.11	-18.97	1.32	-17.65	17.17908	≤94	PASS
NTNV	11N20SISO	Ant1	5240	5260.44	-37.70	1.32	-36.38	0.23014	≤6	PASS
NTNV	11N20SISO	Ant1	5240	5268.77	-40.41	1.32	-39.09	0.12331	≤2.5	PASS
NTNV	11N20SISO	Ant1	5260	5231.74	-39.16	2.08	-37.08	0.19588	≤2.5	PASS
NTNV	11N20SISO	Ant1	5260	5239.38	-33.79	2.08	-31.71	0.67453	≤2.9	PASS
NTNV	11N20SISO	Ant1	5260	5248.76	-16.81	2.08	-14.73	33.65116	≤98	PASS
NTNV	11N20SISO	Ant1	5260	5249.67	-16.16	2.08	-14.08	39.08409	≤141	PASS
NTNV	11N20SISO	Ant1	5260	5249.93	-13.02	2.08	-10.94	80.53784	≤713	PASS
NTNV	11N20SISO	Ant1	5280	5234.67	-46.41	2.08	-44.33	0.03690	≤3.6	PASS
NTNV	11N20SISO	Ant1	5500	5469.97	-44.92	3.52	-41.40	0.07244	≤12.5	PASS
NTNV	11N20SISO	Ant1	5700	11400.45	-36.12	3.52	-32.60	0.54954	≤2.5	PASS
NTNV	11N40SISO	Ant1	5190	5130.87	-36.67	1.32	-35.35	0.29174	≤2.5	PASS
NTNV	11N40SISO	Ant1	5190	5144.62	-31.96	1.32	-30.64	0.86298	≤15	PASS
NTNV	11N40SISO	Ant1	5230	5250.00	-21.24	1.32	-19.92	10.18591	≤63	PASS
NTNV	11N40SISO	Ant1	5230	5251.08	-21.39	1.32	-20.07	9.84011	≤50	PASS
NTNV	11N40SISO	Ant1	5230	5271.33	-34.33	1.32	-33.01	0.50003	≤5	PASS
NTNV	11N40SISO	Ant1	5230	5281.16	-37.56	1.32	-36.24	0.23768	≤2.5	PASS
NTNV	11N40SISO	Ant1	5270	5209.14	-37.51	2.08	-35.43	0.28642	≤2.5	PASS
NTNV	11N40SISO	Ant1	5270	5229.18	-31.77	2.08	-29.69	1.07399	≤7	PASS
NTNV	11N40SISO	Ant1	5270	5249.00	-20.69	2.08	-18.61	13.77209	≤49	PASS
NTNV	11N40SISO	Ant1	5270	5249.88	-19.29	2.08	-17.21	19.01078	≤62	PASS
NTNV	11N40SISO	Ant1	5310	5348.40	-32.42	2.08	-30.34	0.92470	≤15	PASS
NTNV	11N40SISO	Ant1	5310	5349.78	-32.85	2.08	-30.77	0.83753	≤2.5	PASS
NTNV	11N40SISO	Ant1	5510	5454.57	-36.91	3.52	-33.39	0.45814	≤12.5	PASS
NTNV	11N40SISO	Ant1	5510	5462.74	-33.16	3.52	-29.64	1.08643	≤50	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86)0755-26066440 Email: service@anbotech.com



Hotline

400-003-0500

www.anbotech.com



NTNV	11AC20SISO	Ant1	5180	5142.00	-43.84	1.32	-42.52	0.05598	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5180	5149.50	-39.20	1.32	-37.88	0.16293	≤15	PASS
NTNV	11AC20SISO	Ant1	5240	5250.06	-14.53	1.32	-13.21	47.75293	≤631	PASS
NTNV	11AC20SISO	Ant1	5240	5250.29	-17.55	1.32	-16.23	23.82319	≤126	PASS
NTNV	11AC20SISO	Ant1	5240	5251.04	-19.80	1.32	-18.48	14.19058	≤86	PASS
NTNV	11AC20SISO	Ant1	5240	5261.32	-39.69	1.32	-38.37	0.14555	≤4	PASS
NTNV	11AC20SISO	Ant1	5260	5224.97	-41.57	2.08	-39.49	0.11246	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5260	5237.13	-38.19	2.08	-36.11	0.24491	≤4	PASS
NTNV	11AC20SISO	Ant1	5260	5248.70	-17.64	2.08	-15.56	27.79713	≤93	PASS
NTNV	11AC20SISO	Ant1	5260	5249.77	-16.35	2.08	-14.27	37.41106	≤102	PASS
NTNV	11AC20SISO	Ant1	5260	5249.97	-12.38	2.08	-10.30	93.32543	≤759	PASS
NTNV	11AC20SISO	Ant1	5280	5235.87	-45.73	2.08	-43.65	0.04315	≤3	PASS
NTNV	11AC20SISO	Ant1	5500	5468.85	-43.84	3.52	-40.32	0.09290	≤12.5	PASS
NTNV	11AC20SISO	Ant1	5700	11395.73	-36.10	3.52	-32.58	0.55208	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5190	5140.07	-34.47	1.32	-33.15	0.48417	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5190	5147.31	-30.49	1.32	-29.17	1.21060	≤15	PASS
NTNV	11AC40SISO	Ant1	5230	5250.10	-21.17	1.32	-19.85	10.35142	≤50	PASS
NTNV	11AC40SISO	Ant1	5230	5251.30	-21.15	1.32	-19.83	10.39920	≤49	PASS
NTNV	11AC40SISO	Ant1	5230	5270.39	-33.73	1.32	-32.41	0.57412	≤5	PASS
NTNV	11AC40SISO	Ant1	5270	5218.49	-34.83	2.08	-32.75	0.53088	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5270	5229.88	-33.66	2.08	-31.58	0.69502	≤4	PASS
NTNV	11AC40SISO	Ant1	5270	5248.79	-20.68	2.08	-18.60	13.80384	≤49	PASS
NTNV	11AC40SISO	Ant1	5270	5249.94	-19.67	2.08	-17.59	17.41807	≤52	PASS
NTNV	11AC40SISO	Ant1	5310	5348.40	-31.33	2.08	-29.25	1.18850	≤15	PASS
NTNV	11AC40SISO	Ant1	5310	5364.23	-36.07	2.08	-33.99	0.39902	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5510	5443.17	-40.16	3.52	-36.64	0.21677	≤12.5	PASS
NTNV	11AC40SISO	Ant1	5510	5457.83	-36.05	3.52	-32.53	0.55847	≤12.5	PASS
NTNV	11AC40SISO	Ant1	5510	5468.55	-31.33	3.52	-27.81	1.65577	≤50	PASS
NTNV	11AC80SISO	Ant1	5210	5119.63	-33.55	1.32	-32.23	0.59841	≤2.5	PASS
NTNV	11AC80SISO	Ant1	5210	5148.93	-29.72	1.32	-28.40	1.44544	≤15	PASS
NTNV	11AC80SISO	Ant1	5210	5250.06	-23.59	1.32	-22.27	5.92925	≤26	PASS
NTNV	11AC80SISO	Ant1	5210	5251.35	-24.58	1.32	-23.26	4.72063	≤25	PASS
NTNV	11AC80SISO	Ant1	5210	5292.67	-37.39	1.32	-36.07	0.24717	≤3.3	PASS
NTNV	11AC80SISO	Ant1	5290	5188.30	-37.35	2.08	-35.27	0.29717	≤2.5	PASS
NTNV	11AC80SISO	Ant1	5290	5202.78	-35.20	2.08	-33.12	0.48753	≤2.5	PASS
NTNV	11AC80SISO	Ant1	5290	5209.67	-34.48	2.08	-32.40	0.57544	≤3	PASS
NTNV	11AC80SISO	Ant1	5290	5248.84	-23.51	2.08	-21.43	7.19449	≤25	PASS
NTNV	11AC80SISO	Ant1	5290	5249.54	-23.03	2.08	-20.95	8.03526	≤25	PASS
NTNV	11AC80SISO	Ant1	5290	5356.24	-33.08	2.08	-31.00	0.79433	≤15	PASS
NTNV	11AC80SISO	Ant1	5290	5376.80	-36.63	2.08	-34.55	0.35075	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5180	5147.88	-40.54	1.32	-39.22	0.11967	≤15	PASS
NTNV	11AX20SISO	Ant1	5240	5250.01	-6.44	1.32	-5.12	307.60968	≤759	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86)0755-26066440 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com




NTNV	11AX20SISO	Ant1	5240	5250.30	-18.06	1.32	-16.74	21.18361	≤151	PASS
NTNV	11AX20SISO	Ant1	5240	5251.19	-12.55	1.32	-11.23	75.33556	≤97	PASS
NTNV	11AX20SISO	Ant1	5240	5261.27	-38.92	1.32	-37.60	0.17378	≤3	PASS
NTNV	11AX20SISO	Ant1	5260	5229.66	-38.39	2.08	-36.31	0.23388	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5260	5238.73	-36.06	2.08	-33.98	0.39994	≤4	PASS
NTNV	11AX20SISO	Ant1	5260	5249.00	-14.22	2.08	-12.14	61.09420	≤94	PASS
NTNV	11AX20SISO	Ant1	5260	5249.70	-17.97	2.08	-15.89	25.76321	≤105	PASS
NTNV	11AX20SISO	Ant1	5260	5249.93	-4.45	2.08	-2.37	579.42870	≤671	PASS
NTNV	11AX20SISO	Ant1	5280	5237.39	-45.48	2.08	-43.40	0.04571	≤3	PASS
NTNV	11AX20SISO	Ant1	5500	5458.37	-42.92	3.52	-39.40	0.11482	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5500	5462.65	-39.39	3.52	-35.87	0.25882	≤12.5	PASS
NTNV	11AX20SISO	Ant1	5700	11399.77	-35.20	3.52	-31.68	0.67920	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5190	5138.53	-33.48	1.32	-32.16	0.60814	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5190	5145.84	-29.80	1.32	-28.48	1.41906	≤15	PASS
NTNV	11AX40SISO	Ant1	5230	5250.02	-21.81	1.32	-20.49	8.93305	≤55	PASS
NTNV	11AX40SISO	Ant1	5230	5251.23	-22.88	1.32	-21.56	6.98232	≤49	PASS
NTNV	11AX40SISO	Ant1	5230	5274.63	-33.41	1.32	-32.09	0.61802	≤5	PASS
NTNV	11AX40SISO	Ant1	5230	5278.40	-35.48	1.32	-34.16	0.38371	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5270	5215.89	-36.02	2.08	-33.94	0.40365	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5270	5223.11	-33.74	2.08	-31.66	0.68234	≤3	PASS
NTNV	11AX40SISO	Ant1	5270	5248.77	-19.91	2.08	-17.83	16.48162	≤50	PASS
NTNV	11AX40SISO	Ant1	5270	5249.97	-21.39	2.08	-19.31	11.72195	≤52	PASS
NTNV	11AX40SISO	Ant1	5310	5348.40	-31.42	2.08	-29.34	1.16413	≤15	PASS
NTNV	11AX40SISO	Ant1	5310	5360.10	-35.25	2.08	-33.17	0.48195	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5510	5457.29	-33.71	3.52	-30.19	0.95719	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5510	5468.14	-31.60	3.52	-28.08	1.55597	≤50	PASS
NTNV	11AX80SISO	Ant1	5210	5120.14	-32.83	1.32	-31.51	0.70632	≤2.5	PASS
NTNV	11AX80SISO	Ant1	5210	5150.00	-28.88	1.32	-27.56	1.75388	≤15	PASS
NTNV	11AX80SISO	Ant1	5210	5250.07	-25.35	1.32	-24.03	3.95367	≤26	PASS
NTNV	11AX80SISO	Ant1	5210	5251.04	-25.38	1.32	-24.06	3.92645	≤25	PASS
NTNV	11AX80SISO	Ant1	5210	5293.97	-36.58	1.32	-35.26	0.29785	≤4	PASS
NTNV	11AX80SISO	Ant1	5290	5203.30	-36.64	2.08	-34.56	0.34995	≤2.5	PASS
NTNV	11AX80SISO	Ant1	5290	5208.49	-33.73	2.08	-31.65	0.68391	≤4	PASS
NTNV	11AX80SISO	Ant1	5290	5248.96	-24.78	2.08	-22.70	5.37032	≤24	PASS
NTNV	11AX80SISO	Ant1	5290	5249.92	-23.76	2.08	-21.68	6.79204	≤27	PASS
NTNV	11AX80SISO	Ant1	5290	5351.90	-33.65	2.08	-31.57	0.69663	≤15	PASS



Test Graphs




NTNV-11A-Ant1-5180-30~5142-PASS




NTNV-11A-Ant1-5180-5142~5150-PASS







NTNV-11A-Ant1-5180-5250~5251-PASS




NTNV-11A-Ant1-5180-5251~5260-PASS








NTNV-11A-Ant1-5200-30~5142-PASS




NTNV-11A-Ant1-5200-5142~5150-PASS






NTNV-11A-Ant1-5200-5250~5251-PASS




NTNV-11A-Ant1-5200-5251~5260-PASS






NTNV-11A-Ant1-5200-5260~5266.7-PASS




NTNV-11A-Ant1-5200-5266.7~26000-PASS






NTNV-11A-Ant1-5240-30~5142-PASS




NTNV-11A-Ant1-5240-5142~5150-PASS






NTNV-11A-Ant1-5240-5250~5251-See table below




NTNV-11A-Ant1-5240-5251~5260-See table below





NTNV-11A-Ant1-5240-5260~5266.7-See table below



NTNV-11A-Ant1-5240-5266.7~26000-See table below

