


	HT20 Beam Forming, M24 to M31	4	14	3	-52.8	-52.9	-51.0	-50.0	-42.5	-41.25	1.2
	HT20 STBC, M0 to M7	2	15	3	-48.8	-50.0			-43.3	-41.25	2.1
	HT20 STBC, M0 to M7	3	15	3	-48.8	-50.0	-49.0		-41.5	-41.25	0.2
	HT20 STBC, M0 to M7	4	14	3	-52.8	-52.9	-51.0	-50.0	-42.5	-41.25	1.2
	HE20, M0 to M7	1	16	3	-46.4				-43.4	-41.25	2.2
	HE20, M0 to M7	2	15	3	-50.3	-51.5			-44.8	-41.25	3.6
	HE20, M8 to M15	2	15	3	-50.3	-51.5			-44.8	-41.25	3.6
	HE20, M0 to M7	3	15	3	-50.3	-51.5	-50.7		-43.0	-41.25	1.8
	HE20, M8 to M15	3	15	3	-50.3	-51.5	-50.7		-43.0	-41.25	1.8
	HE20, M16 to M23	3	15	3	-50.3	-51.5	-50.7		-43.0	-41.25	1.8
	HE20, M0 to M7	4	14	3	-53.5	-53.8	-52.3	-50.9	-43.4	-41.25	2.2
	HE20, M8 to M15	4	14	3	-53.5	-53.8	-52.3	-50.9	-43.4	-41.25	2.2
	HE20, M16 to M23	4	14	3	-53.5	-53.8	-52.3	-50.9	-43.4	-41.25	2.2
	HE20, M24 to M31	4	14	3	-53.5	-53.8	-52.3	-50.9	-43.4	-41.25	2.2
	HE20 Beam Forming, M0 to M7	2	14	6	-50.3	-51.5			-41.8	-41.25	0.6
	HE20 Beam Forming, M8 to M15	2	15	3	-50.3	-51.5			-44.8	-41.25	3.6
	HE20 Beam Forming, M0 to M7	3	13	8	-54.9	-55.0	-54.5		-42.0	-41.25	0.8
	HE20 Beam Forming, M8 to M15	3	14	5	-53.5	-53.8	-52.3		-43.4	-41.25	2.1
	HE20 Beam Forming, M16 to M23	3	15	3	-50.3	-51.5	-50.7		-43.0	-41.25	1.8
	HE20 Beam Forming, M0 to M7	4	11	9	-58.7	-57.7	-57.3	-56.2	-42.4	-41.25	1.1
	HE20 Beam Forming, M8 to M15	4	13	6	-54.9	-55.0	-54.5	-53.5	-42.4	-41.25	1.2
	HE20 Beam Forming, M16 to M23	4	14	4	-53.5	-53.8	-52.3	-50.9	-42.4	-41.25	1.2
	HE20 Beam Forming, M24 to M31	4	14	3	-53.5	-53.8	-52.3	-50.9	-43.4	-41.25	2.2
	HE20 STBC, M0 to M7	2	15	3	-50.3	-51.5			-44.8	-41.25	3.6
	HE20 STBC, M0 to M7	3	15	3	-50.3	-51.5	-50.7		-43.0	-41.25	1.8
	HE20 STBC, M0 to M7	4	14	3	-53.5	-53.8	-52.3	-50.9	-43.4	-41.25	2.2
2462											
	CCK, 1 to 11 MB/s	1	17	3	-54.4				-51.4	-41.25	10.2
	CCK, 1 to 11 MB/s	2	17	3	-54.4	-56.7			-49.4	-41.25	8.1
	CCK, 1 to 11 MB/s	3	17	3	-54.4	-56.7	-57.6		-48.2	-41.25	7.0
	CCK, 1 to 11 MB/s	4	17	3	-54.4	-56.7	-57.6	-56.6	-47.1	-41.25	5.9
	Non HT20, 6 to 54 Mbps	1	15	3	-47.8				-44.8	-41.25	3.6
	Non HT20, 6 to 54 Mbps	2	15	3	-47.8	-49.0			-42.3	-41.25	1.1
	Non HT20, 6 to 54 Mbps	3	14	3	-51.8	-53.8	-51.8		-44.6	-41.25	3.3
	Non HT20, 6 to 54 Mbps	4	14	3	-51.8	-53.8	-51.8	-48.9	-42.2	-41.25	0.9
	Non HT20 Beam Forming, 6 to 54 Mbps	2	14	6	-51.8	-53.8			-43.7	-41.25	2.4
	Non HT20 Beam Forming, 6 to 54 Mbps	3	13	8	-54.9	-56.9	-54.2		-42.4	-41.25	1.2
	Non HT20 Beam Forming, 6 to 54 Mbps	4	12	9	-56.2	-58.6	-57.7	-56.4	-42.1	-41.25	0.8
	HT20, M0 to M7	1	15	3	-48.3				-45.3	-41.25	4.1
	HT20, M0 to M7	2	15	3	-48.3	-50.8			-43.4	-41.25	2.1
	HT20, M8 to M15	2	15	3	-48.3	-50.8			-43.4	-41.25	2.1
	HT20, M0 to M7	3	14	3	-51.2	-53.9	-52.1		-44.5	-41.25	3.2
	HT20, M8 to M15	3	14	3	-51.2	-53.9	-52.1		-44.5	-41.25	3.2
	HT20, M16 to M23	3	14	3	-51.2	-53.9	-52.1		-44.5	-41.25	3.2
	HT20, M0 to M7	4	14	3	-51.2	-53.9	-52.1	-49.5	-42.4	-41.25	1.1

HT20, M8 to M15	4	14	3	-51.2	-53.9	-52.1	-49.5	-42.4	-41.25	1.1
HT20, M16 to M23	4	14	3	-51.2	-53.9	-52.1	-49.5	-42.4	-41.25	1.1
HT20, M24 to M31	4	14	3	-51.2	-53.9	-52.1	-49.5	-42.4	-41.25	1.1
HT20 Beam Forming, M0 to M7	2	14	6	-51.2	-53.9			-43.3	-41.25	2.1
HT20 Beam Forming, M8 to M15	2	15	3	-48.3	-50.8			-43.4	-41.25	2.1
HT20 Beam Forming, M0 to M7	3	13	8	-54.0	-56.6	-55.3		-42.4	-41.25	1.2
HT20 Beam Forming, M8 to M15	3	14	5	-51.2	-53.9	-52.1		-42.5	-41.25	1.2
HT20 Beam Forming, M16 to M23	3	14	3	-51.2	-53.9	-52.1		-44.5	-41.25	3.2
HT20 Beam Forming, M0 to M7	4	12	9	-56.3	-58.3	-57.1	-55.5	-41.7	-41.25	0.4
HT20 Beam Forming, M8 to M15	4	13	6	-54.0	-56.6	-55.3	-52.0	-42.1	-41.25	0.9
HT20 Beam Forming, M16 to M23	4	14	4	-51.2	-53.9	-52.1	-49.5	-41.4	-41.25	0.1
HT20 Beam Forming, M24 to M31	4	14	3	-51.2	-53.9	-52.1	-49.5	-42.4	-41.25	1.1
HT20 STBC, M0 to M7	2	15	3	-48.3	-50.8			-43.4	-41.25	2.1
HT20 STBC, M0 to M7	3	14	3	-51.2	-53.9	-52.1		-44.5	-41.25	3.2
HT20 STBC, M0 to M7	4	14	3	-51.2	-53.9	-52.1	-49.5	-42.4	-41.25	1.1
HE20, M0 to M7	1	14	3	-49.4				-46.4	-41.25	5.2
HE20, M0 to M7	2	14	3	-49.4	-50.9			-44.1	-41.25	2.8
HE20, M8 to M15	2	14	3	-49.4	-50.9			-44.1	-41.25	2.8
HE20, M0 to M7	3	13	3	-53.6	-54.8	-54.2		-46.4	-41.25	5.2
HE20, M8 to M15	3	13	3	-53.6	-54.8	-54.2		-46.4	-41.25	5.2
HE20, M16 to M23	3	13	3	-53.6	-54.8	-54.2		-46.4	-41.25	5.2
HE20, M0 to M7	4	13	3	-53.6	-54.8	-54.2	-50.3	-43.8	-41.25	2.6
HE20, M8 to M15	4	13	3	-53.6	-54.8	-54.2	-50.3	-43.8	-41.25	2.6
HE20, M16 to M23	4	13	3	-53.6	-54.8	-54.2	-50.3	-43.8	-41.25	2.6
HE20, M24 to M31	4	13	3	-53.6	-54.8	-54.2	-50.3	-43.8	-41.25	2.6
HE20 Beam Forming, M0 to M7	2	13	6	-53.6	-54.8			-45.1	-41.25	3.9
HE20 Beam Forming, M8 to M15	2	14	3	-49.4	-50.9			-44.1	-41.25	2.8
HE20 Beam Forming, M0 to M7	3	12	8	-55.5	-58.1	-57.3		-44.1	-41.25	2.8
HE20 Beam Forming, M8 to M15	3	13	5	-53.6	-54.8	-54.2		-44.4	-41.25	3.2
HE20 Beam Forming, M16 to M23	3	13	3	-53.6	-54.8	-54.2		-46.4	-41.25	5.2
HE20 Beam Forming, M0 to M7	4	11	9	-57.7	-59.5	-59.3	-55.8	-42.8	-41.25	1.5
HE20 Beam Forming, M8 to M15	4	12	6	-55.5	-58.1	-57.3	-54.6	-44.1	-41.25	2.9
HE20 Beam Forming, M16 to M23	4	13	4	-53.6	-54.8	-54.2	-50.3	-42.8	-41.25	1.6
HE20 Beam Forming, M24 to M31	4	13	3	-53.6	-54.8	-54.2	-50.3	-43.8	-41.25	2.6
HE20 STBC, M0 to M7	2	14	3	-49.4	-50.9			-44.1	-41.25	2.8
HE20 STBC, M0 to M7	3	13	3	-53.6	-54.8	-54.2		-46.4	-41.25	5.2
HE20 STBC, M0 to M7	4	13	3	-53.6	-54.8	-54.2	-50.3	-43.8	-41.25	2.6

5.7.5 Conducted Band Edge (Restricted Band) Screenshots Average

Conducted Band Edge Restricted Band Average, 2462, HT20, M0



5.7.6 Conducted Band Edge (Restricted Band) Data Table Peak

Frequency (MHz)	Mode	Tx Paths	Index Power (dBm)	Correlated Antenna Gain (dBi)	Tx 1 Bandedge Level (dBm)	Tx 2 Bandedge Level (dBm)	Tx 3 Bandedge Level (dBm)	Tx 4 Bandedge Level (dBm)	Total Tx Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
2412	CCK, 1 to 11 MB/s	1	17	3	-36.5				-33.5	-21.25	12.3
	CCK, 1 to 11 MB/s	2	17	3	-36.5	-37.7			-31.0	-21.25	9.8
	CCK, 1 to 11 MB/s	3	17	3	-36.5	-37.7	-39.2		-29.9	-21.25	8.6
	CCK, 1 to 11 MB/s	4	17	3	-36.5	-37.7	-39.2	-39.7	-29.1	-21.25	7.8
	Non HT20, 6 to 54 Mbps	1	15	3	-35.4				-32.4	-21.25	11.2
	Non HT20, 6 to 54 Mbps	2	15	3	-35.4	-35.1			-29.2	-21.25	8.0
	Non HT20, 6 to 54 Mbps	3	14	3	-40.1	-36.4	-35.8		-29.3	-21.25	8.0
	Non HT20, 6 to 54 Mbps	4	14	3	-40.1	-36.4	-35.8	-36.1	-27.8	-21.25	6.5
	Non HT20 Beam Forming, 6 to 54 Mbps	2	14	6	-40.1	-36.4			-28.9	-21.25	7.6
	Non HT20 Beam Forming, 6 to 54 Mbps	3	13	8	-41.9	-41.5	-39.9		-28.2	-21.25	7.0
	Non HT20 Beam Forming, 6 to 54 Mbps	4	11	9	-45.0	-44.8	-46.8	-43.3	-29.8	-21.25	8.5
	HT20, M0 to M7	1	16	3	-30.4				-27.4	-21.25	6.2
	HT20, M0 to M7	2	15	3	-33.1	-33.9			-27.5	-21.25	6.2
	HT20, M8 to M15	2	15	3	-33.1	-33.9			-27.5	-21.25	6.2
	HT20, M0 to M7	3	15	3	-33.1	-33.9	-31.9		-25.1	-21.25	3.9
	HT20, M8 to M15	3	15	3	-33.1	-33.9	-31.9		-25.1	-21.25	3.9
	HT20, M16 to M23	3	15	3	-33.1	-33.9	-31.9		-25.1	-21.25	3.9
	HT20, M0 to M7	4	14	3	-36.0	-37.8	-34.2	-34.2	-26.3	-21.25	5.0
	HT20, M8 to M15	4	14	3	-36.0	-37.8	-34.2	-34.2	-26.3	-21.25	5.0
	HT20, M16 to M23	4	14	3	-36.0	-37.8	-34.2	-34.2	-26.3	-21.25	5.0
	HT20, M24 to M31	4	14	3	-36.0	-37.8	-34.2	-34.2	-26.3	-21.25	5.0
	HT20 Beam Forming, M0 to M7	2	14	6	-36.0	-37.8			-27.8	-21.25	6.5
	HT20 Beam Forming, M8 to M15	2	15	3	-33.1	-33.9			-27.5	-21.25	6.2
	HT20 Beam Forming, M0 to M7	3	13	8	-37.4	-39.4	-35.9		-24.6	-21.25	3.3
	HT20 Beam Forming, M8 to M15	3	14	5	-36.0	-37.8	-34.2		-26.0	-21.25	4.7
	HT20 Beam Forming, M16 to M23	3	15	3	-33.1	-33.9	-31.9		-25.1	-21.25	3.9
	HT20 Beam Forming, M0 to M7	4	11	9	-43.9	-44.3	-47.3	-44.6	-29.8	-21.25	8.6
	HT20 Beam Forming, M8 to M15	4	13	6	-37.4	-39.4	-35.9	-34.8	-24.5	-21.25	3.3
	HT20 Beam Forming, M16 to M23	4	14	4	-36.0	-37.8	-34.2	-34.2	-25.3	-21.25	4.0

	HT20 Beam Forming, M24 to M31	4	14	3	-36.0	-37.8	-34.2	-34.2	-26.3	-21.25	5.0
	HT20 STBC, M0 to M7	2	15	3	-33.1	-33.9			-27.5	-21.25	6.2
	HT20 STBC, M0 to M7	3	15	3	-33.1	-33.9	-31.9		-25.1	-21.25	3.9
	HT20 STBC, M0 to M7	4	14	3	-36.0	-37.8	-34.2	-34.2	-26.3	-21.25	5.0
	HE20, M0 to M7	1	16	3	-27.2				-24.2	-21.25	3.0
	HE20, M0 to M7	2	15	3	-30.3	-31.4			-24.8	-21.25	3.6
	HE20, M8 to M15	2	15	3	-30.3	-31.4			-24.8	-21.25	3.6
	HE20, M0 to M7	3	15	3	-30.3	-31.4	-28.5		-22.1	-21.25	0.9
	HE20, M8 to M15	3	15	3	-30.3	-31.4	-28.5		-22.1	-21.25	0.9
	HE20, M16 to M23	3	15	3	-30.3	-31.4	-28.5		-22.1	-21.25	0.9
	HE20, M0 to M7	4	14	3	-33.0	-35.3	-31.1	-31.0	-23.3	-21.25	2.0
	HE20, M8 to M15	4	14	3	-33.0	-35.3	-31.1	-31.0	-23.3	-21.25	2.0
	HE20, M16 to M23	4	14	3	-33.0	-35.3	-31.1	-31.0	-23.3	-21.25	2.0
	HE20, M24 to M31	4	14	3	-33.0	-35.3	-31.1	-31.0	-23.3	-21.25	2.0
	HE20 Beam Forming, M0 to M7	2	14	6	-30.3	-31.4			-21.8	-21.25	0.6
	HE20 Beam Forming, M8 to M15	2	15	3	-30.3	-31.4			-24.8	-21.25	3.6
	HE20 Beam Forming, M0 to M7	3	13	8	-42.5	-39.6	-36.6		-26.1	-21.25	4.9
	HE20 Beam Forming, M8 to M15	3	14	5	-33.0	-35.3	-31.1		-23.0	-21.25	1.8
	HE20 Beam Forming, M16 to M23	3	15	3	-30.3	-31.4	-28.5		-22.1	-21.25	0.9
	HE20 Beam Forming, M0 to M7	4	11	9	-46.5	-43.9	-46.5	-43.4	-29.8	-21.25	8.6
	HE20 Beam Forming, M8 to M15	4	13	6	-42.5	-39.6	-36.6	-37.2	-26.4	-21.25	5.2
	HE20 Beam Forming, M16 to M23	4	14	4	-33.0	-35.3	-31.1	-31.0	-22.3	-21.25	1.0
	HE20 Beam Forming, M24 to M31	4	14	3	-33.0	-35.3	-31.1	-31.0	-23.3	-21.25	2.0
	HE20 STBC, M0 to M7	2	15	3	-30.3	-31.4			-24.8	-21.25	3.6
	HE20 STBC, M0 to M7	3	15	3	-30.3	-31.4	-28.5		-22.1	-21.25	0.9
	HE20 STBC, M0 to M7	4	14	3	-33.0	-35.3	-31.1	-31.0	-23.3	-21.25	2.0
2462											
	CCK, 1 to 11 MB/s	1	17	3	-37.7				-34.7	-21.25	13.5
	CCK, 1 to 11 MB/s	2	17	3	-37.7	-36.7			-31.2	-21.25	9.9
	CCK, 1 to 11 MB/s	3	17	3	-37.7	-36.7	-40.1		-30.2	-21.25	8.9
	CCK, 1 to 11 MB/s	4	17	3	-37.7	-36.7	-40.1	-39.7	-29.3	-21.25	8.1
	Non HT20, 6 to 54 Mbps	1	15	3	-31.2				-28.2	-21.25	7.0
	Non HT20, 6 to 54 Mbps	2	15	3	-31.2	-33.1			-26.0	-21.25	4.8
	Non HT20, 6 to 54 Mbps	3	14	3	-36.0	-36.7	-35.3		-28.2	-21.25	6.9
	Non HT20, 6 to 54 Mbps	4	14	3	-36.0	-36.7	-35.3	-34.8	-26.6	-21.25	5.4
	Non HT20 Beam Forming, 6 to 54 Mbps	2	14	6	-36.0	-36.7			-27.3	-21.25	6.1
	Non HT20 Beam Forming, 6 to 54 Mbps	3	13	8	-39.5	-40.5	-38.7		-26.7	-21.25	5.5
	Non HT20 Beam Forming, 6 to 54 Mbps	4	12	9	-43.5	-41.6	-42.9	-43.3	-27.7	-21.25	6.5
	HT20, M0 to M7	1	15	3	-28.5				-25.5	-21.25	4.3
	HT20, M0 to M7	2	15	3	-28.5	-29.0			-22.7	-21.25	1.5
	HT20, M8 to M15	2	15	3	-28.5	-29.0			-22.7	-21.25	1.5
	HT20, M0 to M7	3	14	3	-32.2	-33.4	-30.3		-24.0	-21.25	2.8
	HT20, M8 to M15	3	14	3	-32.2	-33.4	-30.3		-24.0	-21.25	2.8
	HT20, M16 to M23	3	14	3	-32.2	-33.4	-30.3		-24.0	-21.25	2.8
	HT20, M0 to M7	4	14	3	-32.2	-33.4	-30.3	-30.6	-22.4	-21.25	1.2

HT20, M8 to M15	4	14	3	-32.2	-33.4	-30.3	-30.6	-22.4	-21.25	1.2
HT20, M16 to M23	4	14	3	-32.2	-33.4	-30.3	-30.6	-22.4	-21.25	1.2
HT20, M24 to M31	4	14	3	-32.2	-33.4	-30.3	-30.6	-22.4	-21.25	1.2
HT20 Beam Forming, M0 to M7	2	14	6	-32.2	-33.4			-23.7	-21.25	2.5
HT20 Beam Forming, M8 to M15	2	15	3	-28.5	-29.0			-22.7	-21.25	1.5
HT20 Beam Forming, M0 to M7	3	13	8	-36.4	-38.1	-36.1		-24.0	-21.25	2.8
HT20 Beam Forming, M8 to M15	3	14	5	-32.2	-33.4	-30.3		-22.0	-21.25	0.8
HT20 Beam Forming, M16 to M23	3	14	3	-32.2	-33.4	-30.3		-24.0	-21.25	2.8
HT20 Beam Forming, M0 to M7	4	12	9	-43.5	-41.7	-38.1	-39.4	-25.2	-21.25	3.9
HT20 Beam Forming, M8 to M15	4	13	6	-36.4	-38.1	-36.1	-33.2	-23.6	-21.25	2.3
HT20 Beam Forming, M16 to M23	4	14	4	-32.2	-33.4	-30.3	-30.6	-21.4	-21.25	0.2
HT20 Beam Forming, M24 to M31	4	14	3	-32.2	-33.4	-30.3	-30.6	-22.4	-21.25	1.2
HT20 STBC, M0 to M7	2	15	3	-28.5	-29.0			-22.7	-21.25	1.5
HT20 STBC, M0 to M7	3	14	3	-32.2	-33.4	-30.3		-24.0	-21.25	2.8
HT20 STBC, M0 to M7	4	14	3	-32.2	-33.4	-30.3	-30.6	-22.4	-21.25	1.2
HE20, M0 to M7	1	14	3	-29.3				-26.3	-21.25	5.1
HE20, M0 to M7	2	14	3	-29.3	-30.0			-23.6	-21.25	2.4
HE20, M8 to M15	2	14	3	-29.3	-30.0			-23.6	-21.25	2.4
HE20, M0 to M7	3	13	3	-31.5	-34.3	-31.6		-24.5	-21.25	3.3
HE20, M8 to M15	3	13	3	-31.5	-34.3	-31.6		-24.5	-21.25	3.3
HE20, M16 to M23	3	13	3	-31.5	-34.3	-31.6		-24.5	-21.25	3.3
HE20, M0 to M7	4	13	3	-31.5	-34.3	-31.6	-31.0	-22.9	-21.25	1.7
HE20, M8 to M15	4	13	3	-31.5	-34.3	-31.6	-31.0	-22.9	-21.25	1.7
HE20, M16 to M23	4	13	3	-31.5	-34.3	-31.6	-31.0	-22.9	-21.25	1.7
HE20, M24 to M31	4	13	3	-31.5	-34.3	-31.6	-31.0	-22.9	-21.25	1.7
HE20 Beam Forming, M0 to M7	2	13	6	-31.5	-34.3			-23.7	-21.25	2.4
HE20 Beam Forming, M8 to M15	2	14	3	-29.3	-30.0			-23.6	-21.25	2.4
HE20 Beam Forming, M0 to M7	3	12	8	-37.2	-40.0	-37.5		-25.3	-21.25	4.0
HE20 Beam Forming, M8 to M15	3	13	5	-31.5	-34.3	-31.6		-22.5	-21.25	1.3
HE20 Beam Forming, M16 to M23	3	13	3	-31.5	-34.3	-31.6		-24.5	-21.25	3.3
HE20 Beam Forming, M0 to M7	4	11	9	-43.1	-40.0	-42.3	-42.3	-26.7	-21.25	5.5
HE20 Beam Forming, M8 to M15	4	12	6	-37.2	-40.0	-37.5	-36.9	-25.7	-21.25	4.5
HE20 Beam Forming, M16 to M23	4	13	4	-31.5	-34.3	-31.6	-31.0	-21.9	-21.25	0.7
HE20 Beam Forming, M24 to M31	4	13	3	-31.5	-34.3	-31.6	-31.0	-22.9	-21.25	1.7
HE20 STBC, M0 to M7	2	14	3	-29.3	-30.0			-23.6	-21.25	2.4
HE20 STBC, M0 to M7	3	13	3	-31.5	-34.3	-31.6		-24.5	-21.25	3.3
HE20 STBC, M0 to M7	4	13	3	-31.5	-34.3	-31.6	-31.0	-22.9	-21.25	1.7

5.7.7 Conducted Band Edge Screenshots Peak

Conducted Band Edge Restricted Band Peak, 2462, HT20, M0

