



Chain1 : Spurious Emission Intensity @ 802.11ac(VHT40) Mode Ch54




Date: 10.APR.2026 13:00:53

Chain1 : Spurious Emission Intensity @ 802.11ac(VHT40) Mode Ch62




Date: 10.APR.2026 13:04:05

Chain1 : Spurious Emission Intensity @ 802.11ac(VHT80) Mode Ch58




Date: 10.APR.2026 13:13:31

Chain1 : Spurious Emission Intensity @ 802.11ax(HE20) Mode Ch52




Date: 10.APR.2026 12:23:46

Chain1 : Spurious Emission Intensity @ 802.11ax(HE20) Mode Ch60




Date: 10.APR.2026 12:26:48

Chain1 : Spurious Emission Intensity @ 802.11ax(HE20) Mode Ch64




Date: 10.APR.2026 12:27:57

Chain1 : Spurious Emission Intensity @ 802.11ax(HE40) Mode Ch54




Date: 10.APR.2026 13:05:10

Chain1 : Spurious Emission Intensity @ 802.11ax(HE40) Mode Ch62




Date: 10.APR.2026 13:07:33

Chain1 : Spurious Emission Intensity @ 802.11ax(HE80) Mode Ch58




Date: 10.APR.2026 13:15:05

Chain0 : Spurious Emission Intensity @ 802.11a Mode Ch100




Date: 10.APR 2026 14:54:00

Chain0 : Spurious Emission Intensity @ 802.11a Mode Ch120




Date: 10.APR 2026 14:56:44

Chain0 : Spurious Emission Intensity @ 802.11a Mode Ch140




Date: 10.APR 2026 14:57:55

Chain0 : Spurious Emission Intensity @ 802.11ac(VHT20) Mode Ch100




Date: 10.APR.2026 15:01:51

Chain0 : Spurious Emission Intensity @ 802.11ac(VHT20) Mode Ch120




Date: 10.APR.2026 15:02:57

Chain0 : Spurious Emission Intensity @ 802.11ac(VHT20) Mode Ch140




Date: 10.APR.2026 15:05:23

Chain0 : Spurious Emission Intensity @ 802.11ac(VHT40) Mode Ch102




Date: 10.APR.2026 15:20:57

Chain0 : Spurious Emission Intensity @ 802.11ac(VHT40) Mode Ch118




Date: 10.APR.2026 15:24:05

Chain0 : Spurious Emission Intensity @ 802.11ac(VHT40) Mode Ch134




Date: 10.APR.2026 15:25:14

Chain0 : Spurious Emission Intensity @ 802.11ac(VHT80) Mode Ch106




Date: 10.APR.2026 15:39:06

Chain0 : Spurious Emission Intensity @ 802.11ac(VHT80) Mode Ch122




Date: 10.APR.2026 15:41:54

Chain0 : Spurious Emission Intensity @ 802.11ax(HE20) Mode Ch100




Date: 10.APR.2026 15:06:50

Chain0 : Spurious Emission Intensity @ 802.11ax(HE20) Mode Ch120




Date: 10.APR.2026 15:09:31

Chain0 : Spurious Emission Intensity @ 802.11ax(HE20) Mode Ch140




Date: 10.APR.2026 15:10:50

Chain0 : Spurious Emission Intensity @ 802.11ax(HE40) Mode Ch102




Date: 10.APR.2026 15:29:02

Chain0 : Spurious Emission Intensity @ 802.11ax(HE40) Mode Ch118




Date: 10.APR.2026 15:30:03

Chain0 : Spurious Emission Intensity @ 802.11ax(HE40) Mode Ch134




Date: 10.APR.2026 15:32:41

Chain0 : Spurious Emission Intensity @ 802.11ax(HE80) Mode Ch106




Date: 10.APR.2026 15:43:54

Chain0 : Spurious Emission Intensity @ 802.11ax(HE80) Mode Ch122




Date: 10.APR.2026 15:46:13

Chain1 : Spurious Emission Intensity @ 802.11a Mode Ch100




Date: 10.APR.2026 14:54:42

Chain1 : Spurious Emission Intensity @ 802.11a Mode Ch120




Date: 10.APR.2026 14:55:44

Chain1 : Spurious Emission Intensity @ 802.11a Mode Ch140




Date: 10.APR 2026 14:58:49

Chain1 : Spurious Emission Intensity @ 802.11ac(VHT20) Mode Ch100




Date: 10.APR 2026 15:01:04

Chain1 : Spurious Emission Intensity @ 802.11ac(VHT20) Mode Ch120




Date: 10.APR 2026 15:03:38

Chain1 : Spurious Emission Intensity @ 802.11ac(VHT20) Mode Ch140




Date: 10.APR.2026 15:04:43

Chain1 : Spurious Emission Intensity @ 802.11ac(VHT40) Mode Ch102




Date: 10.APR.2026 15:21:40

Chain1 : Spurious Emission Intensity @ 802.11ac(VHT40) Mode Ch118




Date: 10.APR.2026 15:23:17

Chain1 : Spurious Emission Intensity @ 802.11ac(VHT40) Mode Ch134




Date: 10.APR.2026 15:28:08

Chain1 : Spurious Emission Intensity @ 802.11ac(VHT80) Mode Ch106




Date: 10.APR.2026 15:39:45

Chain1 : Spurious Emission Intensity @ 802.11ac(VHT80) Mode Ch122




Date: 10.APR.2026 15:40:59

Chain1 : Spurious Emission Intensity @ 802.11ax(HE20) Mode Ch100




Date: 10.APR.2026 15:07:36

Chain1 : Spurious Emission Intensity @ 802.11ax(HE20) Mode Ch120




Date: 10.APR.2026 15:08:31

Chain1 : Spurious Emission Intensity @ 802.11ax(HE20) Mode Ch140




Date: 10.APR.2026 15:12:06

Chain1 : Spurious Emission Intensity @ 802.11ax(HE40) Mode Ch102




Date: 10.APR.2026 15:28:25

Chain1 : Spurious Emission Intensity @ 802.11ax(HE40) Mode Ch118




Date: 10.APR.2026 15:30:49

Chain1 : Spurious Emission Intensity @ 802.11ax(HE40) Mode Ch134




Date: 10.APR.2026 15:31:50

Chain1 : Spurious Emission Intensity @ 802.11ax(HE80) Mode Ch106



Date: 10.APR.2026 15:44:31

Chain1 : Spurious Emission Intensity @ 802.11ax(HE80) Mode Ch122



Date: 10.APR.2026 15:45:32

8. Secondary Radiated Emissions

8.1 Limit of Secondary Radiated Emissions & Test Procedures

Frequency Range	Limit
<1000MHz	4nW
≥1000MHz	20nW

8.2 Test method

Test method: Article 2 Paragraph 1 of Item 19-3

- Set spectrum analyzer as below
 Frequency: 30MHz to 13GHz
 RBW=100 kHz for 1 GHz ↓ , 1 MHz for 1 GHz ↑
 VBW=RBW
 Sweep time=Auto
 Detector=Peak
- Set spectrum analyzer for final measurement as below
 Center frequency: Secondary emission frequency
 Span: 0Hz
 RBW=100 kHz for 1 GHz ↓ , 1 MHz for 1 GHz ↑
 VBW=RBW
 Sweep time=Auto
Detector: Sample

8.3 Test Result for Secondary Radiated Emissions

Date	2026/04/08
Temperature (°C)	24
Humidity (%)	66

For W52

Test Voltage							
100Vac/ 50Hz							
Modulation	Channel	Frequency (MHz)	Frequency Range	Chain 0			
				Frequency (MHz)	Measure Level (dBm)	Measure Level (nW)	Limit (nW)
802.11a	36	5180	≤ 1000 MHz	982.69	-83.52	0.004	4
			≥ 1000 MHz	3885.96	-68.26	0.149	20
	44	5220	≤ 1000 MHz	975.12	-83.96	0.004	4
			≥ 1000 MHz	19341.92	-68.27	0.149	20
	48	5240	≤ 1000 MHz	204.34	-84.08	0.004	4
			≥ 1000 MHz	19366.91	-67.47	0.179	20
802.11ac (VHT20)	36	5180	≤ 1000 MHz	990.74	-83.01	0.005	4
			≥ 1000 MHz	2538.60	-66.18	0.241	20
	44	5220	≤ 1000 MHz	933.32	-84.26	0.004	4
			≥ 1000 MHz	19806.87	-68.29	0.148	20
	48	5240	≤ 1000 MHz	969.59	-84.33	0.004	4
			≥ 1000 MHz	19829.37	-68.83	0.131	20
802.11ac (VHT40)	38	5190	≤ 1000 MHz	983.75	-84.04	0.004	4
			≥ 1000 MHz	19364.41	-67.36	0.184	20
	46	5230	≤ 1000 MHz	496.57	-83.58	0.004	4
			≥ 1000 MHz	3915.96	-68.51	0.141	20
802.11ac (VHT80)	42	5210	≤ 1000 MHz	530.52	-83.65	0.004	4
			≥ 1000 MHz	19421.91	-68.75	0.133	20
802.11ax (HE20)	36	5180	≤ 1000 MHz	594.05	-84.53	0.004	4
			≥ 1000 MHz	19366.91	-67.47	0.179	20
	44	5220	≤ 1000 MHz	641.57	-84.10	0.004	4
			≥ 1000 MHz	15947.26	-68.72	0.134	20
	48	5240	≤ 1000 MHz	993.26	-83.68	0.004	4
			≥ 1000 MHz	16612.19	-68.66	0.136	20

Test Voltage							
100Vac/ 50Hz							
Modulation	Channel	Frequency (MHz)	Frequency Range	Chain 0			
				Frequency (MHz)	Measure Level (dBm)	Measure Level (nW)	Limit (nW)
802.11ax (HE40)	38	5190	≤ 1000 MHz	967.94	-83.79	0.004	4
			≥ 1000 MHz	19839.37	-67.73	0.169	20
	46	5230	≤ 1000 MHz	364.57	-84.38	0.004	4
			≥ 1000 MHz	15917.26	-68.84	0.131	20
802.11ax (HE80)	42	5210	≤ 1000 MHz	872.80	-84.08	0.004	4
			≥ 1000 MHz	19364.41	-67.86	0.164	20

For W52

Test Voltage							
100Vac/ 50Hz							
Modulation	Channel	Frequency (MHz)	Frequency Range	Chain 1			
				Frequency (MHz)	Measure Level (dBm)	Measure Level (nW)	Limit (nW)
802.11a	36	5180	≤ 1000 MHz	988.51	-84.40	0.004	4
			≥ 1000 MHz	19344.42	-67.85	0.164	20
	44	5220	≤ 1000 MHz	990.06	-83.14	0.005	4
			≥ 1000 MHz	19364.41	-68.29	0.148	20
	48	5240	≤ 1000 MHz	990.25	-83.50	0.004	4
			≥ 1000 MHz	17684.58	-67.99	0.159	20
802.11ac (VHT20)	36	5180	≤ 1000 MHz	901.22	-83.67	0.004	4
			≥ 1000 MHz	5180.83	-68.53	0.140	20
	44	5220	≤ 1000 MHz	977.84	-82.99	0.005	4
			≥ 1000 MHz	5220.83	-67.68	0.171	20
	48	5240	≤ 1000 MHz	594.05	-83.86	0.004	4
			≥ 1000 MHz	5220.83	-67.52	0.177	20
802.11ac (VHT40)	38	5190	≤ 1000 MHz	594.05	-83.80	0.004	4
			≥ 1000 MHz	5220.83	-68.04	0.157	20
	46	5230	≤ 1000 MHz	991.61	-83.87	0.004	4
			≥ 1000 MHz	19346.92	-68.46	0.143	20
802.11ac (VHT80)	42	5210	≤ 1000 MHz	797.14	-83.87	0.004	4
			≥ 1000 MHz	23404.01	-67.16	0.192	20
802.11ax (HE20)	36	5180	≤ 1000 MHz	216.85	-83.80	0.004	4
			≥ 1000 MHz	2533.60	-63.72	0.425	20
	44	5220	≤ 1000 MHz	862.61	-84.44	0.004	4
			≥ 1000 MHz	5220.83	-68.41	0.144	20
	48	5240	≤ 1000 MHz	965.71	-83.61	0.004	4
			≥ 1000 MHz	15909.76	-68.49	0.142	20
802.11ax (HE40)	38	5190	≤ 1000 MHz	971.05	-83.88	0.004	4
			≥ 1000 MHz	19871.86	-67.18	0.191	20
	46	5230	≤ 1000 MHz	594.05	-84.09	0.004	4
			≥ 1000 MHz	5220.83	-67.83	0.165	20
802.11ax (HE80)	42	5210	≤ 1000 MHz	594.05	-83.06	0.005	4
			≥ 1000 MHz	5220.83	-68.40	0.145	20

For W53

Test Voltage							
100Vac/ 50Hz							
Modulation	Channel	Frequency (MHz)	Frequency Range	Chain 0			
				Frequency (MHz)	Measure Level (dBm)	Measure Level (nW)	Limit (nW)
802.11a	52	5260	≤ 1000 MHz	951.55	-83.92	0.004	4
			≥ 1000 MHz	3945.96	-67.88	0.163	20
	60	5300	≤ 1000 MHz	604.23	-84.32	0.004	4
			≥ 1000 MHz	3975.95	-67.25	0.188	20
	64	5320	≤ 1000 MHz	818.58	-84.07	0.004	4
			≥ 1000 MHz	3990.95	-68.46	0.143	20
802.11ac(VHT20)	52	5260	≤ 1000 MHz	402.69	-84.19	0.004	4
			≥ 1000 MHz	2533.60	-67.61	0.173	20
	60	5300	≤ 1000 MHz	396.09	-82.93	0.005	4
			≥ 1000 MHz	2521.10	-65.54	0.279	20
	64	5320	≤ 1000 MHz	973.09	-83.34	0.005	4
			≥ 1000 MHz	16274.72	-68.72	0.134	20
802.11ac(VHT40)	54	5270	≤ 1000 MHz	981.62	-83.53	0.004	4
			≥ 1000 MHz	19736.88	-68.18	0.152	20
	62	5310	≤ 1000 MHz	952.62	-83.32	0.005	4
			≥ 1000 MHz	2531.10	-64.75	0.335	20
802.11ac(VHT80)	58	5290	≤ 1000 MHz	964.55	-83.64	0.004	4
			≥ 1000 MHz	2521.10	-65.42	0.287	20
802.11ax(HE20)	52	5260	≤ 1000 MHz	994.81	-82.90	0.005	4
			≥ 1000 MHz	2521.10	-67.72	0.169	20
	60	5300	≤ 1000 MHz	942.63	-83.33	0.005	4
			≥ 1000 MHz	3975.95	-66.63	0.217	20
	64	5320	≤ 1000 MHz	746.32	-82.63	0.005	4
			≥ 1000 MHz	2528.60	-64.60	0.347	20
802.11ax(HE40)	54	5270	≤ 1000 MHz	734.39	-82.96	0.005	4
			≥ 1000 MHz	3990.95	-68.67	0.136	20
	62	5310	≤ 1000 MHz	729.74	-82.56	0.006	4
			≥ 1000 MHz	19789.37	-68.26	0.149	20
802.11ax(HE80)	58	5290	≤ 1000 MHz	951.75	-83.18	0.005	4
			≥ 1000 MHz	19656.88	-69.03	0.125	20

For W53

Test Voltage							
100Vac/ 50Hz							
Modulation	Channel	Frequency (MHz)	Frequency Range	Chain 1			
				Frequency (MHz)	Measure Level (dBm)	Measure Level (nW)	Limit (nW)
802.11a	52	5260	≤ 1000 MHz	381.35	-83.43	0.005	4
			≥ 1000 MHz	19846.87	-67.90	0.162	20
	60	5300	≤ 1000 MHz	133.15	-83.21	0.005	4
			≥ 1000 MHz	5300.82	-67.49	0.178	20
	64	5320	≤ 1000 MHz	820.71	-83.96	0.004	4
			≥ 1000 MHz	5320.82	-66.55	0.221	20
802.11ac (VHT20)	52	5260	≤ 1000 MHz	964.07	-84.12	0.004	4
			≥ 1000 MHz	17692.08	-67.72	0.169	20
	60	5300	≤ 1000 MHz	918.29	-82.31	0.006	4
			≥ 1000 MHz	5300.82	-68.04	0.157	20
	64	5320	≤ 1000 MHz	965.42	-84.10	0.004	4
			≥ 1000 MHz	19301.92	-66.34	0.232	20
802.11ac (VHT40)	54	5270	≤ 1000 MHz	956.01	-84.02	0.004	4
			≥ 1000 MHz	5320.82	-66.69	0.214	20
	62	5310	≤ 1000 MHz	952.04	-83.19	0.005	4
			≥ 1000 MHz	5320.82	-67.39	0.182	20
802.11ac (VHT80)	58	5290	≤ 1000 MHz	990.06	-83.50	0.004	4
			≥ 1000 MHz	5320.82	-67.08	0.196	20
802.11ax (HE20)	52	5260	≤ 1000 MHz	944.86	-83.89	0.004	4
			≥ 1000 MHz	2538.60	-66.27	0.236	20
	60	5300	≤ 1000 MHz	938.56	-83.67	0.004	4
			≥ 1000 MHz	5300.82	-67.37	0.183	20
	64	5320	≤ 1000 MHz	896.46	-83.83	0.004	4
			≥ 1000 MHz	19389.41	-66.52	0.223	20
802.11ax (HE40)	54	5270	≤ 1000 MHz	990.06	-83.38	0.005	4
			≥ 1000 MHz	5320.82	-67.35	0.184	20
	62	5310	≤ 1000 MHz	976.87	-82.29	0.006	4
			≥ 1000 MHz	5320.82	-66.85	0.207	20
802.11ax (HE80)	58	5290	≤ 1000 MHz	734.20	-81.71	0.007	4
			≥ 1000 MHz	5320.82	-66.85	0.207	20

For W56

Test Voltage							
100Vac/ 50Hz							
Modulation	Channel	Frequency (MHz)	Frequency Range	Chain 0			
				Frequency (MHz)	Measure Level (dBm)	Measure Level (nW)	Limit (nW)
802.11a	100	5500	≤ 1000 MHz	780.66	-83.78	0.004	4
			≥ 1000 MHz	2521.10	-62.87	0.516	20
	120	5600	≤ 1000 MHz	609.66	-84.35	0.004	4
			≥ 1000 MHz	4125.94	-64.87	0.326	20
	140	5700	≤ 1000 MHz	492.69	-83.56	0.004	4
			≥ 1000 MHz	19349.42	-68.04	0.157	20
802.11ac (VHT20)	100	5500	≤ 1000 MHz	902.09	-83.99	0.004	4
			≥ 1000 MHz	4125.94	-65.45	0.285	20
	120	5600	≤ 1000 MHz	338.96	-84.22	0.004	4
			≥ 1000 MHz	4125.94	-65.09	0.310	20
	140	5700	≤ 1000 MHz	950.68	-84.31	0.004	4
			≥ 1000 MHz	19849.37	-68.29	0.148	20
802.11ac (VHT40)	102	5510	≤ 1000 MHz	984.24	-82.65	0.005	4
			≥ 1000 MHz	6943.16	-68.08	0.156	20
	118	5590	≤ 1000 MHz	314.72	-83.83	0.004	4
			≥ 1000 MHz	15857.26	-68.39	0.145	20
	134	5670	≤ 1000 MHz	925.85	-83.70	0.004	4
			≥ 1000 MHz	3800.97	-68.43	0.144	20
802.11ac (VHT80)	106	5530	≤ 1000 MHz	433.92	-83.56	0.004	4
			≥ 1000 MHz	2538.60	-63.69	0.428	20
	122	5610	≤ 1000 MHz	761.16	-83.17	0.005	4
			≥ 1000 MHz	19801.87	-68.66	0.136	20
802.11ax (HE20)	100	5500	≤ 1000 MHz	325.87	-82.83	0.005	4
			≥ 1000 MHz	4125.94	-65.42	0.287	20
	120	5600	≤ 1000 MHz	839.82	-84.07	0.004	4
			≥ 1000 MHz	4125.94	-65.81	0.262	20
	140	5700	≤ 1000 MHz	739.63	-81.60	0.007	4
			≥ 1000 MHz	17042.15	-68.17	0.152	20


Test Voltage							
100Vac/ 50Hz							
Modulation	Channel	Frequency (MHz)	Frequency Range	Chain 0			
				Frequency (MHz)	Measure Level (dBm)	Measure Level (nW)	Limit (nW)
802.11ax (HE40)	102	5510	≤ 1000 MHz	746.32	-83.81	0.004	4
			≥ 1000 MHz	19356.91	-68.36	0.146	20
	118	5590	≤ 1000 MHz	943.31	-83.49	0.004	4
			≥ 1000 MHz	19206.93	-68.52	0.141	20
	134	5670	≤ 1000 MHz	904.71	-84.04	0.004	4
			≥ 1000 MHz	19851.86	-67.98	0.159	20
802.11ax (HE80)	106	5530	≤ 1000 MHz	189.21	-83.80	0.004	4
			≥ 1000 MHz	19906.86	-68.56	0.139	20
	122	5610	≤ 1000 MHz	923.91	-83.62	0.004	4
			≥ 1000 MHz	19356.91	-67.98	0.159	20

For W56

Test Voltage							
100Vac/ 50Hz							
Modulation	Channel	Frequency (MHz)	Frequency Range	Chain 1			
				Frequency (MHz)	Measure Level (dBm)	Measure Level (nW)	Limit (nW)
802.11a	100	5500	≤ 1000 MHz	979.87	-83.25	0.005	4
			≥ 1000 MHz	5500.80	-66.68	0.215	20
	120	5600	≤ 1000 MHz	215.59	-84.35	0.004	4
			≥ 1000 MHz	5600.79	-67.16	0.192	20
	140	5700	≤ 1000 MHz	990.06	-81.97	0.006	4
			≥ 1000 MHz	5700.78	-65.57	0.277	20
802.11ac (VHT20)	100	5500	≤ 1000 MHz	594.05	-82.72	0.005	4
			≥ 1000 MHz	5500.80	-67.62	0.173	20
	120	5600	≤ 1000 MHz	990.06	-81.03	0.008	4
			≥ 1000 MHz	5600.79	-67.60	0.174	20
	140	5700	≤ 1000 MHz	990.06	-83.72	0.004	4
			≥ 1000 MHz	5700.78	-65.14	0.306	20
802.11ac (VHT40)	102	5510	≤ 1000 MHz	992.10	-83.55	0.004	4
			≥ 1000 MHz	19346.92	-68.84	0.131	20
	118	5590	≤ 1000 MHz	978.23	-83.45	0.005	4
			≥ 1000 MHz	19664.38	-68.19	0.152	20
	134	5670	≤ 1000 MHz	218.69	-83.70	0.004	4
			≥ 1000 MHz	15844.77	-67.79	0.166	20
802.11ac (VHT80)	106	5530	≤ 1000 MHz	957.28	-83.83	0.004	4
			≥ 1000 MHz	2538.60	-66.81	0.208	20
	122	5610	≤ 1000 MHz	965.52	-83.15	0.005	4
			≥ 1000 MHz	22064.14	-68.12	0.154	20
802.11ax (HE20)	100	5500	≤ 1000 MHz	990.06	-82.95	0.005	4
			≥ 1000 MHz	5500.80	-66.28	0.236	20
	120	5600	≤ 1000 MHz	990.06	-82.13	0.006	4
			≥ 1000 MHz	19356.91	-67.35	0.184	20
	140	5700	≤ 1000 MHz	971.24	-83.95	0.004	4
			≥ 1000 MHz	5700.78	-65.13	0.307	20


Test Voltage							
100Vac/ 50Hz							
Modulation	Channel	Frequency (MHz)	Frequency Range	Chain 0			
				Frequency (MHz)	Measure Level (dBm)	Measure Level (nW)	Limit (nW)
802.11ax (HE40)	102	5510	≤ 1000 MHz	809.07	-84.26	0.004	4
			≥ 1000 MHz	2528.60	-66.73	0.212	20
	118	5590	≤ 1000 MHz	990.06	-80.94	0.008	4
			≥ 1000 MHz	2481.10	-66.70	0.214	20
	134	5670	≤ 1000 MHz	594.05	-82.97	0.005	4
			≥ 1000 MHz	19329.42	-68.66	0.136	20
802.11ax (HE80)	106	5530	≤ 1000 MHz	997.24	-83.82	0.004	4
			≥ 1000 MHz	19769.37	-67.40	0.182	20
	122	5610	≤ 1000 MHz	990.06	-81.76	0.007	4
			≥ 1000 MHz	17662.08	-68.32	0.147	20

Chain0 : Secondary Radiated Emission Strength @ 802.11a Mode Ch36




Date: 8 APR 2026 11:39:14

Chain0 : Secondary Radiated Emission Strength @ 802.11a Mode Ch44



Date: 8 APR 2026 11:40:04


Chain0 : Secondary Radiated Emission Strength @ 802.11a Mode Ch48



Date: 8 APR 2026 11:43:43


TEST REPORT

Chain0 : Secondary Radiated Emission Strength @ 802.11ac(VHT20) Mode Ch36




Date: 8 APR 2026 11:38:57

Chain0 : Secondary Radiated Emission Strength @ 802.11ac(VHT20) Mode Ch44




Date: 8 APR 2026 11:40:24

Chain0 : Secondary Radiated Emission Strength @ 802.11ac(VHT20) Mode Ch48




Date: 8 APR 2026 11:44:00

Chain0 : Secondary Radiated Emission Strength @ 802.11ac(VHT40) Mode Ch38




Date: 8 APR 2026 11:45:28

Chain0 : Secondary Radiated Emission Strength @ 802.11ac(VHT40) Mode Ch46




Date: 8 APR 2026 11:47:00

Chain0 : Secondary Radiated Emission Strength @ 802.11ac(VHT80) Mode Ch42




Date: 8 APR 2026 11:48:26

Chain0 : Secondary Radiated Emission Strength @ 802.11ax(HE20) Mode Ch36




Date: 8 APR 2026 11:38:05

Chain0 : Secondary Radiated Emission Strength @ 802.11ax(HE20) Mode Ch44




Date: 8 APR 2026 11:41:01

Chain0 : Secondary Radiated Emission Strength @ 802.11ax(HE20) Mode Ch48




Date: 8 APR 2026 11:43:21

Chain0 : Secondary Radiated Emission Strength @ 802.11ax(HE40) Mode Ch38




Date: 8 APR 2026 11:45:44

Chain0 : Secondary Radiated Emission Strength @ 802.11ax(HE40) Mode Ch46




Date: 8 APR 2026 11:46:39

Chain0 : Secondary Radiated Emission Strength @ 802.11ax(HE80) Mode Ch42




Date: 8 APR 2026 11:48:43

Chain1 : Secondary Radiated Emission Strength @ 802.11a Mode Ch36




Date: 8 APR 2026 11:51:55

Chain1 : Secondary Radiated Emission Strength @ 802.11a Mode Ch44



Date: 8 APR 2026 11:57:08


Chain1 : Secondary Radiated Emission Strength @ 802.11a Mode Ch48



Date: 8 APR 2026 11:57:59


TEST REPORT

Chain1 : Secondary Radiated Emission Strength @ 802.11ac(VHT20) Mode Ch36




Date: 8 APR 2026 11:52:11

Chain1 : Secondary Radiated Emission Strength @ 802.11ac(VHT20) Mode Ch44




Date: 8 APR 2026 11:56:52

Chain1 : Secondary Radiated Emission Strength @ 802.11ac(VHT20) Mode Ch48




Date: 8 APR 2026 11:58:21

Chain1 : Secondary Radiated Emission Strength @ 802.11ac(VHT40) Mode Ch38




Date: 8 APR 2026 11:59:16

Chain1 : Secondary Radiated Emission Strength @ 802.11ac(VHT40) Mode Ch46




Date: 8 APR 2026 12:01:22

Chain1 : Secondary Radiated Emission Strength @ 802.11ac(VHT80) Mode Ch42




Date: 8 APR 2026 11:49:47

Chain1 : Secondary Radiated Emission Strength @ 802.11ax(HE20) Mode Ch36




Date: 8 APR 2026 11:53:19

Chain1 : Secondary Radiated Emission Strength @ 802.11ax(HE20) Mode Ch44




Date: 8 APR 2026 11:56:12

Chain1 : Secondary Radiated Emission Strength @ 802.11ax(HE20) Mode Ch48




Date: 8 APR 2026 11:58:39

Chain1 : Secondary Radiated Emission Strength @ 802.11ax(HE40) Mode Ch38




Date: 8 APR 2026 11:59:38

Chain1 : Secondary Radiated Emission Strength @ 802.11ax(HE40) Mode Ch46




Date: 8 APR 2026 12:00:15

Chain1 : Secondary Radiated Emission Strength @ 802.11ax(HE80) Mode Ch42




Date: 8 APR 2026 11:49:26


Chain0 : Secondary Radiated Emission Strength @ 802.11a Mode Ch52




Chain0 : Secondary Radiated Emission Strength @ 802.11a Mode Ch60



Chain0 : Secondary Radiated Emission Strength @ 802.11a Mode Ch64




Chain0 : Secondary Radiated Emission Strength @ 802.11ac(VHT20) Mode Ch52




Date: 8 APR 2026 12:26:18

Chain0 : Secondary Radiated Emission Strength @ 802.11ac(VHT20) Mode Ch60




Date: 8 APR 2026 12:30:48

Chain0 : Secondary Radiated Emission Strength @ 802.11ac(VHT20) Mode Ch64




Date: 8 APR 2026 12:35:40


Chain0 : Secondary Radiated Emission Strength @ 802.11ac(VHT40) Mode Ch54




Chain0 : Secondary Radiated Emission Strength @ 802.11ac(VHT40) Mode Ch62




Chain0 : Secondary Radiated Emission Strength @ 802.11ac(VHT80) Mode Ch58




Chain0 : Secondary Radiated Emission Strength @ 802.11ax(HE20) Mode Ch52




Chain0 : Secondary Radiated Emission Strength @ 802.11ax(HE20) Mode Ch60




Chain0 : Secondary Radiated Emission Strength @ 802.11ax(HE20) Mode Ch64



Chain0 : Secondary Radiated Emission Strength @ 802.11ax(HE40) Mode Ch54



Chain0 : Secondary Radiated Emission Strength @ 802.11ax(HE40) Mode Ch62



Chain0 : Secondary Radiated Emission Strength @ 802.11ax(HE80) Mode Ch58

