

RF Test Data

For

Project No.:	DLE-260114045R
Client:	ACCUPHY TECHNOLOGIES LTD
Manufacturer:	ACCUPHY TECHNOLOGIES LTD
Product Description:	Marine Router
Test Model	Router One
Test Engineer:	Alisa Song
Test Date:	2026-01-09

Test Summary

Item	Result
Frequency Error	Pass
Occupied Bandwidth	Pass
Antenna Power	Pass
Adjacent Channel Leakage Power	Pass
Out Of Bands Leakage Power	Pass
Transmission Burst Length	Pass
Spurious Emission Intensity	Pass
Secondary Radiated Emission	Pass

1. Frequency Error

1.1 Test Result

1.1.1 Ant1


Ant1							
ENV	Mode	TX Type	Frequency (MHz)	Measured Frequency (MHz)	Tolerance (ppm)		Verdict
					Result	Limit	
NTNV	Carrier Wave	SISO	5500	5499.967	-6.00	-20 to 20	Pass
			5600	5599.953	-8.39	-20 to 20	Pass
			5700	5699.951	-8.60	-20 to 20	Pass
			5720	5719.949	-8.92	-20 to 20	Pass
		MIMO	5510	5509.944	-10.16	-20 to 20	Pass
			5590	5589.938	-11.09	-20 to 20	Pass
			5670	5670.012	2.12	-20 to 20	Pass
			5710	5710.036	6.30	-20 to 20	Pass
			5530	5530.021	3.80	-20 to 20	Pass
			5610	5610.018	3.21	-20 to 20	Pass
			5690	5690.023	4.04	-20 to 20	Pass



1.1.2 Ant2



Ant2							
ENV	Mode	TX Type	Frequency (MHz)	Measured Frequency (MHz)	Tolerance (ppm)		Verdict
					Result	Limit	
NTNV	Carrier Wave	SISO	5500	5499.961	-7.09	-20 to 20	Pass
			5600	5599.949	-9.11	-20 to 20	Pass
			5700	5699.952	-8.42	-20 to 20	Pass
			5720	5719.952	-8.39	-20 to 20	Pass
		MIMO	5510	5509.940	-10.89	-20 to 20	Pass
			5590	5589.940	-10.73	-20 to 20	Pass
			5670	5670.018	3.17	-20 to 20	Pass
			5710	5710.037	6.48	-20 to 20	Pass
			5530	5530.019	3.44	-20 to 20	Pass
			5610	5610.017	3.03	-20 to 20	Pass
			5690	5690.031	5.45	-20 to 20	Pass



1.2 Test Graph



1.2.1 Ant1























1.2.2 Ant2














2. Occupied Bandwidth


2.1 Test Result



2.1.1 OBW



ENV	Mode	TX Type	Frequency (MHz)	99% Occupied Bandwidth (MHz)			Verdict
				ANT1	ANT2	Limit	
NTNV	802.11a	SISO	5500	16.486	16.422	<=20	Pass
			5600	16.494	16.444	<=20	Pass
			5700	16.469	16.438	<=20	Pass
			5720	16.456	16.431	<=20	Pass
	802.11n (HT20)	MIMO	5500	17.676	17.673	<=20	Pass
			5600	17.680	17.715	<=20	Pass
			5700	17.675	17.683	<=20	Pass
			5720	17.671	17.689	<=20	Pass
	802.11n (HT40)	MIMO	5510	36.369	36.358	<=40	Pass
			5590	36.387	36.385	<=40	Pass
			5670	36.319	36.339	<=40	Pass
			5710	36.421	36.381	<=40	Pass
	802.11ac (VHT20)	MIMO	5500	17.658	17.668	<=20	Pass
			5600	17.671	17.661	<=20	Pass
			5700	17.683	17.652	<=20	Pass
			5720	17.669	17.671	<=20	Pass
	802.11ac (VHT40)	MIMO	5510	36.332	36.345	<=40	Pass
			5590	36.357	36.269	<=40	Pass
			5670	36.314	36.281	<=40	Pass
			5710	36.339	36.331	<=40	Pass
	802.11ac (VHT80)	MIMO	5530	75.898	75.809	<=80	Pass
			5610	75.950	75.798	<=80	Pass
			5690	75.861	75.858	<=80	Pass



2.2 Test Graph



2.2.1 OBW



















































































3. Antenna Power

3.1 Test Result

3.1.1 Power_NTNV

NTNV									
Mode	TX Type	Frequency (MHz)	ANT	Antenna Power (mW/MHz)		Nominal Power (mW/MHz)	Tolerance (%)		Verdict
				Measured	Limit		Measured	Limit	
802.11a	SISO	5500	1	1.022	<=10.00	1.200	-14.83	-50 to 50	Pass
			2	1.518	<=10.00	1.200	26.50	-50 to 50	Pass
		5600	1	1.250	<=10.00	1.200	4.17	-50 to 50	Pass
			2	1.705	<=10.00	1.200	42.08	-50 to 50	Pass
		5700	1	1.346	<=10.00	1.200	12.17	-50 to 50	Pass
			2	1.148	<=10.00	1.200	-4.33	-50 to 50	Pass
		5720	1	1.365	<=10.00	1.200	13.75	-50 to 50	Pass
			2	1.159	<=10.00	1.200	-3.42	-50 to 50	Pass
802.11n (HT20)	MIMO	5500	1	1.324	<=10.00	2.400	-44.83	-50 to 50	Pass
			2	1.997	<=10.00	2.400	-16.79	-50 to 50	Pass
			MIMO	3.321	<=10.00	2.400	38.38	-50 to 50	Pass
		5600	1	1.508	<=10.00	2.400	-37.17	-50 to 50	Pass
			2	2.015	<=10.00	2.400	-16.04	-50 to 50	Pass
			MIMO	3.523	<=10.00	2.400	46.79	-50 to 50	Pass
		5700	1	1.615	<=10.00	2.400	-32.71	-50 to 50	Pass
			2	1.352	<=10.00	2.400	-43.67	-50 to 50	Pass
			MIMO	2.967	<=10.00	2.400	23.63	-50 to 50	Pass
		5720	1	1.748	<=10.00	2.400	-27.17	-50 to 50	Pass
			2	1.465	<=10.00	2.400	-38.96	-50 to 50	Pass
			MIMO	3.213	<=10.00	2.400	33.88	-50 to 50	Pass
802.11n (HT40)	MIMO	5510	1	0.824	<=5.00	1.600	-48.50	-50 to 50	Pass
			2	1.229	<=5.00	1.600	-23.19	-50 to 50	Pass
			MIMO	2.053	<=5.00	1.600	28.31	-50 to 50	Pass
		5590	1	1.013	<=5.00	1.600	-36.69	-50 to 50	Pass
			2	1.290	<=5.00	1.600	-19.37	-50 to 50	Pass
			MIMO	2.303	<=5.00	1.600	43.94	-50 to 50	Pass
		5670	1	0.898	<=5.00	1.600	-43.88	-50 to 50	Pass
			2	0.881	<=5.00	1.600	-44.94	-50 to 50	Pass
			MIMO	1.779	<=5.00	1.600	11.19	-50 to 50	Pass
		5710	1	1.102	<=5.00	1.600	-31.13	-50 to 50	Pass
			2	0.965	<=5.00	1.600	-39.69	-50 to 50	Pass
			MIMO	2.067	<=5.00	1.600	29.19	-50 to 50	Pass
802.11ac (VHT20)	MIMO	5500	1	1.169	<=10.00	2.000	-41.55	-50 to 50	Pass
			2	1.649	<=10.00	2.000	-17.55	-50 to 50	Pass
			MIMO	2.818	<=10.00	2.000	40.90	-50 to 50	Pass
		5600	1	1.258	<=10.00	2.000	-37.10	-50 to 50	Pass
			2	1.670	<=10.00	2.000	-16.50	-50 to 50	Pass
			MIMO	2.928	<=10.00	2.000	46.40	-50 to 50	Pass
		5700	1	1.269	<=10.00	2.000	-36.55	-50 to 50	Pass
			2	1.147	<=10.00	2.000	-42.65	-50 to 50	Pass
			MIMO	2.416	<=10.00	2.000	20.80	-50 to 50	Pass
		5720	1	1.423	<=10.00	2.000	-28.85	-50 to 50	Pass
			2	1.140	<=10.00	2.000	-43.00	-50 to 50	Pass
			MIMO	2.563	<=10.00	2.000	28.15	-50 to 50	Pass
802.11ac (VHT40)	MIMO	5510	1	0.848	<=5.00	1.600	-47.00	-50 to 50	Pass
			2	1.307	<=5.00	1.600	-18.31	-50 to 50	Pass

		5590	MIMO	2.155	<=5.00	1.600	34.69	-50 to 50	Pass
			1	0.987	<=5.00	1.600	-38.31	-50 to 50	Pass
			2	1.306	<=5.00	1.600	-18.37	-50 to 50	Pass
		5670	MIMO	2.293	<=5.00	1.600	43.31	-50 to 50	Pass
			1	0.878	<=5.00	1.600	-45.13	-50 to 50	Pass
			2	0.937	<=5.00	1.600	-41.44	-50 to 50	Pass
		5710	MIMO	1.815	<=5.00	1.600	13.44	-50 to 50	Pass
			1	1.082	<=5.00	1.600	-32.38	-50 to 50	Pass
			2	1.002	<=5.00	1.600	-37.38	-50 to 50	Pass
802.11ac (VHT80)	MIMO	5530	MIMO	2.084	<=5.00	1.600	30.25	-50 to 50	Pass
			1	0.292	<=2.50	0.520	-43.85	-50 to 50	Pass
			2	0.304	<=2.50	0.520	-41.54	-50 to 50	Pass
		5610	MIMO	0.596	<=2.50	0.520	14.62	-50 to 50	Pass
			1	0.368	<=2.50	0.520	-29.23	-50 to 50	Pass
			2	0.391	<=2.50	0.520	-24.81	-50 to 50	Pass
		5690	MIMO	0.759	<=2.50	0.520	45.96	-50 to 50	Pass
			1	0.324	<=2.50	0.520	0.77	-50 to 50	Pass
			2	0.300	<=2.50	0.520	-3.85	-50 to 50	Pass
			MIMO	0.624	<=2.50	0.520	2.40	-50 to 50	Pass

3.1.2 EIRP_NTNV

NTNV							
Mode	TX Type	Frequency (MHz)	ANT	Gain (dBi)	EIRP (mW/MHz)		Verdict
					Result	Limit	
802.11a	SISO	5500	1	3.51	2.29	<=25	Pass
			2	3.51	3.41	<=25	Pass
		5600	1	3.51	2.81	<=25	Pass
			2	3.51	3.83	<=25	Pass
		5700	1	3.51	3.02	<=25	Pass
			2	3.51	2.58	<=25	Pass
		5720	1	3.51	3.06	<=25	Pass
			2	3.51	2.60	<=25	Pass
802.11n (HT20)	MIMO	5500	1	3.51	2.97	<=25	Pass
			2	3.51	4.48	<=25	Pass
			MIMO	0.00	7.45	<=25	Pass
		5600	1	3.51	3.38	<=25	Pass
			2	3.51	4.52	<=25	Pass
			MIMO	0.00	7.91	<=25	Pass
		5700	1	3.51	3.62	<=25	Pass
			2	3.51	3.03	<=25	Pass
			MIMO	0.00	6.66	<=25	Pass
		5720	1	3.51	3.92	<=25	Pass
			2	3.51	3.29	<=25	Pass
			MIMO	0.00	7.21	<=25	Pass
802.11n (HT40)	MIMO	5510	1	3.51	1.85	<=12.5	Pass
			2	3.51	2.76	<=12.5	Pass
			MIMO	0.00	4.61	<=12.5	Pass
		5590	1	3.51	2.27	<=12.5	Pass
			2	3.51	2.90	<=12.5	Pass
			MIMO	0.00	5.17	<=12.5	Pass
		5670	1	3.51	2.02	<=12.5	Pass
			2	3.51	1.98	<=12.5	Pass
			MIMO	0.00	3.99	<=12.5	Pass
		5710	1	3.51	2.47	<=12.5	Pass
			2	3.51	2.17	<=12.5	Pass
			MIMO	0.00	4.64	<=12.5	Pass
802.11ac	MIMO	5500	1	3.51	2.62	<=25	Pass

(VHT20)			2	3.51	3.70	<=25	Pass
			MIMO	0.00	6.32	<=25	Pass
			1	3.51	2.82	<=25	Pass
		5600	2	3.51	3.75	<=25	Pass
			MIMO	0.00	6.57	<=25	Pass
			1	3.51	2.85	<=25	Pass
		5700	2	3.51	2.57	<=25	Pass
			MIMO	0.00	5.42	<=25	Pass
			1	3.51	3.19	<=25	Pass
		5720	2	3.51	2.56	<=25	Pass
			MIMO	0.00	5.75	<=25	Pass
802.11ac (VHT40)	MIMO	5510	1	3.51	1.90	<=12.5	Pass
			2	3.51	2.93	<=12.5	Pass
			MIMO	0.00	4.84	<=12.5	Pass
		5590	1	3.51	2.21	<=12.5	Pass
			2	3.51	2.93	<=12.5	Pass
			MIMO	0.00	5.15	<=12.5	Pass
		5670	1	3.51	1.97	<=12.5	Pass
			2	3.51	2.10	<=12.5	Pass
			MIMO	0.00	4.07	<=12.5	Pass
		5710	1	3.51	2.43	<=12.5	Pass
			2	3.51	2.25	<=12.5	Pass
			MIMO	0.00	4.68	<=12.5	Pass
802.11ac (VHT80)	MIMO	5530	1	3.51	0.66	<=6.25	Pass
			2	3.51	0.68	<=6.25	Pass
			MIMO	0.00	1.34	<=6.25	Pass
		5610	1	3.51	0.83	<=6.25	Pass
			2	3.51	0.88	<=6.25	Pass
			MIMO	0.00	1.70	<=6.25	Pass
		5690	1	3.51	1.63	<=6.25	Pass
			2	3.51	1.51	<=6.25	Pass
			MIMO	0.00	3.14	<=6.25	Pass

4. Adjacent Channel Leakage Power

4.1 Test Result

4.1.1 ACLR_NTNV_SISO

NTNV									
Mode	TX Type	Frequency (MHz)	ANT	Offset (MHz)	Integ BW (MHz)	Power (dBm)	Result (dBc)	Limit (dBc)	Verdict
802.11a	SISO	5500	1	-40	20	-35.32	-52.98	<=-40	Pass
				-20	20	-13.18	-30.84	<=-25	Pass
				0	20	17.66	/	/	/
				20	20	-13.27	-30.93	<=-25	Pass
				40	20	-36.39	-54.05	<=-40	Pass
			2	-40	20	-34.13	-54.93	<=-40	Pass
				-20	20	-11.12	-31.92	<=-25	Pass
				0	20	20.80	/	/	/
				20	20	-11.90	-32.70	<=-25	Pass
				40	20	-35.28	-56.08	<=-40	Pass
		5600	1	-40	20	-32.53	-52.17	<=-40	Pass
				-20	20	-10.82	-30.46	<=-25	Pass
				0	20	19.64	/	/	/
				20	20	-11.81	-31.45	<=-25	Pass
				40	20	-32.29	-51.93	<=-40	Pass
			2	-40	20	-31.98	-53.37	<=-40	Pass
				-20	20	-10.40	-31.79	<=-25	Pass
				0	20	21.39	/	/	/
				20	20	-11.42	-32.81	<=-25	Pass
				40	20	-31.86	-53.25	<=-40	Pass
		5700	1	-40	20	-30.18	-52.72	<=-40	Pass
				-20	20	-8.16	-30.70	<=-25	Pass
				0	20	22.54	/	/	/
				20	20	-7.96	-30.50	<=-25	Pass
				40	20	-29.88	-52.42	<=-40	Pass
			2	-40	20	-29.34	-51.93	<=-40	Pass
				-20	20	-9.48	-32.07	<=-25	Pass
				0	20	22.59	/	/	/
				20	20	-9.75	-32.34	<=-25	Pass
				40	20	-29.10	-51.69	<=-40	Pass
		5720	1	-40	20	-29.66	-52.40	<=-40	Pass
				-20	20	-7.99	-30.73	<=-25	Pass
				0	20	22.74	/	/	/
				20	20	-7.01	-29.75	<=-25	Pass
			2	-40	20	-29.47	-52.21	<=-40	Pass
				-20	20	-29.05	-51.65	<=-40	Pass
				-9.26	20	-31.86	<=-25	Pass	Pass
				0	20	22.60	/	/	/
				20	20	-9.25	-31.85	<=-25	Pass
				40	20	-28.91	-51.51	<=-40	Pass

4.1.2 ACLR_NTNV_MIMO

NTNV									
Mode	TX	Frequency	ANT	Offset	Integ BW	Power	Result	Limit	Verdict

	Type	(MHz)		(MHz)	(MHz)	(dBm)	(dBc)	(dBc)	
802.11n (HT20)	MIMO	5500	1	-40	20	-31.30	-53.04	<=-40	Pass
				-20	20	-7.44	-29.18	<=-25	Pass
				0	20	21.74	/	/	/
				20	20	-7.69	-29.43	<=-25	Pass
				40	20	-31.54	-53.28	<=-40	Pass
			2	-40	20	-29.70	-53.93	<=-40	Pass
				-20	20	-4.25	-28.48	<=-25	Pass
				0	20	24.23	/	/	/
				20	20	-4.19	-28.42	<=-25	Pass
				40	20	-28.48	-52.71	<=-40	Pass
			MIMO	-40	20	-27.42	-53.59	<=-40	Pass
				-20	20	-2.55	-28.72	<=-25	Pass
				0	20	26.17	/	/	/
				20	20	-2.59	-28.76	<=-25	Pass
				40	20	-26.74	-52.91	<=-40	Pass
		5600	1	-40	20	-27.68	-51.24	<=-40	Pass
				-20	20	-4.76	-28.32	<=-25	Pass
				0	20	23.56	/	/	/
				20	20	-4.99	-28.55	<=-25	Pass
				40	20	-28.18	-51.74	<=-40	Pass
			2	-40	20	-23.11	-48.19	<=-40	Pass
				-20	20	-2.42	-27.50	<=-25	Pass
				0	20	25.08	/	/	/
				20	20	-2.20	-27.28	<=-25	Pass
				40	20	-24.47	-49.55	<=-40	Pass
			MIMO	-40	20	-21.81	-49.21	<=-40	Pass
				-20	20	-0.42	-27.82	<=-25	Pass
				0	20	27.40	/	/	/
				20	20	-0.36	-27.76	<=-25	Pass
				40	20	-22.93	-50.33	<=-40	Pass
		5700	1	-40	20	-31.39	-53.40	<=-40	Pass
				-20	20	-7.26	-29.27	<=-25	Pass
				0	20	22.01	/	/	/
				20	20	-7.13	-29.14	<=-25	Pass
				40	20	-30.51	-52.52	<=-40	Pass
			2	-40	20	-31.55	-53.34	<=-40	Pass
				-20	20	-7.13	-28.92	<=-25	Pass
				0	20	21.79	/	/	/
				20	20	-7.11	-28.90	<=-25	Pass
				40	20	-29.97	-51.76	<=-40	Pass
			MIMO	-40	20	-28.46	-53.37	<=-40	Pass
				-20	20	-4.18	-29.09	<=-25	Pass
				0	20	24.91	/	/	/
				20	20	-4.11	-29.02	<=-25	Pass
				40	20	-27.22	-52.13	<=-40	Pass
		5720	1	-40	20	-31.01	-53.32	<=-40	Pass
				-20	20	-7.09	-29.40	<=-25	Pass
				0	20	22.31	/	/	/
				20	20	-6.22	-28.53	<=-25	Pass
				40	20	-29.38	-51.69	<=-40	Pass
			2	-40	20	-30.47	-52.76	<=-40	Pass
				-20	20	-7.05	-29.34	<=-25	Pass
				0	20	22.29	/	/	/
				20	20	-6.04	-28.33	<=-25	Pass
				40	20	-29.28	-51.57	<=-40	Pass
			MIMO	-40	20	-27.72	-53.03	<=-40	Pass
				-20	20	-4.06	-29.37	<=-25	Pass
				0	20	25.31	/	/	/

802.11n (HT40)	MIMO	5510	1	20	20	-3.12	-28.43	<=-25	Pass
				40	20	-26.32	-51.63	<=-40	Pass
				-80	40	-31.64	-49.44	<=-40	Pass
				-40	40	-14.58	-32.38	<=-25	Pass
				0	40	17.80	/	/	/
				40	40	-14.46	-32.26	<=-25	Pass
			2	80	40	-32.92	-50.72	<=-40	Pass
				-80	40	-30.41	-51.34	<=-40	Pass
				-40	40	-11.10	-32.03	<=-25	Pass
				0	40	20.93	/	/	/
				40	40	-11.34	-32.27	<=-25	Pass
				80	40	-31.18	-52.11	<=-40	Pass
		MIMO		-80	40	-27.97	-50.62	<=-40	Pass
				-40	40	-9.49	-32.14	<=-25	Pass
				0	40	22.65	/	/	/
				40	40	-9.62	-32.27	<=-25	Pass
				80	40	-28.95	-51.60	<=-40	Pass
		5590	1	-80	40	-32.12	-51.69	<=-40	Pass
				-40	40	-12.70	-32.27	<=-25	Pass
				0	40	19.57	/	/	/
				40	40	-12.50	-32.07	<=-25	Pass
				80	40	-32.14	-51.71	<=-40	Pass
			2	-80	40	-31.14	-52.74	<=-40	Pass
				-40	40	-10.58	-32.18	<=-25	Pass
				0	40	21.60	/	/	/
				40	40	-10.95	-32.55	<=-25	Pass
				80	40	-31.08	-52.68	<=-40	Pass
			MIMO	-80	40	-28.59	-52.30	<=-40	Pass
				-40	40	-8.50	-32.21	<=-25	Pass
				0	40	23.71	/	/	/
				40	40	-8.65	-32.36	<=-25	Pass
				80	40	-28.57	-52.28	<=-40	Pass
		5670	1	-80	40	-31.32	-52.96	<=-40	Pass
				-40	40	-10.84	-32.48	<=-25	Pass
				0	40	21.64	/	/	/
				40	40	-9.78	-31.42	<=-25	Pass
				80	40	-28.57	-50.21	<=-40	Pass
			2	-80	40	-30.57	-52.56	<=-40	Pass
				-40	40	-10.29	-32.28	<=-25	Pass
				0	40	21.99	/	/	/
				40	40	-9.30	-31.29	<=-25	Pass
				80	40	-27.61	-49.60	<=-40	Pass
			MIMO	-80	40	-27.92	-52.75	<=-40	Pass
				-40	40	-7.55	-32.38	<=-25	Pass
				0	40	24.83	/	/	/
				40	40	-6.52	-31.35	<=-25	Pass
				80	40	-25.05	-49.88	<=-40	Pass
		5710	1	-80	40	-31.07	-53.53	<=-40	Pass
				-40	40	-9.91	-32.37	<=-25	Pass
				0	40	22.46	/	/	/
				40	40	-8.34	-30.80	<=-25	Pass
				80	40	-27.41	-49.87	<=-40	Pass
			2	-80	40	-28.37	-50.93	<=-40	Pass
				-40	40	-9.64	-32.20	<=-25	Pass
				0	40	22.56	/	/	/
				40	40	-8.54	-31.10	<=-25	Pass
				80	40	-24.47	-47.03	<=-40	Pass
			MIMO	-80	40	-26.50	-52.02	<=-40	Pass
				-40	40	-6.76	-32.28	<=-25	Pass


802.11ac (VHT20)	MIMO	5500	1	0	40	25.52	/	/	/
				40	40	-5.43	-30.95	<=-25	Pass
				80	40	-22.69	-48.21	<=-40	Pass
				-40	20	-35.36	-52.91	<=-40	Pass
				-20	20	-11.13	-28.68	<=-25	Pass
				0	20	17.55	/	/	/
			2	20	20	-11.65	-29.20	<=-25	Pass
				40	20	-36.32	-53.87	<=-40	Pass
				-40	20	-34.68	-54.88	<=-40	Pass
				-20	20	-8.62	-28.82	<=-25	Pass
				0	20	20.20	/	/	/
				20	20	-9.14	-29.34	<=-25	Pass
		MIMO	MIMO	40	20	-35.52	-55.72	<=-40	Pass
				-40	20	-32.00	-54.08	<=-40	Pass
				-20	20	-6.69	-28.77	<=-25	Pass
				0	20	22.08	/	/	/
				20	20	-7.21	-29.29	<=-25	Pass
				40	20	-32.89	-54.97	<=-40	Pass
		5600	1	-40	20	-32.49	-52.17	<=-40	Pass
				-20	20	-9.62	-29.30	<=-25	Pass
				0	20	19.68	/	/	/
				20	20	-9.32	-29.00	<=-25	Pass
				40	20	-32.30	-51.98	<=-40	Pass
				-40	20	-32.17	-53.22	<=-40	Pass
			2	-20	20	-7.60	-28.65	<=-25	Pass
				0	20	21.05	/	/	/
				20	20	-7.87	-28.92	<=-25	Pass
				40	20	-32.14	-53.19	<=-40	Pass
			MIMO	-40	20	-29.32	-52.75	<=-40	Pass
				-20	20	-5.48	-28.91	<=-25	Pass
				0	20	23.43	/	/	/
				20	20	-5.52	-28.95	<=-25	Pass
				40	20	-29.21	-52.64	<=-40	Pass
		5700	1	-40	20	-31.00	-53.41	<=-40	Pass
				-20	20	-6.14	-28.55	<=-25	Pass
				0	20	22.41	/	/	/
				20	20	-6.43	-28.84	<=-25	Pass
				40	20	-29.81	-52.22	<=-40	Pass
			2	-40	20	-30.74	-53.10	<=-40	Pass
				-20	20	-6.38	-28.74	<=-25	Pass
				0	20	22.36	/	/	/
				20	20	-6.28	-28.64	<=-25	Pass
				40	20	-29.49	-51.85	<=-40	Pass
			MIMO	-40	20	-27.86	-53.26	<=-40	Pass
				-20	20	-3.25	-28.65	<=-25	Pass
				0	20	25.40	/	/	/
				20	20	-3.34	-28.74	<=-25	Pass
				40	20	-26.64	-52.04	<=-40	Pass
		5720	1	-40	20	-30.53	-53.17	<=-40	Pass
				-20	20	-5.87	-28.51	<=-25	Pass
				0	20	22.64	/	/	/
				20	20	-5.54	-28.18	<=-25	Pass
				40	20	-29.23	-51.87	<=-40	Pass
			2	-40	20	-30.16	-52.69	<=-40	Pass
				-20	20	-5.78	-28.31	<=-25	Pass
				0	20	22.53	/	/	/
				20	20	-5.30	-27.83	<=-25	Pass
				40	20	-28.47	-51.00	<=-40	Pass
			MIMO	-40	20	-27.33	-52.93	<=-40	Pass

802.11ac (VHT40)	MIMO			-20	20	-2.81	-28.41	<=-25	Pass
				0	20	25.60	/	/	/
				20	20	-2.41	-28.01	<=-25	Pass
				40	20	-25.82	-51.42	<=-40	Pass
		1		-80	40	-35.68	-53.79	<=-40	Pass
				-40	40	-14.46	-32.57	<=-25	Pass
				0	40	18.11	/	/	/
				40	40	-14.42	-32.53	<=-25	Pass
		2		80	40	-37.16	-55.27	<=-40	Pass
				-80	40	-33.70	-54.75	<=-40	Pass
				-40	40	-11.49	-32.54	<=-25	Pass
				0	40	21.05	/	/	/
		MIMO		40	40	-11.63	-32.68	<=-25	Pass
				80	40	-35.34	-56.39	<=-40	Pass
				-80	40	-31.57	-54.40	<=-40	Pass
				-40	40	-9.72	-32.55	<=-25	Pass
				0	40	22.83	/	/	/
				40	40	-9.79	-32.62	<=-25	Pass
				80	40	-33.15	-55.98	<=-40	Pass
				-80	40	-32.23	-51.91	<=-40	Pass
				-40	40	-13.04	-32.72	<=-25	Pass
		1		0	40	19.68	/	/	/
				40	40	-12.87	-32.55	<=-25	Pass
				80	40	-32.25	-51.93	<=-40	Pass
		2		-80	40	-31.34	-53.19	<=-40	Pass
				-40	40	-10.73	-32.58	<=-25	Pass
				0	40	21.85	/	/	/
				40	40	-11.01	-32.86	<=-25	Pass
		MIMO		80	40	-31.55	-53.40	<=-40	Pass
				-80	40	-28.75	-52.66	<=-40	Pass
				-40	40	-8.72	-32.63	<=-25	Pass
				0	40	23.91	/	/	/
				40	40	-8.83	-32.74	<=-25	Pass
				80	40	-28.88	-52.79	<=-40	Pass
		1		-80	40	-32.32	-53.81	<=-40	Pass
				-40	40	-12.04	-33.53	<=-25	Pass
				0	40	21.49	/	/	/
				40	40	-10.43	-31.92	<=-25	Pass
		2		80	40	-29.89	-51.38	<=-40	Pass
				-80	40	-31.26	-53.16	<=-40	Pass
				-40	40	-11.08	-32.98	<=-25	Pass
				0	40	21.90	/	/	/
		MIMO		40	40	-9.83	-31.73	<=-25	Pass
				80	40	-29.30	-51.20	<=-40	Pass
				-80	40	-28.75	-53.46	<=-40	Pass
				-40	40	-8.52	-33.23	<=-25	Pass
				0	40	24.71	/	/	/
				40	40	-7.11	-31.82	<=-25	Pass
				80	40	-26.57	-51.28	<=-40	Pass
		1		-80	40	-31.41	-53.70	<=-40	Pass
				-40	40	-11.17	-33.46	<=-25	Pass
				0	40	22.29	/	/	/
				40	40	-9.72	-32.01	<=-25	Pass
		2		80	40	-28.92	-51.21	<=-40	Pass
				-80	40	-30.97	-53.18	<=-40	Pass
				-40	40	-10.81	-33.02	<=-25	Pass
				0	40	22.21	/	/	/
				40	40	-10.08	-32.29	<=-25	Pass
				80	40	-28.76	-50.97	<=-40	Pass


802.11ac (VHT80)	MIMO		MIMO	-80	40	-28.17	-53.43	<=-40	Pass
				-40	40	-7.98	-33.24	<=-25	Pass
				0	40	25.26	/	/	/
				40	40	-6.89	-32.15	<=-25	Pass
				80	40	-25.83	-51.09	<=-40	Pass
		5530	1	-80	80	-18.69	-36.66	<=-25	Pass
				0	80	17.97	/	/	/
				80	80	-16.84	-34.81	<=-25	Pass
			2	-80	80	-15.82	-36.42	<=-25	Pass
				0	80	20.60	/	/	/
				80	80	-15.09	-35.69	<=-25	Pass
			MIMO	-80	80	-14.01	-36.50	<=-25	Pass
				0	80	22.49	/	/	/
				80	80	-12.87	-35.36	<=-25	Pass
		5610	1	-80	80	-17.06	-36.60	<=-25	Pass
				0	80	19.54	/	/	/
				80	80	-13.73	-33.27	<=-25	Pass
			2	-80	80	-15.43	-36.35	<=-25	Pass
				0	80	20.92	/	/	/
				80	80	-15.08	-36.00	<=-25	Pass
			MIMO	-80	80	-13.16	-36.45	<=-25	Pass
				0	80	23.29	/	/	/
				80	80	-11.34	-34.63	<=-25	Pass
		5690	1	-80	80	-15.24	-36.99	<=-25	Pass
				0	80	21.75	/	/	/
				80	80	-10.65	-32.40	<=-25	Pass
			2	-80	80	-15.11	-36.75	<=-25	Pass
				0	80	21.64	/	/	/
				80	80	-12.29	-33.93	<=-25	Pass
			MIMO	-80	80	-12.16	-36.87	<=-25	Pass
				0	80	24.71	/	/	/
				80	80	-8.38	-33.09	<=-25	Pass

4.2 Test Graph

4.2.1 ACLR_NTNV_SISO




802.11a_MCH_5600MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-32.53	-52.17	-40	12.17	Pass
Adjacent	-20	20.00	-10.82	-30.46	-25	5.46	Pass
Carrier	/	20.00	19.64	/	/	/	/
Adjacent	20	20.00	-11.81	-31.45	-25	6.45	Pass
Alternate	40	20.00	-32.29	-51.93	-40	11.93	Pass

802.11a_MCH_5600MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-31.98	-53.37	-40	13.37	Pass
Adjacent	-20	20.00	-10.40	-31.79	-25	6.79	Pass
Carrier	/	20.00	21.39	/	/	/	/
Adjacent	20	20.00	-11.42	-32.81	-25	7.81	Pass
Alternate	40	20.00	-31.86	-53.25	-40	13.25	Pass

802.11a_HCH_5700MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-30.18	-52.72	-40	12.72	Pass
Adjacent	-20	20.00	-8.16	-30.70	-25	5.70	Pass
Carrier	/	20.00	22.54	/	/	/	/
Adjacent	20	20.00	-7.96	-30.50	-25	5.50	Pass
Alternate	40	20.00	-29.88	-52.42	-40	12.42	Pass

802.11a_HCH_5700MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-29.34	-51.93	-40	11.93	Pass
Adjacent	-20	20.00	-9.48	-32.07	-25	7.07	Pass
Carrier	/	20.00	22.59	/	/	/	/
Adjacent	20	20.00	-9.75	-32.34	-25	7.34	Pass
Alternate	40	20.00	-29.10	-51.69	-40	11.69	Pass

802.11a_HHCH_5720MHz_Ant1_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-29.66	-52.40	-40	12.40	Pass
Adjacent	-20	20.00	-7.99	-30.73	-25	5.73	Pass
Carrier	/	20.00	22.74	/	/	/	/
Adjacent	20	20.00	-7.01	-29.75	-25	4.75	Pass
Alternate	40	20.00	-29.47	-52.21	-40	12.21	Pass


802.11a_HHCH_5720MHz_Ant2_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-29.05	-51.65	-40	11.65	Pass
Adjacent	-20	20.00	-9.26	-31.86	-25	6.86	Pass
Carrier	/	20.00	22.60	/	/	/	/
Adjacent	20	20.00	-9.25	-31.85	-25	6.85	Pass
Alternate	40	20.00	-28.91	-51.51	-40	11.51	Pass


4.2.2 ACLR_NTNV_MIMO

802.11n(HT20) LCH_5500MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-31.30	-53.04	-40	13.04	Pass
Adjacent	-20	20.00	-7.44	-29.18	-25	4.18	Pass
Carrier	/	20.00	21.74	/	/	/	/
Adjacent	20	20.00	-7.69	-29.43	-25	4.43	Pass
Alternate	40	20.00	-31.54	-53.28	-40	13.28	Pass

802.11n(HT20) LCH_5500MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-29.70	-53.93	-40	13.93	Pass
Adjacent	-20	20.00	-4.25	-28.48	-25	3.48	Pass
Carrier	/	20.00	24.23	/	/	/	/
Adjacent	20	20.00	-4.19	-28.42	-25	3.42	Pass
Alternate	40	20.00	-28.48	-52.71	-40	12.71	Pass

802.11n(HT20)_MCH_5600MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-27.68	-51.24	-40	11.24	Pass
Adjacent	-20	20.00	-4.76	-28.32	-25	3.32	Pass
Carrier	/	20.00	23.56	/	/	/	/
Adjacent	20	20.00	-4.99	-28.55	-25	3.55	Pass
Alternate	40	20.00	-28.18	-51.74	-40	11.74	Pass

802.11n(HT20)_MCH_5600MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-23.11	-48.19	-40	8.19	Pass
Adjacent	-20	20.00	-2.42	-27.50	-25	2.50	Pass
Carrier	/	20.00	25.08	/	/	/	/
Adjacent	20	20.00	-2.20	-27.28	-25	2.28	Pass
Alternate	40	20.00	-24.47	-49.55	-40	9.55	Pass

802.11n(HT20)_HCH_5700MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-31.39	-53.40	-40	13.40	Pass
Adjacent	-20	20.00	-7.26	-29.27	-25	4.27	Pass
Carrier	/	20.00	22.01	/	/	/	/
Adjacent	20	20.00	-7.13	-29.14	-25	4.14	Pass
Alternate	40	20.00	-30.51	-52.52	-40	12.52	Pass

802.11n(HT20)_HCH_5700MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-31.55	-53.34	-40	13.34	Pass
Adjacent	-20	20.00	-7.13	-28.92	-25	3.92	Pass
Carrier	/	20.00	21.79	/	/	/	/
Adjacent	20	20.00	-7.11	-28.90	-25	3.90	Pass
Alternate	40	20.00	-29.97	-51.76	-40	11.76	Pass

802.11n(HT20)_HHCH_5720MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-31.01	-53.32	-40	13.32	Pass
Adjacent	-20	20.00	-7.09	-29.40	-25	4.40	Pass
Carrier	/	20.00	22.31	/	/	/	/
Adjacent	20	20.00	-6.22	-28.53	-25	3.53	Pass
Alternate	40	20.00	-29.38	-51.69	-40	11.69	Pass

802.11n(HT20)_HHCH_5720MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-30.47	-52.76	-40	12.76	Pass
Adjacent	-20	20.00	-7.05	-29.34	-25	4.34	Pass
Carrier	/	20.00	22.29	/	/	/	/
Adjacent	20	20.00	-6.04	-28.33	-25	3.33	Pass
Alternate	40	20.00	-29.28	-51.57	-40	11.57	Pass

802.11n(HT40) LCH_5510MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-31.64	-49.44	-40	9.44	Pass
Adjacent	-40	40.00	-14.58	-32.38	-25	7.38	Pass
Carrier	/	40.00	17.80	/	/	/	/
Adjacent	40	40.00	-14.46	-32.26	-25	7.26	Pass
Alternate	80	40.00	-32.92	-50.72	-40	10.72	Pass

802.11n(HT40) LCH_5510MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-30.41	-51.34	-40	11.34	Pass
Adjacent	-40	40.00	-11.10	-32.03	-25	7.03	Pass
Carrier	/	40.00	20.93	/	/	/	/
Adjacent	40	40.00	-11.34	-32.27	-25	7.27	Pass
Alternate	80	40.00	-31.18	-52.11	-40	12.11	Pass

802.11n(HT40)_MCH_5590MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-32.12	-51.69	-40	11.69	Pass
Adjacent	-40	40.00	-12.70	-32.27	-25	7.27	Pass
Carrier	/	40.00	19.57	/	/	/	/
Adjacent	40	40.00	-12.50	-32.07	-25	7.07	Pass
Alternate	80	40.00	-32.14	-51.71	-40	11.71	Pass

802.11n(HT40)_MCH_5590MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-31.14	-52.74	-40	12.74	Pass
Adjacent	-40	40.00	-10.58	-32.18	-25	7.18	Pass
Carrier	/	40.00	21.60	/	/	/	/
Adjacent	40	40.00	-10.95	-32.55	-25	7.55	Pass
Alternate	80	40.00	-31.08	-52.68	-40	12.68	Pass

802.11n(HT40) HCH 5670MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-31.32	-52.96	-40	12.96	Pass
Adjacent	-40	40.00	-10.84	-32.48	-25	7.48	Pass
Carrier	/	40.00	21.64	/	/	/	/
Adjacent	40	40.00	-9.78	-31.42	-25	6.42	Pass
Alternate	80	40.00	-28.57	-50.21	-40	10.21	Pass

802.11n(HT40) HCH 5670MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-30.57	-52.56	-40	12.56	Pass
Adjacent	-40	40.00	-10.29	-32.28	-25	7.28	Pass
Carrier	/	40.00	21.99	/	/	/	/
Adjacent	40	40.00	-9.30	-31.29	-25	6.29	Pass
Alternate	80	40.00	-27.61	-49.60	-40	9.60	Pass

802.11n(HT40)_HHCH_5710MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-31.07	-53.53	-40	13.53	Pass
Adjacent	-40	40.00	-9.91	-32.37	-25	7.37	Pass
Carrier	/	40.00	22.46	/	/	/	/
Adjacent	40	40.00	-8.34	-30.80	-25	5.80	Pass
Alternate	80	40.00	-27.41	-49.87	-40	9.87	Pass

802.11n(HT40)_HHCH_5710MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-28.37	-50.93	-40	10.93	Pass
Adjacent	-40	40.00	-9.64	-32.20	-25	7.20	Pass
Carrier	/	40.00	22.56	/	/	/	/
Adjacent	40	40.00	-8.54	-31.10	-25	6.10	Pass
Alternate	80	40.00	-24.47	-47.03	-40	7.03	Pass

802.11ac(VHT20) LCH_5500MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-35.36	-52.91	-40	12.91	Pass
Adjacent	-20	20.00	-11.13	-28.68	-25	3.68	Pass
Carrier	/	20.00	17.55	/	/	/	/
Adjacent	20	20.00	-11.65	-29.20	-25	4.20	Pass
Alternate	40	20.00	-36.32	-53.87	-40	13.87	Pass

802.11ac(VHT20) LCH_5500MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-34.68	-54.88	-40	14.88	Pass
Adjacent	-20	20.00	-8.62	-28.82	-25	3.82	Pass
Carrier	/	20.00	20.20	/	/	/	/
Adjacent	20	20.00	-9.14	-29.34	-25	4.34	Pass
Alternate	40	20.00	-35.52	-55.72	-40	15.72	Pass

802.11ac(VHT20)_MCH_5600MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-32.49	-52.17	-40	12.17	Pass
Adjacent	-20	20.00	-9.62	-29.30	-25	4.30	Pass
Carrier	/	20.00	19.68	/	/	/	/
Adjacent	20	20.00	-9.32	-29.00	-25	4.00	Pass
Alternate	40	20.00	-32.30	-51.98	-40	11.98	Pass

802.11ac(VHT20)_MCH_5600MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-32.17	-53.22	-40	13.22	Pass
Adjacent	-20	20.00	-7.60	-28.65	-25	3.65	Pass
Carrier	/	20.00	21.05	/	/	/	/
Adjacent	20	20.00	-7.87	-28.92	-25	3.92	Pass
Alternate	40	20.00	-32.14	-53.19	-40	13.19	Pass

802.11ac(VHT20) HCH_5700MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-31.00	-53.41	-40	13.41	Pass
Adjacent	-20	20.00	-6.14	-28.55	-25	3.55	Pass
Carrier	/	20.00	22.41	/	/	/	/
Adjacent	20	20.00	-6.43	-28.84	-25	3.84	Pass
Alternate	40	20.00	-29.81	-52.22	-40	12.22	Pass

802.11ac(VHT20) HCH_5700MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-30.74	-53.10	-40	13.10	Pass
Adjacent	-20	20.00	-6.38	-28.74	-25	3.74	Pass
Carrier	/	20.00	22.36	/	/	/	/
Adjacent	20	20.00	-6.28	-28.64	-25	3.64	Pass
Alternate	40	20.00	-29.49	-51.85	-40	11.85	Pass

802.11ac(VHT20)_HHCH_5720MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-30.53	-53.17	-40	13.17	Pass
Adjacent	-20	20.00	-5.87	-28.51	-25	3.51	Pass
Carrier	/	20.00	22.64	/	/	/	/
Adjacent	20	20.00	-5.54	-28.18	-25	3.18	Pass
Alternate	40	20.00	-29.23	-51.87	-40	11.87	Pass

802.11ac(VHT20)_HHCH_5720MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-30.16	-52.69	-40	12.69	Pass
Adjacent	-20	20.00	-5.78	-28.31	-25	3.31	Pass
Carrier	/	20.00	22.53	/	/	/	/
Adjacent	20	20.00	-5.30	-27.83	-25	2.83	Pass
Alternate	40	20.00	-28.47	-51.00	-40	11.00	Pass

802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-35.68	-53.79	-40	13.79	Pass
Adjacent	-40	40.00	-14.46	-32.57	-25	7.57	Pass
Carrier	/	40.00	18.11	/	/	/	/
Adjacent	40	40.00	-14.42	-32.53	-25	7.53	Pass
Alternate	80	40.00	-37.16	-55.27	-40	15.27	Pass

802.11ac(VHT40)_LCH_5510MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-33.70	-54.75	-40	14.75	Pass
Adjacent	-40	40.00	-11.49	-32.54	-25	7.54	Pass
Carrier	/	40.00	21.05	/	/	/	/
Adjacent	40	40.00	-11.63	-32.68	-25	7.68	Pass
Alternate	80	40.00	-35.34	-56.39	-40	16.39	Pass

802.11ac(VHT40) MCH_5590MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-32.23	-51.91	-40	11.91	Pass
Adjacent	-40	40.00	-13.04	-32.72	-25	7.72	Pass
Carrier	/	40.00	19.68	/	/	/	/
Adjacent	40	40.00	-12.87	-32.55	-25	7.55	Pass
Alternate	80	40.00	-32.25	-51.93	-40	11.93	Pass

802.11ac(VHT40) MCH_5590MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-31.34	-53.19	-40	13.19	Pass
Adjacent	-40	40.00	-10.73	-32.58	-25	7.58	Pass
Carrier	/	40.00	21.85	/	/	/	/
Adjacent	40	40.00	-11.01	-32.86	-25	7.86	Pass
Alternate	80	40.00	-31.55	-53.40	-40	13.40	Pass

802.11ac(VHT40) HCH_5670MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-32.32	-53.81	-40	13.81	Pass
Adjacent	-40	40.00	-12.04	-33.53	-25	8.53	Pass
Carrier	/	40.00	21.49	/	/	/	/
Adjacent	40	40.00	-10.43	-31.92	-25	6.92	Pass
Alternate	80	40.00	-29.89	-51.38	-40	11.38	Pass

802.11ac(VHT40) HCH_5670MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-31.26	-53.16	-40	13.16	Pass
Adjacent	-40	40.00	-11.08	-32.98	-25	7.98	Pass
Carrier	/	40.00	21.90	/	/	/	/
Adjacent	40	40.00	-9.83	-31.73	-25	6.73	Pass
Alternate	80	40.00	-29.30	-51.20	-40	11.20	Pass

802.11ac(VHT40)_HHCH_5710MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-31.41	-53.70	-40	13.70	Pass
Adjacent	-40	40.00	-11.17	-33.46	-25	8.46	Pass
Carrier	/	40.00	22.29	/	/	/	/
Adjacent	40	40.00	-9.72	-32.01	-25	7.01	Pass
Alternate	80	40.00	-28.92	-51.21	-40	11.21	Pass

802.11ac(VHT40)_HHCH_5710MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-30.97	-53.18	-40	13.18	Pass
Adjacent	-40	40.00	-10.81	-33.02	-25	8.02	Pass
Carrier	/	40.00	22.21	/	/	/	/
Adjacent	40	40.00	-10.08	-32.29	-25	7.29	Pass
Alternate	80	40.00	-28.76	-50.97	-40	10.97	Pass

802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Adjacent	-80	80.00	-18.69	-36.66	-25	11.66	Pass
Carrier	/	80.00	17.97	/	/	/	/
Adjacent	80	80.00	-16.84	-34.81	-25	9.81	Pass

802.11ac(VHT80)_LCH_5530MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Adjacent	-80	80.00	-15.82	-36.42	-25	11.42	Pass
Carrier	/	80.00	20.60	/	/	/	/
Adjacent	80	80.00	-15.09	-35.69	-25	10.69	Pass

802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Adjacent	-80	80.00	-17.06	-36.60	-25	11.60	Pass
Carrier	/	80.00	19.54	/	/	/	/
Adjacent	80	80.00	-13.73	-33.27	-25	8.27	Pass

802.11ac(VHT80)_HCH_5610MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Adjacent	-80	80.00	-15.43	-36.35	-25	11.35	Pass
Carrier	/	80.00	20.92	/	/	/	/
Adjacent	80	80.00	-15.08	-36.00	-25	11.00	Pass

802.11ac(VHT80)_HHCH_5690MHz_Ant1_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Adjacent	-80	80.00	-15.24	-36.99	-25	11.99	Pass
Carrier	/	80.00	21.75	/	/	/	/
Adjacent	80	80.00	-10.65	-32.40	-25	7.40	Pass

802.11ac(VHT80)_HHCH_5690MHz_Ant2_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Adjacent	-80	80.00	-15.11	-36.75	-25	11.75	Pass
Carrier	/	80.00	21.64	/	/	/	/
Adjacent	80	80.00	-12.29	-33.93	-25	8.93	Pass

5. Out Of Bands Leakage Power

5.1 Test Result

5.1.1 OOB_NTNV_SISO

NTNV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (uW /MHz)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK EIRP (dBm /MHz)	PK EIRP (uW /MHz)	AV EIRP (dBm /MHz)	AV EIRP (uW /MHz)		
802.11a	SISO	5500	1	5460	5470	5463.35	-42.02	0.063	/	/	12.5	Pass
				5745	5765	5757.88	-42.49	0.056	/	/	12.5	Pass
			2	5460	5470	5468.13	-40.84	0.082	/	/	12.5	Pass
				5745	5765	5763.28	-41.78	0.066	/	/	12.5	Pass
		5600	1	5460	5470	5464.2	-38.65	0.136	/	/	12.5	Pass
				5745	5765	5760.06	-37.58	0.175	/	/	12.5	Pass
			2	5460	5470	5461.27	-38.89	0.129	/	/	12.5	Pass
				5745	5765	5762.52	-38.30	0.148	/	/	12.5	Pass
		5700	1	5460	5470	5460.52	-38.70	0.135	/	/	12.5	Pass
				5745	5765	5746.96	-38.14	0.153	/	/	12.5	Pass
			2	5460	5470	5465.02	-38.46	0.143	/	/	12.5	Pass
				5745	5765	5749.28	-37.03	0.198	/	/	12.5	Pass
		5720	1	5460	5470	5463.81	-39.16	0.121	/	/	12.5	Pass
				5745	5765	5745.24	-27.37	1.832	/	/	12.5	Pass
			2	5460	5470	5468.78	-38.98	0.126	/	/	12.5	Pass
				5745	5765	5745.22	-26.44	2.270	/	/	12.5	Pass


5.1.2 OOB_NTNV_MIMO



NTNV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (uW /MHz)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK EIRP (dBm /MHz)	PK EIRP (uW /MHz)	AV EIRP (dBm /MHz)	AV EIRP (uW /MHz)		
802.11n (HT20)	MIMO	5500	1	/	/	/	/	/	/	/	/	Pass
				/	/	/	/	/	/	/	/	Pass
			MIMO	5460	5470	5467.09	-29.99	1.003	/	/	12.5	Pass
				5745	5765	5752.62	-36.35	0.232	/	/	12.5	Pass
		5600	1	/	/	/	/	/	/	/	/	Pass
				/	/	/	/	/	/	/	/	Pass
			MIMO	5460	5470	5460.62	-37.05	0.197	/	/	12.5	Pass
				5745	5765	5747.28	-36.67	0.215	/	/	12.5	Pass
		5700	1	/	/	/	/	/	/	/	/	Pass
				/	/	/	/	/	/	/	/	Pass
			MIMO	5460	5470	5462.16	-36.30	0.235	/	/	12.5	Pass
				5745	5765	5747.18	-35.47	0.283	/	/	12.5	Pass
		5720	1	/	/	/	/	/	/	/	/	Pass
				/	/	/	/	/	/	/	/	Pass
			MIMO	5460	5470	5462.26	-37.12	0.194	/	/	12.5	Pass
				5745	5765	5745.08	-24.41	3.618	/	/	12.5	Pass
802.11n (HT40)	MIMO	5510	1	/	/	/	/	/	/	/	/	Pass
			2	/	/	/	/	/	/	/	/	Pass



		5590	1	/	/	/	/	/	/	/	Pass	
			2	/	/	/	/	/	/	/	Pass	
			MIMO	5460	5470	5460.98	-39.20	0.120	/	/	50	Pass
		5670	1	/	/	/	/	/	/	/	/	Pass
			2	/	/	/	/	/	/	/	/	Pass
			MIMO	5460	5470	5460.01	-40.54	0.088	/	/	50	Pass
		5710	1	/	/	/	/	/	/	/	/	Pass
			2	/	/	/	/	/	/	/	/	Pass
			MIMO	5460	5470	5464.84	-40.57	0.088	/	/	50	Pass
802.11ac (VHT20)	MIMO	5500	1	/	/	/	/	/	/	/	Pass	
			2	/	/	/	/	/	/	/	/	Pass
			MIMO	5460	5470	5467.11	-38.88	0.129	/	/	12.5	Pass
		5600	5745	5765	5746.94	-40.07	0.098	/	/	12.5	Pass	
			1	/	/	/	/	/	/	/	/	Pass
			2	/	/	/	/	/	/	/	/	Pass
			MIMO	5460	5470	5460.03	-36.63	0.217	/	/	12.5	Pass
		5700	5745	5765	5762.08	-35.97	0.253	/	/	12.5	Pass	
			1	/	/	/	/	/	/	/	/	Pass
			2	/	/	/	/	/	/	/	/	Pass
			MIMO	5460	5470	5462.5	-36.75	0.211	/	/	12.5	Pass
		5720	5745	5765	5751.88	-35.81	0.262	/	/	12.5	Pass	
			1	/	/	/	/	/	/	/	/	Pass
			2	/	/	/	/	/	/	/	/	Pass
			MIMO	5460	5470	5464.77	-36.69	0.214	/	/	12.5	Pass
			5745	5765	5745.02	-23.88	4.091	/	/	12.5	Pass	
802.11ac (VHT40)	MIMO	5510	1	/	/	/	/	/	/	/	Pass	
			2	/	/	/	/	/	/	/	Pass	
			MIMO	5460	5470	5469.69	-32.27	0.593	/	/	50	Pass
		5590	1	/	/	/	/	/	/	/	/	Pass
			2	/	/	/	/	/	/	/	/	Pass
			MIMO	5460	5470	5461.04	-40.05	0.099	/	/	50	Pass
		5670	1	/	/	/	/	/	/	/	/	Pass
			2	/	/	/	/	/	/	/	/	Pass
			MIMO	5460	5470	5468.93	-40.75	0.084	/	/	50	Pass
		5710	1	/	/	/	/	/	/	/	/	Pass
			2	/	/	/	/	/	/	/	/	Pass
			MIMO	5460	5470	5460.12	-39.57	0.111	/	/	50	Pass
802.11ac (VHT80)	MIMO	5530	1	/	/	/	/	/	/	/	Pass	
			2	/	/	/	/	/	/	/	Pass	
			MIMO	5460	5469.5	5469.339	-33.18	0.481	/	/	50	Pass
		5610	5469.5	5470	5469.951	-32.01	0.630	/	/	51.2	Pass	
			1	/	/	/	/	/	/	/	Pass	
			2	/	/	/	/	/	/	/	Pass	
			MIMO	5460	5469.5	5466.888	-42.11	0.061	/	/	50	Pass
		5690	5469.5	5470	5469.5	-41.43	0.072	/	/	51.2	Pass	
			1	/	/	/	/	/	/	/	Pass	
2	/		/	/	/	/	/	/	Pass			
			MIMO	5460	5469.5	5460.57	-40.36	0.092	/	/	50	Pass
				5469.5	5470	5469.914	-38.83	0.131	/	/	51.2	Pass



5.2 Test Graph



5.2.1 OOB_NTNV_SISO
































5.2.2 OOB_NTNV_MIMO






















































































802.11ac(VHT20)_HHCH_5720MHz_MIMO_NTNV







802.11ac(VHT20)_HHCH_5720MHz_MIMO_NTNV







Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5460	5470	1	1	5464.770	-40.20	/	MIMO	-36.69	/	-19.03	Pass
5460	5470	1	1	5464.770	-40.20	/	MIMO	-36.69	/	-19.03	Pass
5745	5765	1	1	5745.020	-27.39	/	MIMO	-23.88	/	-19.03	Pass
5745	5765	1	1	5745.020	-27.39	/	MIMO	-23.88	/	-19.03	Pass























802.11ac(VHT40)_HHCH_5710MHz_MIMO_NTNV







802.11ac(VHT40)_HHCH_5710MHz_MIMO_NTNV







Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5460	5470	1	1	5460.120	-43.07	/	MIMO	-39.57	/	-13.01	Pass
5460	5470	1	1	5460.120	-43.07	/	MIMO	-39.57	/	-13.01	Pass













802.11ac(VHT80)_HHCH_5690MHz_MIMO_NTNV



802.11ac(VHT80)_HHCH_5690MHz_MIMO_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5460	5469.5	1	1	5460.570	-43.87	/	MIMO	-40.36	/	-13.01	Pass
5460	5469.5	1	1	5460.570	-43.87	/	MIMO	-40.36	/	-13.01	Pass
5469.5	5470	1	1	5469.914	-42.35	/	MIMO	-38.83	/	-12.91	Pass
5469.5	5470	1	1	5469.914	-42.35	/	MIMO	-38.83	/	-12.91	Pass

6. Transmission Burst Length

6.1 Test Result

6.1.1 Ant1_NTNV

Ant1_NTNV					
Mode	TX Type	Frequency (MHz)	Burst Length (ms)		Verdict
			Result	Limit	
802.11a	SISO	5500	1.363	<=8	Pass
		5600	1.363	<=8	Pass
		5700	1.363	<=8	Pass
		5720	1.363	<=8	Pass
802.11n (HT20)	MIMO	5500	1.276	<=8	Pass
		5600	1.276	<=8	Pass
		5700	1.276	<=8	Pass
		5720	1.275	<=8	Pass
802.11n (HT40)	MIMO	5510	0.635	<=8	Pass
		5590	0.635	<=8	Pass
		5670	0.635	<=8	Pass
		5710	0.635	<=8	Pass
802.11ac (VHT20)	MIMO	5500	1.279	<=8	Pass
		5600	1.279	<=8	Pass
		5700	1.279	<=8	Pass
		5720	1.279	<=8	Pass
802.11ac (VHT40)	MIMO	5510	0.639	<=8	Pass
		5590	0.639	<=8	Pass
		5670	0.639	<=8	Pass
		5710	0.639	<=8	Pass
802.11ac (VHT80)	MIMO	5530	0.319	<=8	Pass
		5610	0.319	<=8	Pass
		5690	0.319	<=8	Pass


6.1.2 Ant2_NTNV



Ant2_NTNV					
Mode	TX Type	Frequency (MHz)	Burst Length (ms)		Verdict
			Result	Limit	
802.11a	SISO	5500	1.363	<=8	Pass
		5600	1.363	<=8	Pass
		5700	1.363	<=8	Pass
		5720	1.363	<=8	Pass
802.11n (HT20)	MIMO	5500	1.276	<=8	Pass
		5600	1.276	<=8	Pass
		5700	1.275	<=8	Pass
		5720	1.276	<=8	Pass
802.11n (HT40)	MIMO	5510	0.635	<=8	Pass
		5590	0.635	<=8	Pass
		5670	0.635	<=8	Pass
		5710	0.635	<=8	Pass
802.11ac (VHT20)	MIMO	5500	1.279	<=8	Pass
		5600	1.279	<=8	Pass
		5700	1.279	<=8	Pass
		5720	1.279	<=8	Pass



802.11ac (VHT40)	MIMO	5510	0.639	<=8	Pass
		5590	0.639	<=8	Pass
		5670	0.639	<=8	Pass
		5710	0.639	<=8	Pass
802.11ac (VHT80)	MIMO	5530	0.319	<=8	Pass
		5610	0.319	<=8	Pass
		5690	0.319	<=8	Pass



6.2 Test Graph



6.2.1 Ant1_NTNV






































6.2.2 Ant2_NTNV

