

Appendix B - LTE Band 26

RF Output Power Tolerance

Test Result

Condition	Band	Channel Bandwidth	Modulation	Channel	RB Configure	Power (dBm)	DecPower (dBm)	Tol (%)	Limit (%)	Verdict
NTNV	Band26	3MHz	QPSK	26715	1RB#0	22.98	23	-0.46	-79 to 87	PASS
NTNV	Band26	3MHz	QPSK	26715	1RB#14	22.96	23	-0.92	-79 to 87	PASS
NTNV	Band26	3MHz	QPSK	26715	7RB#3	22.95	23	-1.14	-79 to 87	PASS
NTNV	Band26	3MHz	QPSK	26715	15RB#0	22.03	23	-20.02	-79 to 87	PASS
NTNV	Band26	3MHz	QPSK	26850	1RB#0	23.21	23	4.95	-79 to 87	PASS
NTNV	Band26	3MHz	QPSK	26850	1RB#14	23.22	23	5.2	-79 to 87	PASS
NTNV	Band26	3MHz	QPSK	26850	7RB#3	23.26	23	6.17	-79 to 87	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	22.27	23	-15.47	-79 to 87	PASS
NTNV	Band26	3MHz	QPSK	26985	1RB#0	22.97	23	-0.69	-79 to 87	PASS
NTNV	Band26	3MHz	QPSK	26985	1RB#14	22.88	23	-2.73	-79 to 87	PASS
NTNV	Band26	3MHz	QPSK	26985	7RB#3	22.97	23	-0.69	-79 to 87	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	22.07	23	-19.28	-79 to 87	PASS
NTNV	Band26	5MHz	QPSK	26725	1RB#0	22.98	23	-0.46	-79 to 87	PASS
NTNV	Band26	5MHz	QPSK	26725	1RB#24	22.95	23	-1.14	-79 to 87	PASS
NTNV	Band26	5MHz	QPSK	26725	12RB#6	22.17	23	-17.4	-79 to 87	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	22.15	23	-17.78	-79 to 87	PASS
NTNV	Band26	5MHz	QPSK	26850	1RB#0	23.10	23	2.33	-79 to 87	PASS
NTNV	Band26	5MHz	QPSK	26850	1RB#24	23.11	23	2.57	-79 to 87	PASS
NTNV	Band26	5MHz	QPSK	26850	12RB#6	22.34	23	-14.1	-79 to 87	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	22.31	23	-14.69	-79 to 87	PASS
NTNV	Band26	5MHz	QPSK	26975	1RB#0	22.96	23	-0.92	-79 to 87	PASS
NTNV	Band26	5MHz	QPSK	26975	1RB#24	22.83	23	-3.84	-79 to 87	PASS
NTNV	Band26	5MHz	QPSK	26975	12RB#6	22.09	23	-18.9	-79 to 87	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	22.06	23	-19.46	-79 to 87	PASS
NTNV	Band26	10MHz	QPSK	26750	1RB#0	23.06	23	1.39	-79 to 87	PASS
NTNV	Band26	10MHz	QPSK	26750	1RB#49	23.16	23	3.75	-79 to 87	PASS
NTNV	Band26	10MHz	QPSK	26750	25RB#12	22.17	23	-17.4	-79 to 87	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	22.20	23	-16.82	-79 to 87	PASS
NTNV	Band26	10MHz	QPSK	26850	1RB#0	23.24	23	5.68	-79 to 87	PASS
NTNV	Band26	10MHz	QPSK	26850	1RB#49	23.22	23	5.2	-79 to 87	PASS
NTNV	Band26	10MHz	QPSK	26850	25RB#12	22.33	23	-14.3	-79 to 87	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	22.27	23	-15.47	-79 to 87	PASS

NTNV	Band26	10MHz	QPSK	26950	1RB#0	23.13	23	3.04	-79 to 87	PASS
NTNV	Band26	10MHz	QPSK	26950	1RB#49	23.04	23	0.93	-79 to 87	PASS
NTNV	Band26	10MHz	QPSK	26950	25RB#12	22.21	23	-16.63	-79 to 87	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	22.06	23	-19.46	-79 to 87	PASS
NTNV	Band26	15MHz	QPSK	26775	1RB#0	22.94	23	-1.37	-79 to 87	PASS
NTNV	Band26	15MHz	QPSK	26775	1RB#74	23.04	23	0.93	-79 to 87	PASS
NTNV	Band26	15MHz	QPSK	26775	36RB#37	22.22	23	-16.44	-79 to 87	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	22.13	23	-18.15	-79 to 87	PASS
NTNV	Band26	15MHz	QPSK	26850	1RB#0	23.12	23	2.8	-79 to 87	PASS
NTNV	Band26	15MHz	QPSK	26850	1RB#74	23.14	23	3.28	-79 to 87	PASS
NTNV	Band26	15MHz	QPSK	26850	36RB#37	22.29	23	-15.08	-79 to 87	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	22.31	23	-14.69	-79 to 87	PASS
NTNV	Band26	15MHz	QPSK	26925	1RB#0	23.08	23	1.86	-79 to 87	PASS
NTNV	Band26	15MHz	QPSK	26925	1RB#74	22.90	23	-2.28	-79 to 87	PASS
NTNV	Band26	15MHz	QPSK	26925	36RB#37	22.12	23	-18.34	-79 to 87	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	22.22	23	-16.44	-79 to 87	PASS

Occupied Bandwidth

Test Result

Condition	Band	Channel Bandwidth	Modulation	Channel	RB Configure	Result (MHz)	Limit (MHz)	Verdict
NTNV	Band26	3MHz	QPSK	26715	15RB#0	2.6801	3	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	2.6804	3	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	2.6847	3	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	4.4646	5	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	4.4773	5	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	4.4655	5	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	8.9438	10	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	8.9376	10	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	8.9370	10	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	13.437	15	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	13.426	15	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	13.416	15	PASS

Frequency Tolerance

Test Result

Condition	Band	Channel Bandwidth	Modulation	Channel	RB Configure	Result (Hz)	Limit (Hz)	Verdict
Normal	Band26	3MHz	QPSK	26715	15RB#0	-4.8	96.65	PASS
High temperature	Band26	3MHz	QPSK	26715	15RB#0	-7.3	96.65	PASS
Low temperature	Band26	3MHz	QPSK	26715	15RB#0	-6.8	96.65	PASS
Vibration	Band26	3MHz	QPSK	26715	15RB#0	-8.5	96.65	PASS
Humidity	Band26	3MHz	QPSK	26715	15RB#0	-9.3	96.65	PASS
Normal	Band26	3MHz	QPSK	26850	15RB#0	-6.5	98	PASS
High temperature	Band26	3MHz	QPSK	26850	15RB#0	-6.7	98	PASS
Low temperature	Band26	3MHz	QPSK	26850	15RB#0	-3.8	98	PASS
Vibration	Band26	3MHz	QPSK	26850	15RB#0	-6.9	98	PASS
Humidity	Band26	3MHz	QPSK	26850	15RB#0	-9.5	98	PASS
Normal	Band26	3MHz	QPSK	26985	15RB#0	-4.5	99.35	PASS
High temperature	Band26	3MHz	QPSK	26985	15RB#0	-6.2	99.35	PASS
Low temperature	Band26	3MHz	QPSK	26985	15RB#0	-8.5	99.35	PASS
Vibration	Band26	3MHz	QPSK	26985	15RB#0	-6.5	99.35	PASS
Humidity	Band26	3MHz	QPSK	26985	15RB#0	-8.1	99.35	PASS
Normal	Band26	5MHz	QPSK	26725	25RB#0	-7.5	96.75	PASS
High temperature	Band26	5MHz	QPSK	26725	25RB#0	-6.3	96.75	PASS
Low temperature	Band26	5MHz	QPSK	26725	25RB#0	-8.6	96.75	PASS
Vibration	Band26	5MHz	QPSK	26725	25RB#0	-8.6	96.75	PASS
Humidity	Band26	5MHz	QPSK	26725	25RB#0	-5.2	96.75	PASS
Normal	Band26	5MHz	QPSK	26850	25RB#0	-7.5	98	PASS
High temperature	Band26	5MHz	QPSK	26850	25RB#0	-9.4	98	PASS
Low temperature	Band26	5MHz	QPSK	26850	25RB#0	-4.9	98	PASS
Vibration	Band26	5MHz	QPSK	26850	25RB#0	-8.2	98	PASS
Humidity	Band26	5MHz	QPSK	26850	25RB#0	-2.6	98	PASS
Normal	Band26	5MHz	QPSK	26975	25RB#0	-7.3	99.25	PASS
High temperature	Band26	5MHz	QPSK	26975	25RB#0	-2.6	99.25	PASS
Low temperature	Band26	5MHz	QPSK	26975	25RB#0	-5.8	99.25	PASS
Vibration	Band26	5MHz	QPSK	26975	25RB#0	-11.1	99.25	PASS
Humidity	Band26	5MHz	QPSK	26975	25RB#0	-6.5	99.25	PASS
Normal	Band26	10MHz	QPSK	26750	25RB#0	-9.8	97	PASS
High temperature	Band26	10MHz	QPSK	26750	25RB#0	-8.7	97	PASS
Low temperature	Band26	10MHz	QPSK	26750	25RB#0	-4.8	97	PASS
Vibration	Band26	10MHz	QPSK	26750	25RB#0	-8.2	97	PASS

Humidity	Band26	10MHz	QPSK	26750	25RB#0	-10.5	97	PASS
Normal	Band26	10MHz	QPSK	26850	25RB#0	-3.8	98	PASS
High temperature	Band26	10MHz	QPSK	26850	25RB#0	-4.8	98	PASS
Low temperature	Band26	10MHz	QPSK	26850	25RB#0	-11.3	98	PASS
Vibration	Band26	10MHz	QPSK	26850	25RB#0	-4.4	98	PASS
Humidity	Band26	10MHz	QPSK	26850	25RB#0	-11.7	98	PASS
Normal	Band26	10MHz	QPSK	26950	25RB#0	-6.9	99	PASS
High temperature	Band26	10MHz	QPSK	26950	25RB#0	-7.4	99	PASS
Low temperature	Band26	10MHz	QPSK	26950	25RB#0	-9.5	99	PASS
Vibration	Band26	10MHz	QPSK	26950	25RB#0	-9.7	99	PASS
Humidity	Band26	10MHz	QPSK	26950	25RB#0	-7.5	99	PASS
Normal	Band26	15MHz	QPSK	26775	75RB#0	-4.7	97.25	PASS
High temperature	Band26	15MHz	QPSK	26775	75RB#0	-8.2	97.25	PASS
Low temperature	Band26	15MHz	QPSK	26775	75RB#0	-8.1	97.25	PASS
Vibration	Band26	15MHz	QPSK	26775	75RB#0	-7.7	97.25	PASS
Humidity	Band26	15MHz	QPSK	26775	75RB#0	-6.2	97.25	PASS
Normal	Band26	15MHz	QPSK	26850	75RB#0	-5	98	PASS
High temperature	Band26	15MHz	QPSK	26850	75RB#0	-9.5	98	PASS
Low temperature	Band26	15MHz	QPSK	26850	75RB#0	-7.4	98	PASS
Vibration	Band26	15MHz	QPSK	26850	75RB#0	-4.3	98	PASS
Humidity	Band26	15MHz	QPSK	26850	75RB#0	-9.9	98	PASS
Normal	Band26	15MHz	QPSK	26925	75RB#0	-2.3	98.75	PASS
High temperature	Band26	15MHz	QPSK	26925	75RB#0	-8.7	98.75	PASS
Low temperature	Band26	15MHz	QPSK	26925	75RB#0	-5.9	98.75	PASS
Vibration	Band26	15MHz	QPSK	26925	75RB#0	-5	98.75	PASS
Humidity	Band26	15MHz	QPSK	26925	75RB#0	-4.4	98.75	PASS

Unwanted Emission Strength / Spurious Emission (1)

Test Result

Condition	Band	Channel Bandwidth	Modulation	Channel	RB Configure	Start Frequency	Stop Frequency	Freq (MHz)	Result	Limit	Verdict
NTNV	Band26	3MHz	QPSK	26715	15RB#0	-7.50	-6.50	809.95	-41.90dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	3MHz	QPSK	26715	15RB#0	-6.50	-2.50	814.00	-19.88dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	3MHz	QPSK	26715	15RB#0	-2.50	-1.50	814.99	-29.95dBm	-11.50dBm/30.00kHz	PASS
NTNV	Band26	3MHz	QPSK	26715	15RB#0	1.50	2.50	818.01	-29.71dBm	-11.50dBm/30.00kHz	PASS
NTNV	Band26	3MHz	QPSK	26715	15RB#0	2.50	6.50	819.02	-18.16dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	3MHz	QPSK	26715	15RB#0	6.50	7.50	823.41	-39.39dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	-7.50	-6.50	823.50	-40.12dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	-6.50	-2.50	827.50	-19.98dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	-2.50	-1.50	828.50	-29.93dBm	-11.50dBm/30.00kHz	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	1.50	2.50	831.50	-30.25dBm	-11.50dBm/30.00kHz	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	2.50	6.50	832.50	-19.38dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	6.50	7.50	836.51	-40.56dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	-7.50	-6.50	836.99	-39.86dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	-6.50	-2.50	841.00	-19.89dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	-2.50	-1.50	842.00	-29.87dBm	-11.50dBm/30.00kHz	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	1.50	2.50	845.00	-30.29dBm	-11.50dBm/30.00kHz	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	2.50	6.50	846.00	-19.42dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	6.50	7.50	850.00	-40.70dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	-12.50	-8.50	809.00	-42.91dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	-8.50	-7.50	810.00	-37.45dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	-7.50	-3.50	814.00	-21.48dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	-3.50	-2.50	815.00	-32.53dBm	-13.50dBm/30.00kHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	2.50	3.50	820.01	-31.53dBm	-13.50dBm/30.00kHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	3.50	7.50	821.00	-19.55dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	7.50	8.50	825.01	-35.04dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	8.50	12.50	826.04	-37.38dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	-12.50	-8.50	821.50	-38.06dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	-8.50	-7.50	822.49	-35.46dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	-7.50	-3.50	826.50	-21.24dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	-3.50	-2.50	827.50	-32.04dBm	-13.50dBm/30.00kHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	2.50	3.50	832.50	-32.32dBm	-13.50dBm/30.00kHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	3.50	7.50	833.52	-20.19dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	7.50	8.50	837.50	-35.71dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	8.50	12.50	838.52	-37.93dBm	-23.50dBm/1MHz	PASS

NTNV	Band26	5MHz	QPSK	26975	25RB#0	-12.50	-8.50	834.00	-37.54dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	-8.50	-7.50	835.00	-35.27dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	-7.50	-3.50	839.00	-20.92dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	-3.50	-2.50	839.99	-32.00dBm	-13.50dBm/30.00kHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	2.50	3.50	845.02	-32.26dBm	-13.50dBm/30.00kHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	3.50	7.50	846.00	-20.63dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	7.50	8.50	850.01	-35.72dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	8.50	12.50	851.04	-38.39dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	-20.00	-15.00	802.35	-48.86dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	-15.00	-10.00	809.97	-30.12dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	-10.00	-6.00	813.98	-23.29dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	-6.00	-5.00	815.00	-36.54dBm	-16.50dBm/30.00kHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	5.00	6.00	825.03	-35.58dBm	-16.50dBm/30.00kHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	6.00	10.00	826.00	-21.67dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	10.00	15.00	830.00	-25.88dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	15.00	20.00	835.03	-38.78dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	-20.00	-15.00	814.95	-39.64dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	-15.00	-10.00	819.95	-28.69dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	-10.00	-6.00	824.00	-23.91dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	-6.00	-5.00	824.99	-37.01dBm	-16.50dBm/30.00kHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	5.00	6.00	835.00	-35.76dBm	-16.50dBm/30.00kHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	6.00	10.00	836.02	-21.86dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	10.00	15.00	840.00	-25.05dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	15.00	20.00	845.03	-38.88dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	-20.00	-15.00	824.87	-39.50dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	-15.00	-10.00	830.00	-26.28dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	-10.00	-6.00	833.98	-22.29dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	-6.00	-5.00	835.00	-35.48dBm	-16.50dBm/30.00kHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	5.00	6.00	845.04	-36.04dBm	-16.50dBm/30.00kHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	6.00	10.00	846.02	-22.43dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	10.00	15.00	850.00	-27.67dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	15.00	20.00	855.00	-47.91dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	-27.50	-22.50	796.22	-48.76dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	-22.50	-12.50	810.00	-30.53dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	-12.50	-8.50	813.98	-25.03dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	-8.50	-7.50	814.92	-38.38dBm	-18.50dBm/30.00kHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	7.50	8.50	830.01	-37.84dBm	-18.50dBm/30.00kHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	8.50	12.50	831.00	-23.80dBm	-8.50dBm/1MHz	PASS

NTNV	Band26	15MHz	QPSK	26775	75RB#0	12.50	22.50	835.00	-27.08dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	22.50	27.50	845.23	-39.08dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	-27.50	-22.50	807.50	-48.55dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	-22.50	-12.50	817.50	-29.30dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	-12.50	-8.50	821.48	-25.86dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	-8.50	-7.50	822.50	-39.42dBm	-18.50dBm/30.00kHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	7.50	8.50	837.77	-37.27dBm	-18.50dBm/30.00kHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	8.50	12.50	838.58	-22.93dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	12.50	22.50	842.55	-25.25dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	22.50	27.50	852.53	-42.37dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	-27.50	-22.50	814.12	-41.72dBm	-23.50dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	-22.50	-12.50	825.00	-26.30dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	-12.50	-8.50	828.94	-23.40dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	-8.50	-7.50	829.91	-37.02dBm	-18.50dBm/30.00kHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	7.50	8.50	845.35	-37.60dBm	-18.50dBm/30.00kHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	8.50	12.50	846.04	-23.77dBm	-8.50dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	12.50	22.50	850.05	-28.09dBm	-11.50dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	22.50	27.50	863.30	-48.88dBm	-23.50dBm/1MHz	PASS

Adjacent Channel Leakage Power

Test Result

Condition	Band	Channel Bandwidth	Modulation	Channel	RB Configure	TestFrequency	Result	Linit	Verdict
NTNV	Band26	3MHz	QPSK	26715	15RB#0	-3	-39.97dBc	≤-29.2dBc/2.7MHz	PASS
NTNV	Band26	3MHz	QPSK	26715	15RB#0	+3	-38.05dBc	≤-29.2dBc/2.7MHz	PASS
NTNV	Band26	3MHz	QPSK	26715	15RB#0	-4	-41.72dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	3MHz	QPSK	26715	15RB#0	+4	-39.70dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	-3	-39.72dBc	≤-29.2dBc/2.7MHz	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	+3	-39.12dBc	≤-29.2dBc/2.7MHz	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	-4	-41.46dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	+4	-40.85dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	-3	-39.44dBc	≤-29.2dBc/2.7MHz	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	+3	-39.04dBc	≤-29.2dBc/2.7MHz	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	-4	-41.09dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	+4	-40.79dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	-10	-63.46dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	-5	-41.40dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	+5	-38.80dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	+10	-56.71dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	-5	-40.38dBc	≤-29.2dBc/4.5MHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	+5	-37.93dBc	≤-29.2dBc/4.5MHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	-10	-57.22dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	-5	-40.90dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	+5	-39.69dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	+10	-56.80dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	-5	-39.96dBc	≤-29.2dBc/4.5MHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	+5	-38.89dBc	≤-29.2dBc/4.5MHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	-10	-57.03dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	-5	-40.55dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	+5	-40.14dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	+10	-58.28dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	-5	-39.59dBc	≤-29.2dBc/4.5MHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	+5	-39.18dBc	≤-29.2dBc/4.5MHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	-12.5	-58.33dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	-7.5	-42.34dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	+7.5	-40.18dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	+12.5	-47.33dBc	≤-35.2dBc/3.84MHz	PASS

NTNV	Band26	10MHz	QPSK	26750	50RB#0	-10	-41.68dBc	≤-29.2dBc/9MHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	+10	-38.75dBc	≤-29.2dBc/9MHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	-12.5	-49.32dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	-7.5	-42.47dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	+7.5	-39.95dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	+12.5	-46.31dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	-10	-41.02dBc	≤-29.2dBc/9MHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	+10	-38.35dBc	≤-29.2dBc/9MHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	-12.5	-47.00dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	-7.5	-40.65dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	+7.5	-41.15dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	+12.5	-49.16dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	-10	-39.08dBc	≤-29.2dBc/9MHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	+10	-39.87dBc	≤-29.2dBc/9MHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	-15	-57.72dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	-10	-43.48dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	+10	-41.95dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	+15	-45.62dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	-15	-43.10dBc	≤-29.2dBc/13.5MHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	+15	-39.49dBc	≤-29.2dBc/13.5MHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	-15	-47.86dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	-10	-43.89dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	+10	-40.59dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	+15	-43.84dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	-15	-41.72dBc	≤-29.2dBc/13.5MHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	+15	-38.15dBc	≤-29.2dBc/13.5MHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	-15	-45.40dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	-10	-41.27dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	+10	-42.07dBc	≤-32.2dBc/3.84MHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	+15	-48.04dBc	≤-35.2dBc/3.84MHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	-15	-39.11dBc	≤-29.2dBc/13.5MHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	+15	-40.75dBc	≤-29.2dBc/13.5MHz	PASS

Unwanted Emission Strength / Spurious Emission (2)

Test Result

Band	Channel Bandwidth	Modulation	Channel	RB Configure	TestFrequency	Freq (MHz)	Result (dBm)	Limit (dBm)	Verdict
Band26	3MHz	QPSK	26715	15RB#0	0.009~0.15MHz	0.04	-52.48dBm	-36dBm/1kHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	0.15~30MHz	0.15	-53.17dBm	-36dBm/10kHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	30~809MHz	808.92	-59.17dBm	-36dBm/100kHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	470~710MHz	675.44	-67.65dBm	-36dBm/100kHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	770~773MHz	770.70	-67.66dBm	-36dBm/100kHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	773~803MHz	773.45	-67.58dBm	-36dBm/100kHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	824~1000MHz	824.65	-52.56dBm	-36dBm/100kHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	860~890MHz	872.93	-67.29dBm	-40dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	945~960MHz	958.47	-58.09dBm	-36dBm/100kHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	1000~3000MHz	2450.00	-52.08dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	1475.9~1496.7MHz	1485.03	-66.85dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	1496.7~1510.9MHz	1500.66	-66.67dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	1805~1845MHz	1844.24	-66.09dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	1845~1880MHz	1853.16	-66.13dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	1906.6~1910MHz	1908.29	-57.36dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	1910~1915.7MHz	1915.14	-57.3dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	2010~2025MHz	2014.44	-65.5dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	2110~2144.4MHz	2139.27	-68.89dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	2144.4~2170MHz	2166.16	-69.06dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	2330~2370MHz	2354.72	-56.36dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	3000~12750MHz	3819.00	-40.24dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	3400~3419.3MHz	3413.32	-55.91dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	3419.3~3500.7MHz	3424.84	-56.1dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	3500.7~3574.7MHz	3560.12	-55.85dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	3574.7~3590.3MHz	3589.91	-55.53dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	3590.3~3600MHz	3599.03	-55.36dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	3600~4100MHz	3818.00	-50.09dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26715	15RB#0	4500~4900MHz	4900.00	-51.74dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	0.009~0.15MHz	0.07	-53.62dBm	-36dBm/1kHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	0.15~30MHz	0.15	-54.73dBm	-36dBm/10kHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	30~822.5MHz	822.42	-56.51dBm	-36dBm/100kHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	470~710MHz	707.12	-67.44dBm	-36dBm/100kHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	770~773MHz	770.76	-67.59dBm	-36dBm/100kHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	773~803MHz	788.96	-67.52dBm	-36dBm/100kHz	PASS

Band26	3MHz	QPSK	26850	15RB#0	837.5~1000MHz	841.60	-42.93dBm	-36dBm/100kHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	860~890MHz	886.07	-65.26dBm	-40dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	945~960MHz	957.90	-58.22dBm	-36dBm/100kHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	1000~3000MHz	2490.00	-51.92dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	1475.9~1496.7MHz	1493.66	-66.91dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	1496.7~1510.9MHz	1507.71	-66.79dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	1805~1845MHz	1844.76	-66.25dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	1845~1880MHz	1867.89	-66.14dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	1906.6~1910MHz	1906.77	-57.28dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	1910~1915.7MHz	1911.83	-57.4dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	2010~2025MHz	2019.21	-65.51dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	2110~2144.4MHz	2129.85	-69.05dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	2144.4~2170MHz	2161.86	-69.02dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	2330~2370MHz	2366.36	-56.46dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	3000~12750MHz	3814.13	-40.25dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	3400~3419.3MHz	3405.33	-55.99dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	3419.3~3500.7MHz	3429.88	-56.13dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	3500.7~3574.7MHz	3565.08	-55.71dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	3574.7~3590.3MHz	3584.70	-55.55dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	3590.3~3600MHz	3594.73	-55.37dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	3600~4100MHz	3821.50	-50.14dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26850	15RB#0	4500~4900MHz	4895.20	-51.71dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	0.009~0.15MHz	0.05	-53.77dBm	-36dBm/1kHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	0.15~30MHz	0.18	-56.1dBm	-36dBm/10kHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	30~836MHz	836.00	-55.9dBm	-36dBm/100kHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	470~710MHz	683.60	-67.4dBm	-36dBm/100kHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	770~773MHz	770.08	-67.49dBm	-36dBm/100kHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	773~803MHz	785.27	-67.53dBm	-36dBm/100kHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	851~1000MHz	851.03	-56.14dBm	-36dBm/100kHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	860~890MHz	888.56	-65.69dBm	-40dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	945~960MHz	952.85	-58.25dBm	-36dBm/100kHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	1000~3000MHz	2530.00	-51.81dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	1475.9~1496.7MHz	1487.57	-66.82dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	1496.7~1510.9MHz	1508.00	-66.71dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	1805~1845MHz	1844.80	-66.29dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	1845~1880MHz	1875.59	-66.17dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	1906.6~1910MHz	1909.00	-57.43dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	1910~1915.7MHz	1914.91	-57.42dBm	-30dBm/1MHz	PASS

Band26	3MHz	QPSK	26985	15RB#0	2010~2025MHz	2023.83	-65.45dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	2110~2144.4MHz	2126.06	-69.16dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	2144.4~2170MHz	2150.19	-69.22dBm	-50dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	2330~2370MHz	2350.32	-56.44dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	3000~12750MHz	3828.75	-40.12dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	3400~3419.3MHz	3400.12	-55.98dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	3419.3~3500.7MHz	3421.42	-56.07dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	3500.7~3574.7MHz	3570.41	-55.76dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	3574.7~3590.3MHz	3586.23	-55.56dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	3590.3~3600MHz	3595.56	-55.39dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	3600~4100MHz	3824.50	-50.09dBm	-30dBm/1MHz	PASS
Band26	3MHz	QPSK	26985	15RB#0	4500~4900MHz	4894.40	-51.66dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	0.009~0.15MHz	0.04	-52.48dBm	-36dBm/1kHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	0.15~30MHz	0.15	-51.51dBm	-36dBm/10kHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	30~805MHz	455.71	-64.53dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	470~710MHz	664.88	-67.62dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	770~773MHz	772.76	-67.59dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	773~803MHz	788.36	-67.58dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	830~1000MHz	831.70	-57.65dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	860~890MHz	873.02	-65.37dBm	-40dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	945~960MHz	951.87	-58.09dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	1000~3000MHz	2453.00	-53.09dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	1475.9~1496.7MHz	1492.17	-66.77dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	1496.7~1510.9MHz	1500.85	-66.61dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	1805~1845MHz	1843.12	-66.21dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	1845~1880MHz	1870.90	-66.13dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	1906.6~1910MHz	1909.24	-57.38dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	1910~1915.7MHz	1911.08	-57.42dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	2010~2025MHz	2023.07	-65.54dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	2110~2144.4MHz	2114.71	-69dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	2144.4~2170MHz	2145.04	-69.09dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	2330~2370MHz	2355.92	-56.42dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	3000~12750MHz	3828.75	-40.04dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	3400~3419.3MHz	3409.79	-55.97dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	3419.3~3500.7MHz	3430.61	-56.14dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	3500.7~3574.7MHz	3553.61	-55.84dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	3574.7~3590.3MHz	3588.86	-55.5dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	3590.3~3600MHz	3599.88	-55.39dBm	-30dBm/1MHz	PASS

Band26	5MHz	QPSK	26725	25RB#0	3600~4100MHz	3830.50	-50.12dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26725	25RB#0	4500~4900MHz	4896.00	-51.78dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	0.009~0.15MHz	0.06	-55.02dBm	-36dBm/1kHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	0.15~30MHz	0.18	-55.22dBm	-36dBm/10kHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	30~817.5MHz	816.87	-59.09dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	470~710MHz	684.80	-67.4dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	770~773MHz	771.94	-67.53dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	773~803MHz	778.34	-67.61dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	842.5~1000MHz	843.56	-58.89dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	860~890MHz	860.12	-66.64dBm	-40dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	945~960MHz	959.55	-58.13dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	1000~3000MHz	2490.00	-52.78dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	1475.9~1496.7MHz	1492.64	-66.74dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	1496.7~1510.9MHz	1508.17	-66.51dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	1805~1845MHz	1844.64	-66.22dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	1845~1880MHz	1873.25	-66.13dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	1906.6~1910MHz	1908.25	-57.33dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	1910~1915.7MHz	1914.45	-57.35dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	2010~2025MHz	2023.50	-65.53dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	2110~2144.4MHz	2122.45	-69.07dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	2144.4~2170MHz	2145.96	-68.98dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	2330~2370MHz	2347.48	-56.45dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	3000~12750MHz	3833.63	-40.27dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	3400~3419.3MHz	3405.10	-55.98dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	3419.3~3500.7MHz	3430.78	-56.1dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	3500.7~3574.7MHz	3570.33	-55.8dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	3574.7~3590.3MHz	3588.07	-55.6dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	3590.3~3600MHz	3595.13	-55.42dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	3600~4100MHz	3825.00	-50.12dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26850	25RB#0	4500~4900MHz	4900.00	-51.62dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	0.009~0.15MHz	0.04	-53.5dBm	-36dBm/1kHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	0.15~30MHz	0.15	-56.19dBm	-36dBm/10kHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	30~830MHz	829.28	-58.41dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	470~710MHz	705.20	-53.78dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	770~773MHz	772.10	-67.66dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	773~803MHz	793.58	-67.31dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	855~1000MHz	906.04	-64.52dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	860~890MHz	886.37	-65.58dBm	-40dBm/1MHz	PASS

Band26	5MHz	QPSK	26975	25RB#0	945~960MHz	957.45	-58.17dBm	-36dBm/100kHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	1000~3000MHz	2528.00	-52.64dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	1475.9~1496.7MHz	1495.89	-66.72dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	1496.7~1510.9MHz	1509.25	-66.57dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	1805~1845MHz	1830.64	-66.28dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	1845~1880MHz	1850.29	-66.16dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	1906.6~1910MHz	1906.81	-57.4dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	1910~1915.7MHz	1910.47	-57.4dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	2010~2025MHz	2013.45	-65.55dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	2110~2144.4MHz	2137.76	-69.08dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	2144.4~2170MHz	2147.83	-69.2dBm	-50dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	2330~2370MHz	2349.20	-56.39dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	3000~12750MHz	3814.13	-40.29dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	3400~3419.3MHz	3410.96	-55.94dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	3419.3~3500.7MHz	3421.99	-56.06dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	3500.7~3574.7MHz	3556.20	-55.81dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	3574.7~3590.3MHz	3588.77	-55.52dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	3590.3~3600MHz	3598.48	-55.32dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	3600~4100MHz	3826.00	-50.18dBm	-30dBm/1MHz	PASS
Band26	5MHz	QPSK	26975	25RB#0	4500~4900MHz	4894.40	-51.55dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	0.009~0.15MHz	0.07	-52.96dBm	-36dBm/1kHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	0.15~30MHz	0.18	-57.97dBm	-36dBm/10kHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	30~800MHz	757.65	-64.45dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	470~710MHz	669.44	-67.43dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	770~773MHz	770.13	-67.53dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	773~803MHz	802.25	-67.55dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	840~1000MHz	840.24	-54.74dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	860~890MHz	867.29	-65.5dBm	-40dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	945~960MHz	958.65	-58.12dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	1000~3000MHz	2458.00	-53.91dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	1475.9~1496.7MHz	1495.31	-66.89dBm	-50dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	1496.7~1510.9MHz	1510.60	-66.7dBm	-50dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	1805~1845MHz	1840.88	-66.22dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	1845~1880MHz	1871.04	-66.13dBm	-50dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	1906.6~1910MHz	1907.92	-57.37dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	1910~1915.7MHz	1912.15	-57.31dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	2010~2025MHz	2024.60	-65.45dBm	-50dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	2110~2144.4MHz	2114.40	-68.88dBm	-50dBm/1MHz	PASS

Band26	10MHz	QPSK	26750	50RB#0	2144.4~2170MHz	2148.29	-69.03dBm	-50dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	2330~2370MHz	2360.68	-56.47dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	3000~12750MHz	3823.88	-40.05dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	3400~3419.3MHz	3404.79	-55.99dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	3419.3~3500.7MHz	3419.46	-56.07dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	3500.7~3574.7MHz	3564.78	-55.87dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	3574.7~3590.3MHz	3580.91	-55.6dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	3590.3~3600MHz	3594.03	-55.39dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	3600~4100MHz	3827.00	-50.17dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26750	50RB#0	4500~4900MHz	4900.00	-51.81dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	0.009~0.15MHz	0.03	-53.36dBm	-36dBm/1kHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	0.15~30MHz	0.15	-54.51dBm	-36dBm/10kHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	30~810MHz	809.92	-56.29dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	470~710MHz	673.76	-67.43dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	770~773MHz	770.07	-67.41dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	773~803MHz	789.68	-67.49dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	850~1000MHz	850.15	-53.82dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	860~890MHz	860.06	-58.56dBm	-40dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	945~960MHz	948.92	-58.23dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	1000~3000MHz	2490.00	-53.62dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	1475.9~1496.7MHz	1488.69	-66.84dBm	-50dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	1496.7~1510.9MHz	1510.77	-66.7dBm	-50dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	1805~1845MHz	1830.00	-66.24dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	1845~1880MHz	1849.52	-66.09dBm	-50dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	1906.6~1910MHz	1909.02	-57.43dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	1910~1915.7MHz	1912.84	-57.42dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	2010~2025MHz	2021.09	-65.43dBm	-50dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	2110~2144.4MHz	2125.86	-69.01dBm	-50dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	2144.4~2170MHz	2153.77	-69.06dBm	-50dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	2330~2370MHz	2369.64	-56.43dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	3000~12750MHz	3823.88	-40.23dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	3400~3419.3MHz	3403.30	-55.94dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	3419.3~3500.7MHz	3419.38	-56.08dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	3500.7~3574.7MHz	3573.29	-55.83dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	3574.7~3590.3MHz	3590.07	-55.57dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	3590.3~3600MHz	3599.07	-55.42dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	3600~4100MHz	3820.00	-50.11dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26850	50RB#0	4500~4900MHz	4897.60	-51.71dBm	-30dBm/1MHz	PASS

Band26	10MHz	QPSK	26950	50RB#0	0.009~0.15MHz	0.05	-54.05dBm	-36dBm/1kHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	0.15~30MHz	0.15	-54.93dBm	-36dBm/10kHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	30~820MHz	819.92	-51.39dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	470~710MHz	684.80	-67.57dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	770~773MHz	771.49	-67.51dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	773~803MHz	802.73	-67.35dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	860~890MHz	884.09	-65.5dBm	-40dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	860~1000MHz	936.20	-64.37dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	945~960MHz	950.87	-58.2dBm	-36dBm/100kHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	1000~3000MHz	2521.00	-53.54dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	1475.9~1496.7MHz	1487.34	-66.82dBm	-50dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	1496.7~1510.9MHz	1508.42	-66.76dBm	-50dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	1805~1845MHz	1838.88	-66.2dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	1845~1880MHz	1872.20	-66.15dBm	-50dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	1906.6~1910MHz	1909.17	-57.38dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	1910~1915.7MHz	1915.10	-57.39dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	2010~2025MHz	2020.01	-65.52dBm	-50dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	2110~2144.4MHz	2123.55	-69.12dBm	-50dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	2144.4~2170MHz	2146.78	-69.13dBm	-50dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	2330~2370MHz	2364.76	-56.44dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	3000~12750MHz	3833.63	-40.14dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	3400~3419.3MHz	3408.96	-55.97dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	3419.3~3500.7MHz	3425.81	-56.15dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	3500.7~3574.7MHz	3573.96	-55.83dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	3574.7~3590.3MHz	3587.74	-55.55dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	3590.3~3600MHz	3594.10	-55.44dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	3600~4100MHz	3819.50	-50.1dBm	-30dBm/1MHz	PASS
Band26	10MHz	QPSK	26950	50RB#0	4500~4900MHz	4887.60	-51.73dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	0.009~0.15MHz	0.05	-53.66dBm	-36dBm/1kHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	0.15~30MHz	0.15	-53.61dBm	-36dBm/10kHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	30~795MHz	767.84	-63.8dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	470~710MHz	702.32	-67.62dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	770~773MHz	770.09	-67.29dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	773~803MHz	787.88	-67.59dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	850~1000MHz	850.48	-56.19dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	860~890MHz	862.61	-65.48dBm	-40dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	945~960MHz	948.18	-58.11dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	1000~3000MHz	2470.00	-54.28dBm	-30dBm/1MHz	PASS

Band26	15MHz	QPSK	26775	75RB#0	1475.9~1496.7MHz	1494.39	-66.84dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	1496.7~1510.9MHz	1509.39	-66.68dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	1805~1845MHz	1842.20	-66.13dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	1845~1880MHz	1867.05	-66.1dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	1906.6~1910MHz	1907.23	-57.38dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	1910~1915.7MHz	1911.41	-57.42dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	2010~2025MHz	2022.51	-65.49dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	2110~2144.4MHz	2120.35	-68.99dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	2144.4~2170MHz	2161.45	-69.12dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	2330~2370MHz	2366.84	-56.47dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	3000~12750MHz	3814.13	-50.24dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	3400~3419.3MHz	3406.54	-55.99dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	3419.3~3500.7MHz	3425.73	-56.1dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	3500.7~3574.7MHz	3562.34	-55.88dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	3574.7~3590.3MHz	3582.34	-55.48dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	3590.3~3600MHz	3599.82	-55.44dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	3600~4100MHz	3830.50	-50.09dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26775	75RB#0	4500~4900MHz	4894.80	-51.65dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	0.009~0.15MHz	0.10	-53.1dBm	-36dBm/1kHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	0.15~30MHz	0.15	-54.22dBm	-36dBm/10kHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	30~802.5MHz	574.84	-64.9dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	470~710MHz	707.84	-67.67dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	770~773MHz	771.88	-67.5dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	773~803MHz	775.49	-67.42dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	857.5~1000MHz	987.03	-64.68dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	860~890MHz	881.03	-65.31dBm	-40dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	945~960MHz	953.36	-58.17dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	1000~3000MHz	2487.00	-53.87dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	1475.9~1496.7MHz	1491.67	-66.96dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	1496.7~1510.9MHz	1508.12	-66.82dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	1805~1845MHz	1844.16	-66.24dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	1845~1880MHz	1857.18	-66.06dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	1906.6~1910MHz	1907.30	-57.39dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	1910~1915.7MHz	1914.32	-57.39dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	2010~2025MHz	2024.91	-65.44dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	2110~2144.4MHz	2139.31	-68.96dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	2144.4~2170MHz	2144.89	-69.03dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	2330~2370MHz	2360.80	-56.4dBm	-30dBm/1MHz	PASS

Band26	15MHz	QPSK	26850	75RB#0	3000~12750MHz	3828.75	-40.12dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	3400~3419.3MHz	3401.64	-55.97dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	3419.3~3500.7MHz	3425.32	-56.15dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	3500.7~3574.7MHz	3572.63	-55.77dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	3574.7~3590.3MHz	3588.10	-55.47dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	3590.3~3600MHz	3599.20	-55.4dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	3600~4100MHz	3825.50	-50.05dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26850	75RB#0	4500~4900MHz	4891.20	-51.7dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	0.009~0.15MHz	0.05	-54.19dBm	-36dBm/1kHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	0.15~30MHz	0.15	-53.24dBm	-36dBm/10kHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	30~810MHz	809.45	-54.68dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	470~710MHz	685.52	-67.42dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	770~773MHz	770.28	-67.59dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	773~803MHz	793.19	-67.59dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	860~890MHz	887.96	-65.37dBm	-40dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	865~1000MHz	872.91	-64.64dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	945~960MHz	948.87	-58.23dBm	-36dBm/100kHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	1000~3000MHz	2512.00	-53.84dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	1475.9~1496.7MHz	1496.47	-66.82dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	1496.7~1510.9MHz	1509.32	-66.72dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	1805~1845MHz	1838.56	-66.29dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	1845~1880MHz	1876.40	-66.17dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	1906.6~1910MHz	1906.63	-57.31dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	1910~1915.7MHz	1913.00	-57.4dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	2010~2025MHz	2021.04	-65.45dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	2110~2144.4MHz	2127.17	-69.04dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	2144.4~2170MHz	2147.98	-69.09dBm	-50dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	2330~2370MHz	2351.92	-56.43dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	3000~12750MHz	3814.13	-40.27dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	3400~3419.3MHz	3418.51	-55.92dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	3419.3~3500.7MHz	3436.15	-56.15dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	3500.7~3574.7MHz	3572.48	-55.89dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	3574.7~3590.3MHz	3588.68	-55.56dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	3590.3~3600MHz	3594.58	-55.42dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	3600~4100MHz	3819.50	-50.12dBm	-30dBm/1MHz	PASS
Band26	15MHz	QPSK	26925	75RB#0	4500~4900MHz	4896.40	-51.74dBm	-30dBm/1MHz	PASS

Secondarily Emitted Radio Wave Strength Measurement

Test Result

Main Antenna:

Condition	Band	Channel Bandwidth	Modulation	Channel	RB Configure	TestFrequency (MHz)	Freq (MHz)	Result (dBm)	Limit (dBm)	Verdict
NTNV	Band26	3MHz	QPSK	26715	15RB#0	30~1000	862.16	-76.61dBm	-57dBm/100kHz	PASS
NTNV	Band26	3MHz	QPSK	26715	15RB#0	1000~12750	3834.49	-70.36dBm	-47dBm/1MHz	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	30~1000	874.63	-76.22dBm	-57dBm/100kHz	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	1000~12750	3820.39	-70.11dBm	-47dBm/1MHz	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	30~1000	888.74	-76.46dBm	-57dBm/100kHz	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	1000~12750	3840.76	-70.32dBm	-47dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	30~1000	861.24	-74.75dBm	-57dBm/100kHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	1000~12750	3833.71	-70.14dBm	-47dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	30~1000	874.29	-75.73dBm	-57dBm/100kHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	1000~12750	3821.96	-70.00dBm	-47dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	30~1000	888.55	-75.47dBm	-57dBm/100kHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	1000~12750	3826.27	-70.05dBm	-47dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	30~1000	869.24	-76.49dBm	-57dBm/100kHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	1000~12750	3821.57	-70.18dBm	-47dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	30~1000	877.34	-75.99dBm	-57dBm/100kHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	1000~12750	3826.27	-70.02dBm	-47dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	30~1000	880.64	-75.98dBm	-57dBm/100kHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	1000~12750	3857.99	-70.23dBm	-47dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	30~1000	872.20	-76.63dBm	-57dBm/100kHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	1000~12750	3826.27	-70.13dBm	-47dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	30~1000	876.66	-76.09dBm	-57dBm/100kHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	1000~12750	3800.42	-70.09dBm	-47dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	30~1000	880.06	-75.75dBm	-57dBm/100kHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	1000~12750	3841.93	-70.40dBm	-47dBm/1MHz	PASS

Diversity Antenna:

Condition	Band	Channel Bandwidth	Modulation	Channel	RB Configure	TestFrequency (MHz)	Freq (MHz)	Result (dBm)	Limit (dBm)	Verdict
NTNV	Band26	3MHz	QPSK	26715	15RB#0	30~1000	861.97	-75.76dBm	-57dBm/100kHz	PASS
NTNV	Band26	3MHz	QPSK	26715	15RB#0	1000~12750	3835.28	-69.90dBm	-47dBm/1MHz	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	30~1000	875.55	-76.27dBm	-57dBm/100kHz	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	1000~12750	3840.37	-70.24dBm	-47dBm/1MHz	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	30~1000	888.45	-75.58dBm	-57dBm/100kHz	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	1000~12750	3839.58	-70.31dBm	-47dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	30~1000	863.13	-76.71dBm	-57dBm/100kHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	1000~12750	3821.96	-70.05dBm	-47dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	30~1000	872.88	-76.35dBm	-57dBm/100kHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	1000~12750	3841.15	-70.05dBm	-47dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	30~1000	888.11	-75.38dBm	-57dBm/100kHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	1000~12750	3828.23	-70.09dBm	-47dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	30~1000	867.93	-75.94dBm	-57dBm/100kHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	1000~12750	3823.13	-70.00dBm	-47dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	30~1000	873.22	-75.79dBm	-57dBm/100kHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	1000~12750	3827.44	-70.21dBm	-47dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	30~1000	883.26	-75.91dBm	-57dBm/100kHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	1000~12750	3836.06	-70.24dBm	-47dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	30~1000	866.29	-76.21dBm	-57dBm/100kHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	1000~12750	3825.48	-70.00dBm	-47dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	30~1000	877.68	-75.50dBm	-57dBm/100kHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	1000~12750	3824.31	-70.32dBm	-47dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	30~1000	882.00	-75.08dBm	-57dBm/100kHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	1000~12750	3835.28	-70.21dBm	-47dBm/1MHz	PASS

Main Antenna + Diversity Antenna:

Condition	Band	Channel Bandwidth	Modulation	Channel	RB Configure	TestFrequency (MHz)	Freq (MHz)	Result (dBm)	Limit (dBm)	Verdict
NTNV	Band26	3MHz	QPSK	26715	15RB#0	30~1000	--	-73.15dBm	-57dBm/100kHz	PASS
NTNV	Band26	3MHz	QPSK	26715	15RB#0	1000~12750	--	-67.11dBm	-47dBm/1MHz	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	30~1000	--	-73.23dBm	-57dBm/100kHz	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	1000~12750	--	-67.16dBm	-47dBm/1MHz	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	30~1000	--	-72.99dBm	-57dBm/100kHz	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	1000~12750	--	-67.3dBm	-47dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	30~1000	--	-72.61dBm	-57dBm/100kHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	1000~12750	--	-67.08dBm	-47dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	30~1000	--	-73.02dBm	-57dBm/100kHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	1000~12750	--	-67.01dBm	-47dBm/1MHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	30~1000	--	-72.41dBm	-57dBm/100kHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	1000~12750	--	-67.06dBm	-47dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	30~1000	--	-73.2dBm	-57dBm/100kHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	1000~12750	--	-67.08dBm	-47dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	30~1000	--	-72.88dBm	-57dBm/100kHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	1000~12750	--	-67.1dBm	-47dBm/1MHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	30~1000	--	-72.93dBm	-57dBm/100kHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	1000~12750	--	-67.22dBm	-47dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	30~1000	--	-73.4dBm	-57dBm/100kHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	1000~12750	--	-67.05dBm	-47dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	30~1000	--	-72.77dBm	-57dBm/100kHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	1000~12750	--	-67.19dBm	-47dBm/1MHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	30~1000	--	-72.39dBm	-57dBm/100kHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	1000~12750	--	-67.29dBm	-47dBm/1MHz	PASS

Leakage Power at No-carrier Transmission Measurement

Test Result

Condition	Band	Channel Bandwidth	Modulation	Channel	RB Configure	TestFrequency (MHz)	Result (dBm)	Limit (dBm)	Verdict
NTNV	Band26	3MHz	QPSK	26715	15RB#0	815.15~817.85	-85.15dBm	-48.5dBm/2.7MHz	PASS
NTNV	Band26	3MHz	QPSK	26850	15RB#0	828.65~831.35	-85.09dBm	-48.5dBm/2.7MHz	PASS
NTNV	Band26	3MHz	QPSK	26985	15RB#0	842.15~844.85	-84.99dBm	-48.5dBm/2.7MHz	PASS
NTNV	Band26	5MHz	QPSK	26725	25RB#0	815.25~819.75	-82.88dBm	-48.5dBm/4.5MHz	PASS
NTNV	Band26	5MHz	QPSK	26850	25RB#0	827.75~832.25	-82.86dBm	-48.5dBm/4.5MHz	PASS
NTNV	Band26	5MHz	QPSK	26975	25RB#0	840.25~844.75	-82.78dBm	-48.5dBm/4.5MHz	PASS
NTNV	Band26	10MHz	QPSK	26750	50RB#0	815.5~824.5	-79.77dBm	-48.5dBm/9MHz	PASS
NTNV	Band26	10MHz	QPSK	26850	50RB#0	825.5~834.5	-79.68dBm	-48.5dBm/9MHz	PASS
NTNV	Band26	10MHz	QPSK	26950	50RB#0	835.5~844.5	-79.63dBm	-48.5dBm/9MHz	PASS
NTNV	Band26	15MHz	QPSK	26775	75RB#0	815.75~829.25	-78.10dBm	-48.5dBm/13.5MHz	PASS
NTNV	Band26	15MHz	QPSK	26850	75RB#0	823.25~836.75	-78.07dBm	-48.5dBm/13.5MHz	PASS
NTNV	Band26	15MHz	QPSK	26925	75RB#0	830.75~844.25	-78.04dBm	-48.5dBm/13.5MHz	PASS

Comprehensive Operation Test Measurement

		Unit	Regulation	Result
Calling and response test	GOOD	-	-	PASS
Reading test of an unique numb	GOOD	-	-	PASS
Automatic power control test	GOOD	-	-	PASS

Compliance of below detail item

Automatic Identification	The transmitter of each land mobile station communicating with a base station shall be identified automatically by a base station.
Hand Over Function	The radio equipment shall be the one in which the call channel of the base station is automatically switched to the call channel of another base station.
Traffic control	The area that is related to the provision of service of the base station prescribed in land where field intensity necessary for providing the said service is available shall be capable of being segmentalized to suit the traffic of the said area.
Reception Characteristic Improvement	The radio equipment shall have the function to separate the multi-path propagation received in temporal dispersion and improve the receive characteristics by synthesizing multi-path components.

~The End~