



1. Frequency Error


1.1 Test Result

1.1.1 Ant1


Ant1								
ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Measured Frequency (MHz)	Tolerance (ppm)		Verdict
						Result	Limit	
NTNV	Carrier Wave	SISO	2402	DH5	2402.118	49.13	-50 to 50	Pass
			2480	DH5	2480.122	49.19	-50 to 50	Pass
NTLV	Carrier Wave	SISO	2402	DH5	2402.118	49.13	-50 to 50	Pass
			2480	DH5	2480.122	49.19	-50 to 50	Pass
NTHV	Carrier Wave	SISO	2402	DH5	2402.118	49.13	-50 to 50	Pass
			2480	DH5	2480.122	49.19	-50 to 50	Pass

1.2 Test Graph


1.2.1 Ant1




Frequency Error NTLV Carrier Wave 2402MHz Ant1 NTLV




Frequency Error NTLV Carrier Wave 2480MHz Ant1 NTLV



Frequency Error NTHV Carrier Wave 2402MHz Ant1 NTHV



Frequency Error NTHV Carrier Wave 2480MHz Ant1 NTHV



2. Occupied Bandwidth


2.1 Test Result

2.1.1 OBW


ENV	Mode	TX Type	Frequency (MHz)	Packet Type	99% Occupied Bandwidth (MHz)		Verdict
					ANT1	Limit	
NTNV	GFSK	SISO	HOPP	DH5	78.805	<=83.5	Pass
	Pi/4DQPSK	SISO	HOPP	2DH5	78.902	<=83.5	Pass
	8DPSK	SISO	HOPP	3DH5	78.872	<=83.5	Pass
NTLV	GFSK	SISO	HOPP	DH5	78.824	<=83.5	Pass
	Pi/4DQPSK	SISO	HOPP	2DH5	78.939	<=83.5	Pass
	8DPSK	SISO	HOPP	3DH5	78.846	<=83.5	Pass
NTHV	GFSK	SISO	HOPP	DH5	78.827	<=83.5	Pass
	Pi/4DQPSK	SISO	HOPP	2DH5	78.928	<=83.5	Pass
	8DPSK	SISO	HOPP	3DH5	78.896	<=83.5	Pass

2.2 Test Graph


2.2.1 OBW




8DPSK 3DH5 HOPP Ant1 NTVN




GFSK DH5 HOPP Ant1 NTLV



Pi/4DQPSK 2DH5 HOPP Ant1 NTLV




8DPSK 3DH5 HOPP Ant1 NTLV







GFSK DH5 HOPP Ant1 NTHV



Pi/4DQPSK 2DH5 HOPP Ant1 NTHV





3. Spread Bandwidth


3.1 Test Result

3.1.1 SPBW


ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Spread Bandwidth (MHz)		Verdict
					ANT1	Limit	
NTNV	GFSK	SISO	HOPP	DH5	71.961	/	Only For Report
	Pi/4DQPSK	SISO	HOPP	2DH5	72.067	/	Only For Report
	8DPSK	SISO	HOPP	3DH5	71.853	/	Only For Report
NTLV	GFSK	SISO	HOPP	DH5	72.026	/	Only For Report
	Pi/4DQPSK	SISO	HOPP	2DH5	72.082	/	Only For Report
	8DPSK	SISO	HOPP	3DH5	71.988	/	Only For Report
NTHV	GFSK	SISO	HOPP	DH5	72.017	/	Only For Report
	Pi/4DQPSK	SISO	HOPP	2DH5	72.073	/	Only For Report
	8DPSK	SISO	HOPP	3DH5	71.808	/	Only For Report

3.2 Test Graph


3.2.1 SPBW




8DPSK 3DH5 HOPP Ant1 NTVN




GFSK DH5 HOPP Ant1 NTLV




Pi/4DQPSK 2DH5 HOPP Ant1 NTLV




8DPSK 3DH5 HOPP Ant1 NTLV




GFSK DH5 HOPP Ant1 NTHV



Pi/4DQPSK 2DH5 HOPP Ant1 NTHV





4. Antenna Power

4.1 Test Result

4.1.1 Power


ENV	Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Antenna Power (mW/MHz)		Nominal Power (mW/MHz)	Tolerance (%)		Verdict
						Measured	Limit		Measured	Limit	
NTNV	GFSK	SISO	HOPP	DH5	1	0.00054	<=3.00	0.0008	-32.50	<=20	Pass
	Pi/4DQPSK	SISO	HOPP	2DH5	1	0.00056	<=3.00	0.0008	-30.00	<=20	Pass
	8DPSK	SISO	HOPP	3DH5	1	0.00058	<=3.00	0.0008	-27.50	<=20	Pass
NTLV	GFSK	SISO	HOPP	DH5	1	0.00082	<=3.00	0.0008	2.50	<=20	Pass
	Pi/4DQPSK	SISO	HOPP	2DH5	1	0.00058	<=3.00	0.0008	-27.50	<=20	Pass
	8DPSK	SISO	HOPP	3DH5	1	0.00044	<=3.00	0.0008	-45.00	<=20	Pass
NTHV	GFSK	SISO	HOPP	DH5	1	0.00064	<=3.00	0.0008	-20.00	<=20	Pass
	Pi/4DQPSK	SISO	HOPP	2DH5	1	0.00042	<=3.00	0.0008	-47.50	<=20	Pass
	8DPSK	SISO	HOPP	3DH5	1	0.00047	<=3.00	0.0008	-41.25	<=20	Pass

4.1.2 EIRP

ENV	Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Gain (dBi)	EIRP (dBm/MHz)		Verdict
							Result	Limit	
NTNV	GFSK	SISO	HOPP	DH5	1	3.75	-28.91	<=6.91	Pass
	Pi/4DQPSK	SISO	HOPP	2DH5	1	3.75	-28.76	<=6.91	Pass
	8DPSK	SISO	HOPP	3DH5	1	3.75	-28.6	<=6.91	Pass
NTLV	GFSK	SISO	HOPP	DH5	1	3.75	-27.1	<=6.91	Pass
	Pi/4DQPSK	SISO	HOPP	2DH5	1	3.75	-28.62	<=6.91	Pass
	8DPSK	SISO	HOPP	3DH5	1	3.75	-29.76	<=6.91	Pass
NTHV	GFSK	SISO	HOPP	DH5	1	3.75	-28.16	<=6.91	Pass
	Pi/4DQPSK	SISO	HOPP	2DH5	1	3.75	-30.13	<=6.91	Pass
	8DPSK	SISO	HOPP	3DH5	1	3.75	-29.49	<=6.91	Pass


4.2 Test Graph

4.2.1 Power






Pi/4DQPSK 2DH5 HOPP Ant1 NTV




Pi/4DQPSK 2DH5 HOPP Ant1 NTV




Burst No	1
Length (ms)	2.920
Power(dBm)	-13.93
Power(mW)	0.040
Remark	Max



8DPSK 3DH5 HOPP Ant1 NTVN




8DPSK 3DH5 HOPP Ant1 NTVN




Burst No.	1
Length (ms)	2.922
Power (dBm)	-13.79
Power (mW)	0.042
Remark	Max

GFSK DH5 HOPP Ant1 NTLV




GFSK DH5 HOPP Ant1 NTLV




Burst No	1	2
Length (ms)	2.914	2.912
Power(dBm)	-12.27	-16.09
Power(mW)	0.059	0.025
Remark	Max	/



Pi/4DQPSK 2DH5 HOPP Ant1 NTLV




Pi/4DQPSK 2DH5 HOPP Ant1 NTLV




Burst No.	1
Length (ms)	2.920
Power (dBm)	-13.79
Power (mW)	0.042
Remark	Max



8DPSK 3DH5 HOPP Ant1 NTLV




8DPSK 3DH5 HOPP Ant1 NTLV




Burst No	1
Length (ms)	2.922
Power(dBm)	-14.94
Power(mW)	0.032
Remark	Max

GFSK DH5 HOPP Ant1 NTHV




GFSK DH5 HOPP Ant1 NTHV






Pi/4DQPSK 2DH5 HOPP Ant1 NTHV




Pi/4DQPSK 2DH5 HOPP Ant1 NTHV




Burst No	1
Length (ms)	2.918
Power(dBm)	-15.30
Power(mW)	0.030
Remark	Max



8DPSK 3DH5 HOPP Ant1 NTHV



8DPSK 3DH5 HOPP Ant1 NTHV



Burst No.	1
Length (ms)	2.922
Power (dBm)	-14.67
Power (mW)	0.034
Remark	Max

5. Dwell Time

5.1 Test Result

5.1.1 Ant1

Ant1											
ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Spreading Rate	T _{on} (ms)	Period (ms)	Hopp Number	Dwell Time (ms)		Verdict
									Result	Limit	
NTNV	GFSK	SISO	2402	DH1	71.961	0.406	1.250	79	118.344	<=400	Pass
				DH3	71.961	1.661	2.500	79	242.080	<=400	Pass
				DH5	71.961	2.909	3.750	79	282.646	<=400	Pass
			2480	DH1	71.961	0.406	1.250	79	118.344	<=400	Pass
				DH3	71.961	1.662	2.500	79	242.226	<=400	Pass
				DH5	71.961	2.910	3.750	79	282.743	<=400	Pass
	Pi/4QPSK	SISO	2402	2DH1	72.067	0.415	1.250	79	121.146	<=400	Pass
				2DH3	72.067	1.668	2.500	79	243.459	<=400	Pass
				2DH5	72.067	2.915	3.750	79	283.646	<=400	Pass
			2480	2DH1	72.067	0.415	1.250	79	121.146	<=400	Pass
				2DH3	72.067	1.667	2.500	79	243.313	<=400	Pass
				2DH5	72.067	2.915	3.750	79	283.646	<=400	Pass
	8DPSK	SISO	2402	3DH1	71.853	0.417	1.250	79	121.368	<=400	Pass
				3DH3	71.853	1.667	2.500	79	242.590	<=400	Pass
				3DH5	71.853	2.918	3.750	79	283.095	<=400	Pass
			2480	3DH1	71.853	0.417	1.250	79	121.368	<=400	Pass
				3DH3	71.853	1.666	2.499	79	242.542	<=400	Pass
				3DH5	71.853	2.918	3.750	79	283.095	<=400	Pass
NTLV	GFSK	SISO	2402	DH1	72.026	0.405	1.250	79	118.159	<=400	Pass
				DH3	72.026	1.662	2.500	79	242.445	<=400	Pass
				DH5	72.026	2.910	3.750	79	282.998	<=400	Pass
			2480	DH1	72.026	0.406	1.250	79	118.451	<=400	Pass
				DH3	72.026	1.662	2.500	79	242.445	<=400	Pass
				DH5	72.026	2.910	3.750	79	282.998	<=400	Pass
	Pi/4QPSK	SISO	2402	2DH1	72.082	0.416	1.250	79	121.463	<=400	Pass
				2DH3	72.082	1.667	2.500	79	243.363	<=400	Pass
				2DH5	72.082	2.916	3.750	79	283.802	<=400	Pass
			2480	2DH1	72.082	0.416	1.250	79	121.463	<=400	Pass
				2DH3	72.082	1.667	2.500	79	243.363	<=400	Pass
				2DH5	72.082	2.916	3.750	79	283.802	<=400	Pass
	8DPSK	SISO	2402	3DH1	71.988	0.418	1.250	79	121.888	<=400	Pass
				3DH3	71.988	1.668	2.500	79	243.192	<=400	Pass
				3DH5	71.988	2.918	3.750	79	283.627	<=400	Pass
			2480	3DH1	71.988	0.418	1.250	79	121.888	<=400	Pass
				3DH3	71.988	1.667	2.500	79	243.046	<=400	Pass
				3DH5	71.988	2.918	3.750	79	283.627	<=400	Pass
NTHV	GFSK	SISO	2402	DH1	72.017	0.406	1.250	79	118.436	<=400	Pass
				DH3	72.017	1.661	2.500	79	242.269	<=400	Pass
				DH5	72.017	2.909	3.750	79	282.866	<=400	Pass
			2480	DH1	72.017	0.406	1.250	79	118.436	<=400	Pass
				DH3	72.017	1.662	2.500	79	242.415	<=400	Pass
				DH5	72.017	2.909	3.750	79	282.866	<=400	Pass
	Pi/4QPSK	SISO	2402	2DH1	72.073	0.415	1.250	79	121.156	<=400	Pass
				2DH3	72.073	1.668	2.500	79	243.479	<=400	Pass
			2480	2DH5	72.073	2.915	3.750	79	283.670	<=400	Pass
				2DH1	72.073	0.416	1.250	79	121.448	<=400	Pass




	8DPSK	SISO	2402	2DH3	72.073	1.667	2.500	79	243.333	<=400	Pass
				2DH5	72.073	2.916	3.750	79	283.767	<=400	Pass
				3DH1	71.808	0.418	1.250	79	121.583	<=400	Pass
				3DH3	71.808	1.667	2.500	79	242.438	<=400	Pass
				3DH5	71.808	2.918	3.750	79	282.917	<=400	Pass
			2480	3DH1	71.808	0.417	1.250	79	121.292	<=400	Pass
				3DH3	71.808	1.667	2.500	79	242.438	<=400	Pass
				3DH5	71.808	2.918	3.750	79	282.917	<=400	Pass


Note: Dwell Time = 90% spreading factor / total number of channels * duty cycle * 400ms

5.2 Test Graph


5.2.1 Ant1




GFSK DH5 2402MHz Ant1 NTN




GFSK DH1 2480MHz Ant1 NTN




GFSK DH3 2480MHz Ant1 NTN




GFSK DH5 2480MHz Ant1 NTN




Pi/4DQPSK 2DH1 2402MHz Ant1 NTN




Pi/4DQPSK 2DH3 2402MHz Ant1 NTN




Pi/4DQPSK 2DH5 2402MHz Ant1 NTN




Pi/4DQPSK 2DH1 2480MHz Ant1 NTN




Pi/4DQPSK 2DH3 2480MHz Ant1 NTN




Pi/4DQPSK 2DH5 2480MHz Ant1 NTN




8DPSK 3DH1 2402MHz Ant1 NTV




8DPSK 3DH3 2402MHz Ant1 NTV




8DPSK 3DH5 2402MHz Ant1 NTV




8DPSK 3DH1 2480MHz Ant1 NTV




8DPSK 3DH3 2480MHz Ant1 NTV




8DPSK 3DH5 2480MHz Ant1 NTV




GFSK DH1 2402MHz Ant1 NTLV




GFSK DH3 2402MHz Ant1 NTLV




GFSK DH5 2402MHz Ant1 NTLV




GFSK DH1 2480MHz Ant1 NTLV




GFSK DH3 2480MHz Ant1 NTLV




GFSK DH5 2480MHz Ant1 NTLV




Pi/4DQPSK 2DH1 2402MHz Ant1 NTLV




Pi/4DQPSK 2DH3 2402MHz Ant1 NTLV




Pi/4DQPSK 2DH5 2402MHz Ant1 NTLV




Pi/4DQPSK 2DH1 2480MHz Ant1 NTLV




Pi/4DQPSK 2DH3 2480MHz Ant1 NTLV




Pi/4DQPSK 2DH5 2480MHz Ant1 NTLV




8DPSK 3DH1 2402MHz Ant1 NTLV




8DPSK 3DH3 2402MHz Ant1 NTLV




8DPSK 3DH5 2402MHz Ant1 NTLV




8DPSK 3DH1 2480MHz Ant1 NTLV




8DPSK 3DH3 2480MHz Ant1 NTLV




8DPSK 3DH5 2480MHz Ant1 NTLV




GFSK DH1 2402MHz Ant1 NTHV




GFSK DH3 2402MHz Ant1 NTHV




GFSK DH5 2402MHz Ant1 NTHV




GFSK DH1 2480MHz Ant1 NTHV




GFSK DH3 2480MHz Ant1 NTHV




GFSK DH5 2480MHz Ant1 NTHV




Pi/4DQPSK 2DH1 2402MHz Ant1 NTHV




Pi/4DQPSK 2DH3 2402MHz Ant1 NTHV




Pi/4DQPSK 2DH5 2402MHz Ant1 NTHV




Pi/4DQPSK 2DH1 2480MHz Ant1 NTHV




Pi/4DQPSK 2DH3 2480MHz Ant1 NTHV




Pi/4DQPSK 2DH5 2480MHz Ant1 NTHV




8DPSK 3DH1 2402MHz Ant1 NTHV




8DPSK 3DH3 2402MHz Ant1 NTHV




8DPSK 3DH5 2402MHz Ant1 NTHV




8DPSK 3DH1 2480MHz Ant1 NTHV



8DPSK 3DH3 2480MHz Ant1 NTHV



8DPSK 3DH5 2480MHz Ant1 NTHV



6. Spurious Emission Intensity

6.1 Test Result

6.1.1 TxSe_NTNV

NTNV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (uW /MHz)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm /MHz)	PK Power (uW /MHz)	AV Power (dBm /MHz)	AV Power (uW /MHz)		
GFSK	SISO	2402	1	30	2387	33	-38.41	0.144	/	/	2.5	Pass
				2387	2400	2399.844	-51.57	0.007	/	/	25	Pass
				2483.5	2496.5	2489.948	-64.35	0.000	/	/	25	Pass
				2496.5	12500	4805	-45.33	0.029	/	/	2.5	Pass
		2480	1	30	2387	33	-39.49	0.112	/	/	2.5	Pass
				2387	2400	2391.836	-65.35	0.000	/	/	25	Pass
				2483.5	2496.5	2484.631	-56.16	0.002	/	/	25	Pass
				2496.5	12500	2518.5	-41.34	0.073	/	/	2.5	Pass
Pi/4DQPSK	SISO	2402	1	30	2387	1753	-28.17	1.524	-29.62	1.091	2.5	Pass
				2387	2400	2399.766	-47.64	0.017	/	/	25	Pass
				2483.5	2496.5	2494.55	-63.91	0.000	/	/	25	Pass
				2496.5	12500	2634	-35.54	0.279	/	/	2.5	Pass
		2480	1	30	2387	1891.5	-27.56	1.754	-32.38	0.578	2.5	Pass
						1897.5	-27.17	1.919	-35.14	0.306	2.5	Pass
						1901.5	-24.59	3.475	-30.21	0.953	2.5	Pass
				2387	2400	2399.974	-64.87	0.000	/	/	25	Pass
2483.5	2496.5	2483.578	-52.97	0.005	/	/	25	Pass				
2496.5	12500	4960.5	-42.07	0.062	/	/	2.5	Pass				
8DPSK	SISO	2402	1	30	2387	1747	-27.19	1.910	-44.22	0.038	2.5	Pass
						1753	-20.52	8.872	-42.51	0.056	2.5	Pass
				2387	2400	2399.935	-48.90	0.013	/	/	25	Pass
				2483.5	2496.5	2492.288	-64.57	0.000	/	/	25	Pass
		2496.5	12500	2519.5	-26.83	2.075	-44.80	0.033	2.5	Pass		
		2480	1	30	2387	1887	-24.90	3.236	-41.38	0.073	2.5	Pass
				2387	2400	2390.809	-65.37	0.000	/	/	25	Pass
				2483.5	2496.5	2483.513	-52.10	0.006	/	/	25	Pass
2496.5	12500			4960.5	-41.56	0.070	/	/	2.5	Pass		

6.1.2 TxSe_NTLV

NTLV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (uW /MHz)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm /MHz)	PK Power (uW /MHz)	AV Power (dBm /MHz)	AV Power (uW /MHz)		
GFSK	SISO	2402	1	30	2387	32.5	-39.18	0.121	/	/	2.5	Pass
				2387	2400	2399.948	-50.00	0.010	/	/	25	Pass
				2483.5	2496.5	2495.603	-64.55	0.000	/	/	25	Pass
				2496.5	12500	2519	-44.45	0.036	/	/	2.5	Pass
		2480	1	30	2387	33	-40.44	0.090	/	/	2.5	Pass
				2387	2400	2398.7	-64.46	0.000	/	/	25	Pass
				2483.5	2496.5	2484.566	-56.71	0.002	/	/	25	Pass
				2496.5	12500	4960.5	-41.87	0.065	/	/	2.5	Pass


Pi/4DQPSK	SISO	2402	1	30	2387	30	-39.12	0.122	/	/	2.5	Pass
				2387	2400	2399.662	-48.81	0.013	/	/	25	Pass
				2483.5	2496.5	2488.921	-64.71	0.000	/	/	25	Pass
				2496.5	12500	2644	-38.03	0.157	/	/	2.5	Pass
		2480	1	30	2387	1887.5	-27.77	1.671	-40.29	0.094	2.5	Pass
						1893.5	-23.19	4.797	-30.84	0.824	2.5	Pass
						1897.5	-27.43	1.807	-37.59	0.174	2.5	Pass
				2387	2400	2388.677	-65.28	0.000	/	/	25	Pass
8DPSK	SISO	2402	1	2483.5	2496.5	2483.903	-52.87	0.005	/	/	25	Pass
				2496.5	12500	4961	-41.97	0.064	/	/	2.5	Pass
		2480	1	30	2387	1753	-38.94	0.128	/	/	2.5	Pass
				2387	2400	2399.974	-48.60	0.014	/	/	25	Pass
				2483.5	2496.5	2489.701	-64.22	0.000	/	/	25	Pass
				2496.5	12500	2634.5	-29.04	1.247	/	/	2.5	Pass
		2480	1	30	2387	1890	-23.26	4.721	-27.25	1.884	2.5	Pass
				2387	2400	2392.395	-65.00	0.000	/	/	25	Pass
8DPSK	SISO	2480	1	2483.5	2496.5	2483.513	-52.71	0.005	/	/	25	Pass
				2496.5	12500	4961.5	-41.82	0.066	/	/	2.5	Pass

6.1.3 TxSe_NTHV


NTHV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (uW /MHz)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm /MHz)	PK Power (uW /MHz)	AV Power (dBm /MHz)	AV Power (uW /MHz)		
GFSK	SISO	2402	1	30	2387	1765	-30.11	0.975	/	/	2.5	Pass
				2387	2400	2399.922	-52.28	0.006	/	/	25	Pass
				2483.5	2496.5	2487.517	-64.53	0.000	/	/	25	Pass
				2496.5	12500	4805	-45.38	0.029	/	/	2.5	Pass
		2480	1	30	2387	1753.5	-27.31	1.858	-49.68	0.011	2.5	Pass
				2387	2400	2398.622	-65.03	0.000	/	/	25	Pass
				2483.5	2496.5	2484.748	-56.48	0.002	/	/	25	Pass
				2496.5	12500	2649.5	-38.96	0.127	/	/	2.5	Pass
Pi/4DQPSK	SISO	2402	1	30	2387	1755	-37.20	0.191	/	/	2.5	Pass
				2387	2400	2399.909	-46.69	0.021	/	/	25	Pass
				2483.5	2496.5	2496.11	-64.15	0.000	/	/	25	Pass
				2496.5	12500	4804.5	-45.46	0.028	/	/	2.5	Pass
		2480	1	30	2387	1887	-31.23	0.753	/	/	2.5	Pass
				2387	2400	2390.003	-65.40	0.000	/	/	25	Pass
				2483.5	2496.5	2483.643	-51.67	0.007	/	/	25	Pass
				2496.5	12500	2620	-38.88	0.129	/	/	2.5	Pass
8DPSK	SISO	2402	1	30	2387	33	-39.64	0.109	/	/	2.5	Pass
				2387	2400	2399.987	-49.17	0.012	/	/	25	Pass
				2483.5	2496.5	2494.589	-64.22	0.000	/	/	25	Pass
				2496.5	12500	2667.5	-41.92	0.064	/	/	2.5	Pass
		2480	1	30	2387	1887	-27.14	1.932	-28.63	1.371	2.5	Pass
						1891	-27.57	1.750	-146.52	0.000	2.5	Pass
						1902.5	-28.14	1.535	-146.52	0.000	2.5	Pass
				2387	2400	2387.143	-64.90	0.000	/	/	25	Pass
8DPSK	SISO	2480	1	2483.5	2496.5	2483.786	-53.41	0.005	/	/	25	Pass
				2496.5	12500	4960.5	-41.69	0.068	/	/	2.5	Pass

6.2 Test Graph


6.2.1 TxSe_NTNV



GFSK DH5 2480MHz Ant1 NTN




GFSK DH5 2480MHz Ant1 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	33.000	-39.49	/	-26	Pass
2387	2400	1	1	2391.836	-65.35	/	-16	Pass
2483.5	2496.5	1	1	2484.631	-56.16	/	-16	Pass
2496.5	12500	1	1	2518.500	-41.34	/	-26	Pass

Pi/4DQPSK 2DH5 2402MHz Ant1 NTNV




Pi/4DQPSK 2DH5 2402MHz Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	1753.000	-28.17	-29.62	-26	Pass
2387	2400	1	1	2399.766	-47.64	/	-16	Pass
2483.5	2496.5	1	1	2494.550	-63.91	/	-16	Pass
2496.5	12500	1	1	2634.000	-35.54	/	-26	Pass


Pi/4DQPSK 2DH5 2402MHz Ant1 NTNV



Pi/4DQPSK 2DH5 2480MHz Ant1 NTNV




Pi/4DQPSK 2DH5 2480MHz Ant1 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	1891.500	-27.56	-32.38	-26	Pass
30	2387	1	1	1897.500	-27.17	-35.14	-26	Pass
30	2387	1	1	1901.500	-24.59	-30.21	-26	Pass
2387	2400	1	1	2399.974	-64.87	/	-16	Pass
2483.5	2496.5	1	1	2483.578	-52.97	/	-16	Pass
2496.5	12500	1	1	4960.500	-42.07	/	-26	Pass

Pi/4DQPSK 2DH5 2480MHz Ant1 NTN







Pi/4DQPSK 2DH5 2480MHz Ant1 NTN




Pi/4DQPSK 2DH5 2480MHz Ant1 NTN



8DPSK 3DH5 2402MHz Ant1 NTV




8DPSK 3DH5 2402MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	1747.000	-27.19	-44.22	-26	Pass
30	2387	1	1	1753.000	-20.52	-42.51	-26	Pass
2387	2400	1	1	2399.935	-48.90	/	-16	Pass
2483.5	2496.5	1	1	2492.288	-64.57	/	-16	Pass
2496.5	12500	1	1	2519.500	-26.83	-44.80	-26	Pass


8DPSK 3DH5 2402MHz Ant1 NTV




8DPSK 3DH5 2402MHz Ant1 NTV




8DPSK 3DH5 2402MHz Ant1 NTV



8DPSK 3DH5 2480MHz Ant1 NTV




8DPSK 3DH5 2480MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	2387	1	1	1887.000	-24.90	-41.38	-26	Pass
2387	2400	1	1	2390.809	-65.37	/	-16	Pass
2483.5	2496.5	1	1	2483.513	-52.10	/	-16	Pass
2496.5	12500	1	1	4960.500	-41.56	/	-26	Pass


8DPSK 3DH5 2480MHz Ant1 NTV




6.2.2 TxSe_NTLV



GFSK DH5 2480MHz Ant1 NTLV




GFSK DH5 2480MHz Ant1 NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	33.000	-40.44	/	-26	Pass
2387	2400	1	1	2398.700	-64.46	/	-16	Pass
2483.5	2496.5	1	1	2484.568	-56.71	/	-16	Pass
2496.5	12500	1	1	4980.500	-41.87	/	-26	Pass

Pi/4DQPSK 2DH5 2402MHz Ant1 NTLV




Pi/4DQPSK 2DH5 2402MHz Ant1 NTLV





Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	30.000	-39.12	/	-26	Pass
2387	2400	1	1	2399.662	-48.81	/	-16	Pass
2483.5	2496.5	1	1	2488.921	-64.71	/	-16	Pass
2496.5	12500	1	1	2644.000	-38.03	/	-26	Pass

Pi/4DQPSK 2DH5 2480MHz Ant1 NTLV




Pi/4DQPSK 2DH5 2480MHz Ant1 NTLV







Pi/4DQPSK 2DH5 2480MHz Ant1 NTLV



8DPSK 3DH5 2402MHz Ant1 NTLV




8DPSK 3DH5 2402MHz Ant1 NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	2387	1	1	1753.000	-38.94	/	-26	Pass
2387	2400	1	1	2399.974	-48.60	/	-16	Pass
2483.5	2496.5	1	1	2489.701	-64.22	/	-16	Pass
2496.5	12500	1	1	2634.500	-29.04	/	-26	Pass

8DPSK 3DH5 2480MHz Ant1 NTLV




8DPSK 3DH5 2480MHz Ant1 NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	2387	1	1	1890.000	-23.26	-27.25	-26	Pass
2387	2400	1	1	2392.395	-65.00	/	-16	Pass
2483.5	2496.5	1	1	2483.513	-52.71	/	-16	Pass
2496.5	12500	1	1	4961.500	-41.82	/	-26	Pass


8DPSK 3DH5 2480MHz Ant1 NTLV




6.2.3 TxSe_NTHV



GFSK DH5 2480MHz Ant1 NTHV




GFSK DH5 2480MHz Ant1 NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	1753.500	-27.31	-49.68	-26	Pass
2387	2400	1	1	2398.622	-65.03	/	-16	Pass
2483.5	2496.5	1	1	2484.748	-56.48	/	-16	Pass
2496.5	12500	1	1	2649.500	-38.96	/	-26	Pass




GFSK DH5 2480MHz Ant1 NTHV



Pi/4DQPSK 2DH5 2402MHz Ant1 NTHV




Pi/4DQPSK 2DH5 2402MHz Ant1 NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	2387	1	1	1755.000	-37.20	/	-26	Pass
2387	2400	1	1	2399.909	-46.69	/	-16	Pass
2483.5	2496.5	1	1	2496.110	-64.15	/	-16	Pass
2496.5	12500	1	1	4804.500	-45.46	/	-26	Pass

Pi/4DQPSK 2DH5 2480MHz Ant1 NTHV




Pi/4DQPSK 2DH5 2480MHz Ant1 NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	2387	1	1	1887.000	-31.23	/	-26	Pass
2387	2400	1	1	2390.003	-65.40	/	-16	Pass
2483.5	2496.5	1	1	2483.643	-51.67	/	-16	Pass
2496.5	12500	1	1	2620.000	-38.88	/	-26	Pass

8DPSK 3DH5 2402MHz Ant1 NTHV




8DPSK 3DH5 2402MHz Ant1 NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Limit (dBm)	Result
30	2387	1	1	33 000	-39.64	/	-26	Pass
2387	2400	1	1	2399.987	-49.17	/	-16	Pass
2483.5	2496.5	1	1	2494.589	-64.22	/	-16	Pass
2496.5	12500	1	1	2667.500	-41.92	/	-26	Pass

8DPSK 3DH5 2480MHz Ant1 NTHV




8DPSK 3DH5 2480MHz Ant1 NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	1887.000	-27.14	-28.63	-26	Pass
30	2387	1	1	1891.000	-27.57	-146.52	-26	Pass
30	2387	1	1	1902.500	-28.14	-146.52	-26	Pass
2387	2400	1	1	2387.143	-64.90	/	-16	Pass
2483.5	2496.5	1	1	2483.786	-53.41	/	-16	Pass
2496.5	12500	1	1	4960.500	-41.69	/	-26	Pass

8DPSK 3DH5 2480MHz Ant1 NTHV






8DPSK 3DH5 2480MHz Ant1 NTHV



8DPSK 3DH5 2480MHz Ant1 NTHV



7. Secondary Radiated Emission

7.1 Test Result

7.1.1 RxSe_NTNV

NTNV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (nW)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm)	PK Power (nW)	AV Power (dBm)	AV Power (nW)		
GFSK	SISO	2402	1	30	1000	947.6	-76.21	0.024	/	/	4	Pass
				1000	12500	2438	-60.32	0.929	/	/	20	Pass
		2480	1	30	1000	874.9	-76.99	0.020	/	/	4	Pass
				1000	12500	1887	-56.07	2.472	/	/	20	Pass
Pi/4DQPSK	SISO	2402	1	30	1000	985.5	-77.24	0.019	/	/	4	Pass
				1000	12500	1887.5	-57.77	1.671	/	/	20	Pass
		2480	1	30	1000	875.75	-77.29	0.019	/	/	4	Pass
				1000	12500	2438.5	-57.23	1.892	/	/	20	Pass
8DPSK	SISO	2402	1	30	1000	820.55	-76.63	0.022	/	/	4	Pass
				1000	12500	1895	-57.52	1.770	/	/	20	Pass
		2480	1	30	1000	411.25	-77.24	0.019	/	/	4	Pass
				1000	12500	1897.5	-58.44	1.432	/	/	20	Pass

7.1.2 RxSe_NTLV

NTLV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (nW)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm)	PK Power (nW)	AV Power (dBm)	AV Power (nW)		
GFSK	SISO	2402	1	30	1000	926.3	-76.30	0.023	/	/	4	Pass
				1000	12500	1897	-59.95	1.012	/	/	20	Pass
		2480	1	30	1000	858.95	-77.34	0.018	/	/	4	Pass
				1000	12500	2481	-58.18	1.521	/	/	20	Pass
Pi/4DQPSK	SISO	2402	1	30	1000	792.95	-76.85	0.021	/	/	4	Pass
				1000	12500	2480.5	-60.57	0.877	/	/	20	Pass
		2480	1	30	1000	907.95	-76.89	0.020	/	/	4	Pass
				1000	12500	1887	-58.13	1.538	/	/	20	Pass
8DPSK	SISO	2402	1	30	1000	774.7	-77.00	0.020	/	/	4	Pass
				1000	12500	1897	-55.21	3.013	/	/	20	Pass
		2480	1	30	1000	893.75	-76.36	0.023	/	/	4	Pass
				1000	12500	1887	-56.63	2.173	/	/	20	Pass


7.1.3 RxSe_NTHV

NTHV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (nW)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm)	PK Power (nW)	AV Power (dBm)	AV Power (nW)		
GFSK	SISO	2402	1	30	1000	879.95	-76.89	0.020	/	/	4	Pass
				1000	12500	2481	-59.36	1.159	/	/	20	Pass
		2480	1	30	1000	827.2	-76.92	0.020	/	/	4	Pass
				1000	12500	2481	-60.77	0.838	/	/	20	Pass
Pi/4DQPSK	SISO	2402	1	30	1000	779.1	-76.97	0.020	/	/	4	Pass


8DPSK	SISO	2480	1	1000	12500	1901	-58.22	1.507	/	/	20	Pass
				30	1000	811	-77.14	0.019	/	/	4	Pass
				1000	12500	2480.5	-59.12	1.225	/	/	20	Pass
		2402	1	30	1000	819	-76.95	0.020	/	/	4	Pass
				1000	12500	1890	-56.38	2.301	/	/	20	Pass
		2480	1	30	1000	776.8	-76.62	0.022	/	/	4	Pass
				1000	12500	1896	-51.64	6.855	-77.85	0.016	20	Pass

7.2 Test Graph


7.2.1 RxSe_NTNV



GFSK DH5 2480MHz Ant1 NTN




GFSK DH5 2480MHz Ant1 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	874.900	-76.99	/	-54	Pass
1000	12500	1	1	1887.000	-56.07	/	-47	Pass

Pi/4DQPSK 2DH5 2402MHz Ant1 NTN




Pi/4DQPSK 2DH5 2402MHz Ant1 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	985.500	-77.24	/	-54	Pass
1000	12500	1	1	1887.500	-57.77	/	-47	Pass



Pi/4DQPSK 2DH5 2480MHz Ant1 NTN




Pi/4DQPSK 2DH5 2480MHz Ant1 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	875.750	-77.29	/	-54	Pass
1000	12500	1	1	2438.500	-57.23	/	-47	Pass



8DPSK 3DH5 2402MHz Ant1 NTV




8DPSK 3DH5 2402MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	820.550	-76.63	/	-54	Pass
1000	12500	1	1	1895.000	-57.52	/	-47	Pass



8DPSK 3DH5 2480MHz Ant1 NTV




8DPSK 3DH5 2480MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	411.250	-77.24	/	-54	Pass
1000	12500	1	1	1897.500	-58.44	/	-47	Pass

7.2.2 RxSe_NTLV

GFSK_DH5_2402MHz_Ant1_NTLV




GFSK_DH5_2402MHz_Ant1_NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	926.300	-76.30	/	-54	Pass
1000	12500	1	1	1897.000	-59.95	/	-47	Pass

GFSK DH5 2480MHz Ant1 NTLV




GFSK DH5 2480MHz Ant1 NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	858.950	-77.34	/	-54	Pass
1000	12500	1	1	2481.000	-58.18	/	-47	Pass

Pi/4DQPSK 2DH5 2402MHz Ant1 NTLV




Pi/4DQPSK 2DH5 2402MHz Ant1 NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	792.950	-76.85	/	-54	Pass
1000	12500	1	1	2480.500	-60.57	/	-47	Pass



Pi/4DQPSK 2DH5 2480MHz Ant1 NTLV




Pi/4DQPSK 2DH5 2480MHz Ant1 NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	907.950	-76.89	/	-54	Pass
1000	12500	1	1	1887.000	-58.13	/	-47	Pass

8DPSK 3DH5 2402MHz Ant1 NTLV




8DPSK 3DH5 2402MHz Ant1 NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	774.700	-77.00	/	-54	Pass
1000	12500	1	1	1897.000	-55.21	/	-47	Pass

8DPSK 3DH5 2480MHz Ant1 NTLV




8DPSK 3DH5 2480MHz Ant1 NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	893.750	-76.36	/	-54	Pass
1000	12500	1	1	1887.000	-56.63	/	-47	Pass


7.2.3 RxSe_NTHV



GFSK DH5 2480MHz Ant1 NTHV




GFSK DH5 2480MHz Ant1 NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	827.200	-76.92	/	-54	Pass
1000	12500	1	1	2481.000	-60.77	/	-47	Pass



Pi/4DQPSK 2DH5 2402MHz Ant1 NTHV




Pi/4DQPSK 2DH5 2402MHz Ant1 NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	779.100	-76.97	/	-54	Pass
1000	12500	1	1	1901.000	-58.22	/	-47	Pass

Pi/4DQPSK 2DH5 2480MHz Ant1 NTHV




Pi/4DQPSK 2DH5 2480MHz Ant1 NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	811.000	-77.14	/	-54	Pass
1000	12500	1	1	2480.500	-59.12	/	-47	Pass

8DPSK 3DH5 2402MHz Ant1 NTHV




8DPSK 3DH5 2402MHz Ant1 NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	819.000	-76.95	/	-54	Pass
1000	12500	1	1	1890.000	-56.38	/	-47	Pass



8DPSK 3DH5 2480MHz Ant1 NTHV



8DPSK 3DH5 2480MHz Ant1 NTHV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	776.800	-76.62	/	-54	Pass
1000	12500	1	1	1896.000	-51.64	-77.85	-47	Pass



8DPSK 3DH5 2480MHz Ant1 NTHV

