

Appendix - LTE_band_18

1. Frequency Error

1.1 Test Result

1.1.1 B18_5MHz

Band: 18 / Bandwidth: 5MHz						
Channel Number	23875	23925	23975	Unit	Limit	Result
Frequency Center (MHz)	817.5	822.5	827.5			
Normal Condition	21.944	10.800	19.140	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Vibration Condition	-16.909	18.883	-13.847	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High Temp. Condition 55°C	-5.050	5.865	-3.190	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Low Temp. Condition -10°C	20.814	9.155	3.047	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High RH Condition 95%	-14.791	8.941	-17.195	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Limit of each frequency	96.75	97.25	97.75	Hz	-	-

1.1.2 B18_10MHz

Band: 18 / Bandwidth: 10MHz						
Channel Number	23900	23925	23950	Unit	Limit	Result
Frequency Center (MHz)	820	822.5	825			
Normal Condition	17.982	12.431	10.829	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Vibration Condition	-25.120	4.549	-11.373	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High Temp. Condition 55°C	-2.232	12.703	-8.483	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Low Temp. Condition -10°C	11.816	2.761	-4.234	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High RH Condition 95%	-6.881	4.606	-6.008	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Limit of each frequency	97.00	97.25	97.50	Hz	-	-

1.1.3 B18_15MHz

Band: 18 / Bandwidth: 15MHz						
Channel Number	23925			Unit	Limit	Result
Frequency Center (MHz)	822.5					
Normal Condition	/	22.373	/	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Vibration Condition	/	-0.486	/	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High Temp. Condition 55°C	/	-22.645	/	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Low Temp. Condition -10°C	/	11.873	/	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High RH Condition 95%	/	-40.898	/	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Limit of each frequency	/	97.25	/	Hz	-	-

2. Tolerance of Occupied Bandwidth

2.1 Test Result


2.1.1 B18_OBW

Band: 18						
BW(MHz)	Low Ch	Mid. Ch	High Ch	Unit	Limit	Result
5	4.51	4.51	4.52	MHz	≤ 5	Pass
10	8.96	8.93	8.93	MHz	≤ 10	Pass


15	/	13.42	/	MHz	<=15	Pass
----	---	-------	---	-----	------	------

2.2 Test Graph


2.2.1 B18_OBW




Band18_5MHz_QPSK_HCH_827.5MHz_RB_25_0_NTNV




Band18_10MHz_QPSK_LCH_820MHz_RB_50_0_NTNV




Band18_10MHz_QPSK_MCH_822.5MHz_RB_50_0_NTNV



Band18_10MHz_QPSK_HCH_825MHz_RB_50_0_NTNV





3. Tolerance of Antenna Power

3.1 Test Result

3.1.1 B18_Power

Band: 18 / Declaration Power: 23dBm							
BW(MHz)	Item	Low Ch	Mid. Ch	High Ch	Unit	Limit	Result
5	RF output Power	21.26	21.27	21.41	dBm	/	/
10	RF output Power	21.39	21.38	21.31	dBm	/	/
15	RF output Power	/	21.37	/	dBm	/	/

3.1.2 B18

Band: 18 / Declaration Power: 23dBm							
BW(MHz)	Item	Low Ch	Mid. Ch	High Ch	Unit	Limit	Result
5	Power Tolerance	-33.01	-32.86	-30.66	%	-79 to 87	Pass
10	Power Tolerance	-30.98	-31.13	-32.24	%	-79 to 87	Pass
15	Power Tolerance	/	-31.29	/	%	-79 to 87	Pass

4. Tolerance of Adjacent Channel Leakage Power

4.1 Test Result

4.1.1 B18_5MHz

Band: 18 / Bandwidth: 5MHz							
Modulation	Channel Number	23875	23925	23975	Unit	Limit	Result
	Frequency Center (MHz)	817.5	822.5	827.5			
QPSK	Fc - 10MHz	-60.69	-55.22	-55.96	dBc/3.84MHz	<=-35.2	Pass
	Fc - 5MHz	-44.62	-43.86	-44.87	dBc/3.84MHz	<=-32.2	Pass
	Fc + 5MHz	-44.15	-46.60	-46.46	dBc/3.84MHz	<=-32.2	Pass
	Fc + 10MHz	-55.85	-57.28	-56.13	dBc/3.84MHz	<=-35.2	Pass
	Fc - 5MHz	-43.65	-42.95	-43.93	dBc/4.5MHz	<=-29.2	Pass
	Fc + 5MHz	-43.12	-45.49	-45.40	dBc/4.5MHz	<=-29.2	Pass
16QAM	Fc - 10MHz	-60.04	-55.24	-55.65	dBc/3.84MHz	<=-35.2	Pass
	Fc - 5MHz	-43.63	-43.11	-43.72	dBc/3.84MHz	<=-32.2	Pass
	Fc + 5MHz	-43.28	-45.51	-45.13	dBc/3.84MHz	<=-32.2	Pass
	Fc + 10MHz	-55.85	-57.19	-55.78	dBc/3.84MHz	<=-35.2	Pass
	Fc - 5MHz	-42.72	-42.22	-42.88	dBc/4.5MHz	<=-29.2	Pass
	Fc + 5MHz	-42.32	-44.52	-44.14	dBc/4.5MHz	<=-29.2	Pass

4.1.2 B18_10MHz

Band: 18 / Bandwidth: 10MHz							
Modulation	Channel Number	23900	23925	23950	Unit	Limit	Result
	Frequency Center (MHz)	820	822.5	825			
QPSK	Fc - 12.5MHz	-55.07	-50.91	-50.94	dBc/3.84MHz	<=-35.2	Pass
	Fc - 7.5MHz	-44.37	-44.20	-44.33	dBc/3.84MHz	<=-32.2	Pass


16QAM	Fc + 7.5MHz	-46.48	-47.72	-47.86	dBc/3.84MHz	<=-32.2	Pass
	Fc + 12.5MHz	-54.31	-53.91	-52.86	dBc/3.84MHz	<=-35.2	Pass
	Fc - 10MHz	-43.35	-42.59	-42.78	dBc/9MHz	<=-29.2	Pass
	Fc + 10MHz	-45.23	-46.15	-45.97	dBc/9MHz	<=-29.2	Pass
	Fc - 12.5MHz	-54.40	-50.43	-50.22	dBc/3.84MHz	<=-35.2	Pass
	Fc - 7.5MHz	-43.36	-43.52	-43.32	dBc/3.84MHz	<=-32.2	Pass
	Fc + 7.5MHz	-45.35	-46.46	-46.31	dBc/3.84MHz	<=-32.2	Pass
	Fc + 12.5MHz	-53.06	-52.90	-52.01	dBc/3.84MHz	<=-35.2	Pass
	Fc - 10MHz	-42.38	-41.98	-41.86	dBc/9MHz	<=-29.2	Pass
	Fc + 10MHz	-44.06	-44.95	-44.63	dBc/9MHz	<=-29.2	Pass

4.1.3 B18_15MHz


Band: 18 / Bandwidth: 15MHz							
Modulation	Channel Number	23925			Unit	Limit	Result
	Frequency Center (MHz)	822.5					
QPSK	Fc - 15MHz	/	-51.22	/	dBc/3.84MHz	<=-35.2	Pass
	Fc - 10MHz	/	-43.94	/	dBc/3.84MHz	<=-32.2	Pass
	Fc + 10MHz	/	-47.78	/	dBc/3.84MHz	<=-32.2	Pass
	Fc + 15MHz	/	-51.29	/	dBc/3.84MHz	<=-35.2	Pass
	Fc - 15MHz	/	-42.71	/	dBc/13.5MHz	<=-29.2	Pass
	Fc + 15MHz	/	-45.09	/	dBc/13.5MHz	<=-29.2	Pass
16QAM	Fc - 15MHz	/	-50.94	/	dBc/3.84MHz	<=-35.2	Pass
	Fc - 10MHz	/	-43.26	/	dBc/3.84MHz	<=-32.2	Pass
	Fc + 10MHz	/	-47.19	/	dBc/3.84MHz	<=-32.2	Pass
	Fc + 15MHz	/	-50.13	/	dBc/3.84MHz	<=-35.2	Pass
	Fc - 15MHz	/	-42.08	/	dBc/13.5MHz	<=-29.2	Pass
	Fc + 15MHz	/	-44.45	/	dBc/13.5MHz	<=-29.2	Pass

4.2 Test Graph


4.2.1 B18_5MHz




Band18_5MHz_QPSK_LCH_817.5MHz_RB_25_0_NTNV




Band18_5MHz_QPSK_MCH_822.5MHz_RB_8_0_NTNV




Band18_5MHz_QPSK_MCH_822.5MHz_RB_8_17_NTNV




Band18_5MHz_QPSK_MCH_822.5MHz_RB_25_0_NTNV




Band18_5MHz_QPSK_HCH_827.5MHz_RB_8_0_NTNV




Band18_5MHz_QPSK_HCH_827.5MHz_RB_8_17_NTNV




Band18 5MHz QPSK HCH 827.5MHz RB 25 0 NTN




Band18 5MHz 16QAM LCH 817.5MHz RB 8 0 NTN




Band18_5MHz_16QAM_LCH_817.5MHz_RB_8_17_NTNV




Band18_5MHz_16QAM_LCH_817.5MHz_RB_25_0_NTNV




Band18_5MHz_16QAM_MCH_822.5MHz_RB_8_0_NTNV




Band18_5MHz_16QAM_MCH_822.5MHz_RB_8_17_NTNV




Band18_5MHz_16QAM_MCH_822.5MHz_RB_25_0_NTNV




Band18_5MHz_16QAM_HCH_827.5MHz_RB_8_0_NTNV




Band18_5MHz_16QAM_HCH_827.5MHz_RB_8_17_NTNV




Band18_5MHz_16QAM_HCH_827.5MHz_RB_25_0_NTNV




4.2.2 B18_10MHz




Band18_10MHz_QPSK_LCH_820MHz_RB_50_0_NTNV




Band18_10MHz_QPSK_MCH_822.5MHz_RB_12_0_NTNV




Band18_10MHz_QPSK_MCH_822.5MHz_RB_12_38_NTNV




Band18_10MHz_QPSK_MCH_822.5MHz_RB_50_0_NTNV




Band18_10MHz_QPSK_HCH_825MHz_RB_12_0_NTNV




Band18_10MHz_QPSK_HCH_825MHz_RB_12_38_NTNV




Band18_10MHz_QPSK_HCH_825MHz_RB_50_0_NTNV




Band18_10MHz_16QAM_LCH_820MHz_RB_12_0_NTNV




Band18_10MHz_16QAM_LCH_820MHz_RB_12_38_NTNV




Band18_10MHz_16QAM_LCH_820MHz_RB_50_0_NTNV




Band18_10MHz_16QAM_MCH_822.5MHz_RB_12_0_NTNV




Band18_10MHz_16QAM_MCH_822.5MHz_RB_12_38_NTNV




Band18_10MHz_16QAM_MCH_822.5MHz_RB_50_0_NTNV




Band18_10MHz_16QAM_HCH_825MHz_RB_12_0_NTNV




Band18_10MHz_16QAM_HCH_825MHz_RB_12_38_NTNV




Band18_10MHz_16QAM_HCH_825MHz_RB_50_0_NTNV




4.2.3 B18_15MHz




Band18_15MHz_QPSK_MCH_822.5MHz_RB_75_0_NTNV




Band18_15MHz_16QAM_MCH_822.5MHz_RB_16_0_NTNV



Band18_15MHz_16QAM_MCH_822.5MHz_RB_16_59_NTNV



Band18_15MHz_16QAM_MCH_822.5MHz_RB_75_0_NTNV



5. Tolerance of Out-band Leakage Power

5.1 Test Result

5.1.1 B18_5MHz

Band: 18 / Bandwidth: 5MHz										
Modulation	Channel Number	23875		23925		23975		Unit	Limit	Result
	Frequency Center (MHz)	817.5		822.5		827.5				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
QPSK	-12.5M $\equiv \Delta f < -8.5M$	809.000	-40.07	812.824	-37.75	818.992	-38.26	dBm/MHz	≤ -23.5	Pass
	-8.5M $\equiv \Delta f < -7.5M$	809.981	-36.53	814.992	-36.65	819.979	-35.92	dBm/MHz	≤ -11.5	Pass
	-7.5M $\equiv \Delta f < -3.5M$	813.988	-25.70	818.940	-24.92	823.968	-24.65	dBm/MHz	≤ -8.5	Pass
	-3.5M $\equiv \Delta f < -2.5M$	814.998	-27.58	819.997	-26.75	824.996	-27.70	dBm/30kHz	≤ -13.5	Pass
	+2.5M $\equiv \Delta f < +3.5M$	820.000	-28.49	825.002	-29.51	830.000	-27.95	dBm/30kHz	≤ -13.5	Pass
	+3.5M $\equiv \Delta f < +7.5M$	821.012	-24.79	826.048	-25.49	831.112	-27.08	dBm/MHz	≤ -8.5	Pass
	+7.5M $\equiv \Delta f < +8.5M$	825.053	-36.45	830.018	-36.51	835.046	-36.03	dBm/MHz	≤ -11.5	Pass
	+8.5M $\equiv \Delta f < +12.5M$	826.012	-38.51	831.016	-38.55	836.032	-37.99	dBm/MHz	≤ -23.5	Pass
16QAM	-12.5M $\equiv \Delta f < -8.5M$	808.880	-38.01	814.000	-38.68	818.884	-37.81	dBm/MHz	≤ -23.5	Pass
	-8.5M $\equiv \Delta f < -7.5M$	809.958	-36.33	814.909	-37.53	819.964	-35.55	dBm/MHz	≤ -11.5	Pass
	-7.5M $\equiv \Delta f < -3.5M$	813.956	-25.62	818.788	-24.90	823.952	-25.30	dBm/MHz	≤ -8.5	Pass
	-3.5M $\equiv \Delta f < -2.5M$	814.997	-28.45	819.998	-28.02	824.999	-28.76	dBm/30kHz	≤ -13.5	Pass
	+2.5M $\equiv \Delta f < +3.5M$	820.005	-28.39	825.001	-29.71	830.006	-29.03	dBm/30kHz	≤ -13.5	Pass
	+3.5M $\equiv \Delta f < +7.5M$	821.124	-24.99	826.008	-26.11	831.056	-26.82	dBm/MHz	≤ -8.5	Pass
	+7.5M $\equiv \Delta f < +8.5M$	825.028	-34.66	830.058	-37.41	835.380	-33.18	dBm/MHz	≤ -11.5	Pass
	+8.5M $\equiv \Delta f < +12.5M$	826.160	-38.40	831.000	-39.33	836.704	-33.64	dBm/MHz	≤ -23.5	Pass

5.1.2 B18_10MHz

Band: 18 / Bandwidth: 10MHz										
Modulation	Channel Number	23900		23925		23950		Unit	Limit	Result
	Frequency Center (MHz)	820		822.5		825				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
QPSK	-20M ≡ Δf < -15M	800.885	-55.36	807.500	-47.68	809.970	-40.67	dBm/MHz	<=-23.5	Pass
	-15M ≡ Δf < -10M	810.000	-31.50	812.480	-30.06	814.960	-30.54	dBm/MHz	<=-11.5	Pass
	-10M ≡ Δf < -6M	813.996	-25.45	816.484	-25.44	818.996	-24.28	dBm/MHz	<=-8.5	Pass
	-6M ≡ Δf < -5M	814.999	-32.49	817.492	-33.19	819.998	-32.16	dBm/30kHz	<=-16.5	Pass
	+5M ≡ Δf < +6M	825.003	-32.86	827.533	-32.70	830.002	-32.69	dBm/30kHz	<=-16.5	Pass
	+6M ≡ Δf < +10M	826.024	-25.54	828.516	-25.98	831.008	-26.75	dBm/MHz	<=-8.5	Pass
	+10M ≡ Δf < +15M	830.020	-33.71	832.755	-34.23	835.460	-33.81	dBm/MHz	<=-11.5	Pass
	+15M ≡ Δf < +20M	837.170	-37.00	839.765	-37.16	842.465	-37.80	dBm/MHz	<=-23.5	Pass
16QAM	-20M ≡ Δf < -15M	802.070	-55.45	807.500	-47.57	809.990	-40.34	dBm/MHz	<=-23.5	Pass
	-15M ≡ Δf < -10M	809.970	-32.05	812.465	-30.32	814.985	-30.95	dBm/MHz	<=-11.5	Pass
	-10M ≡ Δf < -6M	813.996	-25.25	816.484	-25.40	818.976	-24.40	dBm/MHz	<=-8.5	Pass
	-6M ≡ Δf < -5M	814.991	-32.01	817.500	-32.95	819.999	-31.27	dBm/30kHz	<=-16.5	Pass
	+5M ≡ Δf < +6M	825.000	-32.74	827.500	-32.67	830.001	-32.42	dBm/30kHz	<=-16.5	Pass
	+6M ≡ Δf < +10M	826.012	-25.87	828.516	-25.21	831.028	-25.78	dBm/MHz	<=-8.5	Pass
	+10M ≡ Δf < +15M	830.030	-33.80	832.515	-34.57	835.015	-34.03	dBm/MHz	<=-11.5	Pass


	+15M $\leq \Delta f < +20M$	837.125	-38.39	839.810	-37.61	842.105	-38.34	dBm/MHz	≤ -23.5	Pass
--	-----------------------------	---------	--------	---------	--------	---------	--------	---------	--------------	------

5.1.3 B18_15MHz


Band: 18 / Bandwidth: 15MHz										
Modulation	Channel Number	23925						Unit	Limit	Result
	Frequency Center (MHz)	822.5								
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
QPSK	-27.5M $\equiv \Delta f < -22.5M$	/	/	799.595	-55.41	/	/	dBm/MHz	<=-23.5	Pass
	-22.5M $\equiv \Delta f < -12.5M$	/	/	810.000	-30.04	/	/	dBm/MHz	<=-11.5	Pass
	-12.5M $\equiv \Delta f < -8.5M$	/	/	813.992	-25.56	/	/	dBm/MHz	<=-8.5	Pass
	-8.5M $\equiv \Delta f < -7.5M$	/	/	814.999	-33.85	/	/	dBm/30kHz	<=-18.5	Pass
	+7.5M $\equiv \Delta f < +8.5M$	/	/	830.003	-34.41	/	/	dBm/30kHz	<=-18.5	Pass
	+8.5M $\equiv \Delta f < +12.5M$	/	/	831.072	-26.21	/	/	dBm/MHz	<=-8.5	Pass
	+12.5M $\equiv \Delta f < +22.5M$	/	/	835.660	-33.67	/	/	dBm/MHz	<=-11.5	Pass
	+22.5M $\equiv \Delta f < +27.5M$	/	/	848.150	-40.82	/	/	dBm/MHz	<=-23.5	Pass
16QAM	-27.5M $\equiv \Delta f < -22.5M$	/	/	796.830	-55.50	/	/	dBm/MHz	<=-23.5	Pass
	-22.5M $\equiv \Delta f < -12.5M$	/	/	809.950	-30.32	/	/	dBm/MHz	<=-11.5	Pass
	-12.5M $\equiv \Delta f < -8.5M$	/	/	814.000	-25.01	/	/	dBm/MHz	<=-8.5	Pass
	-8.5M $\equiv \Delta f < -7.5M$	/	/	814.991	-33.65	/	/	dBm/30kHz	<=-18.5	Pass
	+7.5M $\equiv \Delta f < +8.5M$	/	/	830.019	-33.61	/	/	dBm/30kHz	<=-18.5	Pass
	+8.5M $\equiv \Delta f < +12.5M$	/	/	831.004	-26.25	/	/	dBm/MHz	<=-8.5	Pass
	+12.5M $\equiv \Delta f < +22.5M$	/	/	835.610	-33.87	/	/	dBm/MHz	<=-11.5	Pass
	+22.5M $\equiv \Delta f < +27.5M$	/	/	847.830	-41.42	/	/	dBm/MHz	<=-23.5	Pass

5.2 Test Graph

5.2.1 B18_5MHz




Band18_5MHz_QPSK_LCH_817.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	808.968	-41.04	-23.5	Pass
-8.5	-7.5	1 M	3 M	809.994	-38.37	-11.5	Pass
-7.5	-3.5	1 M	3 M	813.988	-25.70	-8.5	Pass
-3.5	-2.5	30 k	100 k	815.000	-32.21	-13.5	Pass
2.5	3.5	30 k	100 k	820.001	-32.23	-13.5	Pass
3.5	7.5	1 M	3 M	821.012	-24.79	-8.5	Pass
7.5	8.5	1 M	3 M	825.304	-37.36	-11.5	Pass
8.5	12.5	1 M	3 M	827.324	-38.62	-23.5	Pass

Band18_5MHz_QPSK_MCH_822.5MHz_RB_8_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	814.000	-38.98	-23.5	Pass
-8.5	-7.5	1 M	3 M	814.992	-36.65	-11.5	Pass
-7.5	-3.5	1 M	3 M	818.964	-25.16	-8.5	Pass
-3.5	-2.5	30 k	100 k	819.997	-26.75	-13.5	Pass
2.5	3.5	30 k	100 k	825.000	-41.22	-13.5	Pass
3.5	7.5	1 M	3 M	826.956	-31.70	-8.5	Pass
7.5	8.5	1 M	3 M	830.036	-49.61	-11.5	Pass
8.5	12.5	1 M	3 M	831.032	-51.71	-23.5	Pass

Band18_5MHz_QPSK_MCH_822.5MHz_RB_8_17_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	813.924	-51.38	-23.5	Pass
-8.5	-7.5	1 M	3 M	814.978	-48.76	-11.5	Pass
-7.5	-3.5	1 M	3 M	818.312	-29.56	-8.5	Pass
-3.5	-2.5	30 k	100 k	819.992	-41.63	-13.5	Pass
2.5	3.5	30 k	100 k	825.002	-29.51	-13.5	Pass
3.5	7.5	1 M	3 M	826.048	-25.49	-8.5	Pass
7.5	8.5	1 M	3 M	830.018	-36.51	-11.5	Pass
8.5	12.5	1 M	3 M	831.016	-38.55	-23.5	Pass

Band18_5MHz_QPSK_MCH_822.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	812.824	-37.75	-23.5	Pass
-8.5	-7.5	1 M	3 M	814.983	-37.78	-11.5	Pass
-7.5	-3.5	1 M	3 M	818.940	-24.92	-8.5	Pass
-3.5	-2.5	30 k	100 k	820.000	-32.17	-13.5	Pass
2.5	3.5	30 k	100 k	825.000	-33.99	-13.5	Pass
3.5	7.5	1 M	3 M	826.088	-27.14	-8.5	Pass
7.5	8.5	1 M	3 M	830.003	-38.14	-11.5	Pass
8.5	12.5	1 M	3 M	831.036	-39.83	-23.5	Pass

Band18_5MHz_QPSK_HCH_827.5MHz_RB_8_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	818.992	-38.26	-23.5	Pass
-8.5	-7.5	1 M	3 M	819.979	-35.92	-11.5	Pass
-7.5	-3.5	1 M	3 M	823.968	-24.65	-8.5	Pass
-3.5	-2.5	30 k	100 k	824.996	-27.70	-13.5	Pass
2.5	3.5	30 k	100 k	830.000	-40.72	-13.5	Pass
3.5	7.5	1 M	3 M	832.064	-30.49	-8.5	Pass
7.5	8.5	1 M	3 M	835.003	-48.85	-11.5	Pass
8.5	12.5	1 M	3 M	836.052	-50.99	-23.5	Pass

Band18_5MHz_QPSK_HCH_827.5MHz_RB_8_17_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	818.960	-50.60	-23.5	Pass
-8.5	-7.5	1 M	3 M	819.998	-47.76	-11.5	Pass
-7.5	-3.5	1 M	3 M	822.868	-28.97	-8.5	Pass
-3.5	-2.5	30 k	100 k	825.000	-40.23	-13.5	Pass
2.5	3.5	30 k	100 k	830.000	-27.95	-13.5	Pass
3.5	7.5	1 M	3 M	831.056	-27.20	-8.5	Pass
7.5	8.5	1 M	3 M	835.046	-36.03	-11.5	Pass
8.5	12.5	1 M	3 M	836.032	-37.99	-23.5	Pass

Band18 5MHz QPSK HCH 827.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	817.748	-38.47	-23.5	Pass
-8.5	-7.5	1 M	3 M	819.977	-37.40	-11.5	Pass
-7.5	-3.5	1 M	3 M	823.912	-25.82	-8.5	Pass
-3.5	-2.5	30 k	100 k	824.996	-32.73	-13.5	Pass
2.5	3.5	30 k	100 k	830.004	-33.07	-13.5	Pass
3.5	7.5	1 M	3 M	831.112	-27.08	-8.5	Pass
7.5	8.5	1 M	3 M	835.007	-37.63	-11.5	Pass
8.5	12.5	1 M	3 M	837.156	-38.70	-23.5	Pass

Band18 5MHz 16QAM LCH 817.5MHz RB 8 0 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	809.000	-39.35	-23.5	Pass
-8.5	-7.5	1 M	3 M	809.958	-36.33	-11.5	Pass
-7.5	-3.5	1 M	3 M	813.932	-25.65	-8.5	Pass
-3.5	-2.5	30 k	100 k	814.997	-28.45	-13.5	Pass
2.5	3.5	30 k	100 k	820.004	-41.50	-13.5	Pass
3.5	7.5	1 M	3 M	821.984	-30.32	-8.5	Pass
7.5	8.5	1 M	3 M	825.501	-35.58	-11.5	Pass
8.5	12.5	1 M	3 M	826.160	-38.40	-23.5	Pass

Band18_5MHz_16QAM_LCH_817.5MHz_RB_8_17_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	808.116	-43.59	-23.5	Pass
-8.5	-7.5	1 M	3 M	809.511	-43.78	-11.5	Pass
-7.5	-3.5	1 M	3 M	812.468	-30.08	-8.5	Pass
-3.5	-2.5	30 k	100 k	815.000	-41.92	-13.5	Pass
2.5	3.5	30 k	100 k	820.005	-28.39	-13.5	Pass
3.5	7.5	1 M	3 M	821.020	-25.72	-8.5	Pass
7.5	8.5	1 M	3 M	825.028	-34.66	-11.5	Pass
8.5	12.5	1 M	3 M	826.008	-38.66	-23.5	Pass

Band18_5MHz_16QAM_LCH_817.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	808.880	-38.01	-23.5	Pass
-8.5	-7.5	1 M	3 M	809.998	-38.43	-11.5	Pass
-7.5	-3.5	1 M	3 M	813.956	-25.62	-8.5	Pass
-3.5	-2.5	30 k	100 k	814.998	-34.12	-13.5	Pass
2.5	3.5	30 k	100 k	820.001	-33.03	-13.5	Pass
3.5	7.5	1 M	3 M	821.124	-24.99	-8.5	Pass
7.5	8.5	1 M	3 M	825.037	-37.59	-11.5	Pass
8.5	12.5	1 M	3 M	826.000	-38.93	-23.5	Pass

Band18_5MHz_16QAM_MCH_822.5MHz_RB_8_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	813.968	-39.17	-23.5	Pass
-8.5	-7.5	1 M	3 M	814.909	-37.53	-11.5	Pass
-7.5	-3.5	1 M	3 M	818.964	-25.99	-8.5	Pass
-3.5	-2.5	30 k	100 k	819.998	-28.02	-13.5	Pass
2.5	3.5	30 k	100 k	825.002	-42.32	-13.5	Pass
3.5	7.5	1 M	3 M	826.844	-32.82	-8.5	Pass
7.5	8.5	1 M	3 M	830.107	-48.29	-11.5	Pass
8.5	12.5	1 M	3 M	831.120	-52.23	-23.5	Pass

Band18_5MHz_16QAM_MCH_822.5MHz_RB_8_17_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	811.144	-44.60	-23.5	Pass
-8.5	-7.5	1 M	3 M	814.630	-43.99	-11.5	Pass
-7.5	-3.5	1 M	3 M	818.152	-30.83	-8.5	Pass
-3.5	-2.5	30 k	100 k	820.000	-41.14	-13.5	Pass
2.5	3.5	30 k	100 k	825.001	-29.71	-13.5	Pass
3.5	7.5	1 M	3 M	826.008	-26.11	-8.5	Pass
7.5	8.5	1 M	3 M	830.058	-37.41	-11.5	Pass
8.5	12.5	1 M	3 M	831.000	-39.33	-23.5	Pass

Band18_5MHz_16QAM_MCH_822.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	814.000	-38.68	-23.5	Pass
-8.5	-7.5	1 M	3 M	814.993	-37.63	-11.5	Pass
-7.5	-3.5	1 M	3 M	818.788	-24.90	-8.5	Pass
-3.5	-2.5	30 k	100 k	819.997	-33.37	-13.5	Pass
2.5	3.5	30 k	100 k	825.000	-34.72	-13.5	Pass
3.5	7.5	1 M	3 M	826.000	-27.21	-8.5	Pass
7.5	8.5	1 M	3 M	830.016	-38.23	-11.5	Pass
8.5	12.5	1 M	3 M	831.020	-39.93	-23.5	Pass

Band18_5MHz_16QAM_HCH_827.5MHz_RB_8_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	818.884	-37.81	-23.5	Pass
-8.5	-7.5	1 M	3 M	819.964	-35.55	-11.5	Pass
-7.5	-3.5	1 M	3 M	823.908	-25.54	-8.5	Pass
-3.5	-2.5	30 k	100 k	824.999	-28.76	-13.5	Pass
2.5	3.5	30 k	100 k	830.000	-41.95	-13.5	Pass
3.5	7.5	1 M	3 M	831.356	-30.48	-8.5	Pass
7.5	8.5	1 M	3 M	835.380	-33.18	-11.5	Pass
8.5	12.5	1 M	3 M	836.704	-33.64	-23.5	Pass

Band18_5MHz_16QAM_HCH_827.5MHz_RB_8_17_NTNV



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	815.616	-41.55	-23.5	Pass
-8.5	-7.5	1 M	3 M	819.978	-41.21	-11.5	Pass
-7.5	-3.5	1 M	3 M	822.596	-28.22	-8.5	Pass
-3.5	-2.5	30 k	100 k	824.995	-40.65	-13.5	Pass
2.5	3.5	30 k	100 k	830.006	-29.03	-13.5	Pass
3.5	7.5	1 M	3 M	831.056	-26.82	-8.5	Pass
7.5	8.5	1 M	3 M	835.120	-36.07	-11.5	Pass
8.5	12.5	1 M	3 M	836.016	-38.29	-23.5	Pass


Band18_5MHz_16QAM_HCH_827.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	818.988	-38.58	-23.5	Pass
-8.5	-7.5	1 M	3 M	819.985	-37.24	-11.5	Pass
-7.5	-3.5	1 M	3 M	823.952	-25.30	-8.5	Pass
-3.5	-2.5	30 k	100 k	825.000	-32.38	-13.5	Pass
2.5	3.5	30 k	100 k	830.001	-33.88	-13.5	Pass
3.5	7.5	1 M	3 M	831.088	-26.93	-8.5	Pass
7.5	8.5	1 M	3 M	835.012	-37.75	-11.5	Pass
8.5	12.5	1 M	3 M	836.016	-38.89	-23.5	Pass


5.2.2 B18_10MHz

Band18_10MHz_QPSK_LCH_820MHz_RB_12_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	800.885	-55.36	-23.5	Pass
-15	-10	1 M	3 M	809.975	-39.66	-11.5	Pass
-10	-6	1 M	3 M	813.996	-25.45	-8.5	Pass
-6	-5	30 k	100 k	814.999	-32.49	-16.5	Pass
5	6	30 k	100 k	825.003	-47.43	-16.5	Pass
6	10	1 M	3 M	829.988	-33.00	-8.5	Pass
10	15	1 M	3 M	830.225	-33.86	-11.5	Pass
15	20	1 M	3 M	835.040	-53.10	-23.5	Pass

Band18_10MHz_QPSK_LCH_820MHz_RB_12_38_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	801.700	-55.50	-23.5	Pass
-15	-10	1 M	3 M	809.970	-32.69	-11.5	Pass
-10	-6	1 M	3 M	810.836	-31.10	-8.5	Pass
-6	-5	30 k	100 k	814.995	-47.02	-16.5	Pass
5	6	30 k	100 k	825.003	-32.86	-16.5	Pass
6	10	1 M	3 M	826.024	-25.54	-8.5	Pass
10	15	1 M	3 M	830.015	-40.38	-11.5	Pass
15	20	1 M	3 M	837.170	-37.00	-23.5	Pass

Band18_10MHz_QPSK_LCH_820MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	804.945	-55.43	-23.5	Pass
-15	-10	1 M	3 M	810.000	-31.50	-11.5	Pass
-10	-6	1 M	3 M	813.964	-26.59	-8.5	Pass
-6	-5	30 k	100 k	815.000	-38.74	-16.5	Pass
5	6	30 k	100 k	825.021	-38.29	-16.5	Pass
6	10	1 M	3 M	826.036	-28.03	-8.5	Pass
10	15	1 M	3 M	830.020	-33.71	-11.5	Pass
15	20	1 M	3 M	835.015	-40.72	-23.5	Pass

Band18_10MHz_QPSK_MCH_822.5MHz_RB_12_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	807.490	-49.73	-23.5	Pass
-15	-10	1 M	3 M	812.495	-39.29	-11.5	Pass
-10	-6	1 M	3 M	816.484	-25.44	-8.5	Pass
-6	-5	30 k	100 k	817.492	-33.19	-16.5	Pass
5	6	30 k	100 k	827.504	-48.20	-16.5	Pass
6	10	1 M	3 M	832.420	-33.61	-8.5	Pass
10	15	1 M	3 M	832.755	-34.23	-11.5	Pass
15	20	1 M	3 M	837.565	-53.20	-23.5	Pass

Band18_10MHz_QPSK_MCH_822.5MHz_RB_12_38_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	807.485	-54.58	-23.5	Pass
-15	-10	1 M	3 M	811.840	-31.10	-11.5	Pass
-10	-6	1 M	3 M	812.504	-30.49	-8.5	Pass
-6	-5	30 k	100 k	817.500	-46.27	-16.5	Pass
5	6	30 k	100 k	827.533	-32.70	-16.5	Pass
6	10	1 M	3 M	828.516	-25.98	-8.5	Pass
10	15	1 M	3 M	832.500	-39.77	-11.5	Pass
15	20	1 M	3 M	839.765	-37.16	-23.5	Pass

Band18_10MHz_QPSK_MCH_822.5MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	807.500	-47.68	-23.5	Pass
-15	-10	1 M	3 M	812.480	-30.06	-11.5	Pass
-10	-6	1 M	3 M	816.292	-26.65	-8.5	Pass
-6	-5	30 k	100 k	817.498	-38.27	-16.5	Pass
5	6	30 k	100 k	827.507	-39.12	-16.5	Pass
6	10	1 M	3 M	828.540	-29.38	-8.5	Pass
10	15	1 M	3 M	832.515	-34.76	-11.5	Pass
15	20	1 M	3 M	837.580	-40.45	-23.5	Pass

Band18_10MHz_QPSK_HCH_825MHz_RB_12_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	809.200	-41.06	-23.5	Pass
-15	-10	1 M	3 M	814.955	-39.56	-11.5	Pass
-10	-6	1 M	3 M	818.996	-24.28	-8.5	Pass
-6	-5	30 k	100 k	819.998	-32.16	-16.5	Pass
5	6	30 k	100 k	830.009	-48.30	-16.5	Pass
6	10	1 M	3 M	834.936	-33.13	-8.5	Pass
10	15	1 M	3 M	835.460	-33.81	-11.5	Pass
15	20	1 M	3 M	840.070	-53.33	-23.5	Pass

Band18_10MHz_QPSK_HCH_825MHz_RB_12_38_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	809.990	-52.64	-23.5	Pass
-15	-10	1 M	3 M	814.545	-31.38	-11.5	Pass
-10	-6	1 M	3 M	815.240	-30.94	-8.5	Pass
-6	-5	30 k	100 k	819.996	-46.82	-16.5	Pass
5	6	30 k	100 k	830.002	-32.69	-16.5	Pass
6	10	1 M	3 M	831.008	-26.75	-8.5	Pass
10	15	1 M	3 M	835.005	-39.17	-11.5	Pass
15	20	1 M	3 M	842.465	-37.80	-23.5	Pass

Band18_10MHz_QPSK_HCH_825MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	809.970	-40.67	-23.5	Pass
-15	-10	1 M	3 M	814.960	-30.54	-11.5	Pass
-10	-6	1 M	3 M	818.784	-26.54	-8.5	Pass
-6	-5	30 k	100 k	819.994	-37.99	-16.5	Pass
5	6	30 k	100 k	830.000	-39.36	-16.5	Pass
6	10	1 M	3 M	831.040	-29.68	-8.5	Pass
10	15	1 M	3 M	835.030	-34.15	-11.5	Pass
15	20	1 M	3 M	840.015	-39.82	-23.5	Pass

Band18_10MHz_16QAM_LCH_820MHz_RB_12_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	800.695	-55.47	-23.5	Pass
-15	-10	1 M	3 M	810.000	-41.88	-11.5	Pass
-10	-6	1 M	3 M	813.996	-25.25	-8.5	Pass
-6	-5	30 k	100 k	814.991	-32.01	-16.5	Pass
5	6	30 k	100 k	825.000	-47.29	-16.5	Pass
6	10	1 M	3 M	829.552	-34.29	-8.5	Pass
10	15	1 M	3 M	830.160	-34.65	-11.5	Pass
15	20	1 M	3 M	835.000	-53.52	-23.5	Pass

Band18_10MHz_16QAM_LCH_820MHz_RB_12_38_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	802.070	-55.45	-23.5	Pass
-15	-10	1 M	3 M	809.940	-33.56	-11.5	Pass
-10	-6	1 M	3 M	810.168	-32.73	-8.5	Pass
-6	-5	30 k	100 k	814.993	-48.37	-16.5	Pass
5	6	30 k	100 k	825.000	-32.74	-16.5	Pass
6	10	1 M	3 M	826.012	-25.87	-8.5	Pass
10	15	1 M	3 M	835.000	-41.31	-11.5	Pass
15	20	1 M	3 M	837.125	-38.39	-23.5	Pass

Band18_10MHz_16QAM_LCH_820MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	804.930	-55.56	-23.5	Pass
-15	-10	1 M	3 M	809.970	-32.05	-11.5	Pass
-10	-6	1 M	3 M	813.848	-27.13	-8.5	Pass
-6	-5	30 k	100 k	814.995	-38.96	-16.5	Pass
5	6	30 k	100 k	825.039	-39.15	-16.5	Pass
6	10	1 M	3 M	826.188	-28.39	-8.5	Pass
10	15	1 M	3 M	830.030	-33.80	-11.5	Pass
15	20	1 M	3 M	835.060	-41.07	-23.5	Pass

Band18_10MHz_16QAM_MCH_822.5MHz_RB_12_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	807.495	-49.41	-23.5	Pass
-15	-10	1 M	3 M	812.490	-41.14	-11.5	Pass
-10	-6	1 M	3 M	816.484	-25.40	-8.5	Pass
-6	-5	30 k	100 k	817.500	-32.95	-16.5	Pass
5	6	30 k	100 k	827.505	-48.29	-16.5	Pass
6	10	1 M	3 M	832.484	-34.21	-8.5	Pass
10	15	1 M	3 M	832.805	-34.72	-11.5	Pass
15	20	1 M	3 M	837.520	-53.54	-23.5	Pass

Band18_10MHz_16QAM_MCH_822.5MHz_RB_12_38_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	807.500	-55.02	-23.5	Pass
-15	-10	1 M	3 M	812.080	-31.76	-11.5	Pass
-10	-6	1 M	3 M	812.520	-31.59	-8.5	Pass
-6	-5	30 k	100 k	817.497	-48.20	-16.5	Pass
5	6	30 k	100 k	827.500	-32.67	-16.5	Pass
6	10	1 M	3 M	828.516	-25.21	-8.5	Pass
10	15	1 M	3 M	837.270	-39.75	-11.5	Pass
15	20	1 M	3 M	839.810	-37.61	-23.5	Pass

Band18_10MHz_16QAM_MCH_822.5MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	807.500	-47.57	-23.5	Pass
-15	-10	1 M	3 M	812.465	-30.32	-11.5	Pass
-10	-6	1 M	3 M	816.420	-26.64	-8.5	Pass
-6	-5	30 k	100 k	817.452	-39.34	-16.5	Pass
5	6	30 k	100 k	827.500	-38.51	-16.5	Pass
6	10	1 M	3 M	828.748	-29.40	-8.5	Pass
10	15	1 M	3 M	832.515	-34.57	-11.5	Pass
15	20	1 M	3 M	837.505	-41.13	-23.5	Pass

Band18_10MHz_16QAM_HCH_825MHz_RB_12_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	808.990	-42.05	-23.5	Pass
-15	-10	1 M	3 M	814.985	-41.48	-11.5	Pass
-10	-6	1 M	3 M	818.976	-24.40	-8.5	Pass
-6	-5	30 k	100 k	819.999	-31.27	-16.5	Pass
5	6	30 k	100 k	830.000	-48.59	-16.5	Pass
6	10	1 M	3 M	834.972	-33.65	-8.5	Pass
10	15	1 M	3 M	835.470	-34.23	-11.5	Pass
15	20	1 M	3 M	840.105	-53.44	-23.5	Pass

Band18_10MHz_16QAM_HCH_825MHz_RB_12_38_NTNV



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	809.985	-52.95	-23.5	Pass
-15	-10	1 M	3 M	814.625	-32.05	-11.5	Pass
-10	-6	1 M	3 M	815.008	-31.46	-8.5	Pass
-6	-5	30 k	100 k	819.997	-46.88	-16.5	Pass
5	6	30 k	100 k	830.001	-32.42	-16.5	Pass
6	10	1 M	3 M	831.028	-25.78	-8.5	Pass
10	15	1 M	3 M	835.025	-41.23	-11.5	Pass
15	20	1 M	3 M	842.105	-38.34	-23.5	Pass


Band18_10MHz_16QAM_HCH_825MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	809.990	-40.34	-23.5	Pass
-15	-10	1 M	3 M	814.985	-30.95	-11.5	Pass
-10	-6	1 M	3 M	818.824	-26.83	-8.5	Pass
-6	-5	30 k	100 k	819.997	-38.38	-16.5	Pass
5	6	30 k	100 k	830.010	-39.66	-16.5	Pass
6	10	1 M	3 M	831.032	-29.40	-8.5	Pass
10	15	1 M	3 M	835.015	-34.03	-11.5	Pass
15	20	1 M	3 M	840.045	-40.12	-23.5	Pass


5.2.3 B18_15MHz

Band18_15MHz_QPSK_MCH_822.5MHz_RB_16_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	797.625	-55.44	-23.5	Pass
-22.5	-12.5	1 M	3 M	809.960	-39.78	-11.5	Pass
-12.5	-8.5	1 M	3 M	813.992	-25.56	-8.5	Pass
-8.5	-7.5	30 k	100 k	814.999	-33.85	-18.5	Pass
7.5	8.5	30 k	100 k	830.001	-51.72	-18.5	Pass
8.5	12.5	1 M	3 M	835.000	-42.03	-8.5	Pass
12.5	22.5	1 M	3 M	838.490	-34.02	-11.5	Pass
22.5	27.5	1 M	3 M	845.190	-53.68	-23.5	Pass

Band18_15MHz_QPSK_MCH_822.5MHz_RB_16_59_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	797.475	-55.50	-23.5	Pass
-22.5	-12.5	1 M	3 M	808.720	-36.35	-11.5	Pass
-12.5	-8.5	1 M	3 M	810.072	-39.64	-8.5	Pass
-8.5	-7.5	30 k	100 k	814.998	-51.30	-18.5	Pass
7.5	8.5	30 k	100 k	830.003	-34.41	-18.5	Pass
8.5	12.5	1 M	3 M	831.072	-26.21	-8.5	Pass
12.5	22.5	1 M	3 M	835.040	-39.78	-11.5	Pass
22.5	27.5	1 M	3 M	848.150	-40.82	-23.5	Pass

Band18_15MHz_QPSK_MCH_822.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	799.595	-55.41	-23.5	Pass
-22.5	-12.5	1 M	3 M	810.000	-30.04	-11.5	Pass
-12.5	-8.5	1 M	3 M	812.144	-26.28	-8.5	Pass
-8.5	-7.5	30 k	100 k	814.980	-38.71	-18.5	Pass
-7.5	8.5	30 k	100 k	830.002	-40.46	-18.5	Pass
8.5	12.5	1 M	3 M	831.236	-29.76	-8.5	Pass
12.5	22.5	1 M	3 M	835.660	-33.67	-11.5	Pass
22.5	27.5	1 M	3 M	845.060	-41.01	-23.5	Pass

Band18_15MHz_16QAM_MCH_822.5MHz_RB_16_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	796.830	-55.50	-23.5	Pass
-22.5	-12.5	1 M	3 M	809.940	-40.48	-11.5	Pass
-12.5	-8.5	1 M	3 M	814.000	-25.01	-8.5	Pass
-8.5	-7.5	30 k	100 k	814.991	-33.65	-18.5	Pass
-7.5	8.5	30 k	100 k	830.018	-51.64	-18.5	Pass
8.5	12.5	1 M	3 M	832.988	-41.72	-8.5	Pass
12.5	22.5	1 M	3 M	838.540	-34.25	-11.5	Pass
22.5	27.5	1 M	3 M	846.355	-53.33	-23.5	Pass

Band18_15MHz_16QAM_MCH_822.5MHz_RB_16_59_NTNV



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	799.415	-55.52	-23.5	Pass
-22.5	-12.5	1 M	3 M	808.330	-37.74	-11.5	Pass
-12.5	-8.5	1 M	3 M	810.076	-40.43	-8.5	Pass
-8.5	-7.5	30 k	100 k	814.990	-50.74	-18.5	Pass
-7.5	8.5	30 k	100 k	830.019	-33.61	-18.5	Pass
8.5	12.5	1 M	3 M	831.004	-26.25	-8.5	Pass
12.5	22.5	1 M	3 M	835.470	-39.11	-11.5	Pass
22.5	27.5	1 M	3 M	847.830	-41.42	-23.5	Pass

Band18_15MHz_16QAM_MCH_822.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-27.5	-22.5	1 M	3 M	799.230	-55.60	-23.5	Pass
-22.5	-12.5	1 M	3 M	809.950	-30.32	-11.5	Pass
-12.5	-8.5	1 M	3 M	812.496	-26.84	-8.5	Pass
-8.5	-7.5	30 k	100 k	814.955	-39.25	-18.5	Pass
-7.5	8.5	30 k	100 k	830.010	-40.93	-18.5	Pass
8.5	12.5	1 M	3 M	831.096	-30.66	-8.5	Pass
12.5	22.5	1 M	3 M	835.610	-33.87	-11.5	Pass
22.5	27.5	1 M	3 M	845.005	-42.55	-23.5	Pass

6. Tolerance of Unwanted Emission Intensity

6.1 Test Result

6.1.1 B18_5MHz

Band: 18 / Bandwidth: 5MHz										
Bandwidth (MHz)	Channel Number	23875		23925		23975		Unit	Limit	Result
	Frequency Center (MHz)	817.5		822.5		827.5				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
5	0.009MHz ~ 0.15MHz	0.072	-54.97	0.090	-54.49	0.057	-54.19	dBm/kHz	<=-36	Pass
	0.15MHz ~ 30MHz	0.165	-52.08	0.160	-50.34	0.155	-51.67	dBm/10kHz	<=-36	Pass
	30MHz ~ 1000MHz	830.900	-49.88	809.250	-49.17	840.700	-48.99	dBm/100kHz	<=-36	Pass
	470MHz ~ 710MHz	521.200	-64.80	565.000	-65.01	598.700	-65.06	dBm/100kHz	<=-36	Pass
	770MHz ~ 773MHz	770.558	-76.24	770.936	-76.11	772.109	-75.55	dBm/100kHz	<=-36	Pass
	773MHz ~ 803MHz	782.570	-66.25	799.370	-66.08	794.690	-66.32	dBm/100kHz	<=-36	Pass
	860MHz ~ 890MHz	864.200	-63.14	866.390	-62.92	874.040	-64.22	dBm/MHz	<=-40	Pass
	945MHz ~ 960MHz	948.615	-75.91	948.555	-75.89	948.570	-76.49	dBm/100kHz	<=-36	Pass
	1000MHz ~ 12750MHz	2453.500	-30.84	2467.500	-30.53	2482.000	-30.70	dBm/MHz	<=-30	Pass
	1475.9MHz ~ 1496.7MHz	1477.897	-69.87	1483.076	-69.99	1483.846	-69.81	dBm/MHz	<=-50	Pass
	1496.7MHz ~ 1510.9MHz	1506.484	-69.82	1503.672	-69.96	1500.633	-69.87	dBm/MHz	<=-50	Pass
	1805MHz ~ 1845MHz	1830.360	-67.87	1830.640	-67.79	1830.240	-68.00	dBm/MHz	<=-30	Pass
	1845MHz ~ 1880MHz	1872.090	-68.17	1878.775	-68.27	1876.045	-68.06	dBm/MHz	<=-50	Pass
	1910MHz ~ 1915.7MHz	1912.571	-67.93	1913.887	-67.96	1914.007	-67.87	dBm/MHz	<=-30	Pass
	2010MHz ~ 2025MHz	2017.425	-66.77	2022.960	-66.83	2022.030	-66.78	dBm/MHz	<=-50	Pass
	2110MHz ~ 2144.4MHz	2136.247	-66.15	2137.692	-66.11	2137.933	-66.15	dBm/MHz	<=-50	Pass
	2114.4MHz ~ 2170MHz	2133.971	-66.09	2143.812	-66.16	2150.151	-66.20	dBm/MHz	<=-50	Pass
	2330MHz ~ 2370MHz	2356.800	-67.67	2344.080	-67.72	2363.320	-67.66	dBm/MHz	<=-30	Pass
	3400MHz ~ 3419.3MHz	3406.080	-68.89	3417.447	-69.52	3409.071	-67.55	dBm/MHz	<=-30	Pass
	3419.3MHz ~ 3500.7MHz	3420.521	-70.54	3473.105	-70.79	3471.477	-70.69	dBm/MHz	<=-30	Pass
	3500.7MHz ~ 3574.7MHz	3561.306	-71.16	3519.570	-70.35	3553.092	-70.61	dBm/MHz	<=-30	Pass
	3574.7MHz ~ 3590.3MHz	3590.269	-70.76	3588.865	-70.87	3588.740	-70.81	dBm/MHz	<=-30	Pass
	3590.3MHz ~ 3600MHz	3599.156	-70.73	3597.497	-64.91	3597.400	-67.91	dBm/MHz	<=-30	Pass
	3600MHz ~ 4100MHz	4076.500	-69.28	3852.500	-74.43	3874.500	-74.44	dBm/MHz	<=-30	Pass
	4500MHz ~ 4900MHz	4892.400	-73.24	4830.800	-74.07	4830.800	-74.13	dBm/MHz	<=-30	Pass

6.1.2 B18_10MHz

Band: 18 / Bandwidth: 10MHz										
Bandwidth (MHz)	Channel Number	23900		23925		23950		Unit	Limit	Result
	Frequency Center (MHz)	820		822.5		825				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
10	0.009MHz ~ 0.15MHz	0.092	-54.55	0.087	-55.00	0.072	-53.27	dBm/kHz	<=-36	Pass
	0.15MHz ~ 30MHz	0.150	-49.73	0.150	-50.92	0.150	-49.09	dBm/10kHz	<=-36	Pass
	30MHz ~ 1000MHz	841.950	-46.62	843.250	-50.59	845.150	-49.62	dBm/100kHz	<=-36	Pass
	470MHz ~ 710MHz	539.350	-64.71	537.000	-65.03	484.650	-64.97	dBm/100kHz	<=-36	Pass
	770MHz ~ 773MHz	770.048	-75.87	770.399	-75.55	772.175	-75.45	dBm/100kHz	<=-36	Pass

773MHz ~ 803MHz	795.320	-66.09	796.700	-66.32	778.670	-66.33	dBm/100kHz	<=-36	Pass
860MHz ~ 890MHz	865.880	-62.70	864.680	-62.38	866.570	-62.74	dBm/MHz	<=-40	Pass
945MHz ~ 960MHz	948.570	-75.86	948.600	-76.15	948.660	-75.83	dBm/100kHz	<=-36	Pass
1000MHz ~ 12750MHz	2460.500	-33.79	2466.000	-33.29	2473.500	-33.63	dBm/MHz	<=-30	Pass
1475.9MHz ~ 1496.7MHz	1488.338	-69.85	1493.330	-69.91	1489.524	-69.78	dBm/MHz	<=-50	Pass
1496.7MHz ~ 1510.9MHz	1501.102	-69.81	1501.997	-69.90	1497.978	-69.87	dBm/MHz	<=-50	Pass
1805MHz ~ 1845MHz	1830.640	-67.92	1830.440	-67.96	1830.280	-68.27	dBm/MHz	<=-30	Pass
1845MHz ~ 1880MHz	1876.570	-68.12	1856.830	-68.12	1878.915	-67.98	dBm/MHz	<=-50	Pass
1906.6MHz ~ 1915.7MHz	1912.488	-67.90	1909.649	-67.90	1907.246	-67.86	dBm/MHz	<=-30	Pass
2010MHz ~ 2025MHz	2020.080	-66.66	2024.130	-66.75	2023.125	-66.76	dBm/MHz	<=-50	Pass
2110MHz ~ 2144.4MHz	2122.728	-66.12	2140.444	-66.16	2139.618	-66.05	dBm/MHz	<=-50	Pass
2114.4MHz ~ 2170MHz	2133.248	-66.09	2134.694	-66.16	2151.040	-66.03	dBm/MHz	<=-50	Pass
2330MHz ~ 2370MHz	2337.200	-67.63	2335.040	-67.60	2332.040	-67.56	dBm/MHz	<=-30	Pass
3400MHz ~ 3419.3MHz	3415.093	-69.11	3411.812	-57.59	3413.433	-68.05	dBm/MHz	<=-30	Pass
3419.3MHz ~ 3500.7MHz	3497.688	-65.80	3468.628	-70.55	3463.663	-70.57	dBm/MHz	<=-30	Pass
3500.7MHz ~ 3574.7MHz	3516.832	-69.81	3570.704	-71.12	3573.590	-71.12	dBm/MHz	<=-30	Pass
3574.7MHz ~ 3590.3MHz	3590.113	-70.77	3587.055	-70.78	3586.244	-70.48	dBm/MHz	<=-30	Pass
3590.3MHz ~ 3600MHz	3597.808	-65.16	3599.903	-70.65	3597.236	-69.02	dBm/MHz	<=-30	Pass
3600MHz ~ 4100MHz	4078.000	-69.50	4090.500	-68.70	3832.500	-74.45	dBm/MHz	<=-30	Pass
4500MHz ~ 4900MHz	4828.800	-74.03	4792.400	-74.07	4798.800	-74.16	dBm/MHz	<=-30	Pass


6.1.3 B18_15MHz

Band: 18 / Bandwidth: 15MHz										
Bandwidth (MHz)	Channel Number	23925						Unit	Limit	Result
	Frequency Center (MHz)	822.5								
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
15	0.009MHz ~ 0.15MHz	/	/	0.091	-53.99	/	/	dBm/kHz	<=-36	Pass
	0.15MHz ~ 30MHz	/	/	7.800	-50.31	/	/	dBm/10kHz	<=-36	Pass
	30MHz ~ 1000MHz	/	/	850.100	-54.10	/	/	dBm/100kHz	<=-36	Pass
	470MHz ~ 710MHz	/	/	518.000	-64.63	/	/	dBm/100kHz	<=-36	Pass
	770MHz ~ 773MHz	/	/	772.892	-75.90	/	/	dBm/100kHz	<=-36	Pass
	773MHz ~ 803MHz	/	/	787.370	-66.13	/	/	dBm/100kHz	<=-36	Pass
	860MHz ~ 890MHz	/	/	864.500	-62.69	/	/	dBm/MHz	<=-40	Pass
	945MHz ~ 960MHz	/	/	948.570	-76.47	/	/	dBm/100kHz	<=-36	Pass
	1000MHz ~ 12750MHz	/	/	2466.000	-34.57	/	/	dBm/MHz	<=-30	Pass
	1475.9MHz ~ 1496.7MHz	/	/	1487.860	-69.87	/	/	dBm/MHz	<=-50	Pass
	1496.7MHz ~ 1510.9MHz	/	/	1506.725	-69.84	/	/	dBm/MHz	<=-50	Pass
	1805MHz ~ 1845MHz	/	/	1844.120	-68.21	/	/	dBm/MHz	<=-30	Pass
	1845MHz ~ 1880MHz	/	/	1879.965	-68.11	/	/	dBm/MHz	<=-50	Pass
	1906.6MHz ~ 1915.7MHz	/	/	1912.988	-67.83	/	/	dBm/MHz	<=-30	Pass
	2010MHz ~ 2025MHz	/	/	2022.960	-66.69	/	/	dBm/MHz	<=-50	Pass
	2110MHz ~ 2144.4MHz	/	/	2143.127	-66.14	/	/	dBm/MHz	<=-50	Pass
	2114.4MHz ~ 2170MHz	/	/	2142.812	-66.08	/	/	dBm/MHz	<=-50	Pass
	2330MHz ~ 2370MHz	/	/	2330.360	-67.55	/	/	dBm/MHz	<=-30	Pass
	3400MHz ~ 3419.3MHz	/	/	3408.917	-70.99	/	/	dBm/MHz	<=-30	Pass
	3419.3MHz ~ 3500.7MHz	/	/	3464.396	-70.49	/	/	dBm/MHz	<=-30	Pass


3500.7MHz ~ 3574.7MHz	/	/	3574.330	-71.14	/	/	dBm/MHz	<=-30	Pass
3574.7MHz ~ 3590.3MHz	/	/	3590.144	-70.88	/	/	dBm/MHz	<=-30	Pass
3590.3MHz ~ 3600MHz	/	/	3597.459	-69.72	/	/	dBm/MHz	<=-30	Pass
3600MHz ~ 4100MHz	/	/	4079.000	-69.37	/	/	dBm/MHz	<=-30	Pass
4500MHz ~ 4900MHz	/	/	4894.800	-72.89	/	/	dBm/MHz	<=-30	Pass

6.2 Test Graph


6.2.1 B18_5MHz




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_0_NTNV 3/25 30-1000MHz Limit:-36




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_0_NTNV 8/25 470-710MHz Limit:-36




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_0_NTNV_9/25_770-773MHz_Limit:-36




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_0_NTNV_10/25_773-803MHz_Limit:-36




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_0_NTNV_11/25_860-890MHz_Limit:-40




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_0_NTNV_12/25_945-960MHz_Limit:-36





Band18 5MHz QPSK LCH 817.5MHz RB 1 0 NTN 4/25 1000-12750MHz Limit:-30




Band18 5MHz QPSK LCH 817.5MHz RB 1 0 NTN 13/25 1475.9-1496.7MHz Limit:-50







Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_0_NTNV 5/25 1845-1880MHz Limit:-50




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_0_NTNV 16/25 1910-1915.7MHz Limit:-30




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_0_NTNV 6/25 2010-2025MHz Limit:-50




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_0_NTNV 7/25 2110-2144.4MHz Limit:-50




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_0_NTNV 17/25 2114.4-2170MHz Limit:-50




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_0_NTNV 18/25 2330-2370MHz Limit:-30





Band18 5MHz QPSK LCH 817.5MHz RB 1 0 NTN 19/25 3400-3419.3MHz Limit:-30




Band18 5MHz QPSK LCH 817.5MHz RB 1 0 NTN 20/25 3419.3-3500.7MHz Limit:-30







Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_0_NTNV_23/25_3590.3-3600MHz Limit:-30




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_0_NTNV_24/25_3600-4100MHz Limit:-30




Band18 5MHz QPSK LCH 817.5MHz RB 1 0 NTN 25/25 4500-4900MHz Limit:-30




Band18 5MHz QPSK LCH 817.5MHz RB 1 24 NTN 1/25 0.009-0.15MHz Limit:-36




Band18 5MHz QPSK LCH 817.5MHz RB 1 24 NTNV 2/25 0.15-30MHz Limit:-36




Band18 5MHz QPSK LCH 817.5MHz RB 1 24 NTNV 3/25 30-1000MHz Limit:-36




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV 8/25 470-710MHz Limit:-36




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV 9/25 770-773MHz Limit:-36




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV_10/25_773-803MHz_Limit:-36




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV_11/25_860-890MHz_Limit:-40




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV_12/25_945-960MHz_Limit:-36




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV_4/25_1000-12750MHz_Limit:-30




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV_13/25_1475.9-1496.7MHz Limit:-50




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV_14/25_1496.7-1510.9MHz Limit:-50




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV_15/25_1805-1845MHz_Limit:-30




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV_5/25_1845-1880MHz_Limit:-50




Band18 5MHz QPSK LCH 817.5MHz RB 1 24 NTN 16/25 1910-1915.7MHz Limit:-30




Band18 5MHz QPSK LCH 817.5MHz RB 1 24 NTN 6/25 2010-2025MHz Limit:-50




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV 7/25 2110-2144.4MHz Limit:-50




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV 17/25 2114.4-2170MHz Limit:-50





Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV_18/25_2330-2370MHz_Limit:-30




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV_19/25_3400-3419.3MHz_Limit:-30







Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV_22/25_3574.7-3590.3MHz Limit:-30




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV_23/25_3590.3-3600MHz Limit:-30





Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV_24/25_3600-4100MHz_Limit:-30




Band18_5MHz_QPSK_LCH_817.5MHz_RB_1_24_NTNV_25/25_4500-4900MHz_Limit:-30







Band18_5MHz_QPSK_LCH_817.5MHz_RB_25_0_NTNV 3/25 30-1000MHz Limit:-36




Band18_5MHz_QPSK_LCH_817.5MHz_RB_25_0_NTNV 8/25 470-710MHz Limit:-36




Band18_5MHz_QPSK_LCH_817.5MHz_RB_25_0_NTNV 9/25 770-773MHz Limit:-36




Band18_5MHz_QPSK_LCH_817.5MHz_RB_25_0_NTNV 10/25 773-803MHz Limit:-36




Band18_5MHz_QPSK_LCH_817.5MHz_RB_25_0_NTNV_11/25_860-890MHz_Limit:-40




Band18_5MHz_QPSK_LCH_817.5MHz_RB_25_0_NTNV_12/25_945-960MHz_Limit:-36




Band18_5MHz_QPSK_LCH_817.5MHz_RB_25_0_NTNV 4/25 1000-12750MHz Limit:-30




Band18_5MHz_QPSK_LCH_817.5MHz_RB_25_0_NTNV 13/25 1475.9-1496.7MHz Limit:-50




Band18_5MHz_QPSK_LCH_817.5MHz_RB_25_0_NTNV_14/25_1496.7-1510.9MHz Limit:-50




Band18_5MHz_QPSK_LCH_817.5MHz_RB_25_0_NTNV_15/25_1805-1845MHz Limit:-30




Band18 5MHz QPSK LCH 817.5MHz RB 25 0 NTN 5/25 1845-1880MHz Limit:-50




Band18 5MHz QPSK LCH 817.5MHz RB 25 0 NTN 16/25 1910-1915.7MHz Limit:-30





Band18 5MHz QPSK LCH 817.5MHz RB 25 0 NTN 6/25 2010-2025MHz Limit:-50




Band18 5MHz QPSK LCH 817.5MHz RB 25 0 NTN 7/25 2110-2144.4MHz Limit:-50








Band18 5MHz QPSK LCH 817.5MHz RB 25 0 NTN 19/25 3400-3419.3MHz Limit:-30




Band18 5MHz QPSK LCH 817.5MHz RB 25 0 NTN 20/25 3419.3-3500.7MHz Limit:-30







Band18_5MHz_QPSK_LCH_817.5MHz_RB_25_0_NTNV 23/25 3590.3-3600MHz Limit:-30




Band18_5MHz_QPSK_LCH_817.5MHz_RB_25_0_NTNV 24/25 3600-4100MHz Limit:-30




Band18_5MHz_QPSK_LCH_817.5MHz_RB_25_0_NTNV_25/25_4500-4900MHz_Limit:-30




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_0_NTNV_1/25_0.009-0.15MHz_Limit:-36




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_0_NTNV_2/25_0.15-30MHz Limit:-36




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_0_NTNV_3/25_30-1000MHz Limit:-36




Band18 5MHz QPSK MCH 822.5MHz RB 1 0 NTVN 8/25 470-710MHz Limit:-36




Band18 5MHz QPSK MCH 822.5MHz RB 1 0 NTVN 9/25 770-773MHz Limit:-36




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_0_NTNV 10/25 773-803MHz Limit:-36




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_0_NTNV 11/25 860-890MHz Limit:-40




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_0_NTNV 12/25 945-960MHz Limit:-36




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_0_NTNV 4/25 1000-12750MHz Limit:-30




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_0_NTNV 13/25 1475.9-1496.7MHz Limit:-50




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_0_NTNV 14/25 1496.7-1510.9MHz Limit:-50




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_0_NTNV 15/25 1805-1845MHz Limit:-30




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_0_NTNV 5/25 1845-1880MHz Limit:-50




Band18 5MHz QPSK MCH 822.5MHz RB 1 0 NTNV 16/25 1910-1915.7MHz Limit:-30




Band18 5MHz QPSK MCH 822.5MHz RB 1 0 NTNV 6/25 2010-2025MHz Limit:-50




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_0_NTNV 7/25 2110-2144.4MHz Limit:-50




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_0_NTNV 17/25 2114.4-2170MHz Limit:-50







Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_0_NTNV 18/25 2330-2370MHz Limit:-30




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_0_NTNV 19/25 3400-3419.3MHz Limit:-30









Band18 5MHz QPSK MCH 822.5MHz RB 1 0 NTNV 24/25 3600-4100MHz Limit:-30




Band18 5MHz QPSK MCH 822.5MHz RB 1 0 NTNV 25/25 4500-4900MHz Limit:-30




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_24_NTNV_1/25_0.009-0.15MHz Limit:-36




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_24_NTNV_2/25_0.15-30MHz Limit:-36




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_24_NTNV_3/25_30-1000MHz_Limit:-36




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_24_NTNV_8/25_470-710MHz_Limit:-36




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_24_NTNV 9/25 770-773MHz Limit:-36




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_24_NTNV 10/25 773-803MHz Limit:-36




Band18 5MHz QPSK MCH 822.5MHz RB 1 24 NTV 11/25 860-890MHz Limit:-40




Band18 5MHz QPSK MCH 822.5MHz RB 1 24 NTV 12/25 945-960MHz Limit:-36





Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_24_NTNV 4/25 1000-12750MHz Limit:-30




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_24_NTNV 13/25 1475.9-1496.7MHz Limit:-50







Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_24_NTNV 5/25 1845-1880MHz Limit:-50




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_24_NTNV 16/25 1910-1915.7MHz Limit:-30





Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_24_NTNV 6/25 2010-2025MHz Limit:-50




Band18_5MHz_QPSK_MCH_822.5MHz_RB_1_24_NTNV 7/25 2110-2144.4MHz Limit:-50








Band18 5MHz QPSK MCH 822.5MHz RB 1 24 NTNV 19/25 3400-3419.3MHz Limit:-30




Band18 5MHz QPSK MCH 822.5MHz RB 1 24 NTNV 20/25 3419.3-3500.7MHz Limit:-30







Band18 5MHz QPSK MCH 822.5MHz RB 1 24 NTN 23/25 3590.3-3600MHz Limit:-30




Band18 5MHz QPSK MCH 822.5MHz RB 1 24 NTN 24/25 3600-4100MHz Limit:-30




Band18 5MHz QPSK MCH 822.5MHz RB 1 24 NTNV 25/25 4500-4900MHz Limit:-30




Band18 5MHz QPSK MCH 822.5MHz RB 25 0 NTNV 1/25 0.009-0.15MHz Limit:-36




Band18_5MHz_QPSK_MCH_822.5MHz_RB_25_0_NTNV 2/25 0.15-30MHz Limit:-36




Band18_5MHz_QPSK_MCH_822.5MHz_RB_25_0_NTNV 3/25 30-1000MHz Limit:-36




Band18_5MHz_QPSK_MCH_822.5MHz_RB_25_0_NTNV 8/25 470-710MHz Limit:-36




Band18_5MHz_QPSK_MCH_822.5MHz_RB_25_0_NTNV 9/25 770-773MHz Limit:-36




Band18 5MHz QPSK MCH 822.5MHz RB 25 0 NTV 10/25 773-803MHz Limit:-36




Band18 5MHz QPSK MCH 822.5MHz RB 25 0 NTV 11/25 860-890MHz Limit:-40





Band18 5MHz QPSK MCH 822.5MHz RB 25 0 NTN 12/25 945-960MHz Limit:-36




Band18 5MHz QPSK MCH 822.5MHz RB 25 0 NTN 4/25 1000-12750MHz Limit:-30







Band18 5MHz QPSK MCH 822.5MHz RB 25_0 NTN 15/25 1805-1845MHz Limit:-30




Band18 5MHz QPSK MCH 822.5MHz RB 25_0 NTN 5/25 1845-1880MHz Limit:-50




Band18 5MHz QPSK MCH 822.5MHz RB 25 0 NTN 16/25 1910-1915.7MHz Limit:-30




Band18 5MHz QPSK MCH 822.5MHz RB 25 0 NTN 6/25 2010-2025MHz Limit:-50







Band18 5MHz QPSK MCH 822.5MHz RB 25 0 NTN 7/25 2110-2144.4MHz Limit:-50





Band18 5MHz QPSK MCH 822.5MHz RB 25 0 NTN 17/25 2114.4-2170MHz Limit:-50















Band18_5MHz_QPSK_MCH_822.5MHz_RB_25_0_NTNV 24/25 3600-4100MHz Limit:-30




Band18_5MHz_QPSK_MCH_822.5MHz_RB_25_0_NTNV 25/25 4500-4900MHz Limit:-30










Band18 5MHz QPSK HCH 827.5MHz RB 1 0 NTN 9/25 770-773MHz Limit:-36




Band18 5MHz QPSK HCH 827.5MHz RB 1 0 NTN 10/25 773-803MHz Limit:-36







Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_0_NTNV 4/25 1000-12750MHz Limit:-30




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_0_NTNV 13/25 1475.9-1496.7MHz Limit:-50




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_0_NTNV_14/25_1496.7-1510.9MHz Limit:-50




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_0_NTNV_15/25_1805-1845MHz Limit:-30




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_0_NTNV 5/25 1845-1880MHz Limit:-50




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_0_NTNV 16/25 1910-1915.7MHz Limit:-30




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_0_NTNV 6/25 2010-2025MHz Limit:-50




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_0_NTNV 7/25 2110-2144.4MHz Limit:-50





Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_0_NTNV 17/25 2114.4-2170MHz Limit:-50




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_0_NTNV 18/25 2330-2370MHz Limit:-30







Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_0_NTNV_21/25_3500.7-3574.7MHz_Limit:-30




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_0_NTNV_22/25_3574.7-3590.3MHz_Limit:-30




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_0_NTNV_23/25_3590.3-3600MHz Limit:-30




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_0_NTNV_24/25_3600-4100MHz Limit:-30




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_0_NTNV 25/25 4500-4900MHz Limit:-30




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_24_NTNV 1/25 0.009-0.15MHz Limit:-36




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_24_NTNV_2/25_0.15-30MHz_Limit:-36




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_24_NTNV_3/25_30-1000MHz_Limit:-36




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_24_NTNV 8/25 470-710MHz Limit:-36




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_24_NTNV 9/25 770-773MHz Limit:-36




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_24_NTNV_10/25_773-803MHz_Limit:-36




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_24_NTNV_11/25_860-890MHz_Limit:-40





Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_24_NTNV_12/25_945-960MHz Limit:-36




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_24_NTNV_4/25_1000-12750MHz Limit:-30







Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_24_NTNV 15/25 1805-1845MHz Limit:-30




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_24_NTNV 5/25 1845-1880MHz Limit:-50





Band18 5MHz QPSK HCH 827.5MHz RB 1 24 NTN 16/25 1910-1915.7MHz Limit:-30




Band18 5MHz QPSK HCH 827.5MHz RB 1 24 NTN 6/25 2010-2025MHz Limit:-50










Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_24_NTNV_18/25_2330-2370MHz Limit:-30




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_24_NTNV_19/25_3400-3419.3MHz Limit:-30









Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_24_NTNV 24/25 3600-4100MHz Limit:-30




Band18_5MHz_QPSK_HCH_827.5MHz_RB_1_24_NTNV 25/25 4500-4900MHz Limit:-30




Band18_5MHz_QPSK_HCH_827.5MHz_RB_25_0_NTNV 1/25 0.009-0.15MHz Limit:-36




Band18_5MHz_QPSK_HCH_827.5MHz_RB_25_0_NTNV 2/25 0.15-30MHz Limit:-36




Band18_5MHz_QPSK_HCH_827.5MHz_RB_25_0_NTNV 3/25 30-1000MHz Limit:-36




Band18_5MHz_QPSK_HCH_827.5MHz_RB_25_0_NTNV 8/25 470-710MHz Limit:-36




Band18_5MHz_QPSK_HCH_827.5MHz_RB_25_0_NTNV 9/25 770-773MHz Limit:-36




Band18_5MHz_QPSK_HCH_827.5MHz_RB_25_0_NTNV 10/25 773-803MHz Limit:-36




Band18_5MHz_QPSK_HCH_827.5MHz_RB_25_0_NTNV_11/25_860-890MHz_Limit:-40



Band18_5MHz_QPSK_HCH_827.5MHz_RB_25_0_NTNV_12/25_945-960MHz_Limit:-36



Band18_5MHz_QPSK_HCH_827.5MHz_RB_25_0_NTNV 4/25 1000-12750MHz Limit:-30



Band18_5MHz_QPSK_HCH_827.5MHz_RB_25_0_NTNV 13/25 1475.9-1496.7MHz Limit:-50

