

Appendix - LTE_band_8

1. Frequency Error

1.1 Test Result

1.1.1 B8_3MHz

Band: 8 / Bandwidth: 3MHz						
Channel Number	21665	21725	21785	Unit	Limit	Result
Frequency Center (MHz)	901.5	907.5	913.5			
Normal Condition	33.216	10.271	3.505	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Vibration Condition	-9.985	-40.855	-28.582	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High Temp. Condition 55°C	-34.404	-23.546	-12.431	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Low Temp. Condition -10°C	-15.736	-47.808	-44.332	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High RH Condition 95%	-18.740	-10.772	-6.166	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Limit of each frequency	105.15	105.75	106.35	Hz	-	-

1.1.2 B8_5MHz

Band: 8 / Bandwidth: 5MHz						
Channel Number	21675	21725	21775	Unit	Limit	Result
Frequency Center (MHz)	902.5	907.5	912.5			
Normal Condition	22.230	10.300	7.710	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Vibration Condition	38.295	-4.535	-45.404	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High Temp. Condition 55°C	7.052	7.896	-35.791	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Low Temp. Condition -10°C	39.911	13.990	-41.013	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High RH Condition 95%	29.941	0.801	-14.048	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Limit of each frequency	105.25	105.75	106.25	Hz	-	-

1.1.3 B8_10MHz

Band: 8 / Bandwidth: 10MHz						
Channel Number	21700	21725	21750	Unit	Limit	Result
Frequency Center (MHz)	905	907.5	910			
Normal Condition	28.324	29.240	5.579	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Vibration Condition	13.461	-3.662	-25.792	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High Temp. Condition 55°C	-2.146	12.360	-34.862	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Low Temp. Condition -10°C	36.335	20.614	-13.089	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
High RH Condition 95%	-2.918	-0.587	-12.631	Hz	$\pm(0.1*fc*10^{-6}+15)$	Pass
Limit of each frequency	105.50	105.75	106.00	Hz	-	-

2. Tolerance of Occupied Bandwidth

2.1 Test Result


2.1.1 B8_OBW

Band: 8						
BW(MHz)	Low Ch	Mid. Ch	High Ch	Unit	Limit	Result
3	2.75	2.76	2.75	MHz	≤ 3	Pass
5	4.53	4.51	4.52	MHz	≤ 5	Pass


10	8.92	8.95	8.97	MHz	≤ 10	Pass
----	------	------	------	-----	-----------	------

2.2 Test Graph


2.2.1 B8_OBW




Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV




Band8_5MHz_QPSK_LCH_902.5MHz_RB_25_0_NTNV






Band8_5MHz_QPSK_MCH_907.5MHz_RB_25_0_NTNV



Band8_5MHz_QPSK_HCH_912.5MHz_RB_25_0_NTNV







3. Tolerance of Antenna Power

3.1 Test Result

3.1.1 B8_Power

Band: 8 / Declaration Power: 23dBm							
BW(MHz)	Item	Low Ch	Mid. Ch	High Ch	Unit	Limit	Result
3	RF output Power	21.48	21.22	21.19	dBm	/	/
5	RF output Power	21.33	21.32	21.29	dBm	/	/
10	RF output Power	21.24	21.31	21.23	dBm	/	/

3.1.2 B8

Band: 8 / Declaration Power: 23dBm							
BW(MHz)	Item	Low Ch	Mid. Ch	High Ch	Unit	Limit	Result
3	Power Tolerance	-29.53	-33.63	-34.08	%	-79 to 87	Pass
5	Power Tolerance	-31.92	-32.08	-32.55	%	-79 to 87	Pass
10	Power Tolerance	-33.32	-32.24	-33.47	%	-79 to 87	Pass

4. Tolerance of Adjacent Channel Leakage Power

4.1 Test Result

4.1.1 B8_3MHz

Band: 8 / Bandwidth: 3MHz							
Modulation	Channel Number	21665	21725	21785	Unit	Limit	Result
	Frequency Center (MHz)	901.5	907.5	913.5			
QPSK	Fc - 4MHz	-48.36	-46.34	-48.75	dBc/3.84MHz	<=-32.2	Pass
	Fc + 4MHz	-47.70	-48.00	-48.53	dBc/3.84MHz	<=-32.2	Pass
	Fc - 3MHz	-47.26	-42.49	-46.11	dBc/2.7MHz	<=-29.2	Pass
	Fc + 3MHz	-46.32	-42.11	-46.18	dBc/2.7MHz	<=-29.2	Pass
16QAM	Fc - 4MHz	-46.54	-44.73	-46.77	dBc/3.84MHz	<=-32.2	Pass
	Fc + 4MHz	-46.04	-47.03	-46.18	dBc/3.84MHz	<=-32.2	Pass
	Fc - 3MHz	-45.33	-43.93	-45.79	dBc/2.7MHz	<=-29.2	Pass
	Fc + 3MHz	-44.62	-44.11	-44.65	dBc/2.7MHz	<=-29.2	Pass

4.1.2 B8_5MHz

Band: 8 / Bandwidth: 5MHz							
Modulation	Channel Number	21675	21725	21775	Unit	Limit	Result
	Frequency Center (MHz)	902.5	907.5	912.5			
QPSK	Fc - 10MHz	-55.37	-53.87	-53.81	dBc/3.84MHz	<=-35.2	Pass
	Fc - 5MHz	-47.95	-45.35	-44.94	dBc/3.84MHz	<=-32.2	Pass
	Fc + 5MHz	-49.19	-44.57	-48.65	dBc/3.84MHz	<=-32.2	Pass
	Fc + 10MHz	-57.88	-56.87	-71.11	dBc/3.84MHz	<=-35.2	Pass
	Fc - 5MHz	-46.95	-43.87	-42.89	dBc/4.5MHz	<=-29.2	Pass
	Fc + 5MHz	-47.39	-42.38	-46.90	dBc/4.5MHz	<=-29.2	Pass


16QAM	Fc - 10MHz	-55.78	-54.06	-53.20	dBc/3.84MHz	<=-35.2	Pass
	Fc - 5MHz	-46.45	-45.19	-45.51	dBc/3.84MHz	<=-32.2	Pass
	Fc + 5MHz	-48.05	-46.46	-46.19	dBc/3.84MHz	<=-32.2	Pass
	Fc + 10MHz	-58.07	-56.62	-70.18	dBc/3.84MHz	<=-35.2	Pass
	Fc - 5MHz	-45.55	-44.48	-43.48	dBc/4.5MHz	<=-29.2	Pass
	Fc + 5MHz	-46.96	-44.21	-45.25	dBc/4.5MHz	<=-29.2	Pass

4.1.3 B8_10MHz


Band: 8 / Bandwidth: 10MHz							
Modulation	Channel Number	21700	21725	21750	Unit	Limit	Result
	Frequency Center (MHz)	905	907.5	910			
QPSK	Fc - 12.5MHz	-52.78	-52.60	-52.55	dBc/3.84MHz	<=-35.2	Pass
	Fc - 7.5MHz	-48.64	-47.75	-43.96	dBc/3.84MHz	<=-32.2	Pass
	Fc + 7.5MHz	-44.54	-46.00	-48.25	dBc/3.84MHz	<=-32.2	Pass
	Fc + 12.5MHz	-54.76	-60.17	-70.88	dBc/3.84MHz	<=-35.2	Pass
	Fc - 10MHz	-46.69	-47.07	-43.48	dBc/9MHz	<=-29.2	Pass
	Fc + 10MHz	-43.89	-45.53	-48.04	dBc/9MHz	<=-29.2	Pass
16QAM	Fc - 12.5MHz	-51.36	-50.99	-51.19	dBc/3.84MHz	<=-35.2	Pass
	Fc - 7.5MHz	-46.54	-47.25	-44.83	dBc/3.84MHz	<=-32.2	Pass
	Fc + 7.5MHz	-46.31	-46.55	-46.62	dBc/3.84MHz	<=-32.2	Pass
	Fc + 12.5MHz	-52.70	-58.93	-69.93	dBc/3.84MHz	<=-35.2	Pass
	Fc - 10MHz	-44.76	-45.27	-44.36	dBc/9MHz	<=-29.2	Pass
	Fc + 10MHz	-45.74	-46.09	-46.41	dBc/9MHz	<=-29.2	Pass

4.2 Test Graph

4.2.1 B8_3MHz




Band8_3MHz_QPSK_LCH_901.5MHz_RB_15_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	21.68	/	/	/	/
Fc - 4MHz	-4	3.84	-26.68	-48.36	-32.2	16.16	Pass
Fc + 4MHz	4	3.84	-26.02	-47.70	-32.2	15.50	Pass
Fc - 3MHz	-3	2.70	-25.58	-47.26	-29.2	18.06	Pass
Fc + 3MHz	3	2.70	-24.64	-46.32	-29.2	17.12	Pass

Band8_3MHz_QPSK_MCH_907.5MHz_RB_4_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	22.29	/	/	/	/
Fc - 4MHz	-4	3.84	-24.85	-47.14	-32.2	14.94	Pass
Fc + 4MHz	4	3.84	-28.93	-51.22	-32.2	19.02	Pass
Fc - 3MHz	-3	2.70	-20.20	-42.49	-29.2	13.29	Pass
Fc + 3MHz	3	2.70	-28.79	-51.08	-29.2	21.88	Pass


Band8_3MHz_QPSK_MCH_907.5MHz_RB_4_11_NTNV



Band8_3MHz_QPSK_MCH_907.5MHz_RB_15_0_NTNV




Band8_3MHz_QPSK_HCH_913.5MHz_RB_4_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	22.48	/	/	/	/
Fc - 4MHz	-4	3.84	-26.76	-49.24	-32.2	17.04	Pass
Fc + 4MHz	4	3.84	-27.70	-50.18	-32.2	17.98	Pass
Fc - 3MHz	-3	2.70	-23.63	-46.11	-29.2	16.91	Pass
Fc + 3MHz	3	2.70	-27.43	-49.91	-29.2	20.71	Pass

Band8_3MHz_QPSK_HCH_913.5MHz_RB_4_11_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	22.33	/	/	/	/
Fc - 4MHz	-4	3.84	-29.87	-52.20	-32.2	20.00	Pass
Fc + 4MHz	4	3.84	-27.92	-50.25	-32.2	18.05	Pass
Fc - 3MHz	-3	2.70	-29.63	-51.96	-29.2	22.76	Pass
Fc + 3MHz	3	2.70	-23.85	-46.18	-29.2	16.98	Pass

Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	21.26	/	/	/	/
Fc - 4MHz	-4	3.84	-27.49	-48.75	-32.2	16.55	Pass
Fc + 4MHz	4	3.84	-27.27	-48.53	-32.2	16.33	Pass
Fc - 3MHz	-3	2.70	-26.65	-47.91	-29.2	18.71	Pass
Fc + 3MHz	3	2.70	-25.67	-46.93	-29.2	17.73	Pass

Band8_3MHz_16QAM_LCH_901.5MHz_RB_4_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	22.02	/	/	/	/
Fc - 4MHz	-4	3.84	-28.39	-50.41	-32.2	18.21	Pass
Fc + 4MHz	4	3.84	-26.03	-48.05	-32.2	15.85	Pass
Fc - 3MHz	-3	2.70	-24.59	-46.61	-29.2	17.41	Pass
Fc + 3MHz	3	2.70	-25.93	-47.95	-29.2	18.75	Pass

Band8_3MHz_16QAM_LCH_901.5MHz_RB_4_11_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	21.88	/	/	/	/
Fc - 4MHz	-4	3.84	-26.90	-48.78	-32.2	16.58	Pass
Fc + 4MHz	4	3.84	-28.87	-50.75	-32.2	18.55	Pass
Fc - 3MHz	-3	2.70	-26.83	-48.71	-29.2	19.51	Pass
Fc + 3MHz	3	2.70	-24.28	-46.16	-29.2	16.96	Pass

Band8_3MHz_16QAM_LCH_901.5MHz_RB_15_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	21.03	/	/	/	/
Fc - 4MHz	-4	3.84	-25.51	-46.54	-32.2	14.34	Pass
Fc + 4MHz	4	3.84	-25.01	-46.04	-32.2	13.84	Pass
Fc - 3MHz	-3	2.70	-24.30	-45.33	-29.2	16.13	Pass
Fc + 3MHz	3	2.70	-23.59	-44.62	-29.2	15.42	Pass

Band8_3MHz_16QAM_MCH_907.5MHz_RB_4_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	21.56	/	/	/	/
Fc - 4MHz	-4	3.84	-26.53	-48.09	-32.2	15.89	Pass
Fc + 4MHz	4	3.84	-28.21	-49.77	-32.2	17.57	Pass
Fc - 3MHz	-3	2.70	-22.37	-43.93	-29.2	14.73	Pass
Fc + 3MHz	3	2.70	-28.13	-49.69	-29.2	20.49	Pass

Band8_3MHz_16QAM_MCH_907.5MHz_RB_4_11_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	21.45	/	/	/	/
Fc - 4MHz	-4	3.84	-26.13	-47.58	-32.2	15.38	Pass
Fc + 4MHz	4	3.84	-27.85	-49.30	-32.2	17.10	Pass
Fc - 3MHz	-3	2.70	-26.01	-47.46	-29.2	18.26	Pass
Fc + 3MHz	3	2.70	-22.66	-44.11	-29.2	14.91	Pass

Band8_3MHz_16QAM_MCH_907.5MHz_RB_15_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	20.67	/	/	/	/
Fc - 4MHz	-4	3.84	-24.06	-44.73	-32.2	12.53	Pass
Fc + 4MHz	4	3.84	-26.36	-47.03	-32.2	14.83	Pass
Fc - 3MHz	-3	2.70	-23.63	-44.30	-29.2	15.10	Pass
Fc + 3MHz	3	2.70	-25.38	-46.05	-29.2	16.85	Pass

Band8_3MHz_16QAM_HCH_913.5MHz_RB_4_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Fc	/	2.70	21.43	/	/	/	/
Fc - 4MHz	-4	3.84	-28.70	-50.13	-32.2	17.93	Pass
Fc + 4MHz	4	3.84	-27.06	-48.49	-32.2	16.29	Pass
Fc - 3MHz	-3	2.70	-26.53	-47.96	-29.2	18.76	Pass
Fc + 3MHz	3	2.70	-26.92	-48.35	-29.2	19.15	Pass


Band8 3MHz 16QAM HCH 913.5MHz RB 4 11 NTN




Band8 3MHz 16QAM HCH 913.5MHz RB 15 0 NTN




4.2.2 B8_5MHz




Band8_5MHz_QPSK_LCH_902.5MHz_RB_25_0_NTNV




Band8_5MHz_QPSK_MCH_907.5MHz_RB_8_0_NTNV




Band8_5MHz_QPSK_MCH_907.5MHz_RB_8_17_NTNV




Band8_5MHz_QPSK_MCH_907.5MHz_RB_25_0_NTNV




Band8_5MHz_QPSK_HCH_912.5MHz_RB_8_0_NTNV




Band8_5MHz_QPSK_HCH_912.5MHz_RB_8_17_NTNV




Band8_5MHz_QPSK_HCH_912.5MHz_RB_25_0_NTNV




Band8_5MHz_16QAM_LCH_902.5MHz_RB_8_0_NTNV




Band8_5MHz_16QAM_LCH_902.5MHz_RB_8_17_NTNV




Band8_5MHz_16QAM_LCH_902.5MHz_RB_25_0_NTNV




Band8_5MHz_16QAM_MCH_907.5MHz_RB_8_0_NTNV




Band8_5MHz_16QAM_MCH_907.5MHz_RB_8_17_NTNV




Band8_5MHz_16QAM_MCH_907.5MHz_RB_25_0_NTNV




Band8_5MHz_16QAM_HCH_912.5MHz_RB_8_0_NTNV




Band8_5MHz_16QAM_HCH_912.5MHz_RB_8_17_NTNV




Band8_5MHz_16QAM_HCH_912.5MHz_RB_25_0_NTNV




4.2.3 B8_10MHz




Band8_10MHz_QPSK_LCH_905MHz_RB_50_0_NTNV




Band8_10MHz_QPSK_MCH_907.5MHz_RB_12_0_NTNV




Band8_10MHz_QPSK_MCH_907.5MHz_RB_12_38_NTNV




Band8_10MHz_QPSK_MCH_907.5MHz_RB_50_0_NTNV




Band8_10MHz_QPSK_HCH_910MHz_RB_12_0_NTNV




Band8_10MHz_QPSK_HCH_910MHz_RB_12_38_NTNV




Band8_10MHz_QPSK_HCH_910MHz_RB_50_0_NTNV




Band8_10MHz_16QAM_LCH_905MHz_RB_12_0_NTNV




Band8_10MHz_16QAM_LCH_905MHz_RB_12_38_NTNV




Band8_10MHz_16QAM_LCH_905MHz_RB_50_0_NTNV




Band8_10MHz_16QAM_MCH_907.5MHz_RB_12_0_NTNV




Band8_10MHz_16QAM_MCH_907.5MHz_RB_12_38_NTNV




Band8_10MHz_16QAM_MCH_907.5MHz_RB_50_0_NTNV




Band8_10MHz_16QAM_HCH_910MHz_RB_12_0_NTNV



Band8_10MHz_16QAM_HCH_910MHz_RB_12_38_NTNV



Band8_10MHz_16QAM_HCH_910MHz_RB_50_0_NTNV



5. Tolerance of Out-band Leakage Power

5.1 Test Result

5.1.1 B8_3MHz

Band: 8 / Bandwidth: 3MHz										
Modulation	Channel Number	21665		21725		21785		Unit	Limit	Result
	Frequency Center (MHz)	901.5		907.5		913.5				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
QPSK	-7.5M $\equiv \Delta f < -6.5M$	895.000	-39.02	900.993	-36.82	906.540	-34.28	dBm/MHz	≤ -23.5	Pass
	-6.5M $\equiv \Delta f < -2.5M$	898.672	-27.11	904.652	-26.16	910.980	-28.98	dBm/MHz	≤ -8.5	Pass
	-2.5M $\equiv \Delta f < -1.5M$	899.995	-18.86	905.997	-19.82	911.999	-19.85	dBm/30kHz	≤ -11.5	Pass
	+1.5M $\equiv \Delta f < +2.5M$	903.000	-19.03	909.003	-19.43	915.002	-19.65	dBm/30kHz	≤ -11.5	Pass
	+2.5M $\equiv \Delta f < +6.5M$	904.304	-25.72	910.064	-27.28	916.320	-27.34	dBm/MHz	≤ -8.5	Pass
	+6.5M $\equiv \Delta f < +7.5M$	908.005	-39.53	914.013	-39.27	920.007	-52.22	dBm/MHz	≤ -23.5	Pass
16QAM	-7.5M $\equiv \Delta f < -6.5M$	894.999	-40.11	900.994	-38.09	906.991	-39.26	dBm/MHz	≤ -23.5	Pass
	-6.5M $\equiv \Delta f < -2.5M$	898.704	-26.60	904.736	-25.42	910.996	-28.20	dBm/MHz	≤ -8.5	Pass
	-2.5M $\equiv \Delta f < -1.5M$	899.999	-19.15	906.000	-20.91	911.997	-21.60	dBm/30kHz	≤ -11.5	Pass
	+1.5M $\equiv \Delta f < +2.5M$	903.000	-20.18	909.000	-20.98	915.007	-20.83	dBm/30kHz	≤ -11.5	Pass
	+2.5M $\equiv \Delta f < +6.5M$	904.328	-25.25	910.104	-27.00	916.344	-25.95	dBm/MHz	≤ -8.5	Pass
	+6.5M $\equiv \Delta f < +7.5M$	908.002	-40.80	914.445	-36.27	920.004	-52.57	dBm/MHz	≤ -23.5	Pass

5.1.2 B8_5MHz

Band: 8 / Bandwidth: 5MHz										
Modulation	Channel Number	21675		21725		21775		Unit	Limit	Result
	Frequency Center (MHz)	902.5		907.5		912.5				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
QPSK	-12.5M $\equiv \Delta f < -8.5M$	892.692	-38.56	898.940	-36.33	903.976	-35.83	dBm/MHz	≤ -23.5	Pass
	-8.5M $\equiv \Delta f < -7.5M$	894.907	-38.40	899.990	-35.01	904.947	-33.57	dBm/MHz	≤ -11.5	Pass
	-7.5M $\equiv \Delta f < -3.5M$	898.892	-27.15	903.984	-22.79	908.940	-22.17	dBm/MHz	≤ -8.5	Pass
	-3.5M $\equiv \Delta f < -2.5M$	899.991	-28.90	904.999	-27.25	910.000	-27.81	dBm/30kHz	≤ -13.5	Pass
	+2.5M $\equiv \Delta f < +3.5M$	905.000	-29.40	910.002	-28.97	915.000	-29.36	dBm/30kHz	≤ -13.5	Pass
	+3.5M $\equiv \Delta f < +7.5M$	906.100	-26.15	911.060	-21.41	916.096	-25.78	dBm/MHz	≤ -8.5	Pass
	+7.5M $\equiv \Delta f < +8.5M$	910.009	-40.40	915.161	-34.42	920.028	-51.80	dBm/MHz	≤ -11.5	Pass
	+8.5M $\equiv \Delta f < +12.5M$	912.296	-41.12	916.036	-36.46	921.028	-55.10	dBm/MHz	≤ -23.5	Pass
16QAM	-12.5M $\equiv \Delta f < -8.5M$	893.372	-37.17	898.384	-35.84	902.676	-34.55	dBm/MHz	≤ -23.5	Pass
	-8.5M $\equiv \Delta f < -7.5M$	894.921	-37.07	899.485	-34.50	904.789	-33.13	dBm/MHz	≤ -11.5	Pass
	-7.5M $\equiv \Delta f < -3.5M$	898.864	-28.58	903.892	-25.71	908.988	-24.73	dBm/MHz	≤ -8.5	Pass
	-3.5M $\equiv \Delta f < -2.5M$	900.000	-29.37	905.000	-29.83	910.000	-28.51	dBm/30kHz	≤ -13.5	Pass
	+2.5M $\equiv \Delta f < +3.5M$	905.006	-30.94	910.003	-30.48	915.001	-29.80	dBm/30kHz	≤ -13.5	Pass
	+3.5M $\equiv \Delta f < +7.5M$	906.068	-28.61	911.008	-25.17	916.032	-26.82	dBm/MHz	≤ -8.5	Pass
	+7.5M $\equiv \Delta f < +8.5M$	910.004	-36.67	915.091	-33.50	920.009	-51.56	dBm/MHz	≤ -11.5	Pass
	+8.5M $\equiv \Delta f < +12.5M$	911.144	-37.45	916.084	-37.44	921.056	-55.20	dBm/MHz	≤ -23.5	Pass

5.1.3 B8_10MHz

Total or partial reproduction of this document without permission of the Laboratory is not allowed.

Page 37 of 423

BTF Testing Lab (Shenzhen) Co., Ltd.

Plant 101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, Guangdong, China

Email: info@btf-lab.com

Tel: +86-755-23146130


<http://www.btf-lab.com>

Version: 1/00


Band: 8 / Bandwidth: 10MHz										
Modulation	Channel Number	21700		21725		21750		Unit	Limit	Result
	Frequency Center (MHz)	905		907.5		910				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
QPSK	-20M ≡ Δf < -15M	885.645	-38.61	887.960	-39.37	894.990	-39.41	dBm/MHz	<=-23.5	Pass
	-15M ≡ Δf < -10M	894.695	-32.38	897.480	-32.93	899.815	-32.73	dBm/MHz	<=-11.5	Pass
	-10M ≡ Δf < -6M	898.988	-29.29	901.400	-27.34	903.844	-22.71	dBm/MHz	<=-8.5	Pass
	-6M ≡ Δf < -5M	899.994	-34.43	902.494	-33.85	904.998	-31.81	dBm/30kHz	<=-16.5	Pass
	+5M ≡ Δf < +6M	910.002	-32.09	912.507	-33.52	915.000	-33.50	dBm/30kHz	<=-16.5	Pass
	+6M ≡ Δf < +10M	911.016	-22.80	913.596	-25.18	916.116	-28.20	dBm/MHz	<=-8.5	Pass
	+10M ≡ Δf < +15M	915.245	-32.89	917.525	-33.51	920.000	-48.33	dBm/MHz	<=-11.5	Pass
	+15M ≡ Δf < +20M	920.015	-53.93	922.530	-55.44	925.380	-55.39	dBm/MHz	<=-23.5	Pass
16QAM	-20M ≡ Δf < -15M	889.385	-39.57	892.490	-39.67	894.690	-39.34	dBm/MHz	<=-23.5	Pass
	-15M ≡ Δf < -10M	894.600	-31.46	897.250	-31.01	899.545	-30.90	dBm/MHz	<=-11.5	Pass
	-10M ≡ Δf < -6M	898.988	-28.80	901.472	-27.74	903.956	-23.19	dBm/MHz	<=-8.5	Pass
	-6M ≡ Δf < -5M	899.999	-33.96	902.498	-33.89	904.993	-31.93	dBm/30kHz	<=-16.5	Pass
	+5M ≡ Δf < +6M	910.037	-33.95	912.505	-34.02	915.005	-33.53	dBm/30kHz	<=-16.5	Pass
	+6M ≡ Δf < +10M	911.088	-25.01	913.500	-26.73	916.028	-27.50	dBm/MHz	<=-8.5	Pass
	+10M ≡ Δf < +15M	915.320	-32.07	917.545	-32.22	920.000	-47.75	dBm/MHz	<=-11.5	Pass
	+15M ≡ Δf < +20M	920.015	-53.81	923.650	-55.48	925.275	-55.53	dBm/MHz	<=-23.5	Pass

5.2 Test Graph

5.2.1 B8_3MHz




Band8_3MHz_QPSK_LCH_901.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	895.000	-39.02	-23.5	Pass
-6.5	-2.5	1 M	3 M	898.988	-28.12	-8.5	Pass
-2.5	-1.5	30 k	100 k	900.000	-25.51	-11.5	Pass
1.5	2.5	30 k	100 k	903.007	-25.07	-11.5	Pass
2.5	6.5	1 M	3 M	904.008	-27.20	-8.5	Pass
6.5	7.5	1 M	3 M	908.005	-39.53	-23.5	Pass

Band8_3MHz_QPSK_MCH_907.5MHz_RB_4_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	900.996	-43.81	-23.5	Pass
-6.5	-2.5	1 M	3 M	904.988	-26.98	-8.5	Pass
-2.5	-1.5	30 k	100 k	905.997	-19.82	-11.5	Pass
1.5	2.5	30 k	100 k	909.004	-31.55	-11.5	Pass
2.5	6.5	1 M	3 M	910.308	-28.19	-8.5	Pass
6.5	7.5	1 M	3 M	914.136	-50.53	-23.5	Pass

Band8_3MHz_QPSK_MCH_907.5MHz_RB_4_11_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	900.950	-48.35	-23.5	Pass
-6.5	-2.5	1 M	3 M	904.652	-26.16	-8.5	Pass
-2.5	-1.5	30 k	100 k	905.997	-28.36	-11.5	Pass
1.5	2.5	30 k	100 k	909.003	-19.43	-11.5	Pass
2.5	6.5	1 M	3 M	910.000	-29.60	-8.5	Pass
6.5	7.5	1 M	3 M	914.000	-42.88	-23.5	Pass

Band8_3MHz_QPSK_MCH_907.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	900.993	-36.82	-23.5	Pass
-6.5	-2.5	1 M	3 M	904.680	-27.03	-8.5	Pass
-2.5	-1.5	30 k	100 k	905.998	-25.00	-11.5	Pass
1.5	2.5	30 k	100 k	909.005	-27.33	-11.5	Pass
2.5	6.5	1 M	3 M	910.064	-27.28	-8.5	Pass
6.5	7.5	1 M	3 M	914.013	-39.27	-23.5	Pass

Band8_3MHz_QPSK_HCH_913.5MHz_RB_4_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	906.540	-34.28	-23.5	Pass
-6.5	-2.5	1 M	3 M	910.924	-30.25	-8.5	Pass
-2.5	-1.5	30 k	100 k	911.999	-19.85	-11.5	Pass
1.5	2.5	30 k	100 k	915.000	-28.99	-11.5	Pass
2.5	6.5	1 M	3 M	916.320	-27.34	-8.5	Pass
6.5	7.5	1 M	3 M	920.017	-55.27	-23.5	Pass

Band8_3MHz_QPSK_HCH_913.5MHz_RB_4_11_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	906.968	-49.45	-23.5	Pass
-6.5	-2.5	1 M	3 M	910.640	-29.43	-8.5	Pass
-2.5	-1.5	30 k	100 k	912.000	-30.90	-11.5	Pass
1.5	2.5	30 k	100 k	915.002	-19.65	-11.5	Pass
2.5	6.5	1 M	3 M	916.008	-29.39	-8.5	Pass
6.5	7.5	1 M	3 M	920.000	-53.91	-23.5	Pass

Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	906.996	-38.60	-23.5	Pass
-6.5	-2.5	1 M	3 M	910.980	-28.98	-8.5	Pass
-2.5	-1.5	30 k	100 k	912.000	-26.07	-11.5	Pass
1.5	2.5	30 k	100 k	915.002	-25.47	-11.5	Pass
2.5	6.5	1 M	3 M	916.028	-28.62	-8.5	Pass
6.5	7.5	1 M	3 M	920.007	-52.22	-23.5	Pass

Band8_3MHz_16QAM_LCH_901.5MHz_RB_4_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	894.976	-46.61	-23.5	Pass
-6.5	-2.5	1 M	3 M	898.984	-30.69	-8.5	Pass
-2.5	-1.5	30 k	100 k	899.999	-19.15	-11.5	Pass
1.5	2.5	30 k	100 k	903.005	-29.12	-11.5	Pass
2.5	6.5	1 M	3 M	904.328	-25.25	-8.5	Pass
6.5	7.5	1 M	3 M	908.013	-51.24	-23.5	Pass

Band8_3MHz_16QAM_LCH_901.5MHz_RB_4_11_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	894.286	-49.39	-23.5	Pass
-6.5	-2.5	1 M	3 M	898.704	-26.60	-8.5	Pass
-2.5	-1.5	30 k	100 k	900.000	-30.63	-11.5	Pass
1.5	2.5	30 k	100 k	903.000	-20.18	-11.5	Pass
2.5	6.5	1 M	3 M	904.000	-29.87	-8.5	Pass
6.5	7.5	1 M	3 M	908.015	-48.03	-23.5	Pass

Band8_3MHz_16QAM_LCH_901.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	894.999	-40.11	-23.5	Pass
-6.5	-2.5	1 M	3 M	898.988	-27.34	-8.5	Pass
-2.5	-1.5	30 k	100 k	900.000	-25.14	-11.5	Pass
1.5	2.5	30 k	100 k	903.005	-24.91	-11.5	Pass
2.5	6.5	1 M	3 M	904.076	-26.38	-8.5	Pass
6.5	7.5	1 M	3 M	908.002	-40.80	-23.5	Pass

Band8_3MHz_16QAM_MCH_907.5MHz_RB_4_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	900.991	-45.00	-23.5	Pass
-6.5	-2.5	1 M	3 M	904.996	-29.35	-8.5	Pass
-2.5	-1.5	30 k	100 k	906.000	-20.91	-11.5	Pass
1.5	2.5	30 k	100 k	909.002	-32.71	-11.5	Pass
2.5	6.5	1 M	3 M	910.360	-27.73	-8.5	Pass
6.5	7.5	1 M	3 M	914.202	-50.93	-23.5	Pass

Band8_3MHz_16QAM_MCH_907.5MHz_RB_4_11_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	900.919	-48.62	-23.5	Pass
-6.5	-2.5	1 M	3 M	904.656	-25.76	-8.5	Pass
-2.5	-1.5	30 k	100 k	905.997	-29.62	-11.5	Pass
1.5	2.5	30 k	100 k	909.000	-20.98	-11.5	Pass
2.5	6.5	1 M	3 M	910.016	-30.76	-8.5	Pass
6.5	7.5	1 M	3 M	914.445	-36.27	-23.5	Pass

Band8_3MHz_16QAM_MCH_907.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	900.994	-38.09	-23.5	Pass
-6.5	-2.5	1 M	3 M	904.736	-25.42	-8.5	Pass
-2.5	-1.5	30 k	100 k	905.994	-25.30	-11.5	Pass
1.5	2.5	30 k	100 k	909.001	-26.63	-11.5	Pass
2.5	6.5	1 M	3 M	910.104	-27.00	-8.5	Pass
6.5	7.5	1 M	3 M	914.869	-36.56	-23.5	Pass

Band8_3MHz_16QAM_HCH_913.5MHz_RB_4_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	906.994	-43.91	-23.5	Pass
-6.5	-2.5	1 M	3 M	910.976	-31.83	-8.5	Pass
-2.5	-1.5	30 k	100 k	911.997	-21.60	-11.5	Pass
1.5	2.5	30 k	100 k	915.004	-29.57	-11.5	Pass
2.5	6.5	1 M	3 M	916.344	-25.95	-8.5	Pass
6.5	7.5	1 M	3 M	920.037	-55.32	-23.5	Pass

Band8 3MHz 16QAM HCH 913.5MHz RB 4 11 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	906.969	-50.21	-23.5	Pass
-6.5	-2.5	1 M	3 M	910.684	-28.67	-8.5	Pass
-2.5	-1.5	30 k	100 k	911.993	-31.66	-11.5	Pass
1.5	2.5	30 k	100 k	915.007	-20.83	-11.5	Pass
2.5	6.5	1 M	3 M	916.032	-30.71	-8.5	Pass
6.5	7.5	1 M	3 M	920.011	-54.35	-23.5	Pass

Band8 3MHz 16QAM HCH 913.5MHz RB 15 0 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-7.5	-6.5	1 M	3 M	906.991	-39.26	-23.5	Pass
-6.5	-2.5	1 M	3 M	910.996	-28.20	-8.5	Pass
-2.5	-1.5	30 k	100 k	911.999	-27.27	-11.5	Pass
1.5	2.5	30 k	100 k	915.002	-26.03	-11.5	Pass
2.5	6.5	1 M	3 M	916.012	-26.46	-8.5	Pass
6.5	7.5	1 M	3 M	920.004	-52.57	-23.5	Pass

5.2.2 B8_5MHz




Band8_5MHz_QPSK_LCH_902.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	892.692	-38.56	-23.5	Pass
-8.5	-7.5	1 M	3 M	894.001	-39.15	-11.5	Pass
-7.5	-3.5	1 M	3 M	898.964	-29.81	-8.5	Pass
-3.5	-2.5	30 k	100 k	900.000	-33.97	-13.5	Pass
2.5	3.5	30 k	100 k	905.000	-34.84	-13.5	Pass
3.5	7.5	1 M	3 M	906.008	-30.72	-8.5	Pass
7.5	8.5	1 M	3 M	910.003	-41.21	-11.5	Pass
8.5	12.5	1 M	3 M	912.296	-41.12	-23.5	Pass

Band8_5MHz_QPSK_MCH_907.5MHz_RB_8_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	898.980	-39.56	-23.5	Pass
-8.5	-7.5	1 M	3 M	899.993	-36.90	-11.5	Pass
-7.5	-3.5	1 M	3 M	903.984	-22.79	-8.5	Pass
-3.5	-2.5	30 k	100 k	904.999	-27.25	-13.5	Pass
2.5	3.5	30 k	100 k	910.000	-42.01	-13.5	Pass
3.5	7.5	1 M	3 M	912.044	-32.16	-8.5	Pass
7.5	8.5	1 M	3 M	915.000	-49.98	-11.5	Pass
8.5	12.5	1 M	3 M	916.024	-51.46	-23.5	Pass

Band8_5MHz_QPSK_MCH_907.5MHz_RB_8_17_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	898.904	-49.51	-23.5	Pass
-8.5	-7.5	1 M	3 M	899.863	-44.88	-11.5	Pass
-7.5	-3.5	1 M	3 M	903.156	-29.88	-8.5	Pass
-3.5	-2.5	30 k	100 k	904.995	-39.02	-13.5	Pass
2.5	3.5	30 k	100 k	910.002	-28.97	-13.5	Pass
3.5	7.5	1 M	3 M	911.060	-21.41	-8.5	Pass
7.5	8.5	1 M	3 M	915.161	-34.42	-11.5	Pass
8.5	12.5	1 M	3 M	916.036	-36.46	-23.5	Pass

Band8_5MHz_QPSK_MCH_907.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	898.940	-36.33	-23.5	Pass
-8.5	-7.5	1 M	3 M	899.990	-35.01	-11.5	Pass
-7.5	-3.5	1 M	3 M	903.772	-29.16	-8.5	Pass
-3.5	-2.5	30 k	100 k	905.000	-32.98	-13.5	Pass
2.5	3.5	30 k	100 k	910.005	-35.69	-13.5	Pass
3.5	7.5	1 M	3 M	911.024	-30.17	-8.5	Pass
7.5	8.5	1 M	3 M	915.009	-37.09	-11.5	Pass
8.5	12.5	1 M	3 M	916.004	-38.90	-23.5	Pass

Band8_5MHz_QPSK_HCH_912.5MHz_RB_8_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	903.976	-35.83	-23.5	Pass
-8.5	-7.5	1 M	3 M	904.947	-33.57	-11.5	Pass
-7.5	-3.5	1 M	3 M	908.940	-22.17	-8.5	Pass
-3.5	-2.5	30 k	100 k	910.000	-27.81	-13.5	Pass
2.5	3.5	30 k	100 k	915.003	-40.11	-13.5	Pass
3.5	7.5	1 M	3 M	916.716	-31.05	-8.5	Pass
7.5	8.5	1 M	3 M	920.007	-54.89	-11.5	Pass
8.5	12.5	1 M	3 M	922.272	-55.41	-23.5	Pass

Band8_5MHz_QPSK_HCH_912.5MHz_RB_8_17_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	903.940	-49.00	-23.5	Pass
-8.5	-7.5	1 M	3 M	904.976	-47.11	-11.5	Pass
-7.5	-3.5	1 M	3 M	908.320	-33.28	-8.5	Pass
-3.5	-2.5	30 k	100 k	909.995	-42.08	-13.5	Pass
2.5	3.5	30 k	100 k	915.000	-29.36	-13.5	Pass
3.5	7.5	1 M	3 M	916.096	-25.78	-8.5	Pass
7.5	8.5	1 M	3 M	920.009	-52.34	-11.5	Pass
8.5	12.5	1 M	3 M	921.028	-55.10	-23.5	Pass

Band8_5MHz_QPSK_HCH_912.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	902.244	-37.28	-23.5	Pass
-8.5	-7.5	1 M	3 M	904.926	-36.55	-11.5	Pass
-7.5	-3.5	1 M	3 M	908.948	-30.31	-8.5	Pass
-3.5	-2.5	30 k	100 k	910.000	-33.89	-13.5	Pass
2.5	3.5	30 k	100 k	915.006	-33.98	-13.5	Pass
3.5	7.5	1 M	3 M	916.096	-29.48	-8.5	Pass
7.5	8.5	1 M	3 M	920.028	-51.80	-11.5	Pass
8.5	12.5	1 M	3 M	921.092	-55.23	-23.5	Pass

Band8_5MHz_16QAM_LCH_902.5MHz_RB_8_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	893.372	-37.17	-23.5	Pass
-8.5	-7.5	1 M	3 M	894.935	-38.82	-11.5	Pass
-7.5	-3.5	1 M	3 M	898.976	-28.77	-8.5	Pass
-3.5	-2.5	30 k	100 k	900.000	-29.37	-13.5	Pass
2.5	3.5	30 k	100 k	905.002	-42.66	-13.5	Pass
3.5	7.5	1 M	3 M	906.540	-29.41	-8.5	Pass
7.5	8.5	1 M	3 M	910.004	-36.67	-11.5	Pass
8.5	12.5	1 M	3 M	911.144	-37.45	-23.5	Pass

Band8_5MHz_16QAM_LCH_902.5MHz_RB_8_17_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	893.892	-46.05	-23.5	Pass
-8.5	-7.5	1 M	3 M	894.786	-38.28	-11.5	Pass
-7.5	-3.5	1 M	3 M	898.516	-30.22	-8.5	Pass
-3.5	-2.5	30 k	100 k	900.000	-42.18	-13.5	Pass
2.5	3.5	30 k	100 k	905.006	-30.94	-13.5	Pass
3.5	7.5	1 M	3 M	906.068	-28.61	-8.5	Pass
7.5	8.5	1 M	3 M	910.087	-40.28	-11.5	Pass
8.5	12.5	1 M	3 M	911.116	-42.29	-23.5	Pass

Band8_5MHz_16QAM_LCH_902.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	893.948	-39.01	-23.5	Pass
-8.5	-7.5	1 M	3 M	894.921	-37.07	-11.5	Pass
-7.5	-3.5	1 M	3 M	898.864	-28.58	-8.5	Pass
-3.5	-2.5	30 k	100 k	899.996	-34.99	-13.5	Pass
2.5	3.5	30 k	100 k	905.000	-35.06	-13.5	Pass
3.5	7.5	1 M	3 M	906.012	-29.59	-8.5	Pass
7.5	8.5	1 M	3 M	910.055	-39.83	-11.5	Pass
8.5	12.5	1 M	3 M	911.436	-39.84	-23.5	Pass

Band8_5MHz_16QAM_MCH_907.5MHz_RB_8_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	895.956	-39.79	-23.5	Pass
-8.5	-7.5	1 M	3 M	899.991	-38.30	-11.5	Pass
-7.5	-3.5	1 M	3 M	903.892	-25.71	-8.5	Pass
-3.5	-2.5	30 k	100 k	905.000	-29.83	-13.5	Pass
2.5	3.5	30 k	100 k	910.001	-45.19	-13.5	Pass
3.5	7.5	1 M	3 M	912.444	-30.67	-8.5	Pass
7.5	8.5	1 M	3 M	915.221	-43.11	-11.5	Pass
8.5	12.5	1 M	3 M	917.608	-42.08	-23.5	Pass

Band8_5MHz_16QAM_MCH_907.5MHz_RB_8_17_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	898.384	-35.84	-23.5	Pass
-8.5	-7.5	1 M	3 M	899.485	-34.50	-11.5	Pass
-7.5	-3.5	1 M	3 M	902.988	-29.13	-8.5	Pass
-3.5	-2.5	30 k	100 k	904.993	-39.97	-13.5	Pass
2.5	3.5	30 k	100 k	910.003	-30.48	-13.5	Pass
3.5	7.5	1 M	3 M	911.008	-25.17	-8.5	Pass
7.5	8.5	1 M	3 M	915.091	-33.50	-11.5	Pass
8.5	12.5	1 M	3 M	916.084	-37.44	-23.5	Pass

Band8 5MHz 16QAM MCH 907.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	898.968	-37.08	-23.5	Pass
-8.5	-7.5	1 M	3 M	899.996	-34.78	-11.5	Pass
-7.5	-3.5	1 M	3 M	903.836	-28.21	-8.5	Pass
-3.5	-2.5	30 k	100 k	904.993	-33.17	-13.5	Pass
2.5	3.5	30 k	100 k	910.006	-36.82	-13.5	Pass
3.5	7.5	1 M	3 M	911.104	-29.86	-8.5	Pass
7.5	8.5	1 M	3 M	915.054	-37.53	-11.5	Pass
8.5	12.5	1 M	3 M	916.036	-39.19	-23.5	Pass

Band8 5MHz 16QAM HCH 912.5MHz RB 8 0 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	903.984	-36.33	-23.5	Pass
-8.5	-7.5	1 M	3 M	904.948	-34.47	-11.5	Pass
-7.5	-3.5	1 M	3 M	908.988	-24.73	-8.5	Pass
-3.5	-2.5	30 k	100 k	910.000	-28.51	-13.5	Pass
2.5	3.5	30 k	100 k	915.002	-41.38	-13.5	Pass
3.5	7.5	1 M	3 M	916.908	-30.49	-8.5	Pass
7.5	8.5	1 M	3 M	920.012	-55.13	-11.5	Pass
8.5	12.5	1 M	3 M	921.116	-55.48	-23.5	Pass

Band8 5MHz 16QAM HCH 912.5MHz RB 8 17 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	903.964	-50.42	-23.5	Pass
-8.5	-7.5	1 M	3 M	904.967	-48.94	-11.5	Pass
-7.5	-3.5	1 M	3 M	907.844	-32.07	-8.5	Pass
-3.5	-2.5	30 k	100 k	910.000	-43.41	-13.5	Pass
2.5	3.5	30 k	100 k	915.001	-29.80	-13.5	Pass
3.5	7.5	1 M	3 M	916.032	-26.82	-8.5	Pass
7.5	8.5	1 M	3 M	920.020	-52.54	-11.5	Pass
8.5	12.5	1 M	3 M	921.056	-55.20	-23.5	Pass

Band8 5MHz 16QAM HCH 912.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-12.5	-8.5	1 M	3 M	902.676	-34.55	-23.5	Pass
-8.5	-7.5	1 M	3 M	904.789	-33.13	-11.5	Pass
-7.5	-3.5	1 M	3 M	908.976	-29.54	-8.5	Pass
-3.5	-2.5	30 k	100 k	909.991	-35.85	-13.5	Pass
2.5	3.5	30 k	100 k	915.002	-33.32	-13.5	Pass
3.5	7.5	1 M	3 M	916.040	-28.20	-8.5	Pass
7.5	8.5	1 M	3 M	920.009	-51.56	-11.5	Pass
8.5	12.5	1 M	3 M	921.108	-55.25	-23.5	Pass

5.2.3 B8_10MHz




Band8_10MHz_QPSK_LCH_905MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	885.645	-38.61	-23.5	Pass
-15	-10	1 M	3 M	894.975	-34.82	-11.5	Pass
-10	-6	1 M	3 M	898.996	-31.76	-8.5	Pass
-6	-5	30 k	100 k	899.996	-40.35	-16.5	Pass
5	6	30 k	100 k	910.002	-42.82	-16.5	Pass
6	10	1 M	3 M	911.092	-35.03	-8.5	Pass
10	15	1 M	3 M	915.020	-36.51	-11.5	Pass
15	20	1 M	3 M	920.010	-54.12	-23.5	Pass

Band8_10MHz_QPSK_MCH_907.5MHz_RB_12_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	890.020	-41.90	-23.5	Pass
-15	-10	1 M	3 M	897.485	-39.61	-11.5	Pass
-10	-6	1 M	3 M	901.400	-27.34	-8.5	Pass
-6	-5	30 k	100 k	902.494	-33.85	-16.5	Pass
5	6	30 k	100 k	912.503	-50.49	-16.5	Pass
6	10	1 M	3 M	917.452	-32.59	-8.5	Pass
10	15	1 M	3 M	917.525	-33.51	-11.5	Pass
15	20	1 M	3 M	922.580	-55.48	-23.5	Pass

Band8_10MHz_QPSK_MCH_907.5MHz_RB_12_38_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	892.465	-52.47	-23.5	Pass
-15	-10	1 M	3 M	897.480	-32.93	-11.5	Pass
-10	-6	1 M	3 M	898.188	-31.66	-8.5	Pass
-6	-5	30 k	100 k	902.500	-43.59	-16.5	Pass
5	6	30 k	100 k	912.507	-33.52	-16.5	Pass
6	10	1 M	3 M	913.596	-25.18	-8.5	Pass
10	15	1 M	3 M	917.535	-38.79	-11.5	Pass
15	20	1 M	3 M	922.530	-55.44	-23.5	Pass

Band8_10MHz_QPSK_MCH_907.5MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	887.960	-39.37	-23.5	Pass
-15	-10	1 M	3 M	897.010	-35.36	-11.5	Pass
-10	-6	1 M	3 M	901.460	-32.54	-8.5	Pass
-6	-5	30 k	100 k	902.497	-39.53	-16.5	Pass
5	6	30 k	100 k	912.502	-40.49	-16.5	Pass
6	10	1 M	3 M	915.328	-31.54	-8.5	Pass
10	15	1 M	3 M	917.515	-34.11	-11.5	Pass
15	20	1 M	3 M	926.795	-55.53	-23.5	Pass

Band8 10MHz QPSK HCH 910MHz RB 12 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	893.240	-40.18	-23.5	Pass
-15	-10	1 M	3 M	900.000	-37.51	-11.5	Pass
-10	-6	1 M	3 M	903.844	-22.71	-8.5	Pass
-6	-5	30 k	100 k	904.998	-31.81	-16.5	Pass
5	6	30 k	100 k	915.000	-48.18	-16.5	Pass
6	10	1 M	3 M	918.176	-38.01	-8.5	Pass
10	15	1 M	3 M	920.015	-49.04	-11.5	Pass
15	20	1 M	3 M	926.430	-55.51	-23.5	Pass

Band8 10MHz QPSK HCH 910MHz RB 12 38 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	894.990	-52.87	-23.5	Pass
-15	-10	1 M	3 M	899.815	-32.73	-11.5	Pass
-10	-6	1 M	3 M	900.252	-32.08	-8.5	Pass
-6	-5	30 k	100 k	904.991	-45.89	-16.5	Pass
5	6	30 k	100 k	915.000	-33.50	-16.5	Pass
6	10	1 M	3 M	916.116	-28.20	-8.5	Pass
10	15	1 M	3 M	920.005	-53.31	-11.5	Pass
15	20	1 M	3 M	925.380	-55.39	-23.5	Pass

Band8 10MHz QPSK HCH 910MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	894.990	-39.41	-23.5	Pass
-15	-10	1 M	3 M	899.910	-34.58	-11.5	Pass
-10	-6	1 M	3 M	903.956	-30.58	-8.5	Pass
-6	-5	30 k	100 k	905.000	-38.79	-16.5	Pass
5	6	30 k	100 k	915.008	-40.15	-16.5	Pass
6	10	1 M	3 M	916.028	-29.98	-8.5	Pass
10	15	1 M	3 M	920.000	-48.33	-11.5	Pass
15	20	1 M	3 M	925.525	-55.50	-23.5	Pass

Band8 10MHz 16QAM LCH 905MHz RB 12 0 NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	887.895	-42.37	-23.5	Pass
-15	-10	1 M	3 M	895.000	-42.28	-11.5	Pass
-10	-6	1 M	3 M	898.988	-28.80	-8.5	Pass
-6	-5	30 k	100 k	899.999	-33.96	-16.5	Pass
5	6	30 k	100 k	910.005	-50.56	-16.5	Pass
6	10	1 M	3 M	914.928	-31.97	-8.5	Pass
10	15	1 M	3 M	915.320	-32.07	-11.5	Pass
15	20	1 M	3 M	921.215	-55.56	-23.5	Pass

Band8_10MHz_16QAM_LCH_905MHz_RB_12_38_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	889.360	-52.04	-23.5	Pass
-15	-10	1 M	3 M	894.600	-31.46	-11.5	Pass
-10	-6	1 M	3 M	895.168	-31.40	-8.5	Pass
-6	-5	30 k	100 k	899.997	-46.25	-16.5	Pass
5	6	30 k	100 k	910.037	-33.95	-16.5	Pass
6	10	1 M	3 M	911.088	-25.01	-8.5	Pass
10	15	1 M	3 M	915.000	-40.60	-11.5	Pass
15	20	1 M	3 M	920.010	-54.24	-23.5	Pass

Band8_10MHz_16QAM_LCH_905MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	889.385	-39.57	-23.5	Pass
-15	-10	1 M	3 M	894.950	-34.02	-11.5	Pass
-10	-6	1 M	3 M	898.836	-30.67	-8.5	Pass
-6	-5	30 k	100 k	899.995	-40.87	-16.5	Pass
5	6	30 k	100 k	910.007	-43.05	-16.5	Pass
6	10	1 M	3 M	912.128	-34.49	-8.5	Pass
10	15	1 M	3 M	915.185	-36.29	-11.5	Pass
15	20	1 M	3 M	920.015	-53.81	-23.5	Pass

Band8_10MHz_16QAM_MCH_907.5MHz_RB_12_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	889.150	-41.96	-23.5	Pass
-15	-10	1 M	3 M	897.055	-40.57	-11.5	Pass
-10	-6	1 M	3 M	901.472	-27.74	-8.5	Pass
-6	-5	30 k	100 k	902.498	-33.89	-16.5	Pass
5	6	30 k	100 k	912.504	-51.10	-16.5	Pass
6	10	1 M	3 M	917.480	-31.51	-8.5	Pass
10	15	1 M	3 M	917.545	-32.22	-11.5	Pass
15	20	1 M	3 M	924.310	-55.55	-23.5	Pass

Band8_10MHz_16QAM_MCH_907.5MHz_RB_12_38_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	892.495	-53.16	-23.5	Pass
-15	-10	1 M	3 M	897.250	-31.01	-11.5	Pass
-10	-6	1 M	3 M	897.536	-30.82	-8.5	Pass
-6	-5	30 k	100 k	902.492	-45.63	-16.5	Pass
5	6	30 k	100 k	912.505	-34.02	-16.5	Pass
6	10	1 M	3 M	913.500	-26.73	-8.5	Pass
10	15	1 M	3 M	917.570	-40.58	-11.5	Pass
15	20	1 M	3 M	923.650	-55.48	-23.5	Pass

Band8_10MHz_16QAM_MCH_907.5MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	892.490	-39.67	-23.5	Pass
-15	-10	1 M	3 M	897.400	-34.32	-11.5	Pass
-10	-6	1 M	3 M	901.364	-31.49	-8.5	Pass
-6	-5	30 k	100 k	902.493	-39.91	-16.5	Pass
5	6	30 k	100 k	912.506	-41.22	-16.5	Pass
6	10	1 M	3 M	915.564	-31.66	-8.5	Pass
10	15	1 M	3 M	917.520	-34.20	-11.5	Pass
15	20	1 M	3 M	926.670	-55.56	-23.5	Pass

Band8_10MHz_16QAM_HCH_910MHz_RB_12_0_NTNV




Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	893.040	-40.69	-23.5	Pass
-15	-10	1 M	3 M	899.960	-40.10	-11.5	Pass
-10	-6	1 M	3 M	903.956	-23.19	-8.5	Pass
-6	-5	30 k	100 k	904.993	-31.93	-16.5	Pass
5	6	30 k	100 k	915.001	-48.87	-16.5	Pass
6	10	1 M	3 M	918.240	-37.51	-8.5	Pass
10	15	1 M	3 M	920.010	-48.04	-11.5	Pass
15	20	1 M	3 M	925.275	-55.53	-23.5	Pass

Band8_10MHz_16QAM_HCH_910MHz_RB_12_38_NTNV



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	894.970	-53.51	-23.5	Pass
-15	-10	1 M	3 M	899.545	-30.90	-11.5	Pass
-10	-6	1 M	3 M	900.148	-30.21	-8.5	Pass
-6	-5	30 k	100 k	904.998	-46.00	-16.5	Pass
5	6	30 k	100 k	915.005	-33.53	-16.5	Pass
6	10	1 M	3 M	916.028	-27.50	-8.5	Pass
10	15	1 M	3 M	920.015	-53.48	-11.5	Pass
15	20	1 M	3 M	925.295	-55.54	-23.5	Pass

Band8_10MHz_16QAM_HCH_910MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (Hz)	VBW (Hz)	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
-20	-15	1 M	3 M	894.690	-39.34	-23.5	Pass
-15	-10	1 M	3 M	899.755	-34.52	-11.5	Pass
-10	-6	1 M	3 M	903.512	-30.40	-8.5	Pass
-6	-5	30 k	100 k	905.000	-39.38	-16.5	Pass
5	6	30 k	100 k	915.005	-39.89	-16.5	Pass
6	10	1 M	3 M	916.112	-29.29	-8.5	Pass
10	15	1 M	3 M	920.000	-47.75	-11.5	Pass
15	20	1 M	3 M	926.130	-55.53	-23.5	Pass

6. Tolerance of Unwanted Emission Intensity

6.1 Test Result

6.1.1 B8_3MHz

Band: 8 / Bandwidth: 3MHz										
Bandwidth (MHz)	Channel Number	21665		21725		21785		Unit	Limit	Result
	Frequency Center (MHz)	901.5		907.5		913.5				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
3	0.009MHz ~ 0.15MHz	0.014	-59.28	0.072	-60.74	0.010	-60.51	dBm/kHz	<=-36	Pass
	0.15MHz ~ 30MHz	0.150	-56.24	0.150	-58.72	0.150	-59.56	dBm/10kHz	<=-36	Pass
	30MHz ~ 1000MHz	893.600	-46.35	899.000	-46.78	905.350	-46.74	dBm/100kHz	<=-36	Pass
	470MHz ~ 710MHz	497.750	-65.01	483.500	-65.00	507.150	-64.96	dBm/100kHz	<=-36	Pass
	770MHz ~ 773MHz	770.627	-77.25	771.551	-77.65	772.412	-77.77	dBm/100kHz	<=-36	Pass
	773MHz ~ 803MHz	784.160	-77.05	788.660	-77.39	796.220	-77.49	dBm/100kHz	<=-36	Pass
	860MHz ~ 890MHz	889.910	-59.49	888.500	-60.30	886.220	-64.70	dBm/100kHz	<=-36	Pass
	945MHz ~ 960MHz	946.785	-63.20	951.855	-63.63	959.100	-64.14	dBm/MHz	<=-50	Pass
	1000MHz ~ 12750MHz	2704.500	-33.26	2726.500	-30.66	2736.500	-30.12	dBm/MHz	<=-30	Pass
	1475.9MHz ~ 1496.7MHz	1477.148	-69.47	1491.937	-69.74	1484.865	-69.83	dBm/MHz	<=-50	Pass
	1496.7MHz ~ 1510.9MHz	1508.557	-69.42	1507.648	-69.75	1504.666	-69.87	dBm/MHz	<=-50	Pass
	1805MHz ~ 1845MHz	1805.480	-30.29	1812.520	-30.89	1829.600	-31.54	dBm/MHz	<=-30	Pass
	1845MHz ~ 1880MHz	1875.100	-67.88	1877.375	-68.27	1871.950	-68.35	dBm/MHz	<=-50	Pass
	1906.6MHz ~ 1915.7MHz	1907.419	-67.48	1914.517	-67.84	1914.672	-67.93	dBm/MHz	<=-30	Pass
	2010MHz ~ 2025MHz	2023.785	-66.68	2023.770	-67.11	2024.640	-67.15	dBm/MHz	<=-50	Pass
	2110MHz ~ 2144.4MHz	2140.857	-65.92	2134.527	-66.33	2126.443	-66.47	dBm/MHz	<=-50	Pass
	2114.4MHz ~ 2170MHz	2146.870	-65.96	2128.745	-66.35	2141.144	-66.45	dBm/MHz	<=-50	Pass
	2330MHz ~ 2370MHz	2331.720	-67.33	2337.640	-67.70	2338.080	-67.88	dBm/MHz	<=-30	Pass
	3400MHz ~ 3419.3MHz	3417.428	-71.08	3419.049	-70.04	3419.204	-70.22	dBm/MHz	<=-30	Pass
	3419.3MHz ~ 3500.7MHz	3466.593	-70.98	3497.444	-70.56	3447.627	-71.29	dBm/MHz	<=-30	Pass
	3500.7MHz ~ 3574.7MHz	3518.164	-70.66	3573.590	-71.10	3504.326	-68.18	dBm/MHz	<=-30	Pass
	3574.7MHz ~ 3590.3MHz	3588.787	-70.72	3589.255	-70.86	3588.756	-70.92	dBm/MHz	<=-30	Pass
	3590.3MHz ~ 3600MHz	3600.000	-68.53	3596.042	-64.76	3596.266	-66.95	dBm/MHz	<=-30	Pass
	3600MHz ~ 4100MHz	3601.000	-67.03	3625.000	-68.48	3649.000	-68.11	dBm/MHz	<=-30	Pass
	4500MHz ~ 4900MHz	4501.200	-61.06	4544.000	-61.92	4561.200	-60.12	dBm/MHz	<=-30	Pass

6.1.2 B8_5MHz

Band: 8 / Bandwidth: 5MHz										
Bandwidth (MHz)	Channel Number	21675		21725		21775		Unit	Limit	Result
	Frequency Center (MHz)	902.5		907.5		912.5				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
5	0.009MHz ~ 0.15MHz	0.061	-58.86	0.057	-60.42	0.012	-59.94	dBm/kHz	<=-36	Pass
	0.15MHz ~ 30MHz	0.150	-54.88	0.150	-58.07	0.160	-57.25	dBm/10kHz	<=-36	Pass
	30MHz ~ 1000MHz	915.500	-50.27	892.950	-47.96	899.950	-48.75	dBm/100kHz	<=-36	Pass
	470MHz ~ 710MHz	492.950	-64.97	492.400	-65.07	537.350	-65.16	dBm/100kHz	<=-36	Pass

770MHz ~ 773MHz	772.718	-77.17	772.511	-77.52	770.033	-77.67	dBm/100kHz	<=-36	Pass
773MHz ~ 803MHz	800.720	-77.18	788.030	-77.43	779.930	-77.41	dBm/100kHz	<=-36	Pass
860MHz ~ 890MHz	888.950	-42.54	889.850	-46.98	889.970	-51.37	dBm/MHz	<=-40	Pass
945MHz ~ 960MHz	948.240	-63.46	951.270	-63.53	958.860	-64.42	dBm/MHz	<=-50	Pass
1000MHz ~ 12750MHz	2701.000	-33.27	2722.500	-35.89	2744.000	-30.02	dBm/MHz	<=-30	Pass
1475.9MHz ~ 1496.7MHz	1477.273	-69.63	1482.473	-69.84	1490.502	-69.90	dBm/MHz	<=-50	Pass
1496.7MHz ~ 1510.9MHz	1498.929	-69.69	1502.366	-69.78	1502.380	-69.90	dBm/MHz	<=-50	Pass
1805MHz ~ 1845MHz	1809.320	-30.30	1810.640	-31.11	1829.280	-31.79	dBm/MHz	<=-30	Pass
1845MHz ~ 1880MHz	1879.440	-68.00	1879.020	-68.31	1876.850	-68.43	dBm/MHz	<=-50	Pass
1910MHz ~ 1915.7MHz	1913.694	-67.66	1914.315	-67.90	1911.579	-68.01	dBm/MHz	<=-30	Pass
2010MHz ~ 2025MHz	2023.605	-66.92	2021.490	-67.11	2024.070	-67.21	dBm/MHz	<=-50	Pass
2110MHz ~ 2144.4MHz	2141.510	-66.24	2138.242	-66.36	2137.210	-66.56	dBm/MHz	<=-50	Pass
2114.4MHz ~ 2170MHz	2123.518	-66.23	2135.639	-66.35	2135.917	-66.54	dBm/MHz	<=-50	Pass
2330MHz ~ 2370MHz	2330.800	-67.63	2332.800	-67.79	2333.120	-67.85	dBm/MHz	<=-30	Pass
3400MHz ~ 3419.3MHz	3409.206	-71.18	3417.621	-71.20	3402.200	-71.27	dBm/MHz	<=-30	Pass
3419.3MHz ~ 3500.7MHz	3464.558	-71.11	3479.780	-71.21	3452.348	-71.29	dBm/MHz	<=-30	Pass
3500.7MHz ~ 3574.7MHz	3501.440	-71.03	3556.200	-71.08	3569.372	-71.26	dBm/MHz	<=-30	Pass
3574.7MHz ~ 3590.3MHz	3589.302	-70.85	3588.880	-70.92	3587.040	-70.98	dBm/MHz	<=-30	Pass
3590.3MHz ~ 3600MHz	3597.449	-63.19	3594.869	-70.74	3597.624	-70.34	dBm/MHz	<=-30	Pass
3600MHz ~ 4100MHz	3601.500	-67.35	3621.500	-68.90	3641.500	-69.20	dBm/MHz	<=-30	Pass
4500MHz ~ 4900MHz	4501.600	-61.87	4548.400	-59.57	4573.200	-61.72	dBm/MHz	<=-30	Pass


6.1.3 B8_10MHz

Band: 8 / Bandwidth: 10MHz										
Bandwidth (MHz)	Channel Number	21700		21725		21750		Unit	Limit	Result
	Frequency Center (MHz)	905		907.5		910				
	Measured Value	Freq. (MHz)	Level	Freq. (MHz)	Level	Freq. (MHz)	Level			
10	0.009MHz ~ 0.15MHz	0.091	-59.63	0.075	-60.23	0.072	-59.68	dBm/kHz	<=-36	Pass
	0.15MHz ~ 30MHz	0.150	-57.25	0.155	-57.67	0.155	-58.04	dBm/10kHz	<=-36	Pass
	30MHz ~ 1000MHz	812.450	-61.28	842.650	-61.15	942.150	-61.61	dBm/100kHz	<=-36	Pass
	470MHz ~ 710MHz	596.050	-65.14	541.250	-65.29	483.050	-65.33	dBm/100kHz	<=-36	Pass
	770MHz ~ 773MHz	772.061	-77.15	770.951	-77.22	772.922	-77.35	dBm/100kHz	<=-36	Pass
	773MHz ~ 803MHz	783.740	-77.19	778.550	-77.05	797.240	-77.25	dBm/100kHz	<=-36	Pass
	860MHz ~ 890MHz	884.990	-42.59	887.300	-41.54	889.700	-41.48	dBm/MHz	<=-40	Pass
	945MHz ~ 960MHz	947.115	-63.25	949.110	-63.28	951.585	-63.50	dBm/MHz	<=-50	Pass
	1000MHz ~ 12750MHz	2728.500	-36.95	2718.000	-38.78	2743.000	-33.07	dBm/MHz	<=-30	Pass
	1475.9MHz ~ 1496.7MHz	1476.399	-69.64	1477.023	-69.74	1477.190	-69.72	dBm/MHz	<=-50	Pass
	1496.7MHz ~ 1510.9MHz	1498.177	-69.66	1500.917	-69.71	1496.743	-69.72	dBm/MHz	<=-50	Pass
	1805MHz ~ 1845MHz	1818.840	-31.67	1806.200	-30.25	1811.240	-30.46	dBm/MHz	<=-30	Pass
	1845MHz ~ 1880MHz	1877.025	-68.04	1878.810	-68.25	1878.215	-68.13	dBm/MHz	<=-50	Pass
	1906.6MHz ~ 1915.7MHz	1910.741	-67.68	1911.660	-67.93	1910.022	-67.80	dBm/MHz	<=-30	Pass
	2010MHz ~ 2025MHz	2016.810	-66.88	2024.685	-67.08	2019.960	-67.00	dBm/MHz	<=-50	Pass
	2110MHz ~ 2144.4MHz	2142.336	-66.19	2138.896	-66.38	2140.100	-66.26	dBm/MHz	<=-50	Pass
	2114.4MHz ~ 2170MHz	2140.754	-66.17	2144.257	-66.35	2139.142	-66.25	dBm/MHz	<=-50	Pass
	2330MHz ~ 2370MHz	2331.480	-67.56	2343.480	-67.75	2369.120	-67.69	dBm/MHz	<=-30	Pass
	3400MHz ~ 3419.3MHz	3414.591	-71.13	3415.363	-71.24	3402.818	-67.37	dBm/MHz	<=-30	Pass
	3419.3MHz ~ 3500.7MHz	3476.850	-71.02	3446.976	-71.14	3456.988	-71.11	dBm/MHz	<=-30	Pass


3500.7MHz ~ 3574.7MHz	3518.090	-70.39	3572.406	-71.06	3501.144	-71.04	dBm/MHz	<=-30	Pass
3574.7MHz ~ 3590.3MHz	3589.629	-70.78	3585.027	-70.69	3586.915	-70.16	dBm/MHz	<=-30	Pass
3590.3MHz ~ 3600MHz	3595.451	-70.68	3596.644	-70.72	3597.478	-62.83	dBm/MHz	<=-30	Pass
3600MHz ~ 4100MHz	3602.500	-67.36	3647.500	-68.72	3622.500	-68.45	dBm/MHz	<=-30	Pass
4500MHz ~ 4900MHz	4547.200	-61.43	4559.600	-62.71	4572.000	-61.38	dBm/MHz	<=-30	Pass

6.2 Test Graph


6.2.1 B8_3MHz




Band8_3MHz_QPSK_LCH_901.5MHz_RB_1_0_NTNV_3/25_30-1000MHz Limit:-36




Band8_3MHz_QPSK_LCH_901.5MHz_RB_1_0_NTNV_8/25_470-710MHz Limit:-36





Band8_3MHz_QPSK_LCH_901.5MHz_RB_1_0_NTNV 9/25 770-773MHz Limit:-36




Band8_3MHz_QPSK_LCH_901.5MHz_RB_1_0_NTNV 10/25 773-803MHz Limit:-36








Band8_3MHz_QPSK_LCH_901.5MHz_RB_1_0_NTNV 4/25 1000-12750MHz Limit:-30




Band8_3MHz_QPSK_LCH_901.5MHz_RB_1_0_NTNV 13/25 1475.9-1496.7MHz Limit:-50







Band8 3MHz QPSK LCH 901.5MHz RB 1 0 NTN 5/25 1845-1880MHz Limit:-50




Band8 3MHz QPSK LCH 901.5MHz RB 1 0 NTN 16/25 1906.6-1915.7MHz Limit:-30




Band8 3MHz QPSK LCH 901.5MHz RB 1 0 NTV 6/25 2010-2025MHz Limit:-50




Band8 3MHz QPSK LCH 901.5MHz RB 1 0 NTV 7/25 2110-2144.4MHz Limit:-50




Band8_3MHz_QPSK_LCH_901.5MHz_RB_1_0_NTNV 17/25 2114.4-2170MHz Limit:-50




Band8_3MHz_QPSK_LCH_901.5MHz_RB_1_0_NTNV 18/25 2330-2370MHz Limit:-30





Band8 3MHz QPSK LCH 901.5MHz RB 1 0 NTN 19/25 3400-3419.3MHz Limit:-30




Band8 3MHz QPSK LCH 901.5MHz RB 1 0 NTN 20/25 3419.3-3500.7MHz Limit:-30







Band8 3MHz QPSK LCH 901.5MHz RB 1 0 NTNV 23/25 3590.3-3600MHz Limit:-30




Band8 3MHz QPSK LCH 901.5MHz RB 1 0 NTNV 24/25 3600-4100MHz Limit:-30




Band8_3MHz_QPSK_LCH_901.5MHz_RB_1_0_NTNV 25/25 4500-4900MHz Limit:-30




Band8_3MHz_QPSK_LCH_901.5MHz_RB_1_14_NTNV 1/25 0.009-0.15MHz Limit:-36




Band8_3MHz_QPSK_LCH_901.5MHz_RB_1_14_NTNV 2/25 0.15-30MHz Limit:-36




Band8_3MHz_QPSK_LCH_901.5MHz_RB_1_14_NTNV 3/25 30-1000MHz Limit:-36




Band8_3MHz_QPSK_LCH_901.5MHz_RB_1_14_NTNV 8/25 470-710MHz Limit:-36




Band8_3MHz_QPSK_LCH_901.5MHz_RB_1_14_NTNV 9/25 770-773MHz Limit:-36




Band8 3MHz QPSK LCH 901.5MHz RB 1 14 NTN 10/25 773-803MHz Limit:-36




Band8 3MHz QPSK LCH 901.5MHz RB 1 14 NTN 11/25 860-890MHz Limit:-36





Band8 3MHz QPSK LCH 901.5MHz RB 1 14 NTN 12/25 945-960MHz Limit:-50




Band8 3MHz QPSK LCH 901.5MHz RB 1 14 NTN 4/25 1000-12750MHz Limit:-30







Band8 3MHz QPSK LCH 901.5MHz RB 1 14 NTN 15/25 1805-1845MHz Limit:-30




Band8 3MHz QPSK LCH 901.5MHz RB 1 14 NTN 5/25 1845-1880MHz Limit:-50




Band8_3MHz_QPSK_LCH_901.5MHz_RB_1_14_NTNV 16/25 1906.6-1915.7MHz Limit:-30




Band8_3MHz_QPSK_LCH_901.5MHz_RB_1_14_NTNV 6/25 2010-2025MHz Limit:-50




Band8 3MHz QPSK LCH 901.5MHz RB 1 14 NTNV 7/25 2110-2144.4MHz Limit:-50




Band8 3MHz QPSK LCH 901.5MHz RB 1 14 NTNV 17/25 2114.4-2170MHz Limit:-50







Band8 3MHz QPSK LCH 901.5MHz RB 1 14 NTN 18/25 2330-2370MHz Limit:-30




Band8 3MHz QPSK LCH 901.5MHz RB 1 14 NTN 19/25 3400-3419.3MHz Limit:-30










Band8 3MHz QPSK LCH 901.5MHz RB 1 14 NTN 24/25 3600-4100MHz Limit:-30




Band8 3MHz QPSK LCH 901.5MHz RB 1 14 NTN 25/25 4500-4900MHz Limit:-30







Band8_3MHz_QPSK_LCH_901.5MHz_RB_15_0_NTNV_3/25_30-1000MHz Limit:-36




Band8_3MHz_QPSK_LCH_901.5MHz_RB_15_0_NTNV_8/25_470-710MHz Limit:-36




Band8_3MHz_QPSK_LCH_901.5MHz_RB_15_0_NTNV 9/25 770-773MHz Limit:-36




Band8_3MHz_QPSK_LCH_901.5MHz_RB_15_0_NTNV 10/25 773-803MHz Limit:-36




Band8 3MHz QPSK LCH 901.5MHz RB 15 0 NTN 11/25 860-890MHz Limit:-36




Band8 3MHz QPSK LCH 901.5MHz RB 15 0 NTN 12/25 945-960MHz Limit:-50





Band8 3MHz QPSK LCH 901.5MHz RB 15 0 NTN 4/25 1000-12750MHz Limit:-30




Band8 3MHz QPSK LCH 901.5MHz RB 15 0 NTN 13/25 1475.9-1496.7MHz Limit:-50







Band8_3MHz_QPSK_LCH_901.5MHz_RB_15_0_NTNV 5/25 1845-1880MHz Limit:-50




Band8_3MHz_QPSK_LCH_901.5MHz_RB_15_0_NTNV 16/25 1906.6-1915.7MHz Limit:-30




Band8_3MHz_QPSK_LCH_901.5MHz_RB_15_0_NTNV 6/25 2010-2025MHz Limit:-50




Band8_3MHz_QPSK_LCH_901.5MHz_RB_15_0_NTNV 7/25 2110-2144.4MHz Limit:-50




Band8_3MHz_QPSK_LCH_901.5MHz_RB_15_0_NTNV 17/25 2114.4-2170MHz Limit:-50




Band8_3MHz_QPSK_LCH_901.5MHz_RB_15_0_NTNV 18/25 2330-2370MHz Limit:-30





Band8_3MHz_QPSK_LCH_901.5MHz_RB_15_0_NTNV 19/25 3400-3419.3MHz Limit:-30




Band8_3MHz_QPSK_LCH_901.5MHz_RB_15_0_NTNV 20/25 3419.3-3500.7MHz Limit:-30







Band8_3MHz_QPSK_LCH_901.5MHz_RB_15_0_NTNV_23/25_3590.3-3600MHz Limit:-30




Band8_3MHz_QPSK_LCH_901.5MHz_RB_15_0_NTNV_24/25_3600-4100MHz Limit:-30




Band8 3MHz QPSK LCH 901.5MHz RB 15 0 NTNV 25/25 4500-4900MHz Limit:-30




Band8 3MHz QPSK MCH 907.5MHz RB 1 0 NTNV 1/25 0.009-0.15MHz Limit:-36




Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_0_NTNV 2/25 0.15-30MHz Limit:-36




Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_0_NTNV 3/25 30-1000MHz Limit:-36




Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_0_NTNV 8/25 470-710MHz Limit:-36




Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_0_NTNV 9/25 770-773MHz Limit:-36





Band8 3MHz QPSK MCH 907.5MHz RB 1 0 NTNV 10/25 773-803MHz Limit:-36




Band8 3MHz QPSK MCH 907.5MHz RB 1 0 NTNV 11/25 860-890MHz Limit:-36







Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_0_NTNV 13/25 1475.9-1496.7MHz Limit:-50




Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_0_NTNV 14/25 1496.7-1510.9MHz Limit:-50




Band8 3MHz QPSK MCH 907.5MHz RB 1 0 NTNV 15/25 1805-1845MHz Limit:-30




Band8 3MHz QPSK MCH 907.5MHz RB 1 0 NTNV 5/25 1845-1880MHz Limit:-50




Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_0_NTNV 16/25 1906.6-1915.7MHz Limit:-30




Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_0_NTNV 6/25 2010-2025MHz Limit:-50




Band8 3MHz QPSK MCH 907.5MHz RB 1 0 NTV 7/25 2110-2144.4MHz Limit:-50




Band8 3MHz QPSK MCH 907.5MHz RB 1 0 NTV 17/25 2114.4-2170MHz Limit:-50




Band8 3MHz QPSK MCH 907.5MHz RB 1 0 NTN 18/25 2330-2370MHz Limit:-30




Band8 3MHz QPSK MCH 907.5MHz RB 1 0 NTN 19/25 3400-3419.3MHz Limit:-30





Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_0_NTNV 20/25 3419.3-3500.7MHz Limit:-30




Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_0_NTNV 21/25 3500.7-3574.7MHz Limit:-30







Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_0_NTNV 24/25 3600-4100MHz Limit:-30




Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_0_NTNV 25/25 4500-4900MHz Limit:-30




Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_14_NTNV 1/25 0.009-0.15MHz Limit:-36




Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_14_NTNV 2/25 0.15-30MHz Limit:-36




Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_14_NTNV_3/25_30-1000MHz_Limit:-36




Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_14_NTNV_8/25_470-710MHz_Limit:-36




Band8 3MHz QPSK MCH 907.5MHz RB 1 14 NTN 9/25 770-773MHz Limit:-36




Band8 3MHz QPSK MCH 907.5MHz RB 1 14 NTN 10/25 773-803MHz Limit:-36




Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_14_NTNV 11/25 860-890MHz Limit:-36




Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_14_NTNV 12/25 945-960MHz Limit:-50





Band8 3MHz QPSK MCH 907.5MHz RB 1 14 NTN 4/25 1000-12750MHz Limit:-30




Band8 3MHz QPSK MCH 907.5MHz RB 1 14 NTN 13/25 1475.9-1496.7MHz Limit:-50







Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_14_NTNV 5/25 1845-1880MHz Limit:-50




Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_14_NTNV 16/25 1906.6-1915.7MHz Limit:-30




Band8 3MHz QPSK MCH 907.5MHz RB 1 14 NTN 6/25 2010-2025MHz Limit:-50




Band8 3MHz QPSK MCH 907.5MHz RB 1 14 NTN 7/25 2110-2144.4MHz Limit:-50







Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_14_NTNV 17/25 2114.4-2170MHz Limit:-50





Band8_3MHz_QPSK_MCH_907.5MHz_RB_1_14_NTNV 18/25 2330-2370MHz Limit:-30















Band8 3MHz QPSK_MCH_907.5MHz_RB_1_14 NTN 25/25 4500-4900MHz Limit:-30




Band8 3MHz QPSK_MCH_907.5MHz_RB_15_0 NTN 1/25 0.009-0.15MHz Limit:-36









Band8_3MHz_QPSK_MCH_907.5MHz_RB_15_0_NTNV 10/25 773-803MHz Limit:-36




Band8_3MHz_QPSK_MCH_907.5MHz_RB_15_0_NTNV 11/25 860-890MHz Limit:-36




Band8_3MHz_QPSK_MCH_907.5MHz_RB_15_0_NTNV_12/25_945-960MHz_Limit:-50




Band8_3MHz_QPSK_MCH_907.5MHz_RB_15_0_NTNV_4/25_1000-12750MHz_Limit:-30




Band8_3MHz_QPSK_MCH_907.5MHz_RB_15_0_NTNV 13/25 1475.9-1496.7MHz Limit:-50




Band8_3MHz_QPSK_MCH_907.5MHz_RB_15_0_NTNV 14/25 1496.7-1510.9MHz Limit:-50





Band8 3MHz QPSK_MCH 907.5MHz_RB_15_0 NTN 15/25 1805-1845MHz Limit:-30




Band8 3MHz QPSK_MCH 907.5MHz_RB_15_0 NTN 5/25 1845-1880MHz Limit:-50







Band8 3MHz QPSK MCH 907.5MHz RB 15 0 NTN 7/25 2110-2144.4MHz Limit:-50




Band8 3MHz QPSK MCH 907.5MHz RB 15 0 NTN 17/25 2114.4-2170MHz Limit:-50







Band8 3MHz QPSK MCH 907.5MHz RB 15 0 NTN 18/25 2330-2370MHz Limit:-30




Band8 3MHz QPSK MCH 907.5MHz RB 15 0 NTN 19/25 3400-3419.3MHz Limit:-30










Band8 3MHz QPSK MCH 907.5MHz RB 15 0 NTNV 24/25 3600-4100MHz Limit:-30




Band8 3MHz QPSK MCH 907.5MHz RB 15 0 NTNV 25/25 4500-4900MHz Limit:-30








Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_0_NTNV 3/25 30-1000MHz Limit:-36




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_0_NTNV 8/25 470-710MHz Limit:-36







Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_0_NTNV 11/25 860-890MHz Limit:-36




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_0_NTNV 12/25 945-960MHz Limit:-50




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_0_NTNV 4/25 1000-12750MHz Limit:-30




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_0_NTNV 13/25 1475.9-1496.7MHz Limit:-50




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_0_NTNV_14/25_1496.7-1510.9MHz Limit:-50




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_0_NTNV_15/25_1805-1845MHz Limit:-30




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_0_NTNV 5/25 1845-1880MHz Limit:-50




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_0_NTNV 16/25 1906.6-1915.7MHz Limit:-30




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_0_NTNV 6/25 2010-2025MHz Limit:-50




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_0_NTNV 7/25 2110-2144.4MHz Limit:-50




Band8 3MHz QPSK HCH 913.5MHz RB 1 0 NTN 17/25 2114.4-2170MHz Limit:-50




Band8 3MHz QPSK HCH 913.5MHz RB 1 0 NTN 18/25 2330-2370MHz Limit:-30





Band8 3MHz QPSK HCH 913.5MHz RB 1 0 NTNV 19/25 3400-3419.3MHz Limit:-30




Band8 3MHz QPSK HCH 913.5MHz RB 1 0 NTNV 20/25 3419.3-3500.7MHz Limit:-30








Band8 3MHz QPSK HCH 913.5MHz RB 1 0 NTN 23/25 3590.3-3600MHz Limit:-30




Band8 3MHz QPSK HCH 913.5MHz RB 1 0 NTN 24/25 3600-4100MHz Limit:-30







Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_14_NTNV_2/25_0.15-30MHz Limit:-36




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_14_NTNV_3/25_30-1000MHz Limit:-36




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_14_NTNV 8/25 470-710MHz Limit:-36




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_14_NTNV 9/25 770-773MHz Limit:-36




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_14_NTNV 10/25 773-803MHz Limit:-36




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_14_NTNV 11/25 860-890MHz Limit:-36





Band8 3MHz QPSK_HCH_913.5MHz_RB_1_14_NTNV 12/25 945-960MHz Limit:-50




Band8 3MHz QPSK_HCH_913.5MHz_RB_1_14_NTNV 4/25 1000-12750MHz Limit:-30







Band8 3MHz QPSK HCH 913.5MHz RB 1 14 NTN 15/25 1805-1845MHz Limit:-30




Band8 3MHz QPSK HCH 913.5MHz RB 1 14 NTN 5/25 1845-1880MHz Limit:-50




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_14_NTNV 16/25 1906.6-1915.7MHz Limit:-30




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_14_NTNV 6/25 2010-2025MHz Limit:-50




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_14_NTNV 7/25 2110-2144.4MHz Limit:-50




Band8_3MHz_QPSK_HCH_913.5MHz_RB_1_14_NTNV 17/25 2114.4-2170MHz Limit:-50







Band8 3MHz QPSK HCH 913.5MHz RB 1 14 NTN 18/25 2330-2370MHz Limit:-30




Band8 3MHz QPSK HCH 913.5MHz RB 1 14 NTN 19/25 3400-3419.3MHz Limit:-30









Band8 3MHz QPSK HCH 913.5MHz RB 1 14 NTN 24/25 3600-4100MHz Limit:-30




Band8 3MHz QPSK HCH 913.5MHz RB 1 14 NTN 25/25 4500-4900MHz Limit:-30







Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV 1/25 0.009-0.15MHz Limit:-36




Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV 2/25 0.15-30MHz Limit:-36










Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV 11/25 860-890MHz Limit:-36




Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV 12/25 945-960MHz Limit:-50







Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV 14/25 1496.7-1510.9MHz Limit:-50




Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV 15/25 1805-1845MHz Limit:-30




Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV 5/25 1845-1880MHz Limit:-50




Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV 16/25 1906.6-1915.7MHz Limit:-30




Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV 6/25 2010-2025MHz Limit:-50




Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV 7/25 2110-2144.4MHz Limit:-50




Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV 17/25 2114.4-2170MHz Limit:-50




Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV 18/25 2330-2370MHz Limit:-30





Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV 19/25 3400-3419.3MHz Limit:-30




Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV 20/25 3419.3-3500.7MHz Limit:-30







Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV_23/25_3590.3-3600MHz Limit:-30






Band8_3MHz_QPSK_HCH_913.5MHz_RB_15_0_NTNV_24/25_3600-4100MHz Limit:-30






6.2.2 B8_5MHz







Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_0_NTNV 9/25 770-773MHz Limit:-36




Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_0_NTNV 10/25 773-803MHz Limit:-36




Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_0_NTNV 11/25 860-890MHz Limit:-40




Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_0_NTNV 12/25 945-960MHz Limit:-50




Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_0_NTNV 4/25 1000-12750MHz Limit:-30




Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_0_NTNV 13/25 1475.9-1496.7MHz Limit:-50





Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_0_NTNV_14/25_1496.7-1510.9MHz Limit:-50




Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_0_NTNV_15/25_1805-1845MHz Limit:-30







Band8 5MHz QPSK LCH 902.5MHz RB 1 0 NTV 6/25 2010-2025MHz Limit:-50




Band8 5MHz QPSK LCH 902.5MHz RB 1 0 NTV 7/25 2110-2144.4MHz Limit:-50




Band8 5MHz QPSK LCH 902.5MHz RB 1 0 NTN 17/25 2114.4-2170MHz Limit:-50




Band8 5MHz QPSK LCH 902.5MHz RB 1 0 NTN 18/25 2330-2370MHz Limit:-30





Band8 5MHz QPSK LCH 902.5MHz RB 1 0 NTN 19/25 3400-3419.3MHz Limit:-30




Band8 5MHz QPSK LCH 902.5MHz RB 1 0 NTN 20/25 3419.3-3500.7MHz Limit:-30








Band8 5MHz QPSK_LCH_902.5MHz_RB_1_0_NTNV 23/25 3590.3-3600MHz Limit:-30




Band8 5MHz QPSK_LCH_902.5MHz_RB_1_0_NTNV 24/25 3600-4100MHz Limit:-30







Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_24_NTNV 2/25 0.15-30MHz Limit:-36




Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_24_NTNV 3/25 30-1000MHz Limit:-36





Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_24_NTNV 8/25 470-710MHz Limit:-36




Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_24_NTNV 9/25 770-773MHz Limit:-36







Band8 5MHz QPSK_LCH_902.5MHz_RB_1_24_NTNV 12/25 945-960MHz Limit:-50




Band8 5MHz QPSK_LCH_902.5MHz_RB_1_24_NTNV 4/25 1000-12750MHz Limit:-30




Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_24_NTNV_13/25_1475.9-1496.7MHz Limit:-50




Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_24_NTNV_14/25_1496.7-1510.9MHz Limit:-50




Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_24_NTNV 15/25 1805-1845MHz Limit:-30




Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_24_NTNV 5/25 1845-1880MHz Limit:-50




Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_24_NTNV 16/25 1910-1915.7MHz Limit:-30




Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_24_NTNV 6/25 2010-2025MHz Limit:-50







Band8 5MHz QPSK LCH 902.5MHz RB 1 24 NTNV 7/25 2110-2144.4MHz Limit:-50




Band8 5MHz QPSK LCH 902.5MHz RB 1 24 NTNV 17/25 2114.4-2170MHz Limit:-50









Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_24_NTNV 22/25 3574.7-3590.3MHz Limit:-30




Band8_5MHz_QPSK_LCH_902.5MHz_RB_1_24_NTNV 23/25 3590.3-3600MHz Limit:-30




Band8 5MHz QPSK LCH 902.5MHz RB 1 24 NTN 24/25 3600-4100MHz Limit:-30




Band8 5MHz QPSK LCH 902.5MHz RB 1 24 NTN 25/25 4500-4900MHz Limit:-30




Band8_5MHz_QPSK_LCH_902.5MHz_RB_25_0_NTNV 1/25 0.009-0.15MHz Limit:-36




Band8_5MHz_QPSK_LCH_902.5MHz_RB_25_0_NTNV 2/25 0.15-30MHz Limit:-36




Band8_5MHz_QPSK_LCH_902.5MHz_RB_25_0_NTNV_3/25_30-1000MHz Limit:-36



Band8_5MHz_QPSK_LCH_902.5MHz_RB_25_0_NTNV_8/25_470-710MHz Limit:-36



Band8_5MHz_QPSK_LCH_902.5MHz_RB_25_0_NTNV_9/25_770-773MHz_Limit:-36



Band8_5MHz_QPSK_LCH_902.5MHz_RB_25_0_NTNV_10/25_773-803MHz_Limit:-36

