


NVNT	ac40	5670	Ant1	-13.83	0.041	3.92	-9.91	0.102	12.5	Pass
NVNT	ax20	5180	Ant1	-15.4	0.029	3.92	-11.48	0.071	10	Pass
NVNT	ax20	5200	Ant1	-15.82	0.026	3.92	-11.9	0.065	10	Pass
NVNT	ax20	5240	Ant1	-15.59	0.028	3.92	-11.67	0.068	10	Pass
NVNT	ax20	5260	Ant1	-14.27	0.037	3.92	-10.35	0.092	5	Pass
NVNT	ax20	5300	Ant1	-13.99	0.04	3.92	-10.07	0.098	5	Pass
NVNT	ax20	5320	Ant1	-13.78	0.042	3.92	-9.86	0.103	5	Pass
NVNT	ax20	5500	Ant1	-12.77	0.053	3.92	-8.85	0.13	25	Pass
NVNT	ax20	5580	Ant1	-11.33	0.074	3.92	-7.41	0.182	25	Pass
NVNT	ax20	5700	Ant1	-10.75	0.084	3.92	-6.83	0.207	25	Pass
NVNT	ax40	5190	Ant1	-16.92	0.02	3.92	-13	0.05	5	Pass
NVNT	ax40	5230	Ant1	-16.27	0.024	3.92	-12.35	0.058	5	Pass
NVNT	ax40	5270	Ant1	-16.46	0.023	3.92	-12.54	0.056	2.5	Pass
NVNT	ax40	5310	Ant1	-16.1	0.025	3.92	-12.18	0.061	2.5	Pass
NVNT	ax40	5510	Ant1	-14.34	0.037	3.92	-10.42	0.091	12.5	Pass
NVNT	ax40	5590	Ant1	-13.8	0.042	3.92	-9.88	0.103	12.5	Pass
NVNT	ax40	5670	Ant1	-13.71	0.043	3.92	-9.79	0.105	12.5	Pass

Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	Lower Limit (MHz)	Upper Limit (MHz)	Verdict
NVNT	a	5180	Ant1	17.183	N/A	20	Pass
NVNT	a	5200	Ant1	17.183	N/A	20	Pass
NVNT	a	5240	Ant1	17.223	N/A	20	Pass
NVNT	a	5260	Ant1	17.143	N/A	20	Pass
NVNT	a	5300	Ant1	17.143	N/A	20	Pass
NVNT	a	5320	Ant1	17.143	N/A	20	Pass
NVNT	a	5500	Ant1	17.303	N/A	20	Pass
NVNT	a	5580	Ant1	17.303	N/A	20	Pass
NVNT	a	5700	Ant1	17.343	N/A	20	Pass
NVNT	n20	5180	Ant1	18.302	N/A	20	Pass
NVNT	n20	5200	Ant1	18.302	N/A	20	Pass
NVNT	n20	5240	Ant1	18.302	N/A	20	Pass
NVNT	n20	5260	Ant1	18.302	N/A	20	Pass
NVNT	n20	5300	Ant1	18.302	N/A	20	Pass
NVNT	n20	5320	Ant1	18.262	N/A	20	Pass
NVNT	n20	5500	Ant1	18.462	N/A	20	Pass
NVNT	n20	5580	Ant1	18.501	N/A	20	Pass
NVNT	n20	5700	Ant1	18.541	N/A	20	Pass
NVNT	n40	5190	Ant1	36.364	N/A	40	Pass
NVNT	n40	5230	Ant1	36.284	N/A	40	Pass
NVNT	n40	5270	Ant1	36.284	N/A	40	Pass
NVNT	n40	5310	Ant1	36.284	N/A	40	Pass
NVNT	n40	5510	Ant1	36.444	N/A	40	Pass
NVNT	n40	5590	Ant1	36.523	N/A	40	Pass
NVNT	n40	5670	Ant1	36.444	N/A	40	Pass
NVNT	ac20	5180	Ant1	18.302	N/A	20	Pass
NVNT	ac20	5200	Ant1	18.302	N/A	20	Pass
NVNT	ac20	5240	Ant1	18.302	N/A	20	Pass
NVNT	ac20	5260	Ant1	18.262	N/A	20	Pass
NVNT	ac20	5300	Ant1	18.302	N/A	20	Pass
NVNT	ac20	5320	Ant1	18.262	N/A	20	Pass
NVNT	ac20	5500	Ant1	18.422	N/A	20	Pass
NVNT	ac20	5580	Ant1	18.501	N/A	20	Pass
NVNT	ac20	5700	Ant1	18.501	N/A	20	Pass
NVNT	ac40	5190	Ant1	36.364	N/A	40	Pass
NVNT	ac40	5230	Ant1	36.284	N/A	40	Pass
NVNT	ac40	5270	Ant1	36.364	N/A	40	Pass
NVNT	ac40	5310	Ant1	36.364	N/A	40	Pass
NVNT	ac40	5510	Ant1	36.444	N/A	40	Pass
NVNT	ac40	5590	Ant1	36.444	N/A	40	Pass
NVNT	ac40	5670	Ant1	36.444	N/A	40	Pass

NVNT	ax20	5180	Ant1	19.341	N/A	20	Pass
NVNT	ax20	5200	Ant1	19.341	N/A	20	Pass
NVNT	ax20	5240	Ant1	19.341	N/A	20	Pass
NVNT	ax20	5260	Ant1	19.341	N/A	20	Pass
NVNT	ax20	5300	Ant1	19.341	N/A	20	Pass
NVNT	ax20	5320	Ant1	19.301	N/A	20	Pass
NVNT	ax20	5500	Ant1	19.461	N/A	20	Pass
NVNT	ax20	5580	Ant1	19.461	N/A	20	Pass
NVNT	ax20	5700	Ant1	19.461	N/A	20	Pass
NVNT	ax40	5190	Ant1	37.962	N/A	40	Pass
NVNT	ax40	5230	Ant1	37.962	N/A	40	Pass
NVNT	ax40	5270	Ant1	37.882	N/A	40	Pass
NVNT	ax40	5310	Ant1	37.882	N/A	40	Pass
NVNT	ax40	5510	Ant1	38.042	N/A	40	Pass
NVNT	ax40	5590	Ant1	38.042	N/A	40	Pass
NVNT	ax40	5670	Ant1	38.042	N/A	40	Pass




Date: 24.MAR.2026 14:36:55

OBW NVNT a 5180MHz Ant1




Date: 24.MAR.2026 14:42:04

OBW NVNT a 5200MHz Ant1




Date: 24.MAR.2026 14:46:06

OBW NVNT a 5240MHz Ant1




Date: 24.MAR.2026 14:48:55

OBW NVNT a 5260MHz Ant1




Date: 24.MAR.2026 14:51:56

OBW NVNT a 5300MHz Ant1




Date: 24.MAR.2026 14:55:41

OBW NVNT a 5320MHz Ant1




Date: 24.MAR.2026 14:59:04

OBW NVNT a 5500MHz Ant1




Date: 24.MAR.2026 15:02:15

OBW NVNT a 5580MHz Ant1




Date: 24.MAR.2026 15:05:49

OBW NVNT a 5700MHz Ant1




Date: 24.MAR.2026 15:12:40


OBW NVNT n20 5180MHz Ant1



OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1




Date: 24.MAR.2026 15:21:27

OBW NVNT n20 5260MHz Ant1




Date: 24.MAR.2026 15:24:27

OBW NVNT n20 5300MHz Ant1




Date: 24.MAR.2026 15:27:58

OBW NVNT n20 5320MHz Ant1




Date: 24.MAR.2026 15:32:05

OBW NVNT n20 5500MHz Ant1




Date: 24.MAR.2026 15:39:15

OBW NVNT n20 5580MHz Ant1




Date: 24.MAR.2026 15:42:03

OBW NVNT n20 5700MHz Ant1




Date: 24.MAR.2026 16:41:23

OBW NVNT n40 5190MHz Ant1




Date: 24.MAR.2026 16:44:12

OBW NVNT n40 5230MHz Ant1




Date: 24.MAR.2026 16:47:31

OBW NVNT n40 5270MHz Ant1




Date: 24.MAR.2026 16:51:23

OBW NVNT n40 5310MHz Ant1




Date: 24.MAR.2026 16:54:29

OBW NVNT n40 5510MHz Ant1




Date: 24.MAR.2026 16:57:14

OBW NVNT n40 5590MHz Ant1




Date: 24.MAR.2026 17:00:08

OBW NVNT n40 5670MHz Ant1




Date: 24.MAR.2026 15:45:26

OBW NVNT ac20 5180MHz Ant1




Date: 24.MAR.2026 15:48:53

OBW NVNT ac20 5200MHz Ant1




Date: 24.MAR.2026 15:51:52

OBW NVNT ac20 5240MHz Ant1




Date: 24.MAR.2026 15:55:22

OBW NVNT ac20 5260MHz Ant1




Date: 24.MAR.2026 15:58:22

OBW NVNT ac20 5300MHz Ant1




Date: 24.MAR.2026 16:01:14

OBW NVNT ac20 5320MHz Ant1




Date: 24.MAR.2026 16:04:19

OBW NVNT ac20 5500MHz Ant1




Date: 24.MAR.2026 16:06:47

OBW NVNT ac20 5580MHz Ant1




Date: 24.MAR.2026 16:09:09

OBW NVNT ac20 5700MHz Ant1




Date: 25.MAR.2026 08:54:23

OBW NVNT ac40 5190MHz Ant1




Date: 25.MAR.2026 08:58:58

OBW NVNT ac40 5230MHz Ant1




Date: 25.MAR.2026 09:02:21

OBW NVNT ac40 5270MHz Ant1




Date: 25.MAR.2026 09:05:31

OBW NVNT ac40 5310MHz Ant1




Date: 25.MAR.2026 09:08:28

OBW NVNT ac40 5510MHz Ant1




Date: 25.MAR.2026 09:11:28

OBW NVNT ac40 5590MHz Ant1




Date: 25.MAR.2026 09:14:21

OBW NVNT ac40 5670MHz Ant1




Date: 24.MAR.2026 16:11:59

OBW NVNT ax20 5180MHz Ant1




Date: 24.MAR.2026 16:15:00

OBW NVNT ax20 5200MHz Ant1




Date: 24.MAR.2026 16:17:55

OBW NVNT ax20 5240MHz Ant1




Date: 24.MAR.2026 16:20:48

OBW NVNT ax20 5260MHz Ant1




Date: 24.MAR.2026 16:23:41

OBW NVNT ax20 5300MHz Ant1




Date: 24.MAR.2026 16:26:36

OBW NVNT ax20 5320MHz Ant1




Date: 24.MAR.2026 16:30:00

OBW NVNT ax20 5500MHz Ant1




Date: 24.MAR.2026 16:34:08

OBW NVNT ax20 5580MHz Ant1




Date: 24.MAR.2026 16:36:53

OBW NVNT ax20 5700MHz Ant1




Date: 25.MAR.2026 09:19:11

OBW NVNT ax40 5190MHz Ant1




Date: 25.MAR.2026 09:22:18

OBW NVNT ax40 5230MHz Ant1




Date: 25.MAR.2026 09:29:00

OBW NVNT ax40 5270MHz Ant1




Date: 25.MAR.2026 09:32:38

OBW NVNT ax40 5310MHz Ant1




Date: 25.MAR.2026 09:36:11

OBW NVNT ax40 5510MHz Ant1



Date: 25.MAR.2026 09:39:04

OBW NVNT ax40 5590MHz Ant1




Date: 25.MAR.2026 09:42:12

OBW NVNT ax40 5670MHz Ant1

Spreading Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	90% OBW (MHz)
NVNT	a	5180	Ant1	15.065
NVNT	a	5200	Ant1	14.505
NVNT	a	5240	Ant1	14.545
NVNT	a	5260	Ant1	14.426
NVNT	a	5300	Ant1	14.825
NVNT	a	5320	Ant1	14.505
NVNT	a	5500	Ant1	14.945
NVNT	a	5580	Ant1	14.905
NVNT	a	5700	Ant1	15.105
NVNT	n20	5180	Ant1	15.984
NVNT	n20	5200	Ant1	15.984
NVNT	n20	5240	Ant1	15.744
NVNT	n20	5260	Ant1	15.624
NVNT	n20	5300	Ant1	15.664
NVNT	n20	5320	Ant1	15.664
NVNT	n20	5500	Ant1	16.064
NVNT	n20	5580	Ant1	16.104
NVNT	n20	5700	Ant1	16.104
NVNT	n40	5190	Ant1	32.527
NVNT	n40	5230	Ant1	31.648
NVNT	n40	5270	Ant1	32.448
NVNT	n40	5310	Ant1	32.128
NVNT	n40	5510	Ant1	32.847
NVNT	n40	5590	Ant1	33.007
NVNT	n40	5670	Ant1	32.687
NVNT	ac20	5180	Ant1	15.784
NVNT	ac20	5200	Ant1	15.864
NVNT	ac20	5240	Ant1	15.704
NVNT	ac20	5260	Ant1	15.465
NVNT	ac20	5300	Ant1	15.704
NVNT	ac20	5320	Ant1	15.664
NVNT	ac20	5500	Ant1	16.304
NVNT	ac20	5580	Ant1	16.344
NVNT	ac20	5700	Ant1	15.904
NVNT	ac40	5190	Ant1	32.607
NVNT	ac40	5230	Ant1	32.448
NVNT	ac40	5270	Ant1	32.128
NVNT	ac40	5310	Ant1	32.048
NVNT	ac40	5510	Ant1	32.847
NVNT	ac40	5590	Ant1	32.927
NVNT	ac40	5670	Ant1	33.327

NVNT	ax20	5180	Ant1	16.943
NVNT	ax20	5200	Ant1	16.943
NVNT	ax20	5240	Ant1	16.823
NVNT	ax20	5260	Ant1	16.943
NVNT	ax20	5300	Ant1	16.903
NVNT	ax20	5320	Ant1	16.623
NVNT	ax20	5500	Ant1	17.622
NVNT	ax20	5580	Ant1	17.303
NVNT	ax20	5700	Ant1	17.103
NVNT	ax40	5190	Ant1	33.566
NVNT	ax40	5230	Ant1	33.487
NVNT	ax40	5270	Ant1	33.566
NVNT	ax40	5310	Ant1	34.126
NVNT	ax40	5510	Ant1	34.366
NVNT	ax40	5590	Ant1	34.206
NVNT	ax40	5670	Ant1	34.446




Date: 24.MAR.2026 14:36:39

Spreading Bandwidth NVNT a 5180MHz Ant1




Date: 24.MAR.2026 14:41:35

Spreading Bandwidth NVNT a 5200MHz Ant1




Date: 24.MAR.2026 14:45:40

Spreading Bandwidth NVNT a 5240MHz Ant1




Date: 24.MAR.2026 14:48:29

Spreading Bandwidth NVNT a 5260MHz Ant1




Date: 24.MAR.2026 14:51:07

Spreading Bandwidth NVNT a 5300MHz Ant1




Date: 24.MAR.2026 14:55:08

Spreading Bandwidth NVNT a 5320MHz Ant1




Date: 24.MAR.2026 14:58:12

Spreading Bandwidth NVNT a 5500MHz Ant1




Date: 24.MAR.2026 15:01:30

Spreading Bandwidth NVNT a 5580MHz Ant1




Date: 24.MAR.2026 15:05:22

Spreading Bandwidth NVNT a 5700MHz Ant1




Date: 24.MAR.2026 15:12:24

Spreading Bandwidth NVNT n20 5180MHz Ant1




Date: 24.MAR.2026 15:15:13

Spreading Bandwidth NVNT n20 5200MHz Ant1




Date: 24.MAR.2026 15:18:02

Spreading Bandwidth NVNT n20 5240MHz Ant1




Date: 24.MAR.2026 15:20:59

Spreading Bandwidth NVNT n20 5260MHz Ant1




Date: 24.MAR.2026 15:23:57

Spreading Bandwidth NVNT n20 5300MHz Ant1




Date: 24.MAR.2026 15:27:12

Spreading Bandwidth NVNT n20 5320MHz Ant1




Date: 24.MAR.2026 15:30:47

Spreading Bandwidth NVNT n20 5500MHz Ant1




Date: 24.MAR.2026 15:38:46

Spreading Bandwidth NVNT n20 5580MHz Ant1




Date: 24.MAR.2026 15:41:30

Spreading Bandwidth NVNT n20 5700MHz Ant1




Date: 24.MAR.2026 16:39:48

Spreading Bandwidth NVNT n40 5190MHz Ant1




Date: 24.MAR.2026 16:43:38

Spreading Bandwidth NVNT n40 5230MHz Ant1




Date: 24.MAR.2026 16:46:57

Spreading Bandwidth NVNT n40 5270MHz Ant1




Date: 24.MAR.2026 16:50:48

Spreading Bandwidth NVNT n40 5310MHz Ant1




Date: 24.MAR.2026 16:53:49

Spreading Bandwidth NVNT n40 5510MHz Ant1




Date: 24.MAR.2026 16:56:32

Spreading Bandwidth NVNT n40 5590MHz Ant1




Date: 24.MAR.2026 16:59:32

Spreading Bandwidth NVNT n40 5670MHz Ant1




Date: 24.MAR.2026 15:44:30

Spreading Bandwidth NVNT ac20 5180MHz Ant1




Date: 24.MAR.2026 15:48:26

Spreading Bandwidth NVNT ac20 5200MHz Ant1




Date: 24.MAR.2026 15:51:12

Spreading Bandwidth NVNT ac20 5240MHz Ant1




Date: 24.MAR.2026 15:54:32

Spreading Bandwidth NVNT ac20 5260MHz Ant1




Date: 24.MAR.2026 15:57:38

Spreading Bandwidth NVNT ac20 5300MHz Ant1



Date: 24.MAR.2026 16:00:42

Spreading Bandwidth NVNT ac20 5320MHz Ant1




Date: 24.MAR.2026 16:03:48

Spreading Bandwidth NVNT ac20 5500MHz Ant1




Date: 24.MAR.2026 16:06:16

Spreading Bandwidth NVNT ac20 5580MHz Ant1




Date: 24.MAR.2026 16:08:39

Spreading Bandwidth NVNT ac20 5700MHz Ant1




Date: 25.MAR.2026 08:51:24

Spreading Bandwidth NVNT ac40 5190MHz Ant1




Date: 25.MAR.2026 08:57:16

Spreading Bandwidth NVNT ac40 5230MHz Ant1




Date: 25.MAR.2026 09:01:38

Spreading Bandwidth NVNT ac40 5270MHz Ant1




Date: 25.MAR.2026 09:04:56

Spreading Bandwidth NVNT ac40 5310MHz Ant1




Date: 25.MAR.2026 09:07:57

Spreading Bandwidth NVNT ac40 5510MHz Ant1




Date: 25.MAR.2026 09:10:38

Spreading Bandwidth NVNT ac40 5590MHz Ant1




Date: 25.MAR.2026 09:13:49

Spreading Bandwidth NVNT ac40 5670MHz Ant1




Date: 24.MAR.2026 16:11:11

Spreading Bandwidth NVNT ax20 5180MHz Ant1




Date: 24.MAR.2026 16:14:25

Spreading Bandwidth NVNT ax20 5200MHz Ant1



Date: 24.MAR.2026 16:17:22

Spreading Bandwidth NVNT ax20 5240MHz Ant1




Date: 24.MAR.2026 16:20:18

Spreading Bandwidth NVNT ax20 5260MHz Ant1




Date: 24.MAR.2026 16:23:09

Spreading Bandwidth NVNT ax20 5300MHz Ant1




Date: 24.MAR.2026 16:26:02

Spreading Bandwidth NVNT ax20 5320MHz Ant1




Date: 24.MAR.2026 16:29:27

Spreading Bandwidth NVNT ax20 5500MHz Ant1




Date: 24.MAR.2026 16:32:15

Spreading Bandwidth NVNT ax20 5580MHz Ant1




Date: 24.MAR.2026 16:36:22

Spreading Bandwidth NVNT ax20 5700MHz Ant1




Date: 25.MAR.2026 09:18:09

Spreading Bandwidth NVNT ax40 5190MHz Ant1




Date: 25.MAR.2026 09:21:49

Spreading Bandwidth NVNT ax40 5230MHz Ant1




Date: 25.MAR.2026 09:26:28

Spreading Bandwidth NVNT ax40 5270MHz Ant1




Date: 25.MAR.2026 09:31:52

Spreading Bandwidth NVNT ax40 5310MHz Ant1




Date: 25.MAR.2026 09:35:40

Spreading Bandwidth NVNT ax40 5510MHz Ant1



Date: 25.MAR.2026 09:38:26

Spreading Bandwidth NVNT ax40 5590MHz Ant1



Date: 25.MAR.2026 09:41:43

Spreading Bandwidth NVNT ax40 5670MHz Ant1

Tx Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Emission Frequency (MHz)	Max Peak Value (dBm)	Max RMS Value (dBm)	Max Peak Value (uW)	Max RMS Value (uW)	Limit Start(uW)	Limit Stop (uW)	Verdict
NVNT	a	5180	Ant1	30-5142	4145.16	-47.78	NA	0.0167	NA	2.5	2.5	Pass
NVNT	a	5180	Ant1	5142-5150	5148.38	-48.75	NA	0.0133	NA	15	15	Pass
NVNT	a	5180	Ant1	5250-5251	5251.00	-52.85	NA	0.0052	NA	1000	100	Pass
NVNT	a	5180	Ant1	5251-5260	5258.00	-49.96	NA	0.0101	NA	100	15.85	Pass
NVNT	a	5180	Ant1	5260-5266.7	5266.70	-50.19	NA	0.0096	NA	15.85	2.49	Pass
NVNT	a	5180	Ant1	5266.7-26000	24888.70	-44.49	NA	0.0356	NA	2.5	2.5	Pass
NVNT	a	5200	Ant1	30-5142	4161.01	-46.70	NA	0.0214	NA	2.5	2.5	Pass
NVNT	a	5200	Ant1	5142-5150	5147.95	-50.79	NA	0.0083	NA	15	15	Pass
NVNT	a	5200	Ant1	5250-5251	5251.00	-52.75	NA	0.0053	NA	1000	100	Pass
NVNT	a	5200	Ant1	5251-5260	5258.96	-50.46	NA	0.009	NA	100	15.85	Pass
NVNT	a	5200	Ant1	5260-5266.7	5266.64	-50.38	NA	0.0092	NA	15.85	2.49	Pass
NVNT	a	5200	Ant1	5266.7-26000	16033.50	-44.53	NA	0.0352	NA	2.5	2.5	Pass
NVNT	a	5240	Ant1	30-5142	4084.84	-47.10	NA	0.0195	NA	2.5	2.5	Pass
NVNT	a	5240	Ant1	5142-5150	5143.81	-50.13	NA	0.0097	NA	15	15	Pass
NVNT	a	5240	Ant1	5250-5251	5251.00	-23.55	NA	4.4157	NA	1000	100	Pass
NVNT	a	5240	Ant1	5251-5260	5251.00	-21.39	NA	7.2611	NA	100	15.85	Pass
NVNT	a	5240	Ant1	5260-5266.7	5265.96	-47.59	NA	0.0174	NA	15.85	2.49	Pass
NVNT	a	5240	Ant1	5266.7-26000	6881.82	-44.66	NA	0.0342	NA	2.5	2.5	Pass
NVNT	a	5260	Ant1	30-5233.3	5222.89	-46.97	NA	0.0201	NA	2.5	2.5	Pass
NVNT	a	5260	Ant1	5233.3-5240	5233.86	-47.61	NA	0.0173	NA	2.49	15.85	Pass
NVNT	a	5260	Ant1	5240-5249	5249.00	-27.84	NA	1.6444	NA	15.85	100	Pass
NVNT	a	5260	Ant1	5249-5250	5249.00	-19.51	NA	11.1944	NA	100	1000	Pass
NVNT	a	5260	Ant1	5350-26000	6946.25	-44.39	NA	0.0364	NA	2.5	2.5	Pass
NVNT	a	5300	Ant1	30-5233.3	4240.51	-46.84	NA	0.0207	NA	2.5	2.5	Pass
NVNT	a	5300	Ant1	5233.3-5240	5233.80	-49.77	NA	0.0105	NA	2.49	15.85	Pass
NVNT	a	5300	Ant1	5240-5249	5240.47	-48.50	NA	0.0141	NA	15.85	100	Pass
NVNT	a	5300	Ant1	5249-5250	5249.00	-52.67	NA	0.0054	NA	100	1000	Pass
NVNT	a	5300	Ant1	5350-26000	6446.52	-44.43	NA	0.0361	NA	2.5	2.5	Pass
NVNT	a	5320	Ant1	30-5233.3	5097.49	-45.38	NA	0.029	NA	2.5	2.5	Pass
NVNT	a	5320	Ant1	5233.3-5240	5233.73	-49.90	NA	0.0102	NA	2.49	15.85	Pass
NVNT	a	5320	Ant1	5240-5249	5240.17	-49.85	NA	0.0104	NA	15.85	100	Pass
NVNT	a	5320	Ant1	5249-5250	5249.00	-52.11	NA	0.0062	NA	100	1000	Pass
NVNT	a	5320	Ant1	5350-26000	6979.29	-44.35	NA	0.0367	NA	2.5	2.5	Pass
NVNT	a	5500	Ant1	30-5460	4400.61	-43.58	NA	0.0439	NA	2.5	2.5	Pass
NVNT	a	5500	Ant1	5460-5470	5469.19	-45.61	NA	0.0275	NA	12.5	12.5	Pass
NVNT	a	5500	Ant1	5745-5765	5761.03	-47.60	NA	0.0174	NA	12.5	12.5	Pass
NVNT	a	5500	Ant1	5765-26000	6892.09	-43.74	NA	0.0423	NA	2.5	2.5	Pass
NVNT	a	5580	Ant1	30-5460	4464.14	-43.88	NA	0.0409	NA	2.5	2.5	Pass

NVNT	a	5580	Ant1	5460-5470	5461.61	-48.66	NA	0.0136	NA	12.5	12.5	Pass
NVNT	a	5580	Ant1	5745-5765	5759.62	-47.40	NA	0.0182	NA	12.5	12.5	Pass
NVNT	a	5580	Ant1	5765-26000	16018.07	-44.35	NA	0.0367	NA	2.5	2.5	Pass
NVNT	a	5700	Ant1	30-5460	4559.71	-43.91	NA	0.0406	NA	2.5	2.5	Pass
NVNT	a	5700	Ant1	5460-5470	5461.02	-50.19	NA	0.0096	NA	12.5	12.5	Pass
NVNT	a	5700	Ant1	5745-5765	5750.30	-45.68	NA	0.027	NA	12.5	12.5	Pass
NVNT	a	5700	Ant1	5765-26000	6962.91	-43.74	NA	0.0423	NA	2.5	2.5	Pass
NVNT	n20	5180	Ant1	30-5142	4144.65	-35.01	NA	0.3155	NA	2.5	2.5	Pass
NVNT	n20	5180	Ant1	5142-5150	5146.52	-45.19	NA	0.0303	NA	15	15	Pass
NVNT	n20	5180	Ant1	5250-5250.2	5250.20	-52.06	NA	0.0062	NA	2154.43	630.96	Pass
NVNT	n20	5180	Ant1	5250.2-5251	5251.00	-52.05	NA	0.0062	NA	630.96	100	Pass
NVNT	n20	5180	Ant1	5251-5260	5259.63	-50.27	NA	0.0094	NA	100	15.85	Pass
NVNT	n20	5180	Ant1	5260-5266.7	5266.70	-50.51	NA	0.0089	NA	15.85	2.49	Pass
NVNT	n20	5180	Ant1	5266.7-26000	19813.18	-44.34	NA	0.0368	NA	2.5	2.5	Pass
NVNT	n20	5200	Ant1	30-5142	4199.35	-47.12	NA	0.0194	NA	2.5	2.5	Pass
NVNT	n20	5200	Ant1	5142-5150	5149.79	-48.73	NA	0.0134	NA	15	15	Pass
NVNT	n20	5200	Ant1	5250-5250.2	5250.20	-51.96	NA	0.0064	NA	2154.43	630.96	Pass
NVNT	n20	5200	Ant1	5250.2-5251	5251.00	-48.75	NA	0.0133	NA	630.96	100	Pass
NVNT	n20	5200	Ant1	5251-5260	5258.50	-47.51	NA	0.0177	NA	100	15.85	Pass
NVNT	n20	5200	Ant1	5260-5266.7	5266.70	-52.31	NA	0.0059	NA	15.85	2.49	Pass
NVNT	n20	5200	Ant1	5266.7-26000	15693.48	-44.50	NA	0.0355	NA	2.5	2.5	Pass
NVNT	n20	5240	Ant1	30-5142	4191.68	-40.15	NA	0.0966	NA	2.5	2.5	Pass
NVNT	n20	5240	Ant1	5142-5150	5143.29	-50.40	NA	0.0091	NA	15	15	Pass
NVNT	n20	5240	Ant1	5250-5250.2	5250.20	-17.92	NA	16.1436	NA	2154.43	630.96	Pass
NVNT	n20	5240	Ant1	5250.2-5251	5251.00	-21.63	NA	6.8707	NA	630.96	100	Pass
NVNT	n20	5240	Ant1	5251-5260	5251.00	-21.15	NA	7.6736	NA	100	15.85	Pass
NVNT	n20	5240	Ant1	5260-5266.7	5265.82	-48.65	NA	0.0136	NA	15.85	2.49	Pass
NVNT	n20	5240	Ant1	5266.7-26000	6981.34	-44.07	NA	0.0392	NA	2.5	2.5	Pass
NVNT	n20	5260	Ant1	30-5233.3	5229.14	-44.58	NA	0.0348	NA	2.5	2.5	Pass
NVNT	n20	5260	Ant1	5233.3-5240	5237.46	-41.17	NA	0.0764	NA	2.49	15.85	Pass
NVNT	n20	5260	Ant1	5240-5249	5249.00	-19.22	NA	11.9674	NA	15.85	100	Pass
NVNT	n20	5260	Ant1	5249-5249.8	5249.00	-24.50	NA	3.5481	NA	100	630.96	Pass
NVNT	n20	5260	Ant1	5249.8-5250	5249.80	-16.49	NA	22.4388	NA	630.96	2154.43	Pass
NVNT	n20	5260	Ant1	5350-26000	6723.23	-44.09	NA	0.039	NA	2.5	2.5	Pass
NVNT	n20	5300	Ant1	30-5233.3	4240.51	-46.67	NA	0.0215	NA	2.5	2.5	Pass
NVNT	n20	5300	Ant1	5233.3-5240	5233.30	-51.30	NA	0.0074	NA	2.49	15.85	Pass
NVNT	n20	5300	Ant1	5240-5249	5240.00	-47.85	NA	0.0164	NA	15.85	100	Pass
NVNT	n20	5300	Ant1	5249-5249.8	5249.00	-51.83	NA	0.0066	NA	100	630.96	Pass
NVNT	n20	5300	Ant1	5249.8-5250	5249.80	-53.65	NA	0.0043	NA	630.96	2154.43	Pass
NVNT	n20	5300	Ant1	5350-26000	6946.25	-43.68	NA	0.0429	NA	2.5	2.5	Pass
NVNT	n20	5320	Ant1	30-5233.3	4254.56	-46.87	NA	0.0206	NA	2.5	2.5	Pass
NVNT	n20	5320	Ant1	5233.3-5240	5233.30	-51.18	NA	0.0076	NA	2.49	15.85	Pass
NVNT	n20	5320	Ant1	5240-5249	5240.00	-48.82	NA	0.0131	NA	15.85	100	Pass
NVNT	n20	5320	Ant1	5249-5249.8	5249.00	-53.00	NA	0.005	NA	100	630.96	Pass

NVNT	n20	5320	Ant1	5249.8-5250	5249.80	-51.77	NA	0.0067	NA	630.96	2154.43	Pass
NVNT	n20	5320	Ant1	5350-26000	6876.04	-43.81	NA	0.0416	NA	2.5	2.5	Pass
NVNT	n20	5500	Ant1	30-5460	4400.06	-44.42	NA	0.0361	NA	2.5	2.5	Pass
NVNT	n20	5500	Ant1	5460-5470	5468.09	-46.70	NA	0.0214	NA	12.5	12.5	Pass
NVNT	n20	5500	Ant1	5745-5765	5747.44	-47.00	NA	0.02	NA	12.5	12.5	Pass
NVNT	n20	5500	Ant1	5765-26000	6938.63	-42.37	NA	0.0579	NA	2.5	2.5	Pass
NVNT	n20	5580	Ant1	30-5460	4465.22	-42.71	NA	0.0536	NA	2.5	2.5	Pass
NVNT	n20	5580	Ant1	5460-5470	5460.58	-49.49	NA	0.0112	NA	12.5	12.5	Pass
NVNT	n20	5580	Ant1	5745-5765	5747.18	-47.06	NA	0.0197	NA	12.5	12.5	Pass
NVNT	n20	5580	Ant1	5765-26000	6924.47	-44.01	NA	0.0397	NA	2.5	2.5	Pass
NVNT	n20	5700	Ant1	30-5460	4559.71	-45.28	NA	0.0296	NA	2.5	2.5	Pass
NVNT	n20	5700	Ant1	5460-5470	5462.42	-48.53	NA	0.014	NA	12.5	12.5	Pass
NVNT	n20	5700	Ant1	5745-5765	5745.00	-46.62	NA	0.0218	NA	12.5	12.5	Pass
NVNT	n20	5700	Ant1	5765-26000	6964.94	-44.13	NA	0.0386	NA	2.5	2.5	Pass
NVNT	n40	5190	Ant1	30-5141.6	5140.58	-46.76	NA	0.0211	NA	2.5	2.5	Pass
NVNT	n40	5190	Ant1	5141.6-5150	5148.34	-45.69	NA	0.027	NA	15	15	Pass
NVNT	n40	5190	Ant1	5250-5251	5251.00	-50.94	NA	0.0081	NA	500	50	Pass
NVNT	n40	5190	Ant1	5251-5270	5267.56	-49.82	NA	0.0104	NA	50	7.92	Pass
NVNT	n40	5190	Ant1	5270-5278.4	5278.37	-50.98	NA	0.008	NA	7.92	2.48	Pass
NVNT	n40	5190	Ant1	5278.4-26000	6892.61	-44.27	NA	0.0374	NA	2.5	2.5	Pass
NVNT	n40	5230	Ant1	30-5141.6	4184.20	-46.76	NA	0.0211	NA	2.5	2.5	Pass
NVNT	n40	5230	Ant1	5141.6-5150	5144.81	-50.39	NA	0.0091	NA	15	15	Pass
NVNT	n40	5230	Ant1	5250-5251	5251.00	-29.42	NA	1.1429	NA	500	50	Pass
NVNT	n40	5230	Ant1	5251-5270	5251.00	-27.27	NA	1.875	NA	50	7.92	Pass
NVNT	n40	5230	Ant1	5270-5278.4	5278.27	-50.99	NA	0.008	NA	7.92	2.48	Pass
NVNT	n40	5230	Ant1	5278.4-26000	6994.15	-44.58	NA	0.0348	NA	2.5	2.5	Pass
NVNT	n40	5270	Ant1	30-5221.6	4246.62	-46.71	NA	0.0213	NA	2.5	2.5	Pass
NVNT	n40	5270	Ant1	5221.6-5230	5221.60	-49.16	NA	0.0121	NA	2.48	7.92	Pass
NVNT	n40	5270	Ant1	5230-5249	5248.99	-31.90	NA	0.6457	NA	7.92	50	Pass
NVNT	n40	5270	Ant1	5249-5250	5249.00	-28.83	NA	1.3092	NA	50	500	Pass
NVNT	n40	5270	Ant1	5350-5358.4	5351.59	-50.36	NA	0.0092	NA	15	15	Pass
NVNT	n40	5270	Ant1	5358.4-26000	6939.55	-44.60	NA	0.0347	NA	2.5	2.5	Pass
NVNT	n40	5310	Ant1	30-5221.6	4249.73	-42.98	NA	0.0504	NA	2.5	2.5	Pass
NVNT	n40	5310	Ant1	5221.6-5230	5221.77	-51.63	NA	0.0069	NA	2.48	7.92	Pass
NVNT	n40	5310	Ant1	5230-5249	5230.54	-50.92	NA	0.0081	NA	7.92	50	Pass
NVNT	n40	5310	Ant1	5249-5250	5249.00	-51.91	NA	0.0064	NA	50	500	Pass
NVNT	n40	5310	Ant1	5350-5358.4	5353.31	-48.15	NA	0.0153	NA	15	15	Pass
NVNT	n40	5310	Ant1	5358.4-26000	6980.83	-44.24	NA	0.0377	NA	2.5	2.5	Pass
NVNT	n40	5510	Ant1	30-5460	4408.75	-45.36	NA	0.0291	NA	12.5	12.5	Pass
NVNT	n40	5510	Ant1	5460-5470	5468.13	-45.23	NA	0.03	NA	50	50	Pass
NVNT	n40	5510	Ant1	5770-26000	6919.06	-43.58	NA	0.0439	NA	12.5	12.5	Pass
NVNT	n40	5590	Ant1	30-5460	4472.28	-44.28	NA	0.0373	NA	12.5	12.5	Pass
NVNT	n40	5590	Ant1	5460-5470	5461.66	-49.50	NA	0.0112	NA	50	50	Pass
NVNT	n40	5590	Ant1	5770-26000	6880.63	-44.02	NA	0.0396	NA	12.5	12.5	Pass

NVNT	n40	5670	Ant1	30-5460	4536.36	-44.54	NA	0.0352	NA	12.5	12.5	Pass
NVNT	n40	5670	Ant1	5460-5470	5468.44	-49.97	NA	0.0101	NA	50	50	Pass
NVNT	n40	5670	Ant1	5770-26000	6601.45	-43.85	NA	0.0412	NA	12.5	12.5	Pass
NVNT	ac20	5180	Ant1	30-5142	3899.78	-47.09	NA	0.0195	NA	2.5	2.5	Pass
NVNT	ac20	5180	Ant1	5142-5150	5145.13	-48.36	NA	0.0146	NA	15	15	Pass
NVNT	ac20	5180	Ant1	5250-5250.2	5250.20	-53.71	NA	0.0043	NA	2154.43	630.96	Pass
NVNT	ac20	5180	Ant1	5250.2-5251	5251.00	-51.63	NA	0.0069	NA	630.96	100	Pass
NVNT	ac20	5180	Ant1	5251-5260	5260.00	-49.33	NA	0.0117	NA	100	15.85	Pass
NVNT	ac20	5180	Ant1	5260-5266.7	5266.16	-51.19	NA	0.0076	NA	15.85	2.49	Pass
NVNT	ac20	5180	Ant1	5266.7-26000	16021.06	-44.44	NA	0.036	NA	2.5	2.5	Pass
NVNT	ac20	5200	Ant1	30-5142	4149.25	-47.25	NA	0.0188	NA	2.5	2.5	Pass
NVNT	ac20	5200	Ant1	5142-5150	5142.42	-48.92	NA	0.0128	NA	15	15	Pass
NVNT	ac20	5200	Ant1	5250-5250.2	5250.20	-52.22	NA	0.006	NA	2154.43	630.96	Pass
NVNT	ac20	5200	Ant1	5250.2-5251	5251.00	-53.60	NA	0.0044	NA	630.96	100	Pass
NVNT	ac20	5200	Ant1	5251-5260	5259.50	-51.44	NA	0.0072	NA	100	15.85	Pass
NVNT	ac20	5200	Ant1	5260-5266.7	5265.14	-49.82	NA	0.0104	NA	15.85	2.49	Pass
NVNT	ac20	5200	Ant1	5266.7-26000	6827.92	-43.81	NA	0.0416	NA	2.5	2.5	Pass
NVNT	ac20	5240	Ant1	30-5142	4184.52	-47.03	NA	0.0198	NA	2.5	2.5	Pass
NVNT	ac20	5240	Ant1	5142-5150	5147.15	-49.70	NA	0.0107	NA	15	15	Pass
NVNT	ac20	5240	Ant1	5250-5250.2	5250.20	-18.81	NA	13.1522	NA	2154.43	630.96	Pass
NVNT	ac20	5240	Ant1	5250.2-5251	5251.00	-20.94	NA	8.0538	NA	630.96	100	Pass
NVNT	ac20	5240	Ant1	5251-5260	5251.00	-25.03	NA	3.1405	NA	100	15.85	Pass
NVNT	ac20	5240	Ant1	5260-5266.7	5266.28	-49.49	NA	0.0112	NA	15.85	2.49	Pass
NVNT	ac20	5240	Ant1	5266.7-26000	6939.88	-44.16	NA	0.0384	NA	2.5	2.5	Pass
NVNT	ac20	5260	Ant1	30-5233.3	4194.20	-47.33	NA	0.0185	NA	2.5	2.5	Pass
NVNT	ac20	5260	Ant1	5233.3-5240	5237.40	-44.24	NA	0.0377	NA	2.49	15.85	Pass
NVNT	ac20	5260	Ant1	5240-5249	5249.00	-19.11	NA	12.2744	NA	15.85	100	Pass
NVNT	ac20	5260	Ant1	5249-5249.8	5249.00	-20.95	NA	8.0353	NA	100	630.96	Pass
NVNT	ac20	5260	Ant1	5249.8-5250	5249.80	-19.32	NA	11.695	NA	630.96	2154.43	Pass
NVNT	ac20	5260	Ant1	5350-26000	24957.18	-44.54	NA	0.0352	NA	2.5	2.5	Pass
NVNT	ac20	5300	Ant1	30-5233.3	4241.55	-42.63	NA	0.0546	NA	2.5	2.5	Pass
NVNT	ac20	5300	Ant1	5233.3-5240	5233.63	-51.06	NA	0.0078	NA	2.49	15.85	Pass
NVNT	ac20	5300	Ant1	5240-5249	5240.00	-50.02	NA	0.01	NA	15.85	100	Pass
NVNT	ac20	5300	Ant1	5249-5249.8	5249.00	-52.68	NA	0.0054	NA	100	630.96	Pass
NVNT	ac20	5300	Ant1	5249.8-5250	5249.80	-51.64	NA	0.0069	NA	630.96	2154.43	Pass
NVNT	ac20	5300	Ant1	5350-26000	6962.77	-43.98	NA	0.04	NA	2.5	2.5	Pass
NVNT	ac20	5320	Ant1	30-5233.3	4256.12	-46.11	NA	0.0245	NA	2.5	2.5	Pass
NVNT	ac20	5320	Ant1	5233.3-5240	5233.30	-51.11	NA	0.0077	NA	2.49	15.85	Pass
NVNT	ac20	5320	Ant1	5240-5249	5241.24	-48.57	NA	0.0139	NA	15.85	100	Pass
NVNT	ac20	5320	Ant1	5249-5249.8	5249.00	-51.17	NA	0.0076	NA	100	630.96	Pass
NVNT	ac20	5320	Ant1	5249.8-5250	5249.80	-50.21	NA	0.0095	NA	630.96	2154.43	Pass
NVNT	ac20	5320	Ant1	5350-26000	6776.92	-44.14	NA	0.0385	NA	2.5	2.5	Pass
NVNT	ac20	5500	Ant1	30-5460	4400.06	-44.84	NA	0.0328	NA	2.5	2.5	Pass
NVNT	ac20	5500	Ant1	5460-5470	5467.59	-47.89	NA	0.0163	NA	12.5	12.5	Pass

NVNT	ac20	5500	Ant1	5745-5765	5747.69	-46.99	NA	0.02	NA	12.5	12.5	Pass
NVNT	ac20	5500	Ant1	5765-26000	6979.10	-44.19	NA	0.0381	NA	2.5	2.5	Pass
NVNT	ac20	5580	Ant1	30-5460	4465.22	-44.06	NA	0.0393	NA	2.5	2.5	Pass
NVNT	ac20	5580	Ant1	5460-5470	5466.09	-49.36	NA	0.0116	NA	12.5	12.5	Pass
NVNT	ac20	5580	Ant1	5745-5765	5762.46	-46.71	NA	0.0213	NA	12.5	12.5	Pass
NVNT	ac20	5580	Ant1	5765-26000	6993.26	-44.50	NA	0.0355	NA	2.5	2.5	Pass
NVNT	ac20	5700	Ant1	30-5460	4559.71	-45.54	NA	0.0279	NA	2.5	2.5	Pass
NVNT	ac20	5700	Ant1	5460-5470	5461.04	-48.78	NA	0.0132	NA	12.5	12.5	Pass
NVNT	ac20	5700	Ant1	5745-5765	5747.10	-46.97	NA	0.0201	NA	12.5	12.5	Pass
NVNT	ac20	5700	Ant1	5765-26000	6995.29	-44.01	NA	0.0397	NA	2.5	2.5	Pass
NVNT	ac40	5190	Ant1	30-5141.6	5140.07	-45.81	NA	0.0262	NA	2.5	2.5	Pass
NVNT	ac40	5190	Ant1	5141.6-5150	5148.93	-44.32	NA	0.037	NA	15	15	Pass
NVNT	ac40	5190	Ant1	5250-5251	5251.00	-50.92	NA	0.0081	NA	500	50	Pass
NVNT	ac40	5190	Ant1	5251-5270	5270.00	-49.18	NA	0.0121	NA	50	7.92	Pass
NVNT	ac40	5190	Ant1	5270-5278.4	5277.57	-49.70	NA	0.0107	NA	7.92	2.48	Pass
NVNT	ac40	5190	Ant1	5278.4-26000	6994.15	-43.66	NA	0.0431	NA	2.5	2.5	Pass
NVNT	ac40	5230	Ant1	30-5141.6	4184.71	-47.00	NA	0.02	NA	2.5	2.5	Pass
NVNT	ac40	5230	Ant1	5141.6-5150	5141.60	-48.59	NA	0.0138	NA	15	15	Pass
NVNT	ac40	5230	Ant1	5250-5251	5251.00	-24.87	NA	3.2584	NA	500	50	Pass
NVNT	ac40	5230	Ant1	5251-5270	5251.00	-27.38	NA	1.8281	NA	50	7.92	Pass
NVNT	ac40	5230	Ant1	5270-5278.4	5277.96	-47.73	NA	0.0169	NA	7.92	2.48	Pass
NVNT	ac40	5230	Ant1	5278.4-26000	6900.90	-44.63	NA	0.0344	NA	2.5	2.5	Pass
NVNT	ac40	5270	Ant1	30-5221.6	4060.76	-46.81	NA	0.0208	NA	2.5	2.5	Pass
NVNT	ac40	5270	Ant1	5221.6-5230	5224.47	-47.53	NA	0.0177	NA	2.48	7.92	Pass
NVNT	ac40	5270	Ant1	5230-5249	5249.00	-22.61	NA	5.4828	NA	7.92	50	Pass
NVNT	ac40	5270	Ant1	5249-5250	5249.00	-28.98	NA	1.2647	NA	50	500	Pass
NVNT	ac40	5270	Ant1	5350-5358.4	5358.04	-50.40	NA	0.0091	NA	15	15	Pass
NVNT	ac40	5270	Ant1	5358.4-26000	6881.75	-44.05	NA	0.0394	NA	2.5	2.5	Pass
NVNT	ac40	5310	Ant1	30-5221.6	4248.18	-32.23	NA	0.5984	NA	2.5	2.5	Pass
NVNT	ac40	5310	Ant1	5221.6-5230	5225.14	-49.80	NA	0.0105	NA	2.48	7.92	Pass
NVNT	ac40	5310	Ant1	5230-5249	5230.10	-50.24	NA	0.0095	NA	7.92	50	Pass
NVNT	ac40	5310	Ant1	5249-5250	5249.00	-48.45	NA	0.0143	NA	50	500	Pass
NVNT	ac40	5310	Ant1	5350-5358.4	5357.78	-47.94	NA	0.0161	NA	15	15	Pass
NVNT	ac40	5310	Ant1	5358.4-26000	16089.97	-44.75	NA	0.0335	NA	2.5	2.5	Pass
NVNT	ac40	5510	Ant1	30-5460	4408.21	-36.49	NA	0.2244	NA	12.5	12.5	Pass
NVNT	ac40	5510	Ant1	5460-5470	5469.70	-46.21	NA	0.0239	NA	50	50	Pass
NVNT	ac40	5510	Ant1	5770-26000	25921.10	-44.32	NA	0.037	NA	12.5	12.5	Pass
NVNT	ac40	5590	Ant1	30-5460	4472.28	-44.20	NA	0.038	NA	12.5	12.5	Pass
NVNT	ac40	5590	Ant1	5460-5470	5466.62	-49.12	NA	0.0122	NA	50	50	Pass
NVNT	ac40	5590	Ant1	5770-26000	6791.62	-43.60	NA	0.0437	NA	12.5	12.5	Pass
NVNT	ac40	5670	Ant1	30-5460	4536.36	-43.83	NA	0.0414	NA	12.5	12.5	Pass
NVNT	ac40	5670	Ant1	5460-5470	5460.00	-49.33	NA	0.0117	NA	50	50	Pass
NVNT	ac40	5670	Ant1	5770-26000	6904.90	-43.76	NA	0.0421	NA	12.5	12.5	Pass
NVNT	ax20	5180	Ant1	30-5142	4427.34	-47.36	NA	0.0184	NA	2.5	2.5	Pass

NVNT	ax20	5180	Ant1	5142-5150	5148.34	-48.88	NA	0.0129	NA	15	15	Pass
NVNT	ax20	5180	Ant1	5250-5250.2	5250.20	-51.84	NA	0.0065	NA	2154.43	630.96	Pass
NVNT	ax20	5180	Ant1	5250.2-5251	5251.00	-51.05	NA	0.0079	NA	630.96	100	Pass
NVNT	ax20	5180	Ant1	5251-5260	5260.00	-52.39	NA	0.0058	NA	100	15.85	Pass
NVNT	ax20	5180	Ant1	5260-5266.7	5266.30	-49.79	NA	0.0105	NA	15.85	2.49	Pass
NVNT	ax20	5180	Ant1	5266.7-26000	6979.27	-44.41	NA	0.0362	NA	2.5	2.5	Pass
NVNT	ax20	5200	Ant1	30-5142	4160.50	-47.23	NA	0.0189	NA	2.5	2.5	Pass
NVNT	ax20	5200	Ant1	5142-5150	5146.02	-49.31	NA	0.0117	NA	15	15	Pass
NVNT	ax20	5200	Ant1	5250-5250.2	5250.20	-50.19	NA	0.0096	NA	2154.43	630.96	Pass
NVNT	ax20	5200	Ant1	5250.2-5251	5251.00	-53.15	NA	0.0048	NA	630.96	100	Pass
NVNT	ax20	5200	Ant1	5251-5260	5256.64	-48.93	NA	0.0128	NA	100	15.85	Pass
NVNT	ax20	5200	Ant1	5260-5266.7	5266.12	-49.98	NA	0.01	NA	15.85	2.49	Pass
NVNT	ax20	5200	Ant1	5266.7-26000	6944.02	-43.84	NA	0.0413	NA	2.5	2.5	Pass
NVNT	ax20	5240	Ant1	30-5142	4191.68	-43.38	NA	0.0459	NA	2.5	2.5	Pass
NVNT	ax20	5240	Ant1	5142-5150	5148.70	-50.12	NA	0.0097	NA	15	15	Pass
NVNT	ax20	5240	Ant1	5250-5250.2	5250.20	-20.65	NA	8.6099	NA	2154.43	630.96	Pass
NVNT	ax20	5240	Ant1	5250.2-5251	5251.00	-27.39	NA	1.8239	NA	630.96	100	Pass
NVNT	ax20	5240	Ant1	5251-5260	5251.00	-24.21	NA	3.7931	NA	100	15.85	Pass
NVNT	ax20	5240	Ant1	5260-5266.7	5266.29	-50.36	NA	0.0092	NA	15.85	2.49	Pass
NVNT	ax20	5240	Ant1	5266.7-26000	6672.42	-44.05	NA	0.0394	NA	2.5	2.5	Pass
NVNT	ax20	5260	Ant1	30-5233.3	4208.25	-46.74	NA	0.0212	NA	2.5	2.5	Pass
NVNT	ax20	5260	Ant1	5233.3-5240	5240.00	-39.41	NA	0.1146	NA	2.49	15.85	Pass
NVNT	ax20	5260	Ant1	5240-5249	5249.00	-21.77	NA	6.6527	NA	15.85	100	Pass
NVNT	ax20	5260	Ant1	5249-5249.8	5249.00	-25.27	NA	2.9717	NA	100	630.96	Pass
NVNT	ax20	5260	Ant1	5249.8-5250	5249.80	-15.81	NA	26.2422	NA	630.96	2154.43	Pass
NVNT	ax20	5260	Ant1	5350-26000	6977.22	-44.17	NA	0.0383	NA	2.5	2.5	Pass
NVNT	ax20	5300	Ant1	30-5233.3	4195.24	-45.87	NA	0.0259	NA	2.5	2.5	Pass
NVNT	ax20	5300	Ant1	5233.3-5240	5235.22	-49.08	NA	0.0124	NA	2.49	15.85	Pass
NVNT	ax20	5300	Ant1	5240-5249	5241.34	-46.87	NA	0.0206	NA	15.85	100	Pass
NVNT	ax20	5300	Ant1	5249-5249.8	5249.00	-50.46	NA	0.009	NA	100	630.96	Pass
NVNT	ax20	5300	Ant1	5249.8-5250	5249.80	-51.81	NA	0.0066	NA	630.96	2154.43	Pass
NVNT	ax20	5300	Ant1	5350-26000	19821.52	-44.03	NA	0.0395	NA	2.5	2.5	Pass
NVNT	ax20	5320	Ant1	30-5233.3	4255.08	-45.06	NA	0.0312	NA	2.5	2.5	Pass
NVNT	ax20	5320	Ant1	5233.3-5240	5233.37	-51.05	NA	0.0079	NA	2.49	15.85	Pass
NVNT	ax20	5320	Ant1	5240-5249	5240.75	-48.21	NA	0.0151	NA	15.85	100	Pass
NVNT	ax20	5320	Ant1	5249-5249.8	5249.00	-52.69	NA	0.0054	NA	100	630.96	Pass
NVNT	ax20	5320	Ant1	5249.8-5250	5249.80	-51.82	NA	0.0066	NA	630.96	2154.43	Pass
NVNT	ax20	5320	Ant1	5350-26000	6966.90	-44.65	NA	0.0343	NA	2.5	2.5	Pass
NVNT	ax20	5500	Ant1	30-5460	5460.00	-44.83	NA	0.0329	NA	2.5	2.5	Pass
NVNT	ax20	5500	Ant1	5460-5470	5467.92	-45.27	NA	0.0297	NA	12.5	12.5	Pass
NVNT	ax20	5500	Ant1	5745-5765	5757.99	-46.96	NA	0.0201	NA	12.5	12.5	Pass
NVNT	ax20	5500	Ant1	5765-26000	6894.11	-43.87	NA	0.041	NA	2.5	2.5	Pass
NVNT	ax20	5580	Ant1	30-5460	4464.68	-44.59	NA	0.0348	NA	2.5	2.5	Pass
NVNT	ax20	5580	Ant1	5460-5470	5466.49	-47.57	NA	0.0175	NA	12.5	12.5	Pass

NVNT	ax20	5580	Ant1	5745-5765	5747.45	-47.05	NA	0.0197	NA	12.5	12.5	Pass
NVNT	ax20	5580	Ant1	5765-26000	6671.53	-43.66	NA	0.0431	NA	2.5	2.5	Pass
NVNT	ax20	5700	Ant1	30-5460	2613.59	-42.56	NA	0.0555	NA	2.5	2.5	Pass
NVNT	ax20	5700	Ant1	5460-5470	5460.78	-48.92	NA	0.0128	NA	12.5	12.5	Pass
NVNT	ax20	5700	Ant1	5745-5765	5758.98	-47.68	NA	0.0171	NA	12.5	12.5	Pass
NVNT	ax20	5700	Ant1	5765-26000	6997.31	-43.78	NA	0.0419	NA	2.5	2.5	Pass
NVNT	ax40	5190	Ant1	30-5141.6	4153.53	-43.28	NA	0.047	NA	2.5	2.5	Pass
NVNT	ax40	5190	Ant1	5141.6-5150	5147.08	-46.36	NA	0.0231	NA	15	15	Pass
NVNT	ax40	5190	Ant1	5250-5251	5251.00	-49.63	NA	0.0109	NA	500	50	Pass
NVNT	ax40	5190	Ant1	5251-5270	5268.34	-50.66	NA	0.0086	NA	50	7.92	Pass
NVNT	ax40	5190	Ant1	5270-5278.4	5278.40	-50.81	NA	0.0083	NA	7.92	2.48	Pass
NVNT	ax40	5190	Ant1	5278.4-26000	16393.47	-43.91	NA	0.0406	NA	2.5	2.5	Pass
NVNT	ax40	5230	Ant1	30-5141.6	4183.69	-38.42	NA	0.1439	NA	2.5	2.5	Pass
NVNT	ax40	5230	Ant1	5141.6-5150	5143.54	-48.47	NA	0.0142	NA	15	15	Pass
NVNT	ax40	5230	Ant1	5250-5251	5251.00	-33.26	NA	0.4721	NA	500	50	Pass
NVNT	ax40	5230	Ant1	5251-5270	5251.00	-23.57	NA	4.3954	NA	50	7.92	Pass
NVNT	ax40	5230	Ant1	5270-5278.4	5278.40	-44.92	NA	0.0322	NA	7.92	2.48	Pass
NVNT	ax40	5230	Ant1	5278.4-26000	5278.40	-43.16	NA	0.0483	NA	2.5	2.5	Pass
NVNT	ax40	5270	Ant1	30-5221.6	5212.26	-46.70	NA	0.0214	NA	2.5	2.5	Pass
NVNT	ax40	5270	Ant1	5221.6-5230	5225.75	-46.15	NA	0.0243	NA	2.48	7.92	Pass
NVNT	ax40	5270	Ant1	5230-5249	5249.00	-33.07	NA	0.4932	NA	7.92	50	Pass
NVNT	ax40	5270	Ant1	5249-5250	5249.00	-27.64	NA	1.7219	NA	50	500	Pass
NVNT	ax40	5270	Ant1	5350-5358.4	5358.40	-49.29	NA	0.0118	NA	15	15	Pass
NVNT	ax40	5270	Ant1	5358.4-26000	6966.38	-44.35	NA	0.0367	NA	2.5	2.5	Pass
NVNT	ax40	5310	Ant1	30-5221.6	4249.21	-39.40	NA	0.1148	NA	2.5	2.5	Pass
NVNT	ax40	5310	Ant1	5221.6-5230	5222.51	-50.42	NA	0.0091	NA	2.48	7.92	Pass
NVNT	ax40	5310	Ant1	5230-5249	5231.17	-50.51	NA	0.0089	NA	7.92	50	Pass
NVNT	ax40	5310	Ant1	5249-5250	5249.00	-52.80	NA	0.0052	NA	50	500	Pass
NVNT	ax40	5310	Ant1	5350-5358.4	5350.00	-44.96	NA	0.0319	NA	15	15	Pass
NVNT	ax40	5310	Ant1	5358.4-26000	6945.74	-43.93	NA	0.0405	NA	2.5	2.5	Pass
NVNT	ax40	5510	Ant1	30-5460	4408.21	-44.69	NA	0.034	NA	12.5	12.5	Pass
NVNT	ax40	5510	Ant1	5460-5470	5463.77	-46.92	NA	0.0203	NA	50	50	Pass
NVNT	ax40	5510	Ant1	5770-26000	6997.96	-44.06	NA	0.0393	NA	12.5	12.5	Pass
NVNT	ax40	5590	Ant1	30-5460	4471.74	-39.50	NA	0.1122	NA	12.5	12.5	Pass
NVNT	ax40	5590	Ant1	5460-5470	5466.34	-49.71	NA	0.0107	NA	50	50	Pass
NVNT	ax40	5590	Ant1	5770-26000	6947.39	-43.83	NA	0.0414	NA	12.5	12.5	Pass
NVNT	ax40	5670	Ant1	30-5460	4536.90	-43.78	NA	0.0419	NA	12.5	12.5	Pass
NVNT	ax40	5670	Ant1	5460-5470	5463.71	-48.38	NA	0.0145	NA	50	50	Pass
NVNT	ax40	5670	Ant1	5770-26000	6933.23	-44.04	NA	0.0394	NA	12.5	12.5	Pass