
































































































































7.3. SPURIOUS EMISSIONS OF Tx

7.3.1. Limit

ARIB STD-T71, Clause 3.1.2 (8)

W52 Band, W53 Band

Frequency(MHz)	Limit
below 18MHz bandwidth	
5140<f<5360	N/A
All other frequencies	2.5μW (-26dBm) orless
between 18MHz to 19MHz bandwidth	
5135<f<5365	N/A
All other frequencies	2.5μW (-26dBm) orless
approximately 40MHz bandwidth	
5100<f<5400	N/A
All other frequencies	2.5μW (-26dBm) orless
approximately 80MHz bandwidth	
5020<f<5480	N/A
All other frequencies	2.5μW (-26dBm) orless

W56 Band

Frequency(MHz)	Limit
approximately 20MHz bandwidth	
5455<f<5745	N/A
All other frequencies	2.5μW (-26dBm) orless
approximately 40MHz bandwidth	
5420<f<5760	N/A
All other frequencies	2.5μW (-26dBm) orless
approximately 80MHz bandwidth	
5340<f<5800	N/A
All other frequencies	2.5μW (-26dBm) orless


7.3.2. Test Procedure

Test Method for Radio Equipment mentioned in Certification Regulations Article 2, Item 19-3-2

MIC Notice No.88 Annex45 Clause 5

7.3.3. Test Configuration

Temperature and Voltage Measurement (under normal and extreme test conditions)



Remarks:

The spectrum analyzer could be connected to a monopole antenna or directly connected to the EUT, if the EUT has already employing an antenna connector.

7.3.4. TEST RESULT

TestCondition	TestMode	Antenna	Freq (MHz)	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Gain [dBi]	EIRP [dBm]	Result [μW]	Limit [μW]	Verdict
NTNV	11A	Ant1	5180	30~5142	5136.04	-41.96	1.1	-40.86	0.08204	≤2.5	PASS
NTNV	11A	Ant1	5180	5142~5150	5149.35	-34.20	1.1	-33.10	0.48978	≤15	PASS
NTNV	11A	Ant1	5180	5250~5251	5250.89	-48.83	1.1	-47.73	0.01687	≤128.8	PASS
NTNV	11A	Ant1	5180	5251~5260	5259.82	-47.38	1.1	-46.28	0.02355	≤16.4	PASS
NTNV	11A	Ant1	5180	5260~5266.7	5263.87	-42.83	1.1	-41.73	0.06714	≤15.8	PASS
NTNV	11A	Ant1	5180	5266.7~26000	25440.89	-30.55	1.1	-29.45	1.13501	≤2.5	PASS
NTNV	11A	Ant1	5200	30~5142	3180.70	-43.00	1.1	-41.90	0.06457	≤2.5	PASS
NTNV	11A	Ant1	5200	5142~5150	5147.00	-39.99	1.1	-38.89	0.12912	≤15	PASS
NTNV	11A	Ant1	5200	5250~5251	5250.91	-43.99	1.1	-42.89	0.05140	≤123.0	PASS
NTNV	11A	Ant1	5200	5251~5260	5259.81	-41.20	1.1	-40.10	0.09772	≤16.5	PASS
NTNV	11A	Ant1	5200	5260~5266.7	5262.49	-44.98	1.1	-43.88	0.04093	≤15.8	PASS
NTNV	11A	Ant1	5200	5266.7~26000	25563.22	-31.17	1.1	-30.07	0.98401	≤2.5	PASS
NTNV	11A	Ant1	5240	30~5142	2861.54	-44.08	1.1	-42.98	0.05035	≤2.5	PASS
NTNV	11A	Ant1	5240	5142~5150	5146.86	-47.60	1.1	-46.50	0.02239	≤15	PASS
NTNV	11A	Ant1	5240	5250~5251	5250.98	-11.19	1.1	-10.09	97.94900	≤104.7	See table below
NTNV	11A	Ant1	5240	5251~5260	5251.1	-13.30	1.1	-12.20	60.25596	≤98.0	See table below
NTNV	11A	Ant1	5240	5260~5266.7	5260.52	-24.34	1.1	-23.24	4.74242	≤15.8	PASS
NTNV	11A	Ant1	5240	5266.7~26000	25337.23	-30.55	1.1	-29.45	1.13501	≤2.5	PASS
NTNV	11A	Ant1	5260	30~5233.3	5227.23	-43.02	1.5	-41.52	0.07047	≤2.5	PASS
NTNV	11A	Ant1	5260	5233.3~5240	5239.08	-22.12	1.5	-20.62	8.66962	≤12.3	See table below
NTNV	11A	Ant1	5260	5240~5249	5248.86	-12.11	1.5	-10.61	86.89604	≤97.2	See table below
NTNV	11A	Ant1	5260	5249~5250	5249.01	-11.98	1.5	-10.48	89.53648	≤102.3	See table below
NTNV	11A	Ant1	5260	5350~26000	25734.99	-30.49	1.5	-28.99	1.26183	≤2.5	See table below
NTNV	11A	Ant1	5280	30~5233.3	2704.32	-42.31	1.5	-40.81	0.08299	≤2.5	PASS
NTNV	11A	Ant1	5280	5233.3~5240	5234.24	-39.22	1.5	-37.72	0.16904	≤3.2	PASS
NTNV	11A	Ant1	5280	5240~5249	5241.06	-37.08	1.5	-35.58	0.27669	≤19.7	PASS
NTNV	11A	Ant1	5280	5249~5250	5249.23	-31.80	1.5	-30.30	0.93325	≤169.8	PASS
NTNV	11A	Ant1	5280	5350~26000	25341.27	-30.58	1.5	-29.08	1.23595	≤2.5	PASS
NTNV	11A	Ant1	5320	30~5233.3	2593.32	-43.6	1.5	-42.1	0.06095	≤2.5	PASS

NTNV	11A	Ant1	5320	5233.3~5240	5233.35	-46.5 2	1.5	-45.0 2	0.03148	≤2.5	PASS
NTNV	11A	Ant1	5320	5240~5249	5240.34	-49.1 0	1.5	-47.6 0	0.01738	≤17.0	PASS
NTNV	11A	Ant1	5320	5249~5250	5249.03	-48.2 0	1.5	-46.7 0	0.02138	≤107.2	PASS
NTNV	11A	Ant1	5320	5350~26000	24773.3 9	-30.8 4	1.5	-29.3 4	1.16413	≤2.5	PASS
NTNV	11A	Ant1	5500	30~5460	2687.44	-42.7 7	1.5	-41.2 7	0.07464	≤2.5	PASS
NTNV	11A	Ant1	5500	5460~5470	5468.30	-32.5 3	1.5	-31.0 3	0.78886	≤12.5	PASS
NTNV	11A	Ant1	5500	5745~5765	5763.44	-46.9 7	1.5	-45.4 7	0.02838	≤12.5	PASS
NTNV	11A	Ant1	5500	5765~26000	24824.3 5	-30.1 6	1.5	-28.6 6	1.36144	≤2.5	See table below
NTNV	11A	Ant1	5580	30~5460	3179.76	-42.4 3	1.5	-40.9 3	0.08072	≤2.5	PASS
NTNV	11A	Ant1	5580	5460~5470	5466.76	-46.7 6	1.5	-45.2 6	0.02979	≤12.5	PASS
NTNV	11A	Ant1	5580	5745~5765	5761.24	-46.5 4	1.5	-45.0 4	0.03133	≤12.5	PASS
NTNV	11A	Ant1	5580	5765~26000	24902.5 9	-29.4 4	1.5	-27.9 4	1.60694	≤2.5	See table below
NTNV	11A	Ant1	5700	30~5460	3147.36	-43.4 5	1.5	-41.9 5	0.06383	≤2.5	PASS
NTNV	11A	Ant1	5700	5460~5470	5466.99	-46.0 6	1.5	-44.5 6	0.03499	≤12.5	PASS
NTNV	11A	Ant1	5700	5745~5765	5758.84	-44.8 0	1.5	-43.3 0	0.04677	≤12.5	PASS
NTNV	11A	Ant1	5700	5765~26000	25357.2 0	-30.8 9	1.5	-29.3 9	1.15080	≤2.5	PASS
NTNV	11N20SISO	Ant1	5180	30~5142	2721.47	-43.9 1	1.1	-42.8 1	0.05236	≤2.5	PASS
NTNV	11N20SISO	Ant1	5180	5142~5150	5147.94	-33.0 7	1.1	-31.9 7	0.63533	≤15	PASS
NTNV	11N20SISO	Ant1	5180	5250~5251	5251.00	-47.4 5	1.1	-46.3 5	0.02317	≤100.0	PASS
NTNV	11N20SISO	Ant1	5180	5251~5260	5258.72	-46.1 8	1.1	-45.0 8	0.03105	≤20.6	PASS
NTNV	11N20SISO	Ant1	5180	5260~5266.7	5265.16	-45.7 2	1.1	-44.6 2	0.03451	≤15.7	PASS
NTNV	11N20SISO	Ant1	5180	5266.7~2600 0	25756.0 4	-30.9 3	1.1	-29.8 3	1.03992	≤2.5	PASS
NTNV	11N20SISO	Ant1	5200	30~5142	2727.26	-43.2 7	1.1	-42.1 7	0.06067	≤2.5	PASS
NTNV	11N20SISO	Ant1	5200	5142~5150	5145.86	-39.6 1	1.1	-38.5 1	0.14093	≤15	PASS
NTNV	11N20SISO	Ant1	5200	5250~5251	5250.82	-39.3 8	1.1	-38.2 8	0.14859	≤151.4	PASS
NTNV	11N20SISO	Ant1	5200	5251~5260	5253.89	-39.0 3	1.1	-37.9 3	0.16106	≤55.3	PASS
NTNV	11N20SISO	Ant1	5200	5260~5266.7	5261.33	-42.7 1	1.1	-41.6 1	0.06902	≤15.8	PASS
NTNV	11N20SISO	Ant1	5200	5266.7~2600 0	25746.3 6	-31.5 1	1.1	-30.4 1	0.90991	≤2.5	PASS
NTNV	11N20SISO	Ant1	5240	30~5142	3283.45	-42.3 1	1.1	-41.2 1	0.07568	≤2.5	PASS
NTNV	11N20SISO	Ant1	5240	5142~5150	5144.01	-47.2 7	1.1	-46.1 7	0.02415	≤15	PASS
NTNV	11N20SISO	Ant1	5240	5250~5251	5250.89	-10.5 0	1.1	-9.40	114.8153 6	≤128.8	See table below
NTNV	11N20SISO	Ant1	5240	5251~5260	5251.05	-12.1 0	1.1	-11.0 0	79.43282	≤99.0	See table below
NTNV	11N20SISO	Ant1	5240	5260~5266.7	5260.06	-32.5	1.1	-31.4	0.72277	≤15.8	PASS

NTNV	11N20SISO	Ant1	5240	5266.7~26000	25431.9	1	1	1	1.05196	≤2.5	PASS
NTNV	11N20SISO	Ant1	5260	30~5233.3	3180.25	-30.8	1.1	-29.7	0.07925	≤2.5	PASS
NTNV	11N20SISO	Ant1	5260	5233.3~5240	5239.97	-42.5	1.5	-41.0	0.47863	≤15.7	PASS
NTNV	11N20SISO	Ant1	5260	5240~5249	5248.51	-34.7	1.5	-33.2	52.48075	≤90.5	See table below
NTNV	11N20SISO	Ant1	5260	5249~5250	5249.03	-14.3	1.5	-12.8	59.15616	≤107.2	See table below
NTNV	11N20SISO	Ant1	5260	5350~26000	24835.3	-13.7	1.5	-12.2	1.28529	≤2.5	See table below
NTNV	11N20SISO	Ant1	5280	30~5233.3	3160.13	-30.4	1.5	-28.9	0.06683	≤2.5	PASS
NTNV	11N20SISO	Ant1	5280	5233.3~5240	5234.06	-43.2	1.5	-41.7	0.21086	≤3.1	PASS
NTNV	11N20SISO	Ant1	5280	5240~5249	5248.00	-38.2	1.5	-36.7	2.09894	≤81.5	PASS
NTNV	11N20SISO	Ant1	5280	5249~5250	5249.18	-28.2	1.5	-26.7	0.56885	≤151.4	PASS
NTNV	11N20SISO	Ant1	5280	5350~26000	25349.5	-33.9	1.5	-32.4	1.20781	≤2.5	PASS
NTNV	11N20SISO	Ant1	5320	30~5233.3	3248.59	-30.6	1.5	-29.1	0.05117	≤2.5	PASS
NTNV	11N20SISO	Ant1	5320	5233.3~5240	5233.30	-44.4	1.5	-42.9	0.03013	≤2.5	PASS
NTNV	11N20SISO	Ant1	5320	5240~5249	5240.17	-46.7	1.5	-45.2	0.02535	≤16.4	PASS
NTNV	11N20SISO	Ant1	5320	5249~5250	5249.08	-47.4	1.5	-45.9	0.02773	≤120.2	PASS
NTNV	11N20SISO	Ant1	5320	5350~26000	24767.8	-47.0	1.5	-45.5	0.93541	≤2.5	PASS
NTNV	11N20SISO	Ant1	5500	30~5460	2637.85	-31.7	1.5	-30.2	0.06622	≤2.5	PASS
NTNV	11N20SISO	Ant1	5500	5460~5470	5469.39	-43.2	1.5	-41.7	0.41976	≤12.5	PASS
NTNV	11N20SISO	Ant1	5500	5745~5765	5758.88	-35.2	1.5	-33.7	0.03170	≤12.5	PASS
NTNV	11N20SISO	Ant1	5500	5765~26000	25381.4	-46.4	1.5	-44.9	1.77011	≤2.5	See table below
NTNV	11N20SISO	Ant1	5580	30~5460	2662.46	-29.0	1.5	-27.5	0.10000	≤2.5	PASS
NTNV	11N20SISO	Ant1	5580	5460~5470	5461.59	-41.5	1.5	-40.0	0.03350	≤12.5	PASS
NTNV	11N20SISO	Ant1	5580	5745~5765	5754.92	-46.2	1.5	-44.7	0.02254	≤12.5	PASS
NTNV	11N20SISO	Ant1	5580	5765~26000	25403.7	-47.9	1.5	-46.4	1.37088	≤2.5	See table below
NTNV	11N20SISO	Ant1	5700	30~5460	2133.58	-30.1	1.5	-28.6	0.05768	≤2.5	PASS
NTNV	11N20SISO	Ant1	5700	5460~5470	5461.33	-43.8	1.5	-42.3	0.05861	≤12.5	PASS
NTNV	11N20SISO	Ant1	5700	5745~5765	5756.82	-43.8	1.5	-42.3	0.06109	≤12.5	PASS
NTNV	11N20SISO	Ant1	5700	5765~26000	25718.7	-43.6	1.5	-42.1	1.20226	≤2.5	PASS
NTNV	11N40SISO	Ant1	5190	30~5141.6	5132.23	-30.7	1.1	-29.2	0.19187	≤2.5	PASS
NTNV	11N40SISO	Ant1	5190	5141.6~5150	5146.42	-38.2	1.1	-37.1	0.76384	≤15	PASS
NTNV	11N40SISO	Ant1	5190	5250~5251	5250.81	-32.2	1.1	-31.1	0.14223	≤77.4	PASS
NTNV	11N40SISO	Ant1	5190	5251~5270	5269.77	-39.5	1.1	-38.4	0.02477	≤8.1	PASS

NTNV	11N40SISO	Ant1	5190	5270~5278.4	5278.35	-47.0 2	1.1	-45.9 2	0.02559	≤2.5	PASS
NTNV	11N40SISO	Ant1	5190	5278.4~2600 0	24846.5 0	-30.7 5	1.1	-29.6 5	1.08393	≤2.5	PASS
NTNV	11N40SISO	Ant1	5230	30~5141.6	2508.10	-43.6 2	1.1	-42.5 2	0.05598	≤2.5	PASS
NTNV	11N40SISO	Ant1	5230	5141.6~5150	5149.76	-47.1 2	1.1	-46.0 2	0.02500	≤15	PASS
NTNV	11N40SISO	Ant1	5230	5250~5251	5250.73	-16.5 8	1.1	-15.4 8	28.31392	≤93.1	PASS
NTNV	11N40SISO	Ant1	5230	5251~5270	5251.76	-19.4 0	1.1	-18.3 0	14.79108	≤46.4	PASS
NTNV	11N40SISO	Ant1	5230	5270~5278.4	5274.44	-42.6 3	1.1	-41.5 3	0.07031	≤4.3	PASS
NTNV	11N40SISO	Ant1	5230	5278.4~2600 0	25393.5 5	-30.6 1	1.1	-29.5 1	1.11944	≤2.5	PASS
NTNV	11N40SISO	Ant1	5270	30~5221.6	5210.35	-43.0 7	1.5	-41.5 7	0.06966	≤2.5	PASS
NTNV	11N40SISO	Ant1	5270	5221.6~5230	5224.71	-33.2 8	1.5	-31.7 8	0.66374	≤3.8	PASS
NTNV	11N40SISO	Ant1	5270	5230~5249	5248.32	-18.4 6	1.5	-16.9 6	20.13724	≤46.8	PASS
NTNV	11N40SISO	Ant1	5270	5249~5250	5249.07	-14.8 6	1.5	-13.3 6	46.13176	≤58.7	See table below
NTNV	11N40SISO	Ant1	5270	5350~5358.4	5350.13	-46.2 8	1.5	-44.7 8	0.03327	≤15	PASS
NTNV	11N40SISO	Ant1	5270	5358.4~2600 0	25708.2 7	-30.7 3	1.5	-29.2 3	1.19399	≤2.5	PASS
NTNV	11N40SISO	Ant1	5310	30~5221.6	2700.91	-43.5 0	1.5	-42.0 0	0.06310	≤2.5	PASS
NTNV	11N40SISO	Ant1	5310	5221.6~5230	5222.48	-47.8 5	1.5	-46.3 5	0.02317	≤2.8	PASS
NTNV	11N40SISO	Ant1	5310	5230~5249	5232.70	-46.4 9	1.5	-44.9 9	0.03170	≤10.3	PASS
NTNV	11N40SISO	Ant1	5310	5249~5250	5249.12	-42.4 6	1.5	-40.9 6	0.08017	≤65.9	PASS
NTNV	11N40SISO	Ant1	5310	5350~5358.4	5350.84	-31.4 9	1.5	-29.9 9	1.00231	≤15	PASS
NTNV	11N40SISO	Ant1	5310	5358.4~2600 0	25450.2 5	-31.0 4	1.5	-29.5 4	1.11173	≤2.5	PASS
NTNV	11N40SISO	Ant1	5510	30~5460	5458.91	-39.6 6	1.5	-38.1 6	0.15276	≤12.5	PASS
NTNV	11N40SISO	Ant1	5510	5460~5470	5464.16	-29.2 0	1.5	-27.7 0	1.69824	≤50	PASS
NTNV	11N40SISO	Ant1	5510	5770~26000	24917.0 2	-29.8 7	1.5	-28.3 7	1.45546	≤12.5	PASS
NTNV	11N40SISO	Ant1	5670	30~5460	3275.33	-42.9 8	1.5	-41.4 8	0.07112	≤12.5	PASS
NTNV	11N40SISO	Ant1	5670	5460~5470	5460.60	-46.3 4	1.5	-44.8 4	0.03281	≤50	PASS
NTNV	11N40SISO	Ant1	5670	5770~26000	25824.0 0	-30.4 0	1.5	-28.9 0	1.28825	≤12.5	PASS
NTNV	11AC20SIS O	Ant1	5180	30~5142	5131.09	-42.2 1	1.1	-41.1 1	0.07745	≤2.5	PASS
NTNV	11AC20SIS O	Ant1	5180	5142~5150	5149.56	-31.4 3	1.1	-30.3 3	0.92683	≤15	PASS
NTNV	11AC20SIS O	Ant1	5180	5250~5251	5251.00	-48.5 8	1.1	-47.4 8	0.01786	≤100.0	PASS
NTNV	11AC20SIS O	Ant1	5180	5251~5260	5259.58	-48.7 5	1.1	-47.6 5	0.01718	≤17.3	PASS
NTNV	11AC20SIS O	Ant1	5180	5260~5266.7	5264.42	-47.8 0	1.1	-46.7 0	0.02138	≤15.8	PASS
NTNV	11AC20SIS O	Ant1	5180	5266.7~2600 0	25728.3 9	-31.2 0	1.1	-30.1 0	0.97724	≤2.5	PASS
NTNV	11AC20SIS O	Ant1	5200	30~5142	2681.08	-42.4 8	1.1	-41.3 8	0.07278	≤2.5	PASS
NTNV	11AC20SIS O	Ant1	5200	5142~5150	5144.82	-40.4 1	1.1	-39.3 1	0.11722	≤15	PASS
NTNV	11AC20SIS	Ant1	5200	5250~5251	5250.97	-46.5	1.1	-45.4	0.02871	≤107.2	PASS

NTNV	11AC20SIS O	Ant1	5200	5251~5260	5259.15	-44.9 9	1.1	-43.8 9	0.04083	≤18.9	PASS
NTNV	11AC20SIS O	Ant1	5200	5260~5266.7	5261.82	-44.8 9	1.1	-43.7 9	0.04178	≤15.8	PASS
NTNV	11AC20SIS O	Ant1	5200	5266.7~2600 0	25905.3 2	-30.0 0	1.1	-28.9 0	1.28825	≤2.5	See table below
NTNV	11AC20SIS O	Ant1	5240	30~5142	3518.77	-43.4 2	1.1	-42.3 2	0.05861	≤2.5	PASS
NTNV	11AC20SIS O	Ant1	5240	5142~5150	5143.90	-47.3 7	1.1	-46.2 7	0.02360	≤15	PASS
NTNV	11AC20SIS O	Ant1	5240	5250~5250.2	5250.19	-5.88	1.1	-4.78	332.6595 5	≤670.9	PASS
NTNV	11AC20SIS O	Ant1	5240	5250~5251	5250.97	-13.7 4	1.1	-12.6 4	54.45027	≤107.2	See table below
NTNV	11AC20SIS O	Ant1	5240	5250.2~5251	5250.75	-7.75	1.1	-6.65	216.2718 5	≤177.8	See table below
NTNV	11AC20SIS O	Ant1	5240	5251~5260	5251.96	-16.5 7	1.1	-15.4 7	28.37919	≤82.2	PASS
NTNV	11AC20SIS O	Ant1	5240	5260~5266.7	5260.62	-36.9 3	1.1	-35.8 3	0.26122	≤15.8	PASS
NTNV	11AC20SIS O	Ant1	5240	5266.7~2600 0	25404.9 5	-30.3 7	1.1	-29.2 7	1.18304	≤2.5	PASS
NTNV	11AC20SIS O	Ant1	5260	30~5233.3	3135.50	-43.3 0	1.5	-41.8 0	0.06607	≤2.5	PASS
NTNV	11AC20SIS O	Ant1	5260	5233.3~5240	5237.55	-36.1 9	1.5	-34.6 9	0.33963	≤8.1	PASS
NTNV	11AC20SIS O	Ant1	5260	5240~5249	5248.23	-14.7 5	1.5	-13.2 5	47.31513	≤85.4	See table below
NTNV	11AC20SIS O	Ant1	5260	5249~5250	5249	-12.3 4	1.5	-10.8 4	82.41381	≤100.0	See table below
NTNV	11AC20SIS O	Ant1	5260	5350~26000	24787.8 5	-30.8 3	1.5	-29.3 3	1.16681	≤2.5	PASS
NTNV	11AC20SIS O	Ant1	5280	30~5233.3	2702.59	-43.3 3	1.5	-41.8 3	0.06561	≤2.5	PASS
NTNV	11AC20SIS O	Ant1	5280	5233.3~5240	5234.58	-40.2 9	1.5	-38.7 9	0.13213	≤3.5	PASS
NTNV	11AC20SIS O	Ant1	5280	5240~5249	5242.26	-35.1 6	1.5	-33.6 6	0.43053	≤25.2	PASS
NTNV	11AC20SIS O	Ant1	5280	5249~5250	5249.16	-32.3 7	1.5	-30.8 7	0.81846	≤144.5	PASS
NTNV	11AC20SIS O	Ant1	5280	5350~26000	25580.8 1	-30.7 8	1.5	-29.2 8	1.18032	≤2.5	PASS
NTNV	11AC20SIS O	Ant1	5320	30~5233.3	2805.79	-43.7 5	1.5	-42.2 5	0.05957	≤2.5	PASS
NTNV	11AC20SIS O	Ant1	5320	5233.3~5240	5233.55	-46.9 5	1.5	-45.4 5	0.02851	≤2.7	PASS
NTNV	11AC20SIS O	Ant1	5320	5240~5249	5240.71	-47.8 0	1.5	-46.3 0	0.02344	≤18.3	PASS
NTNV	11AC20SIS O	Ant1	5320	5249~5250	5249.05	-47.7 4	1.5	-46.2 4	0.02377	≤112.2	PASS
NTNV	11AC20SIS O	Ant1	5320	5350~26000	25279.3 2	-30.6 9	1.5	-29.1 9	1.20504	≤2.5	PASS
NTNV	11AC20SIS O	Ant1	5500	30~5460	5454.39	-41.8 6	1.5	-40.3 6	0.09204	≤2.5	PASS
NTNV	11AC20SIS O	Ant1	5500	5460~5470	5467.56	-33.4 1	1.5	-31.9 1	0.64417	≤12.5	PASS
NTNV	11AC20SIS O	Ant1	5500	5745~5765	5763.00	-46.4 9	1.5	-44.9 9	0.03170	≤12.5	PASS
NTNV	11AC20SIS O	Ant1	5500	5765~26000	24845.9 3	-30.9 1	1.5	-29.4 1	1.14551	≤2.5	PASS
NTNV	11AC20SIS O	Ant1	5580	30~5460	3296.69	-42.8 8	1.5	-41.3 8	0.07278	≤2.5	PASS
NTNV	11AC20SIS O	Ant1	5580	5460~5470	5461.43	-44.9 6	1.5	-43.4 6	0.04508	≤12.5	PASS

NTNV	11AC20SIS O	Ant1	5580	5745~5765	5763.44	-47.2 9	1.5	-45.7 9	0.02636	≤12.5	PASS
NTNV	11AC20SIS O	Ant1	5580	5765~26000	25575.0 7	-29.5 9	1.5	-28.0 9	1.55239	≤2.5	See table below
NTNV	11AC20SIS O	Ant1	5700	30~5460	2696.31	-44.1 9	1.5	-42.6 9	0.05383	≤2.5	PASS
NTNV	11AC20SIS O	Ant1	5700	5460~5470	5462.23	-45.7 5	1.5	-44.2 5	0.03758	≤12.5	PASS
NTNV	11AC20SIS O	Ant1	5700	5745~5765	5761.78	-47.1 1	1.5	-45.6 1	0.02748	≤12.5	PASS
NTNV	11AC20SIS O	Ant1	5700	5765~26000	25890.0 6	-29.8 7	1.5	-28.3 7	1.45546	≤2.5	See table below
NTNV	11AC40SIS O	Ant1	5190	30~5141.6	5130.70	-42.4 0	1.1	-41.3 0	0.07413	≤2.5	PASS
NTNV	11AC40SIS O	Ant1	5190	5141.6~5150	5141.65	-31.8 7	1.1	-30.7 7	0.83753	≤15	PASS
NTNV	11AC40SIS O	Ant1	5190	5250~5251	5250.92	-39.7 5	1.1	-38.6 5	0.13646	≤60.1	PASS
NTNV	11AC40SIS O	Ant1	5190	5251~5270	5262.99	-40.6 2	1.1	-39.5 2	0.11169	≤15.6	PASS
NTNV	11AC40SIS O	Ant1	5190	5270~5278.4	5275.56	-43.1 0	1.1	-42.0 0	0.06310	≤3.7	PASS
NTNV	11AC40SIS O	Ant1	5190	5278.4~2600 0	25437.7 5	-29.7 4	1.1	-28.6 4	1.36773	≤2.5	See table below
NTNV	11AC40SIS O	Ant1	5230	30~5141.6	3177.89	-43.5 0	1.1	-42.4 0	0.05754	≤2.5	PASS
NTNV	11AC40SIS O	Ant1	5230	5141.6~5150	5144.62	-45.0 6	1.1	-43.9 6	0.04018	≤15	PASS
NTNV	11AC40SIS O	Ant1	5230	5250~5251	5250.95	-13.8 3	1.1	-12.7 3	53.33349	≤56.1	See table below
NTNV	11AC40SIS O	Ant1	5230	5251~5270	5251.68	-16.9 3	1.1	-15.8 3	26.12161	≤46.8	See table below
NTNV	11AC40SIS O	Ant1	5230	5270~5278.4	5272.53	-31.8 1	1.1	-30.7 1	0.84918	≤5.6	PASS
NTNV	11AC40SIS O	Ant1	5230	5278.4~2600 0	25424.6 3	-30.9 5	1.1	-29.8 5	1.03514	≤2.5	PASS
NTNV	11AC40SIS O	Ant1	5270	30~5221.6	5219.70	-39.9 4	1.5	-38.4 4	0.14322	≤2.5	PASS
NTNV	11AC40SIS O	Ant1	5270	5221.6~5230	5223.36	-31.5 9	1.5	-30.0 9	0.97949	≤3.2	PASS
NTNV	11AC40SIS O	Ant1	5270	5230~5249	5248.28	-17.1 6	1.5	-15.6 6	27.16439	≤46.6	See table below
NTNV	11AC40SIS O	Ant1	5270	5249~5250	5249.02	-15.0 9	1.5	-13.5 9	43.75221	≤52.4	See table below
NTNV	11AC40SIS O	Ant1	5270	5350~5358.4	5356.33	-46.8 4	1.5	-45.3 4	0.02924	≤15	PASS
NTNV	11AC40SIS O	Ant1	5270	5358.4~2600 0	25196.3 5	-30.7 1	1.5	-29.2 1	1.19950	≤2.5	PASS
NTNV	11AC40SIS O	Ant1	5310	30~5221.6	3085.95	-44.0 9	1.5	-42.5 9	0.05508	≤2.5	PASS
NTNV	11AC40SIS O	Ant1	5310	5221.6~5230	5222.24	-46.9 2	1.5	-45.4 2	0.02871	≤2.7	PASS
NTNV	11AC40SIS O	Ant1	5310	5230~5249	5230.74	-45.9 5	1.5	-44.4 5	0.03589	≤8.5	PASS
NTNV	11AC40SIS O	Ant1	5310	5249~5250	5249.05	-42.2 2	1.5	-40.7 2	0.08472	≤56.1	PASS
NTNV	11AC40SIS O	Ant1	5310	5350~5358.4	5353.00	-29.6 9	1.5	-28.1 9	1.51705	≤15	PASS
NTNV	11AC40SIS O	Ant1	5310	5358.4~2600 0	25373.8 7	-30.5 2	1.5	-29.0 2	1.25314	≤2.5	PASS
NTNV	11AC40SIS O	Ant1	5510	30~5460	5458.01	-40.4 5	1.5	-38.9 5	0.12735	≤12.5	PASS
NTNV	11AC40SIS	Ant1	5510	5460~5470	5469.15	-27.3	1.5	-25.8	2.59418	≤50	PASS

NTNV	11AC40SIS O	Ant1	5510	5770~26000	25396.4 7	-30.0 4	1.5	-28.5 4	1.39959	≤12.5	PASS
NTNV	11AC40SIS O	Ant1	5670	30~5460	2596.04	-42.8 4	1.5	-41.3 4	0.07345	≤12.5	PASS
NTNV	11AC40SIS O	Ant1	5670	5460~5470	5462.01	-46.4 2	1.5	-44.9 2	0.03221	≤50	PASS
NTNV	11AC40SIS O	Ant1	5670	5770~26000	25382.3 1	-29.8 5	1.5	-28.3 5	1.46218	≤12.5	PASS
NTNV	11AX20SIS O	Ant1	5180	30~5142	3160.93	-42.9 0	1.1	-41.8 0	0.06607	≤2.5	PASS
NTNV	11AX20SIS O	Ant1	5180	5142~5150	5147.30	-36.6 8	1.1	-35.5 8	0.27669	≤15	PASS
NTNV	11AX20SIS O	Ant1	5180	5250~5250.2	5250.16	-47.1 2	1.1	-46.0 2	0.02500	≤806.6	PASS
NTNV	11AX20SIS O	Ant1	5180	5250.2~5251	5250.86	-46.9 1	1.1	-45.8 1	0.02624	≤138.0	PASS
NTNV	11AX20SIS O	Ant1	5180	5251~5260	5259.89	-47.5 3	1.1	-46.4 3	0.02275	≤16.2	PASS
NTNV	11AX20SIS O	Ant1	5180	5260~5266.7	5261.27	-46.0 8	1.1	-44.9 8	0.03177	≤15.8	PASS
NTNV	11AX20SIS O	Ant1	5180	5266.7~2600 0	25494.8 0	-31.3 3	1.1	-30.2 3	0.94842	≤2.5	PASS
NTNV	11AX20SIS O	Ant1	5200	30~5142	2724.02	-43.5 4	1.1	-42.4 4	0.05702	≤2.5	PASS
NTNV	11AX20SIS O	Ant1	5200	5142~5150	5149.90	-38.6 0	1.1	-37.5 0	0.17783	≤15	PASS
NTNV	11AX20SIS O	Ant1	5200	5250~5250.2	5250.11	-39.6 2	1.1	-38.5 2	0.14060	≤1096. 5	PASS
NTNV	11AX20SIS O	Ant1	5200	5250.2~5251	5250.72	-39.3 3	1.1	-38.2 3	0.15031	≤190.5	PASS
NTNV	11AX20SIS O	Ant1	5200	5251~5260	5258.92	-44.7 1	1.1	-43.6 1	0.04355	≤19.8	PASS
NTNV	11AX20SIS O	Ant1	5200	5260~5266.7	5265.26	-43.5 5	1.1	-42.4 5	0.05689	≤15.7	PASS
NTNV	11AX20SIS O	Ant1	5200	5266.7~2600 0	25445.7 3	-30.9 3	1.1	-29.8 3	1.03992	≤2.5	PASS
NTNV	11AX20SIS O	Ant1	5240	30~5142	2682.96	-43.3 8	1.1	-42.2 8	0.05916	≤2.5	PASS
NTNV	11AX20SIS O	Ant1	5240	5142~5150	5144.07	-47.3 2	1.1	-46.2 2	0.02388	≤15	PASS
NTNV	11AX20SIS O	Ant1	5240	5250~5250.2	5250.1	-3.43	1.1	-2.33	584.7900 8	≤1165. 9	See table below
NTNV	11AX20SIS O	Ant1	5240	5250.2~5251	5250.65	-8.46	1.1	-7.36	183.6538 3	≤223.9	See table below
NTNV	11AX20SIS O	Ant1	5240	5251~5260	5251.06	-14.9 7	1.1	-13.8 7	41.02041	≤98.8	PASS
NTNV	11AX20SIS O	Ant1	5240	5260~5266.7	5261.10	-34.3 8	1.1	-33.2 8	0.46989	≤15.8	PASS
NTNV	11AX20SIS O	Ant1	5240	5266.7~2600 0	25629.5 7	-30.5 8	1.1	-29.4 8	1.12720	≤2.5	PASS
NTNV	11AX20SIS O	Ant1	5260	30~5233.3	4603.87	-43.8 0	1.5	-42.3 0	0.05888	≤2.5	PASS
NTNV	11AX20SIS O	Ant1	5260	5233.3~5240	5239.81	-34.1 7	1.5	-32.6 7	0.54075	≤15.0	PASS
NTNV	11AX20SIS O	Ant1	5260	5240~5249	5248.85	-13.3 2	1.5	-11.8 2	65.76578	≤97.0	See table below
NTNV	11AX20SIS O	Ant1	5260	5249~5249.8	5249.56	-6.65	1.5	-5.15	305.4921 1	≤363.1	See table below
NTNV	11AX20SIS O	Ant1	5260	5249.8~5250	5249.82	-6.25	1.5	-4.75	334.9654 4	≤713.4	PASS
NTNV	11AX20SIS O	Ant1	5260	5350~26000	24814.6 9	-30.5 2	1.5	-29.0 2	1.25314	≤2.5	PASS
NTNV	11AX20SIS O	Ant1	5280	30~5233.3	2740.75	-43.6 0	1.5	-42.1 0	0.06166	≤2.5	PASS
NTNV	11AX20SIS O	Ant1	5280	5233.3~5240	5235.65	-36.6	1.5	-35.1	0.30832	≤4.8	PASS


NTNV	11AX20SIS O	Ant1	5280	5240~5249	5244.40	-33.5 8	1.5	-32.0 8	0.61944	≤39.0	PASS
NTNV	11AX20SIS O	Ant1	5280	5249~5249.8	5249.07	-34.0 2	1.5	-32.5 2	0.55976	≤117.5	PASS
NTNV	11AX20SIS O	Ant1	5280	5249.8~5250	5249.81	-33.2 2	1.5	-31.7 2	0.67298	≤670.9	PASS
NTNV	11AX20SIS O	Ant1	5280	5350~26000	24842.9 1	-30.7 3	1.5	-29.2 3	1.19399	≤2.5	PASS
NTNV	11AX20SIS O	Ant1	5320	30~5233.3	2588.46	-44.2 5	1.5	-42.7 5	0.05309	≤2.5	PASS
NTNV	11AX20SIS O	Ant1	5320	5233.3~5240	5233.53	-48.4 3	1.5	-46.9 3	0.02028	≤2.7	PASS
NTNV	11AX20SIS O	Ant1	5320	5240~5249	5240.25	-48.2 6	1.5	-46.7 6	0.02109	≤16.7	PASS
NTNV	11AX20SIS O	Ant1	5320	5249~5249.8	5249.00	-46.9 9	1.5	-45.4 9	0.02825	≤100.0	PASS
NTNV	11AX20SIS O	Ant1	5320	5249.8~5250	5249.80	-46.4 7	1.5	-44.9 7	0.03184	≤631.0	PASS
NTNV	11AX20SIS O	Ant1	5320	5350~26000	24895.9 1	-30.3 3	1.5	-28.8 3	1.30918	≤2.5	See table below
NTNV	11AX20SIS O	Ant1	5500	30~5460	5451.31	-43.0 7	1.5	-41.5 7	0.06966	≤2.5	PASS
NTNV	11AX20SIS O	Ant1	5500	5460~5470	5467.80	-31.8 3	1.5	-30.3 3	0.92683	≤12.5	PASS
NTNV	11AX20SIS O	Ant1	5500	5745~5765	5760.40	-47.0 2	1.5	-45.5 2	0.02805	≤12.5	PASS
NTNV	11AX20SIS O	Ant1	5500	5765~26000	25471.8 7	-30.0 7	1.5	-28.5 7	1.38995	≤2.5	See table below
NTNV	11AX20SIS O	Ant1	5580	30~5460	5367.69	-43.3 3	1.5	-41.8 3	0.06561	≤2.5	PASS
NTNV	11AX20SIS O	Ant1	5580	5460~5470	5462.20	-47.1 6	1.5	-45.6 6	0.02716	≤12.5	PASS
NTNV	11AX20SIS O	Ant1	5580	5745~5765	5754.06	-46.3 5	1.5	-44.8 5	0.03273	≤12.5	PASS
NTNV	11AX20SIS O	Ant1	5580	5765~26000	25376.0 9	-30.2 6	1.5	-28.7 6	1.33045	≤2.5	See table below
NTNV	11AX20SIS O	Ant1	5700	30~5460	2539.75	-44.2 8	1.5	-42.7 8	0.05272	≤2.5	PASS
NTNV	11AX20SIS O	Ant1	5700	5460~5470	5465.11	-45.8 0	1.5	-44.3 0	0.03715	≤12.5	PASS
NTNV	11AX20SIS O	Ant1	5700	5745~5765	5752.04	-47.2 3	1.5	-45.7 3	0.02673	≤12.5	PASS
NTNV	11AX20SIS O	Ant1	5700	5765~26000	25207.4 6	-30.3 4	1.5	-28.8 4	1.30617	≤2.5	See table below
NTNV	11AX40SIS O	Ant1	5190	30~5141.6	5136.32	-41.0 2	1.1	-39.9 2	0.10186	≤2.5	PASS
NTNV	11AX40SIS O	Ant1	5190	5141.6~5150	5142.41	-30.8 9	1.1	-29.7 9	1.04954	≤15	PASS
NTNV	11AX40SIS O	Ant1	5190	5250~5251	5250.96	-40.1 6	1.1	-39.0 6	0.12417	≤54.8	PASS
NTNV	11AX40SIS O	Ant1	5190	5251~5270	5254.00	-38.8 9	1.1	-37.7 9	0.16634	≤37.4	PASS
NTNV	11AX40SIS O	Ant1	5190	5270~5278.4	5274.33	-44.1 3	1.1	-43.0 3	0.04977	≤4.4	PASS
NTNV	11AX40SIS O	Ant1	5190	5278.4~2600 0	25399.0 7	-29.6 9	1.1	-28.5 9	1.38357	≤2.5	See table below
NTNV	11AX40SIS O	Ant1	5230	30~5141.6	3061.69	-44.0 2	1.1	-42.9 2	0.05105	≤2.5	PASS
NTNV	11AX40SIS O	Ant1	5230	5141.6~5150	5144.82	-46.8 9	1.1	-45.7 9	0.02636	≤15	PASS
NTNV	11AX40SIS O	Ant1	5230	5250~5251	5250.85	-17.3 4	1.1	-16.2 4	23.76840	≤70.6	PASS
NTNV	11AX40SIS O	Ant1	5230	5251~5270	5251.04	-19.2 6	1.1	-18.1 6	15.27566	≤49.8	PASS

NTNV	11AX40SIS O	Ant1	5230	5270~5278.4	5277.57	-46.0 0	1.1	-44.9 0	0.03236	≤2.8	PASS
NTNV	11AX40SIS O	Ant1	5230	5278.4~2600 0	24945.9 6	-30.5 9	1.1	-29.4 9	1.12460	≤2.5	PASS
NTNV	11AX40SIS O	Ant1	5270	30~5221.6	2602.78	-43.7 8	1.5	-42.2 8	0.05916	≤2.5	PASS
NTNV	11AX40SIS O	Ant1	5270	5221.6~5230	5222.81	-44.5 9	1.5	-43.0 9	0.04909	≤2.9	PASS
NTNV	11AX40SIS O	Ant1	5270	5230~5249	5248.53	-19.4 6	1.5	-17.9 6	15.99558	≤47.8	PASS
NTNV	11AX40SIS O	Ant1	5270	5249~5250	5249.01	-15.5 8	1.5	-14.0 8	39.08409	≤51.2	See table below
NTNV	11AX40SIS O	Ant1	5270	5350~5358.4	5351.68	-46.5 4	1.5	-45.0 4	0.03133	≤15	PASS
NTNV	11AX40SIS O	Ant1	5270	5358.4~2600 0	25706.2 0	-30.6 4	1.5	-29.1 4	1.21899	≤2.5	PASS
NTNV	11AX40SIS O	Ant1	5310	30~5221.6	3257.27	-43.0 8	1.5	-41.5 8	0.06950	≤2.5	PASS
NTNV	11AX40SIS O	Ant1	5310	5221.6~5230	5222.51	-46.2 1	1.5	-44.7 1	0.03381	≤2.8	PASS
NTNV	11AX40SIS O	Ant1	5310	5230~5249	5230.42	-47.5 3	1.5	-46.0 3	0.02495	≤8.3	PASS
NTNV	11AX40SIS O	Ant1	5310	5249~5250	5249.06	-41.4 2	1.5	-39.9 2	0.10186	≤57.4	PASS
NTNV	11AX40SIS O	Ant1	5310	5350~5358.4	5351.47	-32.2 5	1.5	-30.7 5	0.84140	≤15	PASS
NTNV	11AX40SIS O	Ant1	5310	5358.4~2600 0	25364.2 4	-30.7 6	1.5	-29.2 6	1.18577	≤2.5	PASS
NTNV	11AX40SIS O	Ant1	5510	30~5460	5456.56	-42.2 9	1.5	-40.7 9	0.08337	≤12.5	PASS
NTNV	11AX40SIS O	Ant1	5510	5460~5470	5462.10	-30.1 0	1.5	-28.6 0	1.38038	≤50	PASS
NTNV	11AX40SIS O	Ant1	5510	5770~26000	24873.8 6	-29.7 3	1.5	-28.2 3	1.50314	≤12.5	PASS
NTNV	11AX40SIS O	Ant1	5670	30~5460	5333.84	-43.3 6	1.5	-41.8 6	0.06516	≤12.5	PASS
NTNV	11AX40SIS O	Ant1	5670	5460~5470	5466.09	-46.2 9	1.5	-44.7 9	0.03319	≤50	PASS
NTNV	11AX40SIS O	Ant1	5670	5770~26000	25129.4 4	-30.5 8	1.5	-29.0 8	1.23595	≤12.5	PASS


Step2

TestCondition	TestMode	Antenna	Freq(MHz)	Freq. [MHz]	Result [dBm]	Gain [dBi]	EIRP [dBm]	Result [μW]	Limit [μW]	Verdict
NTNV	11A	Ant1	5240	5250.64	-26.38	1.1	-25.28	2.96483	≤110	PASS
NTNV	11A	Ant1	5240	5251.10	-27.56	1.1	-26.46	2.25944	≤91	PASS
NTNV	11A	Ant1	5260	5239.08	-45.66	1.5	-44.16	0.03837	≤7	PASS
NTNV	11A	Ant1	5260	5248.86	-26.03	1.5	-24.53	3.52371	≤96	PASS
NTNV	11A	Ant1	5260	5249.49	-25.57	1.5	-24.07	3.91742	≤186	PASS
NTNV	11A	Ant1	5260	25734.99	-37.22	1.5	-35.72	0.26792	≤2.5	PASS
NTNV	11A	Ant1	5500	24824.35	-36.80	1.5	-35.30	0.29512	≤2.5	PASS
NTNV	11A	Ant1	5500	25434.09	-36.91	1.5	-35.41	0.28774	≤2.5	PASS
NTNV	11A	Ant1	5580	24902.59	-36.45	1.5	-34.95	0.31989	≤2.5	PASS
NTNV	11A	Ant1	5580	25118.43	-37.13	1.5	-35.63	0.27353	≤2.5	PASS
NTNV	11A	Ant1	5580	25465.12	-37.02	1.5	-35.52	0.28054	≤2.5	PASS
NTNV	11N20SISO	Ant1	5240	5250.67	-27.80	1.1	-26.70	2.13796	≤117	PASS
NTNV	11N20SISO	Ant1	5240	5251.05	-30.54	1.1	-29.44	1.13763	≤82	PASS
NTNV	11N20SISO	Ant1	5260	5248.99	-30.38	1.5	-28.88	1.29420	≤92	PASS
NTNV	11N20SISO	Ant1	5260	5249.03	-29.15	1.5	-27.65	1.71791	≤145	PASS
NTNV	11N20SISO	Ant1	5260	24835.34	-37.13	1.5	-35.63	0.27353	≤2.5	PASS
NTNV	11N20SISO	Ant1	5500	25381.48	-36.88	1.5	-35.38	0.28973	≤2.5	PASS
NTNV	11N20SISO	Ant1	5500	25792.93	-37.28	1.5	-35.78	0.26424	≤2.5	PASS
NTNV	11N20SISO	Ant1	5580	24953.18	-37.01	1.5	-35.51	0.28119	≤2.5	PASS
NTNV	11N20SISO	Ant1	5580	25403.74	-36.65	1.5	-35.15	0.30549	≤2.5	PASS
NTNV	11N40SISO	Ant1	5270	5249.31	-30.77	1.5	-29.27	1.18304	≤52	PASS
NTNV	11AC20SISO	Ant1	5200	25905.32	-38.06	1.1	-36.96	0.20137	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5240	5250.97	-30.46	1.1	-29.36	1.15878	≤102	PASS
NTNV	11AC20SISO	Ant1	5260	5248.23	-31.19	1.5	-29.69	1.07399	≤82	PASS

NTNV	11AC20SISO	Ant1	5260	5249.22	-27.35	1.5	-25.85	2.60016	≤224	PASS
NTNV	11AC20SISO	Ant1	5580	25575.07	-37.56	1.5	-36.06	0.24774	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5700	25890.06	-38.15	1.5	-36.65	0.21627	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5190	25437.75	-37.15	1.1	-36.05	0.24831	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5230	5250.95	-30.70	1.1	-29.60	1.09648	≤56	PASS
NTNV	11AC40SISO	Ant1	5230	5251.68	-31.85	1.1	-30.75	0.84140	≤49	PASS
NTNV	11AC40SISO	Ant1	5270	5248.28	-33.44	1.5	-31.94	0.63973	≤44	PASS
NTNV	11AC40SISO	Ant1	5270	5249.02	-30.48	1.5	-28.98	1.26474	≤52	PASS
NTNV	11AX20SISO	Ant1	5240	5250.10	-19.63	1.1	-18.53	14.02814	≤671	PASS
NTNV	11AX20SISO	Ant1	5240	5250.65	-27.29	1.1	-26.19	2.40436	≤102	PASS
NTNV	11AX20SISO	Ant1	5260	5248.85	-25.00	1.5	-23.50	4.46684	≤94	PASS
NTNV	11AX20SISO	Ant1	5260	5249.56	-30.87	1.5	-29.37	1.15611	≤110	PASS
NTNV	11AX20SISO	Ant1	5320	24895.91	-37.16	1.5	-35.66	0.27164	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5500	24899.89	-36.67	1.5	-35.17	0.30409	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5500	25471.87	-37.30	1.5	-35.80	0.26303	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5580	24870.89	-36.37	1.5	-34.87	0.32584	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5580	25376.09	-36.61	1.5	-35.11	0.30832	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5700	25207.46	-37.51	1.5	-36.01	0.25061	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5190	25399.07	-37.03	1.1	-35.93	0.25527	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5190	25611.82	-37.77	1.1	-36.67	0.21528	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5270	5249.20	-28.79	1.5	-27.29	1.86638	≤79	PASS



NTNV-11A-Ant1-5180-30~5142-PASS



NTNV-11A-Ant1-5180-5142~5150-PASS

