





Appendix B

Frequency Error

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	b	2412	Ant1	2411.981	-19000	-7.88	50	Pass
NVNT	b	2442	Ant1	2441.981	-19000	-7.78	50	Pass
NVNT	b	2472	Ant1	2471.981	-19000	-7.69	50	Pass
NVNT	n40	2422	Ant1	2421.982	-18000	-7.43	50	Pass
NVNT	n40	2442	Ant1	2441.981	-19000	-7.78	50	Pass
NVNT	n40	2462	Ant1	2461.982	-18000	-7.31	50	Pass









Antenna Power


Condition	Mode	Frequency (MHz)	Antenna	Power (dBm/MHz)	Power (mW/MHz)	Limit (mW/MHz)	Declared Power (mW/MHz)	Tolerance (%)	Lower Limit (%)	Upper Limit (%)	Verdict
NVNT	b	2412	Ant1	4.59	2.877	10	3	-4.09	-	20	Pass
NVNT	b	2442	Ant1	4.8	3.02	10	3	0.67	-	20	Pass
NVNT	b	2472	Ant1	4.21	2.636	10	3	-12.12	-	20	Pass
NVNT	b	2412	Ant2	5.02	3.177	10	3	5.9	-	20	Pass
NVNT	b	2442	Ant2	5.07	3.214	10	3	7.12	-	20	Pass
NVNT	b	2472	Ant2	4.43	2.773	10	3	-7.56	-	20	Pass
NVNT	g	2412	Ant1	0.58	1.143	10	2	-42.86	-	20	Pass
NVNT	g	2442	Ant1	0.26	1.062	10	2	-46.92	-	20	Pass
NVNT	g	2472	Ant1	-0.14	0.968	10	2	-51.59	-	20	Pass
NVNT	g	2412	Ant2	0.5	1.122	10	2	-43.9	-	20	Pass
NVNT	g	2442	Ant2	0.99	1.256	10	2	-37.2	-	20	Pass
NVNT	g	2472	Ant2	0.48	1.117	10	2	-44.16	-	20	Pass
NVNT	n20	2412	Ant1	-3.97	0.401	10	1	-59.91	-	20	Pass
NVNT	n20	2442	Ant1	-4.16	0.384	10	1	-61.63	-	20	Pass
NVNT	n20	2472	Ant1	-4.09	0.39	10	1	-61.01	-	20	Pass
NVNT	n20	2412	Ant2	-3.38	0.459	10	1	-54.08	-	20	Pass
NVNT	n20	2442	Ant2	-3.02	0.499	10	1	-50.11	-	20	Pass
NVNT	n20	2472	Ant2	-4.31	0.371	10	1	-62.93	-	20	Pass
NVNT	n20	2412	Ant1	-3.49	0.448	10	1	-55.23	-	20	Pass
NVNT	n20	2412	Ant2	-3.55	0.442	10	1	-55.84	-	20	Pass
NVNT	n20	2412	Sum	-0.51	0.89	10	1	-11	-	20	Pass
NVNT	n20	2442	Ant1	-3.71	0.426	10	1	-57.44	-	20	Pass
NVNT	n20	2442	Ant2	-2.93	0.509	10	1	-49.07	-	20	Pass
NVNT	n20	2442	Sum	-0.29	0.935	10	1	-6.5	-	20	Pass
NVNT	n20	2472	Ant1	-4.51	0.354	10	1	-64.6	-	20	Pass
NVNT	n20	2472	Ant2	-3.42	0.455	10	1	-54.5	-	20	Pass
NVNT	n20	2472	Sum	-0.92	0.809	10	1	-19.1	-	20	Pass
NVNT	n40	2422	Ant1	-6.55	0.221	5	0.5	-55.74	-	20	Pass
NVNT	n40	2442	Ant1	-6.05	0.248	5	0.5	-50.34	-	20	Pass
NVNT	n40	2462	Ant1	-6.51	0.223	5	0.5	-55.33	-	20	Pass
NVNT	n40	2422	Ant2	-6.13	0.244	5	0.5	-51.24	-	20	Pass
NVNT	n40	2442	Ant2	-5.39	0.289	5	0.5	-42.19	-	20	Pass
NVNT	n40	2462	Ant2	-6.25	0.237	5	0.5	-52.57	-	20	Pass
NVNT	n40	2422	Ant1	-6.55	0.221	5	0.5	-55.74	-	20	Pass
NVNT	n40	2422	Ant2	-5.94	0.255	5	0.5	-49.06	-	20	Pass
NVNT	n40	2422	Sum	-3.22	0.476	5	0.5	-4.8	-	20	Pass
NVNT	n40	2442	Ant1	-6.14	0.243	5	0.5	-51.36	-	20	Pass
NVNT	n40	2442	Ant2	-5.56	0.278	5	0.5	-44.41	-	20	Pass
NVNT	n40	2442	Sum	-2.83	0.521	5	0.5	4.2	-	20	Pass





NVNT	n40	2462	Ant1	-6.48	0.225	5	0.5	-55.02	-	20	Pass
NVNT	n40	2462	Ant2	-6.03	0.249	5	0.5	-50.11	-	20	Pass
NVNT	n40	2462	Sum	-3.24	0.474	5	0.5	-5.2	-	20	Pass



















































































































EIRP Power


Condition	Mode	Frequency (MHz)	Antenna	Power (dBm/MHz)	Power (mW/MHz)	Gain (dBi)	EIRP (dBm/MHz)	EIRP (mW/MHz)	Limit (dBm/MHz)	Verdict
NVNT	b	2412	Ant1	4.59	2.877	3.87	8.46	7.015	12.14	Pass
NVNT	b	2442	Ant1	4.8	3.02	3.87	8.67	7.362	12.14	Pass
NVNT	b	2472	Ant1	4.21	2.636	3.87	8.08	6.427	12.14	Pass
NVNT	b	2412	Ant2	5.02	3.177	3.4	8.42	6.95	12.14	Pass
NVNT	b	2442	Ant2	5.07	3.214	3.4	8.47	7.031	12.14	Pass
NVNT	b	2472	Ant2	4.43	2.773	3.4	7.83	6.067	12.14	Pass
NVNT	g	2412	Ant1	0.58	1.143	3.87	4.45	2.786	12.14	Pass
NVNT	g	2442	Ant1	0.26	1.062	3.87	4.13	2.588	12.14	Pass
NVNT	g	2472	Ant1	-0.14	0.968	3.87	3.73	2.36	12.14	Pass
NVNT	g	2412	Ant2	0.5	1.122	3.4	3.9	2.455	12.14	Pass
NVNT	g	2442	Ant2	0.99	1.256	3.4	4.39	2.748	12.14	Pass
NVNT	g	2472	Ant2	0.48	1.117	3.4	3.88	2.443	12.14	Pass
NVNT	n20	2412	Ant1	-3.97	0.401	3.87	-0.1	0.977	12.14	Pass
NVNT	n20	2442	Ant1	-4.16	0.384	3.87	-0.29	0.935	12.14	Pass
NVNT	n20	2472	Ant1	-4.09	0.39	3.87	-0.22	0.951	12.14	Pass
NVNT	n20	2412	Ant2	-3.38	0.459	3.4	0.02	1.005	12.14	Pass
NVNT	n20	2442	Ant2	-3.02	0.499	3.4	0.38	1.091	12.14	Pass
NVNT	n20	2472	Ant2	-4.31	0.371	3.4	-0.91	0.811	12.14	Pass
NVNT	n20	2412	Ant1	-3.49	0.448	3.87	0.38	1.091	12.14	Pass
NVNT	n20	2412	Ant2	-3.55	0.442	3.4	-0.15	0.966	12.14	Pass
NVNT	n20	2412	Sum	-0.51	0.89	6.65	3.13	2.057	12.14	Pass
NVNT	n20	2442	Ant1	-3.71	0.426	3.87	0.16	1.038	12.14	Pass
NVNT	n20	2442	Ant2	-2.93	0.509	3.4	0.47	1.114	12.14	Pass
NVNT	n20	2442	Sum	-0.29	0.935	6.65	3.33	2.152	12.14	Pass
NVNT	n20	2472	Ant1	-4.51	0.354	3.87	-0.64	0.863	12.14	Pass
NVNT	n20	2472	Ant2	-3.42	0.455	3.4	-0.02	0.995	12.14	Pass
NVNT	n20	2472	Sum	-0.92	0.809	6.65	2.69	1.858	12.14	Pass
NVNT	n40	2422	Ant1	-6.55	0.221	3.87	-2.68	0.54	9.13	Pass
NVNT	n40	2442	Ant1	-6.05	0.248	3.87	-2.18	0.605	9.13	Pass
NVNT	n40	2462	Ant1	-6.51	0.223	3.87	-2.64	0.545	9.13	Pass
NVNT	n40	2422	Ant2	-6.13	0.244	3.4	-2.73	0.533	9.13	Pass
NVNT	n40	2442	Ant2	-5.39	0.289	3.4	-1.99	0.632	9.13	Pass
NVNT	n40	2462	Ant2	-6.25	0.237	3.4	-2.85	0.519	9.13	Pass
NVNT	n40	2422	Ant1	-6.55	0.221	3.87	-2.68	0.54	9.13	Pass
NVNT	n40	2422	Ant2	-5.94	0.255	3.4	-2.54	0.557	9.13	Pass
NVNT	n40	2422	Sum	-3.22	0.476	6.65	0.4	1.097	9.13	Pass
NVNT	n40	2442	Ant1	-6.14	0.243	3.87	-2.27	0.593	9.13	Pass
NVNT	n40	2442	Ant2	-5.56	0.278	3.4	-2.16	0.608	9.13	Pass
NVNT	n40	2442	Sum	-2.83	0.521	6.65	0.8	1.201	9.13	Pass
NVNT	n40	2462	Ant1	-6.48	0.225	3.87	-2.61	0.548	9.13	Pass







NVNT	n40	2462	Ant2	-6.03	0.249	3.4	-2.63	0.546	9.13	Pass
NVNT	n40	2462	Sum	-3.24	0.474	6.65	0.39	1.094	9.13	Pass



Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	b	2412	Ant1	13.227
NVNT	b	2442	Ant1	13.227
NVNT	b	2472	Ant1	13.227
NVNT	b	2412	Ant2	13.187
NVNT	b	2442	Ant2	13.147
NVNT	b	2472	Ant2	13.147
NVNT	g	2412	Ant1	16.464
NVNT	g	2442	Ant1	16.543
NVNT	g	2472	Ant1	16.424
NVNT	g	2412	Ant2	16.424
NVNT	g	2442	Ant2	16.464
NVNT	g	2472	Ant2	16.344
NVNT	n20	2412	Ant1	17.502
NVNT	n20	2442	Ant1	17.742
NVNT	n20	2472	Ant1	17.862
NVNT	n20	2412	Ant2	17.463
NVNT	n20	2442	Ant2	17.502
NVNT	n20	2472	Ant2	17.542
NVNT	n40	2422	Ant1	35.724
NVNT	n40	2442	Ant1	35.884
NVNT	n40	2462	Ant1	35.804
NVNT	n40	2422	Ant2	35.884
NVNT	n40	2442	Ant2	35.884
NVNT	n40	2462	Ant2	35.804






































Spreading Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	90% OBW (MHz)	Limit (MHz)	Verdict
NVNT	b	2412	Ant1	8.711	0.5	Pass
NVNT	b	2442	Ant1	8.751	0.5	Pass
NVNT	b	2472	Ant1	8.671	0.5	Pass
NVNT	b	2412	Ant2	8.671	0.5	Pass
NVNT	b	2442	Ant2	8.631	0.5	Pass
NVNT	b	2472	Ant2	8.711	0.5	Pass
NVNT	g	2412	Ant1	13.946	0.5	Pass
NVNT	g	2442	Ant1	13.946	0.5	Pass
NVNT	g	2472	Ant1	14.066	0.5	Pass
NVNT	g	2412	Ant2	13.546	0.5	Pass
NVNT	g	2442	Ant2	13.746	0.5	Pass
NVNT	g	2472	Ant2	14.426	0.5	Pass
NVNT	n20	2412	Ant1	14.945	0.5	Pass
NVNT	n20	2442	Ant1	14.945	0.5	Pass
NVNT	n20	2472	Ant1	14.985	0.5	Pass
NVNT	n20	2412	Ant2	14.905	0.5	Pass
NVNT	n20	2442	Ant2	15.185	0.5	Pass
NVNT	n20	2472	Ant2	14.745	0.5	Pass
NVNT	n40	2422	Ant1	30.45	0.5	Pass
NVNT	n40	2442	Ant1	30.37	0.5	Pass
NVNT	n40	2462	Ant1	29.97	0.5	Pass
NVNT	n40	2422	Ant2	31.728	0.5	Pass
NVNT	n40	2442	Ant2	30.05	0.5	Pass
NVNT	n40	2462	Ant2	30.45	0.5	Pass



Test Graphs



Spreading Bandwidth NVNT b 2412MHz Ant1







Spreading Bandwidth NVNT b 2442MHz Ant1






































Tx Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Emission Frequency (MHz)	Max Peak Value (dBm)	Max RMS Value (dBm)	Max Peak Value (uW)	Max RMS Value (uW)	Limit Start(uW)	Limit Stop (uW)	Verdict
NVNT	b	2412	Ant1	30-1000	949.37	-48.55	NA	0.014	NA	2.5	2.5	Pass
NVNT	b	2412	Ant1	1000-2387	2386.26	-46.57	NA	0.022	NA	2.5	2.5	Pass
NVNT	b	2412	Ant1	2387-2400	2399.91	-37.51	NA	0.1774	NA	25	25	Pass
NVNT	b	2412	Ant1	2483.5-2496.5	2490.32	-49.58	NA	0.011	NA	25	25	Pass
NVNT	b	2412	Ant1	2496.5-13000	10642.66	-43.59	NA	0.0438	NA	2.5	2.5	Pass
NVNT	b	2442	Ant1	30-1000	815.51	-48.57	NA	0.0139	NA	2.5	2.5	Pass
NVNT	b	2442	Ant1	1000-2387	2278.72	-47.36	NA	0.0184	NA	2.5	2.5	Pass
NVNT	b	2442	Ant1	2387-2400	2388.44	-48.40	NA	0.0145	NA	25	25	Pass
NVNT	b	2442	Ant1	2483.5-2496.5	2495.15	-49.20	NA	0.012	NA	25	25	Pass
NVNT	b	2442	Ant1	2496.5-13000	12651.28	-41.41	NA	0.0723	NA	2.5	2.5	Pass
NVNT	b	2472	Ant1	30-1000	811.04	-49.21	NA	0.012	NA	2.5	2.5	Pass
NVNT	b	2472	Ant1	1000-2387	2308.50	-46.57	NA	0.022	NA	2.5	2.5	Pass
NVNT	b	2472	Ant1	2387-2400	2387.33	-50.34	NA	0.0092	NA	25	25	Pass
NVNT	b	2472	Ant1	2483.5-2496.5	2487.66	-36.22	NA	0.2388	NA	25	25	Pass
NVNT	b	2472	Ant1	2496.5-13000	3402.25	-38.34	NA	0.1466	NA	2.5	2.5	Pass
NVNT	b	2412	Ant2	30-1000	706.48	-49.73	NA	0.0106	NA	2.5	2.5	Pass
NVNT	b	2412	Ant2	1000-2387	2385.94	-46.80	NA	0.0209	NA	2.5	2.5	Pass
NVNT	b	2412	Ant2	2387-2400	2399.72	-38.28	NA	0.1486	NA	25	25	Pass
NVNT	b	2412	Ant2	2483.5-2496.5	2492.53	-49.76	NA	0.0106	NA	25	25	Pass
NVNT	b	2412	Ant2	2496.5-13000	6996.90	-43.55	NA	0.0442	NA	2.5	2.5	Pass
NVNT	b	2442	Ant2	30-1000	811.33	-49.48	NA	0.0113	NA	2.5	2.5	Pass
NVNT	b	2442	Ant2	1000-2387	2374.19	-48.36	NA	0.0146	NA	2.5	2.5	Pass
NVNT	b	2442	Ant2	2387-2400	2396.86	-50.43	NA	0.0091	NA	25	25	Pass
NVNT	b	2442	Ant2	2483.5-2496.5	2493.42	-50.59	NA	0.0087	NA	25	25	Pass
NVNT	b	2442	Ant2	2496.5-13000	3479.28	-41.16	NA	0.0766	NA	2.5	2.5	Pass
NVNT	b	2472	Ant2	30-1000	949.82	-49.22	NA	0.012	NA	2.5	2.5	Pass
NVNT	b	2472	Ant2	1000-2387	2306.42	-46.48	NA	0.0225	NA	2.5	2.5	Pass
NVNT	b	2472	Ant2	2387-2400	2390.28	-49.31	NA	0.0117	NA	25	25	Pass
NVNT	b	2472	Ant2	2483.5-2496.5	2486.29	-38.42	NA	0.1439	NA	25	25	Pass
NVNT	b	2472	Ant2	2496.5-13000	2635.15	-41.72	NA	0.0673	NA	2.5	2.5	Pass
NVNT	g	2412	Ant1	30-1000	811.79	-48.68	NA	0.0136	NA	2.5	2.5	Pass
NVNT	g	2412	Ant1	1000-2387	2384.41	-40.18	NA	0.0959	NA	2.5	2.5	Pass
NVNT	g	2412	Ant1	2387-2400	2399.80	-34.57	NA	0.3491	NA	25	25	Pass
NVNT	g	2412	Ant1	2483.5-2496.5	2487.90	-46.93	NA	0.0203	NA	25	25	Pass
NVNT	g	2412	Ant1	2496.5-13000	10265.94	-42.26	NA	0.0594	NA	2.5	2.5	Pass
NVNT	g	2442	Ant1	30-1000	949.79	-48.08	NA	0.0156	NA	2.5	2.5	Pass
NVNT	g	2442	Ant1	1000-2387	2380.85	-42.46	NA	0.0568	NA	2.5	2.5	Pass
NVNT	g	2442	Ant1	2387-2400	2395.26	-44.51	NA	0.0354	NA	25	25	Pass




NVNT	g	2442	Ant1	2483.5-2496.5	2483.50	-45.61	NA	0.0275	NA	25	25	Pass
NVNT	g	2442	Ant1	2496.5-13000	12650.93	-43.56	NA	0.0441	NA	2.5	2.5	Pass
NVNT	g	2472	Ant1	30-1000	949.53	-48.39	NA	0.0145	NA	2.5	2.5	Pass
NVNT	g	2472	Ant1	1000-2387	2305.68	-45.75	NA	0.0266	NA	2.5	2.5	Pass
NVNT	g	2472	Ant1	2387-2400	2387.88	-45.95	NA	0.0254	NA	25	25	Pass
NVNT	g	2472	Ant1	2483.5-2496.5	2484.14	-32.53	NA	0.5585	NA	25	25	Pass
NVNT	g	2472	Ant1	2496.5-13000	2496.85	-40.82	NA	0.0828	NA	2.5	2.5	Pass
NVNT	g	2412	Ant2	30-1000	810.07	-49.35	NA	0.0116	NA	2.5	2.5	Pass
NVNT	g	2412	Ant2	1000-2387	2384.73	-42.09	NA	0.0618	NA	2.5	2.5	Pass
NVNT	g	2412	Ant2	2387-2400	2399.83	-35.93	NA	0.2553	NA	25	25	Pass
NVNT	g	2412	Ant2	2483.5-2496.5	2494.49	-45.52	NA	0.0281	NA	25	25	Pass
NVNT	g	2412	Ant2	2496.5-13000	2575.98	-43.36	NA	0.0461	NA	2.5	2.5	Pass
NVNT	g	2442	Ant2	30-1000	810.46	-48.84	NA	0.0131	NA	2.5	2.5	Pass
NVNT	g	2442	Ant2	1000-2387	2381.82	-44.87	NA	0.0326	NA	2.5	2.5	Pass
NVNT	g	2442	Ant2	2387-2400	2387.60	-45.48	NA	0.0283	NA	25	25	Pass
NVNT	g	2442	Ant2	2483.5-2496.5	2494.36	-45.62	NA	0.0274	NA	25	25	Pass
NVNT	g	2442	Ant2	2496.5-13000	10632.86	-43.59	NA	0.0438	NA	2.5	2.5	Pass
NVNT	g	2472	Ant2	30-1000	820.19	-49.63	NA	0.0109	NA	2.5	2.5	Pass
NVNT	g	2472	Ant2	1000-2387	2380.20	-44.93	NA	0.0321	NA	2.5	2.5	Pass
NVNT	g	2472	Ant2	2387-2400	2387.59	-44.03	NA	0.0395	NA	25	25	Pass
NVNT	g	2472	Ant2	2483.5-2496.5	2484.56	-35.97	NA	0.2529	NA	25	25	Pass
NVNT	g	2472	Ant2	2496.5-13000	2514.01	-43.34	NA	0.0463	NA	2.5	2.5	Pass
NVNT	n20	2412	Ant1	30-1000	815.34	-49.08	NA	0.0124	NA	2.5	2.5	Pass
NVNT	n20	2412	Ant1	1000-2387	2382.89	-43.61	NA	0.0436	NA	2.5	2.5	Pass
NVNT	n20	2412	Ant1	2387-2400	2399.49	-37.24	NA	0.1888	NA	25	25	Pass
NVNT	n20	2412	Ant1	2483.5-2496.5	2483.50	-48.97	NA	0.0127	NA	25	25	Pass
NVNT	n20	2412	Ant1	2496.5-13000	12662.84	-43.01	NA	0.05	NA	2.5	2.5	Pass
NVNT	n20	2442	Ant1	30-1000	797.30	-48.52	NA	0.0141	NA	2.5	2.5	Pass
NVNT	n20	2442	Ant1	1000-2387	2382.65	-47.27	NA	0.0187	NA	2.5	2.5	Pass
NVNT	n20	2442	Ant1	2387-2400	2394.91	-48.01	NA	0.0158	NA	25	25	Pass
NVNT	n20	2442	Ant1	2483.5-2496.5	2489.66	-47.57	NA	0.0175	NA	25	25	Pass
NVNT	n20	2442	Ant1	2496.5-13000	11187.45	-42.77	NA	0.0528	NA	2.5	2.5	Pass
NVNT	n20	2472	Ant1	30-1000	256.85	-48.84	NA	0.0131	NA	2.5	2.5	Pass
NVNT	n20	2472	Ant1	1000-2387	2370.59	-47.50	NA	0.0178	NA	2.5	2.5	Pass
NVNT	n20	2472	Ant1	2387-2400	2391.17	-49.82	NA	0.0104	NA	25	25	Pass
NVNT	n20	2472	Ant1	2483.5-2496.5	2486.28	-33.76	NA	0.4207	NA	25	25	Pass
NVNT	n20	2472	Ant1	2496.5-13000	6986.05	-43.24	NA	0.0474	NA	2.5	2.5	Pass
NVNT	n20	2412	Ant2	30-1000	810.59	-50.05	NA	0.0099	NA	2.5	2.5	Pass
NVNT	n20	2412	Ant2	1000-2387	2386.95	-44.10	NA	0.0389	NA	2.5	2.5	Pass
NVNT	n20	2412	Ant2	2387-2400	2399.07	-38.29	NA	0.1483	NA	25	25	Pass
NVNT	n20	2412	Ant2	2483.5-2496.5	2492.03	-50.02	NA	0.01	NA	25	25	Pass
NVNT	n20	2412	Ant2	2496.5-13000	11214.76	-43.15	NA	0.0484	NA	2.5	2.5	Pass
NVNT	n20	2442	Ant2	30-1000	814.18	-49.10	NA	0.0123	NA	2.5	2.5	Pass
NVNT	n20	2442	Ant2	1000-2387	2386.08	-48.08	NA	0.0156	NA	2.5	2.5	Pass



NVNT	n20	2442	Ant2	2387-2400	2395.77	-49.15	NA	0.0122	NA	25	25	Pass
NVNT	n20	2442	Ant2	2483.5-2496.5	2483.73	-49.23	NA	0.0119	NA	25	25	Pass
NVNT	n20	2442	Ant2	2496.5-13000	10583.49	-43.14	NA	0.0485	NA	2.5	2.5	Pass
NVNT	n20	2472	Ant2	30-1000	707.25	-49.79	NA	0.0105	NA	2.5	2.5	Pass
NVNT	n20	2472	Ant2	1000-2387	2380.80	-48.96	NA	0.0127	NA	2.5	2.5	Pass
NVNT	n20	2472	Ant2	2387-2400	2399.88	-50.09	NA	0.0098	NA	25	25	Pass
NVNT	n20	2472	Ant2	2483.5-2496.5	2483.50	-35.01	NA	0.3155	NA	25	25	Pass
NVNT	n20	2472	Ant2	2496.5-13000	2496.50	-40.80	NA	0.0832	NA	2.5	2.5	Pass
NVNT	n40	2422	Ant1	30-1000	822.52	-48.67	NA	0.0136	NA	2.5	2.5	Pass
NVNT	n40	2422	Ant1	1000-2387	2383.81	-43.70	NA	0.0427	NA	2.5	2.5	Pass
NVNT	n40	2422	Ant1	2387-2400	2400.00	-36.97	NA	0.2009	NA	25	25	Pass
NVNT	n40	2422	Ant1	2483.5-2496.5	2486.26	-49.09	NA	0.0123	NA	25	25	Pass
NVNT	n40	2422	Ant1	2496.5-13000	6990.25	-43.27	NA	0.0471	NA	2.5	2.5	Pass
NVNT	n40	2442	Ant1	30-1000	710.07	-48.13	NA	0.0154	NA	2.5	2.5	Pass
NVNT	n40	2442	Ant1	1000-2387	2386.58	-44.86	NA	0.0327	NA	2.5	2.5	Pass
NVNT	n40	2442	Ant1	2387-2400	2397.50	-46.61	NA	0.0218	NA	25	25	Pass
NVNT	n40	2442	Ant1	2483.5-2496.5	2490.26	-43.91	NA	0.0406	NA	25	25	Pass
NVNT	n40	2442	Ant1	2496.5-13000	6983.95	-42.52	NA	0.056	NA	2.5	2.5	Pass
NVNT	n40	2462	Ant1	30-1000	811.40	-49.15	NA	0.0122	NA	2.5	2.5	Pass
NVNT	n40	2462	Ant1	1000-2387	2375.90	-48.63	NA	0.0137	NA	2.5	2.5	Pass
NVNT	n40	2462	Ant1	2387-2400	2388.00	-49.32	NA	0.0117	NA	25	25	Pass
NVNT	n40	2462	Ant1	2483.5-2496.5	2483.50	-33.90	NA	0.4074	NA	25	25	Pass
NVNT	n40	2462	Ant1	2496.5-13000	2498.60	-42.07	NA	0.0621	NA	2.5	2.5	Pass
NVNT	n40	2422	Ant2	30-1000	708.84	-49.26	NA	0.0119	NA	2.5	2.5	Pass
NVNT	n40	2422	Ant2	1000-2387	2385.71	-44.82	NA	0.033	NA	2.5	2.5	Pass
NVNT	n40	2422	Ant2	2387-2400	2399.43	-36.32	NA	0.2333	NA	25	25	Pass
NVNT	n40	2422	Ant2	2483.5-2496.5	2483.50	-49.22	NA	0.012	NA	25	25	Pass
NVNT	n40	2422	Ant2	2496.5-13000	6984.65	-43.88	NA	0.0409	NA	2.5	2.5	Pass
NVNT	n40	2442	Ant2	30-1000	812.76	-49.85	NA	0.0104	NA	2.5	2.5	Pass
NVNT	n40	2442	Ant2	1000-2387	2383.90	-47.35	NA	0.0184	NA	2.5	2.5	Pass
NVNT	n40	2442	Ant2	2387-2400	2396.07	-46.45	NA	0.0226	NA	25	25	Pass
NVNT	n40	2442	Ant2	2483.5-2496.5	2486.05	-48.19	NA	0.0152	NA	25	25	Pass
NVNT	n40	2442	Ant2	2496.5-13000	3516.74	-40.95	NA	0.0804	NA	2.5	2.5	Pass
NVNT	n40	2462	Ant2	30-1000	810.91	-48.28	NA	0.0149	NA	2.5	2.5	Pass
NVNT	n40	2462	Ant2	1000-2387	2378.26	-48.86	NA	0.013	NA	2.5	2.5	Pass
NVNT	n40	2462	Ant2	2387-2400	2399.91	-49.88	NA	0.0103	NA	25	25	Pass
NVNT	n40	2462	Ant2	2483.5-2496.5	2483.50	-30.94	NA	0.8054	NA	25	25	Pass
NVNT	n40	2462	Ant2	2496.5-13000	2497.20	-43.36	NA	0.0461	NA	2.5	2.5	Pass

Test Graphs

Tx. Spurious NVNT b 2412MHz Ant1 @ 30MHz-1000MHz



Tx. Spurious NVNT b 2412MHz Ant1 @ 1000MHz-2387MHz

